

NOVOS MEDICAMENTOS HOMEOPÁTICOS

**Uso dos fármacos modernos
segundo o princípio da similitude**



NOVOS MEDICAMENTOS HOMEOPÁTICOS



Similia Similibus Curentur

Volume III

Repertório Homeopático dos Fármacos Modernos

Marcus Zulian Teixeira

**NOVOS MEDICAMENTOS
HOMEOPÁTICOS**

Uso dos fármacos modernos segundo o princípio da similitude

**Volume III
Repertório Homeopático dos Fármacos Modernos**

2ª edição - revisada e atualizada

**São Paulo
Edição do Autor
2021**



Copyright © 2021 Marcus Zulian Teixeira (editor)

Todos os direitos reservados. Nenhuma parte desta obra pode ser reproduzida, arquivada ou transmitida, de nenhuma forma ou por nenhum meio, sem a permissão expressa do editor.

ISBN: 978-65-00-18032-9(//2021)



Como citar essa obra:

Teixeira, Marcus Zulian. Repertório homeopático dos fármacos modernos. 2ª edição - revisada e atualizada. In: _____. *Novos medicamentos homeopáticos: uso dos fármacos modernos segundo o princípio da similitude (Volume III)*. São Paulo: Marcus Zulian Teixeira, 2021, 780 p. Disponível em: <https://pesquisa.bvsalud.org/portal/resource/pt/biblio-1148263>

Formato eBook Kindle (Amazon). Disponível em: <http://www.amazon.com/dp/b0912frb62>

Prof. Dr. Marcus Zulian Teixeira

<http://www.homeozulian.med.br> 


[Currículo Lattes \(CNPQ\)](#)

[ORCID](#)

[Biblioteca Virtual em Saúde \(BVS - Brasil\)](#)

Repertório Homeopático dos Fármacos Modernos

SUMÁRIO



Sumário

Introdução	10
Princípio da similitude terapêutica	11
Evidências da similitude na farmacologia moderna	16
Experimentação patogenética homeopática	21
Eventos adversos como manifestações patogenéticas dos fármacos modernos	26
Uso dos fármacos modernos segundo o princípio da similitude	29
Benefícios e limitações da proposta	32
Repertório	34
Estrutura	35
Capítulos - Rubricas Principais	36
Capítulo MENTAL	108
Capítulo VERTIGEM	137
Capítulo CABEÇA	144
Capítulo OLHO	157
Capítulo VISÃO	181
Capítulo OUVIDO	188
Capítulo AUDIÇÃO	192
Capítulo NARIZ	194
Capítulo FACE	200
Capítulo BOCA	211
Capítulo DENTES	224

Capítulo GARGANTA	226
Capítulo GARGANTA EXTERNA	234
Capítulos ESTÔMAGO / ALIMENTOS	239
Capítulo ABDOME	260
Capítulo RETO	287
Capítulo FEZES	295
Capítulo BEXIGA	297
Capítulo RINS	303
Capítulo PRÓSTATA	313
Capítulo URETRA	314
Capítulo URINA	315
Capítulo GENITÁLIA MASCULINA	320
Capítulo GENITÁLIA FEMININA	326
Capítulo LARINGE E TRAQUÉIA	341
Capítulo LINGUAGEM, CONVERSAÇÃO E VOZ	343
Capítulo RESPIRAÇÃO	344
Capítulo TOSSE	359
Capítulo EXPECTORAÇÃO	361
Capítulo PEITO	362
Capítulo COSTAS	401
Capítulo EXTREMIDADES	406
Capítulo UNHAS	452
Capítulo SONO	454
Capítulo SONHOS	458
Capítulo CALAFRIO	459
Capítulo FEBRE	461
Capítulo TRANSPIRAÇÃO	466

Capítulo PELE	469
Capítulo GENERALIDADES	503
Capítulo TESTES DIAGNÓSTICOS	644
Medicamentos (Abreviaturas)	687
Publicações Científicas	719
Uso homeopático dos medicamentos modernos: utilização do efeito rebote curativo	720
“Estratégia paradoxal para o tratamento de doenças crônicas”: um modelo terapêutico usado na homeopatia há mais de dois séculos	733
Novos medicamentos homeopáticos: uso dos fármacos modernos segundo o princípio da similitude	736
Outras publicações científicas	754
Bibliografia	763

Repertório Homeopático dos Fármacos Modernos

INTRODUÇÃO

Princípio da similitude terapêutica

Evidências da similitude na farmacologia moderna

Experimentação patogenética homeopática

**Eventos adversos como manifestações
patogenéticas dos fármacos modernos**

**Uso dos fármacos modernos segundo o
princípio da similitude**

Benefícios e limitações da proposta

Princípio da similitude terapêutica

O método homeopático de tratamento das doenças está embasado em quatro pilares: *princípio de cura pelos semelhantes, experimentação das substâncias medicinais em indivíduos sadios, medicamento dinamizado e medicamento individualizado*. Embora seja atribuída grande importância ao *medicamento dinamizado* (ultradiluições), que foi introduzido posteriormente no modelo com o intuito de evitar as agravações sintomáticas, os dois primeiros pilares são o alicerce da episteme homeopática, restando ao *medicamento individualizado* a condição indispensável para que a reação terapêutica seja despertada.

Após a autoexperimentação da *Cinchona officinalis*, Samuel Hahnemann buscou confirmações (argumentos fortes) através da “analogia” e da “enumeração”, investigando os relatos clínicos de médicos antigos e encontrando inúmeras citações que alçavam o princípio da similitude à categoria de “lei natural” e endossavam o seu raciocínio lógico indutivo: *para uma substância curar determinados sintomas nos indivíduos humanos doentes ela deve provocar sintomas semelhantes nos experimentadores sadios*.

Inaugurando a homeopatia em 1796 com a publicação do *Ensaio sobre um novo princípio para se averiguar o poder curativo das drogas no Journal der praktischen Arzneykunde*,¹ Hahnemann descreveu a *ação primária direta das drogas* e a consequente *ação secundária indireta do organismo* às mesmas, sistematizando os efeitos farmacológicos de dezenas de drogas da sua época. Exemplificando:

Arsênico (*Arsenicum album*). **Ação primária direta:** Tendência a excitar o espasmo dos vasos sanguíneos e calafrios, com paroxismos diários; com o uso contínuo, em grandes doses, causa, gradualmente, um estado febril quase constante; diminuição do tônus da fibra muscular e da sensibilidade dos nervos (paralisias); promove a tosse; causa alguma doença crônica de pele (com descamação). **Ação secundária indireta:** Tratamento da febre intermitente, com recorrência diária; útil na febre hética e remitente; em certos tipos de paralisias; na tosse; em doenças de pele semelhantes.

Na “Introdução” do *Organon da arte de curar*,² Hahnemann discorreu sobre centenas de exemplos de curas homeopáticas involuntárias verificadas por médicos da Escola Antiga, fundamentando suas observações iniciais sobre o princípio da similitude em centenas de referências bibliográficas de autores diversos, como exemplificado no mesmo arsênico citado anteriormente:

“[...] De onde procede a virtude curativa do *arsênico* em algumas formas de febres intermitentes, virtude atestada por milhares de exemplos, mas que ainda não se tem suficiente precaução em sua aplicação prática, e que preconizada já há muitos séculos por *Nicolás Myrepsus*, foi plenamente comprovada depois por *Slevogt, Molitor, Jacobi, J. C. Bernhardt, Fauve, Brera, Darwin, May, Jackson, Jungken e Fowler*, se não estivesse

¹ Hahnemann S. Ensaio sobre um novo princípio para se averiguar os poderes curativos das drogas. *Rev Homeopatia (São Paulo)*. 1994; 59 (3-4): 32-65.

² Hahnemann S. Exposição da doutrina homeopática ou *Organon da arte de curar*. Traduzido da 6ª edição alemã. São Paulo: Grupo de Estudos Homeopáticos Benoit Mure, 1984.

Introdução

fundamentada na virtude de produzir a febre, que todos os observadores, principalmente *Amatus Lusitanus*, *Degner*, *Buchholz*, *Heun* e *Knape* assinalaram entre os inconvenientes da administração dessa substância? Parece indubitável que o arsênico é um remédio muito eficaz contra a angina do peito, como *E. Alexander* afirma, entendendo-se o que *Tachenius*, *Guilbert*, *Preussius*, *Thilenius* e *Pyl* observaram, isto é, que esse óxido determina uma forte opressão no peito, *Greselius* uma dispnéia sufocante, e *Majault*, enfim, acessos súbitos de asma, acompanhados de uma grande prostração de forças”.

Questionando a eficácia do método de tratamento paliativo ou enantiopático (*Organon da arte de curar*,³ parágrafos 23, 52-62, 69), Hahnemann elege o método de tratamento homeopático como a maneira mais efetiva de se empregar os medicamentos na cura das doenças crônicas, administrando aos indivíduos doentes um medicamento capaz de produzir um estado mórbido artificial semelhante à totalidade de sintomas do caso individual da doença a ser curada (*Organon*, parágrafos 24-27):

“Jamais, no mundo, os sintomas importantes de uma doença persistente foram tratados com tais paliativos de ação oposta, sem que, ao fim de poucas horas, o estado contrário, a recaída, e mesmo uma evidente agravação do mal ocorressem. Para uma tendência persistente à sonolência diurna, prescrevia-se café, cujo efeito primário é a excitação; quando, porém, seu efeito terminava, a sonolência diurna aumentava. Para o frequente despertar noturno, dava-se ópio - sem levar em conta os demais sintomas da doença - que, em virtude de sua ação primária, produzia um sono anestesiante e entorpecedor; porém, nas noites subsequentes, a insônia se tornava ainda mais forte. Sem considerar os outros sinais mórbidos, prescrevia-se justamente o ópio, cujo efeito primário é a prisão de ventre, mas que, após breve melhora da diarreia, só servia para torná-la ainda mais grave. As dores violentas e frequentes de toda espécie que podiam ser suprimidas apenas por pouco tempo com o ópio entorpecedor voltavam então agravadas, muitas vezes de modo insuportável ou sobrevinha outra afecção bem mais séria. Contra a antiga tosse noturna, o médico comum não conhece nada melhor do que o ópio, cujo efeito primário é suprimir toda irritação, que talvez ceda na primeira noite, mas que só se agrava mais nas noites subsequentes, sobrevindo febre e suores noturnos, no caso de insistir-se em suprimi-la mediante doses cada vez maiores deste paliativo. Procurou-se vencer a debilidade da bexiga com sua consequente retenção de urina com a tintura de cantárida, que irrita as vias urinárias pela sua ação antipática contrária, pela qual se efetuou, certamente, a princípio, a eliminação da urina; a seguir, porém, a bexiga se tornou mais insensível e menos contrátil, prestes a ficar paralisada. Com grandes doses de medicamentos purgativos e sais laxativos, que estimulam os intestinos a constantes evacuações, tentou-se curar uma tendência crônica à constipação, mas seus efeitos secundários tornaram os intestinos ainda mais constipados. O médico comum pretende suprimir a debilidade crônica ministrando vinho, que, no entanto, somente possui ação estimulante em seu efeito primário, caindo, então, muito mais as forças do paciente durante sua ação secundária. Através de substâncias amargas e condimentos quentes, ele pretende fortalecer e aquecer o estômago cronicamente fraco e frio, mas a ação secundária destes paliativos, estimulantes apenas em seu efeito primário, serve somente para tornar o estômago ainda mais inativo. A prolongada deficiência de calor vital e a sensação de frio deveriam ceder à prescrição de banhos mornos, mas os pacientes, a seguir, se tornam mais fracos e sentem mais frio. Partes do corpo muito queimadas, na verdade, encontram alívio imediato com aplicação de água fria; porém, a dor da queimadura aumenta

³ Hahnemann S. *Organon da arte de curar*. Traduzido da 6ª edição alemã. Ribeirão Preto: Museu de Homeopatia Abrahão Brickmann, 1995.

Introdução

inacreditavelmente a seguir e a inflamação atinge um grau ainda mais elevado. Mediante medicamentos provocadores de espirros e que causam a secreção das mucosas, pretende-se curar a coriza crônica acompanhada de entupimento das fossas nasais, não reparando, porém, que mediante tais medicamentos antagônicos ela continua se agravando (no efeito secundário) e o nariz fica mais obstruído. Por meio das forças elétricas e do galvanismo, grandes estimulantes da atividade muscular em sua ação primária, membros cronicamente fracos e quase paralisados foram rapidamente ativados; a consequência, porém (a ação secundária), foi o completo amortecimento de toda a excitabilidade muscular e total paralisia. Com sangrias, pretendeu-se remover o afluxo congestivo de sangue à cabeça e outras partes do corpo, como, por exemplo, durante as palpitações, mas sempre se seguiam congestões ainda mais graves nestes órgãos, palpitações mais fortes e mais frequentes, etc. Para tratar o torpor paralisante físico e mental, a par da perda de consciência que predominam em muitos tipos de tifo, a arte medicamentosa comum não conhece nada melhor do que grandes doses de valeriana, por ser ela um dos medicamentos mais poderosos como reanimador e estimulante da faculdade motora; sua ignorância, contudo, impede de saber que esta é apenas uma ação primária e que o organismo, após a mesma, na ação secundária (antagônica), certamente cai em torpor e imobilidade ainda maiores, isto é, paralisção física e mental (mesmo morte); eles não enxergaram que foram justamente os doentes aos quais foi dada alta quantidade de valeriana, cuja ação é antipática, aqueles que mais seguramente vieram a morrer. O médico da antiga escola se vangloria de poder reduzir por diversas horas a velocidade do pulso fraco e acelerado, em pacientes caquéticos, já com a primeira dose de *Digitalis purpurea*, redutora da pulsação no seu **efeito primário**; contudo, sua velocidade logo retorna duplicada; então, repetidas e mais fortes, as doses fazem cada vez menos efeito, terminando por não mais poder diminuir a velocidade do pulso, que várias vezes se torna impossível de calcular na **ação secundária**. O sono, apetite e força diminuem, e a morte breve é inevitável, quando não sobrevém a loucura. Em uma palavra, a falsa teoria não se convence, mas a experiência nos ensina, de maneira assustadora, quantas vezes se agrava uma doença ou se produz algo ainda pior pela ação secundária de tais medicamentos antagônicos (antipáticos)". (*Organon*, § 59)

Nos parágrafos 63 a 65 do *Organon*, Hahnemann descreve uma explicação fisiológica para esta "lei natural de cura", fundamentando o princípio da similitude na *ação primária das drogas* e na correspondente *ação secundária* ou *reação vital do organismo*:

"Toda força que atua sobre a vida, todo medicamento afeta em maior ou menor escala a força vital causando certa alteração no estado de saúde do Homem por um período de tempo maior ou menor. A isto se chama **ação primária**. [...] A esta ação, nossa força vital se esforça para opor sua própria energia. Tal ação oposta faz parte de nossa força de conservação, constituindo uma atividade automática da mesma, chamada **ação secundária** ou **reação**". (*Organon*, § 63)

Hahnemann exemplifica esse *mecanismo de ação universal dos medicamentos (farmacodinâmica universal)*, observado nas diversas sensações e funções orgânicas, nos efeitos farmacológicos dos tratamentos e das drogas da sua época:

"[...] A mão que é banhada em água quente, a princípio fica muito mais quente do que a outra não banhada (ação primária); porém, após ser retirada da água quente e estar completamente enxuta novamente, torna-se fria depois de algum tempo e, finalmente, muito mais fria do que a outra (ação secundária). Depois de aquecida por um intenso exercício físico (ação primária), a pessoa é atingida por frio e tremores (ação secundária). Para quem ontem se aqueceu com bastante vinho (ação primária), hoje qualquer ventinho é muito frio

Introdução

(ação oposta do organismo; secundária). Um braço mergulhado por tempo muito longo em água muito fria é, a princípio, muito mais pálido e frio (ação primária) do que o outro; porém, fora da água e enxuto, torna-se, a seguir, não apenas mais quente do que o outro, mas também vermelho, quente e inflamado (ação secundária, reação da força vital). À ingestão de café forte, segue-se uma superexcitação (ação primária); porém, um grande relaxamento e sonolência (reação; ação secundária) permanecem por algum tempo se não continuarem a ser suprimidos através de mais café (paliativo, de curta duração). Após o sono profundo e entorpecedor produzido pelo ópio (ação primária), a noite seguinte será tanto mais insone (reação, ação secundária). Depois da constipação produzida pelo ópio (ação primária), segue-se a diarreia (ação secundária) e, após purgativos que irritam os intestinos, sobrevêm obstrução e constipação por vários dias (ação secundária). Assim, por toda parte, após a ação primária de uma potência capaz de, em grandes doses, transformar profundamente o estado de saúde do organismo sadio, é justamente o oposto que sempre ocorre (se, como se disse, tal fato realmente existe) na ação secundária, através de nossa força vital”. (*Organon*, § 65)

Reiterando que essa ação secundária ou reação vital do organismo (de caráter oposto à ação primária da droga) é observada “em todos os casos sem exceção”, com doses ponderais ou infinitesimais das substâncias, em indivíduos sadios ou doentes, Hahnemann eleva o princípio da similitude ao status de “lei natural” (*Organon*, parágrafos 58, 61, 110-112): “Nas descrições mais antigas dos efeitos muitas vezes perigosos dos medicamentos ingeridos em doses excessivas, notam-se também certos estados que surgem não no início, mas no fim destes tristes acontecimentos, que eram de natureza exatamente oposta aos que haviam surgido inicialmente. São estes, sintomas opostos da **ação primária** ou ação própria dos medicamentos sobre a força vital, a reação do princípio vital do organismo, portanto, **ação secundária**, da qual, contudo, raramente ou quase nunca resta o menor vestígio em experiências feitas com doses moderadas em organismos sadios; quando, porém, as doses são pequenas, nunca resta absolutamente nada. No processo homeopático de cura, o organismo vivo produz contra tais doses, tão somente a reação necessária para restabelecer o estado normal de saúde”. (*Organon*, § 112)

Perante a racionalidade científica e os conceitos fisio-farmacológicos modernos, a *ação primária* citada por Hahnemann representa os *efeitos terapêuticos, adversos e colaterais* das drogas convencionais. A *ação secundária* ou *reação vital* representa o *efeito rebote* ou *reação paradoxal do organismo*, sendo descrito após a suspensão ou a alteração das doses de diversas as classes de drogas que atuam de forma contrária aos sintomas das doenças (drogas paliativas, enantiopáticas ou antipáticas).

De forma análoga à tradicional ação secundária dos medicamentos homeopáticos, esse *efeito rebote das drogas modernas* pode ser empregado de forma terapêutica, estimulando reações homeostáticas curativas, desde que aplicado segundo o princípio da similitude sintomática, conforme proposto no passado^{4,5,6,7,8,9} e descrito em detalhes a seguir.¹⁰

⁴ Teixeira MZ. Semelhante cura semelhante: o princípio de cura homeopático fundamentado pela racionalidade médica e científica. São Paulo: Editorial Petrus, 1998. Disponível em: https://www.homeozulian.med.br/homeozulian_visualizarlivroautor.asp?id=3

⁵ Teixeira MZ. Similitude in modern pharmacology. *Br Homeopath J.* 1999; 88(3): 112-120. Disponível em: <https://doi.org/10.1054/homp.1999.0301>

⁶ Teixeira MZ. O princípio da similitude na moderna farmacologia. *Rev Homeopatia (São Paulo)*. 1999; 64(1-4): 45-58. Disponível em: [ResearchGate](https://www.researchgate.net/publication/326811110)

Introdução

A eleição do princípio da similitude à categoria de “lei natural”, fundamentada cientificamente no primeiro volume (*Fundamentação Científica do Princípio da Similitude na Farmacologia Moderna*) dessa coleção, endossa e permite tal prática.

⁷ Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283. Disponível em: [https://doi.org/10.1016/S0306-9877\(02\)00386-9](https://doi.org/10.1016/S0306-9877(02)00386-9)

⁸ Teixeira MZ. Matéria médica comum: utilização homeopática da patogenesia dos fármacos modernos. *Rev Homeopatia (AMHB)*. 1994; 4: 108-115. Disponível em: [ResearchGate](https://www.researchgate.net/publication/325111117)

⁹ Teixeira MZ. ‘Paradoxical strategy for treating chronic diseases’: a therapeutic model used in homeopathy for more than two centuries. *Homeopathy* 2005; 94(4): 265-266. Disponível em: <https://doi.org/10.1016/j.homp.2005.08.018>

¹⁰ Teixeira MZ. New homeopathic medicines: use of modern drugs according to the principle of similitude. *Homeopathy*. 2011; 100 (4): 244-252. Disponível em: <https://doi.org/10.1016/j.homp.2011.01.002>

Evidências da similitude na farmacologia moderna

Empregando o mesmo silogismo hipotético “modus tollens” (“hipótese nula” dos métodos estatísticos modernos) utilizado por Hahnemann para embasar o princípio da similitude em sua época, vimos descrevendo nas últimas décadas os “tristes resultados do emprego de medicamentos antagônicos” (princípio dos contrários) dos fármacos modernos, em conformidade aos modernos conceitos fisio-farmacológicos do *efeito rebote ou reação paradoxal do organismo (ação secundária ou reação vital do modelo homeopático)*.

“Se os médicos tivessem sido capazes de refletir sobre estes tristes resultados do emprego de medicamentos antagônicos, teriam, então, há muito tempo, descoberto a grande verdade: que é justamente, no oposto de tal tratamento antipático dos sintomas da doença que deve ser encontrado o verdadeiro e sólido método de cura. Eles teriam percebido que, assim como uma ação medicamentosa antagônica (medicamento empregado de modo antipático) tem alívio apenas temporário, agravando-se sempre após sua ação, o procedimento oposto, **o emprego homeopático dos medicamentos**, de acordo com a semelhança dos sintomas, deveria, necessariamente, realizar uma cura duradoura e perfeita se, neste processo, o oposto de suas grandes doses, as doses mais diminutas fossem empregadas. Mas, apesar disso, nem pelo fato de que qualquer médico jamais realizou cura duradoura de males antigos, a não ser que se encontrasse em sua prescrição, por acaso, como principal agente, um medicamento homeopático; nem, ainda, pelo fato de que toda cura rápida e perfeita que a natureza já realizou (§ 46), foi feita sempre apenas pela superveniência sobre a doença primitiva de uma doença **semelhante**, chegaram eles, depois de tantos séculos, a esta única verdade que conduz à cura”. (*Organon*, § 61)

Realizando a ponte entre o princípio homeopático de tratamento e a farmacologia moderna, encontramos uma infinidade de relatos, tanto em compêndios farmacológicos como em ensaios clínicos e experimentais publicados em periódicos científicos, que descrevem uma *ação ou reação secundária do organismo oposta a uma ação primária da droga*, confirmando as observações hahnemannianas. Como dito anteriormente, essa *ação secundária do organismo*, no sentido de manter a homeostase orgânica, recebe a denominação de *efeito rebote ou reação paradoxal do organismo* segundo a racionalidade científica atual.

Ilustrando o acima exposto, medicamentos utilizados classicamente para o tratamento da *angina pectoris* (beta-bloqueadores, bloqueadores dos canais de cálcio, nitratos, etc.), que promovem melhora da angina como efeito primário, podem despertar exacerbações paradoxais na frequência e na intensidade da dor torácica após a suspensão ou a descontinuação das doses, em alguns casos não responsivos a qualquer terapêutica. Fármacos utilizados no controle da *hipertensão arterial* (agonistas alfa-2 adrenérgicos, beta-bloqueadores, inibidores da ECA, inibidores da MAO, nitratos, nitroprussiato de sódio, hidralazina, etc.) podem provocar uma hipertensão arterial rebote como reação paradoxal do organismo ao estímulo primário. Medicamentos *antiarrítmicos* (adenosina, amiodarona, beta-bloqueadores, bloqueadores dos canais de cálcio, disopiramida, flecainida, lidocaína, mexiletina, moricizina, procainamida, quinidina, digitálicos, etc.) podem despertar, após a interrupção do tratamento, exacerbação rebote das arritmias ventriculares basais. Drogas *anticoagulantes* (argatroban, bezafibrato, heparina, salicilatos,

Introdução

warfarin, clopidogrel, etc.), empregadas por seu efeito primário na profilaxia da trombose sanguínea, podem promover complicações trombóticas como reação paradoxal do organismo. No emprego de drogas psiquiátricas como os *ansiolíticos* (barbitúricos, benzodiazepinas, carbamatos, etc.), *sedativo-hipnóticos* (barbitúricos, bendodiazepinas, morfina, prometazina, zopiclone, etc.), *estimulantes do SNC* (anfetaminas, cafeína, cocaína, mazindol, metilfenidato, etc.), *antidepressivos* (tricíclicos, inibidores da MAO, etc.) ou *antipsicóticos* (clozapina, fenotiazínicos, haloperidol, pimozida, etc.) pode-se observar uma reação paradoxal do organismo no sentido de manter a homeostase orgânica, produzindo sintomas contrários aos esperados na sua utilização terapêutica primária, agravando ainda mais o quadro inicial. Drogas com ação primária *antiinflamatória* (corticosteróides, ibuprofeno, indometacina, paracetamol, salicilatos, etc.) podem desencadear reações paradoxais do organismo, aumentando a inflamação e a concentração plasmática dos seus mediadores. Fármacos com ação primária *analgésica* (cafeína, bloqueadores dos canais de cálcio, clonidina, ergotamina, metisergida, opióides, salicilatos, etc.) podem apresentar importante hiperalgesia rebote. *Diuréticos* (furosemida, torasemida, trianterene, etc.), utilizados enantiopaticamente para diminuir a volemia (edema, hipertensão arterial, ICC), podem causar retenção rebote de sódio e potássio, aumentando secundariamente a volemia basal. Medicamentos utilizados primariamente como *antidispépticos* (antiácidos, antagonistas do receptor H₂, misoprostol, sucralfato) no tratamento das gastrites e das úlceras gastroduodenais, podem promover, após uma diminuição primária da acidez, aumento rebote na produção gástrica de ácido clorídrico, chegando a causar perfuração de úlceras gastroduodenais crônicas. *Broncodilatores* (broncodilatores adrenérgicos, cromoglicato dissódico, epinefrina, ipatropio, nedocromil) utilizados no tratamento da asma brônquica, podem promover piora da broncoconstrição como resposta paradoxal do organismo à suspensão ou descontinuidade do tratamento. Etc.^{11,12,13}

Evidenciadas na farmacologia clínica e experimental,^{14,15} as propriedades dessa *reação paradoxal (efeito rebote) do organismo* são as mesmas da *reação vital homeopática (ação secundária)* descrita por Hahnemann (*Organon*, parágrafos 59, 64, 69): (i) ocorre apenas em indivíduos suscetíveis (em torno de 5% da população), que apresentam em suas constituições sintomas semelhantes aos efeitos patogénéticos da droga; (ii) independe da droga, do tempo de tratamento ou da gravidade da doença; (iii) surge após ter cessado o efeito primário da droga (descontinuação), como uma manifestação automática do organismo; (iv) produz um estado (sintomas) oposto e superior em intensidade e/ou duração ao efeito primário da substância; (v) a magnitude é proporcional ao efeito primário da

¹¹ Teixeira MZ. Semelhante cura semelhante: o princípio de cura homeopático fundamentado pela racionalidade médica e científica. São Paulo: Editorial Petrus, 1998. Disponível em: https://www.homeozulian.med.br/homeozulian_visualizarlivroautor.asp?id=3

¹² Teixeira MZ. Similitude in modern pharmacology. *Br Homeopath J.* 1999; 88(3): 112-120. Disponível em: <https://doi.org/10.1054/homp.1999.0301>

¹³ Teixeira MZ. O princípio da similitude na moderna farmacologia. *Rev Homeopatia (São Paulo).* 1999; 64(1-4): 45-58. Disponível em: [ResearchGate](https://www.researchgate.net/publication/312211111)

¹⁴ Teixeira MZ. Antidepressants, suicidality and rebound effect: evidence of similitude? *Homeopathy.* 2009; 98(2): 114-121. Disponível em: <https://doi.org/10.1016/j.homp.2009.02.004>

¹⁵ Teixeira MZ. Statins withdrawal, vascular complications, rebound effect and similitude. *Homeopathy.* 2010; 99(4): 255-262. Disponível em: <https://doi.org/10.1016/j.homp.2010.01.001>

Introdução

droga, apresentando respostas mais evidentes em drogas (ou doses) mais eficazes na supressão dos sintomas iniciais da doença.

Como outras características peculiares ao fenômeno, o *efeito rebote* ou *reação paradoxal do organismo* se manifesta num período variável (horas a semanas) após a suspensão ou a descontinuação do tratamento, permanecendo por um período variável (horas a semanas) de acordo às características da substância e às particularidades idiossincráticas dos indivíduos.

Apesar das inúmeras pesquisas científicas que evidenciam o *efeito rebote dos fármacos modernos* publicadas em periódicos de alto impacto, o ensino e a divulgação do mecanismo de ação das drogas convencionais desprezam a existência desse “fenômeno natural” (descrito pela homeopatia há mais de dois séculos), impedindo que inúmeras iatrogenias fatais decorrentes do emprego das drogas enantiopáticas modernas possam ser evitadas com a incorporação dessas evidências ao conhecimento médico moderno.

Evidências da similitude nas iatrogenias fatais dos fármacos modernos

Apesar do caráter idiossincrático desse fenômeno, que se manifesta em torno de 5% dos indivíduos – e que por esse mesmo motivo justifica a necessidade da *individualização do medicamento no tratamento homeopático* – evidências científicas atuais alertam para a ocorrência de *eventos iatrogênicos graves e fatais* em decorrência desta reação paradoxal do organismo, após a suspensão de diversas classes de drogas enantiopáticas modernas.¹⁶

Recentes metanálises têm evidenciado que todas as classes de antiinflamatórios não-esteroidais (AINEs), seletivos (rofecoxibe, celecoxibe, etc.) ou não-seletivos das ciclooxigenases (salicilatos, diclofenaco, naproxeno, ibuprofeno, etc.), por apresentarem um efeito primário anticoagulante, despertam reações paradoxais trombogênicas após a descontinuação do uso, causando aumento significativo na incidência de trombozes e provocando eventos vasculares fatais [infarto agudo do miocárdio (IAM) e acidentes vasculares encefálicos (AVE)].¹⁷

De forma análoga, outras metanálises indicam que os broncodilatadores β -agonistas de longa duração (salmeterol, formoterol, etc.), após uma ação primária broncodilatadora, despertam significativos broncoespasmos paradoxais irreversíveis e fatais.¹⁸ Diversos estudos têm demonstrado que os antidepressivos inibidores da recaptção de serotonina (ISRSs) promovem exacerbação rebote das ideações e atitudes suicidas, após uma melhora inicial dessas mesmas manifestações.¹⁹ O mesmo fenômeno ocorre com as diversas classes

¹⁶ Teixeira MZ. Evidence of the principle of similitude in modern fatal iatrogenic events. *Homeopathy*. 2006; 95(4): 229-236. Disponível em: <https://doi.org/10.1016/j.homp.2006.06.004>

¹⁷ Teixeira MZ. NSAIDs, Myocardial infarction, rebound effect and similitude. *Homeopathy*. 2007; 96(1): 67-68. Disponível em: <https://doi.org/10.1016/j.homp.2006.11.009>

¹⁸ Teixeira MZ. Bronchodilators, fatal asthma, rebound effect and similitude. *Homeopathy*. 2007; 96(2):135-7. Disponível em: <https://doi.org/10.1016/j.homp.2007.02.001>

¹⁹ Teixeira MZ. Antidepressants, suicidality and rebound effect: evidence of similitude? *Homeopathy*. 2009; 98(2): 114-121. Disponível em: <https://doi.org/10.1016/j.homp.2009.02.004>

Introdução

de estatinas (simvastatina, lovastatina, atorvastatina, etc.), que despertam eventos vasculares paradoxais e fatais (IAM, AVE), após um incremento primário dos efeitos pleiotrópicos ou vasculoprotetores.²⁰ Semelhantemente a outros antidisépícticos, pesquisas recentes demonstram que os inibidores das bombas de prótons (IBPs) (omeprazol, pantoprazol, esomeprazol, etc.), após uma melhora inicial da acidez gástrica, causam hipergastrinemia e hipersecreção ácida rebote, provocando exacerbação das gastrites e úlceras, câncer gástrico, tumor carcinóide, etc.²¹

Em comparação ao placebo, observam-se riscos de eventos vasculares fatais 3,4 vezes maiores após a suspensão dos salicilatos, 1,52 vezes maior após a suspensão dos AINEs e 1,67 vezes maior após a suspensão do rofecoxibe. O risco de broncoconstrições fatais foi quatro vezes maior após a suspensão dos broncodilatadores de longa duração, representando, aproximadamente, um broncoespasmo rebote seguido de morte a cada 1.000 pacientes-ano-uso, que corresponde a 4.000-5.000 mortes/ano apenas nos EUA (40.000-50.000 em todo o mundo), em vista do grande consumo dessas drogas.²² Incluindo o tiotropium na análise, estudo recente mostra que broncoespasmo rebote seguido de morte atinge 1,7% e 2,1% dos portadores de doença pulmonar obstrutiva crônica (DPOC) de intensidade moderada-grave em usuários de tiotropium e salmeterol, respectivamente.²³

O risco de comportamentos suicidas foi seis vezes maior após a suspensão dos ISRSs, representando, aproximadamente, cinco eventos suicidas rebotes a cada 1.000 pacientes adolescentes-ano-uso, correspondendo a 16.500 pensamentos ou comportamentos suicidas/ano apenas em adolescentes e nos EUA.²⁴ Após a suspensão das estatinas, em relação à ausência de tratamento, o risco de mortalidade foi 1,69 vezes maior e o risco de eventos vasculares fatais foi 19 vezes maior.²⁵ Em relação aos IBPs, em torno de 40% dos usuários reporta hipersecreção ácida rebote.²⁶

Segundo as evidências citadas anteriores, o tempo médio de manifestação do efeito rebote ou reação paradoxal, após a suspensão do tratamento, não varia entre as distintas classes de drogas: 10 dias para os salicilatos, 14 dias para os AINEs, 9 dias para o rofecoxibe, 7 dias para os ISRSs e 7 dias para as estatinas. Em relação aos antidisépícticos, a hipersecreção ácida rebote ocorre 1 hora após uma dose padrão de antiácidos, 2 dias após 4 semanas de

²⁰ Teixeira MZ. Statins withdrawal, vascular complications, rebound effect and similitude. *Homeopathy*. 2010; 99(4): 255-262. Disponível em: <https://doi.org/10.1016/j.homp.2010.01.001>

²¹ Teixeira MZ. Rebound acid hypersecretion after withdrawal of proton pump inhibitors: new evidence of similitude. *Homeopathy*. 2011; 100 (3): 148-156. Disponível em: <https://doi.org/10.1016/j.homp.2011.05.003>

²² Teixeira MZ. Bronchodilators, fatal asthma, rebound effect and similitude. *Homeopathy*. 2007; 96(2):135-7. Disponível em: <https://doi.org/10.1016/j.homp.2007.02.001>

²³ Vogelmeier C, Hederer B, Glaab T, Schmidt H, Rutten-van Mölken MP, Beeh KM, et al. Tiotropium versus salmeterol for the prevention of exacerbations of COPD. *N Engl J Med*. 2011; 364(12): 1093-1103. Disponível em: <https://doi.org/10.1056/nejmoa1008378>

²⁴ Teixeira MZ. Antidepressants, suicidality and rebound effect: evidence of similitude? *Homeopathy*. 2009; 98(2): 114-121. Disponível em: <https://doi.org/10.1016/j.homp.2009.02.004>

²⁵ Teixeira MZ. Statins withdrawal, vascular complications, rebound effect and similitude. *Homeopathy*. 2010; 99(4): 255-262. Disponível em: <https://doi.org/10.1016/j.homp.2010.01.001>

²⁶ Teixeira MZ. Rebound acid hypersecretion after withdrawal of proton pump inhibitors: new evidence of similitude. *Homeopathy*. 2011; 100 (3): 148-156. Disponível em: <https://doi.org/10.1016/j.homp.2011.05.003>

Introdução

uso de antagonistas dos receptores H₂, e 1-2 semanas após 4-8 semanas de uso dos IBPs. A duração do fenômeno rebote persistiu por até 30 dias com o rofecoxibe e até 21 dias com os ISRSs. O fenômeno rebote teve a duração de 10 dias após 4 semanas de uso dos antagonistas dos receptores H₂ e 2 ou 4 semanas após 4 ou 8 semanas de IBPs, respectivamente. A duração do tratamento não mostrou relação direta com a manifestação do efeito rebote, no entanto, drogas com atuação paliativa mais intensa, suprimindo intensamente os sintomas primários das doenças, manifestam reações paradoxais proporcionais.

Experimentação patogenética homeopática

Para adquirir o conhecimento das propriedades curativas das substâncias que permitam a aplicação do princípio da similitude terapêutica, a homeopatia utiliza a experimentação patogenética homeopática (também conhecida como ensaio patogenético homeopático, EPH) como modelo de pesquisa clínica farmacológica (semelhante aos modernos “estudos fase I” da pesquisa farmacológica moderna), valorizando todas as classes de *ações primárias* ou *manifestações patogenéticas* (*sintomas mentais, gerais e locais*) despertadas pelas substâncias medicinais no estado de saúde humano, denominados pela farmacologia moderna como *efeitos terapêuticos, adversos* ou *colaterais* das drogas.

Apesar das premissas estipuladas por Hahnemann para os ensaios patogenéticos homeopáticos (*Organon*, parágrafos 105-145), a Matéria Médica Homeopática é composta pela coletânea de sinais e sintomas descritos nas experimentações de milhares de substâncias em indivíduos doentes e sadios, em doses ponderais (substâncias em estado bruto) e diluídas (medicamentos dinamizados), descrevendo os estados mórbidos artificiais que permitem a aplicação do método de tratamento homeopático.

Como proposta ideal, Hahnemann sugere a experimentação patogenética dos medicamentos em “doses moderadas” e em “indivíduos sadios”, *para evitar que os verdadeiros efeitos sejam confundidos com os sintomas da doença* (*Organon*, parágrafos 106-109). No entanto, os medicamentos também foram experimentados em doses ponderais e/ou em indivíduos doentes nas patogenesias descritas nas obras *Fragmenta de viribus medicamentorum positivis*, *Materia Medica Pura* e *Chronic Diseases*, como veremos adiante.

Em relação à experimentação em indivíduos doentes, Hahnemann justifica a utilização das manifestações patogenéticas que resultem “do medicamento simples empregado com fim curativo”, desde que seja possível selecionar “os sintomas que porventura tenham sido observados muito tempo antes em todo o curso da doença ou nunca anteriormente e que, por conseguinte, são sintomas novos que pertencem ao medicamento” (*Organon*, parágrafo 142).

Apesar de Hahnemann alertar nesse parágrafo sobre as dificuldades em se diferenciar os sintomas do medicamento dos sintomas da doença (“é um assunto que diz respeito a mais elevada arte de julgar e deve ser reservado somente aos mestres da observação”), nos rígidos protocolos da pesquisa clínica moderna com novas drogas (estudos fases I a IV) e na consequente classificação dos eventos ou reações adversas observadas, a *previsibilidade*, a *frequência* e a *causalidade* desses eventos justificam a sua utilização como “sintomas novos” das substâncias experimentadas, como veremos a seguir.

Exemplificando a validade da experimentação patogenética com doses ponderais e/ou em indivíduos doentes, Hahnemann relata que os efeitos das experimentações descritas por autores anteriores a ele com “grandes quantidades de substâncias medicamentosas” em pessoas sadias (como resultado de envenenamentos) ou em indivíduos doentes (como

Introdução

resultado da prescrição de medicamentos em “doses excessivas”), aproximavam-se muito das suas próprias observações ao experimentar as mesmas substâncias em si mesmo ou em pessoas sadias (*Organon*, parágrafos 110-112).

De forma análoga à classificação de “frequência” dos eventos adversos das drogas modernas, Hahnemann relata que “alguns sintomas são produzidas pelos medicamentos com maior frequência, isto é, em muitos organismos; alguns mais raramente ou em poucas pessoas e outros em pouquíssimos organismos sadios” (*Organon*, parágrafo 116). Assim sendo, “nem todos os sintomas peculiares de um medicamento se manifestam em uma única pessoa e nem todos ao mesmo tempo ou no mesmo experimento”, sendo necessárias “numerosas observações em vários organismos” para que se conheça o quadro completo da doença medicamentosa (*Organon*, parágrafos 134-136).

Segundo o poder de causar alterações no estado de saúde dos indivíduos (*patogenicidade*), Hahnemann classifica as substâncias em “fortes” (heroicas), “moderadas” e “fracas”, sugerindo que sejam administradas em doses inversamente proporcionais ao seu poder patogênico (*Organon*, parágrafo 121).

Em relação à preparação farmacotécnica das substâncias experimentadas, Hahnemann refere que as substâncias em estado bruto (doses ponderais) “não manifestam tanto toda a riqueza de seus poderes que estão nelas ocultos como quando são ingeridas com o mesmo objetivo em altas diluições, potencializadas por trituração e succussão adequadas”, sugerindo que a experimentação seja feita com doses diárias de 4-6 glóbulos na 30ª potência, aumentando progressivamente o número dos glóbulos em conformidade à suscetibilidade individual (*Organon*, parágrafos 128, 129).

Com a administração inicial de uma “dose suficientemente forte” (grande quantidade de glóbulos potencializados), o experimentador percebe a “ordem de sucessão dos sintomas” e “a duração de ação da droga” (*Organon*, parágrafo 130), enquanto que com doses crescentes e sucessivas por vários dias o experimentador toma conhecimento “dos diversos estados mórbidos que este medicamento pode produzir de modo geral, mas não na sua ordem de sucessão” (*Organon*, parágrafos 131, 132).

Ensaio patogénico com doses ponderais e/ou em indivíduos doentes

Conforme descrito anteriormente, apesar da experimentação patogénica homeopática ideal estar baseada na administração de medicamentos dinamizados a indivíduos sadios, a Matéria Médica Homeopática está repleta de sinais e sintomas provenientes da experimentação de medicamentos em doses ponderais e/ou em indivíduos doentes. De forma análoga, a terapêutica homeopática também foi praticada com medicamentos em doses ponderais, tendo como referência as manifestações patogénicas descritas na ingestão de doses ponderais por indivíduos sadios (envenenamentos) e doentes (doses terapêuticas excessivas).

Introdução

Para situar o leitor nesses aspectos singulares da prática homeopática, faremos, a seguir, um breve resumo das revisões históricas sobre o tema, descritas por Robert E. Dudgeon²⁷ e Richard Hughes²⁸.

Durante os anos iniciais da homeopatia, Hahnemann aplicou o princípio da similitude terapêutica com doses ponderais de substâncias medicinais, utilizando os sintomas patogênicos despertados pelas mesmas substâncias em pessoas sadias e doentes, curando uma série de doenças crônicas, agudas e epidêmicas (*Ensaio sobre um novo princípio*, 1796):²⁹ cólicas uterinas com *Matricaria chamomilla*; disenteria outonal com *Arnica montana*; endurecimentos dolorosos dos gânglios com *Conium maculatum*; afecções paralíticas e espasmódicas com *Solanum dulcamara*; hemorragias crônicas, manias e convulsões com *Hyoscyamus niger*; tremores, fasciculações, câimbras e febres intermitentes com *Ignatia amara*; amaurose, catarata e opacidade da córnea com *Anemona pratensis*; etc. Seguindo essa mesma proposta, curou um grande número de pacientes acometidos por febres contínuas e remitentes com *Ignatia amara*, *Opium*, *Camphora*, *Ledum palustre* e *Aconitum napellus*.³⁰

Em 1799, durante uma epidemia de febre escarlate,³¹ Hahnemann utilizou pela primeira vez doses diluídas e agitadas de *Belladonna*, *Opium* e *Ipeca*, com o intuito de diminuir o poder patogênico das doses e evitar as agravações.³² Em 1814, no tratamento do tifo ou febre hospitalar,³³ Hahnemann esboça o método farmacotécnico da dinamização (diluições seriadas com agitações vigorosas) no preparo dos medicamentos *Bryonia alba*, *Hyoscyamus niger* e *Rhus toxicodendron*, administrando apenas uma única gota da 12ª atenuação a cada paciente, por considerá-la uma “dose muito forte”. A *teoria da dinamização* propriamente dita surgiu apenas em 1827,³⁴ incorporando o processo de trituração e sucussão no preparo das “atenuações medicamentosas homeopáticas” com o intuito de desenvolver e exaltar “os poderes medicinais dinâmicos das substâncias naturais”.

²⁷ Dudgeon RE. Lectures on the theory and practice of homoeopathy. New Delhi: B Jain Publishers; 1982 (Reprint edition). Lectures VII e XII.

²⁸ Hughes R. A manual of pharmacodynamics. 6th Edn. New Delhi: B Jain Publishers; 1980 (Second reprint edition). Lecture II.

²⁹ Hahnemann S. Ensaio sobre um novo princípio para se averiguar os poderes curativos das drogas. *Rev Homeopatia (São Paulo)*. 1994; 59 (3-4): 32-65.

³⁰ Hahnemann S. Alguns tipos de febres contínuas e remitentes. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³¹ Hahnemann S. Cura e prevenção da febre escarlate. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³² Hahnemann S. Sobre o poder de doses pequenas de medicamento em geral, e da *Belladonna* em particular. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³³ Hahnemann S. Tratamento do tifo ou febre hospitalar que predomina no momento. In: Dudgeon RE. Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³⁴ Hahnemann S. Como pequenas doses de um medicamento tão atenuado como a homeopatia emprega ainda podem possuir grande poder? In: Dudgeon RE. Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

Introdução

Em 1805, Hahnemann estipulou as premissas para conduzir a experimentação patogênica com doses mínimas e em indivíduos sadios (*A medicina da experiência*),³⁵ fruto da experimentação prévia de substâncias medicinais em si mesmo, familiares e amigos.

No mesmo ano, publica a patogenesia de vinte e sete medicamentos (*Fragmenta de viribus medicamentorum positivis, sive in sano corpore humano observatis*, 1805),³⁶ considerada a primeira matéria médica homeopática utilizada por Hahnemann na sua prática clínica. Os sintomas patogênicos descritos foram provenientes da sua própria observação (efeitos de envenenamentos, doses terapêuticas excessivas, experimentações em si próprio e em pessoas sadias) e da “observação de outros”, citados na literatura. Apesar de não dar informações sobre as doses ou o modo de administração, acredita-se que ele iniciava com uma dose única forte (em solução), repetindo-a, caso julgasse necessário, após o término da ação, conforme as premissas anteriores.³⁷

Após seis anos (1811), Hahnemann publica o primeiro volume da obra *Reine Arzneimittellehre*,³⁸ futura *Matéria Medica Pura*,³⁹ composta por seis novas patogenesias e seis patogenesias antigas (*Fragmenta de viribus medicamentorum positivis*) com considerável adição de sintomas. Em 1816 publica o segundo volume, contendo os efeitos patogênicos de oito medicamentos e três experimentações com ímã; em 1817 o terceiro, com oito medicamentos; em 1818 o quarto, com doze; em 1819 o quinto, com onze; e em 1821 o sexto, com dez. No total, a obra continha sessenta e um medicamentos (além do ímã), trinta e nove novos e vinte e dois transferidos do *Fragmenta de viribus medicamentorum positivis*, com suas patogenesias ampliadas. Nesse trabalho, Hahnemann contou com a ajuda de trinta e sete experimentadores-discípulos (três dos quais manifestando sintomas da própria doença em todos os medicamentos experimentados), com poucas informações sobre as doses e as formas de administração das substâncias.⁴⁰

De 1822 a 1827, Hahnemann publica a segunda e ampliada edição do *Reine Arzneimittellehre* (seis volumes, com as mesmas patogenesias da primeira edição), acrescentando apenas três novos medicamentos ao sexto volume. Segundo o levantamento de Hughes,⁴⁰ observa-se um grande aumento no número de sintomas nos medicamentos do primeiro volume, fruto da experimentação em indivíduos sadios (na primeira edição, existiam apenas “observações de outros”). Além disso, as reexperimentações foram mais frequentes nas substâncias dos quatro primeiros volumes da série, pois, a partir de 1821, com a mudança para Köthen e na oitava década de vida, Hahnemann se afastou dos

³⁵ Hahnemann S. A medicina da experiência. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³⁶ Wettemann M. Hahnemann's use of 'Fragmenta de viribus medicamentorum' in his early medical practice: analysis based on a patient file. *Med Ges Ghesch.* 2001; 20:221-30.

³⁷ Hahnemann S. A medicina da experiência. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.

³⁸ Hahnemann S. *Reine Arzneimittellehre* (German Edn.). Scholarly Publishing Office, University of Michigan Library, 1830. 472p.

³⁹ Hahnemann S. *Materia Medica Pura*. New Delhi: B Jain Publishers; 1994 (Reprint edition). 2v.

⁴⁰ Hughes R. *A manual of pharmacodynamics*. 6th Edn. New Delhi: B Jain Publishers; 1980 (Second reprint edition). Lecture II.

Introdução

experimentadores-discípulos e estava demasiado idoso para continuar com as experimentações em si mesmo. Vale ressaltar que as “observações de outros” (citações de envenenamento em pessoas sadias e *over-dose* em doentes) ocupam um grande espaço na maioria das patogenesias da *Matéria Médica Pura*, existindo apenas treze medicamentos sem esses relatos na descrição dos sintomas patogenéticos.

De 1828 a 1830, residindo em Köthen, Hahnemann publica os quatros volumes da primeira edição da obra *Doenças Crônicas*,⁴¹ apresentando dezessete novas patogenesias nos três últimos volumes (acrescidas da ampliação de cinco patogenesias da *Matéria Médica Pura*). Com exceção de duas novas substâncias (*Kali carbonicum* e *Natrum muriaticum*), que foram experimentadas em doses dinamizadas (30cH) e em apenas duas e três pessoas sadias respectivamente, os demais medicamentos foram experimentados em doses variadas (“pequenas porções de um grão”; 2ª e 3ª triturações; 6ª a 30ª potência) e em diversos pacientes portadores de doenças crônicas.⁴²

Os volumes da segunda edição das *Doenças Crônicas* foram publicados entre 1830 e 1835, acrescentando vinte e cinco patogenesias (treze novas e doze ampliadas do *Reine Arzneimittellehre*) às vinte e duas patogenesias da primeira edição. De forma análoga à primeira edição, as manifestações patogenéticas citadas nessa edição são efeitos adverso-colaterais das drogas administradas a pacientes com doenças crônicas:

“[...] Adições de Hahnemann para a segunda edição de seu trabalho devem ser do mesmo caráter das suas contribuições para o primeiro, ou seja, eles devem ser efeitos colaterais das drogas observadas em pacientes a quem ele lhes deu”.⁴²

Assim como constatamos uma infinidade de manifestações patogenéticas oriundas da experimentação das drogas em doses ponderais e/ou em indivíduos doentes nas matérias médicas homeopáticas de Hahnemann, outros homeopatas publicaram novas patogenesias ou adições a patogenesias antigas obtidas de forma similar, as quais são utilizadas na prática clínica homeopática atual: C. G. C. Hartlaub and C. F. Trinks (*Reine Arzneimittellehre*, 1828-1831, Germany), George H. G. Jahr (*Manual of Homeopathic Medicines*, 1835, Germany), Edwin M. Hale (*New Remedies*, 1867-1873, USA), Timothy F. Allen (*The Encyclopedia of Pure Materia Medica*, 1874-1879, USA), etc.^{42,43}

⁴¹ Hahnemann S. Chronic Diseases. (Translated by Robert E. Dudgeon). New Delhi: B Jain Publishers; 1983. 2v.

⁴² Hughes R. A manual of pharmacodynamics. 6th Edn. New Delhi: B Jain Publishers; 1980 (Second reprint edition). Lecture II.

⁴³ Dudgeon RE. Lectures on the theory and practice of homoeopathy. New Delhi: B Jain Publishers; 1982 (Reprint edition). Lectures VII e XII.

Eventos adversos como manifestações patogenéticas dos fármacos modernos

Evento adverso (EA) ou reação adversa (RA) aos medicamentos é definido pela *Organização Mundial de Saúde (OMS)*⁴⁴ como “qualquer resposta a um medicamento que seja prejudicial, não intencional, e que ocorra nas doses normalmente utilizadas em seres humanos para profilaxia, diagnóstico e tratamento de doenças, ou para a modificação de uma função fisiológica”.

Segundo o *Protocolo de Boas Práticas Clínicas da Agência de Medicina Européia*,⁴⁵ toda pesquisa que envolva seres humanos segue diretrizes científicas e éticas internacionais,⁴⁶ para assegurar segurança, proteção e bem-estar aos participantes. Como em toda pesquisa clínica, o monitoramento, a classificação e a notificação dos eventos adversos é premissa obrigatória nos protocolos de pesquisa com novas drogas.⁴⁷

Nas fases de estudo de uma nova droga (estudos fases I a IV),⁴⁸ além do efeito terapêutico desejado, as drogas causam uma série de eventos adversos (efeitos adverso-colaterais), que podem ser classificados segundo algumas características: previsibilidade, frequência, gravidade, causalidade e seriedade.⁴⁹ No contexto atual, em que propomos empregar os efeitos adverso-colaterais dos fármacos modernos como efeitos patogenéticos (sintomas novos) dessas mesmas substâncias no estado de saúde humano, as características de *previsibilidade, frequência e causalidade* desses eventos evidenciam essa relação (Tabela 1).

Em relação à *previsibilidade*, os efeitos adversos “previsíveis” são aqueles que já estão descritos na literatura (monografia da droga), enquanto que os “imprevisíveis” ainda não

⁴⁴ World Health Organization (WHO). The Uppsala Monitoring Centre. The importance of pharmacovigilance. Safety monitoring of medicinal products. 2002. Disponível em: <https://apps.who.int/iris/bitstream/handle/10665/42493/a75646.pdf?sequence=1&isAllowed=y>

⁴⁵ European Medicines Agency. Guideline for good clinical practice. London; 2002. Disponível em: https://www.ema.europa.eu/en/documents/scientific-guideline/ich-e6-r1-guideline-good-clinical-practice_en.pdf

⁴⁶ World Health Organization (WHO). Council for International Organizations of Medical Sciences. International ethical guidelines for biomedical research involving human subjects. Geneva; 2002. Disponível em: http://www.cioms.ch/publications/guidelines/guidelines_nov_2002_blurb.htm

⁴⁷ World Health Organization (WHO). Guidelines for good clinical practice (GCP) for trials on pharmaceutical products. WHO Technical Report Series, No. 850, 1995; Annex 3. Disponível em: https://www.researchgate.net/profile/Parise_Adadi/post/How_is_the_adherence_of_young_adults_to_the_protocol_in_clinical_trials2/attachment/5a664236b53d2f0bba4d0201/AS%3A585691159343104%401516651062183/download/whozip13e.pdf

⁴⁸ United States. Code of Federal Regulations. 21 CFR. Food and drugs. 312 Investigational new drug application. Washington; 2003. Disponível em: <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?cfrpart=312>

⁴⁹ Marodin G, Goldim JR. Confusões e ambiguidades na classificação de eventos adversos em pesquisa clínica. *Rev Esc Enferm USP*. 2009; 43(3): 690-696. Disponível em: <http://www.scielo.br/pdf/reeusp/v43n3/a27v43n3.pdf>

Introdução

foram descritos. Como utilizamos nessa proposta os efeitos adverso-colaterais descritos nas monografias das drogas (*The United States Pharmacopeia Dispensing Information - USP DI, 2004*),⁵⁰ todos estão previstos e podem ocorrer em novas experimentações.

Os eventos adversos “previsíveis” podem ser classificados conforme a *frequência* ou *incidência de expressão* (*Council for International Organizations of Medical Sciences - CIOMS*),⁵¹ como: “muito comum”, quando a frequência é maior ou igual a 10,00%; “comum” ou “frequente”, maior ou igual a 1,00% e menor que 10,00%; “incomum” ou “infrequente”, maior ou igual a 0,10% e menor que 1,00%; “raro”, maior ou igual a 0,01% e menor que 0,10%; e “muito raro”, menor que 0,01%.

Tabela 1. Classificação dos eventos adversos

Eventos adversos		
Previsibilidade	Frequência	Causalidade
Previsível Já descrito em outros estudos	Muito raro (< 0,01%)	Definida
	Raro ($\geq 0,01\%$ e < 0,1%)	Provável
Imprevisível Desconhecido (incerto)	Incomum ($\geq 0,1\%$ e < 1%)	Possível
	Comum ($\geq 1\%$ e < 10%)	Improvável ou não relacionada
	Muito comum ($\geq 10\%$)	
	Não quantificável (chance)	

Nas monografias das drogas utilizadas nesse estudo (*USP DI*),⁵² os efeitos adverso-colaterais são classificados em três tipos de *frequência*, com valores que se aproximam à classificação anterior (descritos em algumas drogas): “mais frequente” (maior ou igual a 4,00%), “menos frequente” (maior ou igual a 1,00% e menor que 4%) e “raro” (menor que 1,00%). Ambas as classificações (*CIOMS* e *USP DI*) são relacionáveis (Tabela 2).

Tabela 2. Frequência dos eventos adversos – Comparação entre classificações

Frequência dos eventos adversos	
Classificação no <i>USP DI</i>	Classificação no <i>CIOMS</i>
Incidência mais frequente ($\geq 4\%$)	Muito comum ($\geq 10\%$)
	Comum ($\geq 1\%$ e < 10%)
Incidência menos frequente ($\geq 1\%$ e < 4%)	Comum ($\geq 1\%$ e < 10%)

⁵⁰ The United States Pharmacopeial Convention. The United States Pharmacopeia Dispensing Information. Easton: Mack Printing Co. 2004.

⁵¹ World Health Organization (WHO). Council for International Organizations of Medical Sciences. Guidelines for preparing core clinical safety information on drug from CIOMS Working Group III. Geneva; 1995. Disponível em: https://cioms.ch/wp-content/uploads/2018/03/WG3_Guidelines-for-Preparing-Core-Clinical-Safety-Information-on-Drugs.pdf

⁵² The United States Pharmacopeial Convention. The United States Pharmacopeia Dispensing Information. Easton: Mack Printing Co. 2004.

Introdução

Incidência rara ($< 1\%$)	Incomum ($\geq 0,1\%$ e $< 1\%$)
	Rara ($\geq 0,01\%$ e $< 0,1\%$)
	Muito rara ($< 0,01\%$)

Importa salientar que toda nova droga, para ser aprovada e comercializada, deve ser submetida aos estudos fases I a III, em que os eventos adversos são observados em milhares de pacientes. Os estudos fase IV são pesquisas que visam o monitoramento e a vigilância da droga pós-comercialização, ampliando a observação dos efeitos adverso-colaterais em dezenas de milhares de pacientes e no longo prazo, incorporando os resultados às monografias publicadas periodicamente (*USP DI*). Assim sendo, podemos deduzir que os eventos adversos utilizados em nosso estudo como manifestações patogênicas das substâncias (sintomas novos) foram observados, nas menores frequências (em torno de 1%), em algumas centenas de indivíduos, reforçando a validade da proposta.

Por outro lado, em vista das posologias modernas que empregam doses sucessivas das drogas por vários dias, os eventos adversos descritos representam os “diversos estados mórbidos que este medicamento pode produzir de modo geral, mas não na ordem de sucessão dos sintomas ou na duração do efeito” (*Organon*, parágrafos 131, 132).

Em relação à *causalidade*, um evento adverso está relacionado à droga segundo a seguinte classificação da *OMS*:^{53,54} “definido”, “provável”, “possível”, “improvável”, “condicional” e “não classificável”, variando com o grau de certeza da interação. Por definição, eventos adversos com causalidades “definidas” ou “prováveis” apresentam sequência temporal (espaço de tempo relacionado com a administração da droga), reação típica, desaparecem com a suspensão da ingestão e *não podem ser explicados pela doença de base ou outra terapêutica*.

A associação causal entre a droga e o evento adverso (*avaliação de risco*) é baseada na relação retrospectiva causa-efeito, sendo que eventos “previsíveis” e “quantificados” (com frequência determinada) apresentam causalidade “provável”.⁵⁴ Em vista disso, os efeitos adverso-colaterais utilizados nessa proposta (*USP DI*) *apresentam evidente relação causal com as referidas drogas (risco previsto)*, ou seja, “são sintomas novos que pertencem ao medicamento” (*Organon*, parágrafo 142).

⁵³ World Health Organization (WHO). The Uppsala Monitoring Centre. Safety monitoring of medicinal products. Guidelines for setting up and running a Pharmacovigilance Centre. 2000. Disponível em: <http://digicollection.org/hss/en/d/Jh2934e/>

⁵⁴ Marodin G, Goldim JR. Confusões e ambiguidades na classificação de eventos adversos em pesquisa clínica. *Rev Esc Enferm USP*. 2009; 43(3): 690-696. Disponível em: <http://www.scielo.br/pdf/reeusp/v43n3/a27v43n3.pdf>

Uso dos fármacos modernos segundo o princípio da similitude

Seguindo a mesma dinâmica da homeopatia clássica, este estudo propõe empregar as drogas modernas segundo o princípio da similitude terapêutica, estimulando o efeito rebote (reação vital) curativo do organismo através da administração de substâncias (em doses ponderais ou dinamizadas) que despertaram sintomas semelhantes no estado de saúde humano (indivíduos sadios ou doentes).

Embora inicialmente citado, vale ressaltar que os *efeitos patogênicos* (ações primárias) dos medicamentos homeopáticos clássicos correspondem aos *efeitos* terapêuticos, *adversos e* colaterais dos fármacos modernos, os quais devem apresentar uma totalidade sintomática semelhante ao do paciente para estimular a reação vital curativa (efeito rebote curativo), de acordo ao princípio da similitude terapêutica.

Para viabilizar essa proposta, foi necessário elaborar uma *Matéria Médica Homeopática dos Fármacos Modernos (MMHFM)*, agrupando os efeitos terapêuticos, adversos e colaterais das drogas (*USP DI*) conforme a disposição anátomo-funcional dos capítulos das matérias médicas homeopáticas tradicionais, valorizando a frequência de manifestação dos sintomas observadas nas fases de estudo da droga.

Como segundo passo, para facilitar a seleção do medicamento individualizado (semelhança com a totalidade de sintomas do paciente) e a aplicação clínica da proposta, foi elaborado um *Repertório Homeopático dos Fármacos Modernos (RHFM)*, dispondo os sintomas e seus respectivos medicamentos de forma análoga aos repertórios homeopáticos tradicionais.

Matéria Médica Homeopática dos Fármacos Modernos (MMHFM)

Na confecção da *MMHFM*, todos os compêndios farmacológicos que contenham os resultados dos estudos clínicos das drogas convencionais (monografias) podem ser utilizados, desde que sejam fontes de informações fidedignas e não apresentem conflitos de interesse com a indústria farmacêutica. Seguindo essas premissas, foi escolhido o *The United States Pharmacopeia Dispensing Information (USP DI, 2004)*⁵⁵ para iniciar esse estudo, com a possibilidade de ampliá-lo, futuramente, com outras obras de referência.

Num primeiro momento, analisando cada fármaco moderno e sua monografia, foram destacados os seguintes tópicos: “nome da droga”, “nome comercial”, “categoria”, “indicações convencionais” e “efeitos adverso-colaterais” (“mais frequentes”, “menos frequentes” e “raros”; “overdose”).

⁵⁵ The United States Pharmacopeial Convention. The United States Pharmacopeia Dispensing Information. Easton: Mack Printing Co. 2004.

Introdução

A seguir, esse compêndio de informações foi sistematizado segundo a dinâmica das matérias médicas homeopáticas tradicionais, agrupando os sintomas patogenéticos ou efeitos primários (efeitos terapêuticos, adversos e colaterais) de cada fármaco segundo sua distribuição anátomo-funcional, nos respectivos capítulos: Mente; Vertigem; Cabeça; Olho; Visão; Ouvido; Audição; Nariz; Face; Boca; Dentes; Garganta; Garganta Externa; Estômago; Abdome; Reto; Fezes; Bexiga; Rins; Uretra; Urina; Próstata; Genitais Masculinos; Genitais Femininos; Laringe e Traquéia; Linguagem, Conversação e Voz; Respiração; Tosse; Expectoração; Peito; Costas; Extremidades; Unhas; Sono; Sonhos; Calafrio; Febre; Transpiração; Pele e Generalidades.

Um novo capítulo foi adicionado aos tradicionais, composto pelas alterações causadas pelas drogas modernas em testes diagnósticos (“Testes Diagnósticos”).

Seguindo a tradição homeopática e em conformidade à classificação dos eventos adversos mencionada anteriormente, foram associadas pontuações às frequências de incidência dos sintomas patogenéticos (eventos adversos), sendo descritos no texto da *MMHFM* com letras minúsculas distintas (diferentes estilos da fonte). Vale ressaltar que os efeitos terapêuticos dos fármacos (“indicações convencionais”) assumiram a maior pontuação, em vista de serem observados na grande maioria dos pacientes. (Tabela 3)

Table 3. Descrição dos sintomas (eventos adversos) no texto

Descrição dos sintomas no texto		
Frequência de incidência	Escore	Estilo da Fonte
Muito comum (efeitos terapêuticos)	5 pontos	<i>Negrito itálico</i>
Mais frequente (≥ 4%)	4 pontos	Negrito
Menos frequente (≥ 1% e < 4%)	3 pontos	<i><u>Itálico sublinhado</u></i>
Raro (< 1%)	2 pontos	<i>Itálico</i>
Overdose	1 ponto	Normal

Repertório Homeopático dos Fármacos Modernos (RHF_M)

Seguindo o modelo dos repertórios homeopáticos tradicionais, sistematizamos os sintomas patogenéticos descritos na *MMHFM* segundo a mesma distribuição anátomo-funcional (mesmos capítulos), agrupando todos os medicamentos que despertaram o mesmo sintoma nos experimentadores através de suas “abreviaturas”. Em cada sintoma descrito nos diversos capítulos do *RHF_M*, as abreviaturas dos medicamentos que despertaram esse efeito patogenético nos experimentadores foram citadas com o “estilo da fonte” de sua respectiva frequência de manifestação (Tabela 3).

Como citado anteriormente, além da transcrição das diversas síndromes sintomáticas (diagnósticos clínicos) descritas na *MMHFM*, seus respectivos sintomas também foram

Introdução

desmembrados e citados separadamente nos diversos capítulos do *RHFM*, permitindo uma melhor individualização de cada caso.

Mantendo o mesmo modelo hierárquico da descrição clássica dos sintomas homeopáticos e suas modalidades, as manifestações patogenéticas foram expressas no *RHFM* através de “rubricas”, “sub-rubricas”, etc. Para facilitar a busca do sintoma mais apropriado, em todos os capítulos foram criadas “referências cruzadas” entre manifestações patogenéticas semelhantes.

Benefícios e limitações da proposta

Seguindo os passos da lógica aristotélica dedutiva empregada por Hahnemann na justificativa do tratamento homeopático, o autor dessa proposta vem trabalhando nos últimos treze anos na fundamentação científica do princípio da similitude, estudando o efeito rebote das drogas modernas na farmacologia clínica e experimental. Apresentando propriedades semelhantes à reação vital do modelo homeopático, essa reação paradoxal (efeito rebote) do organismo pode ser empregada de forma curativa, desde que sejam administradas, às pessoas doentes, drogas que causaram sintomas semelhantes no estado de saúde humano.

Apesar da experimentação patogenética ideal se basear na administração de medicamentos dinamizados a indivíduos sadios, para evitar a confusão entre os verdadeiros efeitos patogenéticos das substâncias e os sintomas da doença, as matérias médicas homeopáticas tradicionais são compostas pelo conjunto de sinais e sintomas descritos nas experimentações das substâncias em indivíduos doentes e sadios, em doses ponderais e infinitesimais, contendo todos os estados mórbidos artificiais que permitam a aplicação da similitude terapêutica.

Nas pesquisas clínicas com novas drogas (estudos fases I a IV), as características de previsibilidade, frequência e causalidade dos eventos adversos descritos nas monografias indicam que eles são manifestações patogenéticas (sintomas novos) das substâncias, endossando a sua utilização segundo o princípio da similitude.

Em vista dos eventos adversos das drogas modernas serem notificados de forma pouco modalizada, ou seja, através de formulários padrões dos serviços de farmacovigilância,⁵⁶ estão ausentes nessas descrições as peculiaridades sintomáticas (*idiosincrasias*) das experimentações patogenéticas clássicas (*Organon*, parágrafos 133, 139, 140), aspectos singulares para a individualização do medicamento homeopático. O fato de terem sido experimentadas em seu “estado bruto” (doses não-dinamizadas) também limita a manifestação de “toda a riqueza de seus poderes ocultos”.

Por outro lado, essas substâncias demonstraram *elevado poder patogenético* quando foram administradas em doses terapêuticas, despertando seus efeitos em centenas ou milhares de indivíduos, condição que assegura a validade de seu emprego homeopático em doses infinitesimais, desde que sejam individualizadas segundo uma *totalidade sintomática*, minimizando a deficiência de sintomas idiossincrásicos.

Com essa proposta, surge a possibilidade de se utilizarem outras substâncias medicinais para aliviar os distúrbios clínicos comumente tratados pela homeopatia, além de novas

⁵⁶ United States. Food and Drug Administration. Med Watch: The FDA safety information and adverse event reporting program. Form FDA 3500A – Mandatory reporting. Washington; 2009. Disponível em: <https://www.fda.gov/media/76299/download>

Introdução

aplicações para a similitude terapêutica em sinais, sintomas e síndromes complexas modernas.

Em vista dessa ausência de aspectos idiossincrásicos (sintomas característicos e modalizados) na maioria das manifestações patogenéticas das drogas modernas, impedindo a sua utilização na seleção do medicamento individualizado, sugerimos uma *abordagem clínica inicial* (seleção de sinais e sintomas patognomônicos, diagnósticos patológico ou sindrômico, etc.), empregando o conjunto de manifestações da individualidade enferma (totalidade sintomática), mesmo que pouco modalizadas, na escolha do meio de cura específico.

Em consequência do elevado poder patogenético dessas drogas, doses infinitesimais serão suficientes para despertar a reação vital curativa, e sugerimos iniciar os tratamentos com a dinamização 6cH, ajustando a repetição das doses à suscetibilidade individual. Dessa forma, será possível avaliar os resultados terapêuticos das substâncias em concentrações intermediárias, permitindo relacioná-los aos efeitos patogenéticos das doses ponderais, sem os inconvenientes das agravações ou eventos adversos intensos.


No entanto, para que esse método seja validado, será necessária a união da classe homeopática em torno dessa proposta, com a participação dos clínicos na aplicação terapêutica e na descrição dos resultados (casos clínicos), dos farmacêuticos na produção dos medicamentos dinamizados e dos pesquisadores na elaboração de protocolos de pesquisa. Caso encontre esse respaldo, a proposta inicial poderá ser revisada, ampliada e traduzida para outros idiomas, sendo imprescindível a participação de todos nesse processo.

Repertório Homeopático dos Fármacos Modernos

REPERTÓRIO

Estrutura

Capítulos - Rubricas Principais



Estrutura

No *Repertório Homeopático dos Fármacos Modernos (RHFM)* os sintomas patogenéticos descritos na *Matéria Médica Homeopática dos Fármacos Modernos (MMHFM)* foram sistematizados segundo o padrão tradicional dos repertórios homeopáticos. Os efeitos diretos ou primários (ou seja, os efeitos terapêuticos, adversos e colaterais) de cada fármaco foram distribuídos nos respectivos capítulos: **Mente; Vertigem; Cabeça; Olho; Visão; Ouvido; Audição; Nariz; Face; Boca; Dentes; Garganta; Garganta Externa; Estômago; Abdome; Reto; Fezes; Bexiga; Rins; Uretra; Urina; Próstata; Genitais Masculinos; Genitais Femininos; Laringe e Traquéia; Linguagem, Conversação e Voz; Respiração; Tosse; Expectoração; Peito; Costas; Extremidades; Unhas; Sono; Sonhos; Calafrio; Febre; Transpiração; Pele; Generalidades; e Testes Diagnósticos.**

O *RHFM* também manteve a estrutura hierárquica tradicional dos repertórios homeopáticos em relação à descrição dos **sintomas e suas modalidades**. Ou seja, as manifestações patogenéticas foram distribuídas ao longo de “**rubricas**”, “**sub-rubricas**”, etc. Buscando aumentar a precisão na escolha dos sintomas, foram acrescentadas “**referências cruzadas**” entre manifestações patogenéticas similares.

Em concordância com a organização dos repertórios homeopáticos clássicos, todos os fármacos que despertaram o mesmo sintoma nos experimentadores foram agrupados nas respectivas rubricas, sub-rubricas, etc., sendo citados por suas correspondentes “**abreviaturas**”. Os “**estilos de fonte**” usados nas abreviaturas de cada fármaco correspondem à “**frequência de incidência**” dos sintomas descritos na *MMHFM*. (Tabela 1)

Tabela 1. Descrição dos sintomas patogenéticos dos fármacos modernos no RHFM

Descrição dos sintomas no texto		
Frequência de incidência	Escore	Estilo da Fonte
Muito comum (efeitos terapêuticos)	5 pontos	<i>Negrito itálico</i>
Mais frequente (≥ 4%)	4 pontos	Negrito
Menos frequente (≥ 1% e < 4%)	3 pontos	<i>Itálico sublinhado</i>
Raro (< 1%)	2 pontos	<i>Itálico</i>
Overdose	1 ponto	Normal

Como mencionado anteriormente, os sintomas que compõe síndromes clínicas (diagnósticos clínicos) foram separados e descritos nos capítulos correspondentes do *HRMD*, facilitando a individualização sintomática de cada caso.

Capítulos - Rubricas Principais

As ações primárias ou sintomas patogenéticos de todos os 1.251 fármacos descritos em *The United States Pharmacopeia Dispensing Information (USP DI, 2004)*¹ foram sistematizados no *HRMD* em conformidade à distribuição anatômica-funcional, em seus respectivos capítulos:

Capítulo MENTAL
Capítulo VERTIGEM
Capítulo CABEÇA
Capítulo OLHO
Capítulo VISÃO
Capítulo OUVIDO
Capítulo AUDIÇÃO
Capítulo NARIZ
Capítulo FACE
Capítulo BOCA
Capítulo DENTES
Capítulo GARGANTA
Capítulo GARGANTA EXTERNA
Capítulos ESTÔMAGO / ALIMENTOS
Capítulo ABDOME
Capítulo RETO
Capítulo FEZES
Capítulo BEXIGA
Capítulo RINS
Capítulo PRÓSTATA
Capítulo URETRA
Capítulo URINA
Capítulo GENITÁLIA MASCULINA
Capítulo GENITÁLIA FEMININA
Capítulo LARINGE E TRAQUÉIA
Capítulo LINGUAGEM, CONVERSAÇÃO E VOZ
Capítulo RESPIRAÇÃO
Capítulo TOSSE
Capítulo EXPECTORAÇÃO
Capítulo PEITO
Capítulo COSTAS
Capítulo EXTREMIDADES
Capítulo UNHAS
Capítulo SONO
Capítulo SONHOS
Capítulo CALAFRIO

¹ The United States Pharmacopeial Convention. The United States Pharmacopeia Dispensing Information. Easton: Mack Printing Co. 2004.

Repertório

Capítulo FEBRE

Capítulo TRANSPIRAÇÃO

Capítulo PELE

Capítulo GENERALIDADES

Capítulo TESTES DIAGNÓSTICOS

A seguir, para facilitar a escolha dos sintomas, as “**rubricas principais**” (ações primárias ou efeitos patogenéticos) foram listadas nos respectivos capítulos.

CAPÍTULO MENTAL - RUBRICAS PRINCIPAIS

ACATISIA (Ver Inquietação).

AFASIA (Ver Fala).

AGITAÇÃO (ansiedade; nervosismo; agitação; irritabilidade; boca seca; falta de fôlego, hiperventilação, problemas para dormir, batimentos cardíacos irregulares; agitação) (Ver Ansiedade; Excitação; Nervosismo; Inquietude).

AGNOSIA (perda da capacidade de reconhecer objetos, pessoas, sons, formas, etc., na ausência de deficiência da percepção) (Ver Reconhece).

AGRESSIVIDADE (Ver Violento).

ALEGRE.

AMATIVIDADE, erótico, amoroso (Ver Lascivo; Ninfomania; Satiríase; GENITÁLIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

AMNÉSIA (Ver Memória, perda da, súbita).

ANSIEDADE (medo, nervosismo) (Ver Agitação; Nervosismo; Inquietude).

APATIA (Ver Indiferença, apatia).

APREENSÕES (Ver Medo).

ASSUSTADO facilmente (Ver Medo).

ATENÇÃO (Ver Concentração).

ATIVIDADE, desejos.

CANSAÇO (Ver Prostração; GENERALIDADES, Fraqueza).

CATATONIA (Ver Esquizofrenia).

CHORO, humor choroso (chorando).

COGNITIVA, disfunção (problemas para executar tarefas de rotina) (Ver Concentração, difícil)

COMA (Ver Inconsciência).

COMPANHIA, aversão a.

CONCENTRAÇÃO, atenção.

CONFUSÃO da mente (alterações mentais ou do humor).

CONSCIÊNCIA, perda ou ausência de (Ver Inconsciência).

CONSCIENCIOSO com trivialidades.

DEFICIÊNCIA, mental (confusão ou excitação; depressão ou ansiedade; pesadelos ou sonhos vívidos incomuns).

DELÍRIO (excitação incomum, nervosismo ou inquietação; alucinações; confusão quanto ao tempo, lugar ou pessoa; fixação em falsas crenças que não podem ser alteradas pelos fatos).

DEMÊNCIA (pobre discernimento e julgamento; problemas com memória ou discurso; dificuldade em reconhecer objetos; dificuldade pensando e planejando; dificuldade para andar; alterações da personalidade, mentais ou do humor) (Ver Insanidade).

DEPRESSÃO (Ver Tristeza).

DESAJEITADO (Ver EXTREMIDADES, desajeitado).

DESAVERGONHADO (impudico).

DESREALIZAÇÃO (alteração na percepção ou experiência do mundo exterior) (Ver Confusão, Despersonalização. Esquizofrenia).

Repertório

DISFORIA (Ver Tristeza).

EMBOTAMENTO, lentidão, dificuldade em pensar e compreender, torpor (Ver Estupor; Torpor).

EMOCIONAIS, alterações, distúrbios e problemas (alterações mentais ou do humor) (Ver Humor).

ENTORPECIMENTO (Ver Estupor; Torpor).

ESQUECIDO (Ver Memória).

ESQUIZOFRENIA (Ver Psiquiátricos Distúrbios; Psicótica, Reação; Confusão da mente, identidade).

ESTIMULANTE, sistema nervoso central (Ver Agitação; Excitação; Euforia).

ESTUPEFAÇÃO, como intoxicado (Ver Estupor; Inconsciência).

ESTUPOR (diminuição de consciência ou capacidade de resposta; sonolência severa) (Ver Estupefação; Inconsciência; Torpor).

EUFORIA (exagerada ou falsa sensação de bem-estar físico e mental) (Ver Mania).

EXCITAÇÃO, excitável, excitação (Ver Agitação; Ansiedade. Nervosismo; Inquietude).

FALA, linguagem (Ver BOCA; LINGUAGEM).

FERIR-SE (a si próprio).

GESTOS, faz (Ver FACE).

GULA, come mais do que deveria.

HIPOCONDRIA.

HISTERIA (Ver Psicossomática, Reação; Sensível).

HOSTILIDADE (Ver Violento).

HUMOR.

ILUSÕES, imaginações, alucinações (pensamento anormal: fixação em falsas crenças que não podem ser alteradas pelos fatos).

IMPACIÊNCIA.

IMPULSIVO.

INCONSCIÊNCIA, coma, estupor (Ver Letargia; GENERALIDADES).

INDIFERENÇA, apatia (falta de sentimento ou emoção; sentimento de não se importar).

INQUIETUDE, nervosismo (Ver Agitação; Ansiedade; Excitação; Nervosismo).

INSANIDADE, loucura (Ver Demência).

INSTABILIDADE (Ver Humor, variável).

IRRITABILIDADE (Ver Violento).

LASCIVO, sensual (Ver Amatividade; Ninfomania; Satiríase; GENITALIA MACULINA/FEMININA, Desejo Sexual, aumentado).

LENTIDÃO.

LETARGIA (sonolência incomum, embotamento, cansaço, fraqueza ou sensação de lentidão; falta de interesse; atividade física reduzida) (Ver Inconsciência).

LOQUACIDADE (Ver Linguagem).

MAL HUMORADO, rabugento, irritado, ranzinza, taciturno.

MANIA (falando, sentindo e atuando com excitação e atividade, você não pode controlar; irritabilidade; nervosismo) (Ver Euforia).

MASCULINOS (hábitos e características masculinas).

MATAR, desejo de (ideação homicida, desejo de matar).

MEDO, apreensão, pavor (Ver Assustado facilmente).

Repertório

MEMÓRIA, dificuldade com.

MUTILA seu corpo (Ver Ferir-se).

NERVOSISMO (Ver Agitação; Ansiedade; Inquietude).

NEUROPSIQUIÁTRICOS, EFEITOS, INCLUINDO MUDANÇAS NO ESTADO MENTAL (agitação, confusão; depressão mental; sonolência, cansaço incomum).

NEUROSE.

NINFOMANIA (Ver Amatividade; Lascivo; Satiríase; GENITALIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

PÂNICO, doença ou síndrome do.

PARANÓIA (Ver Psicótica, Reação; Esquizofrenia).

PENSAMENTO, anormal (confusão; ilusões; demência) (Ver Confusão da mente; Delírio; Ilusões; Demência).

PENSAMENTO, distúrbios do (problemas de concentração e alteração no desempenho escolar) (Ver Concentração; Confusão da mente; Embotamento, lentidão, difícil de pensar e compreender, torpor; Fala; Torpor).

PROSTRAÇÃO da mente, exaustão mental (extremo cansaço ou fraqueza).

PSICOSE (Ver Psiquiátricos, Distúrbios; Psicótica, Reação; Esquizofrenia).

PSICOSSOMÁTICA, REAÇÃO (alterações na visão; calafrios; efeitos no SNC [dormência, formigamento, dor ou fraqueza em mãos ou pés]; confusão; vertigem ou tontura; dor de cabeça; aumento na transpiração; aumento da salivação, náusea ou vômito; cansaço incomum ou fraqueza; sede incomum) (Ver Histeria; Sensibilidade; GENERALIDADES).

PSICÓTICA, REAÇÃO (psicose [sensação de que outras pessoas podem ouvir seus pensamentos; sensação de que outras pessoas estão assistindo você ou controlando seu comportamento; sentir, ver ou ouvir coisas que não existem]; alterações mentais ou de humor graves; comportamento incomum) (Ver Esquizofrenia; Psiquiátricos, Distúrbios).

PSIQUIÁTRICOS, DISTÚRBIOS (estado mental [personalidade ou comportamento] modificado ou alterado [agitação, ansiedade, excitação, nervosismo; confusão ou desorientação sobre sua identidade, pessoas, lugar e tempo; delírios; alucinações, depressão mental; humor alterado; sonolência; cansaço incomum]) (Ver Alucinações; Ansiedade; Confusão; Delírio; Depressão; Esquizofrenia; Excitação; Humor alterado; Ilusões; Nervosismo; Psicótica, Reação; Tristeza).

RAIVA, irascibilidade (Ver Irritabilidade; Violento).

RECONHECE, não reconhece objetos, pessoas, sons, formas, etc.

SATIRÍASE (Ver Amatividade; Lascivo; Ninfomania; GENITALIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

SEDAÇÃO ou efeitos sedativos (sonolência; calmo e relaxado) (Ver SONO; GENERALIDADES).

SENSAÇÕES, como se (Ver GENERALITIES).

SENSIBILIDADE, hipersensibilidade (Ver Psicossomática, Reação; Histeria).

SOCIABILIDADE, comunicativo, expansivo.

SUICIDA, disposição.

TAGARELA (Ver Loquacidade).

TEMPO, percepção, alterada.

TORPOR (Ver Estupor; Inconsciência).

TRANQUILIDADE, serenidade, calma (Ver Atividade, hipoatividade).

Repertório

TRISTEZA, desânimo, depressão, melancolia.

VIOLENTO, veemente (Ver Irritabilidade).

CAPÍTULO VERTIGEM - RUBRICAS PRINCIPAIS

ADAMS-STOKES, ATAQUES de (Ver PEITO; GENERALIDADES).

CEREBELAR, SÍNDROME, aguda (distúrbios do equilíbrio).

ENJÔO.

HIPOTENSÃO, ortostática, postural e/ou supina (calafrios, suores frios; confusão; desmaios, tonturas ou vertigens, especialmente quando se levanta de uma posição deitada ou sentada).

MARCHA, ANORMALIDADES, distúrbios ou alterações (alterações na marcha e equilíbrio; desequilíbrio ou instabilidade) (Ver EXTREMIDADES; GENERALIDADES, Marcha Cambaleante).

QUEDA, tendência a.

TONTURA (Ver Vertigem).

VERTIGEM, tonturas (sensação de movimento constante de si próprio ou dos arredores; sensação de estar girando; alteração do senso de equilíbrio).

CAPÍTULO CABEÇA - RUBRICAS PRINCIPAIS

ABSCESSO cerebral.

ACIDENTE VASCULAR CEREBRAL (AVC) ou apoplexia (confusão; dificuldade de fala, fala lenta, incapacidade de falar, fala enrolada; cegueira temporária, visão dupla, visão embaçada; incapacidade de mover os braços, pernas ou músculos faciais; fraqueza no braço e/ou perna de um lado do corpo, súbita e severa; dormência súbita ou formigamento das mãos, pés ou face, paralisia; dor de cabeça; convulsões; dor torácica súbita e severa).

ALOPÉCIA (Ver Cabelo, calvície, caindo).

ANEURISMA (Ver Vasodilatação cerebral).

APOPLEXIA (Ver Acidente Vascular Cerebral, apoplexia).

ARTERITE cerebral.

CABELO, anormalidades (Ver Couro Cabeludo; Seborréia).

CÂNCER (Ver Tumor, câncer).

CEREBELAR, SÍNDROME, aguda (distúrbios do equilíbrio).

COMICHÃO, coceira, prurido do couro cabeludo.

CONGESTÃO, entupimento, obstrução (nariz entupido ou dor de cabeça).

COURO CABELUDO (Ver Cabelo).

CRANIOSSINOSTOSE.

DOR, dor de cabeça em geral (Ver Migrânea).

DORMÊNCIA, sensação de.

Repertório

EDEMA cerebral (confusão; dor de cabeça; problemas com o movimento, andando ou falando; convulsões; vômitos).

ENCEFALOMIELOPATIA (Ver Encefalopatia; Kernicterus; Leucoencefalopatia).

ENCEFALOPATIA (agitação; dor nas costas; visão borrada; coma; confusão; tonturas; sonolência; febre; alucinações; cefaléia; irritabilidade; alteração mental ou de humor; convulsões; rigidez do pescoço; cansaço incomum ou fraqueza; vômitos) (Ver Encefalomiopatia; Kernicterus; Leucoencefalopatia; GENERALIDADES, Encefalopática, Alterações).

ERUPÇÕES.

FONTANELAS, abaulamento (abaulamento discreto na cabeça de uma criança).

FORMIGAMENTO.

HEMATOMA, extradural (perda da consciência; dor de cabeça; sonolência; confusão; fraqueza de parte do corpo).

HEMORRAGIA.

HIDROCEFALIA.

HIPERTENSÃO.

HIPÓXIA cerebral.

INCHAÇO do couro cabeludo.

INFLAMAÇÃO.

INSOLAÇÃO (hipertermia em seu estado avançado; pele quente e seca; incapacidade de transpirar; fraqueza muscular; confusão).

IRRITAÇÃO meníngea (rigidez do pescoço).

KERNICTERUS, encefalopatia bilirrubínica (diminuição do apetite; diminuição do movimento ou atividade; dificuldade em respirar; rigidez muscular) (Ver Encefalopatia).

LEUCOENCEFALOPATIA (dor nas costas; visão borrada; confusão; convulsões; tonturas; sonolência; febre; dor de cabeça; cansaço incomum ou fraqueza) (Ver Encefalopatia).

MENÍNGEA, IRRITAÇÃO (rigidez do pescoço) (Ver Inflamação, meninges, meningite).

MENINGITE (Ver Inflamação; COSTAS, Inflamação; GENERALIDADES, Inflamação).

MIGRÂNEA, enxaqueca (dor de cabeça, severa e latejante) (Ver Dor, dor de cabeça em geral).

MOVIMENTOS da cabeça.

OCCLUSÃO cerebral (confusão; dor de cabeça severa ou súbita; perda súbita da coordenação; perda repentina da fala).

PARESTESIA da cabeça (sensações de queimação, formigamento ou espinhos).

PERIVENTRICULAR, LEUCOMALÁCIA (LPV) (dor de cabeça; dormência; sensação de que ele ou os arredores estão girando; afasia ou disartria [distúrbios da fala que afetam a pronúncia, a leitura e a escrita]).

PESO, pressão.

PICADAS.

PITUITÁRIA.

QUEIMAÇÃO, sensação como se.

RIGIDEZ, sensação de.

SEBORRÉIA (caspa; pele oleosa; oleosidade do cabelo e do couro cabeludo) (Ver Cabelo; Couro Cabeludo).

SENSORIAIS, EFEITOS NEUROLÓGICOS (visão turva ou dupla; perda do paladar).

Repertório

TOXICIDADE cerebral (manifestada por alteração sensorial variando de leve confusão ao coma).

TREMOR (e sensação de).

TUMOR ou câncer.

VASODILATAÇÃO cerebral (dor de cabeça contínua ou severa) (Ver Aneurisma).

VASOESPASMO cerebral.

VENTRICULOMEGALIA cerebral.

CAPÍTULO OLHO - RUBRICAS PRINCIPAIS

ABAULAMENTO dos olhos (Ver Exoftalmia; Protrusão).

ABERTOS, olhos.

ALÉRGICA, REAÇÃO (coceira, dor, vermelhidão, inchaço ou outro sinal de irritação do olho ou pálpebra; lacrimejamento; erupção da pele).

AMARELADO, amarelo, icterícia.

ANESTESIA.

ASTENOPIA (cansaço, fadiga visual; vista cansada).

ASTIGMATISMO.

ATROFIA.

BLEFARITE (Ver Inflamação).

BLEFAROESPASMO (Ver Espasmo das pálpebras).

CÁLCULOS (Ver Cristais; Depósitos).

CANAL NASOLACRIMAL, obstrução.

CATARATA (cegueira; visão borrada; visão reduzida; dor ocular).

CERATITE (Ver Inflamação; Pannus).

CERATITE SICCA (secura do olho) (Ver Secura).

CERATOCONJUNTIVITE SICCA (Ver Secura).

CERATOPATIA (vermelhidão, irritação ou dor nos olhos; visão borrada; distúrbios na visão, perda de visão) (Ver Inflamação; Pannus).

CÍLIOS.

COMICHÃO ou prurido (Ver Inflamação; Irritação; Vermelhidão).

CONJUNTIVA.

CONJUNTIVITE (Ver Inflamação).

CONTRAÇÕES (Ver Espasmos).

CÓRNEA.

CORÓIDE.

CRISTAIS no canto do olho. (Ver Cálculos; Depósitos).

DEGENERAÇÃO da retina (Ver Retina).

DEPÓSITOS (Ver Cálculos; Cristais).

DERMATITE de contato (erupção em torno de olhos).

DESCARGA de muco ou pus (exsudatos, cílios pegajosos ou grudados).

DESCOLORAÇÃO.

DESCONFORTO (dor ocular) (Ver Dor; Secura).

Repertório

DESPRENDIMENTO.

DOR (Ver Desconforto; Inflamação).

ECTRÓPIO (borda da pálpebra voltada para fora) (Ver Extroversão das pálpebras).

ENDOFTALMIA.

ENTRÓPIO (borda da pálpebra voltada para dentro) (Ver Inversão das pálpebras).

EPÍFORA (Ver Lacrimejamento).

EPITELIOPATIA.

EQUIMOSE (Ver Hemorragia).

ERUPÇÕES.

ESCLERA.

ESCLEROSE.

ESPASMOS das pálpebras (aumento do piscar ou dos espasmos de pálpebras; súbito fechamento das pálpebras) (Ver Contrações).

ESPESSAMENTO.

ESTRABISMO.

EXOFTALMIA (globos oculares protrusos para fora das órbitas) (Ver Abaulamento dos olhos; Protrusão, exoftalmo).

EXTROVERSÃO das pálpebras (Ver Ectrópio).

FADIGA, cansaço (Ver Fraqueza).

FOTOFOBIA (aumento da sensibilidade dos olhos à luz; visão borrada; mudança na visão de cores; dificuldade em ver à noite) (Ver Fotossensibilidade).

FOTOSSENSIBILIDADE (aumento da sensibilidade dos olhos à luz solar ou outras luzes brilhantes, incluindo faróis de veículos; desconforto ocular; visão borrada; mudança na visão de cores; dificuldade em ver à noite; aumento da sensibilidade da pele à luz solar ou brilhante luz interior; vermelhidão da pele, inchaço da pele, vesículas na pele) (Ver Fotofobia).

FRAQUEZA.

GLAUCOMA (cegueira; visão borrada; visão reduzida; dor ocular; lacrimejamento; dor de cabeça; náusea ou vômitos) (Ver Pressão, intra-ocular, aumentada).

GLIOSE (visão diminuída ou outra alteração na visão).

HEMORRAGIA nos olhos (olho vermelho ou injetado de sangue; distúrbios da visão; vê manchas flutuantes diante dos olhos; dor ocular; sangue no branco dos olhos) (Ver Equimose).

HERPES SIMPLEX (queimação ou picadas na pele; feridas frias e dolorosas ou bolhas nos olhos).

HIPERSENSIBILIDADE (queimação, coceira, vermelhidão, erupções cutâneas, inchaço ou outros sinais de irritação; dor) (Ver Comichão; Irritação; Vermelhidão, congestão).

HIPERSENSIBILIDADE, REAÇÕES (amolecimento e erosão do epitélio corneal, congestionamento da conjuntiva e hemorragia; inchaço das pálpebras).

HIPÓPIO (camada de um líquido esbranquiçado visível na parte colorida do olho) (Ver Descargas).

HIPOTONIA ocular (visão diminuída ou qualquer alteração na visão).

ICTERÍCIA (Ver Amarelado).

IMUNOSSUPRESSÃO.

INCHAÇO, inchamento (edema).

Repertório

INFECCÃO (visão borrada ou outra alteração na visão; dor ocular; lacrimejamento; vermelhidão do olho; sensibilidade do olho à luz) (Ver Inflamação).

INFLAMAÇÃO (coceira, vermelhidão, dor ou lacrimejamento do olho.) (Ver Irritação; Comichão; Neurite; Vermelhidão).

INJETADO (vermelhidão dos olhos) (Ver Vermelhidão, congestão).

INVERSÃO das pálpebras.

ÍRIS.

IRITE (Ver Inflamação).

IRRITAÇÃO (queimação, ardência, prurido, leve desconforto; olhos vermelhos e feridos; lacrimejamento) (Ver Comichão; Inflamação; Vermelhidão).

ISQUEMIA ocular (distúrbios na visão; dor ocular) (Ver Trombose; Vascular, doença).

LACRIMEJAMENTO.

LENTE.

LESÕES.

MÁCULA.

MIDRIASE (Ver Pupilas, dilatadas).

MIOSE (Ver Pupilas, contraídas).

MOVIMENTO dos globos oculares.

MÚSCULOS CILIARES, disfunção (dificuldade na leitura) (Ver Paralisia; VISÃO, Acomodação).

NERVOS ÓPTICOS (Ver Neurite; Neuropatia).

NEURITE óptica (dor ou sensibilidade ocular; visão borrada ou qualquer distúrbio de visão; cegueira; daltonismo azul-amarelo) (Ver Neuropatia; Nervos Ópticos).

NEUROPATIA (Ver Neurite; Nervos Ópticos).

NISTAGMO (Ver Movimento dos globos oculares, involuntário).

OCULÓGIRO, CRISE de (posição fixa do olho; incapacidade para mover os olhos).

OPACIDADE da córnea (visão borrada ou outro distúrbio da visão; dor ocular; perda da visão).

PÁLPEBRAS.

PANNUS oftálmico (ceratite superficial crônica) (Ver Ceratite).

PAPILAS (protuberâncias minúsculas no revestimento interno da pálpebra).

PARALISIA ocular (visão dupla).

PHTHISIS BULBI (atrofia e degeneração dos olhos).

PISCANDO.

PRESSÃO intra-ocular.

PROTRUSÃO.

PTOSE (Ver Queda das pálpebras).

PUPILAS.

QUEDA das pálpebras (ptose; pálpebra caída).

QUEIMAÇÃO (Ver Desconforto; Dor; Secura).

QUEIMADURA (podendo causar cegueira).

QUEMOSE (inchaço da membrana que recobre a parte branca do olho).

QUERATITE (Ver Ceratite).

RETINA (Ver Retinopatia).

RETINOPATIA (visão borrada; alterações na visão; dor ocular; perda de visão; outros problemas do olho) (Ver Retina).

Repertório

SANGRAMENTO (Ver Equimose; Hemorragia).

SECURA (Ver Descomforto).

SENSAÇÕES, como se.

SENSÍVEL, sensibilidade (coceira e inchaço da pálpebra; vermelhidão do olho).

SINÉQUIA (irritação dos olhos).

SOMBRANCELHAS.

TERÇOL.

TESTES DIAGNÓSTICOS.

TOXICIDADE ocular (visão borrada ou de halos de cores azul e verde ao redor de objetos; olhos secos; sensibilidade de olhos à luz; diminuição da acuidade, visão periférica, colorida e noturna; distúrbios da pigmentação).

TROMBOSE (Ver Isquemia; Vascular, Doenças).

TUMOR.

ULCERAÇÃO (Ver Lesões).

ÚMIDO, molhado (Ver Lacrimejamento).

VASCULAR, DOENÇA, da retina (diminuição ou outros distúrbios da visão; hemorragia do olho.) (Ver Isquemia; Trombose).

VASOESPASMO ocular (distúrbios da visão; miose) (Ver Miose).

VERMELHIDÃO, congestão (hiperemia, olhos injetados, eritema) (Ver Comichão; Inflamação; Irritação).

VIRADOS, olhos.

VÍTREA, aparência.

VÍTREO OU HUMOR AQUOSO.

XEROFTALMIA (Ver Secura).

CAPÍTULO VISÃO - RUBRICAS PRINCIPAIS

ACOMODAÇÃO, defeituosa (dificuldade focalizando os olhos).

AMBLIOPIA (visão borrada ou prejudicada; distúrbio da visão).

BORRADA, indefinida.

BRILHANTE.

CAMPO VISUAL, anormal.

CEGUEIRA (Ver Perda da visão).

CORES à frente dos olhos (vê cores).

DIMINUÍDA, diminuindo (distúrbio da visão) (Ver Distúrbios; Fraqueza).

DIPLOPIA (visão dupla; distúrbios da visão, especialmente cegueira noturna; clarão ou reflexo da neve causado por luz brilhante).

DISTÚRBIOS, anormalidades, dificuldades, ou problemas da visão (Ver Diminuída).

ESCOTOMA (área de visão diminuída em campo visual cercado por visão normal ou menos diminuída).

ESCURA.

FAÍSCAS de luz.

FLASHES de luz (Ver Zig-Zag).

Repertório

FLUTUANTES, manchas diante dos olhos (Ver Manchas).
FOSFENOS (vendo flashes de luz) (Ver Flashes).
HALO ao redor de luzes.
HEMERALOPIA (Ver Perda da Visão, dia).
ILUSÕES.
IMAGENS muito tempo retidas (pós-imagens; persistência de imagens visuais).
MANCHAS.
MIOPIA (visão curta) (visão borrada; mudanças na visão de distância; dificuldade focalizando olhos).
NEBULOSA, brumosa, nublada.
NICTALOPIA (Ver Perda da Visão, noite).
NUBLADA (Ver nebulosa).
PERDA DA VISÃO (cegueira).
RASTROS, trilhas visuais.
REFRAÇÃO, desordens (visão borrada; ametropia).
TUNEL, visão de.
VISÃO DE DISTÂNCIA, mudanças na (Ver Miopia, visão curta).
VISÃO DE PERTO, mudanças na (Ver Presbiopia; Hipermetropia).
VISÃO DUPLA (Ver Diplopia).
ZIG-ZAG, flashes de luz (Ver Flashes).

CAPÍTULO OUVIDO - RUBRICAS PRINCIPAIS

ANESTESIA.
BARULHOS no (Ver AUDIÇÃO).
CALOR.
CERA (Ver Descargas, cerume).
CERUMINOSE (Ver Cera, aumento).
COMICHÃO.
CONGESTÃO.
DESCARGAS.
DESCOLORAÇÃO.
DESCONFORTO.
DISTÚRBIOS, desordens, anormalidades ou problemas no ouvido.
DOR.
ERUPÇÕES.
FORMIGAMENTO.
HIPERSENSIBILIDADE (comichão; erupção cutânea; vermelhidão; inchaço ou outro sinal de irritação no ou ao redor do ouvido).
INCHAÇO, edema (vermelhidão de pele; pele quente não usual).
INFEÇÃO (alteração na audição; dor de ouvido; drenagem do ouvido; febre) (Ver Inflamação).
INFLAMAÇÃO (Ver Infecção; Irritação).

Repertório

IRRITAÇÃO (Ver Inflamação).

OTOTOXICIDADE (qualquer perda ou distúrbio da audição; zunido ou zumbindo no ouvido; sensação de plenitude no ouvido; perda do equilíbrio; surdez normalmente passageira, mas podendo ser permanente; vertigem).

OUVIDO MÉDIO.

REAÇÃO ALÉRGICA, local (comichão; queimação; vermelhidão ou exsudação de feridas no ouvido).

RUBOR (Ver Calor; Descoloração, vermelhidão).

SANGRAMENTO (Ver Descargas).

SENSAÇÕES, como se.

VERMELHIDÃO (Ver Descoloração).

VESTÍBULO.

CAPÍTULO AUDIÇÃO - RUBRICAS PRINCIPAIS

DIMINUÍDA (perda ou deficiência na audição).

DISTÚRBIOS, problemas na audição (alterações na audição).

HIPERACUSIA (aumento do sentido da audição).

HIPOACUSIA (Ver Diminuída; Perda).

ILUSÕES.

NEUROTOXICIDADE, auditiva (problemas na audição) (Ver Ototoxicidade).

OTOTOXICIDADE, auditiva (qualquer perda de audição; zunido, zumbido ou uma sensação de plenitude nos ouvidos) (Ver Neurotoxicidade).

PERDA (surdez).

RUÍDOS (Ver Zumbido; OUVIDO).

ZUMBIDO (zunido ou zumbido contínuo, ou outro ruído inexplicável no ouvido; perda auditiva) (Ver OUVIDO, Ruídos).

CAPÍTULO NARIZ (OLFATO) - RUBRICAS PRINCIPAIS

ANOSMIA (Ver Cheiro).

BOLHA, nasal (Ver Herpes Simplex).

CHEIRO (Ver Odor).

COMICHÃO.

CONGESTÃO, nariz entupido (nariz entupido ou dor de cabeça).

CORIZA, rinorréia (nariz escorrendo).

CROSTAS (Ver Descarga).

DESCARGA.

DESCOLORAÇÃO, coloração.

DESCONFORTO.

DISTÚRBIOS, transtornos, anormalidades, sintomas ou problemas no nariz.

Repertório

DOR.

DORMÊNCIA.

EDEMA, inchaço (inchaço do nariz).

EPISTAXE (sangramento nasal; sangramento de mucosas).

ERUPÇÕES (Ver Bolha; Herpes Simplex; Lesões; Úlcera).

ESPIRROS.

HERPES SIMPLEX (ardor ou picadas na pele; feridas ou bolhas dolorosas no nariz).

HIPOPLASIA da ponte nasal (Ver Ponte Nasal).

INCHAÇO (Ver Edema).

INFECÇÃO (alterações na audição; dor de ouvido; drenagem de descarga do ouvido) (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção; Irritação; Nasofaringite; Rinite; FACE, Sinusite).

IRRITAÇÃO (Ver Inflamação).

LESÕES (Ver Erupções).

MACHUCADO (Ver Dor).

MEMBRANA mucosa (Ver Descarga; Mucosa Nasal).

NASOFARINGITE (tosse; dor de garganta; nariz entupido ou coriza; dores nos músculos do nariz; dor, cansaço ou fraqueza incomum; febre; dor de cabeça) (Ver GARGANTA, Inflamação, faringe).

NECROSE.

ODOR, imaginário ou real.

PARESTESIA do nariz (queimação, formigamento, sensação de espinhos).

PAROSMIA (Ver Cheiro).

PERFURAÇÃO do septo (muco com sangue ou sangramentos inexplicáveis).

PONTA DO NARIZ.

PONTE NASAL (parte superior dos ossos nasais).

RINITE (ressecamento nasal ou coriza; comichão nasal; congestão nasal; espirros) (Ver FACE, Sinusite).

RINORRÉIA (Ver Coriza).

SANGRAMENTO (Ver Descarga, sangue).

SECURA.

SENSIBILIDADE (Ver Dor).

SEPTO.

ÚLCERA (ferida dentro do nariz) (Ver Erupções).

VERMELHO (Ver Descoloração).

VIAS RESPIRATÓRIAS, TRANSTORNOS (tosse, espirros, garganta inflamada, nariz entupido ou coriza).

CAPÍTULO FACE - RUBRICAS PRINCIPAIS

ACNE (Ver Erupções).

ALÉRGICA, REACÇÃO (inchaço da face).

ALOPÉCIA.

Repertório

ARREDONDADA (Ver Cushingóide, Estado; Inchaço; Plenitude).

ATROFIA facial.

BOCHECHA.

CALOR, aquecimento (Ver Plenitude).

CERRADA, mandíbula (Ver Fechada, mandíbula; Mandíbula).

COMICHÃO.

CONTRAÇÃO (Ver Coréia; Discinesia; Espasmo).

CORÉIA (contrações, movimentos incontrolados dos lábios, face) (Ver Contração; Discinesia; Espasmo).

CUSHINGÓIDE, ESTADO, desenvolvimento do (aumento de depósitos gordurosos na face) (Ver Arredondada; Inchaço; Plenitude; RINS, Adrenal, Glândulas, Síndrome de Cushing; GENERALITIES, Síndrome de Cushing).

DERMATITES.

DESCAMAÇÃO, lábios.

DESCOLORAÇÃO.

DESCONFORTO.

DISCINESIA, orofacial (contrações, torções ou movimentos repetitivos e descontrolados do rosto) (Ver Contração; Coréia; Espasmo; MENTAL, Gestos, tiques; BOCA).

DISTONIA (espasmos dos músculos da face; movimentos faciais súbitos ou incomuns) (Ver Contração; Coréia; Discinesia; Espasmo).

DOR.

DORMÊNCIA (Ver Formigamento; Neurite; Neuropatia).

EDEMA (Ver Arredondada; Inchaço; Plenitude).

ERITEMA facial (Ver Descoloração, vermelha).

ERUPÇÕES.

ESPASMO dos músculos da face (expressões incomuns da face) (Ver Contração; Coréia; Discinesia; Espasmo; Gestos).

ESTRIAS (linhas púrpuro-avermelhadas na face).

EXPRESSÃO, aparência.

FECHADA, mandíbula, trismo (dificuldade em abrir a boca; espasmo muscular, especialmente no pescoço e costas) (Ver Cerrada, mandíbula; Mandíbula).

FERIDA (Ver Úlcera).

FORMIGAMENTO (Ver Dormência; Neurite; Neuropatia).

FRAQUEZA.

GESTOS ou tiques (Ver Espasmo; MENTAL, Gestos).

GROSSA, espessa.

HEMORRAGIA.

HERPES SIMPLEX (ardência, queimação ou picadas na pele; feridas dolorosas; bolhas nos lábios).

HIPERSENSIBILIDADE, REAÇÕES, imediata ou tardia (inchaço da face, lábios).

HIPERTRICOSE (anormal e excessivo crescimento dos pêlos) (Ver Pêlo, crescimento dos).

HIRSUTISMO (aumento anormal do crescimento dos pêlos) (Ver Pêlo, crescimento de, hipertricose).

INCHAÇO, edema (aumento incomum de tamanho) (Ver Arredondada; Cushingóide, Estado; Plenitude).

Repertório

INFLAMAÇÃO (Ver Sinusite).

LÁBIO.

MANCHAS BRANCAS nos lábios.

MANDÍBULA (Ver Cerrada, mandíbula; Fechada, mandíbula).

MÁSCARA FACIAL, como.

NEURITE (dormência ou formigamento da face) (Ver Dormência; Formigamento; Neuropatia).

NEUROPATIA periférica (dormência ou formigamento da face) (Ver Dormência; Formigamento; Neurite).

PARALISIA (incapacidade para sentir ou mover a face) (Ver Parestesia).

PARESTESIA (Ver Paralisia).

PÊLO, cabelo.

PLENITUDE, preenchimento (Ver Arredondada; Calor; Inchaço).

RACHADA.

ROSÁCEA (acne crônica; vasos sangüíneos em forma de teia de aranha na face; sensação de ardor ou picadas na face; vermelhidão da face).

RUBORIZADA (Ver Descoloração, vermelha; Calor, ondas).

SANGRAMENTO (Ver Hemorragia).

SECURA.

SENSAÇÕES, como se.

SINUSITE (dor ou sensibilidade em torno dos olhos e bochechas; plenitude ou tensão na área do seio afetado; febre; nariz entupido ou corrimento; dor de cabeça; tosse; falta de ar ou problemas na respiração; aperto no peito ou chiado) (Ver NARIZ, Nasofaringite, Rinite; GENERALITIES).

TELANGIECTASIA (mancha na pele vermelho-escura, levantada, tipo-verruga, especialmente quando o medicamento foi usado no rosto).

TIQUES (Ver Gestos ou tiques).

TRISMO (Ver Fechada, mandíbula).

ÚLCERA, ferida.

VERMELHIDÃO (Ver Descoloração).

VIRILIZAÇÃO (acne; cabelos oleosos; pele oleosa).

CAPÍTULO BOCA (PALADAR) - RUBRICAS PRINCIPAIS

ABSCESSO.

AFTA.

AGEUSIA (perda do sentido do paladar ou gosto) (Ver Paladar).

ANESTESIA, orofaringe.

COBERTA.

CORÉIA, língua (contração, movimento descontrolado da língua) (Ver Discinesia; Espasmo; Tremor).

DESCARGAS.

DESCOLORAÇÃO da boca.

Repertório

DESCONFORTO.

DISCINESIA, orofacial (movimentos descontrolados da face, boca, ou língua) (Ver Coréia; Espasmo; Tiques; Tremor; **MENTAL**, Gestos, tiques; **FACE**, Gestos).

DISGEUSIA (distorção do sentido do paladar ou gosto) (Ver Paladar).

DISTONIA (espasmo dos músculos da língua) (Ver Coréia; Discinesia; Espasmo; Tremor).

DOR.

ENANTEMA (erupção cutânea de pele, principalmente em membranas mucosas como olhos e boca) (Ver Hipersensibilidade).

ENTORPECIMENTO.

ERUPÇÕES.

ESPASMO (Ver Coréia; Discinesia; Tremor).

FALA, linguagem (Ver **MENTAL**; **LINGUAGEM**).

FERIDAS (Ver Úlceras).

FORMIGAMENTO (Ver Neuropatia; Parestesia).

GENGIVA.

GLÂNDULAS SALIVARES.

HALITOSE (Ver Odor, ofensivo).

HEMORRAGIA.

HIPERSENSIBILIDADE.

INCHAÇO, edema.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção; Irritação).

IRRITAÇÃO (Ver Inflamação).

LESÕES.

LÍNGUA.

MANCHAS BRANCAS (descoloração) (Ver Descoloração, branca).

MEMBRANA MUCOSA.

MOLHADA (Ver Salivação).

NEUROPATIA sensorial (visão borrada ou dupla; perda do paladar ou gosto) (Ver Formigamento; Parestesia).

ODOR (respiração).

PALADAR, gosto.

PAPILAS, língua.

PARESTESIA (queimação, formigamento ou sensação de espinhos) (Ver Formigamento; Neuropatia).

PARÓTIDA, CANAL da.

PICANDO (Ver Formigamento; Neuropatia; Parestesia).

PROTRUSÃO (Ver Língua, protrusão).

PULSAÇÃO, pulsando.

QUENTE, calor.

SABURROSA.

SALIVA.

SALIVAÇÃO.

SANGRAMENTO (Ver Hemorragia).

SAPINHO (Ver Infecção, candidíase).

SECA.

SECREÇÕES.

SENSAÇÕES, como se.

SENSÍVEL (Ver Dor).

SÍNDROME BUCO-GLOSSAL.

SÍNDROME DE TOURETTE (movimentos descontrolados da cabeça, pescoço, braços e pernas; movimentos ou sons vocais incontroláveis) (Ver Tiques).

TIQUES (Ver MENTAL, Gestos, tiques; FACE, Gestos).

TREMOR da língua (Ver Coréia; Discinesia; Espasmo).

TUMOR.

ÚLCERAS ou feridas na boca (irritação ou feridas na boca).

XEROSTOMIA (sede ou boca seca) (Ver Seca).

CAPÍTULO DENTES - RUBRICAS PRINCIPAIS

ABCESSO, dentes (dor nos dentes ou gengivas).

AFROUXAMENTO.

BRUXISMO (apertar, cerrar ou ranger os dentes).

CÁRIES, cariados, esburacados (dor nos dentes).

CERRADOS firmemente (Ver Bruxismo).

DESCOLORAÇÃO.

DESGASTADO, moído, quebrado (Ver Bruxismo).

DOR, dor de dente em geral.

HEMORRAGIA.

INFEÇÃO (gosto ruim na boca; secreção, vermelhidão ou inchaço das gengivas; mau hálito) (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção; Irritação).

IRRITAÇÃO ou injúria (Ver Inflamação; Lesão).

LESÃO (Ver Irritação).

QUEDA (Ver Afrouxamento).

RIGIDEZ.

SANGRAMENTO (Ver Hemorragia).

SENSÍVEL.

TRANSTORNOS, anormalidades, problemas com os dentes.

CAPÍTULO GARGANTA - RUBRICAS PRINCIPAIS

ABCESSO (Ver Supuração).

ANESTESIA, orofaringe.

ASFIXIA, constrição (Ver Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

Repertório

COMICHÃO, prurido.

COMPRESSÃO, garganta (Ver Asfixia; Constrição; Deglutição difícil; Espasmo; Estenose; Estreitamento; Obstrução).

CONSTRIÇÃO, sensação de (Ver Asfixia; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

DEGLUTIÇÃO, engolindo.

DESCOLORAÇÃO.

DESCONFORTO (Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

DISFAGIA (Ver Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

DOR.

ERUPÇÕES.

ESCARRO.

ESFÍNCTER gastroesofágico, relaxamento do.

ESÔFAGO.

ESPASMO, constrição espasmódica (Ver Asfixia; Constrição; Deglutição; Estenose; Estreitamento; Obstrução).

ESTENOSE do esôfago (Ver Asfixia; Compressão; Constrição; Deglutição difícil; Espasmo; Estreitamento; Obstrução).

ESTREITAMENTO, sensação de (aperto ou pressão na garganta) (Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Obstrução).

FERIDA, úlcera na garganta (Ver Dor).

GLOBO histérico (Ver Grumo).

GRUMO (caroço, nó, tampão), sensação de.

HEMORRAGIA.

INCHAÇO.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Irritação).

IRRITAÇÃO (Ver Inflamação).

MANCHAS BRANCAS na garganta.

NASOFARINGITE (Ver Inflamação, faringe, nasofaringite; **NARIZ**, Nasofaringite).

OBSTRUÇÃO, bloqueio (Ver Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento).

OROFARINGE.

PERFURAÇÃO esofágica (dor no peito; problema respiratório; inchaço do pescoço; vômitos) (Ver Esôfago).

PESO, sensação de.

PRESSÃO na garganta (Ver Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

REFLUXO gastroesofágico (azia; vômito).

SANGRAMENTO (Ver Hemorragia).

SAPINHO (Ver Infecção, candidíase).

SECURA.

SENSAÇÕES, como se.

SÍNDROME DA DISESTESIA FARINGOLARINGEA AGUDA (sensações subjetivas de disfagia ou dispnéia, sem qualquer laringoespasmo ou broncoespasmo).

SUPURAÇÃO.

TONSILAR, hipertrofia.

TRANSTORNOS DO TRATO RESPIRATÓRIO (tosse, espirros, dor de garganta, nariz entupido ou coriza).

ÚLCERAS ou feridas na garganta.

VARIZES.

CAPÍTULO GARGANTA EXTERNA - RUBRICAS PRINCIPAIS

ALARGAMENTO da gordura dorso-cervical (corcunda de búfalo).

APERTO no pescoço, sensação de (Ver Contraído; Distonia; Dureza; Espasmo; Esticado; Músculos; Pescoço; Peso; Plenitude; Pressão; Tensão).

BÓCIO ou mixedema (sensibilidade ou inchaço do pescoço; inchaço da parte anterior do pescoço; alterações dos períodos menstruais; habilidade sexual diminuída em mulheres; pele seca, inchada; sensação de frio; ganho de peso incomum) (Ver Hipotireoidismo; Tireóide, Glândula).

CALOR.

CONTRAÍDO (Ver Aperto).

CUSHINGÓIDE, ESTADO, desenvolvimento do (aumento dos depósitos de gordura no pescoço) (Ver Ver RINS; GENERALIDADES).

DESCOLORAÇÃO.

DISTONIA (espasmo dos músculos do pescoço) (Ver Aperto; Espasmo).

DOR.

DUREZA (Ver Aperto).

ERUPÇÕES.

ESPASMO (Ver Aperto).

ESTICADO (Ver Aperto).

FRAQUEZA.

FRATURA, compressão vertebral (fratura no pescoço ou costas).

HIPERTIREOIDISMO (alterações no apetite. alterações em períodos menstruais. dor no peito; diarreia; aumento da frequência cardíaca; batimento cardíaco rápido ou irregular; febre; tremor nas mãos; dor de cabeça; insônia; irritabilidade; câibras nas pernas; alterações no humor. fraqueza muscular; nervosismo. inquietude; sensibilidade ao calor; transpiração; falta de ar; dificuldade em dormir; vômitos; pele quente, suave e úmida; perda de peso) (Ver Tireóide, Glândula).

HIOPARATIREOIDISMO (diminuição da secreção do hormônio da paratireóide).

HIPOTIREOIDISMO (alterações nos períodos menstruais; desajeitado; constipação; diminuição da capacidade sexual em homens; humor deprimido. sonolência; pele e cabelo secos; pele seca e úmida; perda de cabelo; dor de cabeça; rouquidão ou voz rouca; apatia; perda do apetite; dores musculares, câibras e rigidez; sensibilidade ao frio; sonolência; bradicardia; cansaço; fraqueza; bócio [inchaço na parte anterior do pescoço]; ganho de peso) (Ver Bócio; Tireóide, Glândula).

INCHAÇO (Ver Inflamação).

INFLAMAÇÃO.

LESÕES.

LINFADENOPATIA (inchaço dos gânglios do pescoço).

MIXEDEMA (Ver Bócio).

MOVIMENTOS do pescoço, incontroláveis (Ver Distonia; Espasmos; Músculos; Pescoço).

MÚSCULOS do pescoço.

PARATIRÓIDE.

PARÓTIDA, GLÂNDULA.

PESCOÇO.

PESO no pescoço (Ver Aperto).

PLENITUDE do pescoço (Ver Aperto).

PRESSÃO no pescoço (Ver Aperto).

TENSÃO no pescoço (Ver Aperto).

TIREÓIDE, GLÂNDULA.

TORCICOLO (movimentos incontrolados de torção do pescoço; posição anormal da cabeça).

CAPÍTULO ESTÔMAGO - RUBRICAS PRINCIPAIS

ALCALINIZAÇÃO (Ver Redução do ácido gástrico).

ANGÚSTIA RESPIRATÓRIA gástrica (Ver Desconforto; Transtornos).

ANOREXIA (Ver Apetite, anorexia).

ANSEIO por comida (Ver Compulsão).

ÂNSIA (sensação como se fosse vomitar).

APETITE.

AZIA (dor no peito abaixo do esterno; arroto; sensação de indigestão) (Ver Dispepsia; Refluxo).

BORBORIGMO (excesso de ar ou gás no estômago ou intestinos) (Ver Distensão; Eructação; Flatulência).

CÂNCER (Ver Tumor).

CICATRIZAÇÃO gastrointestinal.

CÓLICAS (Ver Dor, cólicas).

DESCONFORTO (Ver Angústia Respiratória; Azia; Dispepsia; Inflamação; Transtornos).

DISPEPSIA ou desconforto estomacal (estômago ácido ou azedo; arrotos; azia; indigestão, desconforto ou dor no estômago) (Ver Azia; Desconforto; Indigestão; Inflamação, gastrite; Refluxo; Transtornos).

DISTENSÃO (Ver Flatulência; Plenitude).

DOR gástrica (sensibilidade na região do estômago).

ENGASGANDO.

ERUCTAÇÃO (arroto; sensação de plenitude; excesso de ar ou gás no estômago) (Ver Borborismo; Distensão; Flatulência).

ESFÍNCTER gastroesofágico, relaxamento do.

Repertório

ESPASMOS (Ver Dor, cólicas).
ESTENOSE ou estreitamento gastrointestinal.
FÍSTULA gastrointestinal.
FLATULÊNCIA (gases ou distensão do estômago) (Ver Borborismo; Distensão; Eructação).
GASTRITE (Ver Dispepsia; Inflamação, gastrite).
GASTROENTERITE (Ver Inflamação, gastroenterite).
HEMATÊMESE (Ver Hemorragia; Vômito, sangue).
HEMORRAGIA.
HÉRNIA de hiato (azia; vômito).
HIPERSENSIBILIDADE, REAÇÃO, gastrointestinal (náuseas e vômitos severos com diarreia; febre súbita; dor nas articulações; sensação incomum de desconforto ou mal-estar).
HIPOTONICIDADE gástrica (Ver Indigestão).
INCHAÇO (Ver Distensão).
INDIGESTÃO.
INFECCÃO (Ver Inflamação; Irritação).
INFLAMAÇÃO (Ver Infecção; Irritação; Úlcera).
IRRITAÇÃO (náusea; vômito) (Ver Infecção; Inflamação).
LESÕES.
MOBILIDADE gastrointestinal diminuída (constipação; sensação de plenitude ou de passagem de gás; dores de estômago ou cólicas).
NÁUSEA.
PERFURAÇÃO gástrica (Ver Úlcera).
PLENITUDE, sensação de (Ver Distensão; Flatulência).
POLIDIPSIA (Ver Sede, excessiva).
PÓLIPOS em fundo gástrico (Ver Tumor, pólipos).
PRESSÃO no estômago.
REDUÇÃO do ácido gástrico (alcalose hipoclorêmica) (Ver Alcalinização).
REFLUXO (azia; vômito) (Ver Azia; Dispepsia).
SANGRAMENTO (Ver Hemorragia).
SEDE.
SENSAÇÕES, como se.
SOFRIMENTO estomacal (Ver Angústia Respiratória; Dispepsia).
SOLUÇÃO.
TOXICIDADE gastrointestinal (anorexia; cólicas abdominais ou estomacais; queimação ou dor gástrica; sangue ou fezes pretas; constipação ou diarreia; dificuldade em engolir ou dor na parte de trás da garganta ou no peito ao engolir; vômitos com sangue ou material que se parece com borra de café; náusea; vômitos, possivelmente com hematêmese).
TRANSTORNOS, distúrbios, anormalidades, alterações (Ver Anorexia; Azia; Desconforto; Dispepsia; Dor; Flatulência; Inflamação; Náusea; Vômito).
TUMORES (Ver Câncer).
ÚLCERA gástrica (perda do apetite; náusea; inchaço, ardor, câimbra ou dor de estômago; vômito; perda de peso; sangramento, ulceração ou perfuração) (Ver Perfuração).
VÔMITO, regurgitação.

CAPÍTULO ALIMENTOS - RUBRICAS PRINCIPAIS

DOCES.

CAPÍTULO ABDOME - RUBRICAS PRINCIPAIS

ABSCESSO abdominal.

ARREDONDAMENTO do tronco.

ASCITE (Ver Edema).

BAÇO.

BORBORIGMO (excesso de ar ou gás no estômago ou intestino) (Ver Distensão).

CÁLCULOS BILIARES (Ver Vesícula Biliar, cálculos).

CÂNCER (Ver Tumores).

CICATRIZAÇÃO gastrointestinal.

CIRROSE do fígado (pele ou olhos amarelos) (Ver Fígado).

COLECISTITE (Ver Inflamação).

COLÉDOCO, CANAL (Ver Vesícula Biliar, cálculos).

COLEDOCOLITÍASE (Ver Vesícula Biliar, cálculos).

COLELITÍASE (Ver Vesícula Biliar, cálculos).

COLESTASE (dor abdominal ou de estômago; calafrios; fezes cor de barro; urina escura; diarreia; tonturas; febre; dor de cabeça; prurido; perda de apetite; náuseas; erupção cutânea; odor da respiração desagradável; cansaço ou fraqueza incomuns; vômito de sangue; pele ou olhos amarelos) (Ver Fígado; Icterícia; Obstrução, biliar; Vesícula Biliar).

CÓLICAS (Ver Dor, cólicas).

CÓLON (Ver Doença de Crohn; Inflamação, cólon; Úlceras, enterocolite, ulcerativa).

DESCONFORTO (Ver Sofrimento; Transtornos).

DILATADO, aumentado (inchaço abdominal ou da área do estômago; sensação de plenitude ou inchaço; pressão no estômago) (Ver Distensão; Plenitude).

DISTENSÃO (inchaço abdominal ou da área do estômago; sensação de plenitude ou inchaço; pressão no estômago) (Ver Borborigmo; Dilatado; Flatulência; Plenitude).

DIVERTICULITE (Ver Inflamação).

DOENÇA DE CROHN agravada (diarreia; febre; sangramento retal; dor de estômago; perda de peso) (Ver Cólon, inflamação; Inflamação, cólon; Úlceras, enterocolite, ulcerativa).

DOR.

EDEMA, ascite (dor e inchaço do abdome).

ENCEFALOPATIA hepática (com alterações mentais, confusão, agitação ou estupor) (Ver MENTAL; GENERALIDADES).

ENTORPECIMENTO, dormência.

ERUPÇÕES.

ESCLEROSE biliar intra e extra-hepática (Ver Fígado; Vesícula Biliar).

ESFÍNCTER DE ODDI.

Repertório

ESPLENOMEGALIA (dor abdominal; sensação de plenitude).
ESTENOSE ou estreitamento (Ver Intestino, obstrução; Obstrução).
ESTRIAS (linhas púrpuro-avermelhadas).
FIBROSE.
FÍGADO (Ver Icterícia; Vesícula Biliar).
FÍSTULA gastrointestinal.
FLATULÊNCIA (sensação de inchaço; excesso de ar ou gás no estômago ou intestino; passagem de gás) (Ver Borborismo; Distensão).
FORMIGAMENTO do tronco.
FRAQUEZA.
GANGRENA.
HEMORRAGIA.
HEPATITE (Ver Fígado; Inflamação, fígado).
HEPATOESPLENOMEGALIA (em pacientes com leucemia promielocítica aguda) (Ver Baço; Esplenomegalia; Fígado).
HEPATOMEGALIA (sensação de plenitude ou dor no abdome superior) (Ver Fígado).
HÉRNIA (dor abdominal; protuberância no abdome) (Ver Protrusão).
HERPES ZOSTER (bolhas dolorosas no tronco do corpo).
HIPEREXTENSÃO do tronco.
HIPERSENSIBILIDADE, REACÃO de.
ICTERÍCIA (plenitude abdominal; febre recorrente; calafrios; fezes cor de barro; perda de apetite; náuseas; dor abdominal ou de estômago; cansaço ou fraqueza incomum; pele ou olhos amarelos) (Ver Fígado; Vesícula Biliar; GENERALIDADES).
ÍLEO paralítico (dor abdominal. constipação severa; vômitos severos) (Ver Paralisia, íleo).
INCHAÇO (Ver Distensão).
INDIGESTÃO (Ver ESTÔMAGO, Dispepsia).
INFECCÃO (Ver Inflamação).
INFLAMAÇÃO (Ver Infecção).
INTESTINO.
INTESTINO DELGADO.
INTUSSUSCEPÇÃO (diarréia; dor ou cólicas no abdômen; náuseas e vômitos).
IRRITAÇÃO.
LESÕES.
LIPASE, INIBIDOR.
MÁ ABSORÇÃO, síndrome da (diarréia; aumento da quantidade de gás; fezes de cor clara, espumosa, aparecendo gordura; perda súbita de peso).
MESENTÉRIO.
MOTILIDADE gastrointestinal diminuída (constipação; sensação e plenitude no abdômen ou passagem de gás; dor de estômago ou cólicas).
MOVIMENTOS incontroláveis.
MÚSCULOS, rigidez abdominal.
NECROSE.
OBSTRUÇÃO.
OCCLUSÃO venosa, mesentérica (dor abdominal, geralmente após comer uma refeição; constipação; diarréia; náuseas; vômitos) (Ver Intestino, obstrução).
PANCREATITE (Ver Inflamação).

Repertório

PARALISIA dos intestinos.

PELIOSE HEPÁTICA (Ver Fígado).

PERFURAÇÃO (Ver Intestino, perfuração).

PERISTÁLTICO, estimulante.

PERITÔNIO.

PERTURBAÇÃO abdominal.

PLENTITUDE, sensação de (Ver Dilatado; Distensão).

PORFIRIA cutânea tardia (urina escura; bolhas na pele cheia de fluido; prurido na pele; fezes de cor clara; sensibilidade ao sol; pele frágil; pele ou olhos amarelos).

REFLUXO gastrointestinal (inchaço; diarreia; gás; azia; indigestão; perda de apetite; náuseas; dor de estômago; vômitos).

RETROPERITONEAL, FIBROSE (febre; perda de apetite; dor abdominal baixa; dor lombar; náuseas; vômitos).

SANGRAMENTO (Ver Hemorragia).

SENSAÇÕES, com se.

SIGMÓIDE, cólon (Ver Inflamação).

SOFRIMENTO abdominal (Ver Desconforto; Transtornos).

TOXICIDADE (Ver Fígado, hepatotoxicidade).

TRANSTORNOS, distúrbios, anormalidades, alterações (Ver Desconforto; Dor; Sofrimento).

TROMBOSE.

TUMORES (Ver Câncer).

ÚLCERAS.

URGÊNCIA para evacuar ou defecar.

VESÍCULA BILIAR (Ver Fígado; Icterícia; Inflamação).

CAPÍTULO RETO - RUBRICAS PRINCIPAIS

ABSCESSO.

CÂIMBRA (Ver Constrição).

CALOR, aquecimento do reto.

COMICHÃO, prurido (Ver Entorpecimento; Formigamento).

CONSTIPAÇÃO.

CONSTRIÇÃO, contração, oclusão (Ver Estenose; Obstrução).

DESCONFORTO.

DIARRÉIA ou efeitos laxativos (aumento nos movimentos peristálticos; fezes líquidas ou amolecidas) (Ver Involuntárias; Peristáltico; Urgência).

DOR no reto (proctalgia).

ENTORPECIMENTO do ânus (Ver Comichão; Formigamento).

ESTENOSE ou constrição (Ver Constrição; Obstrução).

FLATOS (Ver ABDOME, Flatulência).

FORMIGAMENTO (Ver Comichão; Entorpecimento).

Repertório

HEMORRAGIA retal (sangue ou fezes negras) (Ver Intestino, sangue; Melena; ESTÔMAGO, Hemorragia; ABDOME, Hemorragia).

HEMORRÓIDAS (sangramento após evacuação; inchaço inconfortável em torno do ânus).

ÍLEO (constipação) (Ver Constipação; ABDOME, Íleo).

IMPACTAÇÃO FECAL ou fecaloma (Ver Constipação, impactação).

INCONTINÊNCIA (Ver Involuntárias).

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção; Irritação).

INVOLUNTÁRIAS, fezes (inabilidade ou perda do controle peristáltico) (Ver Diarréia; Peristáltico; Urgência).

IRRITAÇÃO (Ver Inflamação).

LESÕES.

MELENA (fezes com sangue ou tipo alcatrão negro) (Ver Diarréia, sangue; Hemorragia).

MOTILIDADE gastrointestinal diminuída (constipação; sensação de plenitude ou passagem de gás; dor ou cólica intestinal) (Ver Constipação).

OBSTRUÇÃO (Ver Constrição; Estenose).

PERISTÁLTICO, estimulante (Ver Diarréia; Involuntárias; Urgência).

SANGRAMENTO (Ver Hemorragia).

TENESMO (Ver Dor, tenesmo).

TRANSTORNOS, desordens retais.

ULCERAÇÃO.

URGÊNCIA (desejo) para evacuar (Ver Ver Diarréia; Involuntárias; Peristáltico).

CAPÍTULO FEZES - RUBRICAS PRINCIPAIS

ALCATRÃO-ASPECTO (Ver Melena; Preta; RETO).

ANORMAL, fezes.

AQUOSA (Ver Fina; Moles; Soltas; RETO).

AZUL, azulada.

BRANCA.

CINZA, acinzentada.

DESCOLORAÇÃO das fezes (Ver Alcatrão; Azul; Branca; Cinza; Escura; Preta; Verde; Vermelha).

ESCURA, raramente.

ESTEATORRÉIA (Ver Gordurosa).

EVACUAÇÃO.

FINA, líquida (Ver Aquosa; Moles; Soltas; RETO).

GORDUROSA, oleosa (evacuações oleosas) (Ver Esteatorréia).

LÍQUIDA (Ver Fina).

MANCHADA.

MELENA (fezes tipo alcatrão, sangrenta ou preta) (Ver Alcatrão-Aspecto; Preta; RETO).

MOLES (Ver Aquosa; Fina; Solta; RETO).

MUTÁVEL.

ODOR.

PRETA (Ver Alcatrão-Aspecto; Melena; RETO).

SANGRENTA.

SOLTA (Ver Aquosa; Fina; Moles; RETO).

VERDE, esverdeada.

VERMELHA, avermelhada (Ver Sangrenta).

CAPÍTULO BEXIGA - RUBRICAS PRINCIPAIS

ANÚRIA (Ver Micção, suprimida).

CÂNCER.

CISTITE (Ver Infecção; Inflamação).

CONTRAÇÃO.

DISÚRIA (Ver Micção, disúria; Urgência para urinar).

DIURÉTICOS, efeitos.

DOR (Ver Infecção; Inflamação; Irritação; Micção; RINS, Infecção).

EDEMA.

ESPASMO (Ver Contração).

FIBROSE.

HEMORRAGIA.

INCONTINÊNCIA urinária (Ver Micção, involuntária; Urgência para urinar).

INFECCÃO (Ver Inflamação; Irritação; RINS, Infecção).

INFLAMAÇÃO, cistite (infecção) (urina turva ou sanguinolenta; dificuldade, ardor ou dor para urinar) (Ver Dor; Infecção; Irritação; Micção; Urgência para urinar; RINS, Infecção).

IRRITAÇÃO (sangue na urina; urgência para urinar; aumento da frequência para urinar; dor ao urinar, severa ou contínua) (Ver Infecção; Inflamação; Urgência).

MICÇÃO (Ver Inflamação; Urgência para urinar).

OBSTRUÇÃO (Ver Retenção de urina).

RETENÇÃO de urina (hesitação ao urinar; diminuição do volume e da frequência de urina; dificuldade na passagem da urina [pingando]; dor à micção; inchaço da face, dedos, mãos, pés e pernas; ganho de peso) (Ver Micção, dificuldade, suprimida).

SANGRAMENTO (Ver Hemorragia).

TELEANGIECTASIA (sangue na urina).

TENESMO (Ver Contração; Dor).

ULCERAÇÃO.

URGÊNCIA para urinar (desejo mórbido) (Ver Inflamação; Micção, disúria).

CAPÍTULO RINS - RUBRICAS PRINCIPAIS

Repertório

ACIDOSE TUBULAR renal (sonolência; fadiga; cefaléia; respiração agitada; náuseas ou vômitos) (Ver Túbulos).

ADDISON, DOENÇA DE (Ver Adrenal, Glândulas).

ADRENAL, GLÂNDULAS (Ver Addison, Doença de; Cushing, Síndrome de).

ANTIDIURÉTICO, EFEITO (diminuição da micção) (Ver URINA, Escassa).

CÁLCULO, urolitíase (Ver URINA, Sedimento; GENERALIDADES; TESTES DIAGNÓSTICOS) (sangue na urina; náusea e/ou vômito; dor na virilha, genitais, lado, costas ou abdome; dor aguda nas costas apenas baixo das costelas).

CÂNCER.

CUSHING, SÍNDROME DE, Doença de Cushing, estado cushingóide (dor nas costas, visão borrada, fraturas ósseas; diabetes mellitus [aumento da sede, fome ou micção]; aumento da sede, aumento da frequência urinária; irritabilidade; irregularidade menstrual; depressão mental; crescimento adicional dos pelos faciais no sexo feminino; plenitude ou o arredondamento da face, pescoço e tronco; pressão arterial alta; impotência em homens [incomum diminuição do desejo ou habilidade sexual em homens]; atrofia muscular e fraqueza, cansaço ou fraqueza; retardo da velocidade de crescimento em crianças ou adolescentes) (Ver FACE, Cushingóide, Estado; GENERALIDADES, Cushing, Síndrome de).

DANO ou deterioração renal (urina turva ou sanguinolenta; urinar doloroso ou difícil; súbito aumento ou diminuição na frequência/quantidade de urina; dor no lado ou parte inferior das costas; sede aumentada; perda de apetite; náuseas ou vômitos; cansaço ou fraqueza; inchaço do rosto, dedos ou parte inferior das pernas; ganho de peso; respiração agitada; aumento da pressão arterial) (Ver Disfunção; Falência).

DEPLEÇÃO de proteínas (fraqueza muscular) (Ver TESTES DIAGNÓSTICOS, Urina, proteína).

DIABETES INSIPIDUS nefrogênico (aumento da frequência de urinar ou da quantidade de urina; aumento da sede; cansaço ou fraqueza) (Ver GENERALIDADES).

DISFUNÇÃO renal; anormalidades renais ou da função renal (diminuição na produção ou na capacidade de concentrar urina, às vezes brusca; urina turva; hipertensão arterial; falta de ar, respiração agitada, aperto no peito e/ou chiado; inchaço do rosto, dedos, pés e/ou parte inferior das pernas; sede permanente; cansaço ou fraqueza; ganho de peso) (Ver Dano; Falência; Glomérulos; Inflamação; Nefrose; Túbulos; Ureteres).

DIURÉTICO, efeito.

DOR.

EDEMA, retenção de fluídos, sal e água (aumento da pressão arterial; diminuição da quantidade de urina; respiração ruidosa ou chocalhante; falta de ar, respiração agitada, em repouso; inchaço do rosto, tornozelos, dedos, mãos, pés e/ou parte inferior das pernas; ganho de peso, às vezes rápido) (Ver Retenção; EXTREMIDADES; GENERALIDADES).

FALÊNCIA renal; insuficiência, diminuição ou distúrbios da função renal (dor no lado ou parte inferior das costas; aumento ou diminuição na frequência/quantidade de urina, súbita; diminuição da capacidade de concentrar urina; urina turva ou sanguinolenta; sede contínua ou aumentada; perda de apetite; náuseas ou vômitos; cansaço ou fraqueza; inchaço do rosto, dedos, pés e/ou pernas; falta de ar, incômodo ao respirar, aperto no peito e/ou sibilância; rápido ganho de peso, pressão sanguínea aumentada, aumento de peso; diminuição no clearance de água livre, na osmolaridade da urina, no ritmo de filtração glomerular, no clearance da creatinina, e na excreção de sódio, potássio e cloreto; aumento no nitrogênio

Repertório

da uréia sanguínea [BUN], creatinina sanguínea e potássio sérico; hiponatremia dilucional) (Ver Dano; Disfunção).

FANCONI, SÍNDROME DE (múltiplas anormalidades da função dos túbulos proximais) (Ver Túbulos).

GLOMÉRULOS (Ver Disfunção; Nefrose).

HEMOLÍTICA-URÊMICA, SÍNDROME (consiste em anemia microangiopática hemolítica [hematócrito 25% ou menos], insuficiência renal irreversível, trombocitopenia [contagem de plaquetas inferior a 100.000] e, menos frequentemente, hipertensão pulmonar, anormalidades neurológicas e hipertensão arterial).

HEMORRAGIA do trato urinário (sangue na urina).

HIDRONEFROSE (inchaço da face, mãos, pernas e pés; urina turva) (Ver Nefrose).

HIPOADRENALISMO (Ver Adrenal, Glândulas).

INFARTO do rim (dor nas costas ou lateral; náusea; vômito) (Ver Dano; Falência).

INFECÇÃO (Ver Inflamação; BEXIGA, Infecção).

INFLAMAÇÃO, nefrite (dores nas costas; aumento ou diminuição da urina; urina com sangue ou turva; dificuldade em respirar; sonolência; dor de cabeça; cansaço ou fraqueza; náuseas ou vômitos; ganho de peso incomum; inchaço da face, pés ou pernas) (Ver Infecção).

IRRITAÇÃO renal (dor ou formigamento enquanto urina) (Ver Infecção; Inflamação).

NEFROPATIA (Ver Disfunção renal; Nefrose; Nefrótica, Síndrome; Nefrotoxicidade).

NEFROSE (diminuição súbita na quantidade de urina; urina turva; inchaço do rosto, dedos, pés e/ou inferior das pernas; rápido ganho de peso) (Ver Nefrótica, Síndrome; Nefrotoxicidade).

NEFRÓTICA, SÍNDROME (urina turva ou com sangue; pressão arterial alta; inchaço do rosto, dedos, tornozelos, pernas, e/ou pés) (Ver Nefrose; Nefrotoxicidade).

NEFROTOXICIDADE, fibrose intersticial com atrofia tubular (elevação da creatinina sérica, transitória; grande aumento ou diminuição da frequência de micção ou da quantidade de urina; sede aumentada; perda de apetite; náuseas ou vômitos; urina turva ou sanguinolenta; dificuldade ou dor ao urinar; inchaço do rosto, tornozelos, mãos, pés e/ou região inferior das pernas; proteinúria; cristalúria; acidose tubular renal; agitação, coma, confusão, depressão; tonturas; dores de cabeça; irritabilidade; letargia; espasmos musculares; ganho de peso rápido; convulsões; cansaço ou fraqueza) (Ver Nefrose; Nefrótica, Síndrome).

PERITUBULAR, capilares.

PIELORENAL, DISTENÇÃO (dor ou desconforto severo abdominal ou renal; dor nas costas).

POTÁSSIO, perda renal (Ver Falência).

RAQUITISMO renal (Ver GENERALIDADES).

RETENÇÃO (Ver Edema; EXTREMIDADES; GENERALIDADES).

SANGRAMENTO (Ver Hemorragia).

SÍNDROME DA SECREÇÃO INAPROPRIADA DE HORMÔNIO ANTIDIURÉTICO (SSIHAD, intoxicação aquosa) (diminuição da capacidade de concentrar urina; micção frequente; diminuição repentina na quantidade de urina; inchaço dos pés ou pernas).

SUPRESSÃO da urina (Ver Dano; Disfunção; Falência; Nefrotoxicidade; BEXIGA, Micção, suprimida).

TÚBULOS renais (células tubulares) (Ver Fanconi, Síndrome de).

ULCERAÇÃO do endotélio do trato urinário (sangue na urina; urgência frequente para urinar; dor na micção).

URETÉRES.

CAPÍTULO PRÓSTATA - RUBRICAS PRINCIPAIS

AUMENTO, hiperplasia, hipertrofia de próstata (dor ou dificuldade na micção) (Ver Inflamação).

CÂNCER.

DISTÚRBIOS prostáticos (dor ou desconforto pélvico; dor ou dificuldade na micção).

INFLAMAÇÃO, prostatite (dor nas costas; calafrio; febre; micção frequente; dor na virilha; dor muscular; dor ou queimação ao urinar; inchaço da próstata) (Ver Aumento).

CAPÍTULO URETRA - RUBRICAS PRINCIPAIS

CÂNCER.

DOR.

HEMORRAGIA.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO, uretrite (sangue na urina; aumento da frequência de micção; dor ou queimação ao urinar) (Ver Infecção).

OBSTRUÇÃO ureteral (sangue na urina; dificuldade, queimação ou dor ao urinar; dor severa no abdome e nas regiões lateral e inferior das costas).

RESISTÊNCIA uretral diminuída.

SANGRAMENTO (Ver Hemorragia).

CAPÍTULO URINA - RUBRICAS PRINCIPAIS

ACETONÚRIA, cetonúria.

ÁCRIDA, ácida.

AÇÚCAR (glicosúria) (Ver GENERALIDADES, Diabetes; TESTES DIAGNÓSTICOS, Urina).

ALBUMINOSA, albuminúria (urina turva) (Ver Proteinúria; Turva).

ALCALINA.

ALTERNÂNCIA entre urina escassa e copiosa.

ANTIDIURÉTICO, efeito (diminuição da micção) (Ver Escassa, oligúria).

CÁLCULO (Ver Sedimento; RINS, Cálculo; GENERALIDADES; TESTES DIAGNÓSTICOS).

Repertório

CETONÚRIA (Ver Acetonúria).

COPIOSA, poliúria (efeito diurético; micção frequente; aumento no volume de urina pálida e diluída; aumento intenso e súbito na frequência e na intensidade de urina).

COR.

CRISTALÚRIA (Ver Sedimento).

DIURÉTICO, efeito (Ver Copiosa, poliúria).

ESCASSA, oligúria (diminuição na quantidade de urina; efeito antidiurético).

FENILCETONÚRIA (Ver TESTES DIAGNÓSTICOS, Hiperfenilalaninemia).

GLICOSÚRIA (Ver Açúcar).

HEMATÚRIA.

MIOGLOBINÚRIA (Ver Sedimento).

ODOR.

OLIGÚRIA (Ver Escassa).

PIÚRIA (pús na urina) (Ver Albuminosa; Proteinúria; Turva).

POLIÚRIA (Ver Copiosa).

PORFIRIA aguda, intermitente (escurecimento da urina).

PROTEINÚRIA (urina turva) (Ver Albuminosa; Turva).

SANGRAMENTO (Ver Hematúria).

SEDIMENTO (Ver RINS, Cálculo; GENERALIDADES; TESTES DIAGNÓSTICOS).

TURVA (Ver Albuminosa; Proteinúria).

CAPÍTULO GENITÁLIA MASCULINA - RUBRICAS PRINCIPAIS

ANESTESIA genital.

ATROFIA.

CALOR, aquecimento.

CÂNCER.

COMICHÃO.

DESEJO SEXUAL (Ver Disfunção; Orgasmo; MENTAL).

DISFUNÇÃO, problemas e alterações sexuais (diminuição do desejo ou do desempenho sexual; ejaculação anormal) (Ver Desejo; Ejaculação; Ereção; Orgasmo).

DOR.

EDEMA (Ver Inchaço).

EJACULAÇÃO (Ver Disfunção).

EREÇÃO.

ERUPÇÕES.

ESPERMOGRAMA, alterações no (Ver Fertilidade; Sêmen; TESTES DIAGNÓSTICOS).

ESTRIAS (linhas roxo-avermelhadas na virilha).

FERTILIDADE (Ver Espermograma; Sêmen).

FIBROSE do pênis (curvatura do pênis com dor durante a ereção; caroços no pênis) (Ver Peyronie, Doença de).

FIMOSE (problemas com o prepúcio do pênis).

FORMIGAMENTO.

GANGRENA.

GOZO, prazer (Ver Orgasmo).

HEMORRAGIA (Ver Sangramento).

HERPES (Ver Infecção).

HIRSUTISMO (Ver Pêlos).

IMPOTÊNCIA (Ver Ereção, insuficiente).

INCHAÇO, edema.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO.

LESÕES inflamatórias com proliferação de monília na região anogenital.

LIBIDO (Ver Desejo).

MANCHAS BRANCAS nos genitais.

ORGASMO (Ver Desejo; Disfunção).

PÊLOS.

PÊNIS.

PEYRONIE, DOENÇA DE (placas fibrosas no corpo cavernoso do pênis; dor no pênis na ereção) (Ver Fibrose).

PRIAPISMO (Ver Ereção, continuada).

PUBERDADE.

SANGRAMENTO, hemorragia.

SÊMEN (Ver Ejaculação; Fertilidade).

SENSAÇÕES, como se.

TAMANHO, diminuído.

TESTOSTERONA, NÍVEIS de (Ver TESTES DIAGNÓSTICOS).

ÚLCERAS ou feridas.

VIRILISMO em jovem pré-puberdade (acne; aumento do pênis; incremento na frequência de ereções; crescimento anormal de pêlos) (Ver Ereção).

CAPÍTULO GENITÁLIA FEMININA - RUBRICAS PRINCIPAIS

ABORTO.

AMENORRÉIA (Ver Menstruação, ausente).

ANESTESIA genital.

ATONIA do útero (inércia uterina) (inibição do trabalho de parto; retardo ou interrupção das contrações do útero).

ATROFIA.

AUMENTADA, hiperplasia.

CALOR, aquecimento.

CÂNCER (Ver Lesões; Tumor; Úlceras).

CISTOS.

COITO (Ver Desejo Sexual; Disfunção. Orgasmo).

COLO DO ÚTERO, cérvix.

COMICHÃO (Ver Irritação).

Repertório

CONTRACEPTIVO (inibição da ovulação).

CONTRAÇÕES.

DESEJO SEXUAL, libido (Ver Coito; Orgasmo; MENTAL).

DISFUNÇÃO, problemas, alterações sexuais (redução do desejo ou do desempenho sexual) (Ver Coito; Desejo Sexual; Orgasmo).

DISMENORRÉIA (Ver Dor; Menstruação, dolorosa).

DISPAREUNIA (Ver Dor; Relação Sexual, dolorosa).

DOR.

ECLÂMPSIA (Ver GENERALIDADES, Convulsões, gravidez).

EDEMA (Ver Inchaço).

EMBOLISMO, líquido amniótico (ansiedade; dor em queimação no baixo ventre; dor no peito, severa; calafrios; tosse; convulsões; sensação de calor; sensação de calor nos lábios e língua; dor de cabeça, severa; nervosismo; dormência nos dedos; dor na região lombar, pélvis ou estômago; zumbido nos ouvidos; falta de ar; sede súbita ou sabor salgado; sudorese).

ENDOMÉTRIO.

ERUPÇÕES.

ESPASMOS no útero (Ver Dor, cólicas).

ESTRIAS (linhas púrpuro-avermelhadas na virilha).

ESTRÓGENO.

FERTILIDADE.

FETO.

GESTAÇÃO, gravidez.

GONADOTROFINA, inibidor.

GRAVIDEZ (Ver Gestação).

HEMORRAGIA (Ver Metrorragia; Sangramento).

HERPES (Ver Infecção).

HIRSUTISMO (Ver Pêlos).

INCHAÇO, edema.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção; Irritação).

IRRITAÇÃO (Ver Inflamação; Comichão).

LACTAÇÃO.

LESÕES (Ver Câncer; Tumor; Úlcera).

LEUCORRÉIA, descarga vaginal (aumento da quantidade de corrimento vaginal claro; corrimento vaginal branco).

LIBIDO (Ver Desejo Sexual).

MANCHAS BRANCAS nos genitais.

MASCULINIZAÇÃO, virilismo, virilização (acne ou pele oleosa; diminuição do tamanho das mamas; aumento do clitóris; rouquidão ou engrossamento da voz; irregularidades menstruais; crescimento anormal e excessivo de pêlos; calvície de padrão masculina) (Ver Aumentada, clitóris; MENTAL).

MENOPAUSA.

MENSTRUAÇÃO (Ver Metrorragia; Sangramento).

METRRORRAGIA (sangramento menstrual pela vagina, inexplicável, inesperado e/ou extraordinariamente intenso; sangramento prolongado) (Ver Menstruação; Sangramento).

Repertório

NATIMORTO (Ver Aborto, espontâneo).

NECROSE do miométrio.

ODOR vaginal (Ver Leucorréia).

ORGASMO (Ver Coito; Desejo Sexual; MENTAL).

OVÁRIOS.

OVULAÇÃO.

PARTO, TRABALHO DE, nascimento.

PÊLOS.

PLACENTA retida (aumento do sangramento uterino).

PÓLIPOS (Ver Tumor).

PROLACTINA.

RELAÇÃO SEXUAL, dor, dispareunia (relação sexual dolorosa).

SANGRAMENTO, hemorragia (Ver Menstruação; Metrorragia).

SENSAÇÕES, como se.

SÍNDROME DA HIPERESTIMULAÇÃO OVARIANA (SHO) (dor abdominal ou de estômago, contínua ou severa; náuseas, vômitos ou diarreia; diminuição da quantidade da urina; sensação de indigestão; inchaço moderado a grave; ganho de peso rápido; dor pélvica, às vezes grave; falta de ar; inchaço das pernas).

SÍNDROME DA TENSÃO PRÉ-MENSTRUAL (TPM), síndrome pré-menstrual (inchaço abdominal e cólicas e/ou dor pélvica ou de estômago; dor de cabeça).

TUMOR (Ver Câncer; Pólipos).

ÚLCERAS ou feridas.

ÚTERO.

VAGINA.

VIRILISMO, virilização (Ver Masculinização).

VULVA.

CAPÍTULO LARINGE E TRAQUÉIA - RUBRICAS PRINCIPAIS

CONSTRIÇÃO.

DOR (Ver GARGANTA).

ESPASMO de glote (Ver Laringismo).

GLOTE.

INCHAÇO, edema (Ver GARGANTA).

INFLAMAÇÃO (Ver Irritação; Laringismo; GARGANTA).

IRRITAÇÃO (Ver Inflamação).

LARINGISMO estriduloso, laringoespasma (espasmo da garganta; aperto na garganta; falta de ar; problemas para falar ou respirar; aperto no peito ou chiado; sensação de engasgo; ruído muito alto ao respirar) (Ver Inflamação; RESPIRAÇÃO, Angústia Respiratória).

MUCO.

SANGRAMETO, trato respiratório (tossindo sangue).

SÍNDROME DA DISESTESIA FARINGOLARÍNGEA aguda (sensações subjetivas de disfagia ou dispnéia, sem qualquer laringoespasma ou broncoespasma).

TRAQUÉIA.

VOZ, alterações (Ver LINGUAGEM, CONVERSAÇÃO E VOZ).

CAPÍTULO LINGUAGEM, CONVERSAÇÃO E VOZ - RUBRICAS PRINCIPAIS

VOZ.

CAPÍTULO RESPIRAÇÃO - RUBRICAS PRINCIPAIS

ACCELERADA, respiração rápida; hiperventilação. taquipnéia (respiração profunda ou rápida, com tonturas; dormência de pés, mãos e ao redor da boca; respiração rápida superficial; falta de ar) (Ver Angústia Respiratória; Asma; Difícil; Dispnéia; Falência; Impedida; Sibilante).

ACIDOSE respiratória (falta de ar; dificuldade respiratória).

ALCALOSE respiratória.

ANGÚSTIA RESPIRATÓRIA; respiração difícil, obstrução as vias aéreas, dispnéia, broncoespasma, broncoconstricção (respiração rápida, superficial, problemática, difícil, anormal ou trabalhosa; tosse; respiração ruidosa; falta de ar; aperto no peito; congestão no peito; respiração sibilante; doença pulmonar ou função pulmonar diminuída) (Ver Asfixia; Asma; Difícil. Dispnéia; Falência; Impedida; Sibilante).

APNÉIA (Ver Presa).

ASFIXIA (dificuldade em respirar; perda da consciência) (Ver Impedida).

ASMA, bronquite, reação alérgica broncoespástica (congestão no peito; tosse produtiva; dificuldade de respiração; falta de ar; problemas respiratórios; aperto no peito; respiração sibilante) (Ver Angústia Respiratória; Difícil; Dispnéia; Falência; Impedida; Sibilante).

ASSOBIANTE (Ver Sons).

BRADIPNÉIA (Ver Lenta).

BRONQUITE (Ver Asma).

CHEYNE-STOKES (Ver Irregular; GENERALIDADES, Respiração).

CHOCALHANTE (Ver Sons).

CIANOSE (Ver Presa).

CONGESTÃO respiratória.

DIFÍCIL (Ver Angústia Respiratória; Asfixia; Asma; Dispnéia; Falência; Impedida; Sibilante).

DISPNÉIA (falta de ar; respiração difícil ou trabalhosa; aperto no peito; respiração sibilante) (Ver Angústia Respiratória; Asfixia; Asma; Difícil; Falência; Impedida; Sibilante).

Repertório

DOENÇA do trato respiratório superior (resfriado comum; congestão nasal; tosse; dor de garganta; dor de cabeça; coriza; febre; congestão no peito).

DOLOROSA.

EMBOLISMO pulmonar (ansiedade; dor no peito; tosse; desmaio; pulsação rápida; falta de ar ou problemas respiratórios súbitos; tonturas ou vertigens).

FALÊNCIA, insuficiência ou depressão respiratória (respiração irregular, rápida ou lenta, difícil, anormal ou superficial; diminuição do ritmo respiratório; falta de ar, às vezes grave; dificuldade respiratória, às vezes severa; congestão no peito; lábios, unhas, pele, mucosa nasal ou boca pálida ou azul; doença pulmonar ou função pulmonar diminuída) (Ver Angústia Respiratória; Asfixia; Difícil. Dispnéia; Impedida; Lenta).

FALTA DE AR, encurtada (Ver Acelerada; Angústia Respiratória; Asma; Difícil; Dispnéia; Falência; Impedida; Sibilante).

FRAQUEZA respiratória.

HIPERSENSIBILIDADE, REAÇÃO DE (sibilante; em uma criança com histórico de asma).

HIPERTENSÃO pulmonar (falta de ar).

HIPERVENTILAÇÃO (Ver Acelerada).

HIPOVENTILAÇÃO (Ver Lenta).

HIPOXIA, hipoxemia (confusão; tontura; pulsação rápida; falta de ar; fraqueza; lábios ou pele azulados) (Ver Asfixia; Impedida; GENERALIDADES; TESTES DIAGNÓSTICOS).

IMPEDIDA, dificultada, obstruída; obstrução de vias aéreas (Ver Angústia Respiratória; Asfixia; Asma; Difícil; Dispnéia; Falência; Lenta; Sibilante).

INFEÇÃO respiratória (sintomas gripais; tosse; febre; espirros; dor de garganta) (Ver PEITO, Infecção, Inflamação; GENERALIDADES, Influenza).

INTERSTICIAL, doença pulmonar (tosse; respiração difícil; febre; falta de ar) (Ver PEITO, Afecções, pulmão).

IRREGULAR, desigual (Ver Respiração).

LENTA, bradipnéia, ritmo ou frequência respiratória reduzida (Ver Falência).

OBSTRUÍDA (Ver Impedida).

OFEGANTE.

PRESA, parada (sem respiração) (Ver Asfixia; Impedida; Lenta).

PROFUNDA (Ver Lenta).

RESPIRAÇÃO.

RONCANTE, roncocal (Ver Sons).

SEGURANDO a respiração.

SIBILANTE, sibilos (dificuldade em respirar ou com problemas na respiração) (Ver Acelerada; Angústia Respiratória; Asma; Difícil; Dispnéia; Impedida).

SÍNDROME DA ANGÚSTIA RESPIRATÓRIA DO ADULTO (SARA) (Ver Angústia Respiratória; GENERALIDADES).

SONS (Ver Assobiante; Chocalhante; Roncante; Sibilante).

TAQUIPNÉIA (Ver Acelerada).

TOXICIDADE pulmonar (tosse ou falta de ar).

CAPÍTULO TOSSE - RUBRICAS PRINCIPAIS

CONTÍNUA, continuada.

ESPASMÓDICA.

HEMOPTISE (Ver Sangue).

PERSISTENTE.

SANGUE, hemoptise (tossindo sangue) (Ver PEITO, Hemorragia; EXPECTORAÇÃO, Sangue).

SECA.

TOSSE.

CAPÍTULO EXPECTORAÇÃO - RUBRICAS PRINCIPAIS

COPIOSA.

ESPESSA, grossa, viscosa.

ESVERDADA.

HEMOPTISE (Ver Sanguinolenta).

SANGUINOLENTA, escarrando sangue, hemoptise (tossindo ou cuspidando sangue) (Ver PEITO, hemorragia; TOSSE, Sangue).

CAPÍTULO PEITO - RUBRICAS PRINCIPAIS

ABSCESSO.

ADAMS-STOKES, ATAQUES (Ver VERTIGEM; GENERALIDADES).

AFECÇÕES, doenças ou distúrbios.

ANEURISMA (Ver Aorta; Artéria Coronária; Artéria Pulmonar).

ANGINA PECTORIS (vasoespasmó coronário; dor no braço, costas ou mandíbula; dor, desconforto, aperto ou peso no peito; batimento cardíaco rápido ou irregular; falta de ar; transpiração; náusea).

AORTA (Ver Aneurisma).

APERTO (Ver Constrição).

ARREDONDAMENTO do tronco.

ARRITMIAS cardíacas; disritmias (dor no peito ou desconforto; tontura ou desmaio; desfalecimento; batimento cardíaco rápido, lento ou irregular; vertigem; pulsação rápida ou irregular; anormalidades no ECG) (Ver TESTES DIAGNÓSTICOS).

ARTÉRIA CORONÁRIA.

ARTÉRIA PULMONAR, danos na (Ver Aneurisma).

ARTERIOSCLEROSE.

ATELECTASIA (tosse; respiração difícil; febre; batimento cardíaco rápido).

AUMENTO (Ver Hipertrofia).

BRADICARDIA (Ver Arritmias).

BRONCODILATAÇÃO.

BRONQUIOLITE (tosse; dificuldade em respirar; febre).

BRÔNQUIOS.

CALCIFICAÇÃO.

CÂNCER (Ver Tumor).

CAPACIDADE VITAL FORÇADA (CVF), diminuição na.

CARDIOMIOPATIA (desconforto ou dor no peito; dificuldade para respirar; falta de ar; inchaço dos pés e pernas; pulsação rápida ou irregular; tonturas ou sensação de desfalecimento; cansaço incomum ou fraqueza).

CATARRO (Ver Inflamação).

CATARRO, escarro, aumento da produção (aumento mucoso na garganta e nos pulmões) (Ver GARGANTA; GENERALIDADES).

CHOCALHANTE (Ver RESPIRAÇÃO).

CHOQUE cardiogênico (Ver Falência).

CONDUÇÃO cardíaca, defeitos ou transtornos da (efeitos cardiovasculares; tonturas; desfalecimento ou desmaio e/ou palpitações; bloqueio atrioventricular [AV]; bradicardia ventricular ou atrioventricular juncional; bloqueio de ramo; depressão da contratilidade miocárdica; alargamento do segmento QRS; prolongamento do intervalo QT; bradicardia sinusal; bloqueio sinoatrial [AS]; taquicardia sinusal; torsades de pointes; fibrilação ventricular; taquicardia ventricular; assistolia) (Ver Afecções; Arritmias; TESTES DIAGNÓSTICOS).

CONGESTÃO (Ver Pele; Plenitude; Rubor).

CONSTRIÇÃO, tensão (Ver Opressão; Pressão).

CORAÇÃO (Ver Afecções, coração).

CUSHINGÓIDE estado, desenvolvimento de (aumento dos depósitos de gordura no tronco) (Ver GENERALIDADES).

DESCARGA (Ver Leite).

DOENÇA PULMONAR VENO-OCCLUSIVA (DPVO) (Ver Afecções, pulmões).

DOR.

DUCTO ARTERIOSO, dano ao.

ECTOPIA.

EDEMA pulmonar (edema pulmonar; dor no peito; respiração difícil, rápida e barulhenta, às vezes com chiado ou sibilo; lábios e unhas azuis; pele pálida; aumento da transpiração; tosse, às vezes produzindo catarro espumoso rosa; falta de ar; inchaço nas pernas e tornozelos; calafrios; tosse; febre; sensação de desconforto geral ou doença; espessamento das secreções brônquicas; problemas na respiração) (Ver Efusões; Hidrotórax).

EFUSÕES (Ver Edema pulmonar; Hidrotórax).

ELECTROCARDIOGRAMA (ECG), alterações no (Ver TESTES DIAGNÓSTICOS).

EMBOLISMO pulmonar (falta de ar ou problemas respiratórios; dor no peito; ansiedade; tosse; desmaios; pulsação rápida; tonturas ou vertigens; dor queimante no abdômen inferior; calafrios; convulsões; sensação de calor; sensação de calor nos lábios e língua; dor de cabeça; nervosismo; dormência na ponta dos dedos; dor em região lombar, pelve ou estômago; zumbido nos ouvidos; falta de ar; sede súbita ou sabor salgado; transpiração).

ESPASMOS do coração.

ESTRIAS no tronco (linhas púrpuro-avermelhadas).

Repertório

FALÊNCIA cardíaca (dor ou desconforto no peito; veias dilatadas no pescoço; fadiga extrema; respiração irregular; batimentos cardíacos irregulares; falta de ar; inchaço do rosto, dedos, pés ou pernas; ganho de peso; respiração ofegante) (Ver Choque).

FIBROSE (Ver Inflamação).

FÍSTULA broncopleurar (falta de ar ou problemas respiratórios) (Ver Brônquios; Pleura).

FORMIGAMENTO, dormência no tronco.

FRAQUEZA.

GALACTORRÉIA (Ver Leite).

GINECOMASTIA (Ver Hipertrofia, mamas).

HEMORRAGIA.

HERPES ZOSTER (Ver Infecção).

HIDROPSIA (Ver Edema pulmonar; Hidrotórax).

HIDROTÓRAX, hidropsia.

HIPEREXTENSÃO do tronco.

HIPERSENSIBILIDADE pulmonar (febre; problemas respiratórios; tosse; falta de ar; aperto no peito; respiração ofegante).

HIPERTENSÃO pulmonar (Ver GENERALIDADES).

HIPERTROFIA, aumento.

HIPOPLASIA pulmonar, com contração da zona superior.

HIPOTENSÃO pulmonar.

INCHAÇO (Ver Edema).

INFARTO do miocárdio; ataque cardíaco; injúria ou lesão miocárdica; infarto coronário (dor, desconforto ou pressão no peito e/ou na mandíbula, pescoço, costas ou braços; dor em pressão no peito; inexplicável falta de ar; transpiração; pele fria e pálida; ansiedade; transpiração fria; desfalecimento, tontura ou desmaio; aumento da frequência cardíaca; náusea ou vômito; elevação do segmento ST no eletrocardiograma; diminuição da contratilidade cardíaca; elevação da creatinofosfoquinase [CPK], hemorragias e microinfartos do miocárdio).

INFARTO pulmonar.

INFECCÃO, pulmões.

INFLAMAÇÃO (Ver Infecção, pulmões).

IRREGULARIDADES (Ver Afecções).

IRRITAÇÃO (Ver Inflamação).

ISQUEMIA miocárdica (Ver Angina pectoris; Infarto do miocárdio).

LACTAÇÃO (Ver Leite).

LEITE, lactação, amamentação (Ver Descarga).

LEUCOMALÁCIA periventricular.

LINFADENOPATIA.

MAMAS.

MOVIMENTOS incontroláveis.

MUCO (Ver Catarro, escarro; Inflamação; **LARINGE E TRAQUÉIA**, Muco; **EXPECTORAÇÃO**).

MURMÚRIOS cardíacos (dor no peito; batimentos cardíacos rápidos; falta de ar; fadiga; pele ou pontas dos dedos de coloração azulada).

NECROSE miocárdica.

OPRESSÃO (Ver Constrição; Pressão).

Repertório

PALPITAÇÃO, coração (pulso ou batimento cardíaco rápido ou irregular; consciência ou sensação de pulsação cardíaca) (Ver Arritmias).

PELE, ruborização ou rubor da parte superior do tórax; ondas de calor (sensação de calor; vermelhidão da parte superior do tórax).

PERICÁRDIO.

PESO (Ver Opressão).

PLENITUDE do tronco (Ver Congestão; Pele; Rubor).

PLEURA.

PNEUMONIA (Ver Inflamação, pulmões; Pulmões).

PNEUMOTÓRAX (início súbito de dificuldades respiratórias graves; dor severa no peito) (Ver Afecções).

PRESSÃO (Ver Constrição; Opressão; Sensações, como se).

PULMÕES.

PULSAÇÃO, pulso (Ver Arritmias).

RIGIDEZ.

RUBOR da parte superior do tórax; ondas de calor (Ver Congestão; Pele; Plenitude).

SANGRAMENTO (Ver Hemorragia).

SENSAÇÕES, como se.

SONS.

TAQUICARDIA, taquiarritmia (Ver Arritmias; Palpitação).

TORSADES DE POINTES (Ver Arritmias, taquicardia ventricular).

TOXICIDADE.

TROMBOSE.

TUMOR (Ver Câncer).

ULCERAÇÃO.

VÁLVULAS cardíacas.

VASODILATAÇÃO.

VAZAMENTO DE AR PULMONAR, SÍNDROME DO.

CAPÍTULO COSTAS - RUBRICAS PRINCIPAIS

ABCESSO epidural.

ARREDONDAMENTO do tronco (Ver Gordura, Aumento dorsocervical).

CALCIFICAÇÃO (Ver Exostose).

CÂNCER.

CIFOSE (corcunda).

COMPRESSÃO da medula espinhal.

CUSHINGÓIDE, estado, desenvolvimento de (aumento de depósitos de gordura no tronco) (Ver Gordura, Aumento dorsocervical; RINS, Síndrome de Cushing; GENERALIDADES).

DESCOLORAÇÃO.

DISTONIA (Ver Espasmos).

DOR.

ERUPÇÕES.

ESPASMOS, distonia (espasmos dos músculos das costas).

ESTRIAS (linhas púrpuro-avermelhadas no tronco).

EXOSTOSE.

FORMIGAMENTO, dormência no tronco.

FRAQUEZA.

FRATURAS.

GORDURA, AUMENTO dorsocervical (corcunda de búfalo) (Ver RINS, Síndrome de Cushing; GENERALIDADES).

HEMORRAGIA.

HIPEREXTENSÃO do tronco.

INCHAÇO.

INFARTO.

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção).

LHERMITTE, SINAL DE (Posição em Gatilho; Sinal de Kernig; Sinal de Brudzinski) (transtornos da coluna cervical com sensação de choque elétrico que se move nas costas e nas pernas após um movimento de flexão do pescoço) (Ver GENERALIDADES, Esclerose Múltipla).

MEDULA ÓSSEA (Ver GENERALIDADES).

MENINGITE (Ver Inflamação; CABEÇA, Inflamação; GENERALIDADES, Inflamação).

MIELOPATIA.

MOVIMENTOS.

OPISTÓTONO (hiperextensão do corpo [espasmo severo] com cabeça e calcanhares dobrados para trás e corpo curvado para frente).

OSTEOMIELITE (Ver Inflamação).

OSTEOPENIA, osteoporose.

PARALISIA.

PÊLOS.

PLENITUDE do tronco.

RADICULOPATIA.

RIGIDEZ.

SENSACÕES, como se.

CAPÍTULO EXTREMIDADES - RUBRICAS PRINCIPAIS

ABCESSO.

ACATISIA (Ver Inquietude).

ACINESIA (ausência de movimento).

ACROMEGALIA (interrupção da menstruação; dor nas costas; alterações na visão; transpiração excessiva; extrema fraqueza; micção frequente; dor de cabeça; aumento no tamanho de mãos e pés; sede aumentada; aumento do volume de urina pálida, diluída; dor nas articulações; dor nas extremidades).

Repertório

APERTO (Ver Constrição).

ARREPIO (Ver Estremecimento; Sacudida).

ARTICULAÇÕES, DISTÚRBIOS das ou **ARTROPATIAS** (dificuldade no movimento; dores musculares ou rigidez; dor, inchaço e vermelhidão nas articulações).

ARTRALGIA (Ver Artrose; Dor, articulações).

ARTROSE (doença degenerativa das articulações; dores articulares) (Ver Articulações, Distúrbios das).

ATAXIA (tremores e caminhada instável; inabilidade, instabilidade, tremor ou outros problemas no controle muscular ou na coordenação; dificuldade em caminhar) (Ver Descoordenação).

AUMENTADAS.

BLOQUEIO neuromuscular (Ver Paralisia).

CÃIBRA, contrações musculares (contrações esqueléticas involuntárias localizadas, dolorosas, de início súbito e de curta duração) (Ver Arrepio; Coréia; Contrações; Distonia; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor).

CALCIFICAÇÃO irregular, excessiva, em epífises e vértebras (Ver Exostose).

CALOR.

CAMINHANDO (Ver Marcha, Distúrbios da).

CARTILAGENS, DISTÚRBIOS das.

CIANOSE periférica (cor azulada de lábios, pele, palmas das mãos, dedos ou unhas) (Ver Síndrome dos Dedos Roxos; Fenômeno de Raynaud; GENERALIDADES, Cianose).

CIRCULAÇÃO periférica.

CLAUDICAÇÃO (Ver Mancando).

COMICHÃO periférico.

CONSTRIÇÃO, tensão, pressão.

CONTRAÇÕES musculares (movimentos espasmódicos repentinos de corpo) (Ver Estremecimento; Sacudida).

CONTRATURA.

CORÉIA, movimentos coreiformes (contrações, movimentos incontrolados dos braços ou pernas; movimento torcendo, irregular, especialmente da face e das extremidades) (Ver Arrepio; Distonia; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor).

DESAJEITADO, desastrado, inabilidade motora (Ver MENTAL, Desajeitado).

DESCOLORAÇÃO.

DESCOORDENAÇÃO (perda ou diminuição da coordenação) (Ver Ataxia).

DESMIELINIZANTES, TRANSTORNOS (Ver Esclerose Múltipla; GENERALIDADES, Desmielinizantes, Transtornos, Imunes, Transtornos).

DISCINESIA (Ver Movimentos descontrolados).

DISMETRIA (controle dos movimentos corporais prejudicado, por exemplo, ao pisar) (Ver Descoordenação).

DISTONIA (espasmo da musculatura da língua, face, pescoço e costas; torção ou outro movimento muscular incomum ou súbito; incapacidade para mover os olhos) (Ver Arrepio; Coréia; Contrações; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor).

DOR em extremidades.

DORMÊNCIA periférica (Ver Formigamento; Neuropatia. Parestesia).

Repertório

DUREZA, rigidez.

EDEMA (Ver Inchaço).

EMBOLIA periférica (Ver Trombose).

EMBOLISMO (Ver Embolia).

ENTORSES.

EPIFISÁRIO, FECHAMENTO, prematuro (falta ou diminuição do crescimento normal em crianças)

ERITRODISESTESIA PALMO-PLANTAR (Ver Síndrome Mão e Pé).

ERUPÇÕES.

ESCLEROSE MÚLTIPLA (visão borrada; dificuldade em controlar a sua bexiga ou intestinos; dificuldade em andar; tristeza ou depressão; esquecimento; câibras musculares; torpor ou formigamento em braços, pernas ou rosto; fala enrolada ou problemas de deglutição; cansaço incomum ou fraqueza) (Ver GENERALIDADES, Imunes, Transtornos).

ESPASMO muscular (Ver Arrepio; Câibra; Coréia; Contrações; Distonia; Estremecimento; Movimentos descontrolados; Sacudida; Tremor).

ESTREMECIMENTO (Ver Sacudida; Tremor).

ESTRIAS (linhas de púrpuro-avermelhadas).

EXOSTOSE (proliferação óssea).

EXTENSÃO (tendão ou ligamento) dos dedos dos pés, tornozelos, joelhos e quadris.

FADIGA.

FENÔMENO de RAYNAUD, Doença de Raynaud (formigamento ou dor nos dedos das mãos e pés quando expostos ao frio; palidez ou sensação de frio na ponta dos dedos) (Ver Cianose; Síndrome dos Dedos Roxos).

FLEXIONADAS.

FORMIGAMENTO ou picadas periféricas (Ver Dormência; Neuropatia; Parestesia).

FRAQUEZA nas extremidades.

FRATURAS espontâneas dos ossos (dor ou inchaço dos braços, pernas, costas ou costelas, sem qualquer injúria prévia).

FRIEZA nas extremidades.

GANGRENA periférica (pele seca ou de aparência enrugada nas mãos, pernas ou pés; pele dos dedos das mãos ou dos pés fria, pálida ou de cor azulada; prurido na pele; dormência ou formigamento dos dedos das mãos ou dos pés; dor nos dedos das mãos ou dos pés).

GOTA ou hiperuricemia (dor nas articulações do tornozelo, joelho ou dedo grande do pé; dor, inchaço ou rigidez nas articulações) (Ver Dor; GENERALIDADES, Gota).

HEMIPARESIA (Ver Paralisia; Fraqueza).

HEMIPLEGIA (Ver Paralisia; Fraqueza).

HEMORRAGIA, sangramento.

HIPERESTESIA.

HIPERTONIA (Ver Dureza).

HIPERTROFIA (Ver Aumentada).

HIPOESTESIA (diminuição na sensação de toque) (Ver Parestesia).

HIPOTONIA (tônus muscular diminuído; sensação de fraqueza incomum; perda de força ou energia; dores musculares ou fraqueza).

INABILIDADE motora (Ver Desajeitado).

INCHAÇO, edema (ganho de peso rápido) (Ver Inflamação).

Repertório

INFECCÃO (Ver Inflamação).

INFLAMAÇÃO (Ver Infecção).

INQUIETUDE motora (Ver Síndrome das Pernas Inquietas; MENTAL, Inquietude).

INSTABILIDADE.

ISQUEMIA.

JOELHOS.

LESÕES.

LINFADENOPATIA (inchaço dos gânglios nas axilas).

MANCANDO, coxeando, claudicação.

MARCHA, DISTÚRBIOS da (mudanças na marcha ou no equilíbrio; imperícia ou instabilidade ao caminhar) (Ver VERTIGEM; GENERALIDADES, Marcha, Distúrbios).

MEDULA ÓSSEA, DEPRESSÃO da (Ver Mielossupressão).

MASTENIA GRAVE (perda de força ou energia; dores musculares ou fraqueza) (Ver GENERALIDADES, Imunes, Transtornos).

MELOSSUPRESSÃO, depressão da medula óssea (Ver GENERALIDADES; TESTES DIAGNÓSTICOS).

MIOCLONIA (Ver Contrações).

MIOPATIAS (Ver Músculos, Distúrbios dos).

MOTILIDADE, atividade locomotora (Ver MENTAL, Gestos).

MOVIMENTOS descontrolados, involuntários, incomuns (Ver Arrepio; Câibra; Coréia; Contrações; Distonia; Espasmo; Estremecimento; Sacudida; Tremor).

MÚSCULOS, DISTÚRBIOS dos ou **MIOPATIAS.**

NECROSE.

NERVOS (Ver Neurológicos, Efeitos; Neuropatia; Paralisia).

NEUROLÓGICOS, EFEITOS (descoordenação; fraqueza muscular; dor, dormência, formigamento ou fraqueza em mãos ou pés; rigidez de braços ou pernas; movimentos descontrolados do corpo).

NEUROPATIA periférica (sensações de queimação, dormência, formigamento ou dor; fraqueza nos braços, mãos, pernas ou pés; leve dormência nos dedos das mãos ou pés; instabilidade ou inabilidade motora) (Ver Dormência; Formigamento; Nervos; Neurológicos, Efeitos; Paralisia; Parestesia).

NEUROTOXICIDADE (paraparesia/quadruparesia de extremidades superiores e/ou inferiores consistentes com uma doença desmielinizante; dificuldade na marcha; torpor ou formigamento nos dedos; fraqueza).

ONDAS de CALOR (Ver Calor).

OSSOS, DISTÚRBIOS dos ou **OSTEOPATIAS** (deformidade óssea; diminuição da altura; dificuldade no movimento ou andando; dor de cabeça; perda de audição; dor nas costas, costelas, braços ou pernas; vermelhidão ou inchaço nos braços ou pernas).

OSTEOMALACIA (fraturas ósseas, especialmente do fêmur).

OSTEOPENIA, osteoporose.

OSTEOPOROSE (Ver Osteopenia).

PARALISIA (bloqueio neuromuscular; dificuldade em respirar; sonolência; cansaço incomum ou fraqueza).

PARAPARESIA, paresia ou hemiparesia (Ver Fraqueza; Paralisia).

PARESIA (Ver Fraqueza; Paralisia).

Repertório

PARESTESIA periférica (sensação de queimação, formigamento, comichão, dormência, picadas, alfinetes e agulhas em mãos, pés ou dedos) (Ver Neuropatia; GENERALIDADES, Sensibilidade, parestesia).

PELE (Ver PELE).

PÊLOS.

PÊNFIGO (Ver Erupções).

PERDA de massa muscular.

PERNAS.

PÉS.

PESO, pesado.

PICADAS (Ver Formigamento).

QUADRAPARESIA (Ver Fraqueza; Paralisia).

RABDOMIÓLISE (urina de cor escura; febre; câibras, espasmos, dor, rigidez ou fraqueza muscular; cansaço incomum ou fraqueza; mioglobulinemia e mioglobinúria).

RAQUITISMO (dor ou sensibilidade óssea; perda de apetite; fraqueza muscular; perda de peso incomum).

REFLEXOS.

RELAXAMENTO (Ver Hipotonia).

RETENÇÃO de fluído e sódio (ganho de peso rápido; inchaço dos pés ou pernas) (Ver RINS; GENERALIDADES).

RIGIDEZ (Ver Dureza).

RUBOR da pele (Ver Calor).

RUPTURA de tendão (dor nos ossos; dor na parte inferior ou lateral das costas; articulações dolorosas e inchadas).

SACUDIDA ou tremor (Ver Tremor; Vibração).

SANGRAMENTO (Ver Hemorragia).

SENSAÇÕES, como se, periféricas (Ver GENERALIDADES, Sensações, como se).

SENSÍVEL a, sensibilidade a (Ver GENERALIDADES, Sensibilidade).

SÍNDROME das PERNAS INQUIETAS (dor ou desconforto nas pernas; sensação de formigamento nas pernas) (Ver Inquietude).

SÍNDROME de GUILLAIN-BARRÉ (dormência súbita e fraqueza nos braços e pernas; incapacidade de mover os braços e pernas) (Ver GENERALIDADES).

SÍNDROME de TOURETTE (movimentos incontrolados de cabeça, pescoço, braços e pernas; movimentos ou sons vocais incontroláveis).

SÍNDROME do TÚNEL DO CARPO (queimação, dormência, dor ou formigamento em todos os dedos, excepto no dedo menor).

SÍNDROME dos DEDOS ROXOS (dedos azuis ou roxos; dores nos dedos) (Ver Cianose; Fenômeno de Raynaud).

SÍNDROME MÃO E PÉ, eritrodisestesia palmo-plantar ou eritema acral induzido por quimioterapia (formação de bolhas, descamação, vermelhidão ou inchaço das palmas das mãos ou plantas dos pés; vermelhidão, inchaço ou dor na pele; descamação da pele nas mãos e pés; dormência, dor, formigamento ou sensações incomuns nas palmas das mãos ou plantas dos pés; ulceração, eritema e descamação nas mãos e pés com dor e inflamação).

TENDÕES (LIGAMENTOS), DISTÚRBIOS dos ou TENDINOPATIAS.

TETANIA (Ver Espasmos).

Repertório

TREMOR, tremedeira (tremor ou agitação de mãos ou pés; tremores nas pernas, braços, mãos e pés) (Ver Sacudida).

TROMBOSE (dormência; inchaço ou dor das mãos ou das pernas) (Ver Embolia).

ÚLCERAS.

VARIZES (Ver Inchaço).

VASCULARES, DISTÚRBIOS (Ver Circulação).

VASOCONSTRIÇÃO (Ver Circulação).

CAPÍTULO UNHAS - RUBRICAS PRINCIPAIS

AFROUXAMENTO ou perda das unhas.

DESCOLORAÇÃO.

DISTROFIA das unhas (alterações nas unhas das mãos ou dos pés).

DOR.

FRACA, debilitada (Ver Frágil).

FRÁGIL ou enfraquecimento das unhas.

FROUXIDÃO (Ver Afrouxamento).

INCHAÇO.

INFLAMAÇÃO (Ver Paroníquia).

MELANONÍQUIA (Ver Descoloração, escura).

PARONÍQUIA (afrouxamento das unhas; vermelhidão ou dor em torno de unhas).

QUEBRADIÇA (Ver Frágil).

RACHADA (Ver Frágil).

TRANSTORNOS das unhas (descoloração e/ou inchaço das unhas das mãos ou dos pés; dor, afrouxamento ou perda de unhas).

CAPÍTULO SONO - RUBRICAS PRINCIPAIS

ADORMECER sem aviso prévio.

BOCEJANDO.

CONTRAÇÃO muscular durante o sono.

DESPERTANDO.

DIFICULDADE (Ver Perturbado, problemas para dormir).

INQUIETO (Ver Insônia; Perturbado).

INSÔNIA (problemas para dormir; incapacidade para dormir).

PERTURBADO.

PROFUNDO.

PROLONGADO (aumento da duração do sono; dormindo mais do que o habitual).

SEDAÇÃO ou efeitos sedativos (sonolência; calmo e relaxado) (Ver MENTAL; GENERALIDADES).

SONAMBULISMO.

Repertório

SONOLÊNCIA (sono constante; cansaço extremo).

TRANSTORNOS do sono (insônia; sonhos terríveis; problemas para dormir) (Ver **SONHOS**).

VIGÍLIA (Ver **Despertar**).

CAPÍTULO SONHOS - RUBRICAS PRINCIPAIS

ABSURDOS (Ver **Estranhos**).

ANORMAIS ou incomuns (Ver **SONO**, **Transtornos**).

ATIVIDADE de sonhos aumentada (sonhando excessivamente).

ESTRANHOS.

MUDANÇA nos sonhos.

PARONÍRIA (sonhos aterrorizantes causando perturbações do sono) (Ver **Pesadelos**; **Terríficos**).

PESADELOS (Ver **Paroníria**; **Terríficos**).

TERRÍFICOS (Ver **Paroníria**; **Pesadelos**).

VÍVIDOS, incomumente.

CAPÍTULO CALAFRIO - RUBRICAS PRINCIPAIS

CALAFRIOS, arrepios.

FRIALDADE em geral.

FRIO, sensibilidade.

REAÇÃO TÉRMICA (sensação de frio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal).

RIGIDEZ (Ver **Sacudidas**).

SACUDIDAS, tremores rígidos (sentindo-se excepcionalmente frio; tremores com calafrios) (Ver **Tremor**).

SENSAÇÕES, como se.

TREMOR e tremedeira (Ver **Sacudidas**; **EXTREMIDADES**, **Tremor**).

CAPÍTULO FEBRE - RUBRICAS PRINCIPAIS

FEBRE ou piroxia (temperatura corporal elevada) (Ver **Hipertermia**).

HIPERPIREXIA (Ver **Hipertermia**).

HIPERTERMIA ou hiperpirexia (febre alta; temperatura corporal aumentada ou extremamente alta; febre ou calafrios; rubor; ritmo respiratório e batimento cardíaco aumentados) (Ver **Febre**; **Insolação**; **GENERALIDADES**).

Repertório

HIPOTERMIA (sensação de frio; inaptidão, confusão, sonolência; temperatura corporal baixa; dores musculares ou fraqueza; arrepios; pulso fraco ou ausente) (Ver GENERALIDADES).

INSOLAÇÃO (pele quente e seca; incapacidade de transpirar; fraqueza muscular; confusão) (Ver Hipertermia).

PIREXIA (Ver Febre).

REAÇÃO TÉRMICA (sensação de frio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal).

REGULAÇÃO DA TEMPERATURA corporal (Hipotálamo).

SENSAÇÕES, como se.

CAPÍTULO TRANSPIRAÇÃO - RUBRICAS PRINCIPAIS

ANIDROSE (Ver Suprimida).

AUMENTADA (Ver Profusa).

DESCOLORAÇÃO do suor.

DIAFORESE (Ver Profusa).

DIMINUÍDA, oligohidrose (Ver Suprimida).

ESCASSA (Ver Diminuída).

FRIA.

NOITE.

ODOR corporal.

OLIGOHIDROSE (Ver Diminuída).

PARTES, únicas, isoladas.

PROFUSA, excessiva, severa (aumento do suor; diaforese; hiperidrose).

SÚBITA.

SUPRIMIDA.

TRANSPIRAÇÃO em geral.

ÚMIDA, pegajosa.

CAPÍTULO PELE - RUBRICAS PRINCIPAIS

ABRASÃO (Ver Erupções ou Lesões).

ACNE (Ver Erupções ou Lesões).

ADERÊNCIA (Ver Grudenta).

ALÉRGICA, REAÇÃO (comichão ou prurido, erupção cutânea; urticária, lacrimejamento; aumento da sensibilidade à luz solar; comichão da pele associada com inchaço dos gânglios linfáticos; febre; inchaço da face e da língua; hipertrofia de fígado e baço) (Ver Reação Cutânea).

ALOPÉCIA (Ver Pêlos).

ANESTESIA (Ver Sensibilidade).

Repertório

APERTO, pressão na pele.

AQUECIMENTO (Ver Calor).

ARREPIO (Ver Pêlos, ereção).

ÁSPERA.

ATROFIA da pele (afinamento da pele com contusões fáceis; fraqueza ou definhamento da pele) (Ver Envelhecimento).

BOLHAS, vesículas (Ver Erupções ou Lesões).

BRILHANTE.

CALOR, aquecimento (Ver GENERALIDADES, Calor).

CÂNCER, neoplasias (hiperplasias incomuns ou mudanças na pele) (Ver Tumores).

CAROTENODERMIA (Ver Descoloração, amarela).

CÁUSTICA.

CHAGA (Ver Ferida).

CICATRIZES.

CLOASMA ou melasma (Ver Descoloração).

COCEIRA (Ver Comichão).

COMICHÃO ou prurido (queimação, formigamento e/ou dor) (Ver Dormência; Formigamento; Sensibilidade).

CONTUSÕES (Ver Erupções ou Lesões).

COURO (Ver Erupções ou Lesões).

DESCAMAÇÃO (Ver Peeling).

DESCOLORAÇÃO (alterações na cor da pele).

DOR.

DORMÊNCIA (Ver Comichão; Formigamento; Sensibilidade).

ECZEMA (Ver Erupções ou Lesões; Inflamação).

EDEMA (Ver Inchaço).

ELASTOSIS PERFORANTE SERPIGINOSA (comichão da pele).

ENANTEMA (Ver Erupções ou Lesões).

ENDURECIMENTOS, nódulos, etc. (endurecimento ou espessamento da pele; pequena protuberância sob a pele; caroço duro) (Ver Excrescências; Nevos; Tumores; Verrugas).

ENRUGADA, murcha.

ENVELHECIMENTO da pele prematuro (exposição à luz solar e/ou radiação ultravioleta) (Ver Atrofia).

EPIDERMÓLISE (Ver Erupções ou Lesões).

EQUIMOSE (grandes manchas lisas, azuis ou arroxeadas na pele) (Ver Hematoma; Hemorragia).

ERISPELA (manchas na pele, braço ou perna em relevo, firmes, brilhantes, vermelhas) (Ver Erupções ou Lesões).

ERITEMA (Ver Descoloração, vermelha).

ERITEMA MULTIFORME (Ver Alérgica, Reação; Erupções ou Lesões, rash).

ERITEMA NODOSO (Ver Descoloração, vermelha, mancha).

EROSÃO (Ver Erupções ou Lesões).

ERUPÇÕES ou **LESÕES**.

ESCAMAÇÃO (Ver Peeling).

ESCORIAÇÃO (abrasão da pele; pele em carne viva) (Ver Erupções ou Lesões, abrasão; Ferida).

Repertório

ESCORRIMENTO (Ver Erupções ou Lesões, descarga; Exoneração).
ESFOLIAÇÃO (Ver Erupções ou Lesões, escamosa).
ESTRIAS (linhas púrpuro-avermelhadas em braços, face, pernas, tronco ou virilha).
EXANTEMA (Ver Erupções ou Lesões, exantema).
EXCRESCÊNCIAS (Ver Endurecimentos; Nevos; Tumores; Verrugas).
EXONERAÇÃO (Ver Escorrimento).
FERIDA ou chaga (Ver Erupções ou Lesões; Feridas; Úlceras).
FERIDAS (Ver Erupções ou Lesões; Ferida ou chaga; Úlceras).
FINA, frágil.
FORMIGAMENTO (falsa sensação de insetos rastejando sobre a pele; sensação de rastejamento) (Ver Comichão; Dormência; Picadas; Sensibilidade).
FOTOSENSIBILIDADE (Ver Fotossensibilidade, Reação de; Fototoxicidade; Sensibilidade à luz).
FOTOSENSIBILIDADE, REAÇÃO DE (aumento da sensibilidade da pele à luz solar; coceira, vermelhidão ou outra descoloração da pele; queimaduras graves; erupções cutâneas; formação de bolhas, vermelhidão e inchaço da pele) (Ver Fototoxicidade; Sensibilidade à luz).
FOTOTOXICIDADE (bolhas; sensação de queimação na pele; coceira, erupção ou vermelhidão na pele; inchaço) (Ver Fotossensibilidade, Reação de; Sensibilidade à luz).
FRÁGIL (Ver Fina).
FRIA.
FURÚNCULOS (Ver Erupções ou Lesões, furúnculo; Furunculose).
FURUNCULOSE (múltiplas lesões cutâneas inflamadas e inchadas) (Ver Furúnculos).
GANGRENA (feridas na pele, especialmente em coxas, seios, pênis e nádegas).
GROSSA, espessa.
GRUDENTA (Ver TRANSPIRAÇÃO, Úmida).
HEMATOMA (coleção de sangue sob a pele; contusão profunda de coloração púrpura, escura; prurido, dor; vermelhidão ou inchaço) (Ver Equimose; Hemorragia; GENERALIDADES).
HEMORRAGIA ou sangramento (Ver Equimose; Hematoma).
HERPES.
HIPERTROFIA.
ICTIOSE (Ver Erupções ou Lesões, escamosa).
IMPETIGO (Ver Infecção).
INCHAÇO, edema.
INFEÇÃO (comichão, dor, vermelhidão, inchaço, flacidez, e/ou calor na pele) (Ver Inflamação).
INFLAMAÇÃO (Ver Infecção; Irritação).
IRRITAÇÃO (Ver Inflamação; Sensibilidade).
LACERAÇÃO (Ver Erupções ou Lesões).
LESÕES (Ver Erupções ou Lesões).
LÍQUEN PLANO (Ver Erupções ou Lesões).
LIVEDO RETICULAR (Ver Erupções ou Lesões, petéquia; GENERALIDADES, Hemorragia).
LÚPUS ERITEMATOSO SISTÊMICO (Ver GENERALIDADES, Lupus Eritematoso Sistêmico).

Repertório

MELANOSE (Ver Descoloração, hiperpigmentação).

MELASMA ou cloasma (Ver Descoloração).

MILIÁRIA RUBRA (queimação e prurido na pele com bolhas vermelhas tipo cabeça de alfinete).

MOSCHCOWITZ, DOENÇA DE (Ver Púrpura, púrpura trombocitopênica trombótica).

NECRÓLISE EPIDÉRMICA TÓXICA, Síndrome de Lyell (formação de bolhas, descamação, descolamento da pele; calafrios; tosse; febre; diarreia; prurido; câibras musculares; dor muscular; olhos vermelhos, irritados; lesões de pele vermelhas, muitas vezes com um centro roxo; erupções cutâneas; áreas de pele cruenta; dor de garganta; feridas, úlceras ou manchas brancas na boca ou lábios; cansaço incomum ou fraqueza) (Ver Necrose; Stevens-Johnson, Síndrome de).

NECROSE (descoloração da pele azul-esverdeada a preta; dor, vermelhidão ou descolamento da pele) (Ver Necrólise).

NEVOS (Ver Endurecimentos; Excrescências; Tumores; Verrugas).

NODOSIDADES (Ver Endurecimentos).

ODOR (Ver TRANSPIRAÇÃO).

OLEOSA (Ver Brilhante).

PARESTESIA (Ver Sensibilidade).

PEELING, descamação, escamação.

PÊLOS.

PÊNFIGO (prurido de pele; bolhas na boca seguidas na pele, tronco, couro cabeludo ou outras áreas).

PETÉQUIAS (Ver Erupções ou Lesões).

PICADAS (Ver Comichão; Dormência; Formigamento; Sensibilidade).

PRURIDO (Ver Comichão).

PSORÍASE (Ver Erupções ou Lesões).

PÚRPURA (manchas na pele vermelhas, azuis ou roxas, variando em tamanho de pontual a contusões grandes; pequenas manchas na pele onde o sangramento ocorreu; sangue na urina; fezes sanguinolentas ou pretas; febre; joelhos e tornozelos dolorosos; edemas vermelhos e elevados na pele, nádegas, pernas ou tornozelos; dor de estômago).

PÚRPURA DE HENOCH-SCHÖNLEIN (Ver Púrpura).

PÚRPURA TROMBOCITOPÊNICA (Ver Púrpura).

PÚSTULAS (Ver Erupções ou Lesões).

QUEIMADURAS.

QUELÓIDE (Ver Erupções ou Lesões).

RACHADA, quebradiça.

RASH (Ver Erupções ou Lesões).

REAÇÃO CUTÂNEA (Ver Alérgica, Reação).

ROSÁCEA (Ver Erupções ou Lesões, acne).

RUBOR da pele (Ver Calor).

SANGRAMENTO (Ver Equimose; Hematoma; Hemorragia).

SARDA.

SEBORRÉIA (caspa; pele oleosa; cabelo e couro cabeludo oleoso).

SECA.

SENSAÇÕES, como se.

Repertório

SENSIBILIDADE, sensibilização (ardor, coceira, erupção cutânea, vermelhidão, inchaço ou outros sinais de irritação) (Ver Comichão; Dormência; Formigamento; Sensibilidade; GENERALIDADES).

SÍNDROME DE LYELL (Ver Necrólise Epidérmica Tóxica; Síndrome de Stevens-Johnson).

STEVENS-JOHNSON, SÍNDROME DE (Ver Necrólise Epidérmica Tóxica; GENERALIDADES).

TELENGIECTASIA, veias em forma de aranha (manchas levantadas na pele, vermelho-escuras, tipo verruga).

TOXICIDADE.

TUMORES (Ver Câncer; Endurecimentos; Excrescências; Nevos; Verrugas).

ÚLCERAS, ulceração da pele, feridas na pele (rachaduras da pele; vermelhidão da pele; feridas abertas na pele) (Ver Ferida ou chaga; Feridas).

ÚMIDA, pegajosa (Ver Grudenta; TRANSPIRAÇÃO, Úmida).

URTICANTE (Ver Comichão; Dor).

URTICÁRIA (Ver Erupções ou Lesões).

VASODILATAÇÃO cutânea (rubor).

VERMELHIDÃO (Ver Descoloração).

VERRUGAS (Ver Endurecimentos; Excrescências; Nevos; Tumores).

VIRILIZAÇÃO (acne; pele e cabelos oleosos) (Ver GENITÁIA FEMININA).

XANTOMAS (Ver Erupções ou Lesões).

CAPÍTULO GENERALIDADES - RUBRICAS PRINCIPAIS

ABCESSO (área inchada e vermelha de infecção que contém pus) (Ver Empiema).

ACETONEMIA (Ver Cetose).

ACIDENTE VASCULAR CEREBRAL (AVC), infarto cerebral (confusão; transtornos da fala, fala lenta, incapacidade de falar, fala pastosa; cegueira temporária, visão dupla, visão borrada; incapacidade de mover os braços, pernas ou músculos faciais; fraqueza no braço e/ou perna de um lado do corpo, súbito e severo; dormência súbita ou formigamento das mãos, pés ou face; paralisia; dor de cabeça; dor torácica súbita e severa).

ÁCIDO LÁCTICO (Ver Acidose).

ACIDOSE (falta de ar, com problemas de respiração) (Ver Alcalose).

ACINESIA (ausência de movimento) (Ver EXTREMIDADES).

ACROMEGALIA (interrupção da menstruação; dor nas costas; alterações na visão; transpiração excessiva; extrema fraqueza; micção frequente; dor de cabeça; aumento no tamanho de mãos e pés; sede aumentada; aumento do volume de urina, pálida, diluída; dor nas articulações; dor nas extremidades) (Ver Aumentados, órgãos; Hormônio do Crescimento; EXTREMIDADES).

ACÚMULO de ácido lático (Ver Acidose).

ADAMS-STOKES, ATAQUES (Ver VERTIGEM; PEITO).

ADDISON, DOENÇA DE (Ver Glândulas Adrenais).

ADENOPATIA (glândulas inchadas).

Repertório

AGRANULOCITOSE, granulocitopenia ou neutropenia (redução de granulócitos no sangue) (febre com ou sem calafrios; tosse; dor de garganta; úlceras, feridas ou manchas brancas na boca; falta de ar; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma).

ALCALOSE (Ver Acidose).

ÁLCOOL, INTOLERÂNCIA ao (tonturas ou vertigens; sensação de fraqueza; rubor facial; sensação geral de doença).

ALÉRGICA, REAÇÃO (sintomas anafiláticos; episódios asmáticos; tosse; dificuldade em engolir; tonturas; pulsação rápida; urticária; coceira ou inchaço das pálpebras ou ao redor dos olhos, face, lábios ou língua; falta de ar; erupções cutâneas; aperto no peito; cansaço incomum ou fraqueza; respiração ofegante) (Ver Anafilaxia).

ALIMENTOS e BEBIDAS (Ver Frutose; Glicose).

ANAFILAXIA, choque anafilático, reação tipo anafilática, reação anafilactóide (alterações na cor da pele facial; tosse; dificuldade em respirar ou engolir; tonturas; respiração rápida ou irregular; pulsação rápida; urticária [pode incluir urticária gigante]; prurido; inchaço das pálpebras ou ao redor dos olhos, cara, dentro do nariz, lábios ou língua; falta de ar; erupções cutâneas; vermelhidão da pele; aperto no peito; cansaço incomum ou fraqueza; respiração ofegante) (Ver Alérgica, Reação).

ANALGESIA (Ver Dor, ausência).

ANEMIA (pele pálida; dificuldade respiratória aos esforços; sangramento incomum ou contusões; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma).

ANESTESIA (Ver Inconsciência; Sedação; MENTAL, Inconsciência).

ANEURISMA (tendência a).

ANTICOLINÉRGICOS, EFEITOS, efeitos tipo anticolinérgicos, estimulação simpática (visão borrada; desequilíbrio ou instabilidade; confusão; constipação, especialmente em idosos, possivelmente resultando em íleo paralítico; boca, nariz e garganta seca; micção difícil; delírio ou alucinações; dor ocular devido ao agravamento do glaucoma; batimento cardíaco rápido ou irregular; ruborização ou vermelhidão da face; falta de ar ou problemas de respiração; excitação incomum ou nervosismo) (Ver Simpática, Estimulação; Sistema Nervoso Autônomo).

ANTIDIURÉTICOS, EFEITOS (diminuição da micção) (Ver Diuréticos, Efeitos; Pressão Arterial, hipertensão; RINS; URINA, Escassa).

ARRITMIAS cardíacas, disritmias (dor no peito ou desconforto; tontura ou desmaio; batimentos cardíacos ou pulsação rápida, lenta ou irregular; anormalidades no ECG) (Ver PEITO).

ARTERIOSCLEROSE (Ver Cardiovasculares, Transtornos).

ARTICULAÇÕES, TRANSTORNOS das ou **ARTROPATIAS** (dificuldade em se movimentar; dores musculares ou rigidez; dor, inchaço e vermelhidão nas articulações) (Ver EXTREMIDADES).

ASCITE (dor e inchaço no abdome).

ASTENIA (Ver Fraqueza).

ATAXIA (tremores e marcha instável; desequilíbrio, instabilidade, tremor ou outros problemas com controle muscular ou coordenação; dificuldade em caminhar) (Ver EXTREMIDADES, Descoordenação).

ATEROSCLEROSE (Ver Cardiovasculares, Transtornos).

ATIVIDADE (Ver MENTAL).

Repertório

- AUMENTADOS**, órgãos, organomegalia (Ver Acromegalia).
- AZOTEMIA** (Ver Uremia).
- BACTEREMIA** (respiração rápida; calafrios; febre; dor abdominal; náuseas; diarreia) (Ver Febril, Reação; Infecção; Sepsis).
- BASOFILIA** (Ver TESTES DIAGNÓSTICOS).
- BILIRRUBINA** (Ver ABDOME, Fígado; TESTES DIAGNÓSTICOS, Hepáticos, Testes).
- BLOQUEIO** neuromuscular (Ver Paralisia).
- CALCIFICAÇÕES**.
- CALOR**, aquecimento.
- CAMINHAR** (Ver Marcha, Transtornos da).
- CÂNCER**, malignidade (Ver Tumores).
- CANSAÇO**, fadiga (Ver Fraqueza; Lassitude).
- CAPACIDADE VITAL FORÇADA** (CVF), diminuição da.
- CAQUEXIA** (Ver Emagrecimento, caquexia).
- CARDIOVASCULARES, TRANSTORNOS** (desmaios; batimentos cardíacos rápidos ou lentos; pulso irregular; dificuldade respiratória [dispnéia] aos esforços) (Ver PEITO).
- CARTILAGENS, TRANSTORNOS** das.
- CETOSE** (náusea; dor de estômago; vômitos).
- CHOQUE**, síndrome do choque, estado do tipo choque (apnéia, colapso circulatório, parada respiratória e morte).
- CIANETO, TOXICIDADE** por (ausência de reflexos; coma; bulhas cardíacas abafadas; hipotensão; pulso imperceptível; acidose metabólica; cor-de-rosa, respiração muito superficial; pupilas amplamente dilatadas).
- CIANOSE** (lábios, mãos, dedos e unhas de cor azulada) (Ver Raynaud, Doença de).
- CICATRIZAÇÃO** (Ver Cura, resposta de).
- CINCHONISMO** (dor abdominal; confusão; visão borrada e/ou dupla; delírio; diarreia; percepção de cor perturbada; tonturas ou vertigens; dor de cabeça; náuseas e vômitos; ruídos, zunido ou zumbido nos ouvidos; intolerância visual à luz).
- CITOPENIAS** (Ver Policitemia).
- COAGULAÇÃO**, hemostasia (Ver Hemorragia; TESTES DIAGNÓSTICOS, Discrasias Sanguíneas; TESTES DIAGNÓSTICOS, Coagulação, Testes).
- COAGULAÇÃO INTRAVASCULAR DISSEMINADA (CIVD)** (Ver Coagulação).
- COBRE, DEFICIÊNCIA** de, zinco-induzida.
- COLAPSO**.
- COLESTEROL** (Ver Lipidêmicos, Transtornos; TESTES DIAGNÓSTICOS).
- CÓLICAS** musculares, câimbras (contrações músculo-esqueléticas localizadas, dolorosas, involuntárias, de início súbito e de curta duração; dor de estômago) (Ver Espasmos; EXTREMITIES, Contraturas, Cólicas, Espasmos).
- COLINÉRGICOS, EFEITOS**, crise ou síndrome colinérgica, estimulação parassimpática (dor de cabeça; salivação ou transpiração aumentada; náuseas ou vômitos; vermelhidão ou rubor da pele ou sensação de calor; dor ou desconforto gástrico) (Ver Parassimpática, Estimulação; Sistema Nervoso Autônomo).
- COMA** (Ver Inconsciência).
- COMPLEXO DE SINTOMAS** (temperatura elevada, rigidez muscular e alteração de consciência, assemelhando-se à síndrome neuroléptica maligna; elevada creatina quinase [CK]) (Ver Síndrome Neuroléptica Maligna).

Repertório

CONTRAÇÕES musculares (Ver Cólicas musculares, câimbras; EXTREMIDADES).

CONTRAÇÕES musculares ou tiques (movimentos espasmódicos repentinos do corpo) (Ver Cólicas musculares, câimbras; Síndrome de Tourette; EXTREMIDADES, Contrações).

CONTUSÕES (Ver Injúrias).

CONVULSÕES (Ver Cólicas musculares, câimbras; Epilepsia; Espasmos).

CRESCIMENTO, TRANSTORNOS do (Ver Hormônio do Crescimento).

CRIOGLOBULINEMIA.

CROHN, DOENÇA DE, agravada (diarréia; febre; sangramento retal; dor de estômago; perda de peso).

CURA, resposta de.

CUSHING, SÍNDROME DE, Doença de Cushing, estado cushingóide (dor nas costas, visão borrada, fraturas ósseas; diabetes mellitus [aumento da sede, fome ou micção]; aumento da sede, aumento da frequência urinária; irritabilidade; irregularidade menstrual; depressão mental; crescimento adicional dos pelos faciais no sexo feminino; plenitude ou o arredondamento da face, pescoço e tronco; pressão arterial alta; impotência em homens [incomum diminuição do desejo ou habilidade sexual em homens]; atrofia muscular e fraqueza, cansaço ou fraqueza; retardo da velocidade de crescimento em crianças ou adolescentes) (Ver FACE, Cushingóide, Estado; RINS, Adrenal, Glândulas; RINS, Cushing, Síndrome de).

DEPLEÇÃO de proteínas (fraqueza muscular).

DEPÓSITOS DE CRISTAIS em vários tecidos (incluindo mucosa intestinal, fígado, baço e linfonodos mesentéricos) (Ver RINS, Cálculos; ABDOME, Vesícula Biliar, pedras).

DESCARGAS, exoneração, exsudação.

DESCOLORAÇÃO.

DESCOORDENAÇÃO (ausência ou dificuldade na coordenação) (Ver Ataxia; EXTREMIDADES, Descoordenação).

DESIDRATAÇÃO (confusão; diminuição da urina; tontura; boca seca; desmaio; aumento da frequência cardíaca; respiração acelerada; olhos encovados; sede; cansaço ou fraqueza; pele enrugada).

DESMAIO, síncope (Ver VERTIGEM).

DESMIELINIZANTES, TRANSTORNOS (Ver Imune, Transtornos; EXTREMIDADES).

DIABETES (pele seca ou comichão; poliúria, polidipsia, polifagia; fadiga; perda de peso inexplicável) (Ver Hipoglicemia; TESTES DIAGNÓSTICOS, Hiperglicemia).

DIÓXIDO DE CARBONO, TENSÃO DE, aumentada.

DISAUTONOMIA, disfunção autonômica, hipotensão postural (micção dolorosa ou difícil; tontura ou vertigem, especialmente quando se levanta de uma posição deitada ou sentada; batimento cardíaco rápido) (Ver Sistema Nervoso Autônomo).

DISCINESIA (Ver Movimentos, descontrolados).

DISCRASIAS SANGUÍNEAS (Ver Coagulação; Hemorragia).

DISMETRIA (controle deficiente dos movimentos corporais, por exemplo, na marcha).

DISTONIA (espasmos dos músculos da língua, face, pescoço e costas; movimentos de torção do corpo ou outros incomuns e súbitos; incapacidade de mover os olhos).

DIURÉTICOS, EFEITOS (Ver Antidiuréticos, Efeitos; RINS).

Repertório

DOENÇA DO SORO, reações do tipo doença do soro (sensação de mal estar; febre com ou sem calafrios; dor, câibras ou fraqueza muscular; inflamação e dor nas articulações; urticária, comichão e/ou erupções cutâneas; falta de ar, respiração agitada, aperto no peito, e/ou sibilâncias; glândulas inchadas e/ou dolorosos) (Ver Alérgica, Reação).

DOENÇA DOS LEGIONÁRIOS.

DOPAMINA, aumento dos níveis de (Ver MENTAL, Psicóticas, Reações; MENTAL; Esquizofrenia; TESTES DIAGNÓSTICOS).

DOR em geral.

DORMÊNCIA.

DROGADICÇÃO, síndrome da dependência.

EDEMA (Ver Inchaço).

ELETROLÍTICOS, DISTÚRBIOS, anormalidades ou flutuações (confusão; batimentos cardíacos irregulares; dores musculares ou cólicas; dormência, formigamento, dor ou fraqueza nas mãos ou pés; convulsões, tremores; cansaço ou fraqueza; fraqueza e sensação de peso das pernas) (Ver TESTES DIAGNÓSTICOS).

EMAGRECIMENTO, marasmo.

EMBOLISMO, êmbolos, embolização (dor de cabeça severa, de início súbito; perda da coordenação; dores no peito, virilha e pernas, especialmente nas panturrilhas das pernas; falta de ar de início súbito, sem razão aparente; fala arrastada de início súbito, mudanças súbitas na visão) (Ver Trombose, Trombóticos, Eventos).

EMPIEMA (febre; falta de ar ou respiração agitada) (Ver Abscesso).

ENCEFALOPÁTICOS, TRANSTORNOS (coma; confusão; alucinações; convulsões; tremores) (Ver CABEÇA, Encefalopatia).

ENERGIA aumentada.

ENTORSES.

EOSINOFILIA (sangue no escarro; dor torácica; calafrios, febre, mal estar geral; aumento da produção de escarro; aumento da sudorese; falta de ar) (Ver TESTES DIAGNÓSTICOS).

EPIFISÁRIO, FECHAMENTO, prematuro (ausência ou diminuição do crescimento normal em jovens).

EPILEPSIA, estado de mal epilético (convulsões epiléticas incontroláveis) (Ver Convulsões; Espasmos).

EQUILÍBRIO prejudicado (Ver VERTIGEM).

EQUIMOSE (Ver Hematoma; Hemorragia; Injúrias).

ERGOTISMO (vasoconstrição arterial intensa).

ERITROCITOSE (Ver Policitemia).

ERUPÇÕES.

ESCARRO, catarro, aumento na produção (Ver Muco; GARGANTA; PEITO).

ESCLEROSE MÚLTIPLA (Ver Imune, Transtornos).

ESCORBUTO.

ESPASMOS musculares (Ver Cólicas musculares, câimbras; Convulsões; Epilepsia).

ESTRÓGENO.

ESTUPOR (Ver Inconsciência).

EXAUSTÃO excessiva (Ver Fraqueza).

EXOSTOSE (proliferação ou aumento ósseo) (Ver Hiperostose; Ossos, Transtornos dos).

Repertório

EXTRAPIRAMIDAIS, EFEITOS (dificuldade na fala; babando; perda do controle do equilíbrio; agitação; espasmos musculares, principalmente do pescoço e das costas; tremor, convulsão, ou rigidez muscular; espasmos musculares, principalmente em pescoço e costas; na marcha, embaralhamento dos pés; rigidez dos membros; movimentos de torção do corpo; movimentos descontrolados, principalmente na face, pescoço e costas; movimentos faciais e posturas repentinas e incomuns).

FADIGA (Ver Cansaço).

FALÊNCIA dos órgãos.

FEBRIL, REAÇÃO, SISTÊMICA (calafrios ou febre repentina; fadiga; cefaléia; aumento da sede; perda de apetite; mal-estar) (Ver Bacteremia; Infecção; Seps).

FERIDAS.

FERTILIDADE.

FIBROSE (dor torácica; micção difícil ou dolorosa; febre; grande aumento ou diminuição da quantidade de urina; câibras nas pernas; perda de apetite; dor na virilha ou nas regiões inferior ou lateral das costas; falta de ar ou dificuldade em respirar; inchaço das mãos, tornozelos, pés ou pernas; sensação de aperto no peito; perda de peso).

FORMIGAMENTO.

FRAQUEZA, astenia (falta ou perda de resistência) (Ver Cansaço; Exaustão; Lassitude).

FRATURAS espontâneas dos ossos (dor ou inchaço dos braços, pernas, costas ou costelas, sem qualquer injúria prévia) (Ver EXTREMIDADES).

FRIO, sensibilidade ao.

FRIO em geral (sintomas de resfriado ou gripe) (Ver Influenza).

FRUTOSE, intolerância à (desmaios; inchaço da face, braços e pernas; hemorragias; vômitos; perda de peso; olhos e pele amarelos).

GANGRENA (aparência seca e enrugada da pele nas mãos, pernas e pés) (Ver Necrose).

GLÂNDULAS ADRENAIS (Ver RINS, Addison, Doença de; RINS, Cushing, Síndrome de).

GLICOSE, INTOLERÂNCIA a.

GÔNADAS, TRANSTORNOS das.

GONADOTROFINA, INIBIÇÃO da.

GORDURA.

GOTA ou hiperuricemia (dor nas articulações do joelho, tornozelo ou hálux; dor, inchaço ou rigidez nas articulações; dor na região inferior ou lateral das costas) (Ver EXTREMIDADES).

GRANULOCITOPENIA (Ver Agranulocitose).

GRANULOMATOSE DE WEGENER (Ver Inflamação, angeíte).

GRANULOPOIESE (Ver TESTES DIAGNÓSTICOS).

GRIPE, síndrome gripal (Ver Influenza).

HEMATOMA (coleção de sangue sob a pele, profunda; contusão roxo-escuro; coceira, dor, vermelhidão ou inchaço) (Ver Hemorragia; Injúrias; PELE).

HEMATOPOIESE.

HEMIPLEGIA (Ver Paralisia).

HEMOFILIA, aumento de sangramento espontâneo (Ver Coagulação; Hemorragia).

HEMÓLISE (Ver Anemia, hemolítica; Síndrome Hemolítica-Urêmica; TESTES DIAGNÓSTICOS, Hemograma, células sanguíneas vermelhas).

Repertório

HEMORRAGIA, sangramento (sangramento das gengivas; tosse com sangue; dificuldade em respirar ou engolir; tontura; cefaléia; aumento do fluxo menstrual ou sangramento vaginal; sangramento nasal; paralisia; sangramento prolongado em cortes; urina vermelha ou marrom escura; fezes vermelhas ou pretas; falta de ar) (Ver Coagulação).

HEPÁTICOS, TRANSTORNOS (urina escura; fezes esbranquiçadas; perda de apetite; náuseas e vômitos; cansaço; pele ou olhos amarelos; febre, com ou sem calafrios; dor de estômago) (Ver Hepatite; Síndrome Hepática fulminante; Vesícula Biliar; ABDOME, Vesícula Biliar, Fígado).

HEPATITE (perda de apetite; cansaço; pele ou olhos amarelos; perda de peso; febre; erupção cutânea ou comichão; náuseas ou vômitos; urina escura; dor no abdome e nas articulações) (Ver Hepáticos, Transtornos; Síndrome Hepática fulminante; ABDOME, Fígado).

HERPES.

HIPERAMONEMIA (aumento na frequência das convulsões; perda de apetite; náuseas ou vômitos contínuos; inchaço da face; cansaço e fraqueza; pele ou olhos amarelos) (Ver TESTES DIAGNÓSTICOS).

HIPERATIVIDADE (Ver Atividade).

HIPERCALCEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPERCALEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPERCAPNIA (dor de cabeça; agitação; tremores; sonolência, lentidão para responder, fala arrastada, perda de consciência) (Ver TESTES DIAGNÓSTICOS).

HIPERCINESIA (aumento nos movimentos do corpo) (Ver Movimentos descontrolados; EXTREMIDADES, Movimentos Descontrolados).

HIPERCOLESTEROLEMIA (Ver Lipidêmicos, Transtornos; TESTES DIAGNÓSTICOS).

HIPERCORTICISMO (aumento de depósitos de gordura na face, pescoço e tronco; visão turva; fraturas ósseas; crescimento de pêlos faciais em excesso nas mulheres; plenitude ou arredondamento do rosto, pescoço e tronco; hipertensão arterial; aumento da sede e micção; impotência em homens; amenorréia em mulheres, perda de massa muscular ou fraqueza) (Ver FACE, Cushingóide, Estado; RINS, Adrenal, Glândulas; RINS, Cushing, Síndrome de).

HIPEREMIA (aumento do fluxo sanguíneo para uma área do corpo) (Ver Calor).

HIPERESTESIA (Ver Sensibilidade).

HIPERFOSFATEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPERGAMAGLOBULINEMIA.

HIPERGLICEMIA (Ver Diabetes; TESTES DIAGNÓSTICOS).

HIPERLIPEMIA (Ver Hiperlipidemia).

HIPERLIPIDEMIA (Ver Lipidêmicos, Transtornos).

HIPERMAGNESEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPERNATREMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPEROSMOLARIDADE (Ver Osmolaridade, alterações).

Repertório

HIPEROSMÓTICOS, EFEITOS (efeitos laxativos ou diarreia; náusea ou vômito).

HIPEROSTOSE (Ver Exostose).

HIPERTENSÃO (Ver Pressão Arterial).

HIPERTERMIA (aumento da temperatura corporal ou temperatura corporal extremamente elevada; febre ou calafrios; rubor; aumento da taxa de respiração; batimento cardíaco rápido) (Ver Febre; Hipertermia; Temperatura, Regulação da; Térmica, Reação; FEBRE).

HIPERTIROIDISMO (Ver Tireóide, Transtornos da).

HIPERTONIA (Ver Rigidez).

HIPERTRIGLICERIDEMIA (Ver Lipidêmicos, Transtornos).

HIPERVOLEMIA, expansão do volume sanguíneo (visão turva; tosse; tontura; batimento cardíaco rápido ou lento; cefaléia; respiração rápida, dificuldade em respirar; inchaço das pernas ou braços; ganho de peso) (Ver Retenção, fluido).

HIPOADRENALISMO (Ver Adrenal, Glândulas).

HIPOALBUMINEMIA (Ver TESTES DIAGNÓSTICOS, Proteínas).

HIPOATIVIDADE (Ver Atividade).

HIPOCALCEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPOCALCIÚRIA (Ver TESTES DIAGNÓSTICOS, Urina, Testes).

HIPOCALEMIA (convulsões; diminuição da urina; boca seca; batimento cardíaco irregular; aumento da sede; perda de apetite; alterações do humor; dores musculares ou câibras; náuseas ou vômitos; dormência ou formigamento nas mãos, pés ou lábios; falta de ar; cansaço ou fraqueza) (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPOCINESIA (diminuição nos movimentos corporais) (Ver Acinesia).

HIPOCLOREMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPOESTROGENEMIA (rubor ou vermelhidão da pele; alterações mentais ou de humor, nervosismo; sudorese).

HIPOFOSFATEMIA (dor óssea; convulsões; perda de apetite; dificuldade para respirar; cansaço ou fraqueza) (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPOGLICEMIA, reação hipoglicêmica (ansiedade; mudança de comportamento similar à embriaguez; confusão; visão turva; calafrios, sudorese fria; pele fria e pálida; dificuldade de concentração; tonturas ou vertigens; sonolência; fome excessiva; taquicardia; dor de cabeça; irritabilidade ou comportamento anormal; nervosismo; náuseas; pesadelos, sono agitado; convulsões; tremores; fala arrastada; formigamento nas mãos, pés, lábios ou língua; cansaço ou fraqueza; andar cambaleante) (Ver Diabetes; TESTES DIAGNÓSTICOS).

HIPOGONADISMO (Ver Gônadas, Transtornos).

HIPOLIPIDEMIA (Ver Lipidêmicos, Transtornos).

HIPOMAGNESEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPONATREMIA, intoxicação hídrica (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios).

HIPOOSMOLARIDADE (Ver Osmolaridade, alterações).

Repertório

HIOPARATIROIDISMO (diminuição na secreção do hormônio da paratireóide).

HIOPROTEINEMIA (dor abdominal; diarreia; gordura nas fezes) (Ver TESTES DIAGNÓSTICOS, Proteínas).

HIOPROTROMBINEMIA (sangramentos ou equimoses incomuns) (Ver Coagulação; TESTES DIAGNÓSTICOS, Coagulação, Testes).

HIPOTÁLAMO.

HIPOTENSÃO (Ver Pressão Arterial).

HIPOTERMIA (sensação de frio; instabilidade, confusão, sonolência; temperatura corporal baixa; dores musculares ou fraqueza; tremores; pulso fraco) (Ver FEBRE).

HIPOTIROIDISMO (Ver Tireóide, Transtornos da).

HIPOTONIA, hipotonicidade (Ver Fraqueza, muscular; EXTREMIDADES, Hipotonia).

HIPOVOLEMIA (visão turva; confusão; tonturas ou desmaios quando muda, de súbito, da posição deitada para a sentada; sudorese; cansaço ou fraqueza).

HIPÓXIA, hipoxemia (confusão; tontura; batimento cardíaco acelerado; falta de ar; fraqueza; pele ou lábios azulados) (Ver RESPIRAÇÃO; TESTES DIAGNÓSTICOS).

HISTOPLASMOSE.

HORMONAIS ou **ENDÓCRINOS, TRANSTORNOS.**

HORMÔNIO DO CRESCIMENTO, SUPRESSÃO do (acromegalia) (Ver Crescimento, Transtornos do).

ICTERÍCIA (plenitude abdominal; dor abdominal por gases; febre recorrente; calafrios; fezes cor de barro; perda de apetite; náuseas; dor de estômago ou abdominal; cansaço incomum ou fraqueza; pele ou olhos amarelos) (Ver ABDOME).

IDIOSSINCRASIA, reação idiossincrática (confusão; desmaio; febre e arrepios; erupções cutâneas ou comichão; respiração ofegante; agitação; ataxia; desorientação; tonturas; euforia; extrema fraqueza; distúrbios da fala; perda temporária da visão ou outros distúrbios de visão; quadriplegia transitória).

IMPETIGO (Ver Infecção).

IMUNDICE, sujeira.

IMUNES, TRANSTORNOS (Ver Imunidade; Inflamação, vasculites; TESTES DIAGNÓSTICOS, Imunoglobulinas).

IMUNIDADE (Ver Imunes, Transtornos; TESTES DIAGNÓSTICOS, Imunoglobulinas).

INCHAÇO, edema (inchaço do rosto, dedos, tornozelos, pés ou pernas; ganho de peso).

INCONSCIÊNCIA, coma, estupor (Ver MENTAL).

INFARTO.

INFECCÃO (febre ou calafrios; tosse ou rouquidão; dor na parte inferior ou no lado das costas; urinar doloroso ou difícil) (Ver Bacteremia; Febril, Reação; Inflamação; Influenza; Sepsis).

INFLAMAÇÃO (vermelhidão, sensação de calor) (Ver Bacteremia; Febril, Reação; Infecção; Irritação; Sepsis).

INFLUENZA, gripe ou sintomas gripais (calafrios; tosse; diarreia; febre; sensação geral de desconforto ou mal-estar; dor de cabeça; dor nas articulações; perda de apetite; dores musculares; náuseas ou vômitos; coriza; arripio; dor de garganta; transpiração; problemas para dormir; cansaço incomum ou fraqueza) (Ver Infecção; Inflamação; Sinusite; NARIZ, Nasofaringite, Rinite).

INJÚRIAS acidentais (incluindo golpes, contusões, equimoses, quedas) (Ver Hematoma; Hemorragia).

Repertório

INTOXICAÇÃO HÍDRICA (Ver Hiponatremia).

IODISMO (queimação da boca ou garganta; irritação gástrica; aumento da salivação; gosto metálico; dor de cabeça severa; dor em dentes e gengivas).

IRRITAÇÃO (Ver Inflamação).

ISQUEMIA, ataques isquêmicos (dor ou desconforto no peito; batimentos cardíacos irregulares; náuseas ou vômitos; dores nos ombros, braços, mandíbula ou pescoço; transpiração) (Ver Cardiovasculares, Transtornos).

LACTAÇÃO.

LASSITUDE (sensação de fraqueza incomum; perda de força ou energia; dores musculares) (Ver Cansaço; Fraqueza).

LESÕES.

LEUCEMIA (Ver Câncer).

LEUCOCITOSE (calafrios; tosse; dor ocular; febre; sensação de mal-estar geral; dor de cabeça; dor de garganta; cansaço incomum; 9.500 a 26.000 células por milímetro cúbico) (Ver TESTES DIAGNÓSTICOS, Hemograma).

LEUCOPENIA (calafrios, febre ou dor de garganta) (Ver TESTES DIAGNÓSTICOS, Hemograma).

LINFOCITOSE (Ver TESTES DIAGNÓSTICOS, Hemograma).

LINFOMA DE HODGKIN (gânglios aumentados; perda de peso; mal-estar geral; fezes pretas; pele e olhos amarelos) (Ver Câncer).

LINFOPENIA, linfocitopenia (febre ou calafrios; tosse ou rouquidão; dor na parte inferior ou no lado das costas; urinar doloroso ou difícil) (Ver TESTES DIAGNÓSTICOS, Hemograma).

LIPIDÊMICOS, TRANSTORNOS (Ver TESTES DIAGNÓSTICOS, Lipídios).

LIPODISTROFIA (Ver Gordura).

LÍQUIDO CEFALORRAQUIDIANO (líquor).

LIVEDO RETICULAR (Ver Hemorragia; PELE, Erupções ou Lesões, petéquias).

LÚPUS ERITEMATOSO SISTÊMICO (erupções cutâneas, urticária ou comichão; febre; dor de garganta; gânglios inchados ou dolorosos; dor no osso ou nas articulações; cansaço incomum ou fraqueza).

MACROCITOSE (Ver TESTES DIAGNÓSTICOS).

MACROGLOBULINEMIA (fadiga; erupção cutânea; hemorragias nasais; perda de peso; alterações da visão) (Ver TESTES DIAGNÓSTICOS).

MAGNÉSIO, acúmulo de, na presença de deficiência da função renal (vertigens ou tonturas) (Ver Hipermagnesemia; TESTES DIAGNÓSTICOS, Hipermagnesemia).

MALFORMAÇÕES congênitas.

MARCHA, DISTÚRBIOS da (mudanças na marcha e no equilíbrio; instabilidade ou imperícia ao caminhar) (Ver VERTIGEM; EXTREMIDADES, Marcha, Distúrbios).

MASCULINIZAÇÃO, virilismo, virilização, efeitos androgênicos em fêmeas (acne ou pele oleosa; diminuição do tamanho da mama; aumento do clitóris; rouquidão ou engrossamento da voz; irregularidades menstruais; crescimento anormal e excessivo de pêlos; calvície de padrão masculina) (Ver Masculinizadas).

MASCULINIZADAS (mulheres com hábitos e características masculinas) (Ver Masculinização).

MASSA MUSCULAR, PERDA de.

Repertório

MAZZOTTI, REAÇÃO DE (febre; taquicardia; hipotensão; adenite com uma resposta inflamatória ocular, normalmente como resultado da morte de microfilárias) (em pacientes infectados fortemente com oncocercose).

MEDULA ÓSSEA (Ver Mielossupressão).

MEGALOBLASTOSE (Ver Anemia, megaloblástica).

MEMBRANAS MUCOSAS.

MENINGITE (Ver Inflamação; CABEÇA, Inflamação; COSTAS, Inflamação).

METAHEMOGLOBINEMIA (dificuldade em respirar no esforço; tontura; dor de cabeça; cansaço; fraqueza) (Ver TESTES DIAGNÓSTICOS).

MIASTENIA GRAVE (Ver Imune, Transtornos).

MIELOSSUPRESSÃO, depressão (hipoplasia) da medula óssea (Ver Medula Óssea; EXTREMIDADES; TESTES DIAGNÓSTICOS).

MIOCLONIA (Ver Contrações).

MIOPATIA (Ver Musculares, Transtornos ou Miopatias).

MOLUSCO CONTAGIOSO (Ver Infecção).

MORTE.

MOVIMENTO, motilidade, atividade locomotora (Ver MENTAL, Gestos; EXTREMIDADES, Movimento).

MOVIMENTOS descontrolados, involuntários, incomuns (Ver Hiperinesia; EXTREMIDADES, Movimentos descontrolados).

MUCO (Ver Escarro; PEITO, Muco; EXPECTORAÇÃO).

MUCORMICOSE (Ver Infecção).

MUSCARÍNICOS, EFEITOS (diarréia; aumento da transpiração; aumento da salivação; náuseas ou vômitos; cólicas ou dor de estômago) (menos frequentes: aumento da micção; aumento das secreções brônquicas; pupilas incomumente pequenas; incomum lacrimajamento) (overdose: visão turva; diarréia severa; aumento excessivo de secreções brônquicas ou salivação; vômitos graves; falta de ar; respiração incômoda; chiado, ou aperto no peito; pulsação lenta; cólicas ou dor grave de estômago; cansaço incomum ou fraqueza).

MUSCULARES, TRANSTORNOS ou **MIOPATIAS** (Ver EXTREMIDADES).

NECROSE (Ver Gangrena).

NERVOS (Ver Neuropatias; Paralisia).

NEUROPATIAS (dormência, formigamento, dor ou fraqueza muscular nas mãos, braços, pés ou pernas; sensação de alfinetes e agulhas; dor em facadas) (Ver Paralisia; EXTREMIDADES).

NEUROTOXICIDADE, reações neurotóxicas (paraparesia/quadruparesia de extremidades superiores e/ou inferiores, consistentes com uma doença desmielinizante; contrações musculares; dormência; convulsões; formigamento; dificuldade na marcha; torpor ou formigamento nos dedos das mãos ou dos pés; tremor ou agitação de mãos; movimentos incomuns e descontrolados do corpo; fraqueza dos braços ou pernas).

NEUTROFILIA (calafrios, febre ou dor de garganta) (Ver TESTES DIAGNÓSTICOS, Hemograma).

NEUTROPENIA (fezes escuras ou tipo alcatrão; calafrios; tosse; febre; parte inferior ou lateral das costas; micção dolorosa ou difícil; pele pálida; falta de ar; dor de garganta; úlceras, feridas ou manchas brancas na boca; sangramento incomum ou equimoses; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma).

Repertório

NICOTÍNICOS, EFEITOS (crescente fraqueza muscular ou paralisia, especialmente nos braços, pescoço, ombros e língua; câibras ou contrações musculares).

NITRITÓIDES, REAÇÕES (reações severas de vasodilatação) (tonturas; sensação de fraqueza, rubor ou vermelhidão do rosto; transpiração aumentada; náusea com ou sem vômitos; fraqueza; dificuldade em respirar ou engolir; desmaios; pulsação lenta; grandes inchaços na face, pálpebras, boca, lábios ou língua; espessamento da língua).

OBESIDADE (Ver Peso).

OSMOLARIDADE, ALTERAÇÕES na (pressão osmótica) (Ver TESTES DIAGNÓSTICOS).

OSSOS, TRANSTORNOS dos ou **OSTEOPATIAS** (deformidade óssea; diminuição da altura; dificuldade no movimento ou andando; dor de cabeça; perda de audição; dor nas costas, costelas, braços ou pernas; vermelhidão ou inchaço nos braços ou pernas) (Ver Exostose; EXTREMIDADES).

OSTEOMALÁCIA (fraturas ósseas, especialmente do fêmur).

OSTEOPENIA, osteoporose.

OSTEOPOROSE (Ver Osteopenia).

PANCITOPENIA (febre alta; calafrios; hemorragias nasais, sangramentos ou contusões incomuns; fezes sangrentas, pretas ou tipo alcatrão; pele pálida; cansaço ou fraqueza incomum; tosse; falta de ar; feridas, úlceras ou manchas brancas na boca ou nos lábios; glândulas inchadas) (Ver Anemia; Hemorragia; Leucopenia; Neutropenia; Trombocitopenia; TESTES DIAGNÓSTICOS, Hemograma).

PANCREATITE (dor e distensão abdominal; febre; náuseas, vômitos; inchaço; calafrios; prisão de ventre; urina escura; pulsação rápida; indigestão; falta de apetite; dores no estômago ou no abdômen [lateral], possivelmente irradiando para trás; pele ou olhos amarelados).

PARALISIA (bloqueio neuromuscular; dificuldade em respirar; sonolência; cansaço ou fraqueza incomum).

PARAPROTEINEMIA (dor ou fratura nos ossos; coma; confusão; diminuição ou aumento da micção; depressão; tonturas; dor de cabeça; náuseas ou vômitos; pele pálida; falta de ar; sangramento incomum ou contusões; cansaço ou fraqueza incomum; distúrbios visuais) (Ver TESTES DIAGNÓSTICOS, Proteínas).

PARASSIMPÁTICO, BLOQUEIO (Ver Anticolinérgicos, Efeitos; Sistema Nervoso Autônomo).

PARASSIMPÁTICO, ESTIMULAÇÃO (Ver Colinérgicos, Efeitos; Sistema Nervoso Autônomo).

PARESTESIA (Ver Sensibilidade).

PÊLOS, cabelos (Ver Capítulos ou Regiões Afetadas).

PESO, ALTERAÇÕES do.

PIRIDOXINA, deficiência de.

PITUITÁRIA, GLÂNDULA.

PLEIOCILOSE, líquido cefalorraquidiano (LCF) ou líquor (visão borrada, febre) (Ver TESTES DIAGNÓSTICOS, Líquido Cefalorraquidiano).

POLIARTERITE NODOSA (Periarterite Nodosa ou Doença de Kussmaul) (dor abdominal; dores musculares; cansaço ou fraqueza incomum; febre, com ou sem calafrios; cefaléia; perda de apetite e de peso).

Repertório

POLICITEMIA (dor abdominal; sangramento da gengiva ou do nariz; tontura; dor nos olhos; desmaios; dor de cabeça; batimento cardíaco irregular; perda de apetite; zumbido nos ouvidos; falta de ar; cansaço ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma).

PORFIRIA (escurecimento da urina; pele com bolhas cheias de líquido; irritação da pele; fezes claras; sensibilidade ao sol; emagrecimento; pele ou olhos amarelos).

PRESSÃO ARTERIAL.

PROLACTINEMIA (inchaço das mamas e/ou secreção de leite incomum) (Ver PEITO, Leite; GENITÁLIA FEMININA, Prolactina; TESTES DIAGNÓSTICOS).

PSICOSSOMÁTICA, REAÇÃO (alterações na visão; calafrios; efeitos sobre o SNC [dormência, formigamento ou fraqueza nas mãos ou pés]; confusão; tonturas ou vertigens; cefaléia; aumento da sudorese; aumento da salivação; náusea ou vômito; cansaço ou fraqueza; sede incomum) (Ver MENTAL).

PULMONARES, TRANSTORNOS (Ver PEITO, Afecções; TESTES DIAGNÓSTICOS, Peito, Testes).

PULSAÇÃO (Ver Pulso; PEITO, Arritmias).

PULSO (Ver Arritmias; Cardiovasculares, Transtornos).

PÚRPURA (Ver PELE).

RABDOMIÓLISE (urina escura; febre; câibras, espasmos, dor, rigidez ou fraqueza muscular; cansaço ou fraqueza incomum; mioglobulinemia e mioglobulinúria).

RAQUITISMO (dor ou sensibilidade; perda de apetite; fraqueza muscular; perda de peso incomum).

RAYNAUD, DOENÇA DE (Ver Cianose).

REAÇÃO, falta de.

REFLEXOS.

RESPIRAÇÃO (Ver RESPIRAÇÃO).

RETENÇÃO.

RETICULOCITOPENIA (Ver TESTES DIAGNÓSTICOS, Hemograma).

RETICULOCITOSE (Ver TESTES DIAGNÓSTICOS, Hemograma).

RETINÓIDES, EFEITOS (ressecamento da pele, boca ou nariz; perda de cabelo; dor de cabeça; coceira na pele; náuseas e vômitos).

RIGIDEZ (Ver EXTREMIDADES).

RUBOR, ondas de calor (Ver Calor).

SACUDIDA ou tremedeira (Ver Tremores; EXTREMIDADES, Sacudida).

SALICILISMO, efeitos dos salicilatos (barulho ou zumbido contínuo nos ouvidos; perda de audição; confusão; diarreia, dor de estômago e/ou dor de cabeça contínua ou severa; sonolência grave; tonturas ou vertigens; respiração rápida ou profunda; náuseas e/ou vômitos permanentes; movimentos incontroláveis das mãos, especialmente em pacientes idosos; aumento da sede; problemas de visão).

SANGRAMENTO (Ver Hemorragia).

SANGUE.

SEBORRÉIA (caspa; oleosidade em pele, couro cabeludo ou cabelo) (Ver PELE).

SEDAÇÃO ou efeitos sedativos (moleza, relaxamento, calma e/ou sonolência) (Ver Anestesia; MENTAL; SONO).

SENSAÇÕES, como se (Ver MENTAL).

SENSIBILIDADE (Ver Neuropatias).

Repertório

SEPSE, septicemia (dor abdominal; calafrios; confusão; diarreia; tonturas; vertigens; desmaios; taquicardia; febre; respiração rápida e superficial; fraqueza muscular; erupção cutânea; náuseas; manchas vermelhas ou roxas na pele, variando em tamanho e permanecendo após pressionar a superfície da pele) (Ver Bacteremia; Falência; Febril, Reação).

SIMPÁTICA, ESTIMULAÇÃO (Ver Anticolinérgicos, Efeitos; Sistema Nervoso Autônomo).

SINAL DE LHERMITTE (Ver Imune, Transtornos, esclerose múltipla).

SÍNCOPE (Ver Desmaio).

SÍNDROME ARA-C (CITOSINA ARABINOSÍDEO) (dor óssea ou muscular; dor no peito; febre; sensação geral de desconforto, fraqueza ou doença; olhos avermelhados; erupções cutâneas).

SÍNDROME BUCOGLOSSAL (Ver BOCA).

SÍNDROME CEREBELAR aguda (transtornos do equilíbrio).

SÍNDROME CLÍNICA (broncoespasmo, eritema e hipotensão; sequelas incluindo dano cerebral por anóxia e morte).

SÍNDROME COMPARTIMENTAL.

SÍNDROME DA ANGÚSTIA RESPIRATÓRIA DO ADULTO (SARA) (cianose; respiração rápida e superficial; falta de ar; aperto no peito; problemas respiratórios; respiração difícil, ofegante) (Ver RESPIRAÇÃO).

SÍNDROME DA CAUDA EQUINA.

SÍNDROME DA HIPERESTIMULAÇÃO OVARIANA (SHEO) (dor abdominal ou de estômago; náuseas, vômitos ou diarreia contínua ou severa; oligúria; sensação de indigestão; inchaço moderado a grave; ganho de peso rápido; dor pélvica; falta de ar; inchaço das pernas).

SÍNDROME DA HIPERSENSIBILIDADE multisistêmica (Ver Alérgicas, Reações, hipersensibilidade).

SÍNDROME DA HIPERVISCOSIDADE.

SÍNDROME DA INTOLERÂNCIA AGUDA (dor abdominal ou cólicas, graves; diarreia sanguinolenta; febre; dor de cabeça, grave; erupções cutâneas e prurido) (Ver Alérgica, Reação).

SÍNDROME DA LIBERAÇÃO DE CITOCINAS.

SÍNDROME DA MÁ ABSORÇÃO (diarreia; aumento da quantidade de gases; fezes de cor clara, espumosa, com gordura; perda súbita de peso).

SÍNDROME DA MORTE SÚBITA INFANTIL (SMSI).

SÍNDROME DA SECREÇÃO INAPROPRIADA DE HORMÔNIO ANTIDIURÉTICO (SSIHAD) (agitação; coma; confusão; diminuição da produção de urina; depressão; tonturas. dor de cabeça; hostilidade; irritabilidade; letargia; contrações musculares; náuseas; ganho de peso rápido; convulsões; estupor; inchaço do rosto, tornozelos ou mãos; cansaço ou fraqueza incomum).

“SÍNDROME DA SULFONA” (febre; mal-estar; dermatite exfoliativa; icterícia; linfadenopatia; metahemoglobinemia; anemia).

SÍNDROME DE BARTTER.

SÍNDROME DE CHURG-STRAUSS (Ver Inflamação).

SÍNDROME DE FANCONI (múltiplas anormalidades na função do túbulo proximal).

SÍNDROME DE GOODPASTURE (dificuldade em respirar; escarrando sangue; cansaço ou fraqueza).

SÍNDROME DE GRAY (distensão abdominal; pele de cor azul-acinzentada; baixa temperatura corporal; respiração irregular; apatia; colapso cardiovascular).

SÍNDROME DE GUILLAIN-BARRÉ (formigamento, dormência e fraqueza nos braços, rosto, tronco ou pernas; incapacidade de mover braços e pernas; problemas na coordenação muscular) (Ver Desmielinizantes, Transtornos).

SÍNDROME DE HORNER (contração da pupila, queda da pálpebra [ptose] e ressecamento facial).

SÍNDROME DE LOEFFLER (pneumonite eosinofílica) (dor no peito; febre com ou sem calafrios; falta de ar, prejudicando a respiração; aperto no peito e/ou respiração ofegante; fraqueza incomum).

SÍNDROME DE LYELL (Ver Necrose, necrólise tóxica epidérmica; Síndrome de Stevens-Johnson).

SÍNDROME DE PARKINSON, sintomas parkinsonianos (dificuldade em falar ou engolir; fala enrolada; perda de controle do equilíbrio; face tipo máscara; embaralhamento dos pés; marcha cambaleante; movimentos retardados; rigidez de braços e pernas; tremores e agitação de dedos e mãos).

SÍNDROME DE REYE (convulsões; vômitos severos ou contínuos).

SÍNDROME DE STEVENS-JOHNSON (erupções cutâneas graves; bolhas, descolamento ou descamação da pele; febre, com ou sem calafrios; tosse; diarreia; prurido; dores articulares ou musculares; câibras musculares; olhos vermelhos e irritados; lesões vermelhas na pele, muitas vezes com um centro roxo; dor de garganta; feridas, úlceras ou manchas brancas na boca ou nos lábios; cansaço ou fraqueza; sangramento ou formação de feridas crostosas nos lábios; dor no peito).

SÍNDROME DE SWEET (febre; feridas na pele).

SÍNDROME DE TOURETTE (movimentos incontrolados da cabeça, pescoço, braços e pernas; movimentos ou sons vocais que você não pode controlar) (Ver Contrações).

SÍNDROME DO COÁGULO BRANCO (formação de trombos novos compostos principalmente de agregados de plaquetas de fibrina, que podem causar complicações trombóticas incluindo infarto do miocárdio, necrose da pele, gangrena de extremidades, embolia pulmonar e acidente vascular cerebral).

SÍNDROME DO EXTRAVASAMENTO CAPILAR (Ver Síndrome do Extravasamento Vascular).

SÍNDROME DO EXTRAVASAMENTO VASCULAR (SEV) ou síndrome do extravasamento capilar (SEC) (urina turva; diminuição ou aumento da quantidade de urina; tonturas ou desmaios; rubor da pele; náuseas; dor de estômago; inchaço das mãos, tornozelos, pés ou pernas).

SÍNDROME DO FÓSFORO 7 (sensação permanente de desconforto; perda contínua de apetite; fraqueza muscular; perda de peso incomum).

SÍNDROME DO HOMEM VERMELHO pós-vancomicina (descoloração vermelho-alaranjada da pele, membranas mucosas e escleróticas; calafrios ou febre; desmaios; batimentos cardíacos acelerados; urticária; hipotensão; prurido de pele; náuseas ou vômitos; erupção cutânea ou vermelhidão da face, base do pescoço, tronco, costas, e braços).

SÍNDROME DO QT prolongado (batimentos cardíacos lentos ou irregulares; desmaio; morte súbita) (Ver TESTES DIAGNÓSTICOS, Eletrocardiograma).

SÍNDROME DO TIPO MONONUCLEOSE INFECCIOSA (febre; dor de cabeça; erupções cutâneas; dor de garganta; cansaço incomum ou fraqueza).

SÍNDROME ERITEMATOSA (Ver Lúpus Eritematoso Sistêmico).

SÍNDROME HEMOLÍTICA-URÊMICA (consiste em anemia microangiopática hemolítica [hematócrito 25% ou menor], insuficiência renal irreversível, trombocitopenia [contagem de plaquetas inferior a 100.000] e, menos frequentemente, hipertensão pulmonar, anormalidades neurológicas e hipertensão arterial) (Ver Anemia, hemolítica).

SÍNDROME HEPÁTICA FULMINANTE (Ver ABDOME, Fígado, necrose; Hepáticos, Transtornos).

SÍNDROME LEITE-ÁLCALI (ingestão massiva de substâncias alcalinas e/ou leite).

SÍNDROME NEFRÓTICA (urina turva ou sangrenta; hipertensão arterial; inchaço da face, dedos, tornozelos, pernas e/ou pés).

SÍNDROME NEUROLÉPTICA MALIGNA (SNM) (convulsões; respiração difícil ou rápida; batimentos cardíacos rápidos ou pulso irregular; febre; pressão arterial [irregular] alta ou baixa; aumento da transpiração; perda de controle da bexiga; rigidez muscular severa; pele anormalmente pálida; cansaço incomum ou fraqueza) (Ver Complexo de Sintomas).

SÍNDROME POTENCIALMENTE FATAL (dispnéia, febre e um padrão reticulonodular na radiografia de tórax).

SÍNDROME SEROTONINÉRGICA (euforia; sonolência; movimentos oculares rápidos; reação exagerada dos reflexos; contração muscular rápida e relaxamento no tornozelo, causando movimentos anormais do pé; desequilíbrio; agitação; sensação de bêbado e tonto; contração muscular e relaxamento da mandíbula; sudorese; intoxicação; espasmos musculares; rigidez; temperatura corporal elevada; alterações do estado mental são frequentes [incluindo confusão e hipomania - um estado de "bêbado feliz"], tremores; diarreia; perda da consciência e morte).

SINUSITE (dor ou sensibilidade em torno dos olhos e das bochechas; plenitude ou tensão na área do seio afetado; febre; nariz entupido ou coriza; cefaléia; tosse; falta de ar, opressão no peito respiração agitada ou sibilante) (Ver NARIZ, Rinite; FACE).

SISTEMA NERVOSO AUTÔNOMO (Ver Anticolinérgicos, Efeitos; Colinérgicos, Efeitos; Parassimpática, Estimulação; Simpática, Estimulação).

TAQUIFILAXIA.

TELANGIECTASIA, veias em forma de aranha (manchas na pele do tipo verrugas, levantadas, vermelho-escuras).

TEMPERATURA, REGULAÇÃO da (Hipotálamo) (Ver Febre; Hipertermia; Térmica, Reação; FEBRE).

TENDÕES ou **LIGAMENTOS, TRANSTORNOS** dos ou **TENDINOPATIAS** (Ver EXTREMIDADES).

TÉRMICA, REAÇÃO (sensação de calafrio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal) (Ver Febre; Hipertermia; Temperatura, Regulação; FEBRE).

TESTOSTERONA.

TIOCIANATO, TOXICIDADE por (ataxia; visão borrada; delírio; tonturas; dor de cabeça; perda da consciência; náuseas e vômitos; falta de ar; zumbido).

TIREÓIDE, TRANSTORNOS da (Ver GARGANTA EXTERNA, Tiróide, Glândula).

TOXICIDADE, intoxicação.

TRATO RESPIRATÓRIO SUPERIOR, DOENÇA DO (resfriado comum; congestão nasal; tosse; dor de garganta; dor de cabeça; coriza; febre; congestionamento do peito) (Ver Influenza).

TRAUMA.

TREMORES.

TROMBOCITOPENIA (fezes negras, tipo alcatrão; calafrios; tosse; febre; micção dolorosa ou difícil; dor no peito; falta de ar; dor de garganta; feridas, úlceras ou manchas brancas na boca ou nos lábios; gânglios inchados; sangramento incomum ou equimoses; sangramento em gengivas; cansaço ou fraqueza incomum; sangue na urina ou fezes; manchas pontuais vermelhas na pele) (Ver Hemorragia; TESTES DIAGNÓSTICOS, Hemograma).

TROMBOCITOSE ou trombocitemia essencial ou idiopática (doença mieloproliferativa) (fezes negras, tipo alcatrão; sangue na urina ou nas fezes; manchas pontuais vermelhas na pele; sangramento incomum ou equimoses) (Ver TESTES DIAGNÓSTICOS, Hemograma).

TROMBOEMBOLISMO (Ver Embolismo; Trombóticos, Eventos).

TROMBOSE (Ver Trombóticos, Eventos).

TROMBÓTICOS, EVENTOS, complicações trombóticas, trombose, tromboembolismo (fortes dores de cabeça de início súbito; perda súbita da coordenação; dores no peito, virilha ou pernas, especialmente nas panturrilhas das pernas; falta de ar de início súbito, sem motivo aparente; fala enrolada de início súbito; alterações súbitas na visão) (Ver Embolismo).

TUMORES, neoplasias (Ver Câncer).

ÚLCERAS (Ver PELE, Úlceras).

UREMIA, azotemia (Ver TESTES DIAGNÓSTICOS).

VARICELA (Ver Infecção).

VARICOSAS, VEIAS.

VESÍCULA BILIAR, TRANSTORNOS da (Ver Hepáticos, Transtornos; ABDOME).

VIRILISMO (Ver Masculinização).

CAPÍTULO TESTES DIAGNÓSTICOS - RUBRICAS PRINCIPAIS

ADRENAL, GLÂNDULAS, TESTES.

AGLUTININAS, presença de leucócitos.

AGRANULOCITOSE (Ver Hemograma, células sanguíneas brancas).

AMINOÁCIDOS, nível sanguíneo de (Ver Proteínas, nível sérico).

ANEMIA (Ver Hemograma, células sanguíneas vermelhas).

ANIDRASE CARBÔNICA, ATIVIDADE DA.

ANTICORPOS (Ver Imunoglobulinas).

ARRITMIAS cardíacas (Ver Condução Cardíaca; Eletrocardiograma; GENERALIDADES).

ASPARAGINASE, plasma.

AUMENTADOS, órgãos.

Repertório

AZOTEMIA (Ver Uremia).
BASOFILIA (Ver Hemograma, células sanguíneas brancas).
BRADICININAS, aumento dos níveis séricos.
CALCIFICAÇÕES.
CÁLCIO, DESEQUILÍBRIO do.
CAPACIDADE VITAL FORÇADA (CVF), diminuição na.
CARDÍACOS, TESTES (Ver Arritmias; Condução Cardíaca; Eletrocardiograma).
CARDIOMIOPATIAS.
CARDIOPULMONARES, TESTES (Ver Cardiovasculares; Pulmonares).
CARDIOVASCULARES, TRANSTORNOS (Ver Cardíacos; GENERALIDADES, Cardiovasculares, Transtornos).
CETOSE.
CININASE II.
CITOPENIAS (Ver Hemograma).
COAGULAÇÃO, TESTES (Ver Discrasias Sanguíneas; Hemograma, plaquetas; GENERALIDADES, Coagulação).
COLESTEROL (Ver Lipídeos, níveis séricos de).
COLINESTERASE SÉRICA.
CONDUÇÃO CARDÍACA, distúrbios da (Ver Arritmias; Eletrocardiograma).
DEPLEÇÃO.
DISCRASIAS SANGUÍNEAS (Ver Coagulação, Testes; Hemograma; GENERALIDADES, Coagulação).
DISSACARIDASES.
DOPAMINA, aumento dos níveis séricos (Ver MENTAL, Psicóticas, Reações; MENTAL, Esquizofrenia).
ECODENSIDADE periventricular cerebral (detectada por ultrassonografia cranial).
ELETROCARDIOGRAMA (ECG) (Ver Arritmias; Condução Cardíaca).
ELETOENCEFALOGRAMA (EEG), encefalograma.
ELETROLÍTICOS, DISTÚRBIOS (Ver Osmolaridade, Alterações).
ELETROMIOGRAFIA.
EOSINOFILIA (Ver Hemograma, células sanguíneas brancas).
EQUILÍBRIO ÁCIDO-BASE.
ERITROCITOSE (Ver Hemograma, células sanguíneas vermelhas).
ESPERMOGRAMA, alterações no.
ESPLÊNICOS, TESTES.
ESTRÓGENO.
FRATURAS ósseas (Ver Raios-X).
GASOMETRIA.
GLICOSE, INTOLERÂNCIA a (Ver Hiperglicemia; GENERALIDADES, Diabetes, Hiperglicemia).
GLICOSE-6-FOSFATO DESIDROGENASE (G6FD), deficiência de.
GRANULOCITOPENIA (Ver Hemograma, células sanguíneas brancas).
GRANULOPOIESE.
HEMATOMA.
HEMOCONCENTRAÇÃO.
HEMOGRAMA.

HEPÁTICOS, TESTES.

HIPERAMONEMIA.

HIPERCALCEMIA (Ver Eletrolíticos, Distúrbios).

HIPERCALEMIA (Ver Eletrolíticos, Distúrbios).

HIPERCAPNIA (Ver Hiperventilação).

HIPERCLOREMIA (Ver Eletrolíticos, Distúrbios).

HIPERCOLESTEROLEMIA (Ver Lipídeos, níveis séricos de, colesterol).

HIPEREMIA (Ver GENERALIDADES, Calor).

HIPERFENILALANINEMIA (Ver Aminoácidos, níveis séricos de).

HIPERFOSFATEMIA (Ver Eletrolíticos, Distúrbios).

HIPERGLICEMIA (Ver GENERALIDADES, Diabetes, Hiperglicemia).

HIPERLIPEMIA (Ver Hiperlipidemia).

HIPERLIPIDEMIA (Ver Lipídeos, níveis séricos de).

HIPERMAGNESEMIA (Ver Eletrolíticos, Distúrbios).

HIPERNATREMIA (Ver Eletrolíticos, Distúrbios).

HIPEROSMOLARIDADE (Ver Eletrolíticos, Distúrbios; Osmolaridade, Alterações).

HIPERTENSÃO (Ver GENERALIDADES, Pressão Arterial).

HIPERTRIGLICERIDEMIA (Ver Lipídeos, níveis séricos de).

HIPERURICEMIA (Ver EXTREMIDADES, Gota; GENERALIDADES, Gota).

HIPERVENTILAÇÃO (Ver Gasometria; Hipercapnia; Pulmonares, Testes; RESPIRAÇÃO, Acelerada).

HIPOALBUMINEMIA (Ver Proteínas, níveis séricos de).

HIPOAMONEMIA.

HIPOCALCEMIA (Ver Eletrolíticos, Distúrbios).

HIPOCALEMIA (Ver Eletrolíticos, Distúrbios).

HIPOCAPNIA (Ver Hipoventilação).

HIPOCLOREMIA (Ver Eletrolíticos, Distúrbios).

HIPOFOSFATEMIA (Ver Eletrolíticos, Distúrbios).

HIPOGLICEMIA (Ver Insulina).

HIPOLIPIDEMIA (Ver Lipídeos, níveis séricos de).

HIPOMAGNESEMIA (Ver Eletrolíticos, Distúrbios).

HIPONATREMIA (Ver Eletrolíticos, Distúrbios).

HIPOOSMOLARIDADE (Ver Osmolaridade, Alterações).

HIPOPROTEINEMIA (Ver Proteínas, níveis séricos de).

HIPOPROTROMBINEMIA (Ver Coagulação, Testes, fatores de coagulação, protrombina).

HIPOURICEMIA.

HIPOVENTILAÇÃO (Ver Gasometria; Pulmonares, Testes; RESPIRAÇÃO, Lenta).

HIPÓXIA, hipoxemia (Ver Gasometria; Hipoventilação; RESPIRAÇÃO; GENERALIDADES).

HISTAMINA sérica, aumento.

HISTOPATOLÓGICOS, TESTES.

IMUNOESTIMULAÇÃO (Ver GENERALIDADES, Imune, Transtornos, Imunidade).

IMUNOGLOBULINAS (Ver GENERALIDADES, Imune, Transtornos, Imunidade, Immunoglobulinas).

IMUNOSSUPRESSÃO (Ver GENERALIDADES, Imune, Transtornos, Imunidade).

Repertório

INSULINA (Ver Hipoglicemia).
LEUCOCITOSE (Ver Hemograma, células sanguíneas brancas).
LEUCOPENIA (Ver Hemograma, células sanguíneas brancas).
LINFOCITOSE (Ver Hemograma, células sanguíneas brancas).
LINFOPENIA (Ver Hemograma, células sanguíneas brancas).
LÍPÍDEOS, níveis séricos de (Ver GENERALIDADES, Lipidêmicos, Transtornos).
LÍQUIDO CEFALORRAQUIDIANO (Ver CABEÇA, Inflamação; GENERALIDADES, Inflamação, meningite).
MACROCITOSE.
MACROGLOBULINEMIA (Ver Proteínas, níveis séricos de).
MAGNÉSIO, acúmulo de, na presença de deficiência da função renal (Ver Eletrolíticos, Distúrbios, Hipermagnesemia).
MEDULA ÓSSEA (Ver Mielossupressão).
MEGALOBLASTOSE (Ver Hemograma, células sanguíneas vermelhas; Hemograma, anemia, megaloblástica).
METAHEMOGLOBINEMIA (Ver Proteínas, níveis séricos de).
MIELOSSUPRESSÃO, depressão da medula óssea (Ver Medula Óssea).
MIOGLOBULINEMIA (Ver Proteínas, níveis séricos de).
MONONUCLEAR, CÉLULAS, atípicas (Ver Hemograma, células sanguíneas brancas).
NEUTROFILIA (Ver Hemograma, células sanguíneas brancas).
NEUTROPENIA (Ver Hemograma, células sanguíneas brancas).
NITROGÊNIO, balanço negativo.
OSMOLARIDADE, ALTERAÇÕES na (Ver Eletrolíticos, Distúrbios).
OSSOS, TESTES.
OSTEOPENIA, osteoporose.
OXIGÊNIO, DESSATURAÇÃO de (Ver Gasometria).
OXIHEMOGLOBINA (Ver Proteínas, níveis séricos de).
PANCITOPENIA (Ver Hemograma, células sanguíneas brancas).
PANCREÁTICOS, TESTES.
PAPANICOLAU, TESTE de.
PARAPROTEINEMIA (Ver Proteínas, níveis séricos de).
PELE, TESTES.
PIRIDOXINA, vitamina B₆ (Ver Vitaminas).
POTÁSSIO.
PRESSÃO INTRACRANIAL, com papiledema (Ver CABEÇA, edema).
PROLACTINEMIA (Ver Proteínas, níveis séricos de).
PROTEÍNAS, níveis séricos de (Ver Aminoácidos, níveis séricos de).
PULMÕES, TESTES (Ver Pulmonares; GENERALIDADES, Pulmonares, Transtornos).
PULMONARES, TESTES (Ver Gasometria; ; Pulmões; Raios-X).
RAIOS-X (Ver Fraturas).
RENAIS, TESTES.
RETICULOCITOPENIA (Ver Hemograma, células sanguíneas vermelhas).
RETICULOCITOSE (Ver Hemograma, células sanguíneas vermelhas).
REUMATOLÓGICOS, TESTES.
SANGRAMENTO, TESTES (Ver Coagulação, Testes; Discrasias Sanguíneas).
SEROTONINA, NÍVEIS de.

Repertório

SÍNDROME HEMOLÍTICA-URÊMICA.

TESTOSTERONA, NÍVEIS de.

TIMPANOMETRIA, anormal.

TIREÓIDE, TRANSTORNOS da (Ver GARGANTA EXTERNA, Tireóide, Glândula).

TROMBOCITEMIA (Ver Hemograma, plaquetas).

TROMBOCITOPENIA (Ver Hemograma, plaquetas).

TROMBOCITOSE (Ver Hemograma, plaquetas).

UREMIA, azotemia.

URINA, TESTES de.

VESÍCULA BILIAR, TESTES da (Ver ABDOME).

VITAMINAS e minerais.

CAPÍTULO MENTAL

ACATISIA (Ver Inquietação).

AFASIA (Ver Fala).

AGITAÇÃO (ansiedade; nervosismo; agitação; irritabilidade; boca seca; falta de fôlego, hiperventilação, problemas para dormir, batimentos cardíacos irregulares; agitação) (Ver Ansiedade; Excitação; Nervosismo; Inquietude): *Acamp-syst.*, *Acyc-syst.*, **Aldes-syst.**, **Aman-syst.**, *AmlodAt-syst.* [*Amlod-syst.*]; **Amph-syst.**, **AntdepMAO-syst.** [**Tranlycypromine**], *AntdepT-syst.*, **Arip-syst.**, *ArsTr-syst.*, *Atom-syst.*, *Basil-syst.*, *BronA-inhloc.*, *BronT-syst.*, **Bupro-syst.**, *Caff-syst.*, *CarbidEL-syst.*, **CarbidL-syst.**, *Chloramb-syst.*, *ChlordA-syst.*, *Cisp-syst.*, *Cital-syst.*, *Clod-syst.*, *Clon-parloc.*, *Cloz-syst.*, *Coc-mucloc.*, *Cyclob-syst.*, **Cycloph-syst.**, *Dapt-syst.*, *Del-syst.*, *Desf-inhsyst.*, *Dexmed-syst.*, *Dexmet-syst.*, *Don-syst.*, *Doxaz-syst.*, *Dyp-syst.*, *Efav-syst.*, *EmtT-syst.*, *Enta-syst.*, *Fel-syst.*, *Fent-trsyst.*, *FexP-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *Fluv-syst.*, *For-inhloc.*, *Gadop-syst.*, *Gadov-syst.*, *Gla-syst.*, *Gra-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HydroxT-oph.*, **Ifo-syst.**, *Ltry-syst.*, *Leve-syst.*, **Levod-syst.**, *Levof-syst.*, *Map-syst.*, *Mef-syst.*, *Mem-syst.*, *Methy-syst.*, *Methylp-syst.*, *Mica-syst.*, *Mir-syst.*, *Mod-syst.*, *Mont-syst.*, *Nalm-syst.*, *Nar-syst.*, **Nef-syst.**, *Oxc-syst.*, *Pemo-syst.*, *Penicil-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pil-oph.*, *Pyridos-syst.*, *Rem-syst.*, **Risp-syst.**, *Ritu-syst.*, *Riz-syst.*, *Ropin-syst.*, *Seleg-syst.* [MAO inhibitors], *Sertr-syst.*, *Spa-syst.*, *SodBeSP-syst.*, **Tacro-syst.**, *Tacro-top.*, *TecB-syst.*, *Thr-syst.*, *Tia-syst.*, *Tiz-syst.*, *Tolc-syst.*, *Topi-syst.*, **Tram-syst.**, *Tret-syst.*, *Vala-syst.*, *Valg-syst.*, *Valp-syst.*, *Ven-syst.*, **Vig-syst.**, *Vind-syst.*, *Zic-syst.*, **Zole-syst.**, *Zolm-syst.*, **Zon-syst.**

adult and pediatric patients: **Sevo-inhsyst.**

anxiety and irritability, with: *Oxc-syst.*

dry mouth and shaking, with: *Enta-syst.*, *Vala-syst.*

shortness of breath, hyperventilation, trouble sleeping, irregular heartbeats, with: *AmlodAt-syst.* [*Amlod-syst.*]; **Arip-syst.**, *CarbidEL-syst.*, *Dexmet-syst.*, *Doxaz-syst.*, **Flum-syst.**, *Mem-syst.*, *Mont-syst.*, *Pyridos-syst.*, *SodBeSP-syst.*, *Valp-syst.*

confusional, agitated, combative state: *SodO-syst.*

continuing: *BronT-syst.*

dysphoric: *Coc-mucloc.*

geriatric or debilitated patients: *Bell-syst.*

increased: *Moc-syst.*

psychomotor: *BronA-syst.* [*Epinephrine*]

severe: *BarbAn-syst.* [*Aspirin*; *Caffeine*; *Codeine*]

AGNOSIA (perda da capacidade de reconhecer objetos, pessoas, sons, formas, etc., na ausência de deficiência da percepção) (Ver Reconhece): *Tret-syst.*

AGRESSIVIDADE (Ver Violento).

ALEGRE.

elation: *Coc-mucloc.*

AMATIVIDADE, erótico, amoroso (Ver Lascivo; Ninfomania; Satiríase; GENITÁLIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

hypersexuality: *Levod-syst.*

AMNÉSIA (Ver Memória, perda da, súbita).

ANSIEDADE (medo, nervosismo) (Ver Agitação; Nervosismo; Inquietude): **AbLam-syst.**, *Abcix-syst.*, *Acamp-syst.*, **Agal-syst.**, *Almot-syst.*, **Altr-syst.**, **Aman-syst.**, *AmlodAt-syst.* [*Amlod-syst.*], *AmlodBen-syst.*, *Anast-syst.*, *Anest-mucloc.*, *AnestBar-syst.*, *AntinfN-syst.*, *Antchsp-syst.*, *AntdepT-syst.*, *Arb-syst.*, **Arip-syst.**, *ArsTr-syst.*, *AtovaPro-syst.*, **Azac-syst.**, *Barb-syst.*, *Basil-syst.*, *BetBA-oph.* [*Levobetaxolol and Metipranolol*], *BetBA-syst.*, *BetBAT-syst.*, **Biv-syst.**, **Bort-syst.**, **BotA-parloc.**, *Brim-oph.*, **BronA-syst.** [*Epinephrine*], *BronT-syst.* [*Parenteral Aminophylline and Theophylline*], *Bupre-syst.*, **Bupro-syst.**, **Busu-syst.** [*injection*], *Butor-nasyst.*, *Caff-syst.*, *Carbet-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cital-syst.*, *Clar-syst.*, **Clofar-syst.**, **Clon-parloc.**, *Clon-syst.*, *Clop-syst.*, *Cortic-inhloc.*, **Cyclos-syst.**, **Del-syst.**, **Dexmet-syst.**, **Did-syst.**, *DigitG-syst.*, *Dihy-nassyst.*, **Dimer-syst.**, *Dinopst-parloc.*, *Doxaz-syst.*, *Doxep-top.*, *DoxorL-syst.*, *Dron-syst.*, *Drop-syst.*, *Dul-syst.*, *Efav-syst.*, **Enf-syst.**, *Enta-syst.*, **Epoe-syst.**, **Epop-syst.**, **Erl-syst.**, *Ert-syst.*, *Esm-syst.*, **Estro-syst.**, **Exem-syst.**, *Fel-syst.*, *Fenol-syst.*, *Fent-syst.*, **Fent-trsyst.**, *FexP-syst.*, *Flec-syst.*, **Flum-syst.**, *Fludro-syst.*, *Fluorq-syst.*, **Fluox-syst.**, *Fluv-syst.*, *For-inhloc.*, **Fosc-syst.**, *Ful-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gadov-syst.*, *Gemif-syst.*, **Gla-syst.**, *Gos-syst.*, *Gra-syst.*, *HistH2-syst.*, **HydroI-syst.**, *HydroxT-oph.*, **Ibr-syst.**, *IbupO-syst.*, **IntA1-syst.**, *IntB1b-syst.*, *Irb-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Let-syst.*, **Leval-inhloc.**, *Levam-syst.*, *Leve-syst.*, **Levod-syst.**, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *Mal-top.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Methy-syst.*, *MethyTD-syst.*, *MethylB-syst.*, *Methylp-syst.*, *Metyro-syst.*, *Mido-syst.*, *Mif-syst.*, *Mir-syst.*, *Moc-syst.*, **Mod-syst.**, *Mont-syst.*, *Nab-syst.*, **Nalt-syst.**, *Nar-syst.*, *Nes-syst.*, *Nitrop-syst.*, *Ola-syst.*, *Ols-orloc.*, *Orl-orloc.*, *Palo-syst.*, **Pam-syst.**, *Pantop-syst.*, **PegiA2a-syst.**, **PegiA2b-syst.**, *Penicil-syst.*, **Pentost-syst.**, **Perg-syst.**, *Pil-syst.*, *Proti-syst.*, *Pyridos-syst.*, *Rau-syst.*, **Riba-syst.**, *Rise-syst.*, **Risp-syst.**, *Ritod-syst.*, *Riton-syst.*, **Ritu-syst.**, *Riz-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, *Rosu-syst.*, *Saq-syst.*, *Seleg-syst.*, *Sertr-syst.*, **Sib-syst.**, *Sild-syst.*, **Sir-syst.**, *SodBeSP-syst.*, *SodC-parloc.*, **SodO-syst.**, **SulfadP-syst.**, *SulfoT-syst.*, *Sum-syst.*, **Tacro-syst.**, *TecB-syst.*, *Teli-syst.*, *Tem-syst.*, *Testos-syst.*, **Tiz-syst.**, **Tram-syst.**, *TramA-syst.*, *Trav-oph.*, **Tret-syst.**, *Vala-syst.*, *Valp-syst.*, *ValsH-syst.*, **Ven-syst.**, **Vig-syst.**, *Zale-syst.*, **Zic-syst.**, *Zip-syst.*, **Zole-syst.**, *Zolm-syst.*, *Zon-syst.*

daytime: **Zop-syst.**

pain in one side of the body, nausea, tiredness, with: *HyalSD-syst.*

restlessness, internal (feeling jittery) (See Restlessness, internal; Excitement, feeling of.): **Exen-syst.**, *HydroxT-oph.*, *Tram-syst.*

jitteriness, jitters (See Restlessness.): *Alpr-syst.*, *Beth-syst.*, **Caff-syst.**, *Ritod-syst.*, *Sal-syst.* [*Caffeine-containing formulations*]

neonates, severe: **Caff-syst.**

Repertório - Capítulo MENTAL

severe: AntdepMAO-syst., BarbAn-syst. [Aspirin; Caffeine; Codeine]
tension, possibly leading to psychosis, with: BronA-syst. [Ephedrine]

APATIA (Ver Indiferença, apatia).

APREENSÕES (Ver Medo).

ASSUSTADO facilmente (Ver Medo): Aman-syst.

ATENÇÃO (Ver Concentração).

ATIVIDADE, desejos.

hyperactivity (overactivity, restlessness, trouble sitting still): *AppSupS-syst.*, *DeslP-syst.*, *HydroxT-oph.*, *Ketor-syst.*, *Serm-syst.*

hypoactivity: **Atom-syst.**

animal studies: AntandN-syst. [Flutamide]

inactivity.

animal studies: Sum-syst.

CANSAÇO (Ver Prostração; GENERALIDADES, Fraqueza).

CATATONIA (Ver Esquizofrenia).

CHORO, humor choroso (chorando): **Amph-syst.**, *Andro-syst.*, *Atom-syst.*, *Atorv-syst.*, *ConjE-syst.*, *Eton-vag.*, *Flum-syst.*, *Fluorq-syst.*, **MedE-syst.**, *Riba-syst.*, **Sir-syst.**, *Testos-syst.*, *TramA-syst.*, *Trip-syst.*, **Valp-syst.**, *Zic-syst.*

crying, abnormal: *Cev-syst.*, *Don-syst.*

persistent and inconsolable, occurring within 48 hours and lasting 3 or more hours: *DiphTTPV-syst.*, *DiphTTPVH-syst.*

unusual: **DiphTTH-syst.**

excessive.

neonates: *Nalo-syst.*

pediatric patients 3 to 12 years of age: **Gab-syst.**

persistent: *DiphTT-syst.* [*Diphtheria and Tetanus Toxoids*]

COGNITIVA, disfunção (problemas para executar tarefas de rotina) (Ver Concentração, difícil): *AntinfN-syst.* [*Naproxen*], *Line-syst.*, *Tram-syst.*

impairment (defects in intelligence, short-term memory, learning ability, and attention): *AntconH-syst.*

COMA (Ver Inconsciência).

COMPANHIA, aversão a.

subdued behavior (withdrawn or socially detached behavior).

female mice: Alos-syst.

CONCENTRAÇÃO, atenção.

decreased: Busp-syst., Nef-syst.

difficult, troubled: **Aman-syst.**, AntconS-syst., Bupro-syst., Flavox-syst., Fol-syst., **IntA1-syst.**, IntG-syst., IntA-syst., Oxc-syst., Pyridos-syst., Rima-syst., **Risp-syst.**, Ropin-syst., **Tia-syst.**, **Topi-syst.**, Zale-syst., Zic-syst., **Zon-syst.**

cognitive dysfunction: AntinfN-syst. [Naproxen], Tram-syst.

cognitive impairment (defects in intelligence, short-term memory, learning ability, and attention): AntconH-syst.

mental deficiency (difficulty in thinking or concentrating): Tolc-syst.

disturbed: AntdepT-syst., Teli-syst., Tram-syst.

impaired (poor concentration): Almot-syst., Aman-syst., Cab-syst., **Efav-syst.**, Paro-syst., **PegiA2a-syst.**, **RibaI-syst.**, Vig-syst.

pediatric patients: Cisap-syst.

inability to: Rau-syst.

thought disorders (concentration problems and change in school performance) (See Speech; Thought disorders; Confusion of mind; Dulness, sluggishness, difficult of thinking and comprehending, torpor): **Gab-syst.**

CONFUSÃO da mente (alterações mentais ou do humor) (Ver Demência; Insanidade; Psiquiátricos, Distúrbios): Abcix-syst., Acamp-syst., Acyc-syst., **Aldes-syst.**, **Alos-syst.**, **Altr-syst.**, Aman-syst., Aminglut-syst., Amio-syst., **Amsa-syst.**, Anag-syst., Anast-syst., Anest-mucloc., AnestBar-syst., AntinfN-syst., AntandN-syst., Antchsp-syst., AntconD-syst., **AntconH-syst.**, AntdepMAO-syst., AntdepT-syst., Antdys-syst., Anthis-syst. [Azatadine, Cetirizine, Cyproheptadine, Diphenhydramine, and Loratadine]; AnthisD-syst., AnthisDAG-syst., AnthisDAc-syst., AnthisP-syst., Antm-syst., AppSupS-syst., ArsTr-syst., Aspar-syst., AspirSC-syst., Atom-syst., Atorv-syst., Atrop-oph., Aztr-syst., Bacl-intsyst., **Bacl-syst.**, BarbAn-syst., Bell-syst., Benzod-syst., Benzon-syst., BetBA-oph. [Betaxolol, Metipranolol, and Timolol], BetBA-syst., BetBAT-syst., **Bevac-syst.**, BisS-orloc., BisSMT-syst. [Bismuth subsalicylate], Biv-syst., Bleo-syst., Bromo-syst., BronT-syst., Bupre-syst., Bupro-syst., Busp-syst., Busu-syst., **Butor-nasyst.**, Caff-syst., Capec-syst., **Carbam-syst.**, **CarbidL-syst.**, CarbidEL-syst., CarbonAI-syst., **Carm-imploc.**, Carv-syst., Cev-syst., ChlH-syst., Chloramb-syst., Chloramp-ot., Chloramp-syst., ChlordA-syst., Cital-syst., CitAGM-mucloc., Clar-syst., Clod-syst., **Clon-parloc.**, Cloz-syst., Coc-mucloc., Cyclob-syst., Cyclope-oph., **Cycloph-syst.**, **Cyclos-syst.**, Cys-syst., **CytL-int.**, Dant-syst., Dapt-syst., DecAn-syst. [Ibuprofen-containing combinations, Salicylate-containing combinations], Del-syst., Den-syst., Dexmed-syst., Dexmet-syst., Dext-syst., DicM-syst., Dielt-top., Dif-syst., DigitG-syst., Dihy-nassyst., Dipheni-syst., DiphenoA-syst., DiphtTT-syst., DiuL-syst., Docet-syst., Don-syst., Doxap-syst., Dron-syst., Dul-syst., Dyp-syst., Efav-syst., EmtT-syst., Eno-syst., Ergon-syst., Esm-syst., Eso-syst., Esz-syst., Etham-syst., Ethc-syst., Exem-syst., Fent-syst., **Fent-trsyst.**, Flavox-syst., Fluc-syst., Fluda-syst., Fludro-syst., Fluorq-syst., Fluox-syst., Fluv-syst., Fol-syst., Fon-syst., **Fosc-syst.**, Gadod-syst., Gadot-syst., Gadov-syst., Gemif-syst., Gla-syst., Glyc-syst., Gold-syst., Gri-syst., Guanf-syst., HistH2-syst., Hom-oph., HydroI-syst., HydroxT-oph., Hydxyu-syst., IbupO-syst. [Ibuprofen], **Ifo-syst.**, **ImipC-syst.**, IndiuS-syst., **IntA1-syst.**, IntB1b-syst., IntA-syst., Iopr-syst., Iot-syst., Iov-syst., Iri-syst., Ketot-syst., Ltry-syst., LamiZ-syst. [Zidovudine], Lamo-syst., IntG-syst., Levam-syst., **Levod-syst.**, Levof-syst., Levom-syst., Lid-top., LidP-top., Lit-syst., Lom-syst.,

Lox-syst., *Mal-top.* *Map-syst.*, *Mech-syst.*, *Mef-syst.*, *Melo-syst.*, **Mem-syst.**, *Mep-syst.*, MepA-syst. [Meprobamate], Mesa-orloc., *MethotC-syst.*, MethylB-syst., Methyler-syst., Methylp-syst., Meto-syst., *Metyra-syst.*, *Metyro-syst.*, *Mex-syst.*, *Mica-syst.*, *Mido-syst.*, *Mir-syst.*, *Moc-syst.*, *Mod-syst.*, *Nab-syst.*, *Nali-syst.*, *Nalm-syst.*, *Nalt-syst.*, *Nar-syst.*, **Nef-syst.**, *Nes-syst.*, Nico-inhsyst., *Nico-nas.*, Nico-syst., *Nitro-syst.*, *Ola-syst.*, *OlmH-syst.*, Omeq-syst., *Ose-syst.*, *Oxc-syst.*, Oxyb-syst., *Pantop-syst.*, Pare-syst., *Paro-syst.*, *Pegas-syst.*, Pemo-syst., *Penicil-syst.*, **Pentost-syst.**, **Perg-syst.**, *PerpA-syst.*, *Phenot-syst.*, *Phenox-syst.*, *Phent-syst.*, *Pil-oph.*, Pil-syst., Podop-top., *Prami-syst.*, **Pre-syst.**, *Primi-syst.*, *Procai-syst.*, **Procar-syst.**, *Pyridos-syst.*, *Quid-syst.*, Quin-syst., *QuinuD-syst.*, *Riton-syst.*, **Riv-syst.**, *Riz-syst.*, **Ropin-syst.**, Sal-syst., SalA-top, *Sco-oph.*, *Sertr-syst.*, **Sir-syst.**, *Ske-syst.*, **SodO-syst.**, Sol-syst., *Spa-syst.*, *Sulfo-syst.*, **Tacro-syst.**, *Tacro-top.*, *Tad-syst.*, *Tamo-syst.*, Teg-syst., *Tem-syst.*, *TetaT-syst.*, *Thie-syst.*, *Thr-syst.*, *Tia-syst.*, *Tini-syst.*, *Tinz-syst.*, *Toc-syst.*, *Tolc-syst.*, **Topi-syst.**, *Tram-syst.*, *TramA-syst.*, *Traz-syst.*, **Tret-syst.**, Trimethop-syst., *Trimetr-syst.*, *Trop-oph.*, Tros-syst., *Trov-syst.*, *Ure-syst.*, *Vala-syst.*, *Valg-syst.*, *Valp-syst.*, *Vals-syst.*, *ValsH-syst.*, *Vard-syst.*, *Ven-syst.*, **Vig-syst.**, Vind-syst., VitA-syst., Zale-syst., **Zic-syst.**, *Zid-syst.*, **Zole-syst.**, *Zolp-syst.*, **Zon-syst.**, **Zop-syst.**

adults: *Aspar-syst.*

awareness, environmental, decreased: *Fome-syst.*

confusional, agitated, combative state: SodO-syst.

depersonalization (See identity, as to his).

derealization (alteration in the perception or experience of the external world) (See Derealization; Confusion, depersonalization; Schizophrenia): *Nef-syst.*

disorientation (confusion of identity, place and time): Aman-syst., *Amio-syst.*, *AntinfN-syst.*, *AnthisP-syst.*, *Aprep-syst.*, *Benzod-syst.*, *BronA-syst.* [Epinephrine], *CarbidL-syst.*, *CarbidEL-syst.*, *Clar-syst.*, *CorticG-syst.*, *DicM-syst.*, *Dipheni-syst.*, Dom-syst., *Etham-syst.*, *HydroxT-oph.*, IbufO-syst. [Ibuprofen], Ison-syst., *Lid-top.*, *Mir-syst.*, *Methy-syst.*, *Moc-syst.*, *Phenot-syst.*, *Rabe-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Sulfo-syst.*, *Tret-syst.*

delirium, with (confusion about identity, place, person, and time; unusual excitement, nervousness, or restlessness; hallucinations; holding false beliefs that cannot be changed by fact): *Rabe-syst.*

failure to recognize people: *HydroxT-oph.*,

past-pointing or spatial (difficulty finding the location of objects): *BotA-parloc.*

severe: *Cyclob-syst.*

elderly patients: *Aman-syst.*

encephalopathy (agitation; back pain; blurred vision; coma; confusion; dizziness; drowsiness; fever; hallucinations; headache; irritability; mood or mental changes; seizures; stiff neck; unusual tiredness or weakness; vomiting) (See HEAD; GENERALITIES, Encephalopathic changes): *Acyc-syst.*, *Bort-syst.*, *Capec-syst.*, *Cyclosp-syst.*, *Cyp-syst.*, CytL-int., *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*, *Disu-syst.*, *Fluorq-syst.* [Levofloxacin], *HepatAVI-syst.*, *Ibr-syst.*, **Ifo-syst.**, *Levof-syst.*, *MeaMRV-syst.*, *Mef-syst.*, *MethotC-syst.*, *Metro-syst.*, *Mur-syst.*, *Niti-syst.*, SodBeSP-syst., *Tret-syst.*

encephalomyelopathy: *Carm-syst.*

hepatic encephalopathy (with mental changes, confusion, agitation, or stupor) (See ABDOMEN; GENERALITIES): AcetSal-syst., AcSodCit-syst., AnthisDAg-syst. [Acetaminophen-containing combinations], BarbAn-syst. [Acetaminophen], *DecAn-syst.* [Acetaminophen-containing combinations], IsomDA-syst., TramA-syst. [Acetaminophen]

hyperammonemic.

urea cycle disorders, patients with: *Valp-syst.*

hypertensive encephalopathy (agitation; back pain; blurred vision; coma; confusion; dizziness; drowsiness; fever; hallucinations; headache; irritability; mood or mental changes; seizures; stiff neck; unusual tiredness or weakness; vomiting): *Adal-syst.*, *EpoE-syst.*

hypoxic: *Mida-syst.*

leukoencephalopathy (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): *Tacro-syst.*

progressive multifocal (PML) (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): *Natal-syst.*

loiasis (verminosis), very heavily infected patients with: *Dietc-syst.*

malignant: *Coc-mucloc.*

identity, as to his (See Schizophrenia).

depersonalization (See Schizophrenia): Aman-syst., **Amph-syst.**, *Andro-syst.*, *Atorv-syst.*, *Carbam-syst.*, *Cital-syst.*, *ConjE-syst.*, *Dipy-syst.*, *Efav-syst.*, *Eton-vag.*, *Fent-trsyst.*, *Flum-syst.*, *Fluorq-syst.*, *Leve-syst.*, **MedE-syst.**, *Mir-syst.*, *Nef-syst.*, *Riba-syst.*, **Sir-syst.**, *Testos-syst.*, *Tiz-syst.*, *TramA-syst.*, **Valp-syst.**, *Ven-syst.*, *Zale-syst.*, *Zic-syst.*, *Zop-syst.*

derealization (alteration in the perception or experience of the external world) (See Confusion; Derealization; Schizophrenia): *Nef-syst.*

feeling of unreality; sense of detachment from self or body: *Clar-syst.*, *Fluorq-syst.*, *Paro-syst.*

feeling of: *AntinfN-syst.*, *Bupre-syst.*, *Opi-syst.*

loss of sense of reality: *Benzod-syst.*, *Efav-syst.*, *Gadov-syst.*

pediatric patients 3 to 12 years of age: **Gab-syst.**

may include delusions and feelings of depersonalization or unreality (See Confusion, depersonalization; Derealization.): *Opi-syst.*

muzziness: *AntinfN-syst.*

usually only elderly patients, and patients with renal disease, seizure disorders, or altered mental/behavioral conditions: *Aman-syst.*

postoperative: *FentD-syst.*

post syncopal (mood or mental changes): *Pyridos-syst.*

renal dysfunction, patients with: *Aman-syst.*

reversible: *Aspar-syst.*

severe: Barb-syst., BarbAn-syst. [Aspirin; Caffeine; Codeine], *Cyclob-syst.*, MepA-syst. [Aspirin], Sal-syst., *SalA-top.*, Vasc-syst.

Repertório - Capítulo MENTAL

thought disorders (concentration problems and change in school performance) (See Speech; Concentration; Thought disorders; Dullness, sluggishness, difficult of thinking and comprehending, torpor; Torpor): **Gab-syst.**
with hypercalcemia: *CalcS-syst.*

CONSCIÊNCIA, perda ou ausência de (Ver Inconsciência).

CONSCIENCIOSO com trivialidades.

fussiness: **DiphtTTH-syst.**

DEFICIÊNCIA, mental (confusão ou excitação; depressão ou ansiedade; pesadelos ou sonhos vívidos incomuns): **SodBeSP-syst.**

DELÍRIO (excitação incomum, nervosismo ou inquietação; alucinações; confusão quanto ao tempo, lugar ou pessoa; fixação em falsas crenças que não podem ser alteradas pelos fatos): *Acyc-syst., Aman-syst., Amio-syst., AntdepT-syst., Caff-syst., Chloramp-syst., ChlordA-syst., Cital-syst., Cloz-syst., Coc-mucloc., Colc-syst., CorticG-syst., Cyclob-syst., Dexmed-syst., Dexmet-syst., Dihy-nassyst., EdrA-syst., FentD-syst., Methylp-syst., Nitrop-syst., PerpA-syst., Quid-syst., Sertr-syst., Sol-syst., Tros-syst., Ven-syst.*

disorientation, with (confusion about identity, place, person, and time; unusual excitement, nervousness, or restlessness; hallucinations; holding false beliefs that cannot be changed by fact): *Rabe-syst.*

emergence delirium (anxiety; confusion; excitement; hallucinations; nervousness; restlessness): *AnestBar-syst., Mida-syst.*

postanesthesia: **AnestInh-syst.** [**Halothane**], *AnestInh-syst.*

severe: *BarbAn-syst.* [Aspirin; Caffeine; Codeine]

toxic: *Fent-trsyst.*

DEMÊNCIA (pobre discernimento e julgamento; problemas com memória ou discurso; dificuldade em reconhecer objetos; dificuldade pensando e planejando; dificuldade para andar; alterações da personalidade, mentais ou do humor) (Ver Confusão da mente; Insanidade): *CarbidL-syst., CarbidEL-syst., DrosE-syst., Estro-syst., Levod-syst., Tret-syst.*

DEPRESSÃO (Ver Tristeza).

DESAJEITADO (Ver EXTREMIDADES, desajeitado): **AbLam-syst., Acit-syst., Alos-syst., AntfunA-syst.** [*Itraconazole*], *Ataz-syst., Atorv-syst., Bort-syst., Carbam-syst., CarbidEL-syst., ChlH-syst., Emt-syst., Enf-syst., Fluorq-syst.* [*Ciprofloxacin, Lomefloxacin, Moxifloxacin, Norfloxacin*], *Gemif-syst., Lami-syst., Lef-syst., Levof-syst., Line-syst., Lom-syst., Miglu-syst., Nali-syst., Procar-syst., Tini-syst.*

children: **Lami-syst.**

clumsiness: **Altr-syst., Aminglut-syst., Aminglyc-syst., Antchsp-syst., Anthis-syst.** [Azatadine, Clemastine], *AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst.* [Pseudoephedrine], *AnthisP-syst., Antm-syst., Atrop-oph., Bacl-syst., Barb-syst., Bell-syst., Carbam-syst., CarbonAI-syst., ChlH-syst., ChlordA-syst., Cyclob-syst., DiuP-syst., EmtT-syst., Ethc-syst., Ethi-syst., Flavox-syst., Hom-oph., Ison-syst.,*

Repertório - Capítulo MENTAL

Lind-top., *Mal-top.*, **Mep-syst.**, *MepA-syst.*, *Methys-syst.*, *Metro-syst.*, *Oxyb-syst.*, *Para-syst.*, *Podop-top.*, **RifamI-syst.**, **RifamIP-syst.**, *Sco-oph.*, *Ske-syst.*, *Sulfi-syst.*, *Trop-oph.*

children: *AnthisP-syst.*

walking, when: *Thiog-syst.*, *Tret-syst.*

DESAVERGONHADO (impudico).

disinhibition: *Fluv-syst.*

sexual (loss of control in sexual behavior): *LTry-syst.*

inhibition, decreased: *Benzod-syst.*

DESREALIZAÇÃO (alteração na percepção ou experiência do mundo exterior) (Ver Confusão, Despersonalização. Esquizofrenia): *Nef-syst.*

DISFORIA (Ver Tristeza).

EMBOTAMENTO, lentidão, dificuldade em pensar e compreender, torpor (Ver Estupor; Torpor): *CarbidEL-syst.*

acuity, mental, decreased: *CarbidEL-syst.*

judgement, impaired: *Fol-syst.*

poor: *Barb-syst.*

obtundation, mental (mental changes): *Acyc-syst.*, *Rifam-syst.*, *RifamIP-syst.*

hyperammonemia, in the absence of (not alert; trouble with coordination): *SodBeSP-syst.*

thought disorders (concentration problems and change in school performance) (See SPEECH; CONCENTRATION; CONFUSION of mind; THOUGHT disorders.):

Gab-syst.

EMOCIONAIS, alterações, distúrbios e problemas (alterações mentais ou do humor) (Ver Humor): *Estro-syst.*, *Hydxye-syst.*, **Mef-syst.**, *Paro-syst.*

emotional upset: *Ritod-syst.*

ENTORPECIMENTO (Ver Estupor; Torpor): **Levod-syst.**

ESQUECIDO (Ver Memória): *AntinfN-syst.*, *CarbidEL-syst.*, *Mef-syst.*, *Tret-syst.*

loss of memory (amnesia): *Aman-syst.*, *Antchsp-syst.*, *Antdys-syst.*, *Atorv-syst.*, *Bell-syst.*, *Carbam-syst.*, *Carm-imploc.*, *Cital-syst.*, *DipyA-syst.*, *Dron-syst.*, *Efav-syst.*, *Esz-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, *Gab-syst.*, *IntB1b-syst.*, *Lamo-syst.*, *Leve-syst.*, **Miglu-syst.**, *Moc-syst.*, *Mod-syst.*, *Nico-nas.*, *Ola-syst.*, *Paro-syst.*, *Prami-syst.*, **Pre-syst.**, *Ropin-syst.*, *Tem-syst.*, *Tram-syst.*, *TramA-syst.*, **Valp-syst.**, **Vig-syst.**, *Zale-syst.*, *Zic-syst.*

amnesia, anterograde (lack of memory of events taking place after): *Benzod-syst.*, *Zolp-syst.*, *Zop-syst.*

cerebral angiography, after: *Iov-syst.*

global, transient: *Iopa-syst.*, *Ioxa-syst.*

pediatric patients: *Cisap-syst.*

Repertório - Capítulo MENTAL

immediately, of everything (See Memory, weakness of): *Aman-syst.*
impairment of (being forgetful): *BronA-syst.* [*Epinephrine*],
CarbidEL-syst., *Dron-syst.*

ESQUIZOFRENIA (Ver Psiquiátricos, Distúrbios; Psicótica, Reação; Confusão da mente, identidade; Insanidade).

catatonic-like state or reaction, catatonia (decreased awareness or responsiveness; mimicry of speech or movements; mutism; negativism; peculiar postures or movements, mannerisms or grimacing; severe sleepiness): *AnthisP-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Valp-syst.*, *Ven-syst.*

depersonalization: *Aman-syst.*, **Amph-syst.**, *Andro-syst.*, *Atorv-syst.*, *Carbam-syst.*, *Cital-syst.*, *ConjE-syst.*, *Dipy-syst.*, *Efav-syst.*, *Eton-vag.*, *Fent-trsyst.*, *Fent-trsyst.*, *Flum-syst.*, *Fluorq-syst.*, *Leve-syst.*, **MedE-syst.**, *Mir-syst.*, *Nef-syst.*, *Riba-syst.*, **Sir-syst.**, *Testos-syst.*, *Tiz-syst.*, *TramA-syst.*, **Valp-syst.**, *Ven-syst.*, *Zale-syst.*, *Zic-syst.*, *Zop-syst.*

derealization (alteration in the perception or experience of the external world) (See Confusion, depersonalization; Derealization): *Nef-syst.*

feeling of unreality; sense of detachment from self or body: *Clar-syst.*, *Fluorq-syst.*, *Paro-syst.*

feelings of: *AntinfN-syst.*, *Bupre-syst.*, *Opi-syst.*

loss of sense of reality: *Benzod-syst.*, *Efav-syst.*, *Gadov-syst.*

derealization (alteration in the perception or experience of the external world) (See Confusion, depersonalization; Derealization): *Nef-syst.*

paranoid schizophrenia: *BronA-syst.* [*Ephedrine*]

personality changes/disorder: *AppSupS-syst.*, *BronA-syst.* [*Ephedrine*]

pediatric patients.

3 to 12 years of age: **Gab-syst.**

juvenile rheumatoid arthritis, with: *Etan-syst.*

schizophrenic-type thought disorder: *BronA-syst.* [*Epinephrine*]

schizophrenic or schizophreniform behavior (agitation; delusions; hallucinations):
Zon-syst.

ESTIMULANTE, sistema nervoso central (Ver Agitação; Excitação; Euforia): **Methylp-syst.**, **Mod-syst.**, **Pemo-syst.**

ESTUPEFAÇÃO, como intoxicado (Ver Estupor; Inconsciência): *Fome-syst.*

grogginess: *Ropin-syst.*

ESTUPOR (diminuição de consciência ou capacidade de resposta; sonolência severa) (Ver Estupefação; Inconsciência; Torpor): *Acamp-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *Carbam-syst.*, *Carm-imploc.*, *Cital-syst.*, *Clod-syst.*, *Dapt-syst.*, *Del-syst.*, *Doxep-top.*, *EmtT-syst.*, *IbupO-syst.* [*Oxycodone*], *Lit-syst.*, *Mem-syst.*, *Mica-syst.*, *Paro-syst.*, *Pegas-syst.*, *Phenot-syst.*, *Sertr-syst.*, *Tacro-top.*, *Thr-syst.*, *Tiz-syst.*, *Tram-syst.*, *TramA-syst.*, *Vasc-syst.*, *Zic-syst.*

grogginess: *Ropin-syst.*

EUFORIA (exagerada ou falsa sensação de bem-estar físico e mental) (Ver Mania): *Almot-syst.*, *Alos-syst.*, *Aman-syst.*, ***Amph-syst.***, *Andro-syst.*, *AnthisP-syst.*, *Atorv-syst.*, *Benzod-syst.*, ***CarbidL-syst.***, *CarbidEL-syst.*, *Cital-syst.*, *Coc-mucloc.*, *ConjE-syst.*, *CorticG-syst.*, *Dexmet-syst.*, *Dihy-nassyst.*, ***Dron-syst.***, *Efav-syst.*, *Eton-vag.*, *Fent-syst.*, ***Fent-trsyst.***, *Flum-syst.*, *Fluorq-syst.*, *HydroI-syst.*, *IbupO-syst.*, ***Levod-syst.***, *Lid-top.*, *LidP-top.*, ***MedE-syst.***, *Methylp-syst.*, ***Nab-syst.***, *Nef-syst.*, *Ola-syst.*, *Pemo-syst.*, *Pre-syst.*, *Riba-syst.*, *Riz-syst.*, ***Sir-syst.***, *Sulfo-syst.*, *Testos-syst.*, *Tiz-syst.*, *TramA-syst.*, *TramA-syst.*, ***Valp-syst.***, *Zic-syst.*

euphoric mood: *Tram-syst.*

happy: *Palo-syst.*

mild: **AppSupS-syst.**

pediatric patients 3 to 12 years of age: **Gab-syst.**

EXCITAÇÃO, excitável, excitação (Ver Agitação; Ansiedade. Nervosismo; Inquietude): *Anest-mucloc.*, *Anest-oph.*, *AnestBar-syst.*, *AntdepMAO-syst.*, *Caff-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cital-syst.*, *Coc-mucloc.*, *Fluv-syst.*, *Fol-syst.*, *Ketot-syst.*, *MepA-syst.* [*Aspirin*], *Methys-syst.*, *Nalo-syst.*, *Phent-syst.*, *Podop-top.*

agitation (See Agitation).

children: *Ketot-syst.*

excitability: *CetiP-syst.* [*Pseudoephedrine*]

hyperexcitability: *Chloroq-syst.*, *Hydxcyc-syst.*, *Pyrim-syst.*

children: *Ketot-syst.*

excitement/struggling, during induction by mask, in adults: **Desf-inhsyst.**

feeling of, unusual (See Anxiety; Restlessness, internal): *HydroxT-oph.*

geriatric or debilitated patients: *Bell-syst.*

increased: *Lamo-syst.*

talking or acting with excitement you cannot control: *Sertr-syst.*, *Ven-syst.*

unusual, severe: *Antchsp-syst.*, ***AntconH-syst.***, *Antdys-syst.*, *Anthis-syst.*, *AnthisDAc-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *AspirSC-syst.*, *BarbAn-syst.* [*Aspirin*; *Caffeine*; *Codeine*], *Chlop-syst.*, *Dext-syst.*, *Dif-syst.*, *DiphenoA-syst.*, *Flavox-syst.*, *Map-syst.*, *Oxyb-syst.*, *Pentox-syst.*, *Pse-syst.*, *Rabe-syst.*, *Sal-syst.*, *SodF-syst.*, *Thiox-syst.*, ***Tram-syst.***, *Traz-syst.*, *Valp-syst.*, *VitA-syst.*, *VitMF-syst.*

FALA, linguagem (Ver BOCA).

speech or language abnormalities, disturbances, disorders or problems, trouble in speaking (changes in speech, difficulty in speaking): *Amph-syst.*, *AntdepT-syst.*, *Bacl-intsyst.*, *CalcCBA-syst.* [*Flunarizine*], *Carbam-syst.*, *Cyclob-syst.*, ***Cyclos-syst.***, *Dant-syst.*, *Dexmed-syst.*, *EdrA-syst.*, *Efav-syst.*, *Gla-syst.*, *IntB1a-syst.*, *IntB1b-syst.*, *IntG-syst.*, *Lans-syst.*, ***Metyro-syst.***, ***Ola-syst.***, *Ond-syst.*, *Oxc-syst.*, *Pantop-syst.*, ***Phenot-syst.***, *Pil-syst.*, ***Pre-syst.***, *Que-syst.*, *Tia-syst.*, *Tic-syst.*, ***Tiz-syst.***, ***Topi-syst.***, *Valp-syst.*, *Vig-syst.*, ***Zic-syst.***, *Zon-syst.*, ***Zop-syst.***

aphasia (problems in speaking): *Aldes-syst.*, *Carm-imploc.*, *Don-syst.*, *Fluorq-syst.*, *Gadob-syst.*, *Tret-syst.*, ***Zic-syst.***

difficult: *Amph-syst.*, *AnthisP-syst.*, ***Arip-syst.***, *Carbam-syst.*, *CarbidEL-syst.*, *Dom-syst.*, *Fent-trsyst.*, ***Hal-syst.***, *Lans-syst.*, ***Lox-syst.***, *Meto-syst.*, *Moc-syst.*, ***Moli-syst.***, *Nico-nas.*, ***Ola-syst.***, *Ond-syst.*, *Pantop-syst.*, ***PerpA-syst.***, ***Pimo-syst.***, ***Risp-***

Repertório - Capítulo MENTAL

syst., Seleg-syst., Sertr-syst., **Sir-syst.**, Tret-syst., Thie-syst., **Thiox-syst.**, **Zic-syst.**, **Zip-syst.**

dysarthria (trouble in speaking, stuttering; slurred speech; changes in patterns and rhythms of speech): AntinfN-syst., AntconH-syst., Capec-syst., Gab-syst., Lamo-syst., Moc-syst., Nef-syst., Oxa-syst., Paro-syst., Que-syst., Tret-syst., Valp-syst.

dysphasia (loss of ability to use or understand speech or language): Capec-syst., Fent-trsyst., Sor-syst.

stuttering: **AntconH-syst.**, Ola-syst.

verbal expression: Zon-syst.

word finding: Zic-syst.

excitement you cannot control, talking with: Sertr-syst.

garbled: Zic-syst.

impairment, articulation (speaking unclearly): Ola-syst.

incoherent: Ropiv-parloc.

slurred: Aman-syst., Antchsp-syst., **AntconH-syst.**, AntdepMAO-syst., Antm-syst., Atrop-oph., Bacl-intsyst., Barb-syst., BarbAn-syst. [Barbiturates], Bell-syst., **Benzod-syst.**, Bupre-syst., Carbam-syst., ChlH-syst., Cyclope-oph., Dant-syst., Diett-top., Dron-syst., Fome-syst., Hom-oph., HydroI-syst., Ison-syst., Lamo-syst., Lit-syst., Lom-syst., MagS-syst., Mep-syst., MepA-syst. [Meprobamate], Mex-syst., Moc-syst., Ola-syst., RifamI-syst., RifamIP-syst., Sco-oph., Trop-oph., Zip-syst.

sudden onset of: Isot-syst.

thought disorders (concentration problems and change in school performance) (See Thought disorders; Concentration; Confusion of mind; Dullness, sluggishness, difficult of thinking and comprehending, torpor): **Gab-syst.**

FERIR-SE (a si próprio).

self-injurious behavior (doing things to injure oneself): Acit-syst.

GESTOS, faz (Ver FACE).

motions, involuntary, of the.

face (See FACE, Gestures or tics.).

movement disorders, uncontrolled (unusual or incomplete facial movements): Fluox-syst., Moc-syst., Ola-syst., Seleg-syst.

unusual or sudden: Sertr-syst.

tics.

small muscles.

face (See FACE, Tics): Coc-mucloc.

feet (See EXTREMITIES, Twitching): Coc-mucloc.

fingers (See EXTREMITIES, Twitching): Coc-mucloc.

tic-like [jerky] movements of head, face, mouth, and neck: Lamo-syst.

GULA, come mais do que deveria.

gluttony: Anthis-syst. [Cyproheptadine], Dron-syst.

HIPOCONDRIA.

craving for the medication: BronA-syst. [Ephedrine]

HISTERIA (Ver Psicossomática, Reação; Sensível): *AnthisP-syst., Sum-syst.*

HOSTILIDADE (Ver Violento).

HUMOR.

changeable, variable, etc. (mood or mental changes): *Acyc-syst., AngInH-syst., Antac-orloc. [Aluminum-containing; Magaldrate], AntinfN-syst. [Phenylbutazone], Atom-syst., Bacl-syst., Bupre-syst., Coc-mucloc., ConJE-syst., Cyclos-syst., Daps-syst., DecAn-syst. [Ibuprofen-containing combinations], Don-syst., Dron-syst., Fel-syst., Fluox-syst., Gab-syst., Ganc-syst., Gos-syst., HydroI-syst., HydroxT-oph., IbufO-syst. [Ibuprofen], Ison-syst., Ltry-syst., Lamo-syst., Leve-syst., Metro-syst., Mir-syst., Moc-syst., Nab-syst., Nali-syst., Nalt-syst., Nar-syst., Ola-syst., Paro-syst., PegiA2a-syst., Peme-syst., Pimo-syst., Primi-syst., Proge-syst., RifamI-syst., RifamIP-syst., Rifap-syst., Risp-syst., Seleg-syst., Sertr-syst., Thali-syst., Tiz-syst., Topi-syst., Tret-syst., Valp-syst., Ven-syst., Zid-syst.*

emotional lability (crying; depersonalization; dysphoria; euphoria; mental depression; paranoia; quick to react or overreact emotionally; rapidly changing moods): **Amph-syst., Andro-syst., Atorv-syst., Cital-syst., ConJE-syst., Efav-syst., Eton-vag., FollitA-syst., Flum-syst., Fluorq-syst., Gab-syst., Leve-syst., MedE-syst., Mir-syst., Mod-syst., Nafa-syst., Oxc-syst., PegiA2b-syst., Riba-syst., RibaI-syst., Sib-syst., Testos-syst., Tia-syst., TramA-syst., Trip-syst., Valp-syst., Ven-syst., Vig-syst., Zic-syst.**

crying, euphoria, mental depression, with: **Oxc-syst.**

depersonalization, dysphoria, mental depression, paranoia, quick to react or overreact emotionally, rapidly changing moods, with: **Amph-syst., Andro-syst., Atorv-syst., ConJE-syst., Eton-vag., Flum-syst., Fluorq-syst., MedE-syst., Riba-syst., Testos-syst., TramA-syst., Trip-syst., Valp-syst., Zic-syst.**

females.

patients treated for central precocious puberty: **Nafa-syst.**

patients treated for endometriosis: **Nafa-syst.**

patients treated for infertility: **FollitA-syst.**

males.

patients treated for central precocious puberty: **Nafa-syst.**

pediatric patients 3 to 12 years of age: **Gab-syst.**

quick to react or overreact emotionally, with: *Tia-syst.*

rapidly changing moods, with: *Mod-syst., Sib-syst.*

rapidly: **Amph-syst., Andro-syst., Atorv-syst., ConJE-syst., Eton-vag., Flum-syst., Fluorq-syst., MedE-syst., Mod-syst., Riba-syst., Sib-syst., Sir-syst., Testos-syst., TramA-syst., Trip-syst., Valp-syst.**

pediatric patients 3 to 12 years of age: **Gab-syst.**

dysphoric: *Cital-syst.*

Repertório - Capítulo MENTAL

euphoric (See Euphoria): Tram-syst.

mood disorders (depression, mood or mental changes): Ampr-syst.

depression (mood or mental changes) (See Sadness): Alemt-syst., **Anast-syst.**, Andro-syst., AngInH-syst., Bupre-syst.

neurotoxicity (mood or mental changes): Antac-orloc. [Aluminum-containing; Magaldrate]

ILUSÕES, imaginações, alucinações (pensamento anormal: fixação em falsas crenças que não podem ser alteradas pelos fatos): Bupre-syst., CarbidEL-syst., Cital-syst., Don-syst., Dron-syst., Efav-syst., **Levod-syst.**, Mir-syst., Nab-syst., Opi-syst., Pil-oph., Prami-syst., Tiz-syst.

being outside the body, feeling of: Methys-syst.

false beliefs that cannot be changed by facts: Benzod-syst., Bupro-syst., **CarbidL-syst.**, Rabe-syst.

floating feeling: Butor-nasyst.

hallucinations (seeing, hearing, or feeling things that are not there): Acyc-syst., Aman-syst., Amio-syst., AnestBar-syst., AntinfN-syst., Antchsp-syst., AntdepMAO-syst., AntdepT-syst., Antdys-syst., Anthis-syst., AnthisD-syst., AnthisDAG-syst., AnthisDAC-syst. [Pseudoephedrine], AnthisP-syst., AppSupS-syst., Aspar-syst., AspirSC-syst., AtovaPro-syst., Atrop-oph., Bacl-intsyst., Barb-syst., BarbAn-syst. [Barbiturates; Codeine], Bell-syst., BetBA-oph. [Timolol], BetBA-syst., BetBAT-syst., Bromo-syst., BronA-inhloc. [Nebulized albuterol], BronA-syst. [Epinephrine], Bupre-syst., Bupro-syst., Butor-nasyst., Cab-syst., **CarbidL-syst.**, CarbidEL-syst., Chlop-syst., Chloramb-syst., Chloramp-ot., ChlordA-syst., Cital-syst., Clar-syst., Clon-parloc., CorticG-syst., Cyclob-syst., Cyclope-oph., DecAn-syst., Dexmed-syst., Dexmet-syst., DicM-syst., DigitG-syst., Dipheni-syst., Don-syst., Dron-syst., Efav-syst., Ert-syst., Esz-syst., Fent-syst., **Fent-trsyst.**, Flavox-syst., Fluc-syst., Fludro-syst., Flum-syst., Fluorq-syst., Fluv-syst., Gadov-syst., Gemif-syst., Genta-oph., Gold-syst., HistH2-syst., Hom-oph., HydroxT-oph., Hydxyu-syst., IbupO-syst. [Ibuprofen], **Ifo-syst.**, Iov-syst., Ketor-syst., Leve-syst., **Levod-syst.**, Levof-syst., Map-syst., Mecl-syst., Mef-syst., Mem-syst., Mep-syst., MepA-syst. [Aspirin], Methylp-syst., Methys-syst., Mir-syst., Moc-syst., Mont-syst., Nab-syst., Nali-syst., Nalm-syst., Nalt-syst., Nar-syst., Nef-syst., Opi-syst., Oxyb-syst., Para-syst., Pemo-syst., Penicil-syst., **Perg-syst.**, PerpA-syst., Podop-top., **Prami-syst.**, Procai-syst., **Procar-syst.**, Pse-syst., Rabe-syst., **Riv-syst.**, **Ropin-syst.**, Sal-syst., Sco-oph., Seleg-syst., Sertr-syst., Ske-syst., Sol-syst., Spa-syst., Sulfo-syst., SulfoT-syst., **Tacro-syst.**, TecB-syst., **Tolc-syst.**, Tram-syst., TramA-syst., Tret-syst., Trop-oph., Tros-syst., Trov-syst., Vala-syst., Valg-syst., Valp-syst., Vor-syst., Zale-syst., **Zic-syst.**, Zole-syst.

adults: Aspar-syst.

auditory, gustatory, olfactory, visual (e.g., “snow lights”), and/or **tactile** (e.g., formication [“cocaine bugs”], which may induce picking or stroking movements): Coc-mucloc.

children: AnthisP-syst.

elderly patients: Aman-syst.

renal dysfunction, patients with: Aman-syst.

Repertório - Capítulo MENTAL

reversible: *Aspar-syst.*

visual: *Bacl-syst., Benzon-syst., Carbam-syst., Coc-mucloc., Benzon-syst.,*

Keta-syst., Pil-oph., Pyridos-syst., Tiz-syst.

auditory, and: *Bacl-syst., Coc-mucloc., Hydxyu-syst.*

illusions: *Dexmed-syst., Keta-syst.*

paranoid: *BronA-syst. [Epinephrine], Levod-syst., Pyridos-syst.*

toxic psychoses with delusions and hallucination (confusion; irrational behavior; depersonalization, hallucinations): *CetiP-syst.*

unreality, feelings of: *Bupre-syst.*

IMPACIÊNCIA.

unusual: *Sib-syst.*

IMPULSIVO: *Bupro-syst.*

INCONSCIÊNCIA, coma, estupor (Ver Letargia; GENERALIDADES): *Abar-syst., Acamp-syst., Aden-syst., Alos-syst., Amif-syst., Arip-syst., BarbAn-syst. [Codeine], Bupro-syst., Busp-syst., Butor-nasyst., Capec-syst., Cital-syst., Clod-syst., Coc-mucloc., Dapt-syst., Del-syst., Diso-syst., EmtT-syst., Epop-syst., Ergon-syst., Ert-syst., Fent-trsyst., Fluv-syst., Gat-oph., Gef-syst., Imm-syst., Ioxa-syst., Levom-syst., Lid-top., LidP-top., Mem-syst., Methyler-syst., Mica-syst., Nev-syst., Nitrop-syst., Ofl-ot., Opi-syst., Pare-syst., Peme-syst., Pyridos-syst., Sertr-syst., Tacro-top., Thr-syst., Trimetr-syst., Vac-syst., Vasc-syst., Vig-syst., Zolp-syst.*

anesthesia (See GENERALITIES): *Anest-oph., AnestBar-syst., AnestInh-syst., Antchsp-syst. [Scopolamine (parenteral only)], BronA-syst. [Epinephrine], Bupre-syst., Desf-inhsyst., Etom-syst., Keta-syst., Mida-syst., Rem-syst., Ropiv-parloc., Sevo-inhsyst.*

brief: *Gala-syst.*

coma (change in consciousness, loss of consciousness): *AcetSal-syst., Acyc-syst., Aldes-syst., Aman-syst., AntinfN-syst., AntconD-syst., AntdiaS-syst. [Chlorpropamide, Tolbutamide], AnthisDAg-syst. [Acetaminophen-containing combinations], AppSupS-syst., ArsTr-syst., Barb-syst., BarbAn-syst. [Barbiturates], Benzod-syst., Carm-imploc., Cele-syst., CetiP-syst. [Pseudoephedrine], Chloroq-syst., Chym-parloc., Cital-syst., CitAGM-mucloc., Clon-parloc., Cloz-syst., Cop-syst., Cyclope-oph., DecAn-syst. [Acetaminophen-containing combinations], Dexmet-syst., Dext-syst., Diaz-parsyst., Diett-top., Dif-syst., DiphenA-syst., Doxep-top., Esz-syst., Exen-syst., Fluda-syst., Fluox-syst., Fluv-syst., Glyc-syst., Hal-syst., Hydxy-c-syst., IbupO-syst. [Oxycodone], Ifo-syst., Imm-syst., IsomDA-syst., Ketot-syst., Lamo-syst., Leve-syst., Lox-syst., MagSup-syst., Map-syst., Mecl-syst., Mor-syst., Nab-syst., Nitrop-syst., Paro-syst., Pegas-syst., Pentost-syst., Phenot-syst., Pimo-syst., Quid-syst., Rabe-syst., RifamI-syst., RifamIP-syst., Sertr-syst., SodBeSP-syst., SodN-syst., SodO-syst., Thie-syst., Thiox-syst., Tini-syst., Tiz-syst., Tram-syst., Tret-syst., Vac-syst., Vala-syst., Ven-syst., Vig-syst., Zale-syst., Zon-syst., Zop-syst.*

diabetic: *Ola-syst.*

drowsiness to profound coma: *IbupO-syst. [Ibuprofen]*

Repertório - Capítulo MENTAL

hyperosmolar (confusion): *Diaz-parsyst.*

nonketotic: *Glyc-syst.*

fatal: *Glyc-syst.*

hepatic (change in consciousness; loss of consciousness): *Azac-syst.*

prolongued: *Ethc-syst.*

rats: *Eno-syst.*

seizures, after: *Pemo-syst.*

very young, in the: *Atrop-oph.*

consciousness, altered: *CarbidL-syst., Moli-syst., PerpA-syst., Phenot-syst., Thiox-syst., Tolc-syst.*

decreased, depressed level of (reduced mental alertness): *Acyc-syst., Leve-syst., Metyra-syst., SodO-syst.*

patients with renal insufficiency: *Vala-syst.*

impaired: *Cital-syst., Esz-syst., Phenot-syst., Tia-syst.*

lapses of: *Carv-syst.*

during a few minutes: *Diat-syst.*

grogginess: *Ropin-syst.*

lethargy (tiredness and weakness; drowsiness): *Acyc-syst., Alpr-syst., Aman-syst., Aminglut-syst., Amsa-syst., AntinfN-syst., AntdiaS-syst.* [*Chlorpropamide, Tolbutamide*], **Atom-syst., Azac-syst.,** *BisSMT-syst.* [Bismuth subsalicylate], *Carbam-syst., Cele-syst., Cital-syst., CitAGM-mucloc., Clofar-syst., Clon-syst., ClonC-syst., Cortic-nas.* [*Beclomethasone (monohydrate), Budesonide, Dexamethasone, Flunisolide, Fluticasone*], *Cyclosp-syst., Cys-syst., Dacti-syst., DiphtTTH-syst., DiphtTTPVH-syst., Dom-syst., Dron-syst., Gab-syst., Guanab-syst., HaeC-syst., HaeP-syst., Histr-syst., IbupO-syst.* [Ibuprofen], *Ison-syst., Isot-syst., LamiZ-syst.* [Zidovudine], **Meg-syst.,** *Melo-syst., Mor-syst., Nali-syst., Paro-syst., Pyridos-syst., RifamI-syst., RifamIP-syst., Sulfo-syst., Tacro-top., Thr-syst., Tia-syst., Tolc-syst., TramA-syst.* [Tramadol], *Tret-syst., Vald-syst., Valp-syst., ValsH-syst., Ven-syst., Vind-syst., Zale-syst., Zid-syst., Zop-syst.*

rodents: *Gemif-syst.*

short-term and reversible: *Amif-syst.*

stupor (decreased awareness or responsiveness): *Acamp-syst., AntdiaS-syst.* [*Chlorpropamide, Tolbutamide*], *Carbam-syst., Carm-imploc., Cital-syst., Clod-syst., Dapt-syst., Del-syst., Doxep-top., Fent-trsyst., Gadob-syst., Gadop-syst., IbupO-syst.* [Oxycodone], *Lit-syst., Mem-syst., Paro-syst., Pegas-syst., Phenot-syst., Sertr-syst., Tacro-top., Thr-syst., Tiz-syst., Tram-syst., TramA-syst., Vasc-syst., Ven-syst., Vind-syst., Zic-syst.*

grogginess: *Ropin-syst.*

sudden: *BenzyB-top.*

transient: *Docet-syst.*

INDIFERENÇA, apatia (falta de sentimento ou emoção; sentimento de não se importar): *Cital-syst., DigitG-syst., Efav-syst., Fluv-syst., Leve-syst., Mir-syst., Nef-syst., Ola-syst., Paro-syst., Topi-syst.*

listlessness: *Anththy-syst.*

loss of interest in self or surroundings: *Moc-syst.*

pediatric patients: *Cisap-syst.*

INQUIETUDE, nervosismo (Ver Agitação; Ansiedade; Excitação; Nervosismo): *Almot-syst.*, *Alos-syst.*, **AmyIN-syst.**, *AmlodAt-syst.* [*Amlod-syst.*], **Amph-syst.**, *Anest-mucloc.*, *Anest-oph.*, *AnestBar-syst.*, **AntdepMAO-syst.** [**Tranlycypromine**], *AntdepT-syst.*, *Anthis-syst.*, *AnthisD-syst.* [*Promethazine*], *AnthisP-syst.*, **AnthisDac-syst.**, **AppSupS-syst.**, **Arip-syst.**, *Benzon-syst.*, *BronA-inhloc.*, *Buc-syst.*, *Butor-nasyst.*, *Caff-syst.*, *Carbam-syst.*, *CarbidEL-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cital-syst.*, *Clom-syst.*, *Coc-mucloc.*, *Cortic-inhloc.*, **CorticG-syst.**, *Cycli-syst.*, *Cyclob-syst.*, **DecAn-syst.**, *Dexmet-syst.*, **Did-syst.**, *Dipheni-syst.*, **DiphtTTH-syst.**, *DipyA-syst.*, *Don-syst.*, *Doxaz-syst.*, *Dron-syst.*, *Enta-syst.*, *Fent-syst.*, *Fent-trsyst.*, *Flavox-syst.*, **Flum-syst.**, *Fluox-syst.*, *Flut-inhloc.*, *Fluv-syst.*, *For-inhloc.*, *Gemif-syst.*, *HydroxT-oph.*, *Hydxcy-syst.*, *Ltry-syst.*, *Levom-syst.*, *Lind-top.*, *Mal-top.*, *Map-syst.*, *Mef-syst.*, *Mem-syst.*, **Meto-syst.**, *Moc-syst.*, *Mont-syst.*, *Nali-syst.*, *Nalo-syst.*, **Nalt-syst.**, *Nar-syst.*, **Nitra-syst.**, *Nitrop-syst.*, **Pare-syst.**, *Paro-syst.*, *Pemo-syst.*, *Phy-oph.*, **Pse-syst.**, *Pyridos-syst.*, *Quin-syst.*, *Reso-top.*, *Ritod-syst.*, *Ropiv-parloc.*, *Seleg-syst.*, *Sertr-syst.*, *Sertr-syst.*, *SodBeSP-syst.*, *Sym-parsyst.*, **Tram-syst.**, *TramA-syst.*, *Trov-syst.*, *Vala-syst.*, *Valp-syst.*, *ValsH-syst.*, *Vasc-syst.*, *Ven-syst.*, *Yoh-syst.*, **Zip-syst.**, *Zop-syst.*

akathisia (inability to sit still; need to keep moving; psychomotor restlessness; involuntary movements): **Arip-syst.**, *Bupro-syst.*, *Cital-syst.*, *Clöz-syst.*, *Drop-syst.*, **Fluox-syst.**, **Hal-syst.**, **Lox-syst.**, **Moli-syst.**, **Ola-syst.**, *Paro-syst.*, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, *Prami-syst.*, **Risp-syst.**, *Sertr-syst.*, **Thiox-syst.**, **Zip-syst.**

asthenia, with (muscle weakness): *EdrA-syst.*

daytime: **Zop-syst.**

depression and nervousness, with: *Carbam-syst.*

desire to keep moving: *Moc-syst.*, *Seleg-syst.*

inability to remain still: *Coc-mucloc.*

increased: **Cyclos-syst.**

internal (feeling jittery) (See Anxiety; Excitement, feeling of): **Exen-syst.**, *HydroxT-oph.*, *Tram-syst.*

jitteriness, jitters: *Alpr-syst.*, *Beth-syst.*, **Caff-syst.**, *Ritod-syst.*, *Sal-syst.* [*Caffeine-containing formulations*]

neonates, severe: **Caff-syst.**

may be caused by vasoconstrictor added to local anesthetic: *Anest-parloc.*

motor: *Carbam-syst.*

severe: *Cyclob-syst.*

unrest: **Dimer-syst.**

unusual, severe: *Antchsp-syst.*, *AnthisDac-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Antm-syst.*, *BarbAn-syst.* [*Aspirin*; *Caffeine*; *Codeine*], *Dext-syst.*, *Dif-syst.*, *DiphenA-syst.*, *FentD-syst.*, *Oxyb-syst.*, *Rabe-syst.*, *Valp-syst.*

INSANIDADE, loucura (Ver Confusão da mente; Demência; Psiquiátricos, Distúrbios).

dementia (poor insight and judgment; problems with memory or speech; trouble recognizing objects; trouble thinking and planning; trouble walking, mood, mental or personality changes): *CarbidL-syst.*, *CarbidEL-syst.*, *Levod-syst.*, *Tret-syst.*

Repertório - Capítulo MENTAL

mental status changes: *Alos-syst.*, *Antac-orloc.* [*Aluminum-containing; Magaldrate*], *CarbidL-syst.*, *Lans-syst.*, *Ola-syst.*, *Que-syst.*, **Sir-syst.**, *Tic-syst.*

INSTABILIDADE (Ver Humor, variável).

emotional lability (crying; depersonalization; dysphoria; euphoria; mental depression; paranoia; quick to react or overreact emotionally; rapidly changing moods): **Amph-syst.**, *Andro-syst.*, *Atorv-syst.*, *Cital-syst.*, *ConjE-syst.*, *Efav-syst.*, *Eton-vag.*, **FollitA-syst.**, *Flum-syst.*, *Fluorq-syst.*, **Gab-syst.**, *Leve-syst.*, **MedE-syst.**, *Mir-syst.*, *Mod-syst.*, **Nafa-syst.**, **Oxc-syst.**, **PegiA2b-syst.**, *Riba-syst.*, **RibaI-syst.**, *Sib-syst.*, *Testos-syst.*, *Tia-syst.*, *TramA-syst.*, *Trip-syst.*, **Valp-syst.**, *Ven-syst.*, *Vig-syst.*, *Zic-syst.*

crying, euphoria, mental depression, with: **Oxc-syst.**

depersonalization, dysphoria, mental depression, paranoia, quick to react or overreact emotionally, rapidly changing moods, with: **Amph-syst.**, *Andro-syst.*, *Atorv-syst.*, *ConjE-syst.*, *Eton-vag.*, *Flum-syst.*, *Fluorq-syst.*, **MedE-syst.**, *Riba-syst.*, *Testos-syst.*, *TramA-syst.*, *Trip-syst.*, **Valp-syst.**, *Zic-syst.*

females.

patients treated for central precocious puberty: **Nafa-syst.**

patients treated for endometriosis: **Nafa-syst.**

patients treated for infertility: **FollitA-syst.**

males.

patients treated for central precocious puberty: **Nafa-syst.**

pediatric patients 3 to 12 years of age: **Gab-syst.**

quick to react or overreact emotionally, with: *Tia-syst.*

rapidly changing moods, with: *Mod-syst.*, *Sib-syst.*

IRRITABILIDADE (VerViolento): *Acamp-syst.*, **Aman-syst.**, *AmlodAt-syst.* [*Amlod-syst.*], **Amph-syst.**, **AntinfN-syst.**, *Antchsp-syst.*, *AntconS-syst.*, *AntdepT-syst.*, *Anthis-syst.*, **AppSupS-syst.**, **Arip-syst.**, **Atom-syst.**, *Barb-syst.*, *BronA-syst.* [*Ephedrine*], *Bupro-syst.*, **Caff-syst.**, *Capec-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *CarbonAI-syst.*, *CetiP-syst.* [*Cetirizine*], *Chlop-syst.*, *ChorioG-syst.*, *CipD-ot.*, *Cital-syst.*, *Clod-syst.*, **Clofar-syst.**, *Clon-parloc.*, *Coc-mucloc.*, *Cortic-top.*, *Crom-systorloc.*, *Dapt-syst.*, *Del-syst.*, *Dexmet-syst.*, *DicM-syst.*, **Did-syst.**, *DiphtTTH-syst.*, **DiphtTTPVH-syst.**, *Dom-syst.*, *Don-syst.*, *Doxaz-syst.*, *EmtT-syst.*, *Enta-syst.*, *Estro-syst.*, *Flavox-syst.*, **Flum-syst.**, *Flut-inhloc.*, *Fluv-syst.*, *Fol-syst.*, *Gab-syst.*, *Guanab-syst.*, **HaeC-syst.**, **HaeP-syst.**, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Histr-syst.*, *HydroI-syst.*, *HydroxT-oph.*, *Isot-syst.*, *Ketot-syst.*, *Lamo-syst.*, *Levod-syst.*, *Lind-top.*, *Mem-syst.*, *Mica-syst.*, *Mont-syst.*, *Nalo-syst.*, *Nalt-syst.*, *Paro-syst.*, **PegiA2a-syst.**, **PegiA2b-syst.**, *PerpA-syst.*, **PneC-syst.**, *Podop-top.*, **Poli-syst.**, **PoliO-syst.**, *Proge-syst.*, *Pyran-orloc.*, *Pyridos-syst.*, **Riba-syst.**, **RibaI-syst.**, *Riz-syst.*, *SelenSup-syst.*, *Sertr-syst.*, **Sib-syst.**, **Sir-syst.**, *SodBeSP-syst.*, *Tacri-syst.*, *Tacro-top.*, *TetaT-syst.*, *Thr-syst.*, *ThyH-syst.*, *Thyr-syst.*, *Tolc-syst.*, *Topi-syst.*, *Tram-syst.*, *Tret-syst.*, *Vala-syst.*, *Valp-syst.*, *Ven-syst.*, *Vig-syst.*, *Vind-syst.*, *VitA-syst.*, *Yoh-syst.*, **Zon-syst.**

children: *Ketot-syst.*

extreme: **Corticot-syst.**

hypercalcemia, with: *CalcS-syst.*

Repertório - Capítulo MENTAL

hyperirritability: *Alpr-syst.*, **AntconD-syst.**, **AntconH-syst.**

increased: **Cyclos-syst.**, *Pemo-syst.*

temporary: *Seleg-syst.*

unusual, severe: AntdepMAO-syst., *AnthiP-syst.*, Antm-syst., *AppSupS-syst.*, Dext-syst., Dif-syst., DiphenoA-syst., *Doxaz-syst.*, Oxyb-syst., *Valp-syst.*

LASCIVO, sensual (Ver Amatividade; Ninfomania; Satíriase; GENITALIA MACULINA/FEMININA, Desejo Sexual, aumentado).

hypersexuality: *Levod-syst.*

LENTIDÃO.

mental slowing: *Metyra-syst.*, *Zic-syst.*, *Zon-syst.*

psychomotor slowing or retardation (generalized slowing of mental and physical activity): *Nef-syst.*, *Oxc-syst.*, **Topi-syst.**

psychomotor skills, impaired (generalized slowing of mental and physical activity): SodO-syst.

LETARGIA (sonolência incomum, embotamento, cansaço, fraqueza ou sensação de lentidão; falta de interesse; atividade física reduzida) (Ver Inconsciência): *Acamp-syst.*, *Acyc-syst.*, *Alpr-syst.*, *Aman-syst.*, *Aminglut-syst.*, *Amsa-syst.*, *AntinfN-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], **Atom-syst.**, **Azac-syst.**, BisSMT-syst. [Bismuth subsalicylate], *Carbam-syst.*, *Cele-syst.*, *Cital-syst.*, *CitAGM-mucloc.*, *Clod-syst.*, **Clofar-syst.**, *Clon-syst.*, *ClonC-syst.*, *Cortic-nas.* [*Beclomethasone (monohydrate)*, *Budesonide*, *Dexamethasone*, *Flunisolide*, *Fluticasone*], *Cyclosp-syst.*, **Cys-syst.**, **Dacti-syst.**, *Dapt-syst.*, *Del-syst.*, *DiphtTTH-syst.*, *DiphtTTPVH-syst.*, *Dom-syst.*, *Dron-syst.*, *EmtT-syst.*, *Gab-syst.*, *Guanab-syst.*, **HaeC-syst.**, **HaeP-syst.**, *Histr-syst.*, *IbupO-syst.* [Ibuprofen], *Ison-syst.*, *Isot-syst.*, *LamiZ-syst.* [Zidovudine], **Meg-syst.**, *Melo-syst.*, *Mem-syst.*, *Mica-syst.*, *Mor-syst.*, *Nali-syst.*, *Paro-syst.*, *Pyridos-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Sertr-syst.*, **Sulfo-syst.**, *Tacro-top.*, *Thr-syst.*, *Tia-syst.*, *Tolc-syst.*, *TramA-syst.* [Tramadol], *Tret-syst.*, *Vald-syst.*, *Valp-syst.*, *ValsH-syst.*, *Ven-syst.*, *Vind-syst.*, *VitDA-syst.*, *Zale-syst.*, *Zid-syst.*, *Zop-syst.*

rodents: *Gemif-syst.*

LOQUACIDADE (Ver Linguagem).

talkativeness: *Coc-mucloc.*

MAL HUMORADO, rabugento, irritado, ranzinza, taciturno.

fretfulness: *DiphtTT-syst.* [*Diphtheria and Tetanus Toxoids*], *DiphtTTPV-syst.*, **DiphtTTPVH-syst.**

MANIA (falando, sentindo e atuando com excitação e atividade, você não pode controlar; irritabilidade; nervosismo) (Ver Euforia): *AppSupS-syst.*, *Bupro-syst.*, *CarbidL-syst.*, *Cital-syst.*, *Efav-syst.*, *Fluv-syst.*, *Levod-syst.*, *Mir-syst.*, *Nef-syst.*, *Paro-syst.*, *Risp-syst.*, *Sertr-syst.*, *Ven-syst.*

manic behavior: *Clar-syst.*

manic depressive reaction (sudden, wide mood swings): *Carbam-syst.*

Repertório - Capítulo MENTAL

manic reaction (actions that are out of control; irritability; nervousness; talking, feeling, and acting with excitement): *Carbam-syst.*, *Sertr-syst.*

hypomania: *Alos-syst.*, *AntdepMAO-syst.*, *Bupro-syst.*, *CarbidL-syst.*, *Cital-syst.*, *Fluv-syst.*, *Levod-syst.*, *Methylp-syst.*, *Nef-syst.*, *Paro-syst.*, *Risp-syst.*, *Sertr-syst.*, *Ven-syst.*

psychiatric illness, pre-existing, with: *Cyclob-syst.*

psychic disturbances (depression; false sense of well-being; mood swings; personality changes): *Cortic-rec.*

MASCULINOS (hábitos e características masculinas): *Andro-syst.*, *Testos-syst.*

MATAR, desejo de (ideação homicida, desejo de matar): *PegiA2b-syst.*

homicidal tendencies: *BronA-syst.* [*Epinephrine*]

MEDO, apreensão, pavor (Ver Assustado facilmente): *Aman-syst.*, *Antm-syst.*

apprehension: *Antcoa-syst.*, *AntvCPol-syst.*, *AntvM.*, *Coc-mucloc.*, *Lid-top.*, *LidP-top.*

expressed, of impending death: *Fludro-syst.*, *Penicil-syst.*

MEMÓRIA, dificuldade com: *Zon-syst.*

weakness of.

blackout spells: *Lit-syst.*

impairment of (being forgetful): *BronA-syst.* [*Epinephrine*], *CarbidEL-syst.*, *Dron-syst.*, *Mir-syst.*, *Nef-syst.*, *PegiA2a-syst.*, *Seleg-syst.*, *SodPhe-syst.*, *Zic-syst.*

poor: *Lit-syst.*

problems: *Fluv-syst.*, *Moc-syst.*, *Risp-syst.*, *Tia-syst.*, *Topi-syst.*

sudden (See Forgetful).

loss of memory (amnesia): *Aman-syst.*, *Antchsp-syst.*, *Antdys-syst.*, *Atorv-syst.*, *Bell-syst.*, *Carbam-syst.*, *Carm-imploc.*, *Cital-syst.*, *DipyA-syst.*, *Dron-syst.*, *Efav-syst.*, *Esz-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, *Gab-syst.*, *IntB1b-syst.*, *Lamo-syst.*, *Leve-syst.*, *Mida-syst.*, *Miglu-syst.*, *Moc-syst.*, *Mod-syst.*, *Nico-nas.*, *Ola-syst.*, *Paro-syst.*, *Prami-syst.*, *Pre-syst.*, *Ropin-syst.*, *SodO-syst.*, *Tem-syst.*, *Tram-syst.*, *TramA-syst.*, *Valp-syst.*, *Vig-syst.*, *Zale-syst.*, *Zic-syst.*

amnesia, anterograde (lack of memory of events taking place after): *Benzod-syst.*, *Zolp-syst.*, *Zop-syst.*

cerebral angiography, after: *Iov-syst.*

global, transient: *Ioh-syst.*, *Iopa-syst.*, *Ioxa-syst.*

pediatric patients: *Cisap-syst.*

MUTILA seu corpo (Ver Ferir-se).

NERVOSISMO (Ver Agitação; Ansiedade; Inquietude): *Almot-syst.*, *Aman-syst.*, *AmlodBen-syst.*, *Anag-syst.*, *Anast-syst.*, *Andro-syst.*, *AmlodAt-syst.* [*Amlod-syst.*], *Amph-syst.*, *Anest-mucloc.*, *Anest-oph.*, *AnestBar-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *Antchsp-*

syst. [*Glycopyrrolate*], **AntconH-syst.**, *AntdepMAO-syst.*, *AntdepT-syst.*, *Antdys-syst.*, *Anthis-syst.*, **AnthisDac-syst.**, *AnthisP-syst.*, *AntvCPOv-syst.*, **AppSupS-syst.**, *Aprac-oph.*, **Arip-syst.**, *Aspar-syst.*, *Barb-syst.*, *BetBA-oph.* [*Levobetaxolol and Metipranolol*], *BetBA-syst.*, *BetBAT-syst.*, *Beth-syst.*, *BisSMT-syst.*, **Biv-syst.**, **BronA-inhloc.**, **BronA-syst.**, *BronT-syst.*, *Buc-syst.*, *Butor-nasyst.*, **Caff-syst.**, *CarbidEL-syst.*, *CarbidEL-syst.*, *CarbonAI-syst.*, *Cefd-syst.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cital-syst.*, *Clar-syst.*, *Clom-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Coc-mucloc.*, *ConjE-syst.*, **CorticG-syst.**, *Cycli-syst.*, *Cyclob-syst.*, **Cyclos-syst.**, *Dant-syst.*, *Daps-syst.*, **DecAn-syst.**, *DeslP-syst.*, *Dexmet-syst.*, *DicM-syst.*, *Dihy-nasyst.*, *Dipheni-syst.*, *Diso-syst.*, *DiuL-syst.*, *Dom-syst.*, *Don-syst.*, *Doxaz-syst.*, *Dron-syst.*, *Dyp-syst.*, *Efav-syst.*, *Enta-syst.*, **Epop-syst.**, *Esm-syst.*, *Estro-syst.*, *Fel-syst.*, *Fenol-syst.*, *Fent-syst.*, **Fent-trsyst.**, *FentD-syst.*, *Fex-syst.*, *FexP-syst.*, *Flavox-syst.*, **Flum-syst.**, **Fluorq-syst.**, *Fluorq-syst.*, **Fluox-syst.**, *FlutS-inhloc.*, *Fluv-syst.*, *For-inhloc.*, *Gab-syst.*, *Ganc-syst.*, *Gemif-syst.*, *Gos-syst.*, **Hist-syst.**, *HistH2-syst.*, **HydroI-syst.**, *HydroxT-oph.*, *Hydxcy-syst.*, *IbupO-syst.*, *IndiuS-syst.*, **IntA1-syst.**, *IntB1b-syst.*, *IntA-syst.*, *Ipri-inhloc.*, *IpriA-inhloc.*, *Irb-syst.*, *Isot-syst.*, *Ketot-syst.*, **Leval-inhloc.**, *Levam-syst.*, *Leve-syst.*, *Levof-syst.*, **Levom-syst.**, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lind-top.*, *Lor-syst.*, **MedE-syst.**, *Melo-syst.*, *Mem-syst.*, *MepA-syst.* [*Aspirin*], *Methox-syst.*, **Methylp-syst.**, *Metyra-syst.*, **Mex-syst.**, *Mido-syst.*, *Moc-syst.*, **Mod-syst.**, *Mont-syst.*, *Mor-syst.*, *Nab-syst.*, *Nalo-syst.*, **Nalt-syst.**, *Nap-oph.*, *Niti-syst.*, *Nitrop-syst.*, *Nyl-syst.*, *Ola-syst.*, *Oxc-syst.*, *Oxym-nas.*, *Oxym-oph.*, **Pare-syst.**, **Paro-syst.**, **PegiA2a-syst.**, **Pentost-syst.**, *Pheny-nas.*, *Phy-oph.*, *Podop-top.*, *Prazo-syst.*, *PrazoP-syst.*, *Pre-syst.*, **Procar-syst.**, **Proge-syst.**, **Pse-syst.**, *Pyridos-syst.*, *Rau-syst.*, *Reso-top.*, *Riba-syst.*, **RibaI-syst.**, *Rima-syst.*, **Risp-syst.**, *Ritod-syst.*, *Ritu-syst.*, *Ropin-syst.*, *Sac-syst.*, *Sal-syst.* [*Caffeine-containing formulations*], *Seleg-syst.*, *Sertr-syst.*, **Sib-syst.**, *SodBeSP-syst.*, *SodC-parloc.*, **SodO-syst.**, *Spa-syst.*, **SulfadP-syst.**, *SulfoT-syst.*, *Sym-parsyst.*, *Tacri-syst.*, **Tacro-syst.**, *Teli-syst.*, *Telm-syst.*, *ThyH-syst.*, *Thyr-syst.*, **Tia-syst.**, **Tiz-syst.**, *Toc-syst.*, **Topi-syst.**, **Tram-syst.**, *TramA-syst.*, *Trio-syst.*, *Ure-syst.*, *Vala-syst.*, **Valp-syst.**, *Valp-syst.*, *Vasc-syst.*, **Ven-syst.**, *Xyl-nas.*, *Yoh-syst.*, *Zale-syst.*, **Zic-syst.**, *Zon-syst.*

adults: *Aspar-syst.*

children: *Ketot-syst.*

depression and restlessness, with: *Carbam-syst.*

female infertility, patients treated for: *FollitA-syst.*

reversible: *Aspar-syst.*

severe: *Antchsp-syst.*, *AnthisDac-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Antm-syst.*, *AspirSC-syst.*, *BarbAn-syst.* [*Aspirin; Caffeine; Codeine*], *Bupre-syst.*, *Cyclob-syst.*, *Dext-syst.*, *Dif-syst.*, *DiphenoA-syst.*, *Oxyb-syst.*, *Rabe-syst.*

NEUROPSIQUIÁTRICOS, EFEITOS, INCLUINDO MUDANÇAS NO ESTADO MENTAL (agitação, confusão; depressão mental; sonolência, cansaço incomum): **Aldes-syst.**

toxicity, neuropsychiatric (delirium; disorientation; hallucinations; irritability): **Thiab-syst.**

NEUROSE: *Efav-syst.*

Repertório - Capítulo MENTAL

NINFOMANIA (Ver Amatividade; Lascivo; Satiríase; GENITALIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

hypersexuality: *Levod-syst.*

PÂNICO, doença ou síndrome do.

panic disorders: *Nar-syst.*

panic, feeling of: *Dinopst-parloc.*

panic attacks (panic; anxiety, chest pain or discomfort, fast or pounding heartbeat, sweating): *BronA-syst.* [*Epinephrine*]; *Bupro-syst.*, *CarbidL-syst.*, *Fluv-syst.*, *Levod-syst.*, *Mef-syst.*, *Ven-syst.*

panic-like sensation: *Meto-syst.*

panic reaction: *Cital-syst.*, *Dron-syst.*

panic state: *AppSupS-syst.*

PARANÓIA (Ver Psicótica, Reação; Esquizofrenia).

PENSAMENTO, anormal (confusão; ilusões; demência) (Ver Confusão da mente; Delírio; Ilusões; Demência): *Abcix-syst.*, *Acetyl-syst.*, *Carm-imploc.*, *Cyclob-syst.*, *DoxorL-syst.*, *Fent-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, *HydroI-syst.*, *IbupO-syst.*, *Mir-syst.*, *Nef-syst.*, *Oxc-syst.*, *Prami-syst.*, **Pre-syst.**, *Riton-syst.*, **SodO-syst.**, *TramA-syst.*, *Valp-syst.*, *Ven-syst.*, *Vig-syst.*, **Zic-syst.**, *Zop-syst.*

difficulty in: *Methys-syst.*

mental deficiency (difficulty in thinking or concentrating): *Tolc-syst.*

pediatric patients 3 to 12 years of age: **Gab-syst.**

troubled: **Dron-syst.**, *Gab-syst.*, **IntA1-syst.**, *IntG-syst.*, *IntA-syst.*

PENSAMENTO, distúrbios do (problemas de concentração e alteração no desempenho escolar) (Ver Concentração; Confusão da mente; Embotamento, lentidão, difícil de pensar e compreender, torpor; Fala; Torpor): **Gab-syst.**

racing: *Vasc-syst.*

PROSTRAÇÃO da mente, exaustão mental (extremo cansaço ou fraqueza).

exhaustion, extreme (See GENERALITIES, Exhaustion; GENERALITIES, Weakness): *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*

prostration: *Pyran-orloc.*, *Sur-syst.*

baboons: *Clop-syst.*

dogs: *Levof-syst.*

mice: *Levof-syst.*

monkeys: *Levof-syst.*

rats: *Levof-syst.*

tiredness, unusual: **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, **Abar-syst.**, *Acamp-syst.*, *Acyc-syst.*, **Adal-syst.**, **Aldes-syst.**, *Alfuz-syst.*, *Amio-syst.*, *AmincAc-syst.*, *Amph-syst.*, *AmylN-syst.*, *Anast-syst.*, *Anest-oph.*, *AngInH-syst.*, *Antchsp-syst.*, *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepT-syst.* [*Amoxapine*], *AntfunA-syst.* [*Itraconazole*], *AnthisP-syst.*, *Antm-syst.*, *Anthyr-syst.*, *Aprep-syst.*, *Arip-syst.*, *ArsTr-syst.*, *Aspar-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Atrop-oph.*, *AtropB-syst.*,

Repertório - Capítulo MENTAL

Azac-syst., BarbAn-syst. [*Barbiturates*], Bell-syst., Benzod-syst., BetBA-oph., **BetBA-syst.**, **BetBAT-syst.**, Bevac-syst., **Bort-syst.**, **BotA-parloc.**, **Brim-oph.**, Bromo-syst., Bupre-syst., Busp-syst., CalcCBA-syst., CalcS-syst., **Capec-syst.**, Carbam-syst., CarbidL-syst., CarbidEL-syst., **CarbonAI-syst.**, Cefu-syst., Cele-syst., Ceph-syst., Chloramp-oph., Chloramp-syst., ChlordA-syst., ChorioG-syst., Cil-syst., Cisp-syst., Cital-syst., **Clad-syst.**, Clar-syst., Clod-syst., Clom-syst., **Clon-syst.**, **ClonC-syst.**, Cloz-syst., **ConjE-syst.**, Cortic-ot., Cortic-rec. [*Tixocortol*], Cortic-top., CorticG-syst., Cyclob-syst., Cyclope-oph., **Cycloph-syst.**, Cyt-syst., **Dant-syst.**, Dapt-syst., Del-syst., Dif-syst., Dipheni-syst., Disu-syst., Docet-syst., Don-syst., **Doxaz-syst.**, **DrosE-syst.**, Dul-syst., Dut-syst., Edr-syst., EdrA-syst., EmtT-syst., Esm-syst., Eso-syst., **EstroPO-syst.**, Etan-syst., **Ethc-syst.**, Etop-syst., EzetS-syst., **Fent-syst.**, Fex-syst., Flec-syst., Fluox-syst., **FollitA-syst.**, Fosam-syst., Gab-syst., Gadop-syst., Gals-syst., Gemc-syst., Gemf-syst., Glim-syst., Glut-syst., **Gra-syst.**, Gri-syst., **GroH-syst.**, **Guane-syst.**, Guanf-syst., Hal-syst., Histr-syst., Hom-oph., Hyalur-parloc., HydroxT-oph., **Iba-syst.**, Ibr-syst., IbupO-syst. [*Ibuprofen*], **Ifo-syst.**, Ima-syst., **Imiq-top.**, Imm-syst., Indin-syst., Infli-syst., InsD-syst., **IntG-syst.**, **IntA-syst.**, Iopa-syst., Iot-syst., Ioxa-syst., Ipe-orloc., **Ipr-inhloc.**, Iri-syst., Iron-syst., **Ison-syst.**, Ketor-syst., LamiZ-syst., Lamo-syst., Lans-syst., **Lar-syst.**, Lef-syst., **Len-syst.**, Let-syst., Levam-syst., Levod-syst., Lom-syst., LopiR-syst., Lox-syst., Lut-syst., **Map-syst.**, **Mecam-syst.**, Mef-syst., Melo-syst., Mem-syst., Mep-syst., MepA-syst., Mero-syst., **Mesa-orloc.**, **MetfP-syst.**, MethotC-syst., **Meto-syst.**, Mex-syst., Mica-syst., Mitom-syst., Moc-syst., Moli-syst., Mor-syst., **Nalt-syst.**, Nar-syst., **Natal-syst.**, Nef-syst., **Nev-syst.**, Nia-syst., Nitra-syst., Nitro-syst., **NoreE-syst.**, Olm-syst., Omeq-syst., Ond-syst., **Opi-syst.**, Opr-syst., Ose-syst., **Oxa-syst.**, Oxc-syst., Oxyb-syst., **Pam-syst.**, Pantop-syst., **Pare-syst.**, Paro-syst., PegiA2b-syst., PenicilB-syst., PenteC-syst., **Pentost-syst.**, Perg-syst., PerpA-syst., Phenot-syst., Phenox-syst., Phy-oph., Phy-syst., **Pime-top.**, Pli-syst., **PoliO-syst.**, **Praml-syst.**, Pre-syst., **Procar-syst.**, **Proge-syst.**, Propa-syst., Pyridos-syst., Pyrim-syst., Que-syst., Quin-syst., Rabe-syst., Ram-syst., Ras-syst., Rima-syst., Risp-syst., Ritu-syst., **RosiM-syst.**, Sco-oph., Seleg-syst., SelenSup-syst., **Sertr-syst.**, **Sir-syst.**, SodN-syst., Sta-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., **SulfoT-syst.**, Tacro-syst., Tacro-top., Tad-syst., Tamo-syst., Teli-syst., **Tem-syst.**, Teno-syst., Terb-syst., Thali-syst., Thiox-syst., Thr-syst., Tinz-syst., Tiop-syst., **Tiot-inhloc.**, Topi-syst., **TosI-syst.**, Tram-syst., Traz-syst., Tret-syst., Trop-oph., Tros-syst., **Urs-syst.**, Vac-syst., Vald-syst., Valg-syst., Vari-syst., Ven-syst., Vind-syst., VitA-syst., VitDA-syst., VitE-syst., **Zole-syst.**, Zolp-syst., **Zon-syst.**

adults: Aspar-syst.

children, young: AcetSal-syst., AspirSC-syst.

severe: AnthisDAg-syst. [*Salicylate-containing combinations*], DecAn-syst. [*Salicylate-containing combinations*], MepA-syst. [*Aspirin*], Sal-syst.

hypercalcemia, with: CalcS-syst.

infants, cyanotic, during angiocardiology: **Ioxa-syst.**

mild: **AntdepT-syst.**, **PerpA-syst.**

severe, to: **PerpA-syst.**

pain in one side of the body, anxiety, nausea, with: HyalSD-syst.

patients treated for female infertility: **FollitA-syst.**
 patients pretreated with a gonadotropin-releasing hormone agonist (GnRH α)
 undergoing artificial reproductive technologies (ART): **FollitA-syst.**
 reversible: *Aspar-syst.*
 severe: Lox-syst., **PerpA-syst.**, Thiox-syst.
 children: AnthisDAg-syst. [Salicylate-containing combinations],
DecAn-syst. [Salicylate-containing combinations], MepA-syst.
 [Aspirin]

PSICOSE (Ver Insanidade; Psiquiátricos, Distúrbios; Psicótica, Reação; Esquizofrenia).

PSICOSSOMÁTICA, REAÇÃO (alterações na visão; calafrios; efeitos no SNC [dormência, formigamento, dor ou fraqueza em mãos ou pés]; confusão; vertigem ou tontura; dor de cabeça; aumento na transpiração; aumento da salivação, náusea ou vômito; cansaço incomum ou fraqueza; sede incomum) (Ver Histeria; Sensibilidade; GENERALIDADES): *Diat-syst.*, *Iot-syst.*

PSICÓTICA, REAÇÃO (psicose [sensação de que outras pessoas podem ouvir seus pensamentos; sensação de que outras pessoas estão assistindo você ou controlando seu comportamento; sentir, ver ou ouvir coisas que não existem]; alterações mentais ou de humor graves; comportamento incomum) (Ver Esquizofrenia; Psiquiátricos, Distúrbios): *Acyc-syst.*, *Aman-syst.*, *Amph-syst.*, *AntinfN-syst.*, *AppSupS-syst.*, *Bupre-syst.*, *Chloroq-syst.*, *Cital-syst.*, *Clar-syst.*, *Coc-mucloc.*, *Cortic-inhloc.*, *Cortic-rec.*, *Daps-top.*, *DicM-syst.*, *Diett-top.*, *Disu-syst.*, *Efav-syst.*, *Fel-syst.*, *Fluv-syst.*, *HistH2-syst.*, *HydroxT-oph.*, *Hydxcy-syst.*, *Isot-syst.*, *Ketor-syst.*, *Levod-syst.*, *Mem-syst.*, *Mod-syst.*, *Nitro-syst.*, *Oxyt-syst.*, *Pam-syst.*, *Sertr-syst.*, *Trop-oph.*, *Zic-syst.*

anxiety with tension, possibly leading to psychosis: BronA-syst. [Ephedrine]

dopamine, increase of the levels: **Bromo-syst.**, **Cab-syst.**

hallucinations (severe mental changes; seeing, hearing, or feeling things that are not there): *AtovaPro-syst.*

paranoia (delusions of persecution, mistrust, suspiciousness, and/or combativeness): **Amph-syst.**, *Andro-syst.*, *Atorv-syst.*, *Benzod-syst.*, BronA-inhloc. [Nebulized albuterol], *ConjE-syst.*, *Efav-syst.*, *Eton-vag.*, *Fent-trsyst.*, *Flum-syst.*, *Fluorq-syst.*, *Gemif-syst.*, *Levam-syst.*, **MedE-syst.**, *Riba-syst.*, **Sir-syst.**, *Testos-syst.*, *TramA-syst.*, *Trip-syst.*, **Valp-syst.**, *Zic-syst.*

extreme distrust: *Bupro-syst.*

mistaken feelings of self-importance or being mistreated: *CorticG-syst.*

pediatric patients 3 to 12 years of age: **Gab-syst.**

paranoid delusions: BronA-syst. [Epinephrine], *Levod-syst.*, *Pyridos-syst.*

paranoid ideation: *CarbidL-syst.*, *CarbidEL-syst.*, *Coc-mucloc.*, *Levod-syst.*

paranoid psychosis: *AntconS-syst.*

paranoid reaction or symptoms (fearfulness, suspiciousness, or other mental changes): *Benzod-syst.*, *Carm-imploc.*, *Cital-syst.*, *Nef-syst.*, *Prami-syst.*, *Zic-syst.*

paranoid schizophrenia: BronA-syst. [Ephedrine]

psychosis (confusion; delusions; hallucinations; illogical thinking): *Valg-syst.*, *Vig-syst.*

Repertório - Capítulo MENTAL

acute (confusion; hallucinations; restlessness; seizures; tremors): *Fluorq-syst.*, *Levof-syst.*, *Spa-syst.*, *Trov-syst.*

hallucinations, in association with: *Tiz-syst.*

overt: *VitDA-syst.*

toxic (mood or mental changes, hallucinations; aggressive and violent behavior): *Amph-syst.*, *Antdys-syst.*, *Nali-syst.*

delusions and hallucination, with (changes in mood; confusion; irrational behavior; depersonalization, hallucinations): *CetiP-syst.*, *Methylp-syst.*

hyperactivity, visual and auditory hallucinations, with: *Dext-syst.*

psychotic behavior (agitation; delusions; hallucinations): *SodTh-syst.*

psychotic episodes (mood or mental changes, usually associated with previous history of psychiatric illness, hallucinations): *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *DecAn-syst.*, *Levod-syst.*, *Nab-syst.*

psychotic manifestations (mood or mental changes, mental depression, and/or restlessness): *Mef-syst.*

psychotic symptoms: *Leve-syst.*

unusual behavior, such as disorientation to time or place, failure to recognize people, hyperactivity, or restlessness: *Cyclope-oph.*

PSIQUIÁTRICOS, DISTÚRBIOS (estado mental [personalidade ou comportamento] modificado ou alterado [agitação, ansiedade, excitação, nervosismo; confusão ou desorientação sobre sua identidade, pessoas, lugar e tempo; delírios; alucinações, depressão mental; humor alterado; sonolência; cansaço incomum]) (Ver Alucinações; Ansiedade; Confusão da mente; Delírio; Demência; Depressão; Esquizofrenia; Excitação; Humor alterado; Ilusões; Nervosismo; Psicótica, Reação; Tristeza): *CarbidL-syst.*, *Mecam-syst.*, *Methy-syst.*, *Ethi-syst.*, *IntB1a-syst.*, *HydroxT-oph.*, *Nab-syst.*, *Ola-syst.*, *Que-syst.*, *Sertr-syst.*

continued deterioration of mental status: *Fluda-syst.*

emergence reaction (alterations in mood or body image; delirium; dissociative or floating sensations): **Keta-syst.**

mental depression or anxiety, nightmares or unusually vivid dreams: *Methy-syst.*

neuropsychiatric problems (confusion, agitation, hallucinations, irritability, panic, paranoid delusions, mental depression, dementia, mania, and psychosis; euphoria, hypersexuality, or hypomania): *Levod-syst.*

mental status, altered (See *Insanity*).

female patient: *Tiot-inhloc.*

nightmares or unusually vivid dreams, mental depression or anxiety: *Methy-syst.*, *MethyTD-syst.*

personality disorder (nonaggressive objectionable behavior): **Ola-syst.**

personality or behavioral changes (anxiety; mental depression; mood changes; nervousness): *Fluox-syst.*, *Paro-syst.*

females: *Gos-syst.*

adult: *Leup-syst.*

Repertório - Capítulo MENTAL

mental disturbances, severe (anxiety, confusion, agitation or combativeness, depression, seizures, hallucinations, expressed fear of impending death): Fludro-syst., Penicil-syst.

RAIVA, irascibilidade (Ver Irritabilidade; Violento): Methylp-syst.

RECONHECE, não reconhece objetos, pessoas, sons, formas, etc: Tret-syst.

SATIRÍASE (Ver Amatividade; Lascivo; Ninfomania; GENITALIA MASCULINA/FEMININA, Desejo Sexual, aumentado).

hypersexuality: Levod-syst.

SEDAÇÃO ou efeitos sedativos (sonolência; calmo e relaxado) (Ver SONO; GENERALIDADES): Almot-syst., Busp-syst., Capec-syst., Clon-parloc., Ketot-syst., Metyro-syst., Mis-syst., **Phenot-syst.**, Tram-syst., Zic-syst., Zip-syst.

excessive: **Drop-syst.**, Methy-syst., Opi-syst.

resedation, severe: Flum-syst.

SENSAÇÕES, como se (Ver GENERALITIES).

being outside the body, feeling of: Methys-syst.

cold, feeling: Anest-mucloc., Fro-syst., Gadob-syst., Lid-syst., Lid-top., LidP-top., Lit-syst., Mido-syst., Ond-syst., Riz-syst., Sum-syst., **Vac-syst.**

constant movement of self or surroundings, feeling of: **Nali-syst.**

depersonalization, feelings of: AntinfN-syst., Bupre-syst., Opi-syst.

feeling of unreality; sense of detachment from self or body: Clar-syst., Fluorq-syst., Paro-syst.

drugged feelings: Paro-syst., Zolp-syst.

drunkenness, feeling of: Fome-syst.

dizzy, and: Alos-syst.

floating feeling: Butor-nasyst.

heartbeat sensations: AmlodBen-syst.

heat, feeling of; warmth, feeling of; hot, feeling (See GENERALITIES, Heat): Anest-mucloc., **Butor-nasyst.**, CalcCBA-syst. [**Nicardipine**, **Niferdipine**], **CalcS-syst.**, Casp-syst., DipyA-syst., Fro-syst., Iov-syst., Lid-syst., Lid-top., LidP-top., Lod-oph., Ned-inhloc., **Nef-syst.**, Nia-syst., Prota-syst., Pyridos-syst., Riz-syst., SodC-parloc., Sum-syst., Tram-syst., **Vac-syst.**

itching and burning feeling: Hepar-syst.

jittery, feeling: **Exen-syst.**

numb, feeling: Anest-mucloc., Lid-syst., Lid-top., LidP-top., Sum-syst.

panic-like sensation: Meto-syst.

pins and needles: Cele-syst., EmtT-syst., **Erl-syst.**, FlutS-inhloc., **Lami-syst.**, **Peme-syst.**, **Pre-syst.**, Ritu-syst., **Sir-syst.**, **Sor-syst.**

children: **Lami-syst.**

shock-like electrical: Paro-syst., Sertr-syst., Ven-syst.

stimulation, sense of: CarbidEL-syst.

“strange” feeling: Sum-syst.

Repertório - Capítulo MENTAL

tightness sensation: Sum-syst.

tingling sensation: **CalcS-syst.**, Sum-syst.

unreality, feelings of: Bupre-syst., Dron-syst., Opi-syst.

well-being, sense of: Bupro-syst., Seleg-syst.

false: **Amph-syst.**, Antchsp-syst., Antdys-syst., **AppSupS-syst.**, Bupre-syst.,
Butor-nasyst., Levom-syst., Mep-syst., Moli-syst., Opi-syst. [**Pentazocine**]

“wired”, feeling: Levom-syst.

SENSIBILIDADE, hipersensibilidade (Ver Psicossomática, Reação; Histeria).

quick to react or overreact emotionally: **Amph-syst.**, Andro-syst., Atorv-syst.,
ConjE-syst.

SOCIABILIDADE, comunicativo, expansivo.

extroversion (behavior or mental changes): Zop-syst.

SUICIDA, disposição.

mental depression, with suicidal tendencies (ideation or attempt): CarbidL-syst.,
CarbidEL-syst., IntB1b-syst., Levod-syst.

suicidal ideation, especially with: IntB1a-syst.

suicidal behavior (thoughts of suicide): Ribal-syst.

suicidal ideation (thoughts of killing oneself; changes in behavior): Aman-syst.,
Carbam-syst., Daps-top., Efav-syst., Gemif-syst., Isot-syst., Mef-syst., Natal-syst.,
PegiA2b-syst., Zic-syst.

suicidal tendencies: BronA-syst. [Epinephrine]

suicide (killing oneself): Cele-syst., Clofaz-syst., Imiq-top., Isot-syst., Mef-syst.,
Riba-syst.

suicide attempts (attempts at killing oneself): Aman-syst., Carbam-syst., Daps-top.,
Efav-syst., Fluox-syst., Gemif-syst., Isot-syst., Leve-syst., Mef-syst., Natal-syst.,
PegiA2b-syst., Zic-syst.

thoughts, suicidal: Acit-syst., **Cyclos-syst.**, Gemif-syst.

TAGARELA (Ver Loquacidade).

TEMPO, percepção alterada.

change in how fast you think time is passing: Dron-syst.

disorientation (confusion of identity, place and time) (See Confusion; Delirium):
Aman-syst., Amio-syst., AntinfN-syst., AnthisP-syst., Aprep-syst., Benzod-syst.,
BronA-syst. [Epinephrine], CarbidL-syst., CarbidEL-syst., Clar-syst., CorticG-syst.,
DicM-syst., Dipheni-syst., Dom-syst., Etham-syst., Ison-syst., Lid-top., Methy-syst.,
Mir-syst., Moc-syst.

TORPOR (Ver Estupor; Inconsciência).

TRANQUILIDADE, serenidade, calma (Ver Atividade, hipoatividade).

peacefulness: Anthis-syst. [Diphenhydramine; Doxylamine; Hydroxyzine],
AnthisP-syst. [Promethazine; Trimeprazine], Barb-syst. [Amobarbital];

Aprobarbital; Butabarbital; Pentobarbital; Phenobarbital (parenteral only); Secobarbital], Benzod-syst., ChlH-syst., Dexmed-syst., Esz-syst., Ethc-syst., Mida-syst., Propo-syst., Ram-syst., Zale-syst., Zolp-syst., Zop-syst.

TRISTEZA, desânimo, depressão, melancolia.

depression (discouragement; feeling sad or empty; irritability; lack of appetite; loss of interest or pleasure; tiredness; trouble concentrating; trouble sleeping): **Acamp-syst., Agal-syst., Aldes-syst., Alemt-syst., Almot-syst., Altr-syst., Aman-syst., Aminglut-syst., Amph-syst., Anag-syst., Anast-syst., Andro-syst., AntinfN-syst., AntandN-syst., AntconS-syst., AntdiaS-syst.** [*Chlorpropamide, Tolbutamide*], **AppSupS-syst., Aprac-oph., ArsTr-syst., Aspar-syst., Ataz-syst., Atorv-syst., AtovaPro-syst., Azac-syst., Bacl-intsyst., Bacl-syst., Barb-syst., BarbAn-syst.** [*Barbiturates; Codeine*], **Basil-syst., Benzod-syst., BetBA-oph.** [*Betaxolol, metipranolol, and timolol*], **BetBAT-syst., Brim-oph., Bromo-syst., Bupre-syst., Busp-syst., Busu-syst., Cab-syst., Calcit-nassyst., CalcCBA-syst., Capec-syst., Carbam-syst., CarbidL-syst., CarbidEL-syst., CarbonAI-syst., Carm-imploc., Carv-syst., Cele-syst., Cetux-syst., Cev-syst., ChorioG-syst., Cital-syst., Clar-syst., Clod-syst., Clofar-syst., Clofaz-syst., Clom-syst., Clon-parloc., Clon-syst., ClonC-syst., Clop-syst., Cloz-syst., ConjE-syst., ConjE-syst., Cortic-inhloc., Cortic-top., CorticG-syst., Cyclob-syst., Cyclos-syst., Cyp-syst., Cys-syst., Dant-syst., Daps-top., Dapt-syst., DecAn-syst.** [*Ibuprofen-containing combinations*], **Del-syst., DicM-syst., DigitG-syst., Dihy-nassyst., DiphenoA-syst., Diso-syst., Don-syst., DorzT-oph., Dron-syst., Efav-syst., EmtT-syst., Enf-syst., Erl-syst., Esm-syst., Estro-syst., EstroP-syst., Esz-syst., Eton-vag., Exem-syst., Flec-syst., Fluda-syst., Fludro-syst., Flum-syst., Fluorq-syst., Fluorq-syst., Flut-inhloc., Fol-syst., Ful-syst., Gab-syst., Gala-syst., Gemif-syst., Gemt-syst., Glut-syst., Gos-syst., GroH-syst., Guanf-syst., HistH2-syst., Histr-syst., HydroI-syst., Iba-syst., Imiq-top., Indin-syst., IntA1-syst., IntA-syst., Iot-syst., Ison-syst., Isot-syst., Ketor-syst., Lamo-syst., Lans-syst., Len-syst., Let-syst., Levam-syst., Leve-syst., Levod-syst., Levom-syst., Lit-syst., Lym-syst., Mal-top., MedE-syst., Mef-syst., Melo-syst., Mem-syst., Methox-syst., Methy-syst., MethyTD-syst., Methys-syst., Meto-syst., Metyro-syst., Mica-syst., Mod-syst., Moli-syst., Mom-inhloc., Nab-syst., Nalt-syst., Natal-syst., Nitro-syst., NoreE-syst., Oct-syst., Ols-orloc., Opi-syst., Pare-syst., PegiA2a-syst., PegiA2b-syst., Peme-syst., Pemo-syst., Penicil-syst., Pentost-syst., Pil-oph., Pil-syst., Pimo-syst., Pli-syst., Procai-syst., Procar-syst., Proge-syst., Pyridos-syst., Ralo-syst., Ram-syst., Rau-syst., Riba-syst., RibaI-syst., RifamI-syst., RifamIP-syst., Ril-syst., Riton-syst., Ritu-syst., Riv-syst., Riz-syst., Ropin-syst., Rosu-syst., Saq-syst., Sertr-syst., Sib-syst., Sild-syst., Sir-syst., Ske-syst., SodO-syst., SodPhe-syst., Sol-syst., Sor-syst., Sulfo-syst., SulfoT-syst., Sum-syst., Tacro-syst., Tacro-top., Tem-syst., Teri-syst., Testos-syst., Thr-syst., Tia-syst., Tini-syst., Tiot-inhloc., Tiz-syst., Topi-syst., Tram-syst., TramA-syst., Trav-oph., Tret-syst., Trimethob-syst., Trimethop-syst., Trio-syst., Valp-syst., Valp-syst., Ven-syst., Vig-syst., Vinb-syst., Vind-syst., Zalc-syst., Zale-syst., Zic-syst., Zip-syst., Zole-syst., Zolm-syst., Zolp-syst., Zop-syst.**

adults: *Aspar-syst.*

juvenile rheumatoid arthritis, with: *Etan-syst.*

Repertório - Capítulo MENTAL

depressive/mood disorders (depression mood or mental changes): Fosam-syst.
dialysis patients with end-stage renal disease: Levoca-syst.
females: Tamo-syst.
increased: Moc-syst.
manic depressive episodes or reaction (sudden, wide mood swings): Carbam-syst., CorticG-syst.
mild: Chloramp-ot.
transient.
female patients treated for endometriosis: Nafa-syst.
pediatric patients: Cisap-syst.
3 to 12 years of age: **Gab-syst.**
juvenile rheumatoid arthritis, with: Etan-syst.
postoperative: FentD-syst.
psychic disturbances (depression; false sense of well-being; mood swings; personality changes): Cortic-rec.
recurring: **Lami-syst.**
reversible: Aspar-syst.
restlessness and nervousness, with: Carbam-syst.
suicidal tendencies, with (ideation or attempt): CarbidL-syst., CarbidEL-syst., IntA1-syst.I, IntB1b-syst., Levod-syst.
suicidal ideation, especially with: IntB1a-syst.
worsening, slight: DrosEE-syst., EstroPO-syst.
dysphoria (anxiety, crying spells, fearfulness, irritability, and social withdrawal): **Amph-syst.**, Andro-syst., Atorv-syst., Bupre-syst., Coc-mucloc., ConjE-syst., Eton-vag., Flum-syst., Fluorq-syst., Levom-syst., **MedE-syst.**, Pimo-syst., Riba-syst., **Sir-syst.**, Testos-syst., TramA-syst., **Valp-syst.**, Zale-syst., Zic-syst.
pediatric patients 3 to 12 years of age: **Gab-syst.**
hypercalcemia, with: CalcS-syst.

VIOLENTO, veemente (Ver Irritabilidade).

aggressive behavior (aggressiveness; anger; attack; assault; force; hostility)
aggression (attack, assault, force): Don-syst., Fel-syst., Flut-inhloc., Gala-syst., Isot-syst., Leve-syst., Mef-syst., Riv-syst., Tacri-syst., Topi-syst., Vig-syst.
aggressive feelings (attack, assault, force): Acit-syst.
aggressive reactions: Cital-syst., Cortic-inhloc., Efav-syst., Rifap-syst.
pediatric patients: Sertr-syst.
combativeness: Fludro-syst., Penicil-syst.
confusional, agitated, combative state: SodO-syst.
hostility (aggressive behavior; suspiciousness or distrust; anger; attack; assault; force): Acamp-syst., Bupro-syst., Carbam-syst., Cital-syst., Clod-syst., Dapt-syst., Del-syst., EmtT-syst., Leve-syst., Mem-syst., Mica-syst., Mir-syst., Ola-syst., Paro-syst., Sertr-syst., Tacro-top., Thr-syst., Tia-syst., Ven-syst., Vind-syst., Zic-syst.
assaultiveness, with: AppSupS-syst.

Repertório - Capítulo MENTAL

pediatric patients 3 to 12 years of age: **Gab-syst.**
rage leading to deeds of violence: **Aman-syst.**, *Andro-syst.*, *AntconS-syst.*,
Moc-syst., *Mont-syst.*, *PegiA2b-syst.*, **Risp-syst.**, *Vala-syst.*
violent behaviors (use of extreme physical or emotional force): *Fluox-syst.*,
Isot-syst., *Nalo-syst.*

CAPÍTULO VERTIGEM

ADAMS-STOKES, ATAQUES de (Ver PEITO; GENERALIDADES): *BronA-syst.*
[*Isoproterenol*]

CEREBELAR, SÍNDROME, aguda (distúrbios do equilíbrio): *Fluoru-syst.*

ENJÔO.

nausea (motion sickness): *Palo-syst.*

HIPOTENSÃO, ortostática, postural e/ou supina (calafrios, suores frios; confusão; desmaios, tonturas ou vertigens, especialmente quando levanta-se de uma posição deitada ou sentada): *Aman-syst.*, *Aminglut-syst.*, *Amlod-syst.*, **AmylN-syst.**, *Antchsp-syst.*, **AntdepMAO-syst.**, **AntdepT-syst.**, *Antdys-syst.*, *Atom-syst.*, *Atorv-syst.*, *Barb-syst.*, *BetBA-syst.*, *Beth-syst.*, *Bret-syst.*, **Bromo-syst.**, *Cab-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, **ChlordA-syst.**, *Cil-syst.*, *Cital-syst.*, *Clon-syst.*, *ClonC-syst.*, **Cloz-syst.**, *Diaz-parsyst.*, *Diett-top.*, *DiuPH-syst.*, *DiuT-syst.*, *Doxaz-syst.*, *Dron-syst.*, *Dul-syst.*, **Edd-syst.**, *Enta-syst.*, *ErgolM-syst.*, **Ethi-syst.**, *Fent-trsyst.*, **Guanad-syst.**, **Guane-syst.**, *Hal-syst.*, *Ibut-syst.*, *Ive-syst.*, *Levod-syst.*, *Levom-syst.*, **Lox-syst.**, **Mecam-syst.**, *Methy-syst.*, **MethyTD-syst.**, **Methys-syst.**, *Mir-syst.*, *Mitot-syst.*, *Moc-syst.*, **Moli-syst.**, *Nab-syst.*, **Nef-syst.**, **Nitra-syst.**, **Ola-syst.**, *OlmH-syst.*, **Opi-syst.**, **Pare-syst.**, *Paro-syst.*, *Perg-syst.*, **PerpA-syst.**, **Phenot-syst.**, **Phenox-syst.**, *Phent-syst.*, **Pimo-syst.**, **Prami-syst.**, **Prazo-syst.**, **PrazoP-syst.**, *Procar-syst.*, *Que-syst.*, *Risp-syst.*, *Riton-syst.*, **Ropin-syst.**, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.* [*Carisoprodol*], *Tad-syst.*, *Tams-syst.*, *Teg-syst.*, *Tera-syst.*, *Thie-syst.*, **Thiox-syst.**, **Tolc-syst.**, *Tors-syst.*, *Tram-syst.*, *Trimetha-syst.*, *Valp-syst.*, *Vals-syst.*, *Vard-syst.*, *Ven-syst.*, *Zic-syst.*, *Zip-syst.*

mild to severe: **AntdepMAO-syst.**

morning: *Guanad-syst.*, **Guane-syst.**

volume depletion or massive diuresis, with: **DiuL-syst.**, *Inda-syst.*

MARCHA, ANORMALIDADES, distúrbios ou alterações (alterações na marcha e equilíbrio; desequilíbrio ou instabilidade) (Ver EXTREMIDADES; GENERALIDADES, Marcha Cambaleante): *Acetyl-syst.*, *Aman-syst.*, **Bevac-syst.**, *CarbidEL-syst.*, *Cyp-syst.*, *Docet-syst.*, **Fel-syst.**, *Fent-trsyst.*, *Gab-syst.*, *Mem-syst.*, **Nef-syst.**, **Ola-syst.**, **Oxc-syst.**, **Pre-syst.**, *Tia-syst.*, *Tram-syst.*, *Valp-syst.*, **Zic-syst.**

clumsiness when walking: *Thiog-syst.*, *Tret-syst.*

difficulty in walking, trouble in walking: **Amio-syst.**, *Capec-syst.*, *Carm-syst.*, *Chloramb-syst.*, **Cisp-syst.**, *Flox-syst.*

staggering walk: *AntconH-syst.*, *AntdepMAO-syst.*, *Barb-syst.*, *BarbAn-syst.*, *Benzod-syst.*, *ChIH-syst.*, *Mep-syst.*, *MepA-syst.* [Meprobamate]

unsteady gait, gait instability (unsteadiness when walking): **Miglu-syst.**, *Sertr-syst.*, *Tamo-syst.*, *Thiog-syst.*, *Tret-syst.*

QUEDA, tendência a: **Ropin-syst.**, *Tolc-syst.*, *Tram-syst.*, *Zolp-syst.*

TONTURA (Ver Vertigem).

VERTIGEM, tonturas (sensação de movimento constante de si próprio ou dos arredores; sensação de estar girando; alteração do senso de equilíbrio): **AbLam-syst.**, *Acamp-syst.*, *Acit-syst.*, *Agal-syst.*, *Almot-syst.*, *AntinfN-syst.*, *Aztr-syst.*, *BetBA-oph.* [*Levobetaxolol*], *BronA-syst.*, *Cab-syst.*, *Capec-syst.*, *Carv-syst.*, *Cele-syst.*, *Cev-syst.*, **Cil-syst.**, *Cital-syst.*, *Clar-syst.*, *Clod-syst.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Crom-inhloc.*, *Dapt-syst.*, *Del-syst.*, *Don-syst.*, **Doxaz-syst.**, *Efav-syst.*, *EmtT-syst.*, *Fluorq-syst.*, *Fluv-syst.*, *Fome-syst.*, *Ful-syst.*, *Gemif-syst.*, *Genta-ot.*, *Gla-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Iba-syst.*, **Iri-syst.**, *Let-syst.*, *Leve-syst.*, *Melo-syst.*, *Mem-syst.*, *Mica-syst.*, *Mir-syst.*, *Mod-syst.*, *Nev-syst.*, *Ofl-ot.*, *Olm-syst.*, *OlmH-syst.*, **Oxc-syst.**, *Pantop-syst.*, *Prazi-syst.*, *Pre-syst.*, *Pyridos-syst.*, **Ril-syst.**, *Ritu-syst.*, *Riz-syst.*, *Rosu-syst.*, *Sertr-syst.*, *Sild-syst.*, *Sum-syst.*, *Tad-syst.*, *Tacro-top.*, *Teli-syst.*, *Teri-syst.*, *Tini-syst.*, *Tore-syst.*, **Tram-syst.**, *TramA-syst.*, *Valp-syst.*, *Vard-syst.*, *Vasc-syst.*, *Ven-syst.*, *Ver-parloc.*, *Vig-syst.*, **Zic-syst.**, *Zolp-syst.*

ataxia and/or dizziness, with: **Flum-syst.**
balance.

impaired: *Capec-syst.*

control, loss of: *AntdepT-syst.*, *AnthisP-syst.*, **Arip-syst.**, *CalcCBA-syst.* [*Flunarizine*], *Carbam-syst.*, *CarbidEL-syst.*, *Dom-syst.*, **Hal-syst.**, *IntG-syst.*, *Lamo-syst.*, **Lox-syst.**, **Mef-syst.**, *Meto-syst.*, *Moc-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, *Que-syst.*, **Risp-syst.**, *Seleg-syst.*, *Sertr-syst.*, *Thie-syst.*, **Thiox-syst.**, *Tolc-syst.*, **Zip-syst.**

dizziness: **AbLam-syst.**, **Abar-syst.**, *Abcix-syst.*, *Acamp-syst.*, *Acit-syst.*, *Acyc-syst.*, *Adal-syst.*, *Aden-syst.*, **Agal-syst.**, *Albd-syst.*, **AlbMic-syst.**, **Aldes-syst.**, *Alef-syst.*, *Alemt-syst.*, **Alfuz-syst.**, **Almot-syst.**, *Alpha-syst.*, *Alpr-loc.*, **Altr-syst.**, **Aman-syst.**, *Amif-syst.*, *Aminglut-syst.*, *Aminglyc-syst.*, *Amio-syst.*, *Amlod-syst.*, *AmlodBen-syst.*, *AmmMer-top.*, *Amph-syst.*, *AmphoB-syst.*, **AmphoBLsC-syst.**, **Amsa-syst.**, **AmylN-syst.**, **Anag-syst.**, **Anast-syst.**, *Anest-mucloc.*, *Anest-oph.*, *Anest-parloc.*, *Anid-syst.*, **AntinfN-syst.**, **AnthtyGR-syst.**, *AntandN-syst.*, *Antchsp-syst.*, *Antchsp-syst.* [*Glycopyrrolate*], **AntconD-syst.**, **AntconS-syst.**, **AntdepMAO-syst.**, **AntdepT-syst.**, **AntdiaS-syst.** [*Chlorpropamide*, *Tolbutamide*], *AntfunA-syst.* [*Itraconazole*], *AnthemF-syst.*, *Anthis-syst.*, *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *Anththy-syst.*, **AppSupS-syst.**, *Aprac-oph.*, **Aprep-syst.**, *Arb-syst.*, *ArsTr-syst.*, *AscAc-syst.*, *AspirSC-syst.*, *Ataz-syst.*, **Atom-syst.**, *Atorv-syst.*, *AtovaPro-syst.*, *Atrop-oph.*, *AtropB-syst.*, **Azac-syst.**, *Azel-nas.*, *Azith-syst.*, **Bacl-intsyst.**, **Bacl-syst.**, **Barb-syst.**, **BarbAn-syst.**, **Basil-syst.**, **Bell-syst.**, **Benzod-syst.**, *BetBA-oph.*, **BetBAT-syst.**, *Beth-syst.*, **Bevac-syst.**, *BisS-orloc.*, *BisSMT-syst.*, **Bort-syst.**, **BotB-parloc.**, *Brim-oph.*, *Brin-oph.*, **Bromo-syst.**, *BronA-inhloc.*, *BronA-syst.*, **Bupre-syst.**, **Bupro-syst.**, **Busp-syst.**, **Butor-nasyst.**, **Cab-syst.**, **Caff-syst.**, *Calcit-nassyst.*, *Calcit-syst.*, *CalcCBA-syst.*, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbet-syst.*, **CarbidL-syst.**, **CarbidEL-syst.**, *CarbonAI-syst.*, *Carbopr-syst.*, *Carm-imploc.*, *Carm-syst.*, **Carv-syst.**, *Cefd-syst.*, **Cele-syst.**, *Ceph-syst.*, *CetiP-syst.* [*Cetirizine*, *Pseudoephedrine*], *Chlop-syst.*, *ChlH-syst.*, **ChlordA-syst.**, *CholAO-syst.*, *Cholest-orloc.*, *Chym-parloc.*, **Cil-syst.**, **Cinac-syst.**, *Cinox-syst.*, *Cisp-syst.*, *Cital-syst.*, *Clad-syst.*, *Clar-syst.*, **Clofar-syst.**, *Clom-syst.*, **Clon-**

parloc., **Clon-syst.**, **ClonC-syst.**, **Clop-syst.**, **Cloz-syst.**, *Coc-mucloc.*, *Colest-orloc.*, **ConjE-syst.**, *Cortic-nas.* [*Beclomethasone (monohydrate)*, *Budesonide*, *Dexamethasone*, *Flunisolide*], *CorticG-syst.*, *Corticot-syst.*, *Crom-inhloc.*, *Cycla-syst.*, *Cycli-syst.*, **Cyclob-syst.**, **Cycloph-syst.**, *Cyp-syst.*, *Cys-syst.*, *Cyt-syst.*, *Dacli-syst.*, **Dant-syst.**, *Dapt-syst.*, **Darb-syst.**, *Darif-syst.*, *DauL-syst.*, **DecAn-syst.** [**Ibuprofen-containing combinations**, **Salicylate-containing combinations**], *Desl-syst.*, *DeslP-syst.*, *Dexmed-syst.*, *Diaz-parsyst.*, *Dif-syst.*, *DigitG-syst.*, **Dihynassyst.**, *Dinopst-parloc.*, *Dipheni-syst.*, *DiphenoA-syst.*, **Dipy-syst.**, *DipyA-syst.*, *Dir-syst.*, **Diso-syst.**, *DiuP-syst.*, *Docet-syst.*, *Dof-syst.*, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Doxap-syst.*, **Doxaz-syst.**, **Doxep-top.**, *DoxorL-syst.*, **Dron-syst.**, **DrosEE-syst.**, **Dul-syst.**, *Dut-syst.*, **EdD-syst.**, **Efav-syst.**, **Ele-syst.**, *Emt-syst.*, *EmtT-syst.*, **EnaF-syst.**, **Enta-syst.**, *Entec-syst.*, *Epl-syst.*, **Epoe-syst.**, **Epop-syst.**, *ErgolM-syst.*, *Ergon-syst.*, **Erl-syst.**, *Ert-syst.*, **Esc-syst.**, *Eso-syst.*, **EstroP-syst.**, **EstroPO-syst.**, **Esz-syst.**, **Etan-syst.**, **Ethc-syst.**, **Ethi-syst.**, **Exem-syst.**, **Exen-syst.**, *Ezet-syst.*, *Fam-syst.*, *FatE-syst.*, **Fel-syst.**, *Fenof-syst.*, *Fenol-syst.*, **Fent-syst.**, **Fent-trsyst.**, *FentD-syst.*, *Fex-syst.*, *FexP-syst.*, *Fin-syst.*, *Flavox-syst.*, **Flec-syst.**, *Fluc-syst.*, *Fluda-syst.*, *Fludro-syst.*, **Fluorq-syst.**, *Fluox-syst.*, *Flut-inhloc.*, *Flut-nas.*, *FlutS-inhloc.*, **Fluv-syst.**, *FollitB-syst.*, **Fome-syst.**, *Fomiparloc.*, *Fon-syst.*, *For-inhloc.*, **Fosc-syst.**, *Fosf-syst.*, **Fro-syst.**, **Ful-syst.**, *Fus-syst.*, **Gab-syst.**, *Gadob-syst.*, **Gadod-syst.**, **Gadop-syst.**, *Gadot-syst.*, *Gadov-syst.*, *Gala-syst.*, *Gemif-syst.*, **Gemt-syst.**, *Glim-syst.*, **GlipM-syst.**, *Gluc-syst.*, *Glut-syst.*, **GlybM-syst.**, *Glyc-syst.*, *Gold-syst.*, *Gos-syst.*, *Gra-syst.*, *Gri-syst.*, **GroH-syst.**, *Guai-syst.*, **Guanab-syst.**, **Guanad-syst.**, **Guane-syst.**, **Guanf-syst.**, *Hal-syst.*, *Hepar-syst.*, *HepatAVIHB-syst.*, *HistH2-syst.*, *Histr-syst.*, **HMG-syst.**, *HyalSD-syst.*, *Hyalur-parloc.*, *HydroI-syst.*, *HydroxT-oph.*, *Hydxyc-syst.*, *Hydxyu-syst.*, *Iba-syst.*, **Ibr-syst.**, **IbupO-syst.** [**Ibuprofen**], *Ifo-syst.*, *Ima-syst.*, *Imig-syst.*, **ImipC-syst.**, *Imiq-top.*, *Inda-syst.*, *Indin-syst.*, *IndiuPt-syst.*, *IndiuS-syst.*, **IntA1-syst.**, *IntB1a-syst.*, **IntB1b-syst.**, *IntG-syst.*, **IntA-syst.**, *Iodip-syst.*, *Iodix-syst.*, **Iopa-syst.**, *Iopr-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ipr-inhloc.*, *Ipr-nas.*, *IprA-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, *IsomDA-syst.*, *Ison-syst.*, *Isot-syst.*, *Ive-syst.*, *JapV-syst.*, **Ketor-syst.**, *Ketot-syst.*, *Ltry-syst.*, **Lami-syst.**, *LamiZ-syst.*, **Lamo-syst.**, **Lans-syst.**, *Lat-oph.*, **Lef-syst.**, **Len-syst.**, *Let-syst.*, **Leval-inhloc.**, *Levam-syst.*, **Leve-syst.**, *Levoca-syst.*, **Levod-syst.**, *Levof-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lind-top.*, *Line-syst.*, *Lit-syst.*, *Lod-oph.*, *Lope-orloc.*, *Lor-syst.*, *Los-syst.*, *LosH-syst.*, **Lox-syst.**, *Lym-syst.*, *Mal-top.*, *Man-syst.*, *Mann-syst.*, **Map-syst.**, *Meb-syst.*, **Mecam-syst.**, **MedE-syst.**, **Mef-syst.**, *Melo-syst.*, **Mem-syst.**, *Mep-syst.*, *MepA-syst.*, **Mesa-orloc.**, *Mesa-reloc.*, **MetfP-syst.**, *MethotC-syst.*, *Methox-syst.*, *Methy-syst.*, *Methyler-syst.*, *Methylp-syst.*, **Methys-syst.**, *Meto-syst.*, **Metro-syst.**, *Metro-vag.*, **Metyra-syst.**, **Mex-syst.**, *Mica-syst.*, *Mida-syst.*, *Mido-syst.*, **Mif-syst.**, **Miglu-syst.**, **Mir-syst.**, *Miv-syst.*, *Moc-syst.*, *Mod-syst.*, **Moe-syst.**, **MoeH-syst.**, **Moli-syst.**, *Mont-syst.*, **Mor-syst.**, *Mup-top.*, **Mur-syst.**, *Myc-syst.*, **Nab-syst.**, **Nali-syst.**, **Nalm-syst.**, *Nalt-syst.*, *Nap-oph.*, **Nar-syst.**, **Natal-syst.**, *Nate-syst.*, **Nef-syst.**, *Nes-syst.*, *Nia-syst.*, *NiaL-syst.* [**Niacin**], *Nicl-orloc.*, *Nico-inhsyst.*, *Nico-nas.*, *Nis-syst.*, *Nita-syst.*, **Nitra-syst.**, *Nitro-syst.*, *Nitrop-syst.*, *Nyl-syst.*, *Oct-syst.*, *Ofl-oph.*, *Ofl-ot.*, **Ola-syst.**, *Olm-syst.*, **OlmH-syst.**, *Ols-orloc.*, *Oma-syst.*, *OmeP-syst.*, *Ond-syst.*, **Opi-syst.**, *Opr-syst.*, *Orl-orloc.*, *Ose-syst.*, **Oxa-syst.**, **Oxc-syst.**, *Oxyb-syst.*, *Oxym-*

nas., *Palo-syst.*, *Pantop-syst.*, *Pap-int.*, *Para-syst.*, ***Pare-syst.***, ***Paro-syst.***, ***Pegf-syst.***, ***PegiA2a-syst.***, ***PegiA2b-syst.***, ***Pegv-syst.***, *Pemo-syst.*, *PenteC-syst.*, *Pentosa-syst.*, *Pentox-syst.*, *Perf-orloc.*, ***Perg-syst.***, ***PerpA-syst.***, *Phena-syst.*, ***Phenot-syst.***, ***Phenox-syst.***, *Phent-int.*, *Phent-syst.*, *Pheny-nas.*, *Pheny-oph.*, ***Pimo-syst.***, *Pip-syst.*, ***Podof-top.***, ***Pral-syst.***, ***Prami-syst.***, ***Praml-syst.***, ***Prazi-syst.***, ***Prazo-syst.***, ***PrazoP-syst.***, ***Pre-syst.***, ***Primi-syst.***, *Probe-syst.*, *Probu-syst.*, *Procai-syst.*, ***Proge-syst.***, ***Propa-syst.***, *Propo-syst.*, *Prota-syst.*, *Pse-syst.*, *Pyran-orloc.*, *Pyridos-syst.*, *Pyrim-syst.*, ***Que-syst.***, *Quid-syst.*, *Quin-syst.*, *QuinuD-syst.*, *Rabe-syst.*, ***RabiV-syst.***, *Ralt-syst.*, ***Ram-syst.***, *Ras-syst.*, ***Rau-syst.***, ***Riba-syst.***, ***RibaI-syst.***, *RifamI-syst.*, *RifamIP-syst.*, ***Ril-syst.***, *Rima-syst.*, *Rise-syst.*, ***Risp-syst.***, ***Riton-syst.***, ***Ritu-syst.***, ***Riv-syst.***, ***Riz-syst.***, ***Rof-syst.***, ***Ropin-syst.***, *Ropiv-parloc.*, *Rosu-syst.*, *Sal-syst.*, *Sala-top.*, ***Seleg-syst.***, *Serm-syst.*, ***Sertr-syst.***, ***Sib-syst.***, *Sild-syst.*, *Sin-syst.*, ***Sir-syst.***, ***Ske-syst.***, ***SodO-syst.***, *Sol-syst.*, *Spa-syst.*, *Spec-syst.*, *Sta-syst.*, *Sucr-orloc.*, ***Sulfo-syst.***, ***SulfoT-syst.***, *Sum-syst.*, ***Tacri-syst.***, ***Tacro-syst.***, *Tad-syst.*, *Tamo-syst.*, ***Tams-syst.***, *TecF-syst.*, *TecB-syst.*, *TecSul-syst.*, *Teg-syst.*, *Teli-syst.*, *Telm-syst.*, ***TelmH-syst.***, *Tem-syst.*, *Teno-syst.*, ***Tera-syst.***, ***Teri-syst.***, ***Tetr-syst.***, ***Thali-syst.***, ***Thiab-syst.***, ***Thie-syst.***, *Thiot-syst.*, ***Thiox-syst.***, *Thr-syst.*, *ThyrA-syst.*, ***Tia-syst.***, *Tic-syst.*, *Til-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tir-syst.*, *Tiot-inhloc.*, ***Tiz-syst.***, ***Toc-syst.***, ***Tolc-syst.***, ***Tolt-syst.***, ***Topi-syst.***, *Tore-syst.*, ***Tors-syst.***, ***TosI-syst.***, ***Tram-syst.***, *TramA-syst.*, *Trand-syst.*, *TrandV-syst.*, ***Traz-syst.***, ***Trep-syst.***, ***Tret-syst.***, *Trimethob-syst.*, *Trimethop-syst.*, *Trio-syst.*, *Trip-syst.*, *Tros-syst.*, ***Trov-syst.***, *Ure-syst.*, ***Urs-syst.***, ***Vac-syst.***, *Vala-syst.*, *Vald-syst.*, ***Valp-syst.***, *Vals-syst.*, *ValsH-syst.*, *Vard-syst.*, *Vari-syst.*, ***Vasc-syst.***, *Vaso-syst.*, ***Ven-syst.***, ***Vig-syst.***, *Vinb-syst.*, *Vind-syst.*, *VitA-syst.*, *VitDA-syst.*, *VitE-syst.*, *VitK-syst.*, *Vor-syst.*, *Xyl-nas.*, *Yoh-syst.*, ***Zale-syst.***, *Zan-inhsyst.*, ***Zic-syst.***, ***Zip-syst.***, ***Zole-syst.***, ***Zolm-syst.***, *Zolp-syst.*, ***Zon-syst.***, ***Zop-syst.***

adult.

females and males: *Leup-syst.*

pediatric patients, and: *Desf-inhsyst.*, ***Sevo-inhsyst.***

ataxia and/or vertigo, with: ***Flum-syst.***

congenital heart disease patients: *Paliv-syst.*

extreme: *AmylN-syst.*, *Nitra-syst.*, *SodN-syst.*

female infertility, patients treated for: *FollitA-syst.*

gonadotropin-releasing hormone agonist undergoing assisted reproductive technology, patients pretreated with a: *FollitA-syst.*

females: *Meno-syst.*, *Tamo-syst.*

mild: ***AntconH-syst.***, *Benzon-syst.*, ***Carbam-syst.***, *Dext-syst.*, ***Estro-syst.***, *Nico-syst.*

orthostatic: *Risp-syst.*

severe: *AntdepMAO-syst.*, *BetBA-syst.*, *ChlordA-syst.*, *Esm-syst.*, *FentD-syst.*, *Flavox-syst.*, *Levom-syst.*, *Methys-syst.*

when getting up from a lying or sitting position: *Aminglut-syst.*, *Amlod-syst.*, ***AmylN-syst.***, ***AntdepMAO-syst.***, *Andys-syst.*, *Atom-syst.*, *Atorv-syst.*, *BetBA-syst.*, *Bort-syst.*, *Bret-syst.*, ***Bromo-syst.***, *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *Cil-syst.*, *Cital-syst.*, *Clon-syst.*, *ClonC-syst.*, *Diaz-parsyst.*, ***DiuL-syst.***, *DiuPH-syst.*, *DiuT-syst.*, *Doxaz-syst.*, *Dul-syst.*, *ErgolM-syst.*

Ethi-syst., **Guanad-syst.**, **Guane-syst.**, *Ibut-syst.*, *Inda-syst.*, *Levod-syst.*, *Levom-syst.*, **Mecam-syst.**, *Methy-syst.*, **MethyTD-syst.**, **Methys-syst.**, *Mitot-syst.*, *Moc-syst.*, **Moli-syst.**, *Nab-syst.*, **Nitra-syst.**, *OlmH-syst.*, *Paro-syst.*, **Phenox-syst.**, *Phent-syst.*, **Pimo-syst.**, **Prami-syst.**, **Prazo-syst.**, **PrazoP-syst.**, *Procar-syst.*, *Que-syst.*, **Ropin-syst.**, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Tad-syst.*, *Tams-syst.*, *Teg-syst.*, *Tera-syst.*, *Thie-syst.*, **Tolc-syst.**, *Tors-syst.*, *Tram-syst.*, *Valp-syst.*, *Vals-syst.*, *Vard-syst.*, *Zic-syst.*

suddenly: *Mir-syst.*

faintness, fainting, syncope (See GENERALITIES): *Abar-syst.*, *Alpr-loc.*, *Aman-syst.*, **Amif-syst.**, *AmylN-syst.*, *Antcoa-syst.*, *AnthisP-syst.*, *AscAc-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Bleo-syst.*, *Bromo-syst.*, *Bupro-syst.*, *Butor-nasyst.*, *CarbidEL-syst.*, *Cital-syst.*, *Clofar-syst.*, *Clon-syst.*, *ClonC-syst.*, **Cloz-syst.**, *ColSF-syst.* [*Sargramostim*], **Darb-syst.**, *Dinopst-parloc.*, *Dom-syst.*, *Drop-syst.*, *Dul-syst.*, *ErgolM-syst.*, *Ert-syst.*, *Esm-syst.*, **Fent-syst.**, *Fent-trsyst.*, *FentD-syst.*, *Fluda-syst.*, *Fludro-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gef-syst.*, *Gold-syst.*, *Gra-syst.*, **Guanad-syst.**, **Guane-syst.**, *Guanf-syst.*, *Hal-syst.*, *HydroxT-oph.*, *Imiq-top.*, *Imm-syst.*, *Indin-syst.*, *Iodoh123-syst.*, *Iodoh131-syst.*, **Iri-syst.**, *Ketor-syst.*, *Leval-inhloc.*, *Lid-syst.*, *Lit-syst.*, **Lox-syst.**, *Melo-syst.*, *Moc-syst.*, *Mod-syst.*, **Mur-syst.**, **Nef-syst.**, *Nev-syst.*, *Nia-syst.*, *NiaL-syst.* [Niacin], *Nico-syst.*, *Nitra-syst.*, *Ond-syst.*, *Opr-syst.*, *Ose-syst.*, *Oxyb-syst.*, **Pam-syst.**, *Peme-syst.*, *Pentox-syst.*, **Pimo-syst.**, **Prami-syst.**, *Prazi-syst.*, *Procai-syst.*, *Procar-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quin-syst.*, *Ralt-syst.*, *Ras-syst.*, *Rau-syst.*, **Ropin-syst.**, *Seleg-syst.* [MAO inhibitors], *Ske-syst.*, *SodF-syst.*, *SodN-syst.*, *Tacro-syst.*, *Tams-syst.*, **Thiox-syst.**, *Thyr-syst.*, *ThyrA-syst.*, *Trimetr-syst.*, *Ure-syst.*, *Van-syst.*, *Ven-syst.*, *VitMF-syst.*, *Zan-inhsyst.*, *Zip-syst.*

congenital heart disease patients: *Paliv-syst.*

feeling faint, of faintness: *Antchsp-syst.*, *Barb-syst.*, *BetBA-oph.*, *Beth-syst.*, **CarbidL-syst.**, **Diso-syst.**, *Dron-syst.*, *Epine-oph.*, *Gold-syst.*, **Levod-syst.**, *Mida-syst.*, **Opi-syst.**, **Pare-syst.**, *Quid-syst.*, **Seleg-syst.**

when getting up from a lying or sitting position: *Dron-syst.*, *Levom-syst.*, *Zip-syst.*

postpartum patients: *Bromo-syst.*

sudden: *Bret-syst.*, *Doxaz-syst.*, **Prazo-syst.**, **PrazoP-syst.**, *Tera-syst.*

vasovagal reflex: *Tir-syst.*

when getting up from a lying or sitting position: *Atom-syst.*, *Atorv-syst.*, *Cab-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *Cital-syst.*, *Clon-syst.*, *ClonC-syst.*, *Dul-syst.*, **Guanad-syst.**, **Guane-syst.**, *Moc-syst.*, **Ola-syst.**, *OlmH-syst.*, *Paro-syst.*, **Pimo-syst.**, **Prami-syst.**, *Que-syst.*, **Ropin-syst.**, **Sir-syst.**, *Tad-syst.*, *Tams-syst.*, *Teg-syst.*, *Valp-syst.*, *Vals-syst.*, *Vard-syst.*, *Zic-syst.*

suddenly: *Mir-syst.*

feeling of constant movement of self or surroundings: **Nali-syst.**

giddiness: *CetiP-syst.* [Pseudoephedrine], *Flut-inhloc.*, *Tini-syst.*

headache, with: *Cortic-ot.*

lightheadedness: *Acyc-syst.*, *Aden-syst.*, *Alpha-syst.*, **Aman-syst.**, *Aminglut-syst.*, *Amph-syst.*, *AmphoB-syst.*, **AmylN-syst.**, *Anest-mucloc.*, *AntinfN-syst.*, **AntdepMAO-syst.**, *AnthemF-syst.*, **AppSupS-syst.**, **Arip-syst.**, *AspirSC-syst.*

Bacl-intsyst., **Bacl-syst.**, **Barb-syst.**, **Benzod-syst.**, **BetBAT-syst.**, *Beth-syst.*, Bis-orloc., *Bort-syst.*, **Bromo-syst.**, *BronA-inhloc.*, **Bupre-syst.**, **Busp-syst.**, *CalcCBA-syst.*, *CandH-syst.*, **Carbam-syst.**, *CarbonAl-syst.*, *ChlH-syst.*, **ChlordA-syst.**, *Clofar-syst.*, *Clom-syst.*, *Clon-syst.*, *ClonC-syst.*, **Cloz-syst.**, *Coc-mucloc.*, *Cortic-nas.* [*Beclomethasone (monohydrate)*, *Budesonide*, *Dexamethasone*, *Flunisolide*], *CorticG-syst.*, **Cyclob-syst.**, **Dant-syst.**, **Darb-syst.**, **DecAn-syst.** [Salicylate-containing combinations], *Diaz-parsyst.*, *Dif-syst.*, *DiphenoA-syst.*, **Dipy-syst.**, *Dol-syst.*, *Doxap-syst.*, *Dul-syst.*, **EdD-syst.**, **Ethc-syst.**, **Fent-syst.**, *FentD-syst.*, **Flec-syst.**, *Fluc-syst.*, **Fluorq-syst.**, *Fluox-syst.*, *Fome-syst.*, *Gemif-syst.*, *Gluc-syst.*, *Gon-syst.*, **Guanad-syst.**, **Guane-syst.**, *Hal-syst.*, *HepatBIG-syst.*, *HydroxT-oph.*, *Hydxye-syst.*, *IbupO-syst.* [Ibuprofen], *Imiq-top.*, *Imm-syst.*, *Inda-syst.*, *Iodip-syst.*, *Iopa-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Levof-syst.*, *Lid-top.*, *LidP-top.*, **Lox-syst.**, **Map-syst.**, **Mecam-syst.**, *Mep-syst.*, *MepA-syst.*, Mesa-orloc., *Methy-syst.*, **Methys-syst.**, **Metro-syst.**, *Metro-vag.*, **Metyra-syst.**, **Mex-syst.**, *Mida-syst.*, *Minox-top.*, *Moc-syst.*, **Moli-syst.**, *Nab-syst.*, *Nali-syst.*, *Nar-syst.*, **Nef-syst.**, *NiaL-syst.* [Niacin], *Nicl-orloc.*, **Nitra-syst.**, *Oct-syst.*, *OlmH-syst.*, *Ond-syst.*, **Opi-syst.**, *Opr-syst.*, *Oxym-nas.*, *Oxym-oph.*, *Paliv-syst.*, **Pare-syst.**, *PenteC-syst.*, *PenteZ-syst.*, **Phenox-syst.**, *Phent-syst.*, **Prami-syst.**, *Procai-syst.*, **Proti-syst.**, *Pse-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quid-syst.*, *Quin-syst.*, *Risp-syst.*, **Ropin-syst.**, *Sal-syst.*, *Sala-top.*, *Seleg-syst.*, *Sild-syst.*, **Ske-syst.**, *SodPhe-syst.*, *Spa-syst.*, *Sucr-orloc.*, *Sum-syst.*, *Tacro-syst.*, *Tams-syst.*, **Tetr-syst.**, *Thie-syst.*, **Thiox-syst.**, **Toc-syst.**, **Traz-syst.**, *Tret-syst.*, **Trov-syst.**, *Vaso-syst.*, *Ven-syst.*, *Xyl-nas.*, *Zolp-syst.*

continuing: *Antchsp-syst.*

feeling lightheaded: *Dron-syst.*

when getting up from a lying or sitting position: *Dron-syst.*

mild: **BarbAn-syst.**, *Nico-syst.*

severe: *ChlordA-syst.*

temporary: *Antchsp-syst.*

when getting up from a lying or sitting position: *Aminglut-syst.*, *Amlod-syst.*, **AmylN-syst.**, **AntdepMAO-syst.**, *Antdys-syst.*, *Atom-syst.*, *Atorv-syst.*, *BetBA-syst.*, *Bort-syst.*, *Bret-syst.*, **Bromo-syst.**, *Cab-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *Cil-syst.*, *Clon-syst.*, *ClonC-syst.*, *Diaz-parsyst.*, **DiuL-syst.**, *DiuPH-syst.*, *DiuT-syst.*, *Doxaz-syst.*, *Dron-syst.*, *Dul-syst.*, *ErgolM-syst.*, **Guanad-syst.**, **Guane-syst.**, *Ibut-syst.*, *Inda-syst.*, *Ive-syst.*, *Levod-syst.*, *Levom-syst.*, **Mecam-syst.**, *Methy-syst.*, **MethyTD-syst.**, **Methys-syst.**, *Mitot-syst.*, *Moc-syst.*, **Moli-syst.**, *Nab-syst.*, **Nitra-syst.**, **Ola-syst.**, *OlmH-syst.*, *Paro-syst.*, **Phenox-syst.**, *Phent-syst.*, **Pimo-syst.**, **Prami-syst.**, **Prazo-syst.**, **PrazoP-syst.**, *Procar-syst.*, *Que-syst.*, **Ropin-syst.**, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Tad-syst.*, *Tams-syst.*, *Teg-syst.*, *Tera-syst.*, *Thie-syst.*, **Tolc-syst.**, *Tram-syst.*, *Valp-syst.*, *Vals-syst.*, *Vard-syst.*, *Zic-syst.*

syncope (dizziness, fainting or light-headedness when getting up from a lying or sitting position; unusually fast heartbeat; palpitations): *Acetyl-syst.*, *Adal-syst.*, *Almot-syst.*, *Amif-syst.*, *AntinfN-syst.*, *AppSupS-syst.*, *Atorv-syst.*, **Azac-syst.**, *Bacl-intsyst.*, *Bacl-syst.*, *Bevac-syst.*, *BisSMT-syst.*, *Brim-oph.*, *BronA-syst.* [*Isoproterenol*], *Cab-syst.*, *Carbac-oph.*, *Carbam-syst.*, *CarbidEL-syst.*, **Carv-syst.**, *Cele-syst.*, *Cev-syst.*, *Cil-syst.*, *Cisap-syst.*, *Clop-syst.*, *Cloz-syst.*, *ColSF-syst.*

Repertório - Capítulo VERTIGEM

[Sargramostim], *Cortic-inhloc.*, *Cyclob-syst.*, *Cyp-syst.*, *DauL-syst.*, *DicM-syst.*, *Dipy-syst.*, *DipyA-syst.*, **Diso-syst.**, *Docet-syst.*, *Dof-syst.*, *Don-syst.*, *Doxaz-syst.*, *Dul-syst.*, *Efav-syst.*, *EnaF-syst.*, *Enta-syst.*, *Epr-syst.*, *Fludro-syst.*, *Gadob-syst.*, *Gadop-syst.*, *Gala-syst.*, *Gla-syst.*, *Gos-syst.*, *HepatAVI-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *IbupO-syst.*, **Ilo-inh.**, *Imiq-top.*, *Infli-syst.*, *IntB1a-syst.*, *Iodix-syst.*, *Iopr-syst.*, *Ioxi-syst.*, **Iri-syst.**, *Isot-syst.*, *Leval-inhloc.*, *Mef-syst.*, *Melo-syst.*, *Mif-syst.*, *Mor-syst.*, *Nar-syst.*, *Natal-syst.*, *Nef-syst.*, **NiaL-syst.**, *OlmH-syst.*, *Ond-syst.*, *Pil-syst.*, *Prazo-syst.*, *Quid-syst.*, *Rise-syst.*, *Riton-syst.*, *Riv-syst.*, *Riz-syst.*, **Ropin-syst.**, *Sertr-syst.*, *Sevo-inhsyst.*, *Sild-syst.*, **Sir-syst.**, *SodPhe-syst.*, *Sum-syst.*, *Tacri-syst.*, *Tad-syst.*, *TecF-syst.*, *TecSuc-syst.*, *Teg-syst.*, *Telm-syst.*, *Tera-syst.*, *Teri-syst.*, *Tiz-syst.*, **Tolc-syst.**, *Tram-syst.*, *TramA-syst.*, *Trand-syst.*, *Tros-syst.*, *Vals-syst.*, *Vard-syst.*, *Zan-inhsyst.*, *Zic-syst.*, *Zip-syst.*, *Zolm-syst.*

adult females and males: *Leup-syst.*

hypotension, with: *Abar-syst.*

near-syncope: *Gala-syst.*, *Trep-syst.*

vasovagal: *Ropin-syst.*

weakness, syncopal: *Pyridos-syst.*

CAPÍTULO CABEÇA

ABSCESSO cerebral: *Ethan-parloc*.

ACIDENTE VASCULAR CEREBRAL (AVC) ou apoplexia (confusão; dificuldade de fala, fala lenta, incapacidade de falar, fala enrolada; cegueira temporária, visão dupla, visão embaçada; incapacidade de mover os braços, pernas ou músculos faciais; fraqueza no braço e/ou perna de um lado do corpo, súbita e severa; dormência súbita ou formigamento das mãos, pés ou face, paralisia; dor de cabeça; convulsões; dor torácica súbita e severa): *Acit-syst.*, *Agal-syst.*, *Aldes-syst.*, *Anag-syst.*, *Andro-syst.*, *AppSupS-syst.*, *Bleo-syst.*, *Bromo-syst.*, *Capec-syst.*, *Carv-syst.*, *Cele-syst.*, *Cil-syst.*, *Cisp-syst.*, *Clon-parloc.*, *Cyp-syst.*, *Danaz-syst.*, *Darb-syst.*, *Desm-syst.*, *Diat-syst.*, *Dof-syst.*, *DorzT-oph.*, *Doxaz-syst.*, *DrosE-syst.*, *Epoe-syst.*, *Erl-syst.*, *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Gemc-syst.*, *Imiq-top.*, *Imm-syst.*, *Indin-syst.*, **Iri-syst.**, *Isot-syst.*, *Let-syst.*, *Meno-syst.*, *PacP-syst.*, *Ras-syst.*, *Risp-syst.*, *Sum-syst.*, *Tad-syst.*, *Testos-syst.* [Testosterone Enanthate], *Tret-syst.*, *Vari-syst.*

anoxic brain damage: *Propo-syst.*

embolic.

thromboembolic (confusion; double vision; impairment of speech; weakness in arms or legs): *Thr-syst.*

women receiving postmenopausal estrogens: *ConjE-syst.*, *Estro-syst.*

hemorrhagic (confusion; double vision; impairment of speech; weakness in arms or legs): *Ret-syst.*, *Thr-syst.*

increased risk of: *ConjE-syst.*, *DecAn-syst.*, *Estro-vag.*, *Ketor-syst.*, *NoreE-syst.*

infarct, infarction, cerebral (blurred vision; confusion; numbness or tingling in face, arms, legs; headache; aphasia or dysarthria (speech disorder affecting pronunciation, reading, and writing skills); trouble walking; sensation that you or surroundings are spinning): *Carm-imploc.*, *EstroPO-syst.*, *Iov-syst.*, **Iri-syst.**, *Mem-syst.*, *Nitri-inhloc.*, *Thr-syst.*, *Vasc-syst.*

ischemia, cerebral, or ischemic attacks (sudden numbness or tingling of the hands, feet, or face; paralysis; confusion; weakness; trouble speaking, thinking or walking; slurred speech; headache, severe): *Antcoa-syst.*, *AppSupS-syst.*, *Biv-syst.*, *Diaz-parsyst.*, *EstroPO-syst.*, *Etan-syst.*, *Vasc-syst.*

transient: *Darb-syst.*, *Dipy-syst.*, *Dof-syst.*, *PacP-syst.*, *Sild-syst.*

focal (confusion; numbness of the hands): *Diaz-orsyst.*

thromboembolic (confusion; double vision; impairment of speech; weakness in arms or legs): *Thr-syst.*

thrombosis.

cerebral (confusion; numbness of hands): *Eton-vag.*, *NoreE-syst.*, *Sild-syst.*

intracranial (severe headache; inability to move arm or leg): *Aspar-syst.*

sagittal sinus (extreme exhaustion; headache): *Danaz-syst.*

ALOPÉCIA (Ver Cabelo, calvície, caindo).

ANEURISMA (Ver Vasodilatação cerebral).

APOPLEXIA (Ver Acidente Vascular Cerebral, apoplexia).

ARTERITE cerebral: *Bleo-syst.*, *Cisp-syst.*

occlusion, cerebral, with arteritis (confusion; severe or sudden headache; sudden loss of coordination; sudden slurring of speech) (See Occlusion.): *Methylp-syst.*

CABELO, anormalidades (Ver Couro Cabeludo; Seborréia): *AbLam-syst.*, **Acit-syst.**, *Acyc-syst.*, *Albd-syst.*, *Allop-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Amsa-syst.*, *Anag-syst.*, *Anast-syst.*, *Andro-syst.*, *Antcoa-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AntfunA-syst.*, **Anth-top.**, *Atorv-syst.*, *AtovaPro-syst.* [*Proguanil*], *Basil-syst.*, *BetBA-oph.* [*Betaxolol, Levobetaxolol, and Timolol*], **Bevac-syst.**, **Bex-syst.**, *Bim-oph.*, *Bleo-syst.*, *Brin-oph.*, *Calcip-top.*, *Carbam-syst.*, *CarbidEL-syst.*, *Carbopl-syst.*, *Carbopr-syst.*, *Carm-syst.*, *Cele-syst.*, **Cetux-syst.**, *Chloroq-syst.*, *ClotB-top.*, *Colc-syst.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, **Corticot-syst.**, **Cycloph-syst.**, **Cyclosp-syst.**, *Cyp-syst.*, *Cyt-syst.*, *Dac-syst.*, **Dacti-syst.**, **Dau-syst.**, *DauL-syst.*, *Dic-top.*, *DicM-syst.*, *DiphtTTH-syst.*, *Dipy-syst.*, **Docet-syst.**, *Doxaz-syst.*, **DoxorL-syst.**, *Efav-syst.*, *Efl-syst.*, **Epir-syst.**, **Erl-syst.**, *Estro-syst.*, *Etan-syst.*, **Etop-syst.**, *Exem-syst.*, **Fin-syst.**, *Flox-syst.*, *Fluda-syst.*, *Fludro-syst.*, **Fluoru-syst.**, *Fluox-syst.*, *FollitB-syst.*, **Gemc-syst.**, *Gold-syst.*, *Guane-syst.*, *Hepar-syst.*, *HistH2-syst.* [*Cimetidine, Famotidine, Ranitidine*], *Histr-syst.*, *Hydxcyc-syst.*, **Ida-syst.**, **Ifo-syst.**, *Indin-syst.*, **IntA-syst.**, *IntA1-syst.*, *IntB1a-syst.*, *IntB1b-syst.*, **Iri-syst.**, **Isot-syst.**, *Ketoc-top.* [*Shampoo*], *Lami-syst.*, *LamiZ-syst.*, **Lef-syst.**, **Len-syst.**, *Let-syst.*, *Levam-syst.*, *Leve-syst.*, *Lit-syst.*, *Lom-syst.*, *Meb-syst.*, *Mech-syst.*, **MedE-syst.**, *Mef-syst.*, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *MethotC-syst.*, *MethotNC-syst.*, *Methox-syst.*, *Methox-top.*, *Methylp-syst.*, *Methys-syst.*, *Metyra-syst.*, **Minox-syst.**, *Minox-top.*, *Mitom-syst.*, **Mitox-syst.**, *Niti-syst.*, *NysT-top.*, *Oct-syst.*, *Oxa-syst.*, *Oxi-top.*, **Pac-syst.**, **PacP-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, *Pentosa-syst.*, *PerpA-syst.*, **Pime-top.**, *Procar-syst.*, *Proge-syst.*, *Progu-syst.*, *Pyridos-syst.*, **Ralt-syst.**, **RibaI-syst.**, *Ril-syst.*, **SelenS-top.**, *SelenSup-syst.*, **Sir-syst.**, **Sor-syst.**, *Sun-top.*, *Tacro-top.*, **Teni-syst.**, *Thiot-syst.*, *ThyH-syst.*, *Tiz-syst.*, **Topo-syst.**, **Tret-syst.**, **Urs-syst.**, **Valp-syst.**, *Vals-syst.*, **Vinb-syst.**, **Vinc-syst.**, *Vind-syst.*, **Vino-syst.**, *VitA-syst.*, **Zole-syst.**

baldness, alopecia (hair loss, thinning of hair): *AbLam-syst.*, **Acit-syst.**, *Acyc-syst.*, *Albd-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Amsa-syst.*, *Anag-syst.*, *Anast-syst.*, *Andro-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AntfunA-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Betaxolol, Levobetaxolol, and Timolol*], **Bevac-syst.**, **Bex-syst.**, *Bleo-syst.*, *Brin-oph.*, *Carbam-syst.*, *CarbidEL-syst.*, *Carbopl-syst.*, *Carbopr-syst.*, *Carm-syst.*, *Cele-syst.*, **Cetux-syst.**, *Colc-syst.*, **Cycloph-syst.**, *Cyp-syst.*, *Cyt-syst.*, *Dac-syst.*, **Dacti-syst.**, **Dau-syst.**, *DauL-syst.*, *Diaz-orsyst.*, *Dic-top.*, *DicM-syst.*, *DiphtTTH-syst.*, *Dipy-syst.*, **Docet-syst.**, *Doxaz-syst.*, **DoxorL-syst.**, *Efav-syst.*, *Efl-syst.*, **Epir-syst.**, **Erl-syst.**, *Etan-syst.*, **Etop-syst.**, *Exem-syst.*, *Fluda-syst.*, **Fluoru-syst.**, *Fluox-syst.*, *FollitB-syst.*, **Gemc-syst.**, *Gold-syst.*, *HistH2-syst.* [*Cimetidine, Famotidine, Ranitidine*], **Ida-syst.**, **Ifo-syst.**, *Indin-syst.*, *IntA1-syst.*, *IntB1a-syst.*, *IntB1b-syst.*, **Iri-syst.**, *Isot-syst.*, *Lami-syst.*, *LamiZ-syst.*, **Lef-syst.**, **Len-syst.**, *Let-syst.*, *Levam-syst.*, *Leve-syst.*, *Lind-top.*, *Lit-syst.*, *Lom-syst.*, *Meb-syst.*, *Mech-syst.*, **MedE-syst.**, *Mef-syst.*, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *MethotC-syst.*, *MethotNC-syst.*,

Methys-syst., Metyra-syst., Mitom-syst., **Mitox-syst.**, Niti-syst., Oct-syst., Oxa-syst., **Pac-syst.**, **PacP-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, Pentosa-syst., PerpA-syst., Procar-syst., Pyridos-syst., **Ralt-syst.**, **RibaI-syst.**, Ril-syst., SelenSup-syst., **Sor-syst.**, **Teni-syst.**, Thiot-syst., Tiz-syst., **Topo-syst.**, **Tret-syst.**, **Urs-syst.**, **Valp-syst.**, Vals-syst., **Vinb-syst.**, **Vinc-syst.**, Vind-syst., **Vino-syst.**, **VitA-syst.**, **Zole-syst.**

increased: Chloroq-syst., ClotB-top., Hydxye-syst., NysT-top.

normal hair loss: Ketoc-top. [Shampoo], SelenS-top.

partial: **IntA-syst.**, Tamo-syst.

children: ThyH-syst.

reversible: AtovaPro-syst. [Proguanil], Progu-syst.

scalp: Antcoa-syst., Estro-syst., Guane-syst., Methylp-syst., Proge-syst.

increased: NysT-top.

unusual: Cortic-top.

transient: Nitro-syst.

unusual: Allop-syst., Cortic-top., Hepar-syst.

color changes.

bleaching of: Chloroq-syst., Hydxye-syst.

dryness: Ketoc-top. [Shampoo]

unusual: **SelenS-top.**

folliculitis (burning, itching, and pain in hairy areas; pus in the hair follicles): Calcip-top., Cortic-rec., DauL-syst., Oxi-top., **Pime-top.**, Sor-syst., Sun-top., Tacro-top.

hypertrichosis (excessive hair growth): Basil-syst., Cortic-rec., Cortic-top., **Minox-syst.**

hirsutism (increase in hair growth): Anth-top., Bim-oph., Cortic-rec., Cortic-top., CorticG-syst., **Corticot-syst.**, **Cyclosp-syst.**, Cyp-syst., Fin-syst., Fludro-syst., Isot-syst., Methox-syst., Methox-top., Metyra-syst., **Minox-top.**, NysT-top., **Sir-syst.**

female patients treated for endometriosis: **Nafa-syst.**

forehead: Diaz-orsyst., Histr-syst.

scalp: Proge-syst.

oiliness: Ketoc-top. [Shampoo]

unusual: **SelenS-top.**

thinning of: Flox-syst., **Isot-syst.**, Tamo-syst.

scalp: Cortic-rec.

CÂNCER (Ver Tumor, câncer).

CEREBELAR, SÍNDROME, aguda (distúrbios do equilíbrio): Fluoru-syst.

COMICHÃO, coceira, prurido do couro cabeludo: Lind-top., **Mido-syst.**, Perm-top.

increased: Chlorox-top.

pruritus (itching scalp): Cicl-top. [Ciclopirox shampoo], Lind-top.

CONGESTÃO: Calcit-nassyst., Cand-syst., **Estro-syst.**, Fel-syst., **OlmH-syst.**, Telm-syst., **Til-syst.**

COURO CABELUDO (Ver Cabelo).

burning (See Pain).

dryness: Chlorox-top., Ketoc-top. [Shampoo]

unusual: SelenS-top.

irritation: Chlorox-top., Mal-top.

itching (See Itching of scalp).

numbness (See Numbness, sensation of).

oiliness: Ketoc-top. [Shampoo]

unusual: SelenS-top.

prickling (See Prickling).

rash: Perm-top.

redness: Perm-top.

stinging (See Pain).

swelling (See Swelling).

tingling (See Tingling).

CRANIOSSINOSTOSE: ThyH-syst.

DOR, dor de cabeça em geral (Ver Migrânea): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Abar-syst.**, **Abcix-syst.**, Acamp-syst., **Acit-syst.**, Acyc-syst., **Adal-syst.**, **Adef-syst.**, **Aden-syst.**, **Agal-syst.**, Albd-syst., **AlbMic-syst.**, Aldes-syst., Alef-syst., Alend-syst., Alfuz-syst., Allop-syst., **Almot-syst.**, Alos-syst., Alpha-syst., **Aman-syst.**, AmincAc-syst., Aminglut-syst., **Amio-syst.**, **Amlod-syst.**, AmmSAr-syst., Amph-syst., AmphoB-syst., **AmphoBCC-syst.**, **AmphoBLC-syst.**, **AmphoBLsC-syst.**, **Ampr-syst.**, **Amsa-syst.**, **Anag-syst.**, **Anak-syst.**, **Anast-syst.**, Andro-syst., Anest-parloc., AnestBar-syst., **AngIn-syst.**, AngInH-syst., Anid-syst., AntinfN-oph., **AnthyGR-syst.**, AntandN-syst., Antchsp-syst., Antcoa-syst., **AntconD-syst.**, AntconH-syst., **AntconS-syst.**, **AntdepT-syst.**, **AntdiaS-syst.**, Antdys-syst., AntfunA-syst., AntfunA-vag., AntglaC-oph., AnthemF-syst., **Anthis-syst.** [**Desloratadine**], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst., Anthyr-syst., **AppSupS-syst.**, Aprac-oph., Aprep-syst., **Arb-syst.**, **Arip-syst.**, **ArsTr-syst.**, AscAc-syst., AspirSC-syst., **Ataz-syst.**, **Atom-syst.**, **Atorv-syst.**, **Atova-syst.**, **AtovaPro-syst.**, **Azac-syst.**, Azel-nas., **Azel-oph.**, Azith-syst., Aztr-syst., **Bacl-intsyst.**, Barb-syst., **BarbAn-syst.** [Aspirin; Caffeine]; **Basil-syst.**, Bell-syst., **Bentir-syst.**, Benzod-syst., Benzon-syst., BetBA-oph., Beth-syst., **Bevac-syst.**, **Bex-syst.**, **Bex-top.**, Bim-oph., **Biv-syst.**, **Bort-syst.**, **Bos-syst.**, **BotA-parloc.**, **BotB-parloc.**, **Brim-oph.**, Brin-oph., **Bromf-oph.**, **BronA-inhloc.**, **BronA-syst.**, BronT-syst., Buc-syst., Bupre-syst., Buse-syst., **Busp-syst.**, **Busu-syst.**, **Butor-nasyst.**, **Cab-syst.**, Caff-syst., **Calcit-nassyst.**, Calcit-syst., **CalcCBA-syst.**, Cand-syst., CandH-syst., Capec-syst., Carbac-oph., Carbam-syst., **Carbet-syst.**, CarbidL-syst., CarbidEL-syst., CarbonAI-syst., **Carm-imploc.**, Carv-syst., Cefd-syst., **Cele-syst.**, **Ceph-syst.**, CetiP-syst. [Pseudoephedrine], Cetr-syst., **Cetux-syst.**, Cev-syst., Chloramp-ot., Chloramp-syst., **ChlordA-syst.**, **Chloroq-syst.**, CholAO-syst., **CholVac-syst.**, Cholest-orloc., ChorioG-syst., Chym-parloc., Cicl-top. [Ciclopirox shampoo], **Cid-syst.**, **Cil-syst.**, Cinox-syst., Cisap-syst., Cital-syst., **Clad-syst.**, Clar-syst., Clind-top., Clind-vag., Clod-

syst., **Clofar-syst.**, *Clofib-syst.*, *Clom-syst.*, **Clop-syst.**, **Cloz-syst.**, *Colest-orloc.*, **ConjE-syst.**, **Cortic-inhloc.**, **Cortic-nas.** [*Dexamethasone*], *Cortic-rec.*, *CorticG-syst.*, *Crom-inhloc.*, *Crom-nas.*, **Crom-systorloc.**, *Cycla-syst.*, *Cyclob-syst.*, *Cycloph-syst.*, **Cyclos-syst.**, *Cyclosp-syst.*, *Cys-syst.*, *Cyt-syst.*, *Dacli-syst.*, *Dant-syst.*, *Dapi-oph.*, *Daps-syst.*, *Daps-top.*, **Dapt-syst.**, **Darb-syst.**, **DauL-syst.**, **Del-syst.**, **Den-syst.**, **Desl-syst.**, **DeslP-syst.**, *Desm-syst.*, *Dexmed-syst.*, **Dexmet-syst.**, *Dext-syst.*, *Dic-top.*, **Did-syst.**, **Dietc-syst.**, *Dif-syst.*, *DigitG-syst.*, **Dimer-syst.**, *Dinopst-parloc.*, *Dinopne-cervag.*, *Dipheni-syst.*, *DiphenoA-syst.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *Dipi-oph.*, **Dipy-syst.**, **DipyA-syst.**, *Dir-syst.*, *Diso-syst.*, *Disu-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *Docet-syst.*, **Doco-top.**, *Dof-syst.*, **Dol-syst.**, *Dom-syst.*, *Don-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Doxap-syst.*, **Doxaz-syst.**, **Doxep-top.**, **DoxorL-syst.**, **Doxyc-mucloc.**, **DrosE-syst.**, **Dul-syst.**, *Dyp-syst.*, **EdC-syst.**, *EdD-syst.*, **Efal-syst.**, **Efav-syst.**, *Efl-syst.*, **Eme-oph.**, **Emt-syst.**, *EmtT-syst.*, **EnaF-syst.**, *Entec-syst.*, *Epina-oph.*, **Epine-oph.**, *Epl-syst.*, **Epoe-syst.**, **Epop-syst.**, **ErgolM-syst.**, **Erl-syst.**, **Ert-syst.**, *Esm-syst.*, *Eso-syst.*, **Estro-syst.**, *Estro-vag.*, **EstroP-syst.**, **Esz-syst.**, **Etan-syst.**, *Etham-syst.*, **Eton-vag.**, **Exem-syst.**, **Exen-syst.**, **Ezet-syst.**, *EzetS-syst.*, *FacVIIa-syst.*, **Fam-syst.**, **Fel-syst.**, *Fenof-syst.*, **Fenol-syst.**, **Fent-trsyst.**, *Fex-syst.*, **FexP-syst.**, *Fin-syst.*, *Flavox-syst.*, *Flec-syst.*, *Fluc-syst.*, *Fluda-syst.*, **Flum-syst.**, **Fluorq-syst.**, **Fluox-syst.**, **Flut-nas.**, **FlutS-inhloc.**, **Fluv-syst.**, **Fome-syst.**, **Fomi-parloc.**, *Fon-syst.*, **For-inhloc.**, *Fosam-syst.*, **Fosc-syst.**, **Fosf-syst.**, **Ful-syst.**, *Fur-orloc.*, *Fus-syst.*, *Gab-syst.*, *Gadob-syst.*, **Gadod-syst.**, **Gadop-syst.**, *Gadot-syst.*, **Gadov-syst.**, *Gala-syst.*, *Gals-syst.*, *Ganir-syst.*, *Gat-oph.*, *Gemif-syst.*, **Gemt-syst.**, *Glim-syst.*, **GlipM-syst.**, *Glut-syst.*, **GlybM-syst.**, **Glyc-syst.**, *Gon-syst.*, *Gos-syst.*, **Gra-syst.**, **Gri-syst.**, **GroH-syst.**, *Guai-syst.*, *Guanab-syst.*, *Guanad-syst.*, *Guane-syst.*, *Guanf-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, **HepatBIG-syst.**, *HepatBVR-syst.*, *HistH2-syst.*, *Histr-syst.*, **HMG-syst.**, **HyalS-syst.**, *HyalSD-syst.*, **Hydra-syst.**, **HydroI-syst.**, *HydroxT-oph.*, **Hydxyc-syst.**, *Hydxyu-syst.*, **Iba-syst.**, **IbupO-syst.**, *Ibut-syst.*, **Ida-syst.**, **Ilo-inh.**, **Ima-syst.**, *Imig-syst.*, **Imiq-top.**, **Imm-syst.**, *Inda-syst.*, **Indin-syst.**, *IndiuC-syst.*, *IndiuPt-syst.*, *IndiuS-syst.*, **Infli-syst.**, **Influ-syst.**, **IntB1a-syst.**, **IntB1b-syst.**, *Iodip-syst.*, *Iodix-syst.*, *Iodoq-orloc.*, *Iopr-syst.*, *Lot-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, **Ipr-inhloc.**, *IprA-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, *Ive-syst.*, *JapV-syst.*, **Ketor-syst.**, **Ketot-oph.**, *Ltry-syst.*, **Lami-syst.**, **LamiZ-syst.**, **Lamo-syst.**, **Lans-syst.**, **Lar-syst.**, **Lef-syst.**, **Len-syst.**, *Let-syst.*, **Leval-inhloc.**, *Levam-syst.*, **Leve-syst.**, *Levoc-oph.*, **Levoca-syst.**, *Levod-syst.*, *Levof-oph.*, *Levof-syst.*, *Levom-syst.*, *Lid-top.*, *Lind-top.*, *Line-syst.*, *Lod-oph.*, *LopiR-syst.*, *Lor-syst.*, **Los-syst.**, *LosH-syst.*, **Lot-oph.**, **LotT-oph.**, *Lox-syst.*, **Lut-syst.**, **Lym-syst.**, *MagS-syst.*, *Man-syst.*, **Mann-syst.**, **Map-syst.**, *Meb-syst.*, **Mecas-syst.**, *Mech-syst.*, **MedE-syst.**, **Mef-syst.**, **Meg-syst.**, **Mem-syst.**, *MeniPV-syst.*, **MeniVDC-syst.**, *Mep-syst.*, *MepA-syst.*, *Merc-syst.*, *Mero-syst.*, **Metf-syst.**, **MetfP-syst.**, *MethotC-syst.*, *Methox-syst.*, **Methy-syst.**, **MethyTD-syst.**, *Methylp-syst.*, *Meto-syst.*, **Metro-syst.**, *Metro-vag.*, **Metyra-syst.**, *Mex-syst.*, *Mica-syst.*, *Mida-syst.*, *Mido-syst.*, **Mif-syst.**, **Miglu-syst.**, *Mil-syst.*, **Minoc-mucloc.**, *Minox-top.*, *Mis-syst.*, **Mitox-syst.**, **Mod-syst.**, *Moe-syst.*, *MoeH-syst.*, **Moli-syst.**, **Mom-inhloc.**, **Mom-nas.**, **Mont-syst.**, *Mor-syst.*, **Mup-nas.**, *Mup-top.*, **Mur-syst.**, **Myc-syst.**, **Nab-syst.**, **Nali-syst.**, *Nalm-syst.*, **Nalt-syst.**, *Nap-oph.*, **Natal-syst.**, *Ned-inhloc.*, **Ned-oph.**, **Nef-syst.**, *Nep-oph.*, **Nes-syst.**, **Nev-syst.**, *Nia-syst.*, **NiaL-syst.**, **Nico-inhsyst.**, **Nico-nas.**, **Nis-syst.**, *Nita-syst.*, *Niti-syst.*, **Nitra-syst.**, **Nitro-syst.**, *Nitrop-syst.*, **NoreE-syst.**, *Nyl-syst.*, *Ofl-ot.*, **Ola-syst.**, *Olm-syst.*, **Olo-oph.**, *Ols-orloc.*, **Oma-syst.**, *Omep-syst.*, **Ond-syst.**, *Opi-syst.*, **Orl-orloc.**, *Ose-syst.*, **Oxa-syst.**, **Oxc-syst.**, *Oxyb-syst.*, *Oxym-nas.*, *Oxym-oph.*, **Palo-syst.**, **Pam-syst.**

Pantop-syst., **Paro-syst.**, *Pegad-syst.*, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Pemi-oph.**, *Pemo-syst.*, **Penc-top.**, **Penicil-syst.**, **PenicilB-syst.**, *PenteC-syst.*, *PenteZ-syst.*, *Pentosa-syst.*, **Pentost-syst.**, *Pentox-syst.*, *Perf-orloc.*, **PerpA-syst.**, *Phena-syst.*, *Phenot-syst.*, *Phenox-syst.*, *Phent-syst.*, *Pheny-nas.*, **Pheny-oph.**, *Phy-oph.*, *Pil-oph.*, *Pil-syst.*, **Pime-top.**, *Pimo-syst.*, **Pio-syst.**, *Pip-syst.*, *Pli-syst.*, **Podof-top.**, **Pral-syst.**, **Praml-syst.**, **Prazi-syst.**, **Prazo-syst.**, **PrazoP-syst.**, **Pre-syst.**, **Probe-syst.**, *Probu-syst.*, *Procar-syst.*, **Progu-syst.**, *Propa-syst.*, *Propo-syst.*, *Prota-syst.*, **Proti-syst.**, *Pse-syst.*, *Pyran-orloc.*, *Pyridos-syst.*, *Que-syst.*, *Quid-syst.*, *Quin-syst.*, *QuinuD-syst.*, **Rabe-syst.**, **RabiV-syst.**, *Ralt-syst.*, **Ram-syst.**, **Ras-syst.**, *Rau-syst.*, *Rem-syst.*, **Rep.syst.**, *Riba-syst.*, **RibaI-syst.**, *Rifab-syst.*, **Rifax-orloc.**, *Ril-syst.*, *Rima-syst.*, *Rime-oph.*, **Rise-syst.**, **Risp-syst.**, **Ritod-syst.**, **Riton-syst.**, **Ritu-syst.**, **Riv-syst.**, *Ropin-syst.*, *Ropiv-parloc.*, **Rosi-syst.**, **RosiM-syst.**, **Rosu-syst.**, *Sac-syst.*, *Sal-syst.*, *SalA-top.*, *Saq-syst.*, *Seleg-syst.*, *Serm-syst.*, **Sertr-syst.**, **Sib-syst.**, **Sild-syst.**, *Sin-syst.*, **Sir-syst.**, *Ske-syst.*, *SodI123-syst.*, *SodI131-syst.*, *SodN-syst.*, **SodO-syst.**, *SodPhe-syst.*, *SodTe-syst.*, **Sor-syst.**, *Spa-syst.*, *Sta-syst.*, **SulfadP-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Sur-syst.**, **Sym-parsyst.**, **Tacri-syst.**, **Tacro-syst.**, **Tacro-top.**, **Tad-syst.**, *Tamo-syst.*, **Tams-syst.**, *TecF-syst.*, *TecAr-syst.*, *TecB-syst.*, *TecSe-syst.*, **Teg-syst.**, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, **Tem-syst.**, **Tera-syst.**, **Teri-syst.**, *Testos-syst.*, *Thali-syst.*, **Thiab-syst.**, *Thie-syst.*, *Thr-syst.*, *ThyH-syst.*, **Thyr-syst.**, **ThyrA-syst.**, **Til-syst.**, *Tini-syst.*, **Tiot-inhloc.**, *Tinz-syst.*, *Tir-syst.*, *Toc-syst.*, **Tolc-syst.**, **Tolt-syst.**, **Topo-syst.**, *Tore-syst.*, **Tors-syst.**, **Tram-syst.**, *TramA-syst.*, *Trand-syst.*, *Trav-oph.*, **Traz-syst.**, **Trep-syst.**, **Tret-syst.**, *Trimethob-syst.*, *Trimethop-syst.*, *Trio-syst.*, **Trip-syst.**, *Trop-oph.*, *Tros-syst.*, **Trov-syst.**, **TypVI-parsyst.**, **TypP-syst.**, *Ure-parloc.*, **Ure-syst.**, **Urs-syst.**, **Vac-syst.**, **Vala-syst.**, **Vald-syst.**, **Valg-syst.**, **Valp-syst.**, *Vals-syst.*, *ValsH-syst.*, **Vard-syst.**, *Vasc-syst.*, **Ven-syst.**, **Ver-parloc.**, *Vig-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*, *VitA-syst.*, *VitE-syst.*, *Vor-syst.*, *Xyl-nas.*, *Yoh-syst.*, *Zaf-syst.*, *Zalc-syst.*, **Zale-syst.**, *Zan-inhsyst.*, **Zic-syst.**, **Zole-syst.**, *Zolp-syst.*, **Zon-syst.**

adults: *Leup-syst.*

pediatric patients, and: *Desf-inhsyst.*, *Sevo-inhsyst.*

continuing: *AmmMer-top.*, *AtropB-syst.*, *BisS-orloc.*, *DecAn-syst.* [Salicylate-containing combinations], *DiphtTT-syst.*, *Fludro-syst.*, **Mesa-orloc.**, *SalA-top.*, **Sulfap-syst.**, **Sulfas-syst.**, *TetaT-syst.*, *VitDA-syst.*

bleeding, internal, from: *Hepar-syst.*

hypercalcemia, with: *CalcS-syst.*

females: **Meno-syst.**

hammering.

pounding in head: *Vaso-syst.*

migraine (headache, severe and throbbing): **AbLam-syst.**, *AmlodAt-syst.* [*Amlodipine*], *AntinfN-syst.*, *Atorv-syst.*, *Cele-syst.*, *Cev-syst.*, *Cisap-syst.*, *Cital-syst.*, **ConjE-syst.**, *Dic-top.*, *DicM-syst.*, *Dipy-syst.*, *Dof-syst.*, *DrosE-syst.*, *Efav-syst.*, **Estro-syst.**, *Eton-vag.*, *Flut-inhloc.*, *Gla-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, **IntB1b-syst.**, **Leval-inhloc.**, *Moc-syst.*, *Nico-nas.*, *NoreE-syst.*, *Pantop-syst.*, *Paro-syst.*, *Ralo-syst.*, *Sib-syst.*, *Sild-syst.*, *Teg-syst.*, *Tiz-syst.*, *Tram-syst.*, *TramA-syst.*, *Zale-syst.*

female infertility, patients treated for: *FollitA-syst.*

females: *Meno-syst.*

migraine attack: *Imm-syst.*

nausea and vomiting, with: *AntinfN-syst.*, *DicM-syst.*

sudden onset of: *Proge-syst.*

worsening or increased frequency of: *DrosEE-syst.*, *EstroPO-syst.*

mild: **AmylN-syst.**, *AnestInh-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Ibr-syst.**, **Isot-syst.**, *MeaRV-syst.*, *MeaMRV-syst.*, **Mesa-reloc.**, **Nico-syst.**, **Proge-syst.**, *Ret-syst.*, *RubeM-syst.*, *RubeV-syst.*, *TecAp-syst.*, *Thr-syst.*, **TosI-syst.**, *Yel-syst.*

blood pressure, without increase in: **AntdepMAO-syst.**

moderate, to: **AntinfN-syst.**, **ColSF-syst.** [*Filgrastim*, *Sargramostim*], *DecAn-syst.* [*Ibuprofen-containing combinations*], *Iov-syst.*, **Moc-syst.**

severe, to: **Iopa-syst.**, **Mesa-orloc.**

transient, and: *Ergon-syst.*

female patients treated for endometriosis: *Nafa-syst.*

occipital (severe throbbing headache which starts at the back of the head and radiates forward): *Moc-syst.*

pediatric and adult patients: *Desf-inhsyst.*, *Sevo-inhsyst.*

pediatric patients being treated for juvenile rheumatoid arthritis: **Sulfas-syst.**
scalp.

burning: *Chlorox-top.*, **Mido-syst.**, *Minox-top.*, *Perm-top.*

stinging: *Mal-top.*, *Perm-top.*

severe: *AmmMer-top.*, *AntinfN-syst.*, *AntdepMAO-syst.*, *AtropB-syst.*, *BisS-orloc.*, *Bupro-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *DiphtTT-syst.*, *Fludro-syst.*, *IodS-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, **PotI-syst.**, **Proti-syst.**, *Resp-syst.*, *SalA-top.*, *SodC-parloc.*, *SodI-syst.*, *TetaT-syst.*, **Zid-syst.**

bleeding, internal, from: *Hepar-syst.*

morning: *AntinfN-syst.*

sudden onset of: *Isot-syst.*

sinus: *Atom-syst.*

stomach pain, with: *Sal-syst.*

stuffy head, symptoms of head cold: *Doxyc-mucloc.*, **IodS-syst.**, **PotI-syst.**

sudden: *Coc-mucloc.*

severe, sudden onset of: *Isot-syst.*, *Melo-syst.*

vertigo, with: *Cortic-ot.*

worsening or increased frequency of: *DrosEE-syst.*, *EstroPO-syst.*

DORMÊNCIA, sensação de.

scalp: *BetBA-syst.* [*Labetolol*], *Perm-top.*

tingling, with: *BetBA-syst.* [*Labetolol*]

EDEMA cerebral (confusão; dor de cabeça; problemas com o movimento, andando ou falando; convulsões; vômitos): *AcetSal-syst.*, *AcSodCit-syst.*, *AnthisDAg-syst.* [*Acetaminophen-containing combinations*], *BarbAn-syst.* [*Acetaminophen*], *Carm-imploc.*, *Colc-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*], *IsomDA-syst.*, **SodBeSP-syst.**, *TramA-syst.* [*Acetaminophen*]

cerebellar (confusion; headache; nausea; vomiting): *Tret-syst.*

ENCEFALOMIELOPATIA (Ver Encefalopatia): *Carm-syst.*

ENCEFALOPATIA (agitação; dor nas costas; visão borrada; coma; confusão; tonturas; sonolência; febre; alucinações; cefaléia; irritabilidade; alteração mental ou de humor; convulsões; rigidez do pescoço; cansaço incomum ou fraqueza; vômitos) (Ver Encefalomiopatia; Kernicterus; Leucoencefalopatia; GENERALIDADES, Encefalopática, Alterações): *Acyc-syst., Bort-syst., MethotC-syst.*

hepatic encephalopathy (with mental changes, confusion, agitation, or stupor): *AcetSal-syst., AcSodCit-syst., AnthisDAg-syst.* [Acetaminophen-containing combinations], *BarbAn-syst.* [Acetaminophen]

hypertensive encephalopathy (agitation; back pain; blurred vision; coma; confusion; dizziness; drowsiness; fever; hallucinations; headache; irritability; mood or mental changes; seizures; stiff neck; unusual tiredness or weakness; vomiting): *Adal-syst., Epoe-syst.*

ERUPÇÕES.

disorder, skin: *Cicl-top.* [*Ciclopirox shampoo*]

pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk):

Penic-syst.

paraneoplastic pemphigus (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): *Ritu-syst.*

rash: *Cicl-top.* [*Ciclopirox shampoo*]

scalp: *Perm-top.*

FONTANELAS, abaulamento (abaulamento discreto na cabeça de uma criança): *Doxyc-syst., VitA-syst.*

FORMIGAMENTO.

scalp: *BetBA-syst.* [*Labetolol*], *Perm-top.*

numbness, with: *BetBA-syst.* [*Labetolol*]

HEMATOMA, extradural (perda da consciência; dor de cabeça; sonolência; confusão; fraqueza de parte do corpo): *Cil-syst.*

subdural (blurred vision; irregular heartbeat; nausea and vomiting; severe headache): *Adal-syst., Cil-syst., Ibr-syst., SodBeSP-syst.*

HEMORRAGIA.

cerebral(fever; sudden loss of consciousness; confusion; headache, sudden and severe; and continuing nausea and vomiting; blurred vision; double vision; difficulty in speaking; inability to speak; slow speech; seizures; slurred speech; temporary blindness; weakness in arm and/or leg on one side of the body, sudden and severe; inability to move arms, legs, or facial muscles;): *Alpr-syst., BronA-syst.* [*Ephedrine; Epinephrine*], *Carm-imploc., Cil-syst., DipyA-syst., DrosEE-syst., Ept-syst., Eton-vag., Gemt-syst., Ibr-syst., Ima-syst., NoreE-syst.*

patients with acute promyelocytic leukemia: Tret-syst.

risk of, increased: *MedE-syst.*

cerebrovascular (severe or continuing headache; seizures; vision changes, such as blurred vision or temporary blindness; sudden weakness): *Perg-syst.*, *Sild-syst.*

intracerebral (confusion; headache, sudden, severe, and continuing; nausea and vomiting): *Chym-parloc.*, *Sild-syst.*

intracranial (confusion, headache; sudden severe weakness; nausea and vomiting; difficulty in speaking; slow speech; inability to speak; aphasia or dysarthria [speech disorder affecting pronunciation, reading, and writing skills]; inability to move arms, legs, or facial muscles; double vision; numbness; sensation that you or surroundings are spinning): **Abcix-syst.**, **Antcoa-syst.**, *AntdepMAO-syst.*, *Aspar-syst.*, *Cele-syst.*, *Cil-syst.*, *Clop-syst.*, *DipyA-syst.*, *Drot-syst.*, **Gemt-syst.**, *Indo-syst.*, *Lep-syst.*, **Mem-syst.**, *Nitri-inhloc.*, *Ret-syst.*, *Tene-syst.*, *Tir-syst.*

due to hemodynamic changes: *Ber-intloc.*

stroke, hemorrhagic (confusion; double vision; impairment of speech; weakness in arms or legs): *Ret-syst.*

subarachnoid (confusion; headache, sudden, severe, and continuing; blurred vision; double vision; difficulty in speaking; slow speech; inability to speak; inability to move arms, legs, or facial muscles; nausea and vomiting): *BronA-syst.* [*Ephedrine*; *Epinephrine*], *Chym-parloc.*, *DipyA-syst.*, *Oxyt-syst.*, *Sild-syst.*, *Sum-syst.*, *Ure-syst.*

subdural, possible (blurred vision; severe headache): *Ure-syst.*

HIDROCEFALIA: *Carm-imploc.*

infants: *VitA-syst.*

normal pressure (confusion; drowsiness; headache): *Etan-syst.*

HIPERTENSÃO.

intracranial (headache; nausea and vomiting; papilledema; decrease in vision; double vision; blurred vision; change in ability to see colors, especially blue or yellow): *Carm-imploc.*, *Mecas-syst.*, *Tret-syst.*

benign (decrease in vision; visual changes; double vision; blurred vision; change in ability to see colors, especially blue or yellow; papilledema; headache, severe; nausea; vomiting; loss of appetite; bulging fontanel in infants): *Cyclosp-syst.*, *Danaz-syst.*, *Nitro-syst.*, *Tetr-syst.*

adults: *Doxyc-syst.*

children (changes in vision; headache; nausea and vomiting; papilledema): *GroH-syst.*

papilledema (tiny bumps on the inner lining of eyelid): *Cisp-syst.*, *Cyclosp-syst.*, *Danaz-syst.*, *Opr-syst.*, *VitA-syst.*

enlargement, papillary: *Carm-imploc.*

papillitis, bilateral, with ring scotomata: *Vasc-syst.*

pressure, intracranial, with: *Fludro-syst.*

HIPÓXIA cerebral: *Mida-syst.*

INCHAÇO do couro cabeludo: *Perm-top.*

INFLAMAÇÃO.

cerebrospinal fluid (CSF) (See DIAGNOSTIC TESTS).

pleiocytosis (blurred vision; fever): *Levam-syst.*

encephalitis (confusion; irritability; headache, severe or continuing; seizures; stiff neck; vomiting): *Gold-syst., HepatAVI-syst., Mum-syst., RubeM-syst., RubeV-syst., Vari-syst., Yel-syst.*

meningoencephalitis: *Mum-syst., RubeM-syst., RubeV-syst.*

meninges, meningitis (confusion; fever; headache; drowsiness; stiff neck and/or back; general feeling of illness or nausea): *Carm-imploc., Clon-parloc., Ethan-parloc., HydroI-syst. [Ibuprofen], Myc-syst., Zic-syst.*

arachnoiditis (inflammation of the meninges and subarachnoid space).

chemical (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness; cerebrospinal fluid [CSF] pleocytosis; nausea; neck pain or rigidity; vomiting): **CytL-int., MethotC-syst.**

aseptic (fever; severe headache; drowsiness; confusion; stiff neck and/or back; malaise; general feeling of illness; continuing loss of appetite; nausea; vomiting): *AntinfN-syst., Carbam-syst., Cele-syst., DecAn-syst. [Ibuprofen-containing combinations], DicM-syst., Efal-syst., Imm-syst., IndiuP-syst., Ketor-syst., Phena-syst., SulfoT-syst., Vac-syst., Trimethop-syst.*

aseptic meningitis syndrome (AMS) (fever; headache; stiff neck; unusual sensitivity of eyes to light; and seizures): *Mur-syst., Resp-syst., SulfoT-syst., Vac-syst.*

pleiocytosis, cerebrospinal fluid (CSF) (blurred vision; fever): *Levam-syst.*

meningoencephalitis (confusion; headache, severe or continuing; irritability; stiff neck; vomiting): *MeaRV-syst., MeaV-syst., MeaMRV-syst., Mum-syst., RubeM-syst., RubeV-syst.*

INSOLAÇÃO (hipertermia em seu estado avançado; pele quente e seca; incapacidade de transpirar; fraqueza muscular; confusão): *AnthisP-syst., Hal-syst.*

IRRITAÇÃO meníngea (rigidez do pescoço): **Iopa-syst.**

KERNICTERUS, encefalopatia bilirrubínica (diminuição do apetite; diminuição do movimento ou atividade; dificuldade em respirar; rigidez muscular) (Ver Encefalopatia).

neonates: *VitK-syst. [Menadiol]*

LEUCOENCEFALOPATIA (dor nas costas; visão borrada; confusão; convulsões; tonturas; sonolência; febre; dor de cabeça; cansaço incomum ou fraqueza) (Ver Encefalopatia): *MethotC-syst.*

progressive multifocal leukoencephalopathy (PML) (leukoencephalopathy involving the subcortical white matter, optic nerves, and optic tract): *Fluda-syst.*

MENÍNGEA, IRRITAÇÃO (rigidez do pescoço) (Ver Inflamação, meninges, meningite): **Iopa-syst.**

MENINGITE (Ver Inflamação; COSTAS, Inflamação; GENERALIDADES, Inflamação).

MIGRÂNEA, enxaqueca (dor de cabeça, severa e latejante) (Ver Dor, dor de cabeça em geral): **AbLam-syst.**, *AmlodAt-syst.* [*Amlodipine*], *AntinfN-syst.*, *Atorv-syst.*, *Cele-syst.*, *Cev-syst.*, *Cisap-syst.*, *Cital-syst.*, **ConjE-syst.**, *Dic-top.*, *DicM-syst.*, *Dipy-syst.*, *Dof-syst.*, *DrosE-syst.*, *Efav-syst.*, **Estro-syst.**, *Eton-vag.*, *Flut-inhloc.*, *Gla-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, **IntB1b-syst.**, **Leval-inhloc.**, *Moc-syst.*, *Nico-nas.*, *NoreE-syst.*, *Pantop-syst.*, *Paro-syst.*, *Ralo-syst.*, *Sib-syst.*, *Sild-syst.*, *Teg-syst.*, *Tiz-syst.*, *Tram-syst.*, *TramA-syst.*, *Zale-syst.*

female infertility, patients treated for: *FollitA-syst.*

females: *Meno-syst.*

migraine attack: *Imm-syst.*

nausea and vomiting, with: *AntinfN-syst.*, *DicM-syst.*

sudden onset of: *Proge-syst.*

worsening or increased frequency of: *DrosEE-syst.*, *EstroPO-syst.*

MOVIMENTOS da cabeça.

tic-like [jerky] movements of head.

face, and: *AnthisD-syst.* [*Promethazine*], *AnthisP-syst.*

mouth, and neck: *Lamo-syst.*

OCCLUSÃO cerebral (confusão; dor de cabeça severa ou súbita; perda súbita da coordenação; perda repentina da fala).

arteritis, with: *Methylp-syst.*

cerebrovascular (confusion, severe or sudden headache, sudden loss of coordination, sudden slurring of speech): *Phent-syst.*

PARESTESIA da cabeça (sensações de queimação, formigamento ou espinhos): *Nico-nas.*

PERIVENTRICULAR, LEUCOMALÁCIA (LPV) (dor de cabeça; dormência; sensação de que ele ou os arredores estão girando; afasia ou disartria [distúrbios da fala que afetam a pronúncia, a leitura e a escrita]): *Nitri-inhloc.*

PESO, pressão.

pressure in head: **Moc-syst.**

feeling of: *Mido-syst.*

extreme: *AmylN-syst.*, *Nitra-syst.*

pressure, intracranial: *Cortic-rec.*, *CorticG-syst.*, *Isot-syst.*, *Nali-syst.*, *Nitrop-syst.*, *SodBeSP-syst.*, *VitA-syst.*

increased (headache; insomnia; papilledema; unusual tiredness or weakness; bulging of fontanel [soft spot] on top of head of an infant; visual changes; blurred vision; change in ability to see colors, especially blue or yellow; loss of appetite; nausea; vomiting; pseudotumor cerebri): *Cortic-rec.*, *Isot-syst.*, *Nali-syst.*, *Nitrop-syst.*, *SodBeSP-syst.*, *VitA-syst.*

older children and adults: *VitA-syst.*

papilledema, with: *Fludro-syst.*

PICADAS.

scalp: **Mido-syst.**

PITUITÁRIA.

apoplexy, pituitary (altered mental status; cardiovascular collapse; double vision; headache, sudden; visual changes; vomiting): *Leup-syst.*

enlargement and asymmetry, pituitary: *Nafa-syst.*

suppression of pituitary function: *ClotB-top.*

tumor.

adenoma, pituitary: *Nafa-syst.*

QUEIMAÇÃO, sensação como se: *Imm-syst.*

RIGIDEZ, sensação de.

immobility: *FentD-syst.* [*Alfentanil*]

SEBORRÉIA (caspa; pele oleosa; oleosidade do cabelo e do couro cabeludo) (Ver Cabelo; Couro Cabeludo): *Atorv-syst.*, *Cicl-top.* [*Ciclopirox shampoo*], *Fluda-syst.*, *Isot-syst.*, *Ketoc-top.* [*Shampoo*], *Pil-syst.*, *Risp-syst.*

dermatitis, seborrheic: **Corticot-syst.**

female patients treated for endometriosis: **Nafa-syst.**

male or female patients treated for central precocious puberty: **Nafa-syst.**

SENSORIAIS, EFEITOS NEUROLÓGICOS (visão turva ou dupla; perda do paladar): *Aldes-syst.*

TOXICIDADE cerebral (manifestada por alteração sensorial variando de leve confusão ao coma): *Podop-top.*

TREMOR (e sensação de).

tremors, fine-muscle, in head (shakiness): *AntdepT-syst.*

TUMOR ou câncer.

adenoma, pituitary: *Nafa-syst.*

brain (change in personality; changes in vision; confusion; headache; problems with walking or talking; seizures; vomiting; weakness): *Niti-syst.*

enlargement of metastatic cancer, rapid, in critical locations such as the brain or spinal cord: *ThyrA-syst.*

metastatic disease, cerebral (confusion; convulsions; dizziness; hallucinations; headache): *Hydxyu-syst.*

pseudotumor cerebri (blurred or double vision; dizziness; eye pain; continuing severe headache, nausea, and vomiting): *Acit-syst.*, *Amio-syst.*, *Isot-syst.*, *Lit-syst.*, *Tret-syst.*

children: *ThyH-syst.*

Repertório - Capítulo CABEÇA

VASODILATAÇÃO cerebral (dor de cabeça contínua ou severa) (Ver Aneurisma):
CalcCBA-syst., Hist-syst., Minox-syst.

VASOESPASMO cerebral.

cerebrovascular (confusion, severe or sudden headache, sudden loss of coordination, sudden slurring of speech): *Phent-syst.*

reversible: *Imm-syst.*

VENTRICULOMEGALIA cerebral: *Corticot-syst.*

CAPÍTULO OLHO

ABAULAMENTO dos olhos (Ver Exoftalmia; Protrusão): *Coc-mucloc*.

ABERTOS, olhos.

lagophthalmos (inability to close the eyelid completely): **BotA-parloc**.

ALÉRGICA, REAÇÃO (coceira, dor, vermelhidão, inchaço ou outro sinal de irritação do olho ou pálpebra; lacrimejamento; erupção da pele): *Anest-oph.*, **Aprac-oph.**, **Brim-oph.**, *Brin-oph.*, **Dorz-oph.**, *Genta-oph.*, *Ketot-oph.*, *Levof-oph.*

eyelid reactions: *Dorz-oph.*

AMARELADO, amarelo, icterícia: *AmphoBLsC-syst.*

scleral: **Ataz-syst.**

jaundice (yellow eyes or skin): *Acarb-syst.*, *Amsa-syst.*

ANESTESIA: *Anest-oph.*

ASTENOPIA (cansaço, fadiga visual; vista cansada): *Bim-oph.*

ASTIGMATISMO.

curvature, corneal.

change in: **DrosEE-syst.**, **MedE-syst.**

steepening of (vision changes): *Estro-syst.*, *Eton-vag.*, *NoreE-syst.*

ATROFIA (Ver Phthisis Bulbi ou atrofia bulbar).

retinal: *Chloroq-syst.*

peripheral (decreased vision): **Vig-syst.**

optic (blurred vision or any change in vision): *Chloroq-syst.*, *Iodoq-orloc.*, *Sur-syst.*, *Uno-oph.*, **Vig-syst.**

BLEFARITE (See Inflamação).

BLEFAROESPASMO (Ver Espasmo das pálpebras).

CÁLCULOS (Ver Cristais; Depósitos).

crystals in corner of eye: **Cip-oph.**

CANAL NASOLACRIMAL, obstrução: *AntglaC-oph.*

children: *AntglaC-oph.*

occlusion, lacrimal (excess flow of tears): *Vid-oph.*

punctal (excess flow of tears): *Ido-oph.*

stenosis, lacrimal (excess flow of tears).

punctal (excess flow of tears): *Ido-oph.*, *Vid-oph.*

CATARATA (cegueira; visão borrada; visão reduzida; dor ocular): Adal-syst., AntglaC-oph., BetBA-oph. [Levobetaxolol], Bim-oph., Brim-oph., Busu-syst., Cele-syst., Cortic-inhloc., Cortic-nas. [Beclomethasone], Cortic-nas. [Dexamethasone], Danaz-syst., Def-syst., Don-syst., Fluox-syst., Flut-inhloc., Flut-nas., FlutS-inhloc., **Fomi-parloc.**, Ganc-impoph., Isot-syst., Niti-syst., Sertr-syst., Sild-syst., **Sir-syst.**, Tamo-syst., Til-syst., Tore-syst., Trav-oph., Trio-syst., Uno-oph., Ver-parloc.

subcapsular.

bilateral and unilateral.

male rats: Gemf-syst.

cortical, nuclear, and posterior: Acit-syst.

posterior (gradual blurring or loss of vision): Cortic-oph., Cortic-rec., Cortic-top., CorticG-syst., DorzT-oph., Fludro-syst., Lot-oph., NeoPH-oph., Rime-oph., TobD-oph.

when exposed to ultraviolet A light: Methox-exsyst., Methox-syst. [Psoralem]

CERATITE ou queratite (Ver Inflamação; Pannus).

CERATITE SICCA (secura do olho) (Ver Secura).

CERATOCONJUNTIVITE SICCA (Ver Secura).

CERATOPATIA (vermelhidão, irritação ou dor nos olhos; visão borrada; distúrbios na visão, perda de visão) (Ver Inflamação; Pannus): Aprac-oph., Brin-oph., Chloroq-syst., Cip-oph., HydxyC-syst., Lod-oph., Tamo-syst.

bullous, persistent: Carbac-oph.

corneal: Tore-syst.

epithelial: **Phenot-syst.**, Trif-oph.

punctate.

epithelial (blurred vision, eye irritation, or tearing): **Lat-oph.**

superficial (blurred vision or other change in vision): Brim-oph., Trif-oph.

striate: AntinfN-oph. [Indomethacin]

CÍLIOS.

crusting: BetBA-oph. [Betaxolol]

pigmentation.

darkening of (darker eyelashes): Bim-oph.

increased: **Lat-oph.**, Trav-oph.

growth of: **Bim-oph.**

aberrant: Gef-syst.

length, increased: **Lat-oph.**, Trav-oph., **Uno-oph.**

decreased: **Uno-oph.**

loss of: Acit-syst.

matting: HydxyC-oph., HydxyM-oph.

number, increased: **Lat-oph.**, Trav-oph., Uno-oph.

scales: Lod-oph.

stickiness: *HydxyPC-oph.*, *HydxyPM-oph.*

thickness, increased: **Lat-oph.**, *Trav-oph.*

COMICHÃO ou prurido (Ver Inflamação; Irritação; Vermelhidão): *Anest-oph.*, **Aprac-oph.**, *BetBA-oph.*, **Bim-oph.**, **Brim-oph.**, *Brin-oph.*, **Bromf-oph.**, *Cefd-syst.*, *Cip-oph.*, *Clofaz-syst.*, *Clon-syst.*, *ClonC-syst.*, *Dapi-oph.*, **Dietc-syst.**, *DipyA-syst.*, **Dorz-oph.**, **DorzT-oph.**, *Fomi-parloc.*, *Genta-oph.*, *Ido-oph.*, **Isot-syst.**, *Ketor-oph.*, *Ketot-oph.*, **Lat-oph.**, *Leval-inhloc.*, *Levof-oph.*, *Lod-oph.*, **Lot-oph.**, **Mox-oph.**, **Neo-oph.**, **NeoPB-oph.**, **NeoPG-oph.**, **NeoPH-oph.**, *Nep-oph.*, *Ofl-oph.*, *Olo-oph.*, *Paro-syst.*, *Riba-syst.*, *Tacro-top.*, *Tob-oph.*, *TobD-oph.*, **Trav-oph.**, **Uno-oph.**, *ValsH-syst.*, *Vid-oph.*, *Zan-inhsyst.*

increased: *Ketot-oph.*, **LotT-oph.**

lid (itchy lid): *Brim-oph.*, *DipyA-syst.*, *Paro-syst.*, *Tacro-top.*, *ValsH-syst.*

severe: *Dipi-oph.*

severe: *Dipi-oph.*

CONJUNTIVA.

adrenochrome deposits in the conjunctiva and cornea: *Dipi-oph.*

CONJUNTIVITE (Ver Inflamação).

CONTRAÇÕES (Ver Espasmos).

lids: *AntglaC-oph.*, *Carbac-oph.*, **Dimer-syst.**, *Mal-top.*, *Phy-oph.*

CÓRNEA.

abnormalities: *Lot-oph.*

abrasion (eye irritation or redness): *AntinfN-oph.* [*Indomethacin*], *Lod-oph.*

clouding, corneal (blurring, dimming, or haziness of vision): *Carbac-oph.*, *Ido-oph.*

curvature, change in: **DrosEE-syst.**, **MedE-syst.**

steepening of (vision changes): *Estro-syst.*, *Eton-vag.*, *NoreE-syst.*

decompensation (blurred vision or other change in vision): *HydxyPM-parloc.*

deposits (irritation and swelling of the eye; decreased vision, blurred vision, or any change in vision): *Aman-syst.*, *AntinfN-syst.*, *LotT-oph.*, *Uno-oph.*

adrenochrome deposits in the conjunctiva and cornea: *Dipi-oph.*

asymptomatic.

tiny, almost transparent, peripheral and central.

pediatric patients: *Rifab-syst.*

opaque material.

in lens also (blurred vision or other eye problems): **Phenot-syst.**,

Thiox-syst.

retina, and (blurred vision): **PerpA-syst.**

pigmentation on slit-lamp examination: *Amio-syst.*

pigmentary: *Epine-oph.*

symptomatic: *Amio-syst.*

dellen, corneal: *Ganc-impoph.*

edema (blurred vision; decreased vision): *Dapi-oph.*, *Fomi-parloc.*, *HydxyPM-parloc.*, *Lat-oph.*, *Nep-oph.*, *Rime-oph.*, *Uno-oph.*

epithelium.

defects.

dogs: *Sum-syst.*

epithelial breakdown, corneal (blurred vision or other change in vision): *Bromf-oph.*

epithelial defects, corneal: *AntinfN-oph. [Indomethacin]*

persistent: *BotA-parloc.*

healing, epithelial, corneal, delay in: *Anest-oph.*

subepithelial corneal lesions (eye pain; trouble in seeing): *Acit-syst.*

softening and erosion: *Anest-oph. [Proparacaine]*

erosion or ulcers (eye irritation or redness) (See Ulceration): *Aprac-oph., Brim-oph., Bromf-oph., DorzT-oph., Erl-syst., Gef-syst., Gold-syst., Lat-oph., Lod-oph., Rime-oph., TobD-oph.*

bacterial or fungal (blurred vision, eye pain, sensitivity to light, and/or tearing): *Genta-oph.*

softening of the corneal epithelium, with: *Anest-oph. [Proparacaine]*

exposure: *BotA-parloc.*

filaments: *Anest-oph. [Proparacaine]*

healing, retarded: *Cortic-oph.*

infection, fungal: *Rime-oph., TobD-oph.*

infiltrates (blurred vision or other change in vision; eye redness, irritation, or pain): *Aprac-oph., Cip-oph., Eme-oph., Rime-oph.*

opacity (blindness, blurred vision, decreased vision, or other change in vision) (See Opacity, cornea, of): *AntinfN-oph. [Diclofenac], AntinfN-syst., Chloroq-syst., Hydxyc-syst., Isot-syst., Lar-syst., Niti-syst.*

dogs: *Sum-syst.*

opacification.

increased (blindness; blurred vision; decreased vision): *Gals-syst.*

permanent: *Anest-oph.*

perforation (blurred vision or other change in vision): *Bromf-oph.*

precipitates, keratic (seeing floating spots before eyes): *Fomi-parloc.*

scarring: *Anest-oph.*

sloughing, corneal membrane (blurry vision; eye irritation or redness; severe stinging in the eye): *Gef-syst.*

staining (discoloration of white part of eye; blurred vision, or other change in vision): *Aprac-oph., BetBA-oph. [Betaxolol and Carteolol], Brim-oph., Cip-oph., DorzT-oph., Eme-oph., Rime-oph.*

photophobia, with: *HydroxT-oph.*

punctate: *NeoPG-oph. [Neomycin]*

thinning (blurred vision or other change in vision): *Bromf-oph., Busu-syst., Cortic-oph.*

CORÓIDE.

detachment.

following filtration surgery (change in vision; flashes of light; floaters in vision): *Dorz-oph., DorzT-oph.*

folds, choroidal: *Ganc-impoph.*

CRISTAIS no canto do olho (Ver Cálculos; Depósitos): **Cip-oph.**

DEGENERACÃO da retina (Ver Retina).

macular: *Amio-syst.*

spontaneously occurring, increase in the incidence and severity of: *Clon-syst., ClonC-syst.*

DEPÓSITOS (Ver Cálculos; Cristais).

adrenochrome deposits in the conjunctiva and cornea: *Dipi-oph.*

cornea (blurred vision): *Uno-oph.*

tiny, almost transparent, asymptomatic, peripheral and central.

pediatric patients: *Rifab-syst.*

crystals in corner of eye: **Cip-oph.**

crystalline (crusting in corner of eye or on eyelid): *Lod-oph.*

keratic precipitates (seeing floating spots before eyes): *Fomi-parloc.*

opaque material in lens and cornea (blurred vision or other eye problems): **Phenot-syst., Thiox-syst.**

retina, and (blurred vision): **PerpA-syst.**

DERMATITE de contato (erupção em torno de olhos): *Aprac-oph., Atrop-oph., Hom-oph., HydroxT-oph., Sco-oph.*

eczematoid: *Atrop-oph., Hom-oph., HydroxT-oph., Sco-oph.*

lid (irritation or inflammation of eyelid): *BetBA-oph. [Metipranolol]*

rash: *Ketor-oph., Ketot-oph., Neo-oph., NeoPB-oph., NeoPG-oph., NeoPH-oph.*

DESCARGA de muco ou pus (exsudatos, cílios pegajosos ou grudados): *AntinfN-oph., Aprac-oph., Atrop-oph., Bim-oph., Brin-oph., Cyclosp-oph., Gat-oph., Hom-oph., HydroxT-oph., Ketot-oph., Lat-oph., Levoc-oph., Lod-oph., Lod-oph., Lot-oph., LotT-oph., Rime-oph., Sco-oph., Uno-oph.*

conjunctival (oozing in eye): *Brim-oph., DorzT-oph.*

hypopyon (pooling of whitish fluid visible on the colored part of the eye): *HydxyPM-parloc.*

DESCOLORACÃO.

conjunctiva.

blanching (paleness of eye or inner lining of eyelid): **Aprac-oph., Brim-oph.**

deposits, pigmentary: *Epine-oph.*

pink to brownish-black: *Clofaz-syst.*

cornea.

deposits, pigmentary: *Epine-oph.*

pink to brownish-black: *Clofaz-syst.*

staining (discoloration of white part of eye; blurred vision, or other change in vision): *Aprac-oph., BetBA-oph. [Betaxolol and Carteolol], Brim-oph., Cip-oph., DorzT-oph., Eme-oph., Rime-oph.*

Repertório - Capítulo OLHO

photophobia, with: *HydroxT-oph.*
punctate: *NeoPG-oph.* [*Neomycin*]

eyelashes.

darkening of (darker eyelashes): *Bim-oph.*
pigmentation, increased: **Lat-oph.**

iris (eye color changes): *Trav-oph.*

pigment granules, liberation of, presumably from the iris: *Nap-oph.*
pigmentation, increased (eye color changes; increase in brown color in colored part of eye): *Bim-oph.*, **Lat-oph.**

hyperpigmentation: *Uno-oph.*

lens nucleus.

coloration: *DorzT-oph.*

lids.

deposits, pigmentary: *Epine-oph.*
pigmentation, increased (darkening of eyelid skin color): **Lat-oph.**, *Trav-oph.*

hyperpigmentation: *Uno-oph.*

optic disk.

pallor: *Chloroq-syst.*

bilateral (decreased vision): **Vig-syst.**

pigmentary (blurred vision; defective color vision; difficulty seeing at night): **PerpA-syst.**

red (See Redness).

retina.

patchy: *Chloroq-syst.*

pigmentation.

abnormal, with loss of foveal reflex: *Chloroq-syst.*

changes (change in how colors look): **Fomi-parloc.**

depigmentation: *Did-syst.*

irregular, of the macular area: *Cisp-syst.*

sclera.

blue color in whites of eyes: *Mitox-syst.*

red-orange: *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*

yellow: *Gemc-syst.*, *Histr-syst.*, *Infli-syst.*, *Lamo-syst.*, *Lans-syst.*, *Oxa-syst.*, *Phena-syst.*, **Sir-syst.**, *Tacro-syst.*, *Tic-syst.*

pale: *Nita-syst.*

DESCONFORTO (dor ocular) (Ver Dor; Secura): **Aprac-oph.**, *Brin-oph.*, **Cip-oph.**, **Dorz-oph.**, *DorzT-oph.*, *HydxypC-oph.*, *Lod-oph.*, *Lot-oph.*, *LotT-oph.*, **Mox-oph.**, *Nar-syst.*, *Nep-oph.*, **Norf-oph.**, *Por-syst.*, *Rime-oph.*, **Trav-oph.**

burning and dryness, with: *Pemi-oph.*

lid: *DorzT-oph.*, *Lat-oph.*

worsening: *Eme-oph.*

DESPRENDIMENTO, descolamento.

choroidal, following filtration surgery (change in vision; flashes of light; floaters in vision): *Dorz-oph.*, *DorzT-oph.*

retinal (seeing flashes or sparks of light; seeing floating spots before eyes; veil or curtain appearing across part of vision): *AntglaC-oph.*, *Carbac-oph.*, **Fomi-parloc.**, **Ganc-impoph.**, *Ganc-syst.*, **Valg-syst.**

vitreous (seeing flashes or sparks of light; seeing floating spots before the eyes or a veil or curtain appearing across part of vision): *Brim-oph.*, *DorzT-oph.*, *Ganc-impoph.*, *Nep-oph.*, *Sild-syst.*

DOR (Ver Desconforto; Inflamação): *Acetyl-syst.*, *Acit-syst.*, *Almot-syst.*, *Anest-oph.*, *Anid-syst.*, *AntinfN-syst.*, *AntglaC-oph.*, *ArsTr-syst.*, *Azel-nas.*, *Azel-oph.*, *BetBA-oph.* [*Betaxolol*], *Bim-oph.*, *Brim-oph.*, *Brin-oph.*, **Bromf-oph.**, **Carbac-oph.**, *Carm-imploc.*, *Cefd-syst.*, *Cele-syst.*, *Cev-syst.*, *Cip-oph.*, *Cortic-nas.* [*Fluticasone*], *Cyclosp-oph.*, *DauL-syst.*, *Dic-top.*, *Dihy-nassyst.*, *Dinopst-parloc.*, *Dipi-oph.*, *Dipy-syst.*, *DipyA-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Epine-oph.*, **Fomi-parloc.**, *Gadop-syst.*, *Gat-oph.*, *Gef-syst.*, *Ido-oph.*, *Ipr-nas.*, *Ketot-oph.*, *Lat-oph.*, *Levoc-oph.*, *Levof-oph.*, *Lod-oph.*, *Lod-oph.*, *Lot-oph.*, **Mox-oph.**, *Nalt-syst.*, *Nar-syst.*, *Nef-syst.*, *Nep-oph.*, *Niti-syst.*, *Ofl-oph.*, *Oxa-syst.*, *Paro-syst.*, **Phy-oph.**, *Pil-oph.*, *Pil-syst.*, *Pyridos-syst.*, *Rime-oph.*, *Sol-syst.*, *Tacro-top.*, *Tad-syst.*, *Tiz-syst.*, *Topi-syst.*, **Trav-oph.**, *Tros-syst.*, *Uno-oph.*, *Valp-syst.*, *ValsH-syst.*, *Vard-syst.*, *Vid-oph.*, *Zale-syst.*, *Zan-inhsyst.*

acute: *Ipr-inhloc.*

burning: *AntglaC-oph.*, *BetBA-oph.*, *Bim-oph.*, **Brim-oph.**, *Brin-oph.*, **Bromf-oph.**, **Carbac-oph.**, *Chloramp-oph.*, **Cip-oph.**, *Clofaz-syst.*, *Clon-syst.*, *ClonC-syst.*, *Cortic-oph.*, *Cyclope-oph.*, **Cyclosp-oph.**, **Dapi-oph.**, **Dorz-oph.**, *Eme-oph.*, *Epina-oph.*, **Epine-oph.**, *Genta-oph.*, *Ipr-inhloc.*, **Isot-syst.**, **Ketor-oph.**, *Ketot-oph.*, **Lat-oph.**, *Levof-oph.*, **Lot-oph.**, **LotT-oph.**, *Nalt-syst.*, **Ned-oph.**, *Neo-oph.*, *NeoPG-oph.*, *NeoPH-oph.*, *Nico-nas.*, **Norf-oph.**, **Ofl-oph.**, *Olo-oph.*, **Pheny-oph.**, *Phy-oph.*, *Sild-syst.*, *Ske-syst.*, *Tob-oph.*, **Trif-oph.**, **Uno-oph.**, *Vid-oph.*

mild: *Anest-oph.*

sensation of: *Benzon-syst.*

temporary: **SodC-oph.**

transient: **DorzT-oph.**, *Hom-oph.*, *HydroxT-oph.*, **Levoc-oph.**, **Lod-oph.**

discomfort and dryness, with: *Pemi-oph.*

children: *BronA-syst.* [*Albuterol*]

eyebrows: *AntglaC-oph.*, *BetBA-oph.* [*Carteolol and Metipranolol*], *Dapi-oph.*, **Epine-oph.**, **Pheny-oph.**, *Phy-oph.*, *Pil-oph.*, *Rime-oph.*

female patients treated for endometriosis: *Nafa-syst.*

glaucoma, aggravation of, due to: *AntdepT-syst.*

lids: *Cefd-syst.*, *DipyA-syst.*, *DorzT-oph.*, *Lat-oph.*, *Paro-syst.*, *Tacro-top.*, *ValsH-syst.*

severe: *Dipi-oph.*

severe: *Dipi-oph.*

sore, bruised, tender: **Abac-syst.**, *BetBA-syst.*, *BetBAT-syst.*, *Fomi-parloc.*

stinging: *AntglaC-oph.*, *BetBA-oph.*, **Brim-oph.**, *Brin-oph.*, **Bromf-oph.**, **Carbac-oph.**, *Chloramp-oph.*, *Cortic-oph.*, *Dipi-oph.*, **Dorz-oph.**, *EdD-oph.*, *Eme-oph.*, **Epine-oph.**, *Genta-oph.*, **Ketor-oph.**, *Ketot-oph.*, **Lat-oph.**, **LotT-oph.**, **Ned-oph.**

Neo-oph., NeoPG-oph., NeoPH-oph., Ofl-oph., Olo-oph., **Pheny-oph.**, Phy-oph., Ske-syst., Tob-oph., **Trif-oph.**, Trop-oph., **Uno-oph.**

mild: Anest-oph.

transient: **BetBA-oph.** [**Betaxolol**, **Levobetaxolol**, **Levobunolol**, and **Metipranolol**], **DorzT-oph.**, Hom-oph., HydroxT-oph., **Levoc-oph.**, **Lod-oph.**

worsening: Lod-oph.

ECTRÓPIO (borda da pálpebra voltada para fora) (Ver Extroversão das pálpebras).

ENDOFTALMIA: Ganc-impoph.

ENTRÓPIO (borda da pálpebra voltada para dentro) (Ver Inversão das pálpebras).

EPÍFORA (Ver Lacrimejamento).

EPITELIOPATIA: Cip-oph.

EQUIMOSE (Ver Hemorragia).

lids (blue or purplish bruise on eyelid): **BotA-parloc.**

ERUPÇÕES.

bullae, blisters: Ceph-syst.

Stevens-Johnson syndrome, with: Ceph-syst., Tic-syst.

corner of the eyes.

crusting: Aprac-oph., Brim-oph., **Cip-oph.**

lid margin (crusting in corner of eye): Nep-oph., Rime-oph., Trav-oph.

scales: Aprac-oph.

on lids.

crusting: Aprac-oph., Brim-oph., Dorz-oph., Lat-oph.

lid margin (crusting in corner of eye): Nep-oph., Rime-oph., Trav-oph.

scaling: Aprac-oph., DorzT-oph., Lod-oph.

peeling, with: **Acit-syst.**

ESCLERA.

blue color in whites of eyes: Mitox-syst.

extrusion, pellet, from scleral wound (eye irritation or pain, eye redness, or tearing): Ganc-impoph.

induration: Ganc-syst.

perforation: **BotA-parloc.**

ESCLEROSE: Ganc-impoph.

ESPASMOS das pálpebras (espasmo ou piscar de pálpebras aumentado; súbito fechamento das pálpebras) (Ver Contrações; Piscando): CarbidL-syst., CarbidEL-syst., Levod-syst., Seleg-syst.

increased: Ond-syst.

ESPESSAMENTO.

conjunctiva, of: AntglaC-oph.

children: AntglaC-oph.

ESTRABISMO: Bacl-syst.

EXOFTALMIA (globos oculares protrusos para fora das órbitas) (Ver Abaulamento dos olhos; Protrusão, exoftalmo).

EXTROVERSÃO das pálpebras (Ver Ectrópio): BotA-parloc.

FADIGA, cansaço (Ver Fraqueza).

FOTOFOBIA (aumento da sensibilidade dos olhos à luz; visão borrada; mudança na visão de cores; dificuldade em ver à noite) (Ver Fotossensibilidade): Acit-syst., Anag-syst., AntdepMAO-syst., AntinfN-oph. [Suprofen], AntinfN-syst., AntandN-syst., **AntconD-syst.**, AntfunA-syst. [Ketoconazole], Aprac-oph., Atrop-oph., Benzod-syst., BetBA-oph. [Betaxolol, Carteolol, and Metipranolol], Bim-oph., **BotA-parloc.**, Brim-oph., CarbonAl-syst., Cip-oph., Clom-syst., Cyclope-oph., Dapi-oph., Dipi-oph., Dorz-oph., **Fomi-parloc.**, Hom-oph., HydroxT-oph., HydxyC-oph., Ido-oph., Iopa-syst., Isot-syst., Ketot-oph., Lat-oph., Levof-oph., **Lot-oph.**, **LotT-oph.**, Mur-syst., **Ned-oph.**, Nef-syst., Nep-oph., Niti-syst., Norf-oph., Ofl-oph., Phenot-syst., **Pheny-oph.**, Por-syst., Quid-syst., Resp-syst., Rime-oph., Sco-oph., Seleg-syst., Sild-syst., Sur-syst., Trav-oph., Trop-oph., Uno-oph., Vard-syst., VitDA-syst., Vor-syst., Zic-syst.

corneal staining, with: HydroxT-oph.

hypercalcemia, with: CalcS-syst.

hemodialysis patients.

hypercalcemia, with: CalcS-syst.

mydriatic effect (increased sensitivity of eyes to light): Antchsp-syst., Bell-syst., Flavox-syst., Oxyb-syst.

FOTOSSENSIBILIDADE (aumento da sensibilidade dos olhos à luz solar ou outras luzes brilhantes, incluindo faróis de veículos; desconforto ocular; visão borrada; mudança na visão de cores; dificuldade em ver à noite; aumento da sensibilidade da pele à luz solar ou brilhante luz interior; vermelhidão da pele, inchaço da pele, vesículas na pele) (Ver Fotofobia): Atorv-syst., Por-syst., Seleg-syst., Zan-inhsyst.

FRAQUEZA: Lod-oph.

GLAUCOMA (cegueira; visão borrada; visão reduzida; dor ocular; lacrimejamento; dor de cabeça; náusea ou vômitos) (Ver Pressão, intraocular, aumentada): Antchsp-syst., Antdys-

Repertório - Capítulo OLHO

syst., *Atorv-syst.*, *AtropB-syst.*, *Bell-syst.*, *Cele-syst.*, *Cortic-nas.* [*Beclomethasone*], *Cortic-nas.* [*Dexamethasone*], *Cortic-rec.*, *CorticG-syst.*, *Dul-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Flut-nas.*, *FlutS-inhloc.*, *Lot-oph.*, *NeoPH-oph.*, *Pil-syst.*, *Rime-oph.*, *Til-syst.*, *Tore-syst.*, *Vard-syst.*

aggravation of: *AntdepT-syst.*, *ChlordA-syst.*, *PerpA-syst.*

angle closure or narrow-angle.

secondary angle closure, with myopia, acute (blurred vision; eye pain; eye redness; increased eye pressure; rapidly decreasing vision): **Topi-syst.**

precipitation or worsening of (eye pain): *Ipr-inhloc.*, *Ipr-nas.*

with anterior chamber shallowing (eye pain and blurred vision): *Ganc-impoph.*

malignant: *Pil-oph.*

optic nerves, with damage to (blurred vision or other change in vision; eye pain): *Cortic-rec.*, *CorticG-syst.*

secondary (eye pain; gradual decrease in vision; nausea; vomiting): *Cortic-top.*

GLIOSE (visão diminuída ou outra alteração na visão): *Ganc-impoph.*

HEMORRAGIA nos olhos (olho vermelho ou injetado de sangue; distúrbios da visão; vê manchas flutuantes diante dos olhos; dor ocular; sangue no branco dos olhos) (Ver Equimose): *Anest-oph.* [*Proparacaine*], *AntinfN-oph.* [*Flurbiprofen*], **Antcoa-syst.**, *Atorv-syst.*, *Gef-syst.*, *Sild-syst.*, *Tinz-syst.*, *Uno-oph.*, *Ven-syst.*, *Ver-parloc.*, *Vor-syst.*

conjunctival: *Brim-oph.*, **Fomi-parloc.**, *Gat-oph.*, *Opr-syst.*

subconjunctival (decreased vision or any change in vision): *Ganc-syst.*,

Mox-oph., *Trav-oph.*

hyphema (red or bloodshot eye): *Ganc-impoph.*

intraocular.

patients with absolute glaucoma: *Ure-syst.*

nonvitreous (red or bloodshot eye): *Ganc-impoph.*

retinal (red eyes): *AntinfN-syst.*, *Cil-syst.*, **Fomi-parloc.**, *Ras-syst.*, *Uno-oph.*

loiasis, in very heavily infected patients with: *Dietc-syst.*

vascular (changes in vision): *Sild-syst.*

vitreous (seeing floating spots before eyes): *BotA-parloc.*, *Fomi-parloc.*, **Ganc-impoph.**

HERPES SIMPLEX (queimação ou picadas na pele; feridas frias e dolorosas ou bolhas nos olhos): *Cele-syst.*, **Clofar-syst.**, **Enf-syst.**, *Estro-syst.*, **Gemt-syst.**, *IntB1a-syst.*, *Leval-inhloc.*, *Lot-oph.*, *Pime-top.*, *Ritu-syst.*, **Sir-syst.**

disseminated: *Isot-syst.*

immunosuppression, with: *Lot-oph.*, *Rime-oph.*

HIPERSENSIBILIDADE (queimação, coceira, vermelhidão, erupções cutâneas, inchaço ou outros sinais de irritação; dor) (Ver Comichão; Irritação; Vermelhidão, congestão): *Fomi-parloc.*, *Ido-oph.*, *Ketor-oph.*, **Neo-oph.**, **NeoPB-oph.**, **NeoPG-oph.**, **NeoPH-oph.**, *Tob-oph.*, *Vid-oph.*, *NeoPH-oph.*

enanthera (skin rash found mostly on mucous membranes): *Niti-syst.*

eyelid reactions: Dorz-oph.

HIPERSENSIBILIDADE, REAÇÕES (amolecimento e erosão do epitélio corneal, congestionamento da conjuntiva e hemorragia; inchaço das pálpebras): Anest-oph. [Proparacaine, Teracaine], Flut-inhloc.

HIPÓPIO (camada de um líquido esbranquiçado visível na parte colorida do olho) (Ver Descargas): HydxypM-parloc.

HIPOTONIA ocular (visão diminuída ou qualquer alteração na visão): Cid-syst., Fomi-parloc., Ganc-impoph.

ICTERÍCIA (Ver Amarelado).

IMUNOSSUPRESSÃO: Cyclosp-oph.

INCHAÇO, inchamento (edema) (Ver Inflamação): Abar-syst., Amif-syst., AntinfN-syst., Aprac-oph., Atrop-oph., BetBA-oph. [Carteolol and Metipranolol], Brim-oph., Brin-oph., Cefd-syst., DecAn-syst. [Ibuprofen-containing combinations], Dietc-syst., DipyA-syst., Dorz-oph., Ert-syst., Genta-oph., Glut-syst., Hom-oph., HydroxT-oph., Ido-oph., Ketor-oph., Levof-oph., Nalt-syst., Neo-oph., NeoPB-oph., NeoPG-oph., NeoPH-oph., Nev-syst., Paro-syst., Peme-syst., Riba-syst., Sco-oph., Sild-syst., Tacro-top., Tad-syst., Tob-oph., Trimetr-syst., ValsH-syst., Vid-oph., Zan-inhsyst.

conjunctiva.

edematous (swelling and/or redness of eye and lining of eyelid): Aprac-oph., Bim-oph., Brim-oph., DorzT-oph., Nep-oph., Rime-oph.

cornea: Dapi-oph., Fomi-parloc., HydxypM-parloc., Lat-oph., Nep-oph., Rime-oph., Uno-oph.

lids: AbLam-syst., Abar-syst., Acit-syst., Adal-syst., Amif-syst., AnestBar-syst., AntCoaC-syst., AntfunA-syst. [Itraconazole], Atorv-syst., Atrop-oph., Cefd-syst., Cele-syst., Clar-syst., Cyp-syst., DipyA-syst., Docet-syst., Dut-syst., EdD-oph., EmtT-syst., Ert-syst., Etan-syst., FacIX-syst., Fluorq-syst., Flut-inhloc., Gef-syst., Hom-oph., Hyalur-parloc., HydroI-syst., HydroxT-oph., HydxypC-oph., Iba-syst., Ibr-syst., InsD-syst., Iri-syst., Ketot-syst., Lat-oph., Lat-oph., Levof-oph., LotT-oph., Melo-syst., Natal-syst., Nev-syst., Opr-syst., Oxa-syst., Paro-syst., Peme-syst., PenteC-syst., Praml-syst., Prazi-syst., Pre-syst., Sco-oph., Sta-syst., Sur-syst., Tacro-top., Tad-syst., Teli-syst., Teno-syst., Thr-syst., Tiot-inhloc., Tob-oph., TosI-syst., Trimetr-syst., ValsH-syst., Xyl-nas.

edematous: AntinfN-syst., Aprac-oph., ArsTr-syst., Brim-oph., Cip-oph., Dapi-oph., DorzT-oph., Gat-oph., Levoc-oph., Olo-oph., TobD-oph.

angioedema (large, hive-like swellings on eyelids): AntinfN-syst., AntfunA-syst., AntvCPOv-syst., Aprep-syst., Arip-syst., Atom-syst., AtovaPro-syst., Barb-syst., BarbAn-syst. [Barbiturates; Codeine], Cand-syst., CandH-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., Cital-syst., Colc-syst., Cortic-inhloc., Cyclob-syst., DiphtTTH-syst., Dorz-oph., Etan-syst.,

Repertório - Capítulo OLHO

Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gef-syst., Hyalur-parloc., Ibr-syst., Imiq-top., Ipr-inhloc., IprA-inhloc., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pantop-syst., Rabe-syst., Ril-syst., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Ske-syst., Tamo-syst., Teli-syst., TelmH-syst., Tene-syst., Tini-syst., Tinz-syst., Tiot-inhloc., Topo-syst., TosI-syst., Tras-syst., Vald-syst.

without other signs and symptoms of nitritoid or allergic reaction: *Gold-syst.*

angioneurotic (large, hive-like swelling on eyelids): *AnthisP-syst., Atorv-syst., Doxyc-syst., Dul-syst., Gals-syst., Pime-top., Rifax-orloc., Telm-syst.*

patients with onchocerciasis (verminosis): *Ive-syst.*

hive-like, large: *Gold-syst., Thr-syst.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

puffy: *Adal-syst.*

overhydration, with: *CarboE-syst.*

severe: *Anest-oph., Dipi-oph.*

skin: *BotA-parloc.*

macular edema: *Trav-oph.*

cystoid macular edema, including (blurred vision or other change in vision): *Bim-oph., Lat-oph.*

paramacular edema (blurred vision or other changes in vision): *Sild-syst.*

optic disk (papilloedema; blurred vision): *Cisp-syst., Cyclosp-syst., Danaz-syst., Opr-syst., VitA-syst.*

enlargement, papillary: *Carm-imploc.*

papillitis, bilateral, with ring scotomata: *Vasc-syst.*

pressure, intracranial, with: *Fludro-syst.*

papilledema (See optic disk).

periorbital (swelling around the eyes, vision changes): *AntinfN-syst.* [Phenylbutazone], *Cab-syst.*

retina: *Chloroq-syst.*

edematous (decreased vision or other changes in vision): **Fomi-parloc.**

severe: *Anest-oph., Dipi-oph.*

stroma (irritation of eye): *Edd-oph., Trif-oph.*

INFECÇÃO (visão borrada ou outra alteração na visão; dor ocular; lacrimejamento; vermelhidão do olho; sensibilidade do olho à luz) (Ver Inflamação): *Cev-syst., Cortic-inhloc., Pime-top.*

bacterial (blurred vision or other change in vision; eye pain; redness of eye; sensitivity of eye to light; tearing): *LotT-oph.*

cornea.

fungus: *Rime-oph., TobD-oph.*

healing of eye infection, delayed: *NeoPH-oph.*

postoperative, risk of: *Ganc-impoph.*

secondary: *Cortic-oph., Lot-oph., Rime-oph.*

fungal or viral (blindness; blurred vision; discharge or redness of the eye; eye pain): *Cortic-nas. [Dexamethasone], Cortic-rec., CorticG-syst.*

immunosuppression, with: *Lot-oph., Rime-oph.*

INFLAMAÇÃO (coceira, vermelhidão, dor ou lacrimejamento do olho.) (Ver Irritação; Comichão; Neurite; Vermelhidão): *Aprac-oph., Etan-syst., Fomi-parloc.*

anterior chamber (decreased vision or other changes in vision): **Fomi-parloc.**

conjunctiva (conjunctivitis) (eye pain, redness, irritation, and/or swelling; discharge from eye; redness of inner lining of eyelid, burning, dryness): *Acit-syst., Almot-syst., AntinfN-syst., Aprac-oph., Azel-oph., BetBA-oph. [Metipranolol and Timolol], Brin-oph., Bupre-syst., Calcit-nassyst., Capec-syst., Cele-syst., Cetux-syst., Cev-syst., Chym-parloc., Cortic-nas. [Beclomethasone], Cyclope-oph., DauL-syst., Del-syst., Dic-top., Dihy-nassyst., Dimer-syst., Docet-syst., Dom-syst., Dorn-inhloc., Dorz-oph., DorzT-oph., Enf-syst., Epir-syst., Erl-syst., Flut-inhloc., Flut-nas., FlutS-inhloc., Fomi-parloc., Gab-syst., Gadov-syst., Gals-syst., Gef-syst., Genta-oph., Gold-syst., Guanf-syst., HepatBVR-syst., IntB1b-syst., Ipr-nas., Isot-syst., Ketot-oph., Lat-oph., Lef-syst., Leval-inhloc., Lot-oph., Melo-syst., Mitox-syst., Moc-syst., Mom-nas., Mox-oph., Nef-syst., Niti-syst., Ose-syst., Pentosa-syst., Ritu-syst., Sild-syst., Sir-syst., Tad-syst., Til-syst., Topi-syst., Trav-oph., Uno-oph., Valp-syst., Vard-syst., Ver-parloc., Zale-syst.*

adult and pediatric patients: *Desf-inhsyst.*

allergic (itching, redness, swelling, or other sign of eye or eyelid irritation): *Bim-oph.*

bilateral: *Tiot-inhloc.*

blepharoconjunctivitis: *Aprac-oph., BetBA-oph. [Carteolol and Levobunolol], Brim-oph., Cyclope-oph.*

calcific (redness or discharge of the eye, eyelid, or lining of the eyelid): *VitDA-syst.*

chemical (redness, irritation, or itching of eye, eyelid, or inner lining of eyelid): *Chlorox-top., Ofl-oph.*

follicular (redness and tiny bumps on lining of eyelid): *Atrop-oph., Brim-oph., Dipi-oph., DorzT-oph., Epina-oph., Hom-oph., HydroxT-oph., Sco-oph.*

keratoconjunctivitis (eye redness, irritation, pain, soreness): *Brin-oph., Capec-syst., Lot-oph., Nef-syst., Pentost-syst.*

lachrymation, with: *Docet-syst.*

mild: *Mal-top.*

nasal congestion, with (stuffy nose and red or bloodshot eyes): *Ske-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

papillary: **Gat-oph.**

rash, skin, with: *Del-syst.*

refractory ovarian cancer patients: *DoxorL-syst.*

severe: *Anth-top.*

cornea (keratitis) (irritation of the cornea; eye redness, swelling and discomfort): Aprac-oph., BetBA-oph. [Betaxolol and Timolol], BotA-parloc., Brim-oph., Brin-oph., Bromf-oph., Cip-oph., Eme-oph., Erl-syst., FlutS-inhloc., **Gat-oph.**, HepatBVR-syst., Ketot-oph., Lod-oph., **Mox-oph.**, Niti-syst., Olo-oph., Rime-oph., Trav-oph., Uno-oph.

bacterial (blurred vision): Cortic-ot.

chemical (redness, irritation, or itching of eye, eyelid, or inner lining of eyelid): Ofl-oph.

epithelial.

acute, intense and diffuse: Anest-oph. [Proparacaine]

keratoconjunctivitis (eye redness, irritation, pain, soreness): Brin-oph., Capec-syst., Lot-oph., Nef-syst., Pentost-syst.

punctate (painful irritation of the clear front part of the eye): AntinfN-oph. [Indomethacin], BetBA-oph. [Betaxolol], Cyclope-oph., Dapi-oph., Tob-oph., TobD-oph.

superficial (feeling of something in eye; sensitivity of eyes to light, painful irritation of the clear front part of the eye): Bim-oph., **Dorz-oph.**, **DorzT-oph.**, **LotT-oph.**

severe: Anest-oph.

superficial (redness of the clear part of the eye): Ketor-oph.

choroiditis: Ganc-impoph.

descemetitis.

iritis, with: Anest-oph. [Proparacaine]

endophthalmitis.

bacterial: Ganc-syst.

iris (iritis) (eye pain, tearing, sensitivity or eye to light, redness of eye, or blurred vision or other change in vision): AntinfN-oph. [Diclofenac; Suprofen], Bim-oph., Brim-oph., **Bromf-oph.**, **Fomi-parloc.**, Gold-syst., HydxypM-parloc., Lat-oph., Pam-syst., Uno-oph.

acute (red, sore eyes): Rise-syst.

descemetitis, with: Anest-oph. [Proparacaine]

iridocyclitis (irritation or inflammation of eye): BetBA-oph. [Levobunolol]

latent, activation of: AntglaC-oph.

post-operative: Carbac-oph.

lid (blepharitis) (irritation or inflammation of eyelid): Acit-syst., Aprac-oph., BetBA-oph. [Metipranolol; Timolol], Bim-oph., Brim-oph., Brin-oph., DorzT-oph., Lod-oph., Niti-syst., Trav-oph., Uno-oph.

blepharoconjunctivitis: Aprac-oph., BetBA-oph. [Carteolol and Levobunolol], Brim-oph., Cyclope-oph.

limbitis (eye or eyelid irritation, pain, redness, or swelling).

onchocerciasis (verminosis), patients with: Ive-syst.

sclera (scleritis) (eye redness; eye tenderness; decreased vision; increased tearing; sensitivity to light; severe eye pain): Iba-syst., Pam-syst.

episcleritis (eye redness; mild eye pain or discomfort): Pam-syst.

signs of: **Isot-syst.**

severe, postoperative (eye pain, tearing, sensitivity of eye to light, redness of eye, or blurred vision or other change in vision): *Ganc-impoph.*

uvea (uveitis) (eye pain, tearing, sensitivity of eye to light, redness of eye, or blurred vision or other change in vision): **Fomi-parloc.**, *Ganc-impoph.*, *Iba-syst.*, *Lat-oph.*, *Lot-oph.*, *Pam-syst.*, *Rifab-syst.*

iridocyclitis (eye pain, tearing, and blurred vision; irritation or inflammation of eye): *BetBA-oph.* [*Levobunolol*], *Dorz-oph.*, *DorzT-oph.*

latent, activation of: *AntglaC-oph.*

vitritis (blurred vision or other changes in vision; eye pain; redness of eye; sensitivity of eye to light; watering of eye): **Fomi-parloc.**

INJETADO (vermelhidão dos olhos) (Ver Vermelhidão, congestão).

INVERSÃO das pálpebras: *BotA-parloc.*

ÍRIS.

cysts: *AntglaC-oph.*, *Pil-oph.*

children: *AntglaC-oph.*

pigmentation, increases (eye color changes): *Bim-oph.*

IRITE (Ver Inflamação).

IRRITAÇÃO (queimação, ardência, prurido, leve desconforto; olhos vermelhos e feridos; lacrimejamento) (Ver Comichão; Inflamação; Vermelhidão): *Abac-syst.*, **AbLam-syst.**, *Acit-syst.*, *Acyc-syst.*, *Allop-syst.*, *Almot-syst.*, *Amio-syst.*, *AmmSAR-syst.*, *Anast-syst.*, **AntinfN-oph.**, *AntinfN-syst.*, *AntfunA-syst.* [*Itraconazole*], *AntglaC-oph.*, *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Atrop-oph.*, *Bim-oph.*, **BotA-parloc.**, *Brim-oph.*, *Brin-oph.*, **Bromf-oph.**, *Capec-syst.*, *Carbac-oph.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cil-syst.*, *Cip-oph.*, *Cital-syst.*, *Clar-syst.*, *Clofaz-syst.*, *Cortic-nas.* [*Fluticasone*], *DecAn-syst.* [*Ibuprofen-containing combinations*], *Docet-syst.*, *Don-syst.*, **Dorz-oph.**, *Dul-syst.*, **Epine-oph.**, *Eryth-oph.*, *Eso-syst.*, *Fenof-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *Fluv-syst.*, *Fomi-parloc.*, *Fosam-syst.*, *Gab-syst.*, *Gadop-syst.*, *Gat-oph.*, *Gef-syst.*, *Genta-oph.*, *HistH2-syst.*, *Hom-oph.*, *HydroxT-oph.*, *HydxypC-oph.*, *HydxypM-oph.*, *Ido-oph.*, *Imm-syst.*, *Indin-syst.*, *Ipr-nas.*, *Ketor-oph.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levoc-oph.*, *Lod-oph.*, *LopiR-syst.*, *Lot-oph.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, **Ned-oph.**, **Neo-oph.**, **NeoPB-oph.**, **NeoPG-oph.**, **NeoPH-oph.**, **Nev-syst.**, *Nico-nas.*, *Omepr-syst.*, *Ose-syst.*, *Palo-syst.*, *Paro-syst.*, *Penic-syst.*, *PenicilB-syst.*, *Pheny-oph.*, *Phy-oph.*, *Pil-oph.*, *Pime-top.*, *Podof-top.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Rime-oph.*, *Ritu-syst.*, *Riz-syst.*, *Sco-oph.*, *Sertr-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Thali-syst.*, *Tinz-syst.*, *Tob-oph.*, *Topi-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*, *Vid-oph.*, *VitDA-syst.*

children: *BronA-syst.* [*Albuterol*]

conjunctival: **Gat-oph.**

increased: *Nap-oph.*, *Oxym-oph.*

difficulty or intolerance in wearing contact lenses: **Acit-syst.**, **DrosEE-syst.**, *Estro-syst.*, *Eton-vag.*, **Isot-syst.**, *NoreE-syst.*

lid: *Brin-oph.*, **Dorz-oph.**

local (follicular conjunctivitis, vascular congestion, edema, exudate, contact dermatitis, or an eczematoid dermatitis): *Sco-oph.*

mild: *Anest-oph.*

temporary: **SodC-oph.**

transient: **BetBA-oph.** [**Betaxolol**, **Levobetaxolol**, **Levobunolol**, and **Metipranolol**]

worsening: *Eme-oph.*, *Levoc-oph.*, *Lod-oph.*

ISQUEMIA ocular (distúrbios na visão; dor ocular) (Ver Trombose; Vascular, doença): *Gef-syst.*

retinal (decrease in vision; eye pain): *PegiA2b-syst.*

LACRIMEJAMENTO: *Acit-syst.*, *AmincAc-syst.*, *AntglaC-oph.*, **Aprac-oph.**, *BetBA-oph.*, *Bim-oph.*, **BotA-parloc.**, **Brim-oph.**, *Cefd-syst.*, *Cev-syst.*, *Cip-oph.*, *Cortic-oph.*, *Crom-inhloc.*, *Dapi-oph.*, **Dimer-syst.**, *DipyA-syst.*, *Docet-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Eme-oph.*, **Epine-oph.**, *Feru-syst.*, *Fluoru-top.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gala-syst.*, *Hepar-syst.*, *Hydra-syst.*, *HydxyPC-oph.*, *Iri-syst.*, *Lat-oph.*, *Levoc-oph.*, *Levof-oph.*, *Levom-syst.*, *Lod-oph.*, *Metro-top.*, **Mox-oph.**, *Nep-oph.*, *Nico-inhsyst.*, **Nico-nas.**, *Ofl-oph.*, *Oxyt-syst.*, *Paro-syst.*, **Pheny-oph.**, *Phy-oph.*, *Pyridos-syst.*, *Rep-syst.*, *Rime-oph.*, *SodF-syst.*, *Sur-syst.*, *Tacro-top.*, *Trav-oph.*, *ValsH-syst.*, *Vard-syst.*, *VitMF-syst.*, *Zan-inhsyst.*

abnormal: *Oxa-syst.*

animal studies: *AntandN-syst.*

conjunctivitis, with: *Docet-syst.*

continuing: *Cortic-nas.* [*Beclomethasone (monohydrate)*, *Dexamethasone*, and *Flunisolide*]

severe, and: *Anest-oph.*, *Dipi-oph.*

decreased.

patients who wear contact lenses: *Carv-syst.*

discoloration of tears, reddish–orange to reddish–brown: **Rifab-syst.**, **Rifam-syst.**, **RifamI-syst.**, **RifamIP-syst.**, **Rifap-syst.**

disorder (dryness of eye; abnormal tearing): *Ketot-oph.*, **LotT-oph.**, *Ritu-syst.*, **Uno-oph.**, *Ver-parloc.*

epiphora: *Brim-oph.*, *Cyclosp-oph.*, **Lot-oph.**

excessive (excess flow of tears): **Bevac-syst.**, *Docet-syst.*

increased: *Dihy-nassyst.*, *Edr-syst.*, *EdrA-syst.*, **Gat-oph.**, *Ima-syst.*, *Mal-top.*, *Tacri-syst.*, *Tad-syst.*, *Tob-oph.*, *TobD-oph.*

retinal tear: *Ganc-impoph.*

severe and continuing: *Anest-oph.*, *Dipi-oph.*

tear abnormality: *Cele-syst.*

unusual: *Antm-syst.*, *Calcit-nassyst.*, *Phy-syst.*

worsening: *Eme-oph.*

LENTESES.

changes: *Que-syst.*

deposition of opaque material in lens and cornea (blurred vision or other eye problems): **Phenot-syst.**, Thiox-syst.

retina, and (blurred vision): **PerpA-syst.**

LESÕES.

conjunctival.

scarring.

mild: Ganc-syst.

corneal (eye irritation or redness) (See Cornea): Uno-oph.

abrasion: AntinfN-oph. [Indomethacin], Lod-oph.

erosion (eye irritation or redness): Aprac-oph., Brim-oph., Bromf-oph., Lod-oph., Rime-oph.

corneal epithelium.

softening of the, with: Anest-oph. [Proparacaine]

perforation (blurred vision or other change in vision): Bromf-oph., Lot-oph.

scarring: Anest-oph.

subepithelial (eye pain; trouble in seeing): Acit-syst.

ulceration (eye irritation or redness) (See Ulceration): Aprac-oph., BotA-parloc., Brim-oph., Bromf-oph., Lod-oph., Rime-oph., TobD-oph.

necrotic epithelium, sloughing of large areas of: Anest-oph. [Proparacaine]

perforation, globe (decreased vision; watering of the eyes): Cortic-oph.

where there is thinning of the cornea or sclera: Lot-oph.

scleral (See Sclera).

perforation: BotA-parloc., Lot-oph.

staining, epithelial, punctate: AntinfN-oph. [Suprofen]

MÁCULA.

abnormalities: Ganc-impoph.

edema, paramacular (blurred vision or other changes in vision): Sild-syst.

hole: Pil-oph.

maculopathy in aphakic eyes (blurred or decreased vision): Epine-oph.

MIDRIÁSE (Ver Pupilas, dilatadas).

MIOSE (Ver Pupilas, contraídas).

MOVIMENTOS dos globos oculares.

abnormal (i.e., disconjugate gaze): FentD-syst. [Alfentanil]

dystonia (inability to move eyes): Paro-syst.

inability to move eyes: **Hal-syst.**, Lox-syst., Meto-syst., **Moli-syst.**, Ola-syst., Ond-syst., **PerpA-syst.**, **Phenot-syst.**, Pimo-syst., **Risp-syst.**, Thie-syst., **Thiox-syst.**

involuntary (nystagmus) (continuous, uncontrolled, back-and-forth and/or rolling eye movements; changes in vision; double vision): Almot-syst., Aminglut-syst., **AntconH-syst.**, Benzod-syst., **Carbam-syst.**, Cital-syst., Ethc-syst., Fome-syst.,

Gab-syst., Gadop-syst., Gla-syst., Keta-syst., Lamo-syst., **Oxc-syst.**, Pemo-syst.,

Pre-syst., Primi-syst., Ske-syst., Tia-syst., **Topi-syst.**, Valp-syst., **Vig-syst.**, **Zic-syst.**, Zid-syst., Zon-syst.

painful: Resp-syst.

sustained rapid eye movement: Alos-syst.

unusual: Barb-syst., BarbAn-syst. [Barbiturates]

MÚSCULOS CILIARES, disfunção (dificuldade na leitura) (Ver Paralisia; VISÃO, Acomodação): **Chloroq-syst.**, **Hydxcyc-syst.**

NERVOS ÓPTICOS (Ver Neurite; Neuropatia).

changes (decreased vision or other change in vision): Ganc-impoph.

damage (blindness; blurred vision; discharge or redness of the eye; eye pain):

Cortic-nas., Cortic-oph., Lot-oph., NeoPH-oph., Rime-oph.

glaucoma, with: Cortic-rec., CorticG-syst.

NEURITE óptica (dor ou sensibilidade ocular; visão borrada ou qualquer distúrbio de visão; cegueira; daltonismo azul-amarelo) (Ver Neuropatia; Nervos Ópticos): Aminglyc-syst. [Streptomycin], Amio-syst., Cisp-syst., Disu-syst., Estro-syst., Etan-syst., Ethi-syst., Fluox-syst., Fomi-parloc., HepatBVR-syst., Iodoq-orloc., Ison-syst., Isot-syst., MeaRV-syst., MeaMRV-syst., Nitro-syst., Oxa-syst., Paro-syst., Penic-syst., RifamI-syst., RifamIP-syst., Ritu-syst., RubeM-syst., RubeV-syst., Sertr-syst., Tamo-syst., Vig-syst.

Kaposi's sarcoma patients: DoxorL-syst.

peripheral, and (blindness or changes in vision): Chloramp-ot.

retrobulbar (blurred vision, eye pain, red-green color blindness, or any loss of vision): Etham-syst.

without eye pain: Ethi-syst., Ison-syst., Nitro-syst., RifamI-syst., RifamIP-syst.

NEUROPATIA (Ver Neurite; Nervos Ópticos).

myelo-optic, subacute (blurred vision or any change in vision, clumsiness or unsteadiness, increased weakness, or muscle pain): Iodoq-orloc.

optic (blindness; blurred vision; decreased vision; eye pain): Amio-syst., Line-syst.

anterior ischemic (blindness; blurred vision; decreased vision; loss of vision, sudden): Pantop-syst.

non-arteritic anterior ischemic (NAION) (blindness; blurred vision; decreased vision): Sild-syst., Tad-syst., Vard-syst.

sensory (blurred or double vision; loss of taste): **PacP-syst.**

NISTAGMO (Ver Movimento dos globos oculares, involuntário).

OCULÓGIRO, CRISE de (posição fixa do olho; incapacidade para mover os olhos): AnthisP-syst., CarbidL-syst., CarbidEL-syst., Drop-syst., Levod-syst., Ond-syst., Paro-syst., Sertr-syst., Thie-syst.

OPACIDADE da córnea (visão borrada ou outro distúrbio da visão; dor ocular; perda da visão): AntinfN-oph. [Diclofenac], AntinfN-syst., Chloroq-syst., Hydxcyc-syst., Isot-syst., **Lar-syst.**, Niti-syst.

dogs: *Sum-syst.*

lens: *AntglaC-oph.*, *DorzT-oph.*, *Ganc-impoph.*, *Mitot-syst.*

cortical lens: *DorzT-oph.*

nuclear lens: *DorzT-oph.*

punctate.

patients with onchocerciasis (verminosis): *Ive-syst.*

vitreous (blurred or decreased vision): *Fomi-parloc.*

PÁLPEBRAS.

disorder (eyelid burning, redness, itching, pain, or tenderness): *Brim-oph.*, *Ketot-oph.*, *LotT-oph.*

eruptions (See Eruptions).

scaling and peeling of eyelids: **Acit-syst.**

erythema: *Bim-oph.*, *Brim-oph.*

exudates: *DorzT-oph.*

falling of (ptosis, droopy upper eyelid): *BetBA-oph.* [*Carteolol and Timolol*], **BotA-parloc.**, *Dapi-oph.*, *Guane-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

mice, rats, dogs, and monkeys: *Levof-syst.*

lining of the eyelids: **Clofaz-syst.**

irritation: *Brin-oph.*

retraction (raising of upper eyelid): *Aprac-oph.*

scales: *DorzT-oph.*, *Lod-oph.*

sticky sensation: **Nep-oph.**, *Rime-oph.*

PANNUS oftálmico (ceratite superficial crônica) (Ver Ceratite): *Acit-syst.*

PAPILAS (protuberâncias minúsculas no revestimento interno da pálpebra): *Lot-oph.*

PARALISIA ocular (visão dupla): *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*

ciliary muscle, dysfunction (difficulty in reading): **Chloroq-syst.**, **Hydxcy-syst.**

cycloplegia (paralysis of the ciliary muscle, resulting in a loss of visual accommodation): *Atrop-oph.*, *Cyclope-oph.*, *Hom-oph.*, *HydroxT-oph.*, *Sco-oph.*, *Trimetha-syst.*, *Trop-oph.*

dystonia (inability to move eyes): *Paro-syst.*

palsy.

sixth cranial nerve: *Nali-syst.*

seventh cranial nerve (weakness of the muscles in your face): *Oxa-syst.*

inability to move eyes: *Meto-syst.*, **Moli-syst.**, *Ola-syst.*, **PerpA-syst.**, **Phenot-syst.**, *Pimo-syst.*, **Risp-syst.**, *Thie-syst.*, **Thiox-syst.**

PHTHISIS BULBI ou atrofia bulbar (atrofia e degeneração dos olhos) (Ver Atrofia): *Ganc-impoph.*

PISCANDO (ver Espasmos).

decreased: *BotA-parloc.*

increased: *Ond-syst.*

PRESSÃO intraocular.

hypotension: *AntglaC-oph.*, *Aprac-oph.*, *BetBA-oph.*, *BetBA-syst.*, *Bim-oph.*, *Brim-oph.*, *Brin-oph.*, *Carbac-oph.*, *CarbonAI-syst.* [Acetazolamide; Dichlorphenamide; Methazolamide], *Dipi-oph.*, *Dorz-oph.*, *DorzT-oph.*, *Epine-oph.*, *Glyc-syst.*, *Lat-oph.*, *Mann-syst.*, *Phy-oph.*, *Pil-oph.*, *Trav-oph.*, *Uno-oph.*, *Ure-syst.*

increased (hypertension) (See Glaucoma): *Antchsp-syst.*, *Antdys-syst.*, *AtropB-syst.*, *Bell-syst.*, *Cortic-nas.*, *Cortic-oph.*, *Cyclope-oph.*, *Flavox-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Flut-nas.*, *FlutS-inhloc.*, **Fomi-parloc.**, *Ganc-impoph.*, *HydroxT-oph.*, *Ipr-nas.*, *Lot-oph.*, **LotT-oph.**, *NeoPH-oph.*, **Nep-oph.**, **Neu-syst.**, *Oxyb-syst.*, *Rime-oph.*, *Rime-oph.*, *Sild-syst.*, *Ske-syst.* [*Orphenadrine*], *Trif-oph.*

asymptomatic: **Fomi-parloc.**, **HydxypM-parloc.**

glaucoma, with possible development of, and possible optic nerve damage (may be asymptomatic; gradual blurring or loss of vision; eye pain; possible damage to the optic nerve and defects in visual acuity and fields of vision): *TobD-oph.*

PROTRUSÃO.

exophthalmos (eyeballs bulge out of eye sockets): *Fludro-syst.*
proptosis.

sudden onset of: *Proge-syst.* [*Medroxyprogesterone*]

PTOSE (Ver Queda das pálpebras).

PUPILAS.

Adie's pupil (pupillary change consistent with ciliary ganglion damage): *BotA-parloc.*

contracted, constricted, pinpoint, or miosis (smaller pupils): *AntinfN-oph.*, *AntglaC-oph.*, *Bacl-syst.*, *BarbAn-syst.* [Codeine], *Brim-oph.*, *Bupre-syst.*, *Butor-nasyst.*, ***Carbac-oph.***, *CarbidEL-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, ***Dapi-oph.***, *Ergon-syst.*, *Fent-syst.*, *Fent-trsyst.*, *FentD-syst.*, *IbupO-syst.* [Oxycodone], *Iri-syst.*, *Levom-syst.*, *Mal-top.*, *Nitrop-syst.*, *Opi-syst.*, *Pare-syst.*, ***Phenox-syst.***, *Phent-syst.*, ***Phy-oph.***, ***Pil-oph.***, *Pyridos-syst.*, *Rau-syst.*, *Thiox-syst.*, *Tram-syst.*

slight: *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*]

unusually small: *Antm-syst.*, *Busp-syst.*, *Phy-syst.*

dilated, enlarged, large, or mydriasis (increase in size of pupil): *AntdepMAO-syst.*, *AntdepT-syst.*, *AntinfN-oph.*, ***Aprac-oph.***, *Atom-syst.*, ***Atrop-oph.***, *Bacl-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *BronA-syst.* [*Ephedrine*], *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *ChlordA-syst.*, ***Cyclope-oph.***, *Dexmet-syst.*, *Dipi-oph.*, *Doxep-top.*, *Fluv-syst.*, ***Hom-oph.***, ***HydroxT-oph.***, *Ipr-nas.*, *Ketot-oph.*, *Levod-syst.*, ***Mecam-syst.***, *Methylp-syst.*, *Mont-syst.*, *Nap-oph.*, *Nef-syst.*, *Paro-syst.*, *Pemo-syst.*, *PerpA-syst.*, *Phenot-syst.*, ***Pheny-oph.***, ***Sco-oph.***, *Seleg-syst.*, *Sertr-syst.*, *Sild-syst.*, *Tola-parsyst.*, *Trimetha-syst.*, ***Trop-oph.***, *Tros-syst.*, ***Yoh-syst.***

animal studies: *Sum-syst.*

fixed, and: *Coc-mucloc.*, *Sol-syst.*

Repertório - Capítulo OLHO

unusually: *Coc-mucloc.*, *Ske-syst.* [*Orphenadrine*]

widely: *Nitrop-syst.*

fixed.

dilated, and: *Coc-mucloc.*, *Sol-syst.*

mydriatic effect (increased sensitivity of eyes to light): *Antchsp-syst.*, *Bell-syst.*, *Flavox-syst.*, *Oxyb-syst.*

unequal (anisocoria [different size pupils of the eyes]): *BetBA-oph.* [*Betaxolol*]

QUEDA das pálpebras (ptose; pálpebra caída): *BetBA-oph.* [*Carteolol and Timolol*], **BotA-parloc.**, *CarbidEL-syst.*, *Dapi-oph.*, *Guane-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

mice, rats, dogs, and monkeys: *Levof-syst.*

QUEIMAÇÃO (Ver Desconforto; Dor; Secura).

QUEIMADURA (podendo causar cegueira): *AmmSAr-syst.*

QUEMOSE (inchaço da membrana que recobre a parte branca do olho): *Dapi-oph.*, *Ganc-impoph.*, *Gat-oph.*, *Lod-oph.*, **Lot-oph.**, *Norf-oph.*

conjunctival (eye irritation, redness, or swelling): *Natam-oph.*

QUERATITE (Ver Ceratite).

RETINA (Ver Retinopatia).

arterioles in retine, narrowing of: *Chloroq-syst.*
changes.

cats and rabbits: *Trane-syst.*

pathologic (degeneration and loss of photoreceptor cells).

rats, albino: *Prami-syst.*

damage: *Chloroq-syst.*

irreversible: *Hydxcyc-syst.*

damage of the rods and cones: *Phenot-syst.*

degeneration.

focal areas.

cats, dogs, and rats: *Trane-syst.*

rats, albino: *Ropin-syst.*

deposition of opaque material in lens and cornea: **Phenot-syst.**

retina, and (blurred vision): **PerpA-syst.**

hole: *Ganc-impoph.*

occlusion.

nonperfusion of normal retinal vessels: *Ver-parloc.*

retinal artery: *Thr-syst.*

retinal vein (blurred vision; decreased vision or other changes in vision):

Ralo-syst., *Tad-syst.*, *Vard-syst.*

RETINOPATIA (visão borrada ou embaçada; alteração ou perda da visão; dor ocular) (Ver Retina): *Chloroq-syst.*, *Hydxcyc-syst.*, **PerpA-syst.**, *Tamo-syst.*, *Thiox-syst.*

Repertório - Capítulo OLHO

pigmentary (blurred vision; defective color vision; difficulty seeing at night):

Phenot-syst., *Thie-syst.*

prematurity, of (retrolental fibroplasia): *Indo-syst.*

toxic: *Mitot-syst.*

SANGRAMENTO (Ver Equimose; Hemorragia).

SECURA (Ver Descomforto): *Almot-syst.*, *AmlodAt-syst.* [*Amlodipine*], **AntinfN-oph.**, *AntinfN-syst.*, *Aprac-oph.*, *ArsTr-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Betaxolol and Timolol*], *BetBA-syst.*, *BetBAT-syst.*, *Brim-oph.*, *Brin-oph.*, *Cip-oph.*, *Clofaz-syst.*, *Clon-syst.*, *ClonC-syst.*, *Cortic-nas.* [*Fluticasone*], *Dapi-oph.*, *Darif-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Diso-syst.**, *Dorz-oph.*, *DorzT-oph.*, *Eme-oph.*, *Etan-syst.*, *Gat-oph.*, **Isot-syst.**, *Ketot-oph.*, *Lat-oph.*, *Levoc-oph.*, *Levof-oph.*, *Lod-oph.*, **Lot-oph.**, **Mox-oph.**, *Nar-syst.*, *Nef-syst.*, *Nep-oph.*, *Nia-syst.*, *Ofl-oph.*, *Olo-oph.*, **Oxyb-syst.**, *Rime-oph.*, *Rise-syst.*, *Riz-syst.*, *Sild-syst.*, *Sol-syst.*, **Thiab-syst.**, *Tore-syst.*, *Trav-oph.*, *Tros-syst.*, **Uno-oph.**, *Valp-syst.*, *Ver-parloc.*

burning and discomfort, with: *Pemi-oph.*

keratitis sicca (dryness of eye): *Trif-oph.*

keratoconjunctivitis sicca (dryness of eye): **BotA-parloc.**, *Brim-oph.*, **Erl-syst.**

lachrymation disorder (dryness of eye): *Ketot-oph.*, **LotT-oph.**, *Ritu-syst.*

xerophthalmia (dry or itching eyes; redness or pain in eye) (See Dryness): *AmlodAt-syst.* [*Amlodipine*], *Cev-syst.*, *Ropin-syst.*, **Tolt-syst.**

SENSAÇÕES, como se.

abnormal sensation in eye: **Bromf-oph.**

feeling sticky: *Lod-oph.*

lids: **Nep-oph.**, *Rime-oph.*

foreign body (feeling of having something in the eye): *Aprac-oph.*, *BetBA-oph.* [*Betaxolol*], *Bim-oph.*, *Brim-oph.*, *Brin-oph.*, *Cip-oph.*, *Cyclosp-oph.*, *DorzT-oph.*, *Eme-oph.*, *Ganc-syst.*, **Lat-oph.**, *Levof-oph.*, *Lod-oph.*, **Lot-oph.**, **Nep-oph.**, *Ofl-oph.*, *Olo-oph.*, *Pemi-oph.*, *Rime-oph.*, **Trav-oph.**, **Uno-oph.**, *Vid-oph.*

unusual feeling: *Thiab-syst.*

warming sensation, ocular (feeling of heat in eye): *Lod-oph.*

SENSÍVEL, sensibilidade (coceira e inchaço da pálpebra; vermelhidão do olho): *TobD-oph.*

corneal: *BetBA-oph.* [*Carteolol*]

decreased: *BetBA-oph.* [*Betaxolol, Levobunolol, and Timolol*]

SINÉQUIA (irritação dos olhos) (Ver Irritação): *Ganc-impoph.*

SOMBRANCELHAS.

loss of: *Acit-syst.*, **Dacti-syst.**

TERÇOL.

recurrent or recurring (sore on the edge of the eyelid): *Acit-syst.*

TESTES DIAGNÓSTICOS.

carbonic anhydrase activity (in both the cytoplasm and around the plasma membranes of the corneal endothelium): *Brin-oph.*

TOXICIDADE ocular (visão borrada ou de halos de cores azul e verde ao redor de objetos; olhos secos; sensibilidade de olhos à luz; diminuição da acuidade, visão periférica, colorida e noturna; distúrbios da pigmentação): *Amio-syst., Def-syst., HydxyC-syst., LotT-oph.*

localized (itching and swelling of eyelid; redness of eye): *TobD-oph.*

TROMBOSE (Ver Isquemia; Vascular, Doenças).

retinal (changes in vision; double vision; migraine headache; partial or complete loss of vision in eye; eye pain): *Estro-syst., Eton-vag., NoreE-syst., PegiA2b-syst.*

artery (changes in vision; double vision; migraine headache; partial or complete loss of vision in eye): *EpoE-syst.*

vascular (changes in vision; double vision; migraine headache; blurred vision): *DrosE-syst.*

TUMOR.

cysts, iris (See Iris): *AntglaC-oph., Pil-oph.*

children: *AntglaC-oph.*

ULCERAÇÃO (Ver Lesões).

corneal (eye irritation or redness) (See Cornea): *Aprac-oph., BotA-parloc., Brim-oph., Bromf-oph., Lod-oph., Rime-oph., TobD-oph.*

ÚMIDO, molhado (Ver Lacrimejamento).

VASCULAR, DOENÇA, da retina (diminuição ou outros distúrbios da visão; hemorragia do olho.) (Ver Isquemia; Trombose): *Fomi-parloc., Sild-syst.*

VASOESPASMO ocular (distúrbios da visão; miose) (Ver Miose): *Vasc-syst.*

VERMELHIDÃO, congestão (hiperemia, olhos injetados, eritema) (Ver Comichão; Inflamação; Irritação): **Abac-syst., AbLam-syst., Acit-syst., Acyc-syst., Allop-syst., Amio-syst., Anast-syst., Anest-oph., AntinfN-oph. [Flurbiprofen; Indomethacin], AntfunA-syst. [Itraconazole], AntglaC-oph., Aprac-oph., Aprep-syst., ArsTr-syst., Atorv-syst., AtovaPro-syst., Atrop-oph., Azel-nas., BetBA-oph., Brim-oph., Brin-oph., Bromf-oph., Carbac-oph., Cefd-syst., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Cital-syst., Clar-syst., Cortic-oph., Cyclope-oph., Cyt-syst., DipyA-syst., Docet-syst., Dorz-oph., Dorz-oph., Dul-syst., Eme-oph., Epine-oph., Eso-syst., Fluox-syst., Fluv-syst., Fomi-parloc., Fosam-syst., Gab-syst., Gadop-syst., Gat-oph., Gef-syst., Genta-oph., HistH2-syst., Hom-oph., HydroxT-oph., HydxyC-oph., Ido-oph., Imm-syst., Indin-syst., Isot-syst., Ketor-oph., Ketot-oph., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., Levoc-oph., Levof-oph., Lod-oph., LopiR-syst., Lot-oph., Mef-syst., Melo-syst., Mem-syst., Mero-syst., Mox-oph., Ned-oph., Neo-oph.,**

NeoPB-oph., **NeoPG-oph.**, **NeoPH-oph.**, *Nep-oph.*, **Nev-syst.**, *Ofl-oph.*, *Olo-oph.*, *Omep-syst.*, *Ose-syst.*, *Paro-syst.*, *Penic-syst.*, *PenicilB-syst.*, *Phy-oph.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Riba-syst.*, *Rime-oph.*, *Ritu-syst.*, *Sco-oph.*, *Sertr-syst.*, *Sild-syst.*, *Tacro-syst.*, *Tacro-top.*, *Tad-syst.*, *Tamo-syst.*, *Thali-syst.*, *Tinz-syst.*, *Tob-oph.*, *TobD-oph.*, *Topi-syst.*, **Trav-oph.**, *Trif-oph.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *ValsH-syst.*, *Vari-syst.*, *Ven-syst.*, *Vid-oph.*, *Zan-inhsyst.*

children: *BronA-syst.* [*Albuterol*]

conjunctival (increase in blood flow to the whites of the eyes; redness of the white part of eyes or inside of eyelids): *Anest-oph.* [*Proparacaine*], **BetBA-oph.**, *Cip-oph.* [*Carteolol*], **Bim-oph.**, **Bromf-oph.**, *Cyclosp-oph.*, **Dapi-oph.**, **DorzT-oph.**, *DorzT-oph.*, *Dron-syst.*, *Fomi-parloc.*, **Lat-oph.**, *LotT-oph.*, *Natam-oph.*, *Norf-oph.*, **Opr-syst.**, *Ver-parloc.*

adult and pediatric patients: *Desf-inhsyst.*

lasting 20 minutes: **Dapi-oph.**

ciliary: *Pil-oph.*

lids: *Acit-syst.*, *Bim-oph.*, *Brim-oph.*, *Cefd-syst.*, *Dapi-oph.*, *DipyA-syst.*, *DorzT-oph.*, *Lat-oph.*, *Paro-syst.*, *Tacro-top.*, *Tob-oph.*, *ValsH-syst.*

inner lining: **Brim-oph.**

severe: *Dipi-oph.*

mild: *Anest-oph.*

reactive (increase in eye irritation): *Nap-oph.*

severe: *Dipi-oph.*

VIRADOS, olhos.

deviation, vertical (eye pointing upward or downward instead of straight ahead):

BotA-parloc.

VÍTREA, aparência.

gray ground-glass: *Anest-oph.* [*Proparacaine*]

VÍTREO OU HUMOR AQUOSO.

cells, anterior chamber (sensitivity of eyes to light, eye discomfort, eye redness): *Lod-oph.*

disorders, vitreous (change in vision; seeing floating spots before the eyes; looking through water): *BetBA-oph.* [*Levobetaxolol*], *Brim-oph.*

floaters, vitreous (seeing floating dark spots or material before eyes, caused by protein deposits): *Brim-oph.*, *Clom-syst.*

traction, vitreous (decreased vision or other change in vision): *Ganc-impoph.*, *Sild-syst.*

XEROFTALMIA (Ver Secura).

CAPÍTULO VISÃO

ACOMODAÇÃO, defeituosa (dificuldade focalizando os olhos).

abnormal, changes in (blurred vision; change in near or distance vision; difficulty in focusing eyes): *AmlodAt-syst.* [*Amlodipine*], *Cital-syst.*, *Glim-syst.*, *Nef-syst.*, *Oxc-syst.*, *Paro-syst.*, **Risp-syst.**, **Tolt-syst.**, **Ven-syst.**

blurred vision, with: *Glim-syst.*

adaptation of eyes to dark.

difficulty in: *Dapi-oph.*

impaired (delay in seeing clearly when going from light to dark areas) (effect may last from seconds to minutes): **AntandN-syst.**

blood glucose concentration, with changes in: *AntdiaS-syst.*

difficulty in (blurred vision, difficulty in focusing eye, difficulty adjusting to distances, impaired accommodation): *Antchsp-syst.*, *AtropB-syst.*, *Bell-syst.*, *Cloz-syst.*, *Dexmet-syst.*, *Flavox-syst.*, *Oxyb-syst.*, *Pral-syst.*, *Teli-syst.*, **Tolt-syst.**

dysfunction, ciliary muscle (difficulty in reading): **Chloroq-syst.**, **Hydxc-syst.**

cycloplegia (paralysis of the ciliary muscle, resulting in a loss of visual accommodation): *Atrop-oph.*, *Cyclope-oph.*, *Hom-oph.*, *HydroxT-oph.*, *Sco-oph.*, *Trimetha-syst.*, *Trop-oph.*

loss of: *Atrop-oph.*

myopia, accommodative (blurred vision or change in near or distance vision): *AntglaC-oph.*

paralysis, accommodation (blurred vision or other problems): *Antcoa-syst.* [*Phenindione*]

AMBLIOPIA (visão borrada ou prejudicada; distúrbio da visão): *Fent-trsyst.*, *Fluorq-syst.*, *Gab-syst.*, *Gadov-syst.*, *Gef-syst.*, *HistH2-syst.* [*Nizatidine*], *IbupO-syst.*, *Mod-syst.*, *Nes-syst.*, **Ola-syst.**, *Palo-syst.*, *Pentosa-syst.*, *Pil-syst.*, *Pyridos-syst.*, *Rise-syst.*, **SodO-syst.**, *Tia-syst.*, *Tiz-syst.*, **Valp-syst.**, **Zop-syst.**

dialysis patients with end-stage renal disease: *Levoca-syst.*

toxic (blurred vision or any change in vision): *AntinfN-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Ethc-syst.*

BORRADA, indefinida: *Acit-syst.*, *Adal-syst.*, *Aldes-syst.*, *Aman-syst.*, *Amio-syst.*, *Amph-syst.*, *AmphoB-syst.*, *Anag-syst.*, *Anest-mucloc.*, *Anest-oph.*, *Anid-syst.*, *AntinfN-oph.* [*Diclofenac*], *AntinfN-syst.*, *AntconH-syst.*, **AntdepMAO-syst.**, *AntdepT-syst.*, *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Cyproheptadine*, *Diphenhydramine*, and *Loratadine*]; *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *Antm-syst.*, *AppSupS-syst.*, *Aprac-oph.*, *Arip-syst.*, *ArsTr-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Atrop-oph.*, *Azel-nas.*, *Bacl-intsyst.*, *Bacl-syst.*, *Benzod-syst.*, *BetBA-oph.* [*Betaxolol*, *Carteolol*, *Levobetaxolol*, *Metipranolol*, *Timolol*], *Beth-syst.*, *Bim-oph.*, **Bort-syst.**, *Brim-oph.*, *Bromf-oph.*, *BronA-syst.* [*Ephedrine*], *Buc-syst.*, *Bupre-syst.*, *Bupro-syst.*, *Busp-syst.*, *Busu-syst.*, *Butor-nasyst.*, **Carbac-oph.**, *CarbidL-syst.*, *CarbidEL-syst.*, *Carbopl-syst.*, *Carv-syst.*, *Cele-syst.*, *Cev-syst.*, *Chlop-syst.*, *Chloramp-oph.*, *ChlordA-syst.*, *Chloroq-syst.*, *Cip-oph.*, *Cisap-syst.*,

Cisp-syst., *Clom-syst.*, *Cortic-nas.* [*Beclomethasone*], *Cortic-nas.* [*Fluticasone*], *Cortic-inhloc.*, *Cycli-syst.*, **Cyclob-syst.**, *Cyclope-oph.*, *Cyclosp-oph.*, *Dant-syst.*, *Dapi-oph.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Def-syst.**, *Dexmet-syst.*, *Dext-syst.*, *Dif-syst.*, *DigitG-syst.*, *Dihi-nassyst.*, *Dipheni-syst.*, *DiphenoA-syst.*, *Dipi-oph.*, **Diso-syst.**, *DiuL-syst.*, *Don-syst.*, *Dorz-oph.*, **DorzT-oph.**, *Doxep-top.*, *Dron-syst.*, *DrosE-syst.*, *Dul-syst.*, *Edr-syst.*, *EdrA-syst.*, *Eme-oph.*, *Epine-oph.*, *ErgolM-syst.*, *Eso-syst.*, *Estro-syst.*, *Etan-syst.*, *Etham-syst.*, **Ethc-syst.**, *Ethi-syst.*, *Fel-syst.*, *Fent-trsyst.*, *FentD-syst.*, **Flec-syst.**, *Fluda-syst.*, **Flum-syst.**, *Fluox-syst.*, *Flut-inhloc.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fome-syst.*, **Fomi-parloc.**, *Fus-syst.*, **Gab-syst.**, *Gals-syst.*, *Ganc-impoph.*, *Gef-syst.*, *Genta-oph.*, *Glim-syst.*, *Gos-syst.*, *Guane-syst.*, **Hal-syst.**, *HepatBVR-syst.*, *Hist-syst.*, *HistH2-syst.* [*Ranitidine*], *Hom-oph.*, *HydroI-syst.* [*Ibuprofen*], *HydroxT-oph.*, *HydxyC-syst.*, *HydxyPC-oph.*, *HydxyPM-oph.*, *HydxyPM-parloc.*, *Iba-syst.*, *Ido-oph.*, *IntA-syst.*, *Iodoq-orloc.*, *Iopa-syst.*, *Iov-syst.*, *Ipr-inhloc.*, *Ipr-nas.*, *Ison-syst.*, *Isot-syst.*, *Ketor-syst.*, **Lamo-syst.**, **Lar-syst.**, **Lat-oph.**, *Let-syst.*, *Levam-syst.*, *Levod-syst.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Line-syst.*, *Lit-syst.*, *Lod-oph.*, **Lot-oph.**, *LotT-oph.*, **Lox-syst.**, *Mann-syst.*, **Map-syst.**, *Mecam-syst.*, *Mecl-syst.*, *Mef-syst.*, *Mep-syst.*, *MepA-syst.*, *MethotC-syst.*, *Methylp-syst.*, *Mex-syst.*, *Mida-syst.*, *Minox-top.*, *Mitot-syst.*, *Moc-syst.*, **Moli-syst.**, *Mor-syst.*, *Nab-syst.*, *Nali-syst.*, *Nalt-syst.*, *Nap-oph.*, *Nar-syst.*, **Nef-syst.**, *Neo-oph.*, *NeoPB-oph.*, **Nep-oph.**, *Niti-syst.*, *Nitra-syst.*, *Nitro-syst.*, *Nitrop-syst.*, *Nyl-syst.*, *Oct-syst.*, *Ofl-oph.*, *Olo-oph.*, *OmeP-syst.*, *Opi-syst.*, *Opr-syst.*, *Oxa-syst.*, *Oxym-nas.*, **PacP-syst.**, *Pam-syst.*, *Pantop-syst.*, *Pap-syst.*, *Paro-syst.*, *PegiA2a-syst.*, *Penic-syst.*, **PerpA-syst.**, **Phenot-syst.**, **Phy-oph.**, **Pil-oph.**, *Pime-top.*, **Pimo-syst.**, *Pip-syst.*, **Pral-syst.**, **Pre-syst.**, *Propa-syst.*, *Pyridos-syst.*, *Quid-syst.*, *Quin-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Rime-oph.*, **Risp-syst.**, *Ritu-syst.*, *Riz-syst.*, *Rof-syst.*, *Ropiv-parloc.*, *Sco-oph.*, *Seleg-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, **Ske-syst.** [*Methocarbamol*], *Ske-syst.*, *SodO-syst.*, *SodTh-syst.*, *Sol-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Teli-syst.*, *Tem-syst.*, *Tera-syst.*, *Thall-syst.*, *Thiab-syst.*, *Thie-syst.*, *Thiox-syst.*, *Til-syst.*, *Tob-oph.*, *TobD-oph.*, *Toc-syst.*, **Topi-syst.**, *Tore-syst.*, *Tram-syst.*, *Trane-syst.*, *Trav-oph.*, *Traz-syst.*, *Trif-oph.*, *Trimethob-syst.*, *Trop-oph.*, *Tros-syst.*, *Uno-oph.*, *Ure-syst.*, *Vals-syst.*, *Vard-syst.*, **Ven-syst.**, **Ver-parloc.**, **Vig-syst.**, **Vinc-syst.**, *Vind-syst.*, *VitE-syst.*, *Vor-syst.*, *Xyl-nas.*, *Zic-syst.*

accommodation, with changes in (difficulty in focusing eyes): *Glim-syst.*

adult females and males: *Leup-syst.*

anticholinergic effect, with: **PerpA-syst.**, **Phenot-syst.**

blood glucose concentration, with changes in: *AntdiaS-syst.*

continuing: *Antchsp-syst.*, *Bell-syst.*, *Dif-syst.*, *DiphenoA-syst.*

elderly patients: *Aman-syst.*

gradual: *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Danaz-syst.*, *TobD-oph.*

looking through water: *Brim-oph.*

mild.

temporary: **Cortic-oph.**

renal dysfunction, patients with: *Aman-syst.*

temporary: *Azel-oph.*

mild: **Cortic-oph.**

transient: **BetBA-oph.** [*Levobetaxolol*, *Timolol Maleate*], **Brin-oph.**, *Docet-syst.*

younger patients: **Def-syst.**

BRILHANTE.

overbright appearance of lights: *Anid-syst., AtovaPro-syst., Mef-syst., Nali-syst., Oct-syst.*

transient: *Docet-syst., PacP-syst.*

CAMPO VISUAL, anormal: *Tore-syst.*

constriction or reduced (decrease in vision or other change in vision): **Vig-syst.**

defects (blurred vision; decrease or change in vision): *Brim-oph., Carm-imploc., Cortic-oph., Dapi-oph., DorzT-oph., Fomi-parloc., Line-syst., Mido-syst., Nef-syst., Oxa-syst., Pre-syst., Tad-syst., Tiz-syst., Vard-syst., Ver-parloc.*

acuity defects, with (gradual blurring or loss of vision; eye pain; nausea; vomiting): *Cortic-oph., TobD-oph., Lot-oph., NeoPH-oph., Rime-oph.*

CEGUEIRA (Ver Perda da visão).

CORES à frente dos olhos (vê cores).

ability to see or perception, changes in: *Anid-syst., AtovaPro-syst., Cev-syst., Cisp-syst., Isot-syst., Line-syst., Mef-syst., Nali-syst., Nep-oph., Niti-syst., Oct-syst., Opr-syst., PacP-syst., Quid-syst., Quin-syst., Tad-syst., Vard-syst., Vor-syst., Zic-syst.*

blue: *Cisp-syst., Opr-syst.*

color change perception (seeing shades of colors differently than before): *Sild-syst.*

yellow: *Cisp-syst., Opr-syst.*

yellow vision (xanthopsia): *DigitG-syst., DiuL-syst., Thiab-syst.*

DIMINUÍDA, diminuindo (distúrbio da visão) (Ver Distúrbios; Fraqueza): *Acit-syst., Adal-syst., Aman-syst., Atorv-syst., BetBA-oph. [Levobetaxolol], Bim-oph., Brim-oph., Cip-oph., Cortic-oph., Epine-oph., Estro-syst., Etan-syst., Eton-vag., Fluox-syst., Fomi-parloc., Gals-syst., Ganc-impoph., Gold-syst., Iba-syst., Iodoq-orloc., Isot-syst., Lar-syst., Levoc-oph., Levof-oph., Line-syst., Lot-oph., LotT-oph., Mox-oph., Nali-syst., Niti-syst., Oxa-syst., Pam-syst., Pantop-syst., Paro-syst., PegiA2b-syst., Ralo-syst., Ritu-syst., Sertr-syst., Sild-syst., Sir-syst., Tad-syst., Til-syst., Trav-oph., Uno-oph., Vard-syst., Ver-parloc., Vig-syst.*

acuity: *Amio-syst., Anest-oph., Def-syst., Fomi-parloc., Gat-oph., Minox-top., Mox-oph., Nep-oph., Oxa-syst., Trav-oph., Vard-syst., Ver-parloc.*

central visual: *Dapi-oph.*

three or more lines, immediate and temporary (decrease in vision, severe; may last approximately 2 to 4 weeks): **Ganc-impoph.**

visual fields defects, with (gradual blurring or loss of vision; eye pain; nausea; vomiting): *Cortic-oph., TobD-oph., Lot-oph., NeoPH-oph., Rime-oph.*

worsened (decreased vision): *Brim-oph.*

younger patients: **Def-syst.**

color perception (chromatopsia; change in color vision): *Anid-syst., AntandN-syst., AtovaPro-syst., Cev-syst., Mef-syst., Oct-syst., PacP-syst., Quin-syst., Vard-syst., Vor-syst.*

desaturation of color vision (change in how colors look): **Fomi-parloc.**

transient: *Docet-syst.*

continuing: *Pil-syst.*

dim light: *AntglaC-oph.*

night vision (decreased vision after sunset and before sunrise): *Acit-syst., AntglaC-oph., BetBA-oph. [Carteolol], Nep-oph., Niti-syst., PerpA-syst., Phenot-syst., Pil-oph., Thie-syst., Vard-syst., Vor-syst., Zic-syst.*

peripheral: *Amio-syst.*

rapidly: **Topi-syst.**

severe: *Pil-syst.*

DIPLOPIA (visão dupla; distúrbios da visão, especialmente cegueira noturna; clarão ou reflexo da neve causado por luz brilhante): *Aldes-syst., Almot-syst., AmphoB-syst., Anag-syst., Anest-mucloc., Anid-syst., AntinfN-syst., AntconD-syst., AntconH-syst., AnthisP-syst., AtovaPro-syst., Aztr-syst., Bacl-intsyst., Bacl-syst., BetBA-oph. [Timolol]; BotA-parloc., Brin-oph., CarbidL-syst., CarbidEL-syst., Carm-imploc., Clom-syst., Cycli-syst., Dant-syst., Dinopst-parloc., Doxac-syst., Doxaz-syst., DrosE-syst., Efav-syst., Epoe-syst., Estro-syst., Ethc-syst., Fel-syst., FentD-syst., Gab-syst., Gadop-syst., Gadov-syst., Iron-syst., Keta-syst., Lamo-syst., Lat-oph., Leve-syst., Levod-syst., Lid-syst., Lid-top., LidP-top., MagS-syst., MeaRV-syst., MeaV-syst., MeaMRV-syst., Mef-syst., Mitot-syst., Nali-syst., Nef-syst., Oct-syst., Ola-syst., Opi-syst., Oxc-syst., PacP-syst., Pap-syst., Perg-syst., Por-syst., Pral-syst., Prami-syst., Pre-syst., Primi-syst., Quid-syst., Quin-syst., Ropin-syst., Seleg-syst., Sild-syst., Ske-syst. [Methocarbamol], Ske-syst., Teli-syst., Tem-syst., Topi-syst., Uno-oph., Valp-syst., Ver-parloc., Vig-syst., Vinb-syst., Vinc-syst., Vind-syst., VitA-syst., Zic-syst., Zolp-syst., Zon-syst.*

sudden onset of: *Proge-syst. [Medroxyprogesterone]*

transient: *Docet-syst.*

DISTÚRBIOS, anormalidades, dificuldades, ou problemas da visão (Ver Diminuída): *Abcix-syst., Acyc-syst., Aman-syst., Aminglyc-syst. [Streptomycin], AmphoB-syst., Anid-syst., AntinfN-oph. [Diclofenac], AntinfN-syst., Antdys-syst. [Phenothiazine]; Anthis-syst. [Azatadine, Cetirizine, Cyproheptadine, Diphenhydramine, and Loratadine], AnthisP-syst., Aprac-oph., AspirSC-syst., AtovaPro-syst., Azel-nas., BarbAn-syst. [Aspirin], Basil-syst., Benzod-syst., BetBA-oph. [Betaxolol, Carteolol, Metipranolol, Timolol], Bim-oph., BisS-orloc., Brim-oph., Bromf-oph., Bupre-syst., Busu-syst., Carv-syst., Cev-syst., Chloramp-ot., Chloroq-syst., Cip-oph., Cisap-syst., Clom-syst., Cortic-inhloc., Cyp-syst., Darif-syst., Dant-syst., DecAn-syst. [Ibuprofen-containing combinations, Salicylate-containing combinations], DicM-syst., Dietc-syst., Disu-syst., Dorz-oph., Dron-syst., DrosE-syst., Efav-syst., Eme-oph., EmiT-syst., Epoe-syst., Estro-syst., Etham-syst., Eton-vag., Fel-syst., FentD-syst., Fluorq-syst., Fluox-syst., Fomi-parloc., Gadob-syst., Ganc-impoph., Gef-syst., Gemif-syst., Gla-syst., HepatBVR-syst., HydroI-syst., Hydxyc-syst., HydxypM-parloc., Iba-syst., IntA1-syst., IntB1b-syst., Iodoq-orloc., Iopa-syst., Iot-syst., Iov-syst., Ioxa-syst., Ipr-inhloc., Isot-syst., Ketor-syst., Lamo-syst., Lat-oph., Levoc-oph., Lid-top., Lot-oph., LotT-oph., Mecas-syst., MethyIp-syst., Methys-syst., Melo-syst., MepA-syst. [Aspirin], Mida-syst., Miglu-syst., Minox-top., Moc-syst., Mod-syst., Mox-oph., Nab-syst., Nali-syst., Nef-syst., Nep-oph., Nico-inhsyst., Nico-nas., Nico-syst., NoreE-syst., NoreE-syst., Ola-syst.,*

Opi-syst., **Oxc-syst.**, PacP-syst., Pam-syst., Paro-syst., Penic-syst., Pentost-syst., **Perg-syst.**, PerpA-syst., Phent-syst., Pime-top., **Pimo-syst.**, Por-syst., Prami-syst., Pre-syst., Pyridos-syst., Que-syst., Quin-syst., Ralo-syst., Rime-oph., Ropin-syst., Sal-syst., Sertr-syst., Sild-syst., **Sir-syst.**, **Ske-syst.** [Methocarbamol], Ske-syst., Sum-syst., Sur-syst., Tad-syst., Telm-syst., **Tolt-syst.**, **Topi-syst.**, Tore-syst., Tram-syst., TramA-syst., Trane-syst., Trav-oph., **Tret-syst.**, Trif-oph., Tros-syst., **Uno-oph.**, Vard-syst., Zale-syst., **Zic-syst.**, Zip-syst., Zolp-syst.

acuity: Line-syst.

bilateral: Etham-syst.

nystagmus, with: **Oxc-syst.**

pediatric patients: Cisap-syst.

retinal or macular: AntinfN-syst.

sudden vision changes: Isot-syst.

transient: Docet-syst.

unilateral: Etham-syst.

ESCOTOMA (área de visão diminuída em campo visual cercado por visão normal ou menos diminuída): Almot-syst., AntinfN-syst., **AntconD-syst.**, Clom-syst., Ethc-syst., **Nef-syst.**

paracentral and pericentral ring types, with: Chloroq-syst.

ring, with papillitis, bilateral: Vasc-syst.

temporal: Chloroq-syst.

ESCURA: Ido-oph., Vard-syst.

FAÍSCAS de luz: Brim-oph., Dorz-oph., DorzT-oph., **Fomi-parloc.**, **Ganc-impoph.**, Nep-oph., **Valg-syst.**

photopsia (seeing flashes or sparks of light): Fomi-parloc.

FLASHES de luz (Ver Zig-Zag): Brim-oph., Dorz-oph., DorzT-oph., **Fomi-parloc.**, **Ganc-impoph.**, Nep-oph., **Valg-syst.**

phosphenes (seeing flashes of light): Clom-syst.

photopsia (seeing flashes or sparks of light): Fomi-parloc.

FLUTUANTES, manchas diante dos olhos (Ver Manchas): Brim-oph., Dorz-oph., DorzT-oph., **Fomi-parloc.**, **Ganc-impoph.**, Nep-oph., **Valg-syst.**

caused by protein deposits in the vitreous fluid of the eye: Clom-syst.

FOSFENOS (vendo flashes de luz) (Ver Flashes): Clom-syst.

HALO ao redor de luzes: Anid-syst., AtovaPro-syst., Cyclosp-oph., Mef-syst., Nali-syst., Oct-syst., PacP-syst.

around objects.

blue-green: Amio-syst.

transient: Docet-syst.

HEMERALOPIA (Ver Perda da Visão, dia).

ILUSÕES.

hallucinations, visual: *Bacl-syst., Benzon-syst., Carbam-syst., Coc-mucloc., Keta-syst., Pil-oph., Pyridos-syst., Tiz-syst.*
auditory, and: *Bacl-syst., Hydxyu-syst.*

IMAGENS muito tempo retidas (pós-imagens; persistência de imagens visuais): *Clom-syst.*

MANCHAS: *Flec-syst., Valp-syst.*

bright spots or wavy lines: **Vor-syst.**

floating before eyes: *Brim-oph., Dorz-oph., DorzT-oph., Fomi-parloc., Ganc-impoph., Nep-oph., Valg-syst.*

caused by protein deposits in the vitreous fluid of the eye: *Clom-syst.*

MIOPIA (visão curta) (visão borrada; mudanças na visão de distância; dificuldade focalizando olhos): *CarbonAI-syst.*

acute.

secondary angle closure glaucoma, with (blurred vision; eye pain; eye redness; increased eye pressure; rapidly decreasing vision): **Topi-syst.**

accommodative (blurred vision or change in near or distance vision): *AntglaC-oph.*

transient: *Dorz-oph.*

NEBULOSA, brumosa, nublada: *Carbac-oph., Ido-oph., DorzT-oph.*

veil or curtain appearing across part of vision: *AntglaC-oph., Brim-oph., Carbac-oph., Fomi-parloc., Ganc-impoph., Nep-oph., Valg-syst.*

NICTALOPIA (Ver Perda da Visão, noite): *Chloroq-syst.*

NUBLADA (Ver nebulosa).

PERDA DA VISÃO (cegueira): *Adal-syst., Anid-syst., Atorv-syst., AtovaPro-syst., Bim-oph., Brim-oph., Cev-syst., Chloramp-ot., Chloroq-syst., Cortic-nas. [Beclomethasone, Fluticasone], Cortic-nas., Cortic-rec., Cortic-top., CorticG-syst., Danaz-syst., EmtT-syst., Epoe-syst., Estro-syst., Etan-syst., Ethi-syst., Fluda-syst., Fluox-syst., Flut-inhloc., FlutS-inhloc., Gals-syst., IntAI-syst., Ison-syst., Ive-syst., Lar-syst., Line-syst., Mef-syst., Nep-oph., Niti-syst., Nitro-syst., Oct-syst., Oxa-syst., PacP-syst., Pantop-syst., Paro-syst., Phenot-syst., Proge-syst. [Medroxyprogesterone], Quin-syst., Rifab-syst., RifamI-syst., RifamIP-syst., Ritu-syst., Sertr-syst., Sild-syst., Sir-syst., Sur-syst., Tad-syst., Trav-oph., Uno-oph., Vard-syst., Vig-syst.*

blindness, cortical or cerebral (blurred vision; change in ability to see colors, especially blue or yellow): *Cisp-syst., Diat-syst., Fluda-syst., Vind-syst.*

temporary (vision returns within 24 to 48 hours): *Iot-syst.*

colors, for: **Def-syst., Uno-oph.**

Repertório - Capítulo VISÃO

blue-yellow color blindness: *Estro-syst.*, *Etan-syst.*, *Fluox-syst.*, *Oxa-syst.*, *Paro-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Vig-syst.*

color vision, defective: **PerpA-syst.**, **Phenot-syst.**, *Thie-syst.*

red-green color blindness: *Etham-syst.*

younger patients: **Def-syst.**

day (hemeralopia): **AntconD-syst.**

decrease in vision, severe: *Ver-parloc.*

delayed: *Fluda-syst.*

gradual: *TobD-oph.*

impairment, visual: *Cyclosp-syst.*, *Mur-syst.*

night: *Anid-syst.*, *AtovaPro-syst.*, *Chloroq-syst.*, **Def-syst.**, *Isot-syst.*, *Mef-syst.*, *Oct-syst.*, *PacP-syst.*, *Quin-syst.*

onchocerciasis (verminosis), in: *Dietc-syst.*

transient: *Docet-syst.*

younger patients: **Def-syst.**

onchocerciasis (verminosis), in: *Dietc-syst.*

partial: *Epoe-syst.*, *Estro-syst.*

peripheral (decreased ability to see to the side when looking straight ahead): **Def-syst.**, *Fomi-parloc.*

younger patients: **Def-syst.**

permanent: *Amio-syst.*

sudden (amaurosis): *CorticG-syst.*, *Ond-syst.*, *Pantop-syst.*

patients with pituitary tumors (temporary loss of vision): *Proti-syst.*

temporary: *Sild-syst.*

transient: *CalcCBA-syst.*, *Docet-syst.*

RASTROS, trilhas visuais: **Nef-syst.**

REFRAÇÃO, desordens (visão borrada; ametropia): *Atorv-syst.*

TUNEL, visão de: *Anid-syst.*, *AtovaPro-syst.*, *Mef-syst.*, *Oct-syst.*, *PacP-syst.*

onchocerciasis (verminosis), with: *Dietc-syst.*

transient: *Docet-syst.*

VISÃO DE DISTÂNCIA, mudanças na (Ver Miopia, visão curta): *Beth-syst.*, **Carbac-oph.**, *Dexmet-syst.*, *Mep-syst.*, *MepA-syst.*, **Phy-oph.**, **Pil-oph.**

VISÃO DE PERTO, mudanças na (Ver Presbiopia; Hipermetropia): *Antchsp-syst.*, *Bell-syst.*, *Beth-syst.*, **Carbac-oph.**, *Dexmet-syst.*, *Dif-syst.*, *DiphenA-syst.*, *Mep-syst.*, *MepA-syst.*, **Phy-oph.**, **Pil-oph.**

reading, difficulty in (See Presbyopia; Accomodation): **Chloroq-syst.**, *Cyclosp-oph.*, **Hydxyc-syst.**

VISÃO DUPLA (Ver Diplopia).

ZIG-ZAG, flashes de luz (Ver Flashes): *Caff-syst.*

CAPÍTULO OUVIDO

ANESTESIA: *AntpBen-ot.*

BARULHOS no (Ver AUDIÇÃO): Caff-syst., *Carbam-syst.*

buzzing in ears: *AmincAc-syst., Aminglyc-syst.,* Anest-mucloc., *AntinfN-syst., Anthis-syst. [Azatadine, Cetirizine, Cyproheptadine, and Loratadine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst.,* AtropB-syst., *Bacl-intsyst., Bacl-syst., Bupre-syst., Capr-syst., Carbam-syst., CarbonAI-syst., Chloroq-syst., Cyclob-syst., DecAn-syst. [Ibuprofen-containing combinations], DiuL-syst., Gadop-syst., Hydxcyc-syst., Iopa-syst., Kan-orloc., LidP-top., Nalt-syst., Neo-orloc., Opi-syst., Penic-syst., Quid-syst., Quin-syst., SalA-top., Tic-syst., Tors-syst., Van-syst.*

continuing: AspirSC-syst., BarbAn-syst. [Aspirin], BisS-orloc., DecAn-syst. [Salicylate-containing combinations], MepA-syst. [Aspirin], Mesa-orloc., Sal-syst., SalA-top.

renal function impairment, with: **DiuL-syst.**

transient: *DiuL-syst.*

ringing: *AmincAc-syst., Aminglyc-syst., Anag-syst.,* Anest-mucloc., *AntinfN-syst., Anthis-syst. [Azatadine, Cetirizine, Cyproheptadine, and Loratadine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst.,* AtropB-syst., *Bacl-intsyst., Bacl-syst., Bupre-syst., Busp-syst.,* Caff-syst., *Capr-syst., Carbam-syst., CarbonAI-syst., Carbopl-syst., Chloroq-syst., Cisp-syst.,* Cyclob-syst., *DecAn-syst. [Ibuprofen-containing combinations], Diaz-parsyst., DiuL-syst., Gadop-syst., Hydxcyc-syst., Iopa-syst., Kan-orloc., Lid-syst., Lid-top., LidP-top., Mech-syst., Mex-syst., Nalt-syst., Neo-orloc., Opi-syst., Penic-syst., Quid-syst., SalA-top., SodC-parloc., SulfoT-syst., Tic-syst., Tors-syst., Van-syst.*

continuing: AspirSC-syst., BarbAn-syst. [Aspirin], BisS-orloc., DecAn-syst. [Salicylate-containing combinations], MepA-syst. [Aspirin], Mesa-orloc., Sal-syst., SalA-top.

renal function impairment, with: **DiuL-syst.**

transient: *DiuL-syst.*

CALOR.

flushes (See Flushing; Discoloration, redness): **Calcit-syst.**

CERA (Ver Descargas, cerume).

increases (ceruminosis): **Acit-syst..**

CERUMINOSE (Ver Cera, aumento).

COMICHÃO: *Genta-ot.*

around the ear: **NeoPh-ot.**

in the ear: *AntpBen-ot., CorticA-ot., NeoPh-ot.*

pruritus (itching skin on the ear): CipD-ot.

CERUMINOSE (Ver Cera, aumento).

CONGESTÃO: **Abar-syst.,** **Alfuz-syst.,** ArsTr-syst., **Azac-syst.,** **Bevac-syst.,** **Bort-syst.,** **BotA-parloc.,** Calcit-nassyst., Cand-syst., CarbidEL-syst., Cital-syst., **DrosE-syst.,** **Estro-syst.,** EzetS-syst., Fel-syst., Fex-syst., Gals-syst., **GroH-syst.,** **Iba-syst.,** Ima-syst., **Imiq-top.,** **Ipr-inhloc.,** **Lar-syst.,** **Len-syst.,** Lut-syst., **MetfP-syst.,** **NoreE-syst.,** Olm-syst., **OlmH-syst.,** Omep-syst., **Oxa-syst.,** **Pam-syst.,** **Pime-top.,** Ram-syst., Risp-syst., **RosiM-syst.,** **Sir-syst.,** Telm-syst., **Tiot-inhloc.,** Tram-syst., **Urs-syst.,** **Vald-syst.,** **Zole-syst.**

DESCARGAS: **Lami-syst.**

blood: Ofl-ot.

children: **Lami-syst.**

precipitate (residue): CipD-ot.

DESCOLORAÇÃO.

redness (See Flushing; Heat, fushing): **Calcit-syst.,** Genta-ot.

around the ear: **NeoPh-ot.**

erythema (redness of skin; unusually warm skin): **Lami-syst.**

children: **Lami-syst.**

in the ear: AntpBen-ot., **NeoPh-ot.**

DESCONFORTO: CipD-ot.

DISTÚRBIOS, desordens, anormalidades ou problemas no ouvido: Glut-syst., Ose-syst., Valp-syst.

patients with Turner's syndrome: **GroH-syst.**

DOR: **Acit-syst.,** Almot-syst., ArsTr-syst., BetBA-oph. [Levobetaxolol], Butor-nasyst., Calcit-nassyst., Cand-syst., Cele-syst., Cev-syst., CipD-ot., DiHy-nassyst., DiphtTTH-syst., **Estro-syst.,** Fel-syst., Gadob-syst., Gadop-syst., **Gals-syst.,** Gla-syst., **Lami-syst.,** Leval-inhloc., **Mecas-syst.,** Mom-inhloc., Mom-nas., Mup-nas., Nef-syst., Nico-nas., Ofl-ot., **OlmH-syst.,** Oma-syst., Pime-top., Sild-syst., **Sir-syst.,** Telm-syst., **Tret-syst.,** Valp-syst., Zale-syst.

absence: AntpBen-ot.

burning: Cortic-ot., Genta-ot.

in the ear: AntpBen-ot., CorticA-ot.

children: **Lami-syst.**

stinging: Cortic-ot., Genta-ot.

in the ear: CorticA-ot.

ERUPÇÕES.

debris: CipD-ot.

skin rash.

around the ear: **NeoPh-ot.**

in the ear: **NeoPh-ot.**

sores.

oozing.

in the ear: *AntpBen-ot.*

FORMIGAMENTO: Calcit-syst.

HIPERSENSIBILIDADE (comichão; erupção cutânea; vermelhidão; inchaço ou outro sinal de irritação no ou ao redor do ouvido): *Genta-ot.*, **NeoPh-ot.**

INCHAÇO, edema (vermelhidão de pele; pele quente não usual): *Genta-ot.*, **Lami-syst.**

around the ear: **NeoPh-ot.**

children: **Lami-syst.**

in the ear: **NeoPh-ot.**

INFECCÃO (alteração na audição; dor de ouvido; drenagem do ouvido; febre) (Ver Inflamação): *Atom-syst.*, *Cortic-inhloc.*, **Lami-syst.**, **Pime-top.**, *Tram-syst.*, *Zan-inhsyst.*

fungal, persistent: *Cortic-ot.*

nose and throat, with: **Lami-syst.**

superimposed: *CipD-ot.*

INFLAMAÇÃO (Ver Infecção; Irritação).

congestion: *CipD-ot.*

otitis (earache; redness or swelling in ear; change in hearing): *Niti-syst.*, *Orl-orloc.*

otitis externa (itchy or painful ears): *Acit-syst.*

otitis media (earache; ringing or buzzing in ears; decreased hearing; redness or swelling in ear; fever; general body discomfort; rubbing or pulling of the ears [in children]; and vomiting and diarrhea [in infants]; sore throat): *Acit-syst.*, *Almot-syst.*, *BetBA-oph.* [*Levobetaxolol*], *Cele-syst.*, *Cev-syst.*, *Flut-inhloc.*, *Gab-syst.*, *Gals-syst.*, *Influ-syst.*, *IntB1a-syst.*, **Mecas-syst.**, *Mem-syst.*, *Mox-oph.*, **Paliv-syst.**, *Pime-top.*, **Sir-syst.**, *Valp-syst.*

pediatric patients: *Fex-syst.*

Turner's syndrome, patients with: **GroH-syst.**

IRRITAÇÃO (Ver Inflamação): *CorticA-ot.*, *Genta-ot.*

around the ear: **NeoPh-ot.**

in the ear: *CorticA-ot.*, **NeoPh-ot.**

OTOTOXICIDADE (qualquer perda ou distúrbio da audição; zunido ou zumbindo no ouvido; sensação de plenitude no ouvido; perda do equilíbrio; surdez normalmente passageira, mas podendo ser permanente; vertigem): *Carbopl-syst.*, *Chloroq-syst.*, **Cisp-syst.**, *DiuL-syst.*, *Hydxcy-syst.*, *Mech-syst.*, *Tors-syst.*, *Van-syst.*

auditory (any loss of hearing; ringing or buzzing, or a feeling of fullness in the ears): **Aminglyc-syst.**, *Capr-syst.*, *Kan-orloc.*

high-frequency hearing is lost first, followed by middle- and low-frequency hearing (sensorineural hearing loss): *Efl-syst.*

Repertório - Capítulo OUVIDO

vestibular (clumsiness; dizziness; nausea; vomiting; unsteadiness): **Aminglyc-syst.**, Capr-syst., Kan-orloc., Neo-orloc.
renal function impairment, with: **DiuL-syst.**

OUVIDO MÉDIO.

disturbance: Pil-oph.

fluid in middle ear: **Mecas-syst.**

otitis media (earache; ringing or buzzing in ears; decreased hearing; redness or swelling in ear; fever; general body discomfort; rubbing or pulling of the ears [in children]; and vomiting and diarrhea [in infants]; sore throat): Acit-syst., Almot-syst., BetBA-oph. [Levobetaxolol], Cele-syst., Cev-syst., Flut-inhloc., Gab-syst., Gals-syst., Influ-syst., IntB1a-syst., **Mecas-syst.**, Mem-syst., Mox-oph., **Paliv-syst.**, Pime-top., **Sir-syst.**, Valp-syst.

REAÇÃO ALÉRGICA, local (comichão; queimação; vermelhidão ou exudação de feridas no ouvido): AntpBen-ot.

RUBOR (Ver Calor; Descoloração, vermelhidão): **Calcit-syst.**

SANGRAMENTO (Ver Descargas).

SENSAÇÕES, como se.

fullness in the ears, feeling of: **Aminglyc-syst.**, Capr-syst., Kan-orloc., Neo-orloc., **Tret-syst.**, Van-syst.

VERMELHIDÃO (Ver Descoloração).

VESTÍBULO.

damage: Genta-ot.

CAPÍTULO AUDIÇÃO

DIMINUÍDA (perda ou deficiência na audição): *Isot-syst.*, *Mef-syst.*, *Melo-syst.*, *PegiA2a-syst.*

DISTÚRBIOS, problemas na audição (alterações na audição): **Aminglyc-syst.**, *AntinfN-syst.*, *Capr-syst.*, *Chloroq-syst.*, **Cisp-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DiuL-syst.*, *Flum-syst.*, *Gadov-syst.*, *Glut-syst.*, *Hydxye-syst.*, *Kan-orloc.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *SodPhe-syst.*, *Tors-syst.*
renal function impairment, with: DiuL-syst.

HIPERACUSIA (aumento do sentido da audição): *Almot-syst.*, *Benzod-syst.*, *Nef-syst.*, *Zale-syst.*

HIPOACUSIA (Ver Diminuída; Perda).

ILUSÕES.

hallucinations, auditory and visual: *Bacl-syst.*, *Coc-mucloc.*, *Hydxyu-syst.*

NEUROTOXICIDADE, auditiva (problemas na audição) (Ver Ototoxicidade): **Def-syst.**
younger patients: Def-syst.

OTOTOXICIDADE, auditiva (qualquer perda de audição; zunido, zumbido ou uma sensação de plenitude nos ouvidos) (Ver Neurotoxicidade): **Aminglyc-syst.**, *Capr-syst.*, *Kan-orloc.*

high-frequency hearing is lost first, followed by middle- and low-frequency hearing (sensorineural hearing loss): *Efl-syst.*

toxicity, mild: Sal-syst.

PERDA (surdez): *AspirSC-syst.*, *Atorv-syst.*, *BarbAn-syst.* [*Aspirin*], *BisS-orloc.*, *Cele-syst.*, *Clar-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *Eryts-syst.*, *Fluda-syst.*, *Ketor-syst.*, *Mech-syst.*, *MepA-syst.*, *Mesa-orloc.*, *Mur-syst.*, *Neo-orloc.*, *Neo-top.*, *NeoP-top.*, *NeoPB-top.*, *Oxa-syst.*, *PegiA2a-syst.*, *Pil-syst.*, *Sal-syst.*, *SalA-top.*, *Sild-syst.*, **Sir-syst.**, *Tacro-syst.*, *Tret-syst.*, *Valp-syst.*, *Van-syst.*

bilateral: Bort-syst., *Cisp-syst.*

high-frequency: Def-syst.

hypoacusis, decreased or difficult hearing (loss of hearing): *Agal-syst.*, *AntinfN-syst.*, *AspirSC-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *HydroI-syst.*, *IntBla-syst.*, **Mecas-syst.**, *Ver-parloc.*

impending: Genta-ot.

irreversible, permanent: DiuL-syst., *Tret-syst.*

renal function impairment, with: DiuL-syst.

mild to moderate: Cefu-syst.

Repertório - Capítulo AUDIÇÃO

pediatric patients being treated for meningitis: *Ceph-syst.*, **Ceph-syst.**
[Cefuroxime]

reversible: *Clar-syst.*, *Eryts-syst.*

sensorineural: *Efal-syst.*

unilateral: *Cisp-syst.*

women, elderly: *Clar-syst.*

RUÍDOS (Ver Zumbido; OUVIDO).

ZUMBIDO (zunido ou zumbido contínuo, ou outro ruído inexplicável no ouvido; perda auditiva) (Ver OUVIDO, Ruídos): **Acit-syst.**, *Almot-syst.*, *AntdepT-syst.*, *AnthisP-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *Aztr-syst.*, *BetBA-oph.* [*Levobetaxolol and Timolol*], *BisSMT-syst.* [Bismuth subsalicylate], *Bupro-syst.*, **Butor-nasyst.**, *Cele-syst.*, *Cil-syst.*, *Clon-parloc.*, *Cortic-nas.* [*Beclomethasone*], *Dau-syst.*, *Dihy-nassyst.*, *DipyA-syst.*, *Efav-syst.*, *Ergon-syst.*, *Fluorq-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadop-syst.*, *Genta-ot.*, *HepatBVR-syst.*, *HistH2-syst.* [*Famotidine*], *HydroI-syst.*, *IbupO-syst.* [Ibuprofen], *Ipr-nas.*, *Isot-syst.*, *Ketor-syst.*, *Lid-top.*, *Lit-syst.*, **Mef-syst.**, *Methyler-syst.*, *Moc-syst.*, **Nef-syst.**, *Nitrop-syst.*, *Ofl-ot.*, *Palo-syst.*, *Pantop-syst.*, *Pentosa-syst.*, *PerpA-syst.*, *Rise-syst.*, *Riz-syst.*, *Ropin-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *SodTh-syst.*, *Sor-syst.*, *Tacro-syst.*, **Thiab-syst.**, *Thie-syst.*, *Topi-syst.*, *TramA-syst.*, **Valp-syst.**, *Vard-syst.*, *Ven-syst.*, *Zic-syst.*

CAPÍTULO NARIZ (OLFATO)

ANOSMIA (Ver Cheiro).

BOLHA, nasal (Ver Herpes Simplex): Nico-nas.

CHEIRO (Ver Odor).

parosmia (change or difficulty in sense of smell; alterations of sense of): Almot-syst., Aprac-oph., Clar-syst., Efav-syst., Fome-syst., Fluorq-syst., Gadov-syst., Teli-syst., Tiop-syst., Zale-syst.

refractory ovarian cancer patients: Doxor-syst.

taste disturbances, with (change in taste or smell, bad, unusual or unpleasant (after)taste or smell): Mom-nas

transient: Nico-nas.

mild, pleasant aromatic odor: AmlodAt-syst. [Amlodipine], Atorv-syst., Gadob-syst., TecB-syst.

wanting.

lost (anosmia) (loss of sense of smell): CarbonAI-syst., Coc-mucloc., Cortic-inhloc., Cortic-nas. [Dexamethasone, Flunisolide], Flut-nas.

COMICHÃO: Calcit-nassyst., Ipr-nas.

pruritus (itching): Mup-nas.

CONGESTÃO, entupimento, obstrução (nariz entupido ou dor de cabeça): **Abar-syst., Alfuz-syst., AmincAc-syst., AnthisP-syst., ArsTr-syst., Azac-syst., Aztr-syst., BacI-syst., Benzon-syst., BetBA-oph. [Timolol], BetBA-syst., BetBAT-syst., Bevac-syst., Bort-syst., BotA-parloc., Bromo-syst., Butor-nasyst., Cab-syst., Caff-syst., Calcit-nassyst., Calcit-syst., Cand-syst., CarbidEL-syst., Chlorh-mucloc., Cital-syst., Cortic-nas. [Triamcinolone], Crom-inhloc., Desm-syst., Diat-syst., Don-syst., Doxyc-mucloc., DrosE-syst., ErgolM-syst., Ergon-syst., Estro-syst., EzetS-syst., Fel-syst., Fenol-syst., Fex-syst., Flut-inhloc., Gals-syst., Guane-syst., GroH-syst., HepatAVI-syst., Hydra-syst., Iba-syst., Ima-syst., Imiq-top., Infli-syst., Influ-syst., IntBla-syst., Iodix-syst., Iopa-syst., Iopr-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Ioxi-syst., Ipr-inhloc., Lami-syst., Lar-syst., Len-syst., Los-syst., Lut-syst., Lym-syst., MetfP-syst., Methy-syst., MethyTD-syst., Metyro-syst., Moli-syst., Mont-syst., Nalt-syst., Nate-syst., Ned-oph., Nico-nas., NoreE-syst., Olm-syst., OlmH-syst., Omep-syst., OrI-orloc., Oxa-syst., Pam-syst., Pantop-syst., PerpA-syst., Phenot-syst., Phenox-syst., Phent-syst., Pime-top., Pio-syst., PyreP-top., Ram-syst., Rau-syst., Rep-syst., Risp-syst., Rosi-syst., RosiM-syst., Sild-syst., Sir-syst., Tad-syst., Telm-syst., TelmH-syst., Tera-syst., Thie-syst., Thiox-syst., Til-syst., Tiot-inhloc., Tolc-syst., Tram-syst., Tret-syst., Urs-syst., Zole-syst.**

children: Lami-syst.

chronic: BronA-syst. [Ephedrine]

conjunctivitis, with (stuffy nose and red or bloodshot eyes): Ske-syst.

females: Meno-syst.

Repertório - Capítulo NARIZ

sinus (stuffy nose, headache): **Butor-nasyst.**, **Estro-syst.**, **Mom-inhloc.**, *Pime-top.*, *Tolc-syst.*, *Tram-syst.*
sneezing, with: *Pemi-oph.*

CORIZA, rinorréia (nariz escorrendo): **Abar-syst.**, *Acetyl-inh.*, *Alfuz-syst.*, **AntandN-syst.**, *ArsTr-syst.*, *Atom-syst.*, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **Butor-nasyst.**, *Calcit-nassyst.*, *Cand-syst.*, *CarbidEL-syst.*, *Cefd-syst.*, *Cital-syst.*, **Clop-syst.**, *Desm-syst.*, **Dimer-syst.**, *Don-syst.*, **DrosE-syst.**, **Estro-syst.**, **Ezet-syst.**, *EzetS-syst.*, *Fel-syst.*, *Fex-syst.*, *Gadop-syst.*, *Gals-syst.*, **GroH-syst.**, *Hepar-syst.*, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, **Infli-syst.**, **Influ-syst.**, *IntBla-syst.*, **Ipr-inhloc.**, **Lar-syst.**, **Len-syst.**, *Levom-syst.*, *Lut-syst.*, *Lym-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, **MetfP-syst.**, *Nalo-syst.*, *Nalt-syst.*, **Nate-syst.**, *Nico-inhsyst.*, *Nico-nas.*, **NoreE-syst.**, *Olm-syst.*, **OlmH-syst.**, *Omep-syst.*, **Orl-orloc.**, **Oxa-syst.**, *Oxyt-syst.*, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, **Pime-top.**, **Pio-syst.**, *PyreP-top.*, *Ram-syst.*, **Rep-syst.**, *Risp-syst.*, *Ropin-syst.*, **Rosi-syst.**, **RosiM-syst.**, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, *Sor-syst.*, *Tacro-top.*, *Telm-syst.*, **TelmH-syst.**, **Til-syst.**, **Tiot-inhloc.**, **Tolc-syst.**, **Tram-syst.**, *TramA-syst.*, **Tret-syst.**, **Urs-syst.**, *VitDA-syst.*, **Zole-syst.**
cerebrospinal fluid (continuing runny nose).

patients treated for pituitary macroadenomas: *Bromo-syst.*

continuing: *Cortic-nas.* [*Beclomethasone (monohydrate)*, *Budesonide*, *Dexamethasone*, and *Flunisolide*]

females: **Meno-syst.**

CROSTAS (Ver Descarga).

DESCARGA: **Flut-inhloc.**, **Lami-syst.**

bloody: *AnthisP-syst.*, *Capec-syst.*

mucosa: *FlutS-inhloc.*

children: **Lami-syst.**

crusts: **Calcit-nassyst.**

inside: *Cortic-nas.*

dripping.

postnasal: **Azac-syst.**, *Crom-nas.*, *Doxyc-mucloc.*

increase in: *Oxym-nas.*, *Xyl-nas.*

DESCOLORAÇÃO, coloração.

redness: **Calcit-nassyst.**

DESCONFORTO.

cavities, nasal: *Sum-syst.*

sinuses: *Sum-syst.*

DISTÚRBIOS, transtornos, anormalidades, sintomas ou problemas no nariz: *Zan-inhsyst.*

DOR.

absence: **Butor-nasyst.**

burning: **Flut-nas.**, *Ipr-nas.*, **Mom-inhloc.**

inside: Mup-nas.

mild and transient: **Cortic-nas.**

mucosa: Oxym-nas., Pheny-nas., Xyl-nas.

sinuses: **Flut-inhloc.**

sore: Buse-syst., **Calcit-nassyst.**

stinging inside: Mup-nas.

mucosa: Oxym-nas., Pheny-nas., Xyl-nas.

DORMÊNCIA: Nico-nas.

EDEMA, inchaço (inchaço do nariz): Testos-syst.

EPISTAXE (sangramento nasal; sangramento de mucosas): **Acit-syst.**, Alemt-syst., Almot-syst., **Antcoa-syst.**, AnthemF-syst., Ard-syst., ArsTr-syst., Atorv-syst., **Azac-syst.**, Azel-nas., BetBA-oph. [Metipranolol and Timolol], **Bevac-syst.**, Busu-syst., **Butor-nasyst.**, **Calcit-nassyst.**, Capec-syst., Cele-syst., Cev-syst., Cil-syst., **Clofar-syst.**, Clop-syst., Cortic-inhloc., Cortic-nas., CorticG-syst., Crom-nas., Danap-syst., Desm-syst., DipyA-syst., Docet-syst., Dorz-oph., Eno-syst., Fluda-syst., Flut-inhloc., **Flut-nas.**, Gadov-syst., Gef-syst., **Gemt-syst.**, Ima-syst., Ipr-nas., **Isot-syst.**, Ketor-syst., Ketot-syst., **Len-syst.**, Lep-syst., Leval-inhloc., Mero-syst., Mod-syst., Mom-inhloc., **Mom-nas.**, Nad-syst., Niti-syst., Ose-syst., Oxa-syst., Oxc-syst., PenicilB-syst., Pentosa-syst., Pentost-syst., Pil-syst., Pime-top., Pli-syst., Pyridos-syst., **Sild-syst.**, Sir-syst., Tad-syst., Tene-syst., Tiot-inhloc., Topi-syst., Valp-syst., Vard-syst., Zale-syst.

does not stop after pinching the nasal alae together and holding them continuously for 5 to 10 minutes: Ibr-syst.

transient: Nico-nas.

unexplained: Allop-syst., AntinfN-syst., Hepar-syst., Prota-syst.

ERUPÇÕES (Ver Bolha; Herpes Simplex; Lesões; Úlcera).

ESPIRROS: **Abar-syst.**, Alfuz-syst., Almot-syst., Amif-syst., Amio-syst., **Anak-syst.**, **AntandN-syst.**, ArsTr-syst., **AtovaPro-syst.**, **Azac-syst.**, Aztr-syst., **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **Butor-nasyst.**, Calcit-nassyst., Cand-syst., CarbidEL-syst., **Cele-syst.**, Cital-syst., **Clop-syst.**, Cortic-nas., Daps-top., **Darb-syst.**, **Del-syst.**, Desm-syst., DiatI-loc., Diat-loc., Dihy-nassyst., DiphTTH-syst., Dof-syst., Don-syst., Doxaz-syst., **DrosE-syst.**, **Epina-oph.**, **Epoe-syst.**, Eso-syst., **EstroP-syst.**, **Etan-syst.**, EzetS-syst., Fel-syst., Fex-syst., Flut-inhloc., **FlutS-inhloc.**, **For-inhloc.**, Gab-syst., Gadop-syst., Gals-syst., **GlipM-syst.**, **GlybM-syst.**, **GroH-syst.**, HepatAVI-syst., HepatAVIHB-syst., **Iba-syst.**, Ima-syst., **Imiq-top.**, **Infli-syst.**, IntB1a-syst., Ioh-loc., Ioh-syst., Iot-loc., Ioxa-loc., **Ipr-inhloc.**, Isot-syst., **Lar-syst.**, **Len-syst.**, Levom-syst., Lod-oph., Lut-syst., Lym-syst., **MetfP-syst.**, Nalo-syst., Nalt-syst., **Natal-syst.**, Nico-nas., **NoreE-syst.**, Olm-syst., **OlmH-syst.**, OmeP-syst., **Orl-orloc.**, Oxa-syst., Oxc-syst., Oxym-nas., **Pam-syst.**, **Pime-top.**, Ram-syst., **Rep-syst.**, Risp-syst., **Rof-syst.**, Ropin-syst., **RosiM-syst.**, Sin-syst., **Sir-syst.**, Telm-syst., **Til-syst.**, Tiot-inhloc., **Tolc-syst.**, Tram-syst., TramA-syst., **Tret-syst.**, **Urs-syst.**, Vals-syst., Xyl-nas., **Zole-syst.**

attacks: Iov-syst.

sudden: *PyreP-top.*
females: **Meno-syst.**
nasal congestion, with: *Pemi-oph.*

HERPES SIMPLEX (ardor ou picadas na pele; feridas ou bolhas dolorosas no nariz): *Cele-syst., Clofar-syst., Enf-syst., Estro-syst., Gemt-syst., IntBla-syst., Leval-inhloc., Pime-top., Ritu-syst., Sir-syst.*
disseminated: *Isot-syst.*

HIPOPLASIA da ponte nasal (Ver Ponte Nasal).

INCHAÇO (Ver Edema).

INFECÇÃO (alterações na audição; dor de ouvido; drenagem de descarga do ouvido) (Ver Inflamação): **Lami-syst., Zan-inhsyst.**
candidiasis, nasal (white patches inside nose): *Cortic-nas., Flut-nas., Mom-inhloc., Mom-nas.*
ear and throat, with: **Lami-syst.**
moniliasis (See candidiasis).
sinus (fever; headache; nasal congestion): *Cortic-inhloc., Doxyc-mucloc., Ropin-syst.*

INFLAMAÇÃO (Ver Infecção; Irritação; Nasofaringite; Rinite; FACE, Sinusite): **Calcit-nassyst.**
mucosa (mucositis) (crusting, redness, pain, or sores in mouth or nose; cracked lips): **Tret-syst.**

IRRITAÇÃO (Ver Inflamação): **Acit-syst., Calcit-nassyst., Flut-inhloc., Flut-nas., Ipr-nas., Mom-inhloc., Oxyt-syst.**
inside (burning or tingling sensation, dryness, soreness or pain in the nose; runny and/or stuffy nose; unexplained nosebleeds): **Butor-nassyst., Cortic-nas.** [*Triamcinolone*], **Dihy-nassyst., Sum-syst.**
mild and transient: **Cortic-nas.**
moderate: **Nico-nas.**
severe: **Nico-nas.**
sinus: *Nico-nas.*

LESÕES (Ver Erupções).
inside: *Danaz-syst.*

MACHUCADO (Ver Dor).

MEMBRANA mucosa (Ver Descarga; Mucosa Nasal).
atrophy of the nasal mucosa: *Coc-mucloc.*
damage to the mucosa, ischemic: *Coc-mucloc.*
disorder (changes in the lining of the mouth or nose).

refractory ovarian cancer patients: **Doxor-syst.**
ulceration of nasal mucosa (sores inside nose; sores or wounds on nasal mucosa):
Calcit-nassyst., *Cortic-nas.*, *Cortic-nas. [Beclomethasone]*

NASOFARINGITE (tosse; dor de garganta; nariz entupido ou coriza; dores nos músculos do nariz; dor, cansaço ou fraqueza incomum; febre; dor de cabeça) (Ver GARGANTA, Inflamação, faringe): *ArsTr-syst.*, **Azac-syst.**, **Bos-syst.**, *Daps-top.*, **Dul-syst.**, **Estro-syst.**, *Fex-syst.*, **Flut-inhloc.**, *Iba-syst.*, *Ima-syst.*, **Len-syst.**, **Pime-top.**, *Tram-syst.*

NECROSE.

septal tissue: *Coc-mucloc.*

ODOR, imaginário ou real.

unpleasant.

transient: **Acetyl-inh.**

unusual: *TecTet-syst.*

PARESTESIA do nariz (queimação, formigamento, sensação de espinhos): *Nico-nas.*

PAROSMIA (Ver Cheiro).

PERFURAÇÃO do septo (muco com sangue ou sangramentos inexplicáveis): *Coc-mucloc.*, *Cortic-nas.*, *Flut-nas.*, *Mom-nas.*

PONTA DO NARIZ.

widening of: *AntconH-syst.*

PONTE NASAL (parte superior dos ossos nasais).

hypoplasia of.

studies in animals, during periods of rapid bone growth, mainly in children:
Antcoa-syst.

RINITE (ressecamento nasal ou coriza; comichão nasal; congestão nasal; espirros) (Ver FACE, Sinusite): **Acit-syst.**, **Agal-syst.**, *Alemt-syst.*, *Almot-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Anag-syst.*, *AntinfN-oph.*, *Aprac-oph.*, *Arip-syst.*, *Atorv-syst.*, *Azel-oph.*, *Bals-syst.*, *BetBA-oph.* [*Carteolol*, *Levobetaxolol*, *Metipranolol*, and *Timolol*], *Brim-oph.*, *Brin-oph.*, *Busu-syst.*, **Calcit-nassyst.**, *Cand-syst.*, *Carv-syst.*, *Cefd-syst.*, **Cele-syst.**, **Cev-syst.**, **Cil-syst.**, *Cisap-syst.*, *Cital-syst.*, *Clop-syst.*, **ConjE-syst.**, *Darif-syst.*, *Den-syst.*, *Dic-top.*, *Dipy-syst.*, *Dorn-inhloc.*, *Doxaz-syst.*, *Eme-oph.*, **Emt-syst.**, *EmtT-syst.*, *Epina-oph.*, *Esc-syst.*, **Estro-syst.**, **Etan-syst.**, *Exem-syst.*, *Fel-syst.*, *Fenof-syst.*, **Flut-inhloc.**, *Fosf-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Gala-syst.*, **Gemt-syst.**, *Gla-syst.*, *Glut-syst.*, **GroH-syst.**, *HistH2-syst.* [*Nizatidine*], *HydroI-syst.*, **Ibr-syst.**, *Imiq-top.*, *Infli-syst.*, **Iri-syst.**, *Ketor-syst.*, **Ketot-oph.**, *Lamo-syst.*, **Lant-orloc.**, *Lef-syst.*, **Len-syst.**, **Leval-inhloc.**, *Leve-syst.*, **Lot-oph.**, *Lym-syst.*, **Mesa-orloc.**, **Mitox-syst.**, *Mod-syst.*, *Mox-oph.*, *Mup-nas.*, *Ned-inhloc.*, **Ned-oph.**, *Nia-syst.*, **Nico-inhsyst.**, *Nita-syst.*, *Ofl-ot.*, **Ola-syst.**, *Olm-syst.*, *Olo-oph.*, **Oxa-syst.**, **Oxc-syst.**, **Oxyb-syst.**, *Paliv-syst.*, **Pam-syst.**, *Pantop-syst.*, *Paro-*

syst., Pentosa-syst., Pentost-syst., **Perg-syst.**, **Pil-syst.**, Prami-syst., Que-syst., **Rep.syst.**, Ril-syst., Rime-oph., **Risp-syst.**, **Ritu-syst.**, Riv-syst., Rosu-syst., **Sib-syst.**, Sild-syst., **Sir-syst.**, **SodO-syst.**, Tacri-syst., **Tams-syst.**, **Teri-syst.**, Til-syst., **Tiot-inhloc.**, **Tiz-syst.**, **TosI-syst.**, Tras-syst., Valp-syst., **Vard-syst.**, **Ven-syst.**, Zic-syst., Zip-syst., Zon-syst.

allergic (unexplained runny nose or sneezing): AntinfN-syst., DecAn-syst.
[Ibuprofen-containing combinations], **Mom-inhloc.**

chronic (sneezing or sniffing, continuing): Coc-mucloc.

female patients treated for endometriosis: Nafa-syst.

male or female patients treated for central precocious puberty: Nafa-syst.

rhinosinusitis: AntinfN-syst.

vasomotor: Chym-parloc.

RINORRÉIA (Ver Coriza).

SANGRAMENTO (Ver Descarga, sangue).

SECURA: **Acit-syst.**, Aman-syst., **Antchsp-syst.**, **Anthis-syst.**, AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst., AnthisP-syst., Aprac-oph., AtropB-syst., **Bell-syst.**, Buc-syst., Buse-syst., **Calcit-nassyst.**, Cycli-syst., **Diso-syst.**, **Flut-nas.**, Ipr-nas., **Isot-syst.**, Lod-oph., Mecl-syst., **Oxyb-syst.**, Oxym-nas., Sol-syst., Thie-syst., **Tret-syst.**, Tros-syst.

children, severe: AnthisP-syst.

elderly patients: Aman-syst.

mild and transient: **Cortic-nas.**

mucosa: Pheny-nas., Xyl-nas.

renal dysfunction, patients with: Aman-syst.

severe: Anthis-syst. [Azatadine, Clemastine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst. [Pseudoephedrine], AnthisP-syst., Dif-syst., DiphenA-syst.

children: AnthisP-syst.

SENSIBILIDADE (Ver Dor).

SEPTO.

necrosis of septal tissue: Coc-mucloc.

perforation, septal (bloody mucus or unexplained nosebleeds): Coc-mucloc., Cortic-nas., Flut-nas., Mom-nas.

ÚLCERA (ferida dentro do nariz) (Ver Erupções): Flut-nas., Mom-nas., Nico-nas.

nasal mucosa (sores inside nose; sores or wounds on nasal mucosa): **Calcit-nassyst.**, Cortic-nas., Cortic-nas. [Beclomethasone]

VERMELHO (Ver Descoloração).

VIAS RESPIRATÓRIAS, TRANSTORNOS (tosse, espirros, garganta inflamada, nariz entupido ou coriza): **Tret-syst.**

CAPÍTULO FACE

ACNE (Ver Erupções).

ALÉRGICA, REACÃO (inchaço da face): *Minox-top*.

ALOPÉCIA: *DrosEE-syst.*, *EstroP-syst.*, *Proge-syst.*

ARREDONDADA (Ver Cushingóide, Estado; Inchaço; Plenitude): *Cortic-nas.*, *Cortic-ot.*, *Cortic-top.*, *Flut-inhloc.*, *Proge-syst.*, **Sir-syst.**

ATROFIA facial: *Fosam-syst.*

BOCHECHA.

puffing of: Cloz-syst.

CALOR, aquecimento (Ver Plenitude).

flashes, flushing (feeling of warmth; redness of the face): **Aden-syst.**, **Alpr-syst.**, *Amif-syst.*, *Amio-syst.*, *AmlodBen-syst.*, **AmylN-syst.**, *AnthemF-syst.*, *Anthis-syst.* [*Azatadine*, *Clemastine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Arb-syst.*, *Atom-syst.*, *Atrop-oph.*, *AtropB-syst.*, **Bos-syst.**, **Calcit-syst.**, *Carbac-oph.*, *CarbidEL-syst.*, *Carbopr-syst.*, *Carm-syst.*, **Clofar-syst.**, *ColSF-syst.* [*Sargramostim*], *CorticG-syst.*, *Cycla-syst.*, *Cycloph-syst.*, *Cyclosp-syst.*, *Dac-syst.*, *Dexmet-syst.*, *Dinopst-parloc.*, *Doxaz-syst.*, *Doxor-syst.*, *Dron-syst.*, *Dul-syst.*, *Ele-syst.*, *Epir-syst.*, **Epop-syst.**, **Estro-syst.**, *FexP-syst.*, *Fro-syst.*, *Gemif-syst.*, *Gold-syst.*, *HepatAVIHB-syst.*, *Hist-syst.*, **Histr-syst.**, *Hom-oph.*, *Hydra-syst.*, **Ibr-syst.**, **Ilo-inh.**, *Imm-syst.*, **Infli-syst.**, *Isot-syst.*, *Methys-syst.*, *Mica-syst.*, *Mido-syst.*, *Moc-syst.*, *Mono-loc.*, *Nia-syst.*, *Nico-nas.*, **Nitra-syst.**, *Nyl-syst.*, *Oct-syst.*, *Oxa-syst.*, *Oxc-syst.*, *Oxyb-syst.*, *Palo-syst.*, *Pap-syst.*, *Paro-syst.*, *Phent-syst.*, *Pli-syst.*, *Probe-syst.*, *Procar-syst.*, **Ritu-syst.**, *Sco-oph.*, *Serm-syst.*, *Ske-syst.*, *Sol-syst.*, *Sor-syst.*, **Tamo-syst.**, **TecAlA-syst.**, *TecF-syst.*, *TecSul-syst.*, *Teg-syst.*, *Teli-syst.*, **Thyr-syst.**, **Tram-syst.**, *TramA-syst.*, *Trep-syst.*, *Tret-syst.*, **Trip-syst.**, *Trop-oph.*, *Tros-syst.*, *ValsH-syst.*, **Vard-syst.**, *VitK-syst.*

cheeks: CorticG-syst.

children: AnthisP-syst.

females: Meno-syst.

sensation of.

lips and tongue: SodC-parloc.

CERRADA, mandíbula (Ver Fechada, mandíbula; Mandíbula): *FentD-syst.* [*Alfentanil*]

COMICHÃO: *Aminglut-syst.*, *Dietc-syst.*

palms of hands, and: Aminglut-syst.

CONTRAÇÃO (Ver Coréia; Discinesia; Espasmo): *Mal-top.*
small muscles: *Coc-mucloc.*

CORÉIA (contrações, movimentos incontrolados dos lábios, face) (Ver Contração; Discinesia; Espasmo): *Estro-syst., Pip-syst.*

CUSHINGÓIDE, ESTADO, desenvolvimento do (aumento de depósitos gordurosos na face) (Ver Arredondada; Inchaço; Plenitude; RINS, Adrenal, Glândulas, Síndrome de Cushing; GENERALITIES, Síndrome de Cushing): *Fludro-syst.*

DERMATITES.

contact (rash or redness around the eyes): *Crom-oph.*

perioral (redness and scaling around the mouth): *ClotB-top., Cortic-top.*

DESCAMAÇÃO, lábios: *VitA-syst.*

DESCOLORAÇÃO: *AntiCoaC-syst., FacIX-syst., HydroI-syst., Thr-syst.*

blue-gray coloring of skin on face: *Amio-syst.*

in patients with fair skin or with excessive sun exposure: *Amio-syst.*

bluish: *Hist-syst.*

lips: **Abac-syst.,** *Amio-syst., AntdepMAO-syst., AntinfN-syst.*
[Phenylbutazone], *BronA-syst.* [Ephedrine], *Cital-syst., CetiP-syst.*
[Pseudoephedrine], *Cloz-syst., Coc-mucloc., DorzT-oph.* *Iron-syst., Nitra-*
syst., Paliv-syst., SodBeSP-syst., Tiz-syst.

pale lips: *Tiz-syst.*

red: *Acetyl-syst., Amif-syst., Anthis-syst.* [Azatadine, Clemastine], *AnthisD-syst.,*
AnthisDAg-syst., AnthisDAc-syst. [Pseudoephedrine], *AnthisP-syst., Atrop-oph.,*
AtropB-syst., Calcit-syst., Carbac-oph., Carbopr-syst., Cycloph-syst., Dinopst-
parloc., Flavox-syst., Fludro-syst., Gold-syst., Hist-syst., Hom-oph., Hydra-syst.,
Isot-syst., Methys-syst., Mono-loc., Nia-syst., Nyl-syst., Oct-syst., Oxyb-syst., Phent-
syst., Pli-syst., Probe-syst., Sco-oph., Ske-syst., Sol-syst., TecAIA-syst., TecSul-
syst., Trop-oph., Tros-syst., Van-syst.

alcohol use, associated with: *Pime-top.*

children: *AnthisP-syst.*

prolonged: *CortO-systdia.*

severe: *CortO-systdia.*

sudden: **Fenol-syst.**

swelling of the lips, with: *HyalSD-syst.*

transient: **CortO-systdia.**

white-colored area around mouth: *Vaso-syst.*

white spots (See White Spots).

yellow.

hyperbilirubinemia (yellow eyes or skin): *Acyc-syst., Gemif-syst., Gemt-*
syst.

yellow-orange patches on skin around nose and lips: *VitA-syst.*

DESCONFORTO.

jaw, in: Sum-syst., Zolm-syst.

DISCINESIA, orofacial (contrações, torções ou movimentos repetitivos e descontrolados do rosto) (Ver Contração; Coréia; Espasmo; MENTAL, Gestos, tiques; BOCA): AnthiD-syst., CetiP-syst. [Cetirizine], Mod-syst.

chewing movements, uncontrolled: Cloz-syst.

tic-like [jerky] movements of head, face, mouth, and neck: Lamo-syst.

DISTONIA (espasmos dos músculos da face; movimentos faciais súbitos ou incomuns) (Ver Contração; Coréia; Discinesia; Espasmo).

DOR (aching, prosopalgia, etc.).

burning: EmtT-syst., Mech-syst.

lips: **CarbonAI-syst.**, **Dimer-syst.**

jaw: **Aden-syst.**, **Trep-syst.**, Vinb-syst., **Vinc-syst.**, Vino-syst., Vind-syst.

neck, and: Nico-inhsyst.

when chewing: **Epop-syst.**, **Nico-syst.**

salivary gland (pain on side of face and jaw): Cev-syst.
stinging.

lips: Testos-syst.

DORMÊNCIA (Ver Formigamento; Neurite; Neuropatia): **Abac-syst.**, AbLamZid-syst., Cyt-syst., Dac-syst., **Ethc-syst.**, Gold-syst., IntA-syst., Mech-syst., Testol-syst.

circumoral: EdD-syst.

lips: **CarbonAI-syst.**

electrolyte imbalance, with: AngInH-syst.

mouth and.

prolongued: Anest-parloc.

tingling, with: Ropiv-parloc.

tingling, and: Dihy-nassyst.

EDEMA (Ver Arredondada; Inchaço; Plenitude).

ERITEMA facial (Ver Descoloração, vermelha).

ERUPÇÕES.

acne (blemishes on the skin; pimples) (See SKIN, Eruptions): Atorv-syst., **Basil-syst.**, Cab-syst., ClotB-top., ConjE-syst., Cortic-rec., Cortic-top., CorticG-syst., Cyclosp-syst., **Dacti-syst.**, Danaz-syst., Dic-top., DicM-syst., Doco-top., **DrosEE-syst.**, Efal-syst., **Efl-top.**, Estro-syst., **EstroPO-syst.**, **EstroP-syst.**, Fludro-syst., **Gef-syst.**, Lef-syst., Lit-syst., **MedE-syst.**, Mem-syst., Mesa-orloc., Mesa-reloc., MethotC-syst., MethotNC-syst., Myc-syst., **Nafa-syst.**, Nar-syst., Nico-nas., NysT-top., Ola-syst., Ols-orloc., Oxc-syst., Pime-top., Proge-syst., Rifap-syst., **Sir-syst.**, Sor-syst., Sun-top., Tacro-top., Testos-syst.

for patients treated for female infertility: **FollitA-syst.**

Repertório - Capítulo FACE

lesions, acneiform (acne): *Cortic-nas.*
pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk):
Penic-syst.
rash: *Van-syst.*
urticaria, hives (raised red swellings on the lips): *Anest-parloc.*

ESPASMO dos músculos da face (expressões incomuns da face) (Ver Contração; Coréia; Discinesia; Espasmo; Gestos): **Hal-syst., Meto-syst., Moli-syst., Ola-syst., PerpA-syst., Phenot-syst., Pimo-syst., Risp-syst., Thie-syst.**

dystonia (spasm of the muscles of the face; unusual or sudden facial movements):
Drop-syst., Paro-syst.
jaw: *Oxa-syst.*

ESTRIAS (linhas púrpuro-avermelhadas na face): *ClotB-top., Cortic-rec., Cortic-top., CorticG-syst., Fludro-syst., NysT-top.*

EXPRESSÃO, aparência.

absent (lack of): **Pimo-syst.**
twisting: *Ond-syst.*

FECHADA, mandíbula, trismo (dificuldade em abrir a boca; espasmo muscular, especialmente no pescoço e costas) (Ver Cerrada, mandíbula; Mandíbula): *Anest-parloc., CarbidL-syst., CarbidEL-syst., Ilo-inh., Levod-syst., Metyro-syst., Paro-syst., Seleg-syst.* [MAO inhibitors] , *Ven-syst.*

FERIDA (Ver Úlcera).

FORMIGAMENTO (Ver Dormência; Neurite; Neuropatia): **Abac-syst., AbLamZid-syst., Calcit-syst., Cycla-syst., Cyt-syst., Gold-syst., IntA-syst., Mech-syst., Testol-syst.**

lips: **CarbonAI-syst.**
electrolyte imbalance, with: *AngInH-syst.*
mouth, and.
prolongued: *Anest-parloc.*
numbness, with: *Ropiv-parloc.*
mouth, around: **Fosc-syst.**
numbness, and: *DiHy-nassyst.*

FRAQUEZA: *Gold-syst.*

GESTOS ou tiques (Ver Espasmo; MENTAL, Gestos).

motions, involuntary, of the face: **Arip-syst., Carbam-syst., CarbidEL-syst., Zip-syst.**
movement disorders, uncontrolled (unusual or incomplete facial movements): *Fluox-syst., Moc-syst., Ola-syst., Sertr-syst.*
unusual or sudden: *Sertr-syst.*
sudden: *Cital-syst.*

Repertório - Capítulo FACE

tic-like [jerky] movements of head and face: *AnthisD-syst.* [Promethazine], *AnthisP-syst.*

mouth, and neck: *Lamo-syst.*

small muscles: *Coc-mucloc.*

GROSSA, espessa.

lips: *AntconH-syst.*

HEMORRAGIA.

lips.

sores, bleeding: *Allop-syst.*, *AntinfN-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *HistH2-syst.*, *Ketor-syst.*, *Omep-syst.*, *Oxc-syst.*, *Pyrim-syst.*, *SulfadP-syst.*

children: *BronA-syst.* [*Albuterol*]

HERPES SIMPLEX (ardência, queimação ou picadas na pele; feridas dolorosas; bolhas nos lábios): *Cele-syst.*, *Clofar-syst.*, *Enf-syst.*, *Estro-syst.*, *Gemt-syst.*, *IntBla-syst.*, *Leval-inhloc.*, *Pime-top.*, *Ritu-syst.*, *Sir-syst.*

disseminated: *Isot-syst.*

HIPERSENSIBILIDADE, REAÇÕES, imediata ou tardia (inchaço da face, lábios): *Flut-inhloc.*

HIPERTRICOSE (anormal e excessivo crescimento dos pêlos) (Ver Pêlo, crescimento dos)..

HIRSUTISMO (aumento anormal do crescimento dos pêlos) (Ver Pêlo, crescimento de, hipertricose).

INCHAÇO, edema (aumento incomum de tamanho) (Ver Arredondada; Cushingóide, Estado; Plenitude): *AbLam-syst.*, *Acamp-syst.*, *Acetyl-syst.*, *Adal-syst.*, *Allop-syst.*, *AnestBar-syst.*, *AntinfN-oph.* [*Diclofenac*], *AntinfN-syst.*, *AntandN-syst.*, *AntandN-syst.* [*Nilutamide*], *AntinfN-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *AntfunA-syst.* [*Itraconazole*], *AnthisDAg-syst.*, *AntvCPol-syst.*, *AntvM-syst.*, *Aprac-oph.*, *ArsTr-syst.*, *Aspar-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *Azith-syst.*, *Barb-syst.*, *Basil-syst.*, *Bex-top.*, *Capec-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Casp-syst.*, *Cele-syst.*, *Cetux-syst.*, *Cev-syst.*, *Chlorh-mucloc.*, *Cil-syst.*, *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *Clod-syst.*, *ConjE-syst.*, *Cortic-inhloc.*, *Crom-inhloc.* [*Cromolyn (inhalation)*], *Cyp-syst.*, *Daps-top.*, *Dapt-syst.*, *DauL-syst.*, *DecAn-syst.*, *Del-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *Dietc-syst.*, *Dihy-nassyst.*, *Docet-syst.*, *Dof-syst.*, *Dol-syst.*, *Dom-syst.*, *Dut-syst.*, *EmtT-syst.*, *Epoe-syst.*, *Etan-syst.*, *FacVIIa-syst.*, *Fent-trsyst.*, *Feru-syst.*, *Fluda-syst.*, *Fluorq-syst.*, *Flut-inhloc.*, *Flut-inhloc.*, *Ful-syst.*, *Gadob-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gals-syst.*, *Gemc-syst.*, *Gemt-syst.*, *Gla-syst.*, *Glut-syst.*, *Gold-syst.*, *HaeP-syst.*, *Histr-syst.*, *Hyalur-parloc.*, *HydroI-syst.* [*Ibuprofen*], *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *Ilo-inh.*, *Ins-syst.*, *InsD-syst.*, *InsGla-syst.*, *Iodip-syst.*,

Ioh-loc., *Ioh-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-loc.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Iri-syst.*, **Ketor-syst.**, *Lamo-syst.*, **Lar-syst.**, *Levod-syst.*, *Levom-syst.*, *Maf-top.*, *Man-syst.*, **MedE-syst.**, *Meg-syst.*, *Melo-syst.*, *Mem-syst.*, *Mica-syst.*, *Minox-top.*, *Mir-syst.*, *Nalt-syst.*, **Natal-syst.**, *Nef-syst.*, *Nev-syst.*, *Ofl-oph.*, *Ola-syst.*, *Olm-syst.*, *OlmH-syst.*, *Opi-syst.*, *Opr-syst.*, *Ose-syst.*, *Oxa-syst.*, *Paro-syst.*, **Pegv-syst.**, *PenicilB-syst.*, *PenteC-syst.*, *Perg-syst.*, *Pil-syst.*, *Pime-top.*, *Pimo-syst.*, *Pli-syst.*, **Por-syst.**, **Praml-syst.**, *Prazi-syst.*, *Pre-syst.*, *Probe-syst.*, *Ras-syst.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Ril-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Sild-syst.*, *Sir-syst.*, *SodPhe-syst.*, *Sta-syst.*, *Tacro-syst.*, *Tacro-top.*, *Tad-syst.*, *TecE-syst.*, *TecTeb-syst.*, *Teg-syst.*, *Teli-syst.*, *Telm-syst.*, *Thie-syst.*, *Thr-syst.*, *Til-syst.*, *Tiot-inhloc.*, **TosI-syst.**, **Tret-syst.**, *Vala-syst.*, *Vald-syst.*, *Vard-syst.*, *Vaso-syst.*, *Ven-syst.*, *Vind-syst.*, *Xyl-nas.*, *Zan-inhsyst.*, *Zolm-syst.*

angioedema, or angioneurotic edema (large, hive-like swellings on face and/or lips): *AngIn-syst.*, *AngInH-syst.*, *AnthisP-syst.*, *AntinfN-syst.*, *AntfunA-syst.*, *AntvCPOv-syst.*, *Aprep-syst.*, *Arip-syst.*, *Atom-syst.*, *AtovaPro-syst.*, *BarbAn-syst.* [*Barbiturates; Codeine*], *Cand-syst.*, *CandH-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.* [*Cefuroxime*], *ChorioG-syst.*, *Cital-syst.*, *Colc-syst.*, *Cortic-inhloc.*, *Cyclob-syst.*, *DiphtTTH-syst.*, *Dof-syst.*, *Dorz-oph.*, *Doxyc-syst.*, *Dul-syst.*, *EnaF-syst.*, *Eno-syst.*, *Epr-syst.*, *Etan-syst.*, *Etid-syst.*, *Ezet-syst.*, *EzetS-syst.*, *FexP -syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Gab-syst.*, *Gals-syst.*, *Gat-oph.*, *Gef-syst.*, *Hyalur-parloc.*, **Ibr-syst.**, *Imiq-top.*, *IodS-syst.*, *Ipr-inhloc.*, *IprA-inhloc.*, *Irb-syst.*, *JapV-syst.*, *Lamo-syst.*, *Lar-syst.*, *Lef-syst.*, *Leval-inhloc.*, *Lid-top.*, *Los-syst.*, *LosH-syst.*, *Melo-syst.*, *Mero-syst.*, *Moe-syst.*, *MoeH-syst.*, *Mom-nas.*, *Mont-syst.*, *Nali-syst.*, *Nef-syst.*, *Nis-syst.*, **Nitro-syst.**, *Ofl-ot.*, *Ola-syst.*, *Olm-syst.*, *Ond-syst.*, *Oxa-syst.*, *Paliv-syst.*, *Pam-syst.*, *Pantop-syst.*, *Pime-top.*, *PotI-syst.*, *Probu-syst.*, *Rabe-syst.*, *Rifax-orloc.*, *Rise-syst.*, *Risp-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Sertr-syst.*, *Sir-syst.*, *Ske-syst.*, *SodI-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tene-syst.*, *Teno-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tiot-inhloc.*, *Topo-syst.*, **TosI-syst.**, *TrandV-syst.*, *Tras-syst.*, *Vald-syst.*, *Vals-syst.*

females: *Tamo-syst.*

generalized, peripheral (large, hive-like swelling on face, lips): *Atorv-syst.*
of the face, extremities, lips, tongue, glottis, and/or larynx (hoarseness; sudden trouble in swallowing or breathing; swelling of face, mouth, hands, or feet): *Moe-syst.*, *MoeH-syst.*, *Trand-syst.*

without other signs and symptoms of nitritoid or allergic reaction: *Gold-syst.*

around face: *Busu-syst.*

eyes, around the: *Adal-syst.*, *AntCoaC-syst.*, *AntfunA-syst.* [*Itraconazole*], *Atorv-syst.*, *Cele-syst.*, *Clar-syst.*, *Crom-oph.*, *Cyp-syst.*, *Docet-syst.*, *Dut-syst.*, *EmtT-syst.*, *Etan-syst.*, *FacIX-syst.*, *Fluorq-syst.*, *Glut-syst.*, *Hyalur-parloc.*, *HydroI-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *InsD-syst.*, *Iri-syst.*, *Melo-syst.*, **Natal-syst.**, *Opr-syst.*, *Oxa-syst.*, *PenteC-syst.*, **Praml-syst.**, *Pre-syst.*, *Sta-syst.*, *Teli-syst.*, *Teno-syst.*, *Thr-syst.*, *Tiot-inhloc.*, **TosI-syst.**

fingers and lower legs, and: *Vald-syst.*

filling or rounding out of the face: *Cortic-rec.*, *CorticG-syst.*

generalized: *Gadov-syst.*

hive-like, large: *Gold-syst.*, *Thr-syst.*

lips: **AbLam-syst.**, *Adal-syst.*, *AnestBar-syst.*, *AntfunA-syst.* [*Itraconazole*], *Atorv-syst.*, *Barb-syst.*, *Cele-syst.*, *Clar-syst.*, *Cyp-syst.*, *Docet-syst.*, *Dut-syst.*, *Efl-top.*,

EmtT-syst., *Etan-syst.*, *Fluorq-syst.*, *Flut-inhloc.*, *Glut-syst.*, *Hyalur-parloc.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *InsD-syst.*, *Melo-syst.*, **Natal-syst.**, *Opr-syst.*, *Oxa-syst.*, *PenteC-syst.*, **Praml-syst.**, *Prazi-syst.*, *Pre-syst.*, *Sta-syst.*, *Teli-syst.*, *Teno-syst.*, *Tiot-inhloc.*, **TosI-syst.**, *Xyl-nas.*

angioedema, or angioneurotic edema (large, hive-like swellings on lips and/or face): *AngIn-syst.*, *AngInH-syst.*, *AnthisP-syst.*, *AntinfN-syst.*, *AntfunA-syst.*, *AntvCPOv-syst.*, *Aprep-syst.*, *Arip-syst.*, *Atom-syst.*, *AtovaPro-syst.*, *BarbAn-syst.* [*Barbiturates*; *Codeine*], *Cand-syst.*, *CandH-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.* [*Cefuroxime*], *ChorioG-syst.*, *Cital-syst.*, *Colc-syst.*, *Cortic-inhloc.*, *Cyclob-syst.*, *DiphtTTH-syst.*, *Dof-syst.*, *Dorz-oph.*, *Doxyc-syst.*, *Dul-syst.*, *EnaF-syst.*, *Eno-syst.*, *Epr-syst.*, *Etan-syst.*, *Etid-syst.*, *Ezet-syst.*, *ExetS-syst.*, *FexP-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Gab-syst.*, *Gals-syst.*, *Gef-syst.*, *Hyalur-parloc.*, **Ibr-syst.**, *Imiq-top.*, *IodS-syst.*, *Ipr-inhloc.*, *IprA-inhloc.*, *Irb-syst.*, *JapV-syst.*, *Lar-syst.*, *Lef-syst.*, *Leval-inhloc.*, *Los-syst.*, *LosH-syst.*, *Melo-syst.*, *Mero-syst.*, *Moe-syst.*, *MoeH-syst.*, *Mom-nas.*, *Mont-syst.*, *Nali-syst.*, *Nef-syst.*, *Nis-syst.*, *Ola-syst.*, *Olm-syst.*, *Ond-syst.*, *Oxa-syst.*, *Paliv-syst.*, *Pam-syst.*, *Pantop-syst.*, *Pime-top.*, *PotI-syst.*, *Probu-syst.*, *Rabe-syst.*, *Rifax-orloc.*, *Ril-syst.*, *Rise-syst.*, *Risp-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Sertr-syst.*, *Sir-syst.*, *Ske-syst.*, *SodI-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tene-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tiot-inhloc.*, *Topo-syst.*, **TosI-syst.**, *TrandV-syst.*, *Tras-syst.*, *Vald-syst.*

females: *Tamo-syst.*

generalized, peripheral (large, hive-like swelling on face, lips): *Atorv-syst.*

of the face, extremities, lips, tongue, glottis, and/or larynx (hoarseness; sudden trouble in swallowing or breathing; swelling of face, mouth, hands, or feet): *Moe-syst.*, *MoeH-syst.*, *Trand-syst.*

without other signs and symptoms of nitritoid or allergic reaction: *Gold-syst.*

hive-like, large: *Gold-syst.*, *Thr-syst.*

myxedema (swollen lips): *Cycloph-syst.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

localized: *Dut-syst.*, **Vasc-syst.**

onchocerciasis (verminosis), patients with: *Ive-syst.*

orofacial: *Teri-syst.*

parotid glands: *Crom-inhloc.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

periocular or periorbital: *Ofl-oph.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*

peripheral (bloating or swelling of face; rapid weight gain; tingling of the hands or feet; unusual weight gain or loss) (See EXTREMITIES): *Vald-syst.*, *Valp-syst.*, *Vor-syst.*, *Zale-syst.*

renal damage, with: *Antcoa-syst.*

tongue, and: *PerpA-syst.*

INFLAMAÇÃO (Ver Sinusite).

lips (cheilitis) (chapped, red, or swollen lips; scaling, redness, burning, pain, or other signs of inflammation of lips; scaling of lips and fissures in the corners of the mouth): **Acit-syst.**, *Atorv-syst.*, *Dacti-syst.*, *Efl-top.*, **Isot-syst.**, *Tret-syst.*

mucosal (mucositis) (cracked lips; diarrhea; difficulty in swallowing; sores, ulcers, or white spots on lips, tongue, or inside mouth): **Clofar-syst.**, *DoxorL-syst.*, **Ida-syst.**, **Mitox-syst.**

parotid glands (parotitis) (swollen glands on side of face or neck): *Chlorh-imploc.*, *Mum-syst.*

salivary gland (sialoadenitis) (swollen, tender, or painful swelling on side of face and jaw): *Cev-syst.*

stomatitis (sores in mouth and on lips): *Hydxyu-syst.*, *Ifo-syst.*, **Mitox-syst.**

LÁBIO.

hives: *Cele-syst.*

puckering: *Cloz-syst.*

smacking: *Cloz-syst.*

sores (See Ulcers).

sudden onset of multiple skin lesions on the arms, feet, hands, legs, palms, mouth, and/or lips: *AmlodBen-syst.*

thickening of: *AntconH-syst.*

MANCHAS BRANCAS nos lábios: *Abac-syst.*, **AbLam-syst.**, *Acyc-syst.*, *Allop-syst.*, *Amio-syst.*, *Anast-syst.*, *AntfunA-syst.* [*Itraconazole*], *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *BarbAn-syst.* [*Barbiturates*], *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cil-syst.*, *Clar-syst.*, *Docet-syst.*, *Dul-syst.*, *Eso-syst.*, *Fel-syst.*, *Fluox-syst.*, *Fosam-syst.*, *Gab-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *LopiR-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, **Nev-syst.**, *Omepr-syst.*, *Ose-syst.*, *Paro-syst.*, *PenicilB-syst.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Thali-syst.*, *Topi-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*

MANDÍBULA (Ver Cerrada, mandíbula; Fechada, mandíbula).

chewing movements, uncontrolled: *Cloz-syst.*

clenching of the jaw: *FentD-syst.* [*Alfentanil*]

contraction and relaxation, muscle: **Alos-syst.**

discomfort: *Sum-syst.*, *Zolm-syst.*

osteonecrosis of the jaw (ONJ) (heavy jaw feeling; loosening of a tooth; pain, swelling, or numbness in the mouth or jaw): *Iba-syst.*, *Zole-syst.*

protusion: *AntconH-syst.*

spasm: *Oxa-syst.*

MÁSCARA FACIAL, como: *AntdepT-syst.*, *CalcCBA-syst.* [*Flunarizine*], **Hal-syst.**, *IntG-syst.*, *Lamo-syst.*, *Lamo-syst.*, **Lox-syst.**, *Meto-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, *Que-syst.*, **Risp-syst.**, *Thie-syst.*, **Thiox-syst.**

NEURITE (dormência ou formigamento da face) (Ver Dormência; Formigamento; Neuropatia): *Emt-syst.*, *Estro-syst.*, *Ritu-syst.*

NEUROPATIA periférica (dormência ou formigamento da face) (Ver Dormência; Formigamento; Neurite): *Anthyr-syst.*, *Fluda-syst.*, *Ida-syst.*, *Testol-syst.*

PARALISIA (incapacidade para sentir ou mover a face) (Ver Parestesia): *Atorv-syst.*, *Biv-syst.*

Bell's palsy (weakness of the muscles in your face): *Vari-syst.*
palsy.

sixth cranial nerve: *Nali-syst.*

seventh cranial nerve (weakness of the muscles in your face): *Oxa-syst.*

PARESTESIA (Ver Paralisia).

circumoral (burning, crawling, itching, numbness, prickling, “pins and needles”, or tingling feelings around the mouth): **Ampr-syst.**, *AntvCPOv-syst.*, *EdD-syst.*, *Fosam-syst.*, **Ril-syst.**, **Riton-syst.**, *Seleg-syst.*

PÊLO, cabelo.

falling (See Alopecia).

growth of: *DrosEE-syst.*, *EstroP-syst.*

females: **Sir-syst.**

hypertrichosis (unusual and excessive hair growth): *AntconH-syst.*, *Cortic-rec.*, *Cortic-top.*, *Flut-inhloc.*, **Minox-syst.**, *Proge-syst.*

hirsutism (unusual increase in hair growth): *Cortic-nas.*, *Cortic-rec.*, *Cortic-top.*, *Estro-syst.*, *Isot-syst.*, **Sir-syst.**

increased: *ClotB-top.*, *NysT-top.*

PLENITUDE, preenchimento (Ver Arredondada; Calor; Inchaço): *Cortic-nas.*, *Cortic-ot.*, *Cortic-top.*, *Flut-inhloc.*, *Proge-syst.*, **Sir-syst.**

RACHADA.

lips: *VitA-syst.*

ROSÁCEA (acne crônica; vasos sanguíneos em forma de teia de aranha na face; sensação de ardor ou picadas na face; vermelhidão da face): *Efl-top.*, *Tacro-top.*

RUBORIZADA (Ver Descoloração, vermelha; Calor, ondas).

SANGRAMENTO (Ver Hemorragia).

SECURA: *CarbidEL-syst.*

eyes, around the: *Crom-oph.*

lips: **Doxep-top.**, *Teli-syst.*, **Vac-syst.**, *VitA-syst.*

SENSAÇÕES, como se.

warmth in lips and tongue, feeling of: *SodC-parloc.*

SINUSITE (dor ou sensibilidade em torno dos olhos e bochechas; plenitude ou tensão na área do seio afetado; febre; nariz entupido ou corrimento; dor de cabeça; tosse; falta de ar ou problemas na respiração; aperto no peito ou chiado) (Ver NARIZ, Nasofaringite, Rinite; GENERALITIES): **Adal-syst.**, **Agal-syst.**, **Alef-syst.**, **Alfuz-syst.**, **Almot-syst.**, **Anak-syst.**, **Anast-syst.**, **ArsTr-syst.**, **Atom-syst.**, **Atorv-syst.**, **Azac-syst.**, **BetBA-oph.** [*Carteolol, Levobetaxolol, Metipranolol, and Timolol*], **Brim-oph.**, **Butor-nasyst.**, **Cefd-syst.**, **Cele-syst.**, **Cil-syst.**, **Cital-syst.**, **ConjE-syst.**, **Cortic-inhloc.**, **Daps-top.**, **Darif-syst.**, **Del-syst.**, **Dic-top.**, **Dihy-nassyst.**, **DorzT-oph.**, **Doxyc-mucloc.**, **DrosE-syst.**, **Efal-syst.**, **Eme-oph.**, **Enf-syst.**, **Epina-oph.**, **Esc-syst.**, **Eso-syst.**, **Estro-syst.**, **Eton-vag.**, **Exem-syst.**, **Ezet-syst.**, **Fex-syst.**, **Fluda-syst.**, **Flut-inhloc.**, **FlutS-inhloc.**, **Fomi-parloc.**, **For-inhloc.**, **HistH2-syst.** [*Nizatidine*], **HydroI-syst.**, **Imiq-top.**, **Infli-syst.**, **Influ-syst.**, **IntB1a-syst.**, **IntB1b-syst.**, **Ipr-inhloc.**, **Lef-syst.**, **Len-syst.**, **Leval-inhloc.**, **Leve-syst.**, **Los-syst.**, **LosH-syst.**, **Lym-syst.**, **MetfP-syst.**, **Mif-syst.**, **Mom-inhloc.**, **Nalt-syst.**, **Nep-oph.**, **Nico-inhsyst.**, **Nis-syst.**, **Ofl-ot.**, **Olm-syst.**, **Olo-oph.**, **Oma-syst.**, **Oxc-syst.**, **Pam-syst.**, **Pantop-syst.**, **Paro-syst.**, **PegiA2b-syst.**, **Pegv-syst.**, **Pemi-oph.**, **Pentost-syst.**, **Pime-top.**, **Pio-syst.**, **Ralo-syst.**, **Rep-syst.**, **Riba-syst.**, **RibaI-syst.**, **Rise-syst.**, **Risp-syst.**, **Ritu-syst.**, **Rof-syst.**, **Rosi-syst.**, **RosiM-syst.**, **Rosu-syst.**, **Sild-syst.**, **Sir-syst.**, **SodO-syst.**, **Tacro-top.**, **Telm-syst.**, **TelmH-syst.**, **Tem-syst.**, **Tiot-inhloc.**, **Tram-syst.**, **Trav-oph.**, **Vald-syst.**, **Valp-syst.**, **Vard-syst.**, **Zan-inhsyst.**, **Zic-syst.**

chronic: *Coc-mucloc.*

discomfort: *Sum-syst.*

female infertility, patients treated for: **FollitA-syst.**

gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies, patients pretreated with: **FollitA-syst.**

pediatric patients: *Sertr-syst.*

rhinosinusitis: *AntinfN-syst.*

severe: *Etan-syst.*

stuffy head, symptoms of head cold: *Doxyx-mucloc.*, **IodS-syst.**, **PotI-syst.**

TELANGIECTASIA (mancha na pele vermelho-escura, levantada, tipo-verruga, especialmente quando o medicamento foi usado no rosto): *Cortic-top.*

TIQUES (Ver Gestos ou tiques).

TRISMO (Ver Fechada, mandíbula).

ÚLCERA, ferida.

lips: *Abac-syst.*, **AbLam-syst.**, *Acyc-syst.*, *Allop-syst.*, *Anast-syst.*, *AntfunA-syst.* [*Itraconazole*], *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Azat-syst.*, *BarbAn-syst.* [*Barbiturates*], *Docet-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cil-syst.*, *Clar-syst.*, *Dul-syst.*, *EdD-syst.*, *Eso-syst.*, *Fel-syst.*, *Fluox-syst.*, *Fosam-syst.*, *Gab-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *LopiR-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, **Nev-syst.**, *Omep-syst.*, *Ose-syst.*, *Paro-syst.*, *PenicilB-syst.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Thali-syst.*, *Topi-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*

Repertório - Capítulo FACE

bleeding sores: *Allop-syst., AntinfN-syst., Barb-syst., BarbAn-syst.*
[Barbiturates], DecAn-syst. [Ibuprofen-containing combinations], DicM-
syst., HistH2-syst., Ketor-syst., Omep-syst., Oxc-syst., Pyrim-syst., SulfadP-
syst.

children: *BronA-syst. [Albuterol]*

crusting sores: *AntinfN-syst., BarbAn-syst. [Barbiturates], DecAn-syst.*
[Ibuprofen-containing combinations], DicM-syst., HistH2-syst., Ketor-syst.,
Omep-syst., Oxc-syst., Pyrim-syst., SulfadP-syst.

children: *BronA-syst. [Albuterol]*

VERMELHIDÃO (Ver Descoloração).

VIRILIZAÇÃO (acne; cabelos oleosos; pele oleosa): *Danaz-syst.*

CAPÍTULO BOCA (PALADAR)

ABSCESSO.

periodontal (accumulation of pus, swollen, red, tender area of infection of the gum):
Rosu-syst., *Valp-syst.*

AFTA.

aphthosis (oral bleeding): **Mitox-syst.**
aphthous stomatitis (canker sore) (See Inflammation, stomatitis): *Anag-syst.*
canker sores (See White Spots; Lesions; Ulcers): *Mido-syst.*

AGEUSIA (perda do sentido do paladar ou gosto) (Ver Paladar).

ANESTESIA, orofaringe: *Benzon-syst.*

COBERTA.

tongue: **Zop-syst.**

CORÉIA, língua (contração, movimento descontrolado da língua) (Ver Discinesia; Espasmo; Tremor): *Estro-syst.*

DESCARGAS.

oozing from gums: **Thr-syst.**

DESCOLORAÇÃO da boca.

blue-black, inside: *Chloroq-syst.*, *Hydxcy-syst.*
pigmentation, oral mucosal (darkening of skin and mucous membranes): *LamiZ-syst.*
red.

local: **TetrPF-mucloc.**

soft tissue (gum redness): *Doxyc-mucloc.*

tongue: *Testol-syst.*

staining of mouth: **Chlorh-mucloc.**

tongue: *TetrPF-mucloc.*

tongue: *Clar-syst.*, *Fluorq-syst.*, *Line-syst.*, **Palif-syst.**, *Terb-syst.*, *Tini-syst.*

darkening: **BisS-orloc.**, *BisSMT-syst.*

red: *Testol-syst.*

staining: *TetrPF-mucloc.*

white spots in mouth (patches): *Abac-syst.*, **AbLam-syst.**, *Acyc-syst.*, *Allop-syst.*, *Amio-syst.*, *Anast-syst.*, *Antcoa-syst.*, *AntfunA-syst.* [*Itraconazole*], *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cil-syst.*, *Clar-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Docet-syst.*, *Dul-syst.*, *Eso-syst.*, *Fel-syst.*, *Fluox-syst.*, *Fosam-syst.*, *Gab-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *Ketor-syst.*, *LamiZ-*

Repertório - Capítulo BOCA

syst., *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *LopiR-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, **Nev-syst.**, *OmeP-syst.*, *Ose-syst.*, *Paro-syst.*, *PenicilB-syst.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ritu-syst.*, *Sertr-syst.*, *SulfadP-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Thali-syst.*, *Topi-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*

DESCONFORTO: **Chlorh-imploc.**, *Sum-syst.*, **TetrPF-mucloc.**, *Zolm-syst.*

gum: **Doxyc-mucloc.**

tongue: *Sum-syst.*

DISCINESIA, orofacial (movimentos descontrolados da face, boca, ou língua) (Ver Coréia; Espasmo; Tiques; Tremor; MENTAL, Gestos, tiques; FACE, Gestos): *AnthisD-syst.*, *CetiP-syst.* [*Cetirizine*], *Mod-syst.*

chewing movements, uncontrolled: *Cloz-syst.*

tic-like [jerky] movements of head, face, mouth, and neck: *Lamo-syst.*

DISGEUSIA (distorção do sentido do paladar ou gosto) (Ver Paladar).

DISTONIA (espasmo dos músculos da língua) (Ver Coréia; Discinesia; Espasmo; Tremor).

DOR: *Amlex-mucloc.*, **Chlorh-imploc.**, *Doxyc-mucloc.*, *Sor-syst.*

burning: *Amlex-mucloc.*, **CarbonAI-syst.**, **Dimer-syst.**, *EmtT-syst.*, **IodS-syst.**, **PotI-syst.**, *SodI-syst.*

hard palate: *TecTet-syst.*

tongue: *CarbidL-syst.*, *CarbidEL-syst.*, **CarbonAI-syst.**, *Levod-syst.*

gingiva (gum): **Chlorh-imploc.**, **Doxyc-mucloc.**, *Testos-syst.*

inflammation, with: *TetrPF-mucloc.*

salivary gland (pain on side of face and jaw): *Cev-syst.*

sore, tender: *AntinfN-syst.*, *Antdys-syst.*, *Barb-syst.*, **Chlorh-imploc.**, *Doxyc-mucloc.*, **Ethi-syst.**, **Neo-orloc.**, **Nico-syst.**, **Pli-syst.**, *Trimetr-syst.*, *VitA-syst.*

gums: *AmmMer-top.*, *Cyclosp-syst.*, **Doxyc-mucloc.**, **IodS-syst.**, **PotI-syst.**, *Probe-syst.*, *SodI-syst.*

tongue: *Antdys-syst.*

stinging: *Amlex-mucloc.*

tongue: *Ilo-inh.*

ENANTEMA (erupção cutânea de pele, principalmente em membranas mucosas como olhos e boca) (Ver Hipersensibilidade).

ENTORPECIMENTO: **CarbonAI-syst.**, *Nico-nas.*, *Perf-orloc.*

lips, and.

prolongued: *Anest-parloc.*

tingling, with: *Ropiv-parloc.*

tongue: *Aztr-syst.*, **CarbonAI-syst.**, *Pyridos-syst.*

ERUPÇÕES.

blisters.

gum: Testos-syst.

inside mouth: ArsTr-syst.

hives (raised red swellings on the tongue): Anest-parloc.

pemphigus, paraneoplastic (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): Ritu-syst.

petechia, oral mucosal (small red or purple spots in mouth): **Azac-syst.**

ESPASMO (Ver Coréia; Discinesia; Tremor).

tongue.

dystonia (spasm of the muscles of the tongue): Drop-syst.

FALA, linguagem (Ver MENTAL; LINGUAGEM).

speech or language abnormalities, disturbances, disorders or problems, trouble in speaking (changes in speech, difficulty in speaking): Amph-syst., AntdepT-syst., Bacl-intsyst., CalcCBA-syst. [Flunarizine], Carbam-syst., Cyclob-syst., Cyclos-syst., Dant-syst., Dexmed-syst., EdrA-syst., Efav-syst., Gla-syst., IntB1a-syst., IntB1b-syst., IntG-syst., Lans-syst., Metyro-syst., Ola-syst., Ond-syst., Oxc-syst., Pantop-syst., Phenot-syst., Pil-syst., Pre-syst., Que-syst., Tia-syst., Tic-syst., Tiz-syst., Topi-syst., Valp-syst., Vig-syst., Zic-syst., Zon-syst., Zop-syst.

aphasia (problems in speaking): Aldes-syst., Carm-imploc., Don-syst., Fluorq-syst., Gadob-syst., Tret-syst., Zic-syst.

difficult: Amph-syst., AnthisP-syst., Arip-syst., Carbam-syst., CarbidEL-syst., Dom-syst., Fent-trsyst., Hal-syst., Lans-syst., Lox-syst., Meto-syst., Moc-syst., Moli-syst., Nico-nas., Ola-syst., Pantop-syst., PerpA-syst., Pimo-syst., Risp-syst., Seleg-syst., Sertr-syst., Sir-syst., Tret-syst., Thie-syst., Thiox-syst., Zic-syst., Zip-syst.

dysarthria (trouble in speaking, stuttering; slurred speech; changes in patterns and rhythms of speech): AntinfN-syst., AntconH-syst., Capec-syst., Gab-syst., Lamo-syst., Moc-syst., Nef-syst., Oxa-syst., Paro-syst., Que-syst., Tret-syst., Valp-syst.

dysphasia (loss of ability to use or understand speech or language): Capec-syst., Fent-trsyst., Sor-syst.

stuttering: **AntconH-syst., Ola-syst.**

verbal expression: Zon-syst.

word finding: Zic-syst.

excitement you cannot control, talking with: Sertr-syst.

garbled: Zic-syst.

impairment, articulation (speaking unclearly): Ola-syst.

incoherent: Ropiv-parloc.

slurred: Aman-syst., Antchsp-syst., AntconH-syst., AntdepMAO-syst., Antm-syst., Atrop-oph., Bacl-intsyst., Barb-syst., BarbAn-syst. [Barbiturates], Bell-syst., Benzod-syst., Bupre-syst., Carbam-syst., ChlH-syst., Cyclope-oph., Dant-syst., Diett-top., Dron-syst., Fome-syst., Hom-oph., HydroI-syst., Ison-syst., Lamo-syst.,

Repertório - Capítulo BOCA

Lit-syst., *Lom-syst.*, *MagS-syst.*, *Mep-syst.*, *MepA-syst.* [Meprobamate], *Mex-syst.*, *Moc-syst.*, *Ola-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Sco-oph.*, *Trop-oph.*, *Zip-syst.*

sudden onset of: *Isot-syst.*

thought disorders (concentration problems and change in school performance) (See MIND, Thought disorders; MIND, Concentration; MIND, Confusion of mind; MIND, Dullness, sluggishness, difficult of thinking and comprehending, torpor):
Gab-syst.

FERIDAS (Ver Úlceras).

FORMIGAMENTO (Ver Neuropatia; Parestesia): **CarbonAI-syst.**

lips, and.

prolongued: *Anest-parloc.*

numbness, with: *Ropiv-parloc.*

tongue: **CarbonAI-syst.**

GENGIVA.

disorders, problems, trouble: *AntdepT-syst.*, *Nico-nas.*, *Orl-orloc.*

enlargement (bleeding, tender, or swollen gums): *CalcCBA-syst.*, *EnaF-syst.*

erythema, soft tissue (gum redness): *Doxyc-mucloc.*

ulceration: *AntinfN-syst.*

GLÂNDULAS SALIVARES.

enlargement (swelling on side of face and jaw): *Cev-syst.*, *Nita-syst.*

sialoadenitis, sialadenopathy (swollen salivary glands; swollen, tender, or painful swelling on side of face and jaw; swollen salivary glands): *Antthyr-syst.*, *Cev-syst.*, *Efal-syst.*

radiation, following treatment of thyroid carcinoma (tenderness of salivary glands): *SodI131-systthe.*

HALITOSE (Ver Odor, ofensivo).

HEMORRAGIA: Azac-syst.

gingiva (gums): *Aldes-syst.*, *Atorv-syst.*, **Azac-syst.**, **Bevac-syst.**, *Cil-syst.*, **Clofar-syst.**, *Cyclosp-syst.*, *Danaz-syst.*, *DauL-syst.*, *Isot-syst.*, *Pentosa-syst.*, **Ret-syst.**, **Thr-syst.**, *VitA-syst.*

when brushing teeth: *Antcoa-syst.*, *Hepar-syst.*, *Prota-syst.*

HIPERSENSIBILIDADE.

enanthema (skin rash found mostly on mucous membranes such as eyes and mouth):
Niti-syst.

INCHAÇO, edema: *Azith-syst.*, *Chloramp-ot.*, *Iron-syst.*, *Nico-nas.*, *Vaso-syst.*

angioedema, or angioneurotic edema (large, hive-like swellings in mouth): *Anest-mucloc.*, *AntinfN-syst.*, *AntvCPOv-syst.*, *Colc-syst.*, *Cyclob-syst.*, *Lamo-syst.*, *Lid-top.*, **Nitro-syst.**, *Pantop-syst.*, *Probu-syst.*, *Ril-syst.*, *Ske-syst.*, *Topo-syst.*, *Vals-syst.*

face, extremities, lips, tongue, glottis, and/or larynx (hoarseness; sudden trouble in swallowing or breathing; swelling of face, mouth, hands, or feet):

Moe-syst., MoeH-syst., Trand-syst.

tongue: (large, hive-like swellings on tongue): *AngIn-syst., AngInH-syst., AntinfN-syst., AntfunA-syst., AnthisP-syst., AntvCPOv-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., AtovaPro-syst., BarbAn-syst. [Barbiturates; Codeine], Cand-syst., CandH-syst., CarbidEL-syst. [Entacapone], Cefu-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., Cital-syst., Colc-syst., Cyclob-syst., DiphtTTH-syst., Dof-syst., Dorzoph., Doxyc-syst., Dul-syst., EnaF-syst., Eno-syst., Epr-syst., Etan-syst., Etid-syst., Ezet-syst., EzetS-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gals-syst., Gef-syst., Gold-syst., Hyalur-parloc., **Ibr-syst.,** Imiq-top., IodS-syst., Irb-syst., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mero-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Nis-syst., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pantop-syst., Pime-top., PotI-syst., Rabe-syst., Rifax-orloc., Ril-syst., Rise-syst., Risp-syst., **Ritu-syst.,** Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Ske-syst., SodI-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tene-syst., Teri-syst., Tini-syst., Tinz-syst., Tiot-inhloc., Topo-syst., **TosI-syst.,** TrandV-syst., Tras-syst., Vald-syst.*

gums: *AmmMer-top., Cev-syst., DiphenA-syst., EnaF-syst., Nico-nas., Testos-syst. tongue, and: Cev-syst.*

hive-like, large: *Gold-syst., Thr-syst.*

orofacial (swelling or puffiness of mouth and face): *Teri-syst.*

orolingual (swelling of the tongue and mouth, or throat; tightness in throat; trouble breathing): *IntB1a-syst., Thr-syst.*

oropharyngeal (tightness in throat; trouble in breathing): *BronA-syst., Flut-inhloc., IprA-inhloc., Zan-inhsyst.*

angioedema of the oropharynx (swelling of tongue): *JapV-syst.*

salivary glands.

severe: *Iot-syst.*

tongue: *Adal-syst., AntdepT-syst., AntfunA-syst. [Itraconazole], AntvCPol-syst., AntvM.-syst., Atorv-syst., Cele-syst., Cev-syst., Chloramp-ot., Cil-syst., Clar-syst., Cyp-syst., Docet-syst., Dut-syst., EmtT-syst., Etan-syst., Fluorq-syst., Glut-syst., Hyalur-parloc., HydroxT-oph., Iba-syst., Ibr-syst., InsD-syst., Iopr-syst., Ketor-syst., Melo-syst., Natal-syst., Nico-nas., Opr-syst., Ose-syst., Oxa-syst., PenteC-syst., Praml-syst., Pre-syst., Sta-syst., Teli-syst., Teno-syst., Testol-syst., Tiot-inhloc., TosI-syst., TramA-syst.*

face, and: *PerpA-syst.*

gums, and: *Cev-syst.*

hive-like, large: *Gold-syst., Thr-syst.*

INFECCÃO (Ver Inflamação).

candidiasis, oral (sore mouth or tongue; white patches in mouth and/or on tongue, or in folds of skin, including the genitals; creamy white, curd-like patches in mouth or throat; pain when eating or swallowing): *Acit-syst., Alemt-syst., Anid-syst.,*

AnthyGR-syst., *ArsTr-syst.*, **Basil-syst.**, *Capec-syst.*, *Cefd-syst.*, **Ceph-syst.**, *Clar-syst.*, **Clofar-syst.**, *Ert-syst.*, *Eryts-syst.*, *Fluorq-syst.*, *FlutS-inhloc.*, *Gla-syst.*, *Gri-syst.*, *Infli-syst.*, *Line-syst.*, *Mom-inhloc.*, *Mom-nas.*, *Myc-syst.*, **Opr-syst.**, **PacP-syst.**, **Penicil-syst.**, *PenicilB-syst.*, **Por-syst.**, *QuinuD-syst.*, **Sir-syst.**, *Teli-syst.*, *TetrPF-mucloc.*, *Tini-syst.*, *Tiot-inhloc.*

Kaposi's sarcoma patients: DoxorL-syst.

oropharyngeal (creamy white, curd-like patches in mouth or throat; pain when eating or swallowing): *Cortic-inhloc.*, **Flut-inhloc.**

fungal.

overgrowth (sore mouth or tongue) (See White Spots): *DoxycD-syst.*

moniliasis, oral (See candidiasis).

severe: *Doxor-syst.*

INFLAMAÇÃO (Ver Infecção; Irritação): *Testos-syst.*

gingivitis (bleeding gums; redness and swelling of gums): **Acit-syst.**, *Aldes-syst.*, **Gold-syst.**, *Isot-syst.*, *MethotNC-syst.*, **Minoc-mucloc.**, *Moc-syst.*, *Myc-syst.*, *Sild-syst.*, **Sir-syst.**, *Testos-syst.*, *Topi-syst.*

pain, with: *TetrPF-mucloc.*

glossitis (redness, swelling, and soreness of tongue; irritated tongue): *Aldes-syst.*, *AntinfN-syst.*, *Atorv-syst.*, *BetBA-oph. [Betaxolol]*, *BisSMT-syst.*, *Carbam-syst.*, *Clar-syst.*, *Doxyc-syst.*, *Flox-syst.*, *Fluorq-syst.*, **Gold-syst.**, *PenicilB-syst.*, *Rise-syst.*, **SulfadP-syst.**, **SulfoT-syst.**, *Teli-syst.*, *TetrPF-mucloc.*, *Trimethop-syst.*, *Valp-syst.*

atrophic (irritation or soreness of tongue): *Pyrim-syst.*

mucositis (irritation of mouth; swelling or inflammation of the mouth; sores, ulcers, or white spots on lips, tongue, or inside mouth; cracked lips; diarrhea; difficulty in swallowing): *Alemt-syst.*, **Amsa-syst.**, *Busu-syst.*, *Carbopl-syst.*, **Clofar-syst.**, *DauL-syst.*, *Doxor-syst.*, *DoxorL-syst.*, **Epir-syst.**, *Fluda-syst.*, **Gemt-syst.**, **Ida-syst.**, **Iri-syst.**, *Melp-syst.*, **Mitox-syst.**, *Oxa-syst.*, *Pac-syst.*, **PacP-syst.**, **Pegf-syst.**, *Peme-syst.*, **Ras-syst.**, *Sor-syst.*, **Teni-syst.**, **Tret-syst.**, **Zole-syst.**

contact (inflammation of mucous membranes): *Amlex-mucloc.*

decreased: *ColSF-syst.*

grade 4: *Epir-syst.*

resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

periodontitis (bleeding gums; loose teeth; persistent breath odor or bad taste in your mouth; redness and swelling of gums): *Carv-syst.*

stomatitis (canker sores; swelling or inflammation of the mouth; irritation of mouth; swollen gums; mouth ulcers; sores, ulcers, or white spots on lips, tongue, or inside mouth; cracked lips; diarrhea; difficulty in swallowing): *AbLam-syst.*, *Acetyl-inh.*, **Acit-syst.**, **Aldes-syst.**, *Alemt-syst.*, **Amsa-syst.**, **Aprep-syst.**, *Aspar-syst.*, *Atorv-syst.*, **Azac-syst.**, *Azel-nas.*, *Basil-syst.*, **Bevac-syst.**, *BisSMT-syst.*, **Busu-syst.**, **Capec-syst.**, *Carbam-syst.*, *Carbopl-syst.*, *Carm-syst.*, *Cefd-syst.*, *Cele-syst.*, **Cetux-syst.**, *Chloramb-syst.*, *Cisp-syst.*, *Clar-syst.*, *Clofib-syst.*, *Colc-syst.*, *Cycloph-syst.*, **Cyt-syst.**, *Dac-syst.*, **Dau-syst.**, *DauL-syst.*, **Docet-syst.**, *Dom-syst.*, **Doxor-syst.**, **DoxorL-syst.**, **Epir-syst.**, **Erl-syst.**, *Etop-syst.*, **Fluda-syst.**, *Fluorq-syst.*, *Gemc-*

syst., **Gemt-syst.**, **Gold-syst.**, Hydxyu-syst., Ifo-syst., IntA-syst., **Iri-syst.**, Ketor-syst., **Lami-syst.**, LamiZ-syst., Lom-syst., Melp-syst., Merc-syst., **Minoc-mucloc.**, Mitom-syst., **Mitox-syst.**, Moc-syst., Myc-syst., Nef-syst., **Oxa-syst.**, Pam-syst., **Pegf-syst.**, **Peme-syst.**, **Penic-syst.**, Pentost-syst., **Procar-syst.**, **Progu-syst.**, **Ralt-syst.**, Ril-syst., Sild-syst., **Sir-syst.**, Sor-syst., SulfadP-syst., **SulfoT-syst.**, Teli-syst., Testos-syst., Thiog-syst., Thiot-syst., Tini-syst., Tiot-inhloc., **Topo-syst.**, Valp-syst., Vinb-syst., Vinc-syst., Vino-syst., Zalc-syst., **Zole-syst.**

aphthous (canker sore; sores, ulcers, or white spots on lips or in mouth): Anag-syst., AntinfN-syst., DecAn-syst. [*Ibuprofen-containing combinations*],

Flox-syst.

children: Lami-syst.

mild: Levam-syst.

mucocutaneous toxicity, with: Bleo-syst.

ulcerative (sores on inside of cheeks or gums, fever, feeling ill): Alemt-syst., AntinfN-syst., Atorv-syst., Cev-syst., Chlorh-imploc., **Dacti-syst.**, **Fluoru-syst.**, Melo-syst., **MethotC-syst.**, MethotNC-syst., Mup-top., Nev-syst.

IRRITAÇÃO (Ver Inflamação): AntinfN-syst., Clod-syst., Flut-inhloc., **Neo-orloc.**, **Nico-inhsyst.**, **Nico-syst.**, **Pli-syst.**, **Testos-syst.**, **Van-orloc.**

enzymatic digestion of mucous membranes: Panc-syst.

gums: AmmMer-top., **Testos-syst.**

mucous membranes: Podop-top.

oropharyngeal (irritation of throat or mouth): BronA-inhloc.
tongue.

tip: Chlorh-mucloc.

LESÕES : Danaz-syst., Del-syst.

desquamative, superficial (mouth irritation).

mainly in children ages 10 to 18 years; the lesions are transient and may be painless: Chlorh-mucloc.

injury to mouth: Nico-syst.

enzymatic digestion of mucous membranes: Panc-syst.

rash, skin, with: Del-syst.

sudden onset of multiple skin lesions on the arms, feet, hands, legs, palms, mouth, and/or lips: AmlodBen-syst.

LÍNGUA.

disorder (tongue irritation): **Acit-syst.**

furry tongue (See Furry.): Metro-vag.

hives (raised red swellings on the tongue): Anest-parloc.

movements of tongue.

rapid: Cloz-syst.

worm-like: Cloz-syst.

numbness: Pyridos-syst.

protrusion (sticking out of tongue): AnthisP-syst., Ond-syst., **Phenot-syst.**

thickening: *Diat-syst., Feru-syst., Gadod-syst., Gadot-syst., Gold-syst., Ioh-loc., Ioh-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Palif-syst.*

trembling (See Trembling).

MANCHAS BRANCAS (descoloração) (Ver Descoloração, branca).

MEMBRANA MUCOSA.

disorder (changes in the lining of the mouth or nose).

refractory ovarian cancer patients: **DoxorL-syst.**

irritation: *Podop-top.*

MOLHADA (Ver Salivação).

NEUROPATIA sensorial (visão borrada ou dupla; perda do paladar ou gosto) (Ver Formigamento; Parestesia): **PacP-syst.**

ODOR (respiração): *Cys-syst., Dimer-syst.*

garlicky: *Dimet-mucloc., SelenSup-syst.*

offensive (halitosis [bad breath]): *Aztr-syst., Zop-syst.*

unpleasant: **Para-syst.**

PALADAR, gosto.

disorders (change in taste; bad, unusual or unpleasant [after] taste): **Acit-syst., AlbMic-syst., Almot-syst., Amio-syst., AmlodAt-syst. [Amlodipine], Amph-syst., Ampr-syst., AntinfN-syst., Antac-orloc., AntdepT-syst., AntdiaS-syst., AntfunA-syst. [Fluconazole], AngIn-syst., AngInH-syst., Antchsp-syst. [Glycopyrrolate], AnthemF-syst., Anthyr-syst. [Methimazole], AppSupS-syst., Aprac-oph., Arb-syst., Atorv-syst., Azel-nas., Azel-oph., Aztr-syst., BetBA-oph. [Carteolol and Levobetaxolol], BetBA-syst., BetBAT-syst., Bevac-syst., Bort-syst., Brim-oph., Brin-oph., BronA-inhloc., Bupro-syst., Butor-nasyst., CalcS-syst., Carbet-syst., CarbidL-syst., CarbidEL-syst., CarbonAI-syst., Cefd-syst., Cele-syst., Chloramp-ot., ChlordA-syst., Chlorh-mucloc., Cip-oph., CipD-ot., Cital-syst., Clar-syst., Clofaz-syst., Coc-mucloc., Cop-syst., Cortic-inhloc., Cortic-nas. [Dexamethasone, Flunisolide], Crom-inhloc., Crom-nas., Cyclob-syst., Diaz-orsyst., Diaz-parsyst., DicM-syst., Dihy-nassyst., Dimet-mucloc., Dipy-syst., DipyA-syst., Disu-syst., Docet-syst., Dorz-oph., DorzT-oph., Doxep-top., DoxorL-syst., Efav-syst., Eme-oph., Enf-syst., Enta-syst., Ergon-syst., Esz-syst., Etan-syst., Ethc-syst., Ethi-syst., Etid-syst., Fel-syst., Fluorq-syst., Fluox-syst., Flut-nas., Fluv-syst., Fol-syst., Fome-syst., Gadod-syst., Gadot-syst., GalliN-syst., Gadob-syst., Gadov-syst., Gat-oph., Gemif-syst., Gold-syst., Gra-syst., Hist-syst., IbupO-syst., Ima-syst., Indin-syst., IndiuC-syst., IntA-syst., IodS-syst., Iopa-syst., Iopr-syst., Ipr-inhloc., IprA-inhloc., Iron-syst., Lans-syst., Len-syst., Levam-syst., Levod-syst., Levof-syst., Lid-top., Line-syst., Mech-syst., Melo-syst., Mesn-syst., Metf-syst., Metro-syst., Metro-top., Metro-vag., Mica-syst., Moc-syst., Mod-syst., Moe-syst., Mom-nas., Mono-loc., Mup-nas., Nar-syst., Ned-inhloc., Ned-oph., Nico-inhsyst., Nico-nas., Nico-syst., Norf-oph., Nyl-syst., OfI-ot., Olo-oph., Omeg-syst., Oxa-syst., Oxc-syst., Palif-syst.,**

Paro-syst., **Pegf-syst.**, Penc-top., **Penic-syst.**, **Penicil-syst.** [**Amoxicillin, Clarithromycin, and Lansoprazole combination**], Penta-inh., Penta-syst., PenteC-syst., **Perf-orloc.**, **PerpA-syst.**, PotI-syst., **Propa-syst.**, **Proti-syst.**, Ralt-syst., Ram-syst., Riba-syst., **RibaI-syst.**, **Rifab-syst.**, Rime-oph., **Riton-syst.**, Ritu-syst., Ropiv-parloc., Saq-syst., Seleg-syst., **SelenSup-syst.**, Sib-syst., SodI-syst., SodI131-systthe., SodPhe-syst., Spa-syst., **Sum-syst.**, **Sur-syst.**, **TecSe-syst.**, TecTeb-syst., TecTet-syst., Teli-syst., Terb-syst., Testos-syst., **Tini-syst.**, Tiop-syst., Topi-syst., **Traz-syst.**, Tros-syst., Valp-syst., Valr-mucloc., **Van-orloc.**, Ven-syst., VitDA-syst., VitK-syst., Zic-syst., Zole-syst., Zon-syst., **Zop-syst.**

abnormal sensation of: Clar-syst.

altered (See Taste, disturbed).

bad, unpleasant (parageusia): Amph-syst., **AntdepT-syst.**, AnthemF-syst., AppSupS-syst., CarbidEL-syst. [Entacapone], Chloramp-ot., **ChlordA-syst.**, Cip-oph., Cortic-inhloc., **Crom-inhloc.**, Crom-nas., Eme-oph., Ergon-syst., **Esz-syst.**, Fol-syst., Fome-syst., **Ipr-inhloc.**, Mesn-syst., Metro-syst., **Ned-inhloc.**, **Ned-oph.**, Nicl-orloc., **PerpA-syst.**, **Proti-syst.**, Serm-syst., Teri-syst., **Traz-syst.**, **Van-orloc.**

aftertaste: **Ethc-syst.**

metallic: Penta-syst

bitter: Amio-syst., AntinfN-syst., **Azel-nas.**, **Azel-oph.**, **Brin-oph.**, CarbidL-syst., **Dorz-oph.**, Levod-syst., Norf-oph., Penta-inh., **TecSe-syst.**, Testos-syst., **Tini-syst.**, **Van-orloc.**

chalky: **Antac-orloc.**

diminished, lessened, impaired: **Penic-syst.**, **RibaI-syst.**

disturbed, altered (changes in taste): AlbMic-syst., Almot-syst., AntinfN-syst., **AntdiaS-syst.**, Aztr-syst., BetBA-oph. [Carteolol and Levobetaxolol], BetBA-syst., BetBAT-syst., Brim-oph., BronA-inhloc., **Chlorh-mucloc.**, Clofaz-syst., Cyclob-syst., Docet-syst., **Doxep-top.**, Enf-syst., Enta-syst., Etan-syst., Etid-syst., Fluorq-syst., Fluox-syst., Gadod-syst., **Gadot-syst.**, Gat-oph., Gold-syst., Ima-syst., IndiuC-syst., **IntA-syst.**, Iopr-syst., IprA-inhloc., Lid-top., Metro-syst., Metro-vag., Moc-syst., Nico-inhsyst., Nico-syst., Ofl-ot., Olo-oph., **Palif-syst.**, **Propa-syst.**, Ralt-syst., Ritu-syst., Saq-syst., Seleg-syst., SodPhe-syst., Terb-syst., Tiop-syst., **Zop-syst.**

ability to, in: Diaz-orsyst., Diaz-parsyst.

refractory ovarian cancer patients: DoxorL-syst.

smell disturbances, with (change in taste or smell, bad, unusual or unpleasant [after] taste or smell): Mom-nas.

transient: Nico-nas.

garlic-like: Dimet-mucloc., Disu-syst.

loss of (See Taste, wanting).

metallic: Amio-syst., Carbet-syst., **CarbonAI-syst.**, Cop-syst., Disu-syst., **Ethi-syst.**, Etid-syst., Fome-syst., **GalliN-syst.**, **Gold-syst.**, **Hist-syst.**, **IntA-syst.**, **IodS-syst.**, **Iron-syst.**, **Levam-syst.**, Lid-top., Mech-syst., **Metf-syst.**, Metro-top., Metro-vag., Mono-loc., Nyl-syst., Penta-inh., PenteC-syst., PotI-syst., Ropiv-parloc., SelenSup-syst., SodI-syst., **Sur-syst.**, **TecSe-syst.**, TecTeb-syst., TecTet-syst., **Tini-syst.**, VitDA-syst.

hypercalcemia, with: CalcS-syst.

sharp: Metro-syst.

unpleasant: Penta-syst.

oil, like: **Perf-orloc.**

perverted (change in taste; bad, bitter, sour, unusual or unpleasant (after)taste): **Acit-syst.**, AmlodAt-syst. [Amlodipine], AntfunA-syst. [Fluconazole], Aprac-oph., Arb-syst., Atorv-syst., Bupro-syst., CarbidEL-syst., Cele-syst., CipD-ot., Cital-syst., Docet-syst., **DorzT-oph.**, Efav-syst., **Fel-syst.**, Fluorq-syst., Fluv-syst., Gadob-syst., **Gadov-syst.**, Gemif-syst., IbupO-syst., **Indin-syst.**, Lans-syst., Levof-syst., Melo-syst., Mod-syst., Mup-nas., Nar-syst., Omeg-syst., Oxa-syst., Oxc-syst., Paro-syst., **Pegf-syst.**, Penc-top., **Penicil-syst.** [**Amoxicillin**, **Clarithromycin**, and **Lansoprazole combination**], Riba-syst., **Rifab-syst.**, Rime-oph., **Riton-syst.**, Sib-syst., Spa-syst., **Sum-syst.**, Testos-syst., Topi-syst., Valp-syst., Ven-syst., Zic-syst., Zole-syst., Zon-syst.

salty: SodC-parloc.

sour: **Brin-oph.**, DicM-syst., **Dihy-nassyst.**

unusual: **Brin-oph.**, **Butor-nasyst.**, Cyclob-syst., Gra-syst., Iopa-syst., VitK-syst.

wanting, loss of taste (ageusia, dysgeusia) (bad taste in the mouth; change in sense of taste; loss of taste): Aldes-syst., AngIn-syst., AngInH-syst., Antchsp-syst. [Glycopyrrolate], Anthyr-syst. [Methimazole], Atorv-syst., **Bort-syst.**, CarbonAI-syst., Cefd-syst., **Cisp-syst.**, Clar-syst., **Coc-mucloc.**, Cortic-inhloc., Cortic-nas. [Dexamethasone, Flunisolide], Dipy-syst., DipyA-syst., Etid-syst., Fluorq-syst., Flut-nas., Gold-syst., **Len-syst.**, Line-syst., Mica-syst., Moe-syst., **Penic-syst.**, Ram-syst., Rifab-syst., Teli-syst., Terb-syst., Tros-syst., Valr-mucloc.

ageusia (total loss of taste): Cele-syst., Teli-syst.

temporary.

following treatment of thyroid carcinoma: SodI131-systthe.

PAPILAS, língua.

hypertrophic (rough or “fuzzy” tongue; darkened or discolored tongue): Phenot-syst., Tetr-syst.

PARESTESIA (queimação, formigamento ou sensação de espinhos) (Ver Formigamento; Neuropatia): Indin-syst., Nico-nas.

PARÓTIDA, CANAL da.

obstruction: Chlorh-mucloc.

PICANDO (Ver Formigamento; Neuropatia; Parestesia).

PROTRUSÃO (Ver Língua, protrusão).

PULSAÇÃO, pulsando: **Chlorh-imploc.**

QUENTE, calor.

sensation of.

tongue and lips: SodC-parloc.

SABURROSA.

tongue (coating on tongue; white patches on tongue): Metro-vag., Tini-syst.

SALIVA.

discoloration.

darkening: CarbidL-syst., CarbidEL-syst., Levod-syst.

pinkish to red: **BronA-inhloc.** [**Isoproterenol**]

reddish-orange to reddish-brown: **Rifab-syst.**, **Rifam-syst.**, **RifamI-syst.**, **RifamIP-syst.**, **Rifap-syst.**

SALIVAÇÃO: AntglaC-oph., Carbac-oph., **Dimer-syst.**, Nico-inhsyst., Phy-oph., Pil-oph., Pyridos-syst.

decreased (difficulty in swallowing) (See Dryness): Antchsp-syst., Bell-syst., Metyro-syst., Oxyb-syst., **Risp-syst.**

excessive (See profuse).

dogs: Spa-syst.

drooling (See profuse).

increased (See profuse).

mice: Azel-nas.

profuse (sialorrhea; hypersalivation) (drooling; watering of the mouth): Album-syst., Almot-syst., AnthisP-syst., **Antm-syst.**, **Arip-syst.**, Bacl-intsyst., Benzod-syst., Beth-syst., Carbam-syst., **CarbidL-syst.**, CarbidEL-syst., Cev-syst., Cital-syst., Dihy-nassyst., Don-syst., Edr-syst., EdrA-syst., Gadob-syst., Gadop-syst., Gadov-syst., Gala-syst., **IodS-syst.**, Iodip-syst., Iot-syst., Iri-syst., **Levod-syst.**, Mal-top., **Metyro-syst.**, Neu-syst., Nico-nas., Ola-syst., Pantop-syst., Phenot-syst., **Phy-syst.**, **PotI-syst.**, Risp-syst., Riv-syst., Sertr-syst., Sild-syst., SodF-syst., SodI-syst., Tacri-syst., Vig-syst., VitMF-syst., **Zip-syst.**, Zop-syst.

adult and pediatric patients: Desf-inhsyst., **Sevo-inhsyst.**

mild: **Nico-syst.**

very fluid, and especially prevalent during sleep: **Cloz-syst.**

SANGRAMENTO (Ver Hemorragia).

SAPINHO (Ver Infecção, candidíase).

SECA: Acamp-syst., AlbMic-syst., **Almot-syst.**, Aman-syst., AmlodAt-syst. [Amlod-syst.], AmlodBen-syst., Amph-syst., **Anast-syst.**, AntandN-syst., **Antchsp-syst.**, AntdepMAO-syst., **AntdepMAO-syst.** [**Isocarboxazid**], AntdepT-syst., AnthemF-syst., **Anthis-syst.**, AnthisD-syst., AnthisDAG-syst., AnthisDAc-syst., AnthisP-syst., AntinfN-syst., **AppSupS-syst.**, **Aprac-oph.**, Arb-syst., **Arip-syst.**, ArsTr-syst., **Atom-syst.**, Atorv-syst., AtropB-syst., Azel-nas., Bacl-intsyst., Bals-syst., **Bell-syst.**, Benzod-syst., **Bevac-syst.**, **BotB-parloc.**, **Brim-oph.**, Bromo-syst., BronA-inhloc., BronA-syst. [Albuterol, Isoproterenol, Metaproterenol, Terbutaline], Buc-syst., **Bupro-syst.**, Busp-syst., Busu-syst., **Butor-nasyst.**, Cab-syst., CalcCBA-syst., **CarbidL-syst.**, CarbidEL-syst., Carbam-syst., Cefd-syst., Cele-syst., CetiP-syst. [Cetirizine], Cev-syst., Chlop-syst., **ChlordA-syst.**, Cisap-syst., **Cital-syst.**, **Clon-parloc.**, **Clon-syst.**, **ClonC-syst.**, Cloz-syst., **Cortic-inhloc.**, Cycli-syst.,

Cyclob-syst., *Cyclope-oph.*, **Darif-syst.**, *DauL-syst.*, *Desl-syst.*, **DeslP-syst.**, **Dexmet-syst.**, *DicM-syst.*, **Did-syst.**, *Dif-syst.*, **Dihy-nassyst.**, *Dipheni-syst.*, *DiphenoA-syst.*, **Diso-syst.**, *Dom-syst.*, *Dorz-oph.*, *Doxaz-syst.*, **Doxep-top.**, *Dron-syst.*, **Dul-syst.**, *EdrA-syst.*, *Efav-syst.*, *Ele-syst.*, **Enf-syst.**, *Enta-syst.*, **Esc-syst.**, *Eso-syst.*, **Esz-syst.**, *Etan-syst.*, **Fent-syst.**, *Fex-syst.*, *FexP-syst.*, **Flavox-syst.**, **Flum-syst.**, *Fluorq-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *For-inhloc.*, *Fro-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gemif-syst.*, *Glut-syst.*, *Glyc-syst.*, **Guanab-syst.**, *Guanad-syst.*, *Guane-syst.*, **Guanf-syst.**, **Hal-syst.**, *HistH2-syst.* [*Famotidine*; *Nizatidine*], **HydroI-syst.**, *HydroxT-oph.*, *IbupO-syst.*, **IntA-syst.**, **Ipr-inhloc.**, *Ipr-nas.*, *IprA-inhloc.*, **Isot-syst.**, *Ketot-syst.*, *Ltry-syst.*, *Lamo-syst.*, *Lef-syst.*, **Len-syst.**, *Leval-inhloc.*, *Levoc-oph.*, **Levod-syst.**, *Levom-syst.*, *Lope-orloc.*, **Lox-syst.**, **Mann-syst.**, **Map-syst.**, **Mecam-syst.**, *Mecl-syst.*, *Melo-syst.*, *Mem-syst.*, **Methy-syst.**, **MethyTD-syst.**, *Methylp-syst.*, *Meto-syst.*, *Metro-vag.*, *Mido-syst.*, **Miglu-syst.**, **Mir-syst.**, **Moc-syst.**, *Mod-syst.*, *Moe-syst.*, **Moli-syst.**, *Mont-syst.*, *Mor-syst.*, **Nab-syst.**, *Nef-syst.*, *Nico-nas.*, *Nico-syst.*, *Nitra-syst.*, **Ola-syst.**, *Omep-syst.*, *Ond-syst.*, *Opi-syst.*, *Oxc-syst.*, **Oxyb-syst.**, *Palo-syst.*, **Paro-syst.**, **PegiA2a-syst.**, *Perg-syst.*, **PerpA-syst.**, **Phenot-syst.**, *Phenox-syst.*, **Pimo-syst.**, **Prami-syst.**, *Prazo-syst.*, *PrazoP-syst.*, **Pre-syst.**, *Procar-syst.*, *Propa-syst.*, **Proti-syst.**, *Pyridos-syst.*, **Que-syst.**, **Rau-syst.**, *Rima-syst.*, **Risp-syst.**, **Riz-syst.**, *Ropin-syst.*, **Seleg-syst.**, **Sertr-syst.**, **Sib-syst.**, *Sild-syst.*, **Ske-syst.** [*Orphenadrine*], *SodBeSP-syst.*, **Sol-syst.**, *Sucr-orloc.*, *Tad-syst.*, *Teli-syst.*, *Telm-syst.*, *Testos-syst.*, *Thali-syst.*, *Thie-syst.*, **Thiox-syst.**, **Tiot-inhloc.**, **Tiz-syst.**, **Tolt-syst.**, *Tram-syst.*, *TramA-syst.*, **Traz-syst.**, **Tret-syst.**, *Trimetha-syst.*, *Trop-oph.*, **Tros-syst.**, **Ure-syst.**, *Vala-syst.*, *Valp-syst.*, *ValsH-syst.*, *Vard-syst.*, **Vasc-syst.**, **Ven-syst.**, *VitA-syst.*, *VitDA-syst.*, *Vor-syst.*, *Zale-syst.*, *Zic-syst.*, *Zip-syst.*, *Zolm-syst.*, *Zolp-syst.*, *Zon-syst.*, **Zop-syst.**

children, severe: **AnthisP-syst.**

elderly patients: *Aman-syst.*

electrolyte imbalance: *AngInH-syst.*

hypercalcemia: *CalcS-syst.*

mucous membranes, especially eyes and mouth: **Thiab-syst.**

renal dysfunction, patients with: *Aman-syst.*

severe: **Anthis-syst.** [*Azatadine*, *Clemastine*], **AnthisD-syst.**, **AnthisDAg-syst.**, **AnthisDAc-syst.** [*Pseudoephedrine*], **AnthisP-syst.**, **Dif-syst.**, **DiphenoA-syst.**

children: **AnthisP-syst.**

SECREÇÕES.

tracheobronchial, increased (increased salivation) (See LARYNX AND TRACHEA): **Keta-syst.**

SENSAÇÕES, como se.

burning feeling (See Pain, burning): **Dimer-syst.**
tongue.

abnormal: *Oxa-syst.*

unpleasant: **Clot-orloc.**

warmth in tongue and lips, feeling of: *SodC-parloc.*

SENSÍVEL (Ver Dor): **Chlorh-imploc.**

SÍNDROME BUCO-GLOSSAL: Ola-syst.

SÍNDROME DE TOURETTE (movimentos descontrolados da cabeça, pescoço, braços e pernas; movimentos ou sons vocais incontroláveis) (Ver Tiques): *Pemo-syst.*

TIQUES (Ver MENTAL, Gestos, tiques; FACE, Gestos).

motor or vocal (See Tourette's syndrome) (movements or vocal sounds that you cannot control): *Pemo-syst.*

TREMOR da língua (Ver Coréia; Discinesia; Espasmo).

fine-muscle, in tongue (shakiness): AntdepT-syst.

TUMOR.

hyperplasia.

gingival (bleeding, tender, or enlarged gums): **AntconH-syst., AntconH-syst.** [*Ethotoin*], Basil-syst., Chlorh-imploc., Cyclosp-syst., Myc-syst., Sir-syst.

children and young adults: **AntconH-syst.**

pyogenic granuloma (sore in mouth or on gums; bleeding from sore in mouth): *Isot-syst.*

ÚLCERAS ou feridas na boca (irritação ou feridas na boca): **Abac-syst., AbLam-syst., Acyc-syst., Allop-syst., Anast-syst., Antcoa-syst., AntfunA-syst.** [*Itraconazole*], *Aprep-syst., Atorv-syst., AtovaPro-syst., Azat-syst., Aztr-syst., BarbAn-syst.* [*Barbiturates*], *Cefd-syst., Cefu-syst., Cele-syst., Ceph-syst., Chloramb-syst., Cil-syst., Clar-syst., DecAn-syst.* [*Ibuprofen-containing combinations*], DicM-syst., Docet-syst., Doxor-syst., Dul-syst., EdD-syst., Eso-syst., Etan-syst., Fel-syst., Fluox-syst., Fosam-syst., Fosc-syst., Gab-syst., Gef-syst., HistH2-syst., HydroI-syst., Imm-syst., Indin-syst., Ketor-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., LopiR-syst., Mef-syst., Melo-syst., Mem-syst., Mero-syst., Minoc-mucloc., Nef-syst., Nev-syst., Omep-syst., Ose-syst., Paro-syst., PenicilB-syst., Pentosa-syst., Phenot-syst., Podof-top., Pre-syst., Pyrim-syst., Rabe-syst., Ritu-syst., Saq-syst., Sertr-syst., Sir-syst., SulfadP-syst., Tacro-syst., Tad-syst., Tamo-syst., Thali-syst., Tia-syst., Tiop-syst., Toc-syst., Topi-syst., Trimetr-syst., Tros-syst., Vac-syst., Vald-syst., Vari-syst., Ven-syst.

cold sores: IntA-syst.

gingiva: AntinfN-syst.

erosion, gum line (trouble with gums): *Fent-syst.*

mucous membranes, oral (sores in mouth and on lips): *SodF-syst., VitMF-syst.*

throat, and: Zalc-syst.

tongue: **Azac-syst.**

under: ErgolM-syst.

XEROSTOMIA (sede ou boca seca) (Ver Seca): *Atrop-oph., Hom-oph., Sco-oph., Tolc-syst.*

CAPÍTULO DENTES

ABCESSO, dentes (dor nos dentes ou gengivas): Estro-syst.

endodontic: Doxyc-mucloc.

periapical: Doxyc-mucloc.

AFROUXAMENTO: Doxyc-mucloc.

bone loss around tooth (looseness of tooth): Doxyc-mucloc.

falling out: Fent-syst.

BRUXISMO (apertar, cerrar ou ranger os dentes): **CarbidL-syst.**, *CarbidEL-syst.*, **Levod-syst.**, *Seleg-syst.*

CÁRIES, cariadados, esburacados (dor nos dentes): DauL-syst., *Fent-syst.*, **Minoc-mucloc.**

CERRADOS firmemente (Ver Bruxismo).

DESCOLORAÇÃO: *Clar-syst.*, *Niti-syst.*, *Teli-syst.*

black: SodF-syst., VitMF-syst.

brown: SodF-syst., VitMF-syst.

staining: **Chlorh-mucloc.**, *Iron-syst.*

dentures: **Chlorh-mucloc.**

in infants or childrens: **Tetr-syst.**

other mouth appliances: **Chlorh-mucloc.**

restorations (fillings): **Chlorh-mucloc.**

white: SodF-syst., VitMF-syst.

DESGASTADO, moído, quebrado (Ver Bruxismo): *Cital-syst.*, *Coc-mucloc.*

DOR, dor de dente em geral: *Cab-syst.*, *Cev-syst.*, **Chlorh-imploc.**, **Doxyc-mucloc.**, *Gadop-syst.*, **Minoc-mucloc.**, *Mont-syst.*, *Pime-top.*, *Risp-syst.*, *Testos-syst.*

sore, bruised: *IodS-syst.*, *PotI-syst.*, *SodI-syst.*

HEMORRAGIA.

gingiva (gums), when brushing teeth: **Antcoa-syst.**, *Hepar-syst.*, *Prota-syst.*

INFEÇÃO (gosto ruim na boca; secreção, vermelhidão ou inchaço das gengivas; mau hálito) (Ver Inflamação): Minoc-mucloc.

INFLAMAÇÃO (Ver Infecção; Irritação).

pulpitis (tooth or gum pain, severe or continuing): Doxyc-mucloc.

IRRITAÇÃO ou injúria (Ver Inflamação; Lesão): **Nico-syst.**

dental work, to: **Nico-syst.**

LESÃO (Ver Irritação).

periapical: *Doxyc-mucloc.*

QUEDA (Ver Afrouxamento).

RIGIDEZ: SodF-syst., VitMF-syst.

SANGRAMENTO (Ver Hemorragia).

SENSÍVEL.

pressure, to: **Doxyc-mucloc.**

thermal (sensitivity of tooth to heat or cold): *Doxyc-mucloc.*

TRANSTORNOS, anormalidades, problemas com os dentes: *Amph-syst., AntdepT-syst., AntdepT-syst. [Clomipramine], Cele-syst., Cev-syst., Gab-syst., Iba-syst., Minoc-mucloc., Nico-inhsyst., Orl-orloc., Paro-syst., Pio-syst., Rep.syst., Teri-syst.*

CAPÍTULO GARGANTA

ABSCCESSO (Ver Supuração).

peritonsillar (sore throat, tender glands of jaw and throat, facial swelling, drooling, headache, fever, hoarseness): *Ose-syst.*

ANESTESIA, orofaringe: *Benzon-syst.*

ASFIXIA, constrição (Ver Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução): *Cev-syst.*, **FlutS-inhloc.**, *Ioxa-syst.*, *TecSul-syst.*

COMICHÃO, prurido: *Cortic-nas. [Budesonide]*

COMPRESSÃO, garganta (Ver Asfixia; Constrição; Deglutição difícil; Espasmo; Estenose; Estreitamento; Obstrução).

CONSTRIÇÃO, sensação de (Ver Asfixia; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução): **Dimer-syst.**, *Gla-syst.*

DEGLUTIÇÃO, engolindo.

difficult (dysphagia): *Adal-syst.*, *Alend-syst.*, *Amsa-syst.*, *AntinfN-syst.*, *AntdepT-syst.*, *AntfunA-syst.* [*Itraconazole*], *Atorv-syst.*, **Azac-syst.**, *BisSMT-syst.*, *BotA-parloc.*, *BotB-parloc.*, *Capec-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Carm-imploc.*, *Cele-syst.*, *ChlH-syst.*, *Clar-syst.*, *Cyp-syst.*, *Dacti-syst.*, *Dant-syst.*, *DauL-syst.*, **Den-syst.**, *DicM-syst.*, *Dihy-nassyst.*, *Docet-syst.*, *DoxorL-syst.*, *Doxyc-syst.*, *Dut-syst.*, *Ele-syst.*, *EmtT-syst.*, *Etan-syst.*, **Ethan-parloc.**, *Fluda-syst.*, *Fluorq-syst.*, *Glut-syst.*, *Gold-syst.*, **Hal-syst.**, *Hyalur-parloc.*, *HydroI-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *InsD-syst.*, *Lamo-syst.*, **Levod-syst.**, **Lox-syst.**, *Melo-syst.*, *Mem-syst.*, *Meto-syst.*, **Natal-syst.**, **Ola-syst.**, *Opr-syst.*, *Oxa-syst.*, **Peme-syst.**, *PenteC-syst.*, **PerpA-syst.**, **Phenot-syst.**, *Pil-syst.*, *Pimo-syst.*, *Por-syst.*, *Prami-syst.*, **Praml-syst.**, *Pre-syst.*, *Procar-syst.*, *Ril-syst.*, *Rise-syst.*, **Risp-syst.**, *Riz-syst.*, *Ropin-syst.*, **Sir-syst.**, *Sor-syst.*, *Sta-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *Sum-syst.*, *Tad-syst.*, *Teli-syst.*, *Tem-syst.*, *Teno-syst.*, *Terb-syst.*, *Thie-syst.*, *Tiot-inhloc.*, **Thiox-syst.**, *Tiz-syst.*, **TosI-syst.**, *TramA-syst.*, *Vard-syst.*, **Zole-syst.**, *Zolm-syst.*

without other symptoms of nitritoid or allergic reaction: *Gold-syst.*

odynophagia: **Peme-syst.**

trouble in: **AbLam-syst.**, *CalcCBA-syst.* [*Flunarizine*], *Carm-syst.*, *IntG-syst.*, *Ond-syst.*, **Phenot-syst.**, *Prazi-syst.*, *Que-syst.*, *Serm-syst.*

DESCOLORAÇÃO.

redness, base of neck: *Van-syst.*

DESCONFORTO (Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução): *Cortic-nas. [Triamcinolone]*, *Sum-syst.*, *Zolm-syst.*

DISFAGIA (Ver Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

DOR na garganta: **Aden-syst.**, *Benzod-syst.* [*Diazepam*], **Dimer-syst.**

burning: Colc-syst., **IodS-syst.**, **PotI-syst.**, *Seleg-syst.*, *SodI-syst.*

epigastric: Melo-syst.

esophagus: *Alend-syst.*

odynophagia: **Peme-syst.**

pharynx: *CarbidEL-syst.*

pharyngolaryngeal (sore throat): *Aprep-syst.*, **Dexmet-syst.**, **Dul-syst.**

sore: **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, **Abar-syst.**, *Acyc-syst.*, **Adal-syst.**, *Alfuz-syst.*, *Allop-syst.*, *Amio-syst.*, **Anak-syst.**, *Anast-syst.*, *AntinfN-syst.*, **AntandN-syst.**, **AntconH-syst.**, *AntfunA-syst.* [*Itraconazole*], *Aprep-syst.*, *ArsTr-syst.*, *Atorv-syst.*, **AtovaPro-syst.**, **Azac-syst.**, *Barb-syst.*, *BarbAn-syst.* [*Aspirin*], **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, *Calcit-nassyst.*, *Cand-syst.*, *Carbam-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, **Cele-syst.**, *Ceph-syst.*, *Chloramp-oph.*, *Chloramp-syst.*, *Cil-syst.*, *Cital-syst.*, *Clar-syst.*, **Clofar-syst.**, **Clop-syst.**, *Cortic-nas.*, *Cys-syst.*, *Danaz-syst.*, *Daps-top.*, **Darb-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Del-syst.**, *Desm-syst.*, *DicM-syst.*, *Dihy-nassyst.*, *DiphTTH-syst.*, *Docet-syst.*, *Dof-syst.*, *Don-syst.*, **Dorn-inhloc.**, *Doxaz-syst.*, *Doxyc-mucloc.*, **DrosE-syst.**, *Dul-syst.*, **Epina-oph.**, **Epoe-syst.**, *Eso-syst.*, **EstroP-syst.**, **Etan-syst.**, **Eton-vag.**, *Exem-syst.*, **Ezet-syst.**, *EzetS-syst.*, *Fel-syst.*, *Fex-syst.*, *FexP-syst.*, *Fluox-syst.*, *Flut-inhloc.*, **FlutS-inhloc.**, *Fluv-syst.*, **For-inhloc.**, *Fosam-syst.*, *Gab-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gals-syst.*, *Gef-syst.*, **GlipM-syst.**, **GlybM-syst.**, **GroH-syst.**, *HepatAVI-syst.*, *HepatAVIHB-syst.*, *HistH2-syst.*, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, *Imm-syst.*, *Indin-syst.*, **Infli-syst.**, *IntB1a-syst.*, **Ipr-inhloc.**, *Isot-syst.*, *Ketor-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, **Lar-syst.**, *Lat-oph.*, *Lef-syst.*, **Len-syst.**, *LopiR-syst.*, *Los-syst.*, *LosH-syst.*, *Lut-syst.*, *Lym-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, **MetfP-syst.**, *Nalt-syst.*, **Natal-syst.**, **Nate-syst.**, **Nev-syst.**, **Nico-syst.**, **NoreE-syst.**, *Olm-syst.*, **OlmH-syst.**, **Oma-syst.**, *Omep-syst.*, **Orl-orloc.**, *Ose-syst.*, **Oxa-syst.**, **Oxc-syst.**, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, *Penic-syst.*, *PenicilB-syst.*, **Pime-top.**, **Pio-syst.**, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ram-syst.*, **Rep-syst.**, *Risp-syst.*, *Ritu-syst.*, **Rof-syst.**, **RosiM-syst.**, *RubeM-syst.*, *RubeV-syst.*, *Sertr-syst.*, **Sir-syst.**, *SulfadP-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Telm-syst.*, **TelmH-syst.**, *TetrPF-mucloc.*, **Til-syst.**, *Tinz-syst.*, **Tiot-inhloc.**, *Tiz-syst.*, **Tolc-syst.**, *Topi-syst.*, *Tram-syst.*, **Tret-syst.**, *Trimethop-syst.*, *Tros-syst.*, **Urs-syst.**, *Vac-syst.*, **Vald-syst.**, *Vals-syst.*, *Vari-syst.*, *Ven-syst.*, **Zole-syst.**

adult and pediatric patients: *Desf-inhsyst.*

females: **Meno-syst.**

fever, and: *Pli-syst.*

chills, and: *Lamo-syst.*, *Mef-syst.*

ERUPÇÕES.

hives (raised red swellings in the throat): *Anest-parloc.*

rash, base of neck: *Van-syst.*

ESCARRO.

discoloration of sputum, reddish-orange to reddish-brown: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**

increased production (increased mucous in throat and lungs (See CHEST; GENERALITIES): *For-inhloc., Nico-nas.*

infiltrates on chest x-ray and acid-fast bacilli in sputum: *JapV-syst.*

ESFÍNCTER gastroesofágico, relaxamento do: *BronT-syst. [Aminophylline, Oxtriphylline, Theophylline]*

ESÔFAGO.

blockage, esophageal: *Lax-loc.*

esophageal reaction (e.g., new or worsening dysphagia, pain on swallowing, retrosternal pain, or heartburn): *Iba-syst.*

esophagopharyngitis (heartburn): *Flox-syst., Fluoru-syst.*

hernia, hiatal (heartburn; vomiting): *Cele-syst.*

irritation: *Alend-syst.*

necrosis of the esophagus.

intramural, severe: *Ethan-parloc.*

pain: *Alend-syst.*

perforation, esophageal (chest pain; troubled breathing; swelling of the neck; vomiting): *Cele-syst., Ethan-parloc., Por-syst.*

stricture, esophageal (See Stricture of esophagus): *Ethan-parloc.*

ulceration: *Alend-syst.*

varices: *Busu-syst.*

ESPASMO, constrição espasmódica (Ver Asfixia; Constrição; Deglutição; Estenose; Estreitamento; Obstrução): *Gadop-syst., Gadov-syst.*

ESTENOSE do esôfago (Ver Asfixia; Compressão; Constrição; Deglutição difícil; Espasmo; Estreitamento; Obstrução): *Ethan-parloc.*

ESTREITAMENTO, sensação de (aperto ou pressão na garganta) (Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Obstrução): *Acetyl-syst., Agal-syst., Nar-syst., Proti-syst., Zan-inhsyst.*

FERIDA, úlcera na garganta (Ver Dor).

GLOBO histérico (Ver Grumo).

GRUMO (caroço, nó, tampão), sensação de: *CarbonAI-syst.*

globus hystericus: *Sum-syst.*

HEMORRAGIA.

esophageal (abnormal bleeding): *Cil-syst.*

pharyngeal (blood in throat; cough up blood): Tene-syst.

INCHAÇO: AntvCPol-syst., AntvM.-syst., Iron-syst., TecSul-syst.

angioedema, or angioneurotic edema (large, hive-like swellings in throat): Anest-mucloc., AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., AtovaPro-syst., Cand-syst., CandH-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., Cital-syst., DiphtTTH-syst., Dof-syst., Dorz-oph., Doxyc-syst., Dul-syst., Etan-syst., Ezet-syst., EzetS-syst., Gab-syst., Gals-syst., Gef-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Hyalur-parloc., **Ibr-syst.**, Imiq-top., IodS-syst., Irb-syst., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mero-syst., Moe-syst., MoeH-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Nis-syst., Ofl-ot., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., PotI-syst., Rabe-syst., Rifax-orloc., Ril-syst., Rise-syst., Risp-syst., **Ritu-syst.**, Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., SodI-syst., Tamo-syst., Telm-syst., TelmH-syst., Tene-syst., Tini-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., Vald-syst.

glottis: EnaF-syst.

oropharynx (swelling of throat): JapV-syst.

esophagus: **Por-syst.**

laryngeal/pharyngeal (coughing; difficulty in breathing; difficulty in swallowing; hoarseness; shortness of breath; slow or irregular breathing; tightness in chest; wheezing): Infli-syst.

orolingual (swelling of the mouth or throat; tightness in throat; trouble breathing): IntBla-syst.

oropharyngeal (swelling of the mouth or throat; tightness in throat; trouble in breathing): BronA-syst., Flut-inhloc., IprA-inhloc., Zan-inhsyst., Flut-inhloc., IprA-inhloc., Zan-inhsyst.

pharynx (shortness of breath): Gat-oph., Metyro-syst.

INFECCÃO (Ver Inflamação): **Lami-syst.**, Zan-inhsyst.

candidiasis (white patches in the throat): Anid-syst., **Basil-syst.**, FlutS-inhloc., Tini-syst.

esophageal (pain or burning in chest): Capec-syst., Cortic-inhloc.

Kaposi's sarcoma patients: **DoxorL-syst.**

oral (sore mouth or tongue; white patches in mouth and/or on tongue, or in folds of skin, including the genitals; creamy white, curd-like patches in mouth or throat; pain when eating or swallowing): Acit-syst., Alemt-syst., Anid-syst., AnthyGR-syst., ArsTr-syst., **Basil-syst.**, Capec-syst., Cefd-syst., **Ceph-syst.**, Clar-syst., **Clofar-syst.**, Ert-syst., Eryts-syst., Fluorq-syst., FlutS-inhloc., Gla-syst., Gri-syst., Infli-syst., Line-syst., Mom-inhloc., Mom-nas., Myc-syst., **Opr-syst.**, **PacP-syst.**, **Penicil-syst.**, PenicilB-syst., **Por-syst.**, QuinuD-syst., **Sir-syst.**, Teli-syst., TetrPF-mucloc., Tini-syst., Tiot-inhloc.

oropharyngeal (white patches in mouth or throat; creamy white, curd-like patches in mouth or throat; pain when eating or swallowing): Cortic-inhloc., **Flut-inhloc.**

pharyngeal (white patches inside nose or throat): *Cortic-nas.*, *Flut-nas.*
ear and nose, with: **Lami-syst.**
moniliasis, oral (See candidiasis).
severe: *Doxor-syst.*

INFLAMAÇÃO (Ver Irritação).

esophagus (esophagitis) (difficulty in swallowing; pain or burning in throat; chest pain; heartburn; vomiting; sores, ulcers, or white spots on lips or tongue or inside the mouth): *Adal-syst.*, *AmlodBen-syst.*, *AntinfN-syst.*, *Atorv-syst.*, *Busu-syst.*, *Capec-syst.*, *Cele-syst.*, *Cil-syst.*, *Cyt-syst.*, **Dacti-syst.**, **Dau-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Docet-syst.*, **Doxor-syst.**, *Doxyc-syst.*, **Epir-syst.**, *Fluda-syst.*, *HydroI-syst.*, *Iba-syst.*, *Isot-syst.*, *Lamo-syst.*, *Melo-syst.*, **Peme-syst.**, *Pentosa-syst.*, *Pil-syst.*, *Rise-syst.*, *Sild-syst.*, **Sir-syst.**, *Tad-syst.*, *Vard-syst.*, *Vino-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

ulcerative (chest pain; heartburn): *Fludro-syst.*, *Spi-syst.*

mucous membranes (mucositis) (irritation of mouth; swelling or inflammation of the mouth; sores, ulcers, or white spots on lips, tongue, or inside mouth; cracked lips; diarrhea; difficulty in swallowing): *Alemt-syst.*, **Amsa-syst.**, *Busu-syst.*, *Carbopl-syst.*, **Clofar-syst.**, *DauL-syst.*, *Doxor-syst.*, *DoxorL-syst.*, **Epir-syst.**, *Fluda-syst.*, **Gemt-syst.**, **Ida-syst.**, **Iri-syst.**, *Melp-syst.*, **Mitox-syst.**, *Oxa-syst.*, *Pac-syst.*, **PacP-syst.**, **Pegf-syst.**, *Peme-syst.*, **Ras-syst.**, *Sor-syst.*, **Teni-syst.**, **Tret-syst.**, **Zole-syst.**

contact (inflammation of mucous membranes): *Amllex-mucloc.*

decreased: *ColSF-syst.*

grade 4: *Epir-syst.*

resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

pharynx (pharyngitis) (flu-like symptoms; body aches or pain; congestion; cough; dryness or soreness of throat; fever; hoarseness; irritation of nose, throat, and/or upper chest area; runny nose; tender, swollen glands in neck; trouble in swallowing; voice changes; trouble in speaking): *Acit-syst.*, **Agal-syst.**, *Alef-syst.*, *Alemt-syst.*, *Alfuz-syst.*, *Almot-syst.*, **AmlodAt-syst.** [*Atorvastatin*], *AmlodBen-syst.*, **Anast-syst.**, **Anthis-syst.** [*Desloratadine*], *Aprac-oph.*, *Arip-syst.*, **Azac-syst.**, *Azel-nas.*, *Azel-oph.*, *Bals-syst.*, **Basil-syst.**, *BetBA-oph.* [*Levobetaxolol*], **Bex-top.**, **BotA-parloc.**, *Brim-oph.*, *Brin-oph.*, **Bupro-syst.**, *Busu-syst.*, *Cand-syst.*, *Carv-syst.*, *Cefd-syst.*, **Cele-syst.**, *CetiP-syst.* [*Cetirizine*], *Chlorh-imploc.*, **Cil-syst.**, *Colesev-orloc.*, **ConjE-syst.**, **Cortic-inhloc.**, *Dacti-syst.*, *Daps-top.*, *Darif-syst.*, *Del-syst.*, **Den-syst.**, **Desl-syst.**, *DeslP-syst.*, *Dic-top.*, **Dihy-nassyst.**, *Dipy-syst.*, *Docet-syst.*, *Don-syst.*, *DorzT-oph.*, **DoxorL-syst.**, *Epina-oph.*, **Epoe-syst.**, *Ert-syst.*, **Estro-syst.**, **Etan-syst.**, *Exem-syst.*, *Ezet-syst.*, *Gab-syst.*, *Gals-syst.*, *Gemif-syst.*, **Gemt-syst.**, *Glut-syst.*, *Gold-syst.*, **Fluda-syst.**, **Flut-nas.**, *Fome-syst.*, *For-inhloc.*, *Fosf-syst.*, **Ful-syst.**, *HepatAVI-syst.*, *HistH2-syst.* [*Nizatidine*], *HydroI-syst.*, *Iba-syst.*, *IbupO-syst.*, *Infli-syst.*, **IntA1-syst.**, *Ipr-nas.*, *Ketot-oph.*, *Lef-syst.*, **Len-syst.**, **Leval-inhloc.**, **Leve-syst.**, *Levoc-oph.*, *Levof-oph.*, **Lot-oph.**, *Lym-syst.*, *Mero-syst.*, *MethotNC-syst.*, *Minoc-mucloc.*, **Mitox-syst.**, *Mod-syst.*, **Mom-inhloc.**, **Mom-nas.**

Repertório - Capítulo GARGANTA

Mox-oph., Mup-nas., Nalm-syst., **Nef-syst.**, Nico-nas., Nis-syst., Ofl-ot., Ola-syst., Olm-syst., **Olo-oph.**, **Oma-syst.**, Oxa-syst., Oxc-syst., Pantop-syst., Paro-syst., **PegiA2b-syst.**, **Peme-syst.**, **Penta-inh.**, Pentosa-syst., Pentost-syst., **Pio-syst.**, Praml-syst., Que-syst., **Ralo-syst.**, Rime-oph., Rise-syst., **Risp-syst.**, Riton-syst., Ropin-syst., **Rosu-syst.**, Sild-syst., **SodO-syst.**, Sol-syst., Tad-syst., Teli-syst., Telm-syst., TelmH-syst., Tem-syst., **Teri-syst.**, **Tia-syst.**, Til-syst., Tini-syst., Tiop-syst., **Tiot-inhloc.**, **Tiz-syst.**, Topi-syst., **Tosl-syst.**, **Urs-syst.**, **Valp-syst.**, ValsH-syst., Vard-syst., Vari-syst., Ver-parloc., Zic-syst.

adults: **Desf-inhsyst.**

esophagopharyngitis (heartburn): Flox-syst., **Fluoru-syst.**

for patients treated for female infertility: **FollitA-syst.**

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: **FollitA-syst.**

nasopharyngitis (cough; stuffy or runny nose; muscle aches; unusual tiredness or weakness; fever; sore throat; headache): ArsTr-syst., **Azac-syst.**, **Bos-syst.**, Daps-top., **Dul-syst.**, **Estro-syst.**, Fex-syst., **Flut-inhloc.**, Iba-syst., Ima-syst., **Len-syst.**, **Pime-top.**, Tram-syst.

streptococcal (body aches or pain; congestion; cough; dryness or soreness of throat; fever; hoarseness; runny nose; tender, swollen glands in neck; trouble in swallowing; voice changes): **Pime-top.**

ulcerative (sores in throat): Clod-syst.

stomatitis (ulcers, sores, or white spots in mouth or throat) (See MOUTH, Inflammation.): **Gold-syst.**

tonsils (tonsillitis) (trouble in swallowing; congestion; fever; sore throat; swollen glands): Flut-inhloc., **Natal-syst.**, For-inhloc., **Pime-top.**

IRRITAÇÃO (Ver Inflamação): Acetyl-inh., **Cortic-inhloc.**, **Cortic-nas.** [**Beclomethasone**, **Flunisolide**], **Crom-inhloc.**, Dorz-oph., Gadop-syst., Flut-nas., **Ibr-syst.**, Lax-loc., Ned-inhloc., **Nico-inhsyst.**, **Nico-nas.**, Riton-syst., **Ritu-syst.**

contact, of the alimentary tract (continuing abdominal or stomach pain, cramping, or soreness; chest or throat pain, especially when swallowing; stools containing fresh or digested blood): PotS-syst.

esophagus: Alend-syst.

oropharyngeal (irritation of throat or mouth): BronA-inhloc.

MANCHAS BRANCAS na garganta: Antcoa-syst.

NASOFARINGITE (Ver Inflamação, faringe, nasofaringite; NARIZ, Nasofaringite).

OBSTRUÇÃO, bloqueio (Ver Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento).

airway: **Calf-intloc.**

esophageal: Lax-loc.

OROFARINGE.

disorder (lump in throat; tightness in throat): Paro-syst.

PERFURAÇÃO esofágica (dor no peito; problema respiratório; inchaço do pescoço; vômitos) (Ver Esôfago): *Cele-syst.*, *Ethan-parloc.*, *Por-syst.*

PESO, sensação de: **Nar-syst.**

PRESSÃO na garganta (Ver Ver Asfixia; Constrição; Deglutição; Espasmo; Estenose; Estreitamento; Obstrução).

REFLUXO gastroesofágico (azia; vômito): *BronT-syst.*

SANGRAMENTO (Ver Hemorragia).

SAPINHO (Ver Infecção, candidíase).

SECURA: *Aman-syst.*, **Antchsp-syst.**, **Anthis-syst.**, *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *AtropB-syst.*, **Bell-syst.**, *BronA-inhloc.*, *Buc-syst.*, **Cortic-inhloc.**, **Crom-inhloc.**, *Cycli-syst.*, **Diso-syst.**, *Gab-syst.*, **Flavox-syst.**, *Flut-nas.*, *Ipr-nas.*, *Leval-inhloc.*, *Mecl-syst.*, *Mom-inhloc.*, **Oxyb-syst.**, *Sol-syst.*, *Thie-syst.*, *Tros-syst.*

children, severe: *AnthisP-syst.*

elderly patients: *Aman-syst.*

renal dysfunction, patients with: *Aman-syst.*

severe: *Anthis-syst.* [Azatadine, Clemastine], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.* [Pseudoephedrine], *AnthisP-syst.*, *Dif-syst.*, *DiphenA-syst.*

children: *AnthisP-syst.*

SENSAÇÕES, como se.

burning feeling: *Colc-syst.*, **Dimer-syst.**

choking, feeling of: *CarbonAI-syst.*

constriction, feeling of (See Constriction, sensation of.)

lump, feeling of (See Lump, sensation of).

pain, feeling, of: **Dimer-syst.**

SÍNDROME DA DISESTESIA FARINGOLARINGEA AGUDA (sensações subjetivas de disfagia ou dispnéia, sem qualquer laringoespasma ou broncoespasma): *Oxa-syst.*

SUPURAÇÃO.

peritonsillar (sore throat, tender glands of jaw and throat, facial swelling, drooling, headache, fever, hoarseness): *Ose-syst.*

TONSILAR, hipertrofia: **Mecas-syst.**

TRANSTORNOS DO TRATO RESPIRATÓRIO (tosse, espirros, dor de garganta, nariz entupido ou coriza): **Tret-syst.**

Repertório - Capítulo GARGANTA

ÚLCERAS ou feridas na garganta: *Antcoa-syst.*, *Busp-syst.*, **Butor-nasyst.**, *Doxor-syst.*, *Fosc-syst.*

esophagus (chest pain, discomfort, or burning; difficulty swallowing; pain with swallowing; vomiting blood): *Alend-syst.*, *AntinfN-syst.*, **AntinfN-syst.** [**Floctafenine**], *DicM-syst.*, *Doxyc-syst.*, **Ethan-parloc.**, *Isot-syst.*, *Rise-syst.*
mouth, and: *Zalc-syst.*

VARIZES.

esophageal: *Busu-syst.*

CAPÍTULO GARGANTA EXTERNA

ALARGAMENTO da gordura dorso-cervical (corcunda de búfalo): *Fosam-syst.*

APERTO no pescoço, sensação de (Ver Contraído; Distonia; Dureza; Espasmo; Esticado; Músculos; Pescoço; Peso; Plenitude; Pressão; Tensão): **Nar-syst., Riz-syst., Sum-syst., Zolm-syst.**

BÓCIO ou mixedema (sensibilidade ou inchaço do pescoço; inchaço da parte anterior do pescoço; alterações dos períodos menstruais; habilidade sexual diminuída em mulheres; pele seca, inchada; sensação de frio; ganho de peso incomum) (Ver Hipotireoidismo; Tireóide, Glândula): *Aminglut-syst., AminsSod-syst., Anthyr-syst., Ethi-syst., IntB1b-syst., Oct-syst., SulfadP-syst., Sulfap-syst., Sulfo-syst., SulfoT-syst.*

CALOR.

flashes, flushing (feeling of warmth and redness of the neck): *Amif-syst., AmlodBen-syst., AmylN-syst., Atom-syst., Bos-syst., CarbidEL-syst., Clofar-syst., Dexmet-syst., Doxaz-syst., Dul-syst., Ele-syst., Epop-syst., Estro-syst., Fenol-syst., FexP-syst., Fro-syst., Gemif-syst., HepatAVIHB-syst., Histr-syst., Ibr-syst., Ilo-inh., Imm-syst., Mica-syst., Moc-syst., Nia-syst., Nitra-syst., Oxa-syst., Oxc-syst., Palo-syst., Sor-syst., TecF-syst., Teg-syst., Teli-syst., Tram-syst., TramA-syst., Trep-syst., Trip-syst., ValsH-syst., Vard-syst.*

associated with alcohol use: *Pime-top.*

females (feeling of warmth; redness of the neck; sudden sweating): *Meno-syst., Tamo-syst.*

prolongued: *CortO-systdia.*

severe: *CortO-systdia.*

transient: *CortO-systdia.*

CONTRAÍDO (Ver Aperto).

neck: *Mal-top.*

CUSHINGÓIDE, ESTADO, desenvolvimento do (aumento dos depósitos de gordura no pescoço) (Ver Ver RINS; GENERALIDADES): *Fludro-syst.*

DESCOLORAÇÃO.

blue-gray coloring of skin on neck: *Amio-syst.*

patients with fair skin or with excessive sun exposure: *Amio-syst.*

redness.

neck: *Amif-syst., Nia-syst.*

thyroid glands: *Doxyc-syst.*

DISTONIA (espasmo dos músculos do pescoço) (Ver Aperto; Espasmo).

cervical: *BotB-parloc.*

DOR.

neck: *Almot-syst., AmphiB-syst., ArsTr-syst., BotA-parloc., BotB-parloc., Carm-imploc., Dic-top., Estro-syst., Gla-syst., HepatBVR-syst., Histr-syst., Pantop-syst., Pyridos-syst., Rosu-syst., Tad-syst., Teri-syst., Tiz-syst., Tolc-syst., TosI-syst., Tram-syst., Valp-syst., Vard-syst., Zic-syst.*

jaw, and: *Nico-inhsyst.*

muscles: Ipe-orloc.

sore.

neck: *Seleg-syst.*

DUREZA (Ver Aperto).

neck: *Almot-syst., Atorv-syst., Cele-syst., Cil-syst., HepatBVR-syst., Mur-syst., Seleg-syst., Vac-syst., Valp-syst., Zic-syst.*

irritation, meningeal (stiffness of neck): **Iopa-syst.**

muscles: Ipe-orloc.

ERUPÇÕES.

pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk):
Penic-syst.

ESPASMO (Ver Aperto).

dystonia (spasm of the muscles of the neck): *Drop-syst.*

cervical: **BotB-parloc.**

neck (unusual postures): *AnthisD-syst. [Promethazine], Hal-syst., Lox-syst., Meto-syst., Moli-syst., Ola-syst., PerpA-syst., Phenot-syst., Pimo-syst., Risp-syst., Thie-syst., Thiox-syst.*

ESTICADO (Ver Aperto).

hyperextension of the neck: *Alpr-syst., Thie-syst.*

FRAQUEZA.

muscles, neck: Ipe-orloc.

FRATURA, compressão vertebral (fratura no pescoço ou costas): *Fludro-syst.*

HIPERTIREOIDISMO (alterações no apetite. alterações em períodos menstruais. dor no peito; diarreia; aumento da frequência cardíaca; batimento cardíaco rápido ou irregular; febre; tremor nas mãos; dor de cabeça; insônia; irritabilidade; câibras nas pernas; alterações no humor. fraqueza muscular; nervosismo. inquietude; sensibilidade ao calor; transpiração; falta de ar; dificuldade em dormir; vômitos; pele quente, suave e úmida; perda de peso) (Ver Tireóide, Glândula): *Amio-syst., Den-syst., IntBla-syst., IntA-syst., Pam-syst., PegiA2b-syst., ThyH-syst.*

HIOPARATIREOIDISMO (diminuição da secreção do hormônio da paratireóide):
Cinac-syst.

HIPOTIREOIDISMO (alterações nos períodos menstruais; desajeitado; constipação; diminuição da capacidade sexual em homens; humor deprimido. sonolência; pele e cabelo secos; pele seca e úmida; perda de cabelo; dor de cabeça; rouquidão ou voz rouca; apatia; perda do apetite; dores musculares, câibras e rigidez; sensibilidade ao frio; sonolência; bradicardia; cansaço; fraqueza; bócio [inchaço na parte anterior do pescoço]; ganho de peso) (Ver Bócio; Tireóide, Glândula): **Aldes-syst.**, *Aminglut-syst.*, *Amio-syst.*, **Anthyr-syst.**, **Bex-syst.**, **CholAO-syst.**[*Ipodate*], *Den-syst.*, *Ethi-syst.*, **GroH-syst.**, *IntA1-syst.*, *IntB1a-syst.*, *IntA-syst.*, **IodS-syst.**, *Lit-syst.*, *Nitrop-syst.*, **Oct-syst.**, *PegiA2a-syst.*, *PegiA2b-syst.*, **PotI-syst.**, *Que-syst.*, *Sertr-syst.*, **SodI-syst.**, **SodI131-systthe.**, *Sor-syst.*, *Tiz-syst.*, **TosI-syst.**

acquired (constipation; depressed mood; dry skin and hair; feeling cold; hair loss; hoarseness or husky voice; muscle cramps and stiffness; slowed heartbeat; weight gain; unusual tiredness or weakness): **Len-syst.**

INCHAÇO (Ver Inflamação).

neck: *Azith-syst.*, *Lit-syst.*, *Moc-syst.*

INFLAMAÇÃO.

thyroiditis (swelling of neck): *Imiq-top.*

radiation (neck tenderness or swelling or sore throat): *SodI131-systthe.*

parotitis (swollen glands on side of face or neck): *Chlorh-mucloc.*, **MeaRV-syst.**, **MeaMRV-syst.**, **RubeM-syst.**, *RubeV-syst.*

LESÕES.

fractures, vertebral compression (fractures in the neck or back): *Fludro-syst.*

LINFADENOPATIA (inchaço dos gânglios do pescoço): *HepatAVI-syst.*, *HepatBVR-syst.*, **MeaRV-syst.**, *MeaV-syst.*, **MeaMRV-syst.**

cervical (swollen glands on side of neck following DTP injections into arm): *DiphTTPV-syst.*

MIXEDEMA (Ver Bócio).

MOVIMENTOS do pescoço, incontroláveis (Ver Distonia; Espasmos; Músculos; Pescoço): **Arip-syst.**, *Carbam-syst.*, *CarbidEL-syst.*, *Moc-syst.*, *Sertr-syst.*, **Zip-syst.**

twisting: *Ond-syst.*

MÚSCULOS do pescoço.

contraction (See Stiffness): *FentD-syst.* [*Alfentanil*]

pain: Ipe-orloc.

paralysis: Ipe-orloc.

spasms (See Spasms).

stiffness: Ipe-orloc.

weakness: Ipe-orloc.

PARATIRÓIDE.

disorder (bone fractures; confusion; constipation; dry skin; hair loss; headache; increased thirst; increased urination; loss of appetite; muscle cramps or spasms; nausea; seizures; trouble thinking; vomiting): Adal-syst.
hypoparathyroidism (decrease the secretion of parathyroid hormone): **Cinac-syst.**

PARÓTIDA, GLÂNDULA.

inflammation (swollen glands on side of face or neck): Chlorh-mucloc., **MeaRV-syst.**, **MeaMRV-syst.**, **RubeM-syst.**, RubeV-syst.

PESCOÇO.

hyperextension of the neck: Alpr-syst., Thie-syst.
movements, uncontrolled: Moc-syst., Seleg-syst.
rigid (severe muscle stiffness) (See Stiffness): Almot-syst., Atorv-syst., Cil-syst.
rounding: Flut-inhloc., **Sir-syst.**

PESO no pescoço (Ver Aperto): **Nar-syst.**, **Riz-syst.**, Sum-syst., **Zolm-syst.**

PLENITUDE do pescoço (Ver Aperto): Cortic-nas., Flut-inhloc., **Sir-syst.**

PRESSÃO no pescoço (Ver Aperto): **Nar-syst.**, **Riz-syst.**, Sum-syst., **Zolm-syst.**

TENSÃO no pescoço (Ver Aperto): Nar-syst.

TIREÓIDE, GLÂNDULA.

enlargement (swelling of neck): Iodoq-orloc.
function abnormalities or disturbances (swelling of front part of neck): **RibaI-syst.**, SulfadP-syst., Sulfap-syst., Sulfo-syst., SulfoT-syst.

asymptomatic: **RibaI-syst.**

hyperthyroid state, exaggerated, following treatment of hyperthyroidism (excessive sweating, fast heartbeat, fever, palpitations, unusual irritability or unusual tiredness): SodiI31-systthe.

hyperthyroidism (changes in appetite; changes in menstrual periods; chest pain; diarrhea; increased heart rate; fast or irregular heartbeat; fever; hand tremors; headache; insomnia; irritability; leg cramps; mood swings; muscle weakness; nervousness; restlessness; sensitivity to heat; sweating; shortness of breath; sweating; tremors; trouble in sleeping; vomiting; warm, smooth, moist skin; weight loss): Amio-syst., Den-syst., IntB1a-syst., IntA-syst., **Pam-syst.**, PegiA2b-syst., ThyH-syst.

hypothyroidism (changes in menstrual periods; clumsiness; coldness; constipation; decreased sexual ability in males; depressed mood; drowsiness; dry skin and hair; dry, puffy skin; hair loss; headache; hoarseness or husky voice; listlessness; loss of appetite; muscle aches; muscle aches, cramps and stiffness; sensitivity to cold; sleepiness; slowed heartbeat; tiredness; weakness; goiter [swelling in the front of the neck]; weight gain) (See Goitre): **Aldes-syst.**, Aminglut-syst., Amio-syst., **Anththy-syst.**, **Bex-syst.**, CholAO-syst.[Ipodate], Den-syst., Ethi-syst., **GroH-syst.**, IntA1-

Repertório - Capítulo GARGANTA EXTERNA

syst., *IntB1a-syst.*, *IntA-syst.*, ***IodS-syst.***, *Lit-syst.*, *Nitrop-syst.*, ***Oct-syst.***, *PegiA2a-syst.*, *PegiA2b-syst.*, ***PotI-syst.***, *Que-syst.*, *Sertr-syst.*, ***SodI-syst.***, ***SodI131-systthe.***, *Sor-syst.*, *ThyH-syst.*, *Tiz-syst.*, ***TosI-syst.***

acquired (constipation; depressed mood; dry skin and hair; feeling cold; hair loss; hoarseness or husky voice; muscle cramps and stiffness; slowed heartbeat; weight gain; unusual tiredness or weakness): **Len-syst.**

TORCICOLO (movimentos incontrolados de torção do pescoço; posição anormal da cabeça): *AnthisP-syst.*, *Atorv-syst.*, **BotB-parloc.**

CAPÍTULO ESTÔMAGO

ALCALINIZAÇÃO (Ver Redução do ácido gástrico): *Citra-syst.*, *SodBi-syst.*

ANGÚSTIA gástrica (Ver Desconforto; Transtornos): **Dacti-syst.**

gastrointestinal: *Mido-syst.*, *VitMF-syst.*

mild: *Fel-syst.*

ANOREXIA (Ver Appetite, anorexia).

ANSEIO por comida (Ver Compulsão): *Histr-syst.*

ÂNSIA (sensação como se fosse vomitar): *HepatBIG-syst.*, **Ibr-syst.**, *Nitrop-syst.*

APETITE.

anorexia (loss of appetite; weight loss): **AbLamZid-syst.**, *Acamp-syst.*, **Acit-syst.**, *Alemt-syst.*, **AminPot-syst.**, **AminsSod-syst.**, **AmphoBLC-syst.**, *Amsa-syst.*, **Anast-syst.**, *AngInH-syst.*, *AntconD-syst.*, **AntconS-syst.**, *AntdepMAO-syst.*, *AntvCPOv-syst.*, **Aprep-syst.**, *ArsTr-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, **Azac-syst.**, *Bals-syst.*, *BetBAT-syst.*, **Bevac-syst.**, **Bex-syst.**, *BisSMT-syst.*, **Bupro-syst.**, **Busu-syst.**, *Cab-syst.*, *Capec-syst.*, *Carbam-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Cefd-syst.*, *Cele-syst.*, **Cetux-syst.**, *Cev-syst.*, **Cinac-syst.**, *Cinox-syst.*, *Cital-syst.*, **Clad-syst.**, *Clar-syst.*, **Clofar-syst.**, **Clofaz-syst.**, *Clon-syst.*, *ClonC-syst.*, *Cortic-ot.*, *Cortic-rec. [Tixocortol]*, **Cycloph-syst.**, **Cys-syst.**, *Dant-syst.*, *Daps-syst.*, **Den-syst.**, *DeslP-syst.*, **Dexmet-syst.**, *DicM-syst.*, *DigitG-syst.*, *Dihy-nassyst.*, *DiphtTT-syst.*, *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*, *DipyA-syst.*, *Diso-syst.*, **DiuPH-syst.**, *DiuT-syst.*, *Docet-syst.*, **Don-syst.**, *Doxaz-syst.*, *Doxyc-syst.*, **Dul-syst.**, *Efav-syst.*, *EmtT-syst.*, **Enf-syst.**, *Epir-syst.*, **Erl-syst.**, **Estro-syst.**, *Etan-syst.*, **Exem-syst.**, **Fel-syst.**, **Fluda-syst.**, *Fluorq-syst.*, **Fluox-syst.**, *Fluv-syst.*, *Fol-syst.*, *Fome-syst.*, *Fomiparloc.*, **Fosc-syst.**, **Ful-syst.**, *Fus-syst.*, **Gala-syst.**, **Gef-syst.**, *Gemif-syst.*, **Gemt-syst.**, *Gla-syst.*, **HaeC-syst.**, **HaeP-syst.**, *HepatAVI-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HistH2-syst. [Famotidine]*, **Hydra-syst.**, *HydroI-syst.*, **Ibr-syst.**, *Ima-syst.*, *Ina-syst.*, *Inda-syst.*, *Indin-syst.*, **IntA1-syst.**, *IntB1a-syst.*, **Iri-syst.**, *Ltry-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lef-syst.*, **Len-syst.**, *Let-syst.*, *Leve-syst.*, **Levod-syst.**, **Lor-syst.**, *Mef-syst.*, **Meg-syst.**, *Mem-syst.*, **MeniVDC-syst.**, *Mesa-orloc.*, **Metf-syst.**, **Methylp-syst.**, *Metyra-syst.*, **Miglu-syst.**, *Mod-syst.*, *Mom-inhloc.*, *Nab-syst.*, *Nev-syst.*, *Nita-syst.*, **Oxa-syst.**, *Palo-syst.*, **Pam-syst.**, *Pegas-syst.*, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, **Pemo-syst.**, *Pentosa-syst.*, *Perg-syst.*, *Pil-syst.*, **Pli-syst.**, **Poli-syst.**, **PoliO-syst.**, *Prami-syst.*, **Praml-syst.**, *PrazoP-syst.*, *Primi-syst.*, **Progu-syst.**, *Pyrim-syst.*, *Que-syst.*, **Quid-syst.**, **Ralt-syst.**, **Rau-syst.**, *Riba-syst.*, **RibaI-syst.**, *Rifap-syst.*, **Ril-syst.**, *Risp-syst.*, **Riton-syst.**, *Ritu-syst.*, **Riv-syst.**, *Ropin-syst.*, **Sertr-syst.**, **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Sulfap-syst.**, **Sur-syst.**, **Tacri-syst.**, *Teli-syst.*, *Tem-syst.*, *Teno-syst.*, **Thiab-syst.**, *Thiog-syst.*, *Tini-syst.*, **Tiop-syst.**, **Toc-syst.**, **Tolc-syst.**, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, **Tram-**

syst., TramA-syst., Trimetha-syst., Valp-syst., Ven-syst., Vind-syst., Vino-syst., Zale-syst., Zic-syst., Zid-syst., Zip-syst., Zole-syst., Zon-syst., Zop-syst.

animal studies: AntandN-syst. [Flutamide]

children: CorticA-ot., Dexmet-syst.

dialysis patients with end-stage renal disease: Levoca-syst.

females: Tamo-syst.

gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies, patients pretreated with a: FollitA-syst.

refractory ovarian cancer patients, treatment of: **DoxorL-syst.**

serum transaminase levels, abnormal, initially, with: Nev-syst.

strongyloidiasis (verminosis), during treatment of: Ive-syst.

changes: Dom-syst., Estro-syst., Telm-syst., ThyH-syst.

diminished, decreased: AntinfN-syst., AntandN-syst., AntandN-syst. [Nilutamide], Atom-syst., Azac-syst., Bort-syst., Clofar-syst., DecAn-syst. [Ibuprofen-containing combinations], DecAn-syst. [Acetaminophen-containing combinations], Dul-syst., Enf-syst., Esc-syst., Exen-syst., Gab-syst., Gadov-syst., Gold-syst., HepatBVR-syst., Lami-syst., Lans-syst., Mica-syst., Moc-syst., Palo-syst., Paro-syst., PncC-syst., Saq-syst., SodPhe-syst., Sor-syst., Tram-syst., Vac-syst.

increased (hunger in general): Acit-syst., AmlodAt-syst. [Amlodipine], Anast-syst., AntdepT-syst., AntdiaS-syst., Anthis-syst. [Cyproheptadine], Atorv-syst., CalcCBA-syst., CalcCBA-syst. [Flunarizine], Cefd-syst., Cele-syst., Clofib-syst., Cortic-nas. [Dexamethasone], Cortic-rec., CorticG-syst., Dron-syst., Exem-syst., Fluox-syst., Gab-syst., Gadov-syst., Histr-syst., Indin-syst., Ketot-syst., Lans-syst., Melo-syst., Mir-syst., Moc-syst., Nef-syst., Nico-syst., Nita-syst., Ola-syst., Paro-syst., Pre-syst., Proge-syst. [Megestrol], Sertr-syst., Thali-syst., Tia-syst., Valp-syst., Zop-syst.

carbohydrate craving (weight gain): **AntdepMAO-syst.**

craving for sweets: **AntdepT-syst.**

with weight gain: **Thiox-syst.**

related to carbohydrate craving: **AntdepMAO-syst., Map-syst.**

loss of appetite: Abac-syst., Acet-syst., AcSodCit-syst., Acyc-syst., Adal-syst., Aldes-syst., Altr-syst., Aman-syst., Aminglut-syst., Aminglyc-syst., Amph-syst., AmphoB-syst., Anag-syst., AntinfN-syst., AntandN-syst., AntandN-syst. [Nilutamide], Antcoa-syst., AntdiaS-syst., AntfunA-syst., Anthis-syst. [Cetirizine, Chlorpheniramine, Cyproheptadine, Loratadine], AnthisD-syst., AnthisDAg-syst., AnthisDAC-syst., AnthisP-syst., AppSupS-syst., Azat-syst., Aztr-syst., Bacl-syst., BarbAn-syst. [Acetaminophen], Bet-syst., Bleo-syst., Brim-oph., Bromo-syst., Bupre-syst., Buse-syst., Butor-nasyst., Calcit-syst., Capec-syst., CarbidEL-syst. [Entacapone], CarbonAI-syst., Carbopl-syst., Carm-syst., Cefu-syst., Cid-syst., Cisp-syst., Colc-syst., Cortic-top., Cycli-syst., Cyt-syst., Dac-syst., Dant-syst., DecAn-syst. [Ibuprofen-containing combinations], DecAn-syst. [Acetaminophen-containing combinations], Diaz-orsyst., Diaz-parsyst., DiphtTTH-syst., DiuL-syst., DiuL-syst. [Ethacrynic Acid], EdC-syst., ErgolM-syst., Etham-syst., Ethi-syst., Etop-syst., Fent-trsyst., Flec-syst., Flox-syst., Fluc-syst., Fludro-syst., Fluoru-syst., Ganc-syst., Gluc-syst., Gold-syst., Histr-syst., HyalS-syst., Hydxyu-syst., IntG-syst., IntA-syst., Iopa-syst., Iri-syst., IsomDA-syst., Ison-syst., Keta-syst.,

Levom-syst., *Lit-syst.*, **Lom-syst.**, *Mecam-syst.*, *Mech-syst.*, *Merc-syst.*, *Mero-syst.*, **MethotC-syst.**, *MethotNC-syst.*, *MethyTD-syst.*, **Metro-syst.**, *Metro-vag.*, **Mitom-syst.**, *Mono-loc.*, *Nalt-syst.*, *Nev-syst.*, *Nicl-orloc.*, *Nico-syst.*, **Nitro-syst.**, **Olorloc.**, *Opi-syst.*, **Opi-syst.** [**Hydromorphone**], *Paro-syst.*, *PegiA2b-syst.*, **Penic-syst.**, **Penta-syst.**, **Pentost-syst.**, *Pimo-syst.*, **Prazi-syst.**, **Probe-syst.**, **Procai-syst.**, *Procar-syst.*, *Pyran-orloc.*, *Ras-syst.*, *Rima-syst.*, *Rise-syst.*, *Ritu-syst.*, *Seleg-syst.*, *Sib-syst.*, **SodPol-loc.**, *Sta-syst.*, **Succ-syst.**, **Sulfas-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Tacro-syst.**, *Teli-syst.*, **Terb-syst.**, *Teri-syst.*, *Testol-syst.*, *Testos-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Tras-syst.*, *Trav-oph.*, **Tret-syst.**, *Trimethop-syst.*, *Vala-syst.*, *Valg-syst.*, *Van-syst.*, *Vasc-syst.*, *VitA-syst.*, *VitDA-syst.*

continuing: *Antac-orloc.* [**Aluminum-containing**; **Magaldrate**]

hypercalcemia, with: *CalcS-syst.*

weight loss, severe, leading to: **Amio-syst.**

AZIA (dor no peito abaixo do esterno; arroto; sensação de indigestão) (Ver Dispepsia; Refluxo): *Alend-syst.*, **AntinfN-syst.**, *AntdepT-syst.*, **AntdiaS-syst.**, **AnthisDAG-syst.**, **Aprep-syst.**, *CarbidEL-syst.*, *CholAO-syst.*, **Cholest-orloc.**, *Cil-syst.*, *Clofib-syst.*, *Cloz-syst.*, *Cycla-syst.*, **DecAn-syst.** [**Ibuprofen-containing combinations**, **Salicylate-containing combinations**], *Dipheni-syst.*, *Dom-syst.*, *Dyp-syst.*, *Fome-syst.*, **Gemf-syst.**, **HMG-syst.**, *Iron-syst.*, *Map-syst.*, *Methys-syst.*, **Mex-syst.**, *Mido-syst.*, *Moc-syst.*, *Nico-syst.*, *Pentosa-syst.*, *PerpA-syst.*, **Rof-syst.**, *Ropin-syst.*, *Seleg-syst.*, *Ske-syst.*

BORBORIGMO (excesso de ar ou gás no estômago ou intestinos) (Ver Distensão; Eructação; Flatulência): *Pyridos-syst.*

CÂNCER (Ver Tumor).

calcification of the gastric mucosa, metastatic, increased incidence of.

animal studies: *Isot-syst.*

carcinoma, gastrointestinal (abdominal discomfort; blood in stool; change in bowel habits; difficulty swallowing or eating; lump or swelling in the abdomen; nausea; loss of appetite; unexplained weight loss; unusual tiredness or weakness; vomiting; yellow skin or eyes): *Adal-syst.*

gastrointestinal: *Ver-parloc.*

CICATRIZAÇÃO gastrointestinal: *Iron-syst.*

CÓLICAS (Ver Dor, cólicas).

DESCONFORTO (Ver Angústia; Azia; Dispepsia; Inflamação; Transtornos): *Adal-syst.*, *AntdiaS-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Beth-syst.*, *Brim-oph.*, *Carbam-syst.*, *CarbidEL-syst.* [*Entacapone*], *CellSP-syst.*, *Cholec-syst.*, *Dant-syst.*, *DecAn-syst.* [**Ibuprofen-containing combinations**], *Def-syst.*, *DiatI-loc.*, *Diat-loc.*, *Eryts-syst.*, *Fus-syst.*, *Gon-syst.*, *Histr-syst.*, *Ioh-loc.*, *Ioxa-loc.*, *Levof-syst.*, *Lod-oph.*, *Mero-syst.*, *Moc-syst.*, *Nar-syst.*, *Natal-syst.*, *Oct-syst.*, *Pentox-syst.*, *Rise-syst.*, *Sin-syst.*, *Spa-syst.*, *TecTet-syst.*, *Teri-syst.*, *Testos-syst.*, *Thyr-syst.*, *Zolp-syst.*

epigastric (stomach pain or discomfort, mild to moderate; pain or discomfort in chest, upper stomach, or throat, heartburn): **AntinfN-syst.**, *Aprep-syst.*, *AtovaPro-syst.* [Proguanil], *Cop-syst.*, *Fus-syst.*, *Progu-syst.*

gastrointestinal (abdominal or stomach pain; diarrhea; nausea; vomiting): **Aden-syst.**, *Alos-syst.*, *FlutS-inhloc.*

mild: **Fluorq-syst.**, **PotS-syst.**

pain, with: **Ioh-syst.**

DISPEPSIA ou desconforto estomacal (estômago ácido ou azedo; arrotos; azia; indigestão, desconforto ou dor no estômago) (Ver Azia; Desconforto; Indigestão; Inflamação, gastrite; Refluxo; Transtornos): *Abcix-syst.*, *Acetyl-syst.*, *Acit-syst.*, *Adef-syst.*, **Agal-syst.**, *Alemt-syst.*, *Alfuz-syst.*, *Almot-syst.*, *AmlodBen-syst.*, **Anag-syst.**, *AngInH-syst.*, *Antdys-syst.*, *AntfunA-syst.*, *AnthisD-syst.*, **AnthisD-syst.** [Antihistamine Ethylenediamine Derivatives], *AnthisDAg-syst.*, **Aprep-syst.**, **Arip-syst.**, *ArsTr-syst.*, **Atom-syst.**, *Atorv-syst.*, *AtovaPro-syst.*, *AtropB-syst.*, **Azac-syst.**, *Bals-syst.*, **Basil-syst.**, *BetBA-oph.* [*Levobetaxolol*], *BetBAT-syst.*, *Bet-syst.*, **Bevac-syst.**, **Biv-syst.**, **Bort-syst.**, *Bos-syst.*, **BotB-parloc.**, *Brim-oph.*, *Buc-syst.*, *Busp-syst.*, *Calcit-nassyst.*, *Capec-syst.*, *Carbam-syst.*, *CarbidEL-syst.*, *Cefd-syst.*, **Cele-syst.**, *Ceph-syst.*, **Cetux-syst.**, *Chlorh-imploc.*, **Cil-syst.**, *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *ClonC-syst.*, **Clop-syst.**, **Colesev-orloc.**, *Cycli-syst.*, *Cyclos-syst.*, *Dacli-syst.*, *Dapt-syst.*, **Darif-syst.**, *Den-syst.*, *Desl-syst.*, **Dexmet-syst.**, *Dic-top.*, **DicM-syst.**, *Dihy-nassyst.*, *Dipheni-syst.*, **DipyA-syst.**, **DiuPH-syst.**, *DiuT-syst.*, *Dorn-inhloc.*, *DorzT-oph.*, *Doxaz-syst.*, *Doxyc-mucloc.*, *DoxycD-syst.*, *Dul-syst.*, *Efav-syst.*, *Ele-syst.*, *Emt-syst.*, *EmtT-syst.*, *Enta-syst.*, *Entec-syst.*, **Epoe-syst.**, **Erl-syst.**, *Ert-syst.*, **Eso-syst.**, **Estro-syst.**, **Esz-syst.**, *Etan-syst.*, *Exem-syst.*, **Exen-syst.**, **Fel-syst.**, *Fex-syst.*, *FexP-syst.*, *Fluorq-syst.*, *Fluv-syst.*, *Fon-syst.*, *Fosf-syst.*, *Fro-syst.*, *Fus-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Gala-syst.*, *Gemif-syst.*, **Gemt-syst.**, *Gra-syst.*, *HydroI-syst.*, **Iba-syst.**, **Ibr-syst.**, *IbupO-syst.*, *Ima-syst.*, *Inda-syst.*, *Indin-syst.*, **IntA1-syst.**, **IntB1a-syst.**, *Ipr-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Isot-syst.**, *Lami-syst.*, *Lamo-syst.*, **Lef-syst.**, *Let-syst.*, **Leval-inhloc.**, *LopiR-syst.*, *Lox-syst.*, *Mef-syst.*, **Melo-syst.**, *Mesa-orloc.*, **Metf-syst.**, *Mica-syst.*, *Mif-syst.*, **Miglu-syst.**, *Minoc-mucloc.*, *Mod-syst.*, *MoeH-syst.*, **Mom-inhloc.**, *Mom-nas.*, *Mont-syst.*, **Myc-syst.**, **Nef-syst.**, *NiaL-syst.*, **Nico-inhsyst.**, **Nitro-syst.**, **Ola-syst.**, *Olm-syst.*, *OlmH-syst.*, **Ols-orloc.**, **Oxa-syst.**, *Oxc-syst.*, **Oxyb-syst.**, *Palo-syst.*, **Pam-syst.**, *Pantop-syst.*, **Paro-syst.**, **Pegf-syst.**, *PegiA2a-syst.*, **PegiA2b-syst.**, *Pentosa-syst.*, **Perg-syst.**, **Pil-syst.**, *PrazoP-syst.*, **Que-syst.**, *QuinuD-syst.*, *Rabe-syst.*, *Ralo-syst.*, **Riba-syst.**, **RibaI-syst.**, *Rise-syst.*, **Risp-syst.**, **Riton-syst.**, *Ritu-syst.*, **Riv-syst.**, *Riz-syst.*, *Rosu-syst.*, *Saq-syst.*, **Sertr-syst.**, *Seve-orloc.*, *Sib-syst.*, **Sild-syst.**, *SodF-syst.*, **SodO-syst.**, *Sol-syst.*, *Sor-syst.*, **Sulfas-syst.**, **Tacri-syst.**, *Tacro-top.*, **Tad-syst.**, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, **Teri-syst.**, **Til-syst.**, *Tini-syst.*, **Tiot-inhloc.**, **Tiz-syst.**, *Tolc-syst.*, **Tolt-syst.**, *Topi-syst.*, **Tors-syst.**, **TosI-syst.**, **Tram-syst.**, *TramA-syst.*, *Trand-syst.*, **Tret-syst.**, *Tros-syst.*, **Urs-syst.**, **Vald-syst.**, **Valp-syst.**, *Vard-syst.*, **Ven-syst.**, *Zale-syst.*, *Zic-syst.*, *Zid-syst.*, **Zil-syst.**, *ZinS-syst.*, **Zip-syst.**, *Zolm-syst.*, *Zon-syst.*, **Zop-syst.**

aggravated: *Anid-syst.*

feeling of upset stomach: **TosI-syst.**

following meals: **Cab-syst.**, **ConjE-syst.**

for patients treated for female infertility: *FollitA-syst.*

DISTENSÃO (Ver Flatulência; Plenitude): Antcoa-syst., Cefu-syst., Cortic-nas. [Dexamethasone], Cortic-ot., Diso-syst., Methy-syst.

feeling bloated: *Fent-trsyst.*

infants: *Atrop-oph., Cyclope-oph., Hom-oph., Sco-oph., Trop-oph.*

DOR gástrica (sensibilidade na região do estômago): **Abac-syst., AbLam-syst.,** Acet-syst., AcSodCit-syst., *Adal-syst., Allop-syst., Amph-syst., AmphoB-syst., Anag-syst., Andro-syst., AngIn-syst., AngInH-syst., Antcoa-syst., AntconD-syst., AntdiaS-syst., Antdys-syst., AntfunA-syst., AntfunA-vag., AntglaC-oph., Anthis-syst.* [Azatadine; Diphenhydramine], *Anthis-syst.* [Cetirizine, Clemastine, Cyproheptadine, Loratadine], **AnthisD-syst., AnthisD-syst.** [Antihistamine Ethylenediamine Derivatives], *AnthisDAg-syst., Antm-syst., Anthyr-syst., AppSupS-syst., Aprep-syst., AspirSC-syst., Ataz-syst., AtropB-syst., Azac-syst., Aztr-syst., BarbAn-syst.* [Acetaminophen; Aspirin; Caffeine], *Benzod-syst., Bet-syst., Beth-syst., Bort-syst., Brim-oph., Bromo-syst., Caff-syst., Calcit-syst., Capec-syst., Carbac-oph., Carbam-syst., Capec-syst., CarbidEL-syst.* [Entacapone], *CarbidEL-syst.* [Entacapone], *Carbopr-syst., Cefu-syst., Cele-syst., Cetr-syst., ChIH-syst., Chloramp-ot., Cholec-syst., Cholest-orloc., Cil-syst., Cil-syst., Clad-syst., Clind-vag., Clod-syst., Clofar-syst., Clofib-syst., Clop-syst., Clot-orloc., Colest-orloc., Cortic-inhloc., Cortic-nas.* [Dexamethasone], *Cortic-nas.* [Beclomethasone (monohydrate), Dexamethasone, Flunisolide], *Cortic-nas.* [Fluticasone], *Cycla-syst., Cyclope-oph., Cycloph-syst., Daps-top., Darif-syst., DecAn-syst.* [Ibuprofen-containing combinations], DecAn-syst. [Acetaminophen-containing combinations], **Dexmet-syst., Dext-syst., DiatI-loc., Diat-loc., Diaz-orsyst., Diaz-parsyst., DicM-syst., Dihy-nassyst., Dinopst-parloc., Dipheni-syst., DipyA-syst., Diso-syst., DiuL-syst., Docet-syst., Dof-syst., Dol-syst., Don-syst., DorzT-oph., Doxaz-syst., Doxyc-mucloc., DrosE-syst., EdD-syst., Edr-syst., EdrA-syst., Epl-syst., Ergon-syst., Ethc-syst., Ezet-syst., Fel-syst., Fenof-syst., FexP-syst., Flavox-syst., Flec-syst., Fluox-syst., Flut-inhloc., Flut-nas., Fomi-parloc., Fosam-syst., FrucDP-orloc., Gadob-syst., Gadop-syst., Gals-syst., Gemf-syst., Gemt-syst., GlipM-syst., Glut-syst., GlybM-syst., Gri-syst., Guai-syst., HepatAVI-syst., HepatBVR-syst., Histr-syst., HMG-syst., HyalS-syst., HydroI-syst. [Ibuprofen], *Ibr-syst., IbutO-syst., Ilo-inh., Ima-syst., Imiq-top., Imm-syst., Ina-syst., Indin-syst., IodS-syst., Iodoq-orloc., Ioh-loc., Ioxa-loc., Ipe-orloc., Iron-syst., IsomDA-syst., Ison-syst., Ketot-syst., Lami-syst., Lans-syst., Lant-orloc., Lef-syst., Len-syst., Levof-syst., LosH-syst., Lut-syst., Man-syst., Mef-syst., Meg-syst., Mero-syst., Methyler-syst., MethyIp-syst., Methys-syst., Metro-syst., Metyra-syst., Metyro-syst., Mica-syst., Migli-syst., Miglu-syst., Mitox-syst., Moc-syst., Mont-syst., Mor-syst., Myc-syst., Nar-syst., Nef-syst., Nev-syst., Nicl-orloc., Nico-syst., Nita-syst., Nitro-syst., Nys-orloc., Oct-syst., Olm-syst., Ols-orloc., Opr-syst., Oxa-syst., Panc-syst., Para-syst., Paro-syst., PegiA2a-syst., Pemo-syst., PenicilB-syst., Pentost-syst., PerpA-syst.* *Phena-syst., Phenot-syst., Pho-syst., Phy-oph., Phy-syst., Pime-top., Podop-top., PotI-syst., Praml-syst., Prazi-syst., Proti-syst., Pyran-orloc., Pyridos-syst., Pyridos-syst., Quin-syst., Rabe-syst., Ralt-syst., Rau-syst., Reso-top., RifamI-syst., RifamIP-syst., Rima-syst., Rise-syst., Ritu-syst., Riv-syst., Rof-syst., Rosu-syst., Sac-syst., Sal-syst., Sala-top., Seleg-syst., Sertr-syst., Sin-syst., Ske-syst., Ske-syst.* [Metaxalone], *SodC-parloc., SodF-syst., Sor-syst., Spa-syst., Spi-syst., Sucr-orloc., Sulfas-syst., Sulfi-syst., Tacro-syst., TecSuc-syst., Teg-syst., Teli-syst., Teri-syst., Testos-syst., Tiz-syst., TosI-syst., Tram-syst., Trav-oph., Trimethop-syst., Trimetr-syst., TypVL-syst., Urs-syst., Vac-syst., Vala-***

syst., **Vald-syst.**, *Vari-syst.*, *Vasc-syst.*, **Ven-syst.**, *VitA-syst.*, *VitMF-syst.*, *Vor-syst.*, *Zalc-syst.*, *Zid-syst.*, *Zolp-syst.*

burning: *Cortic-nas.* [*Dexamethasone*], *Flut-inhloc.*, *Let-syst.*, **Mono-loc.**, **Tetr-syst.**

continuing: *Cortic-ot.*

severe: *Cil-syst.*

children: **Dexmet-syst.**

continuing: *AspirSC-syst.*, *BisS-orloc.*, *Cortic-ot.*, *DecAn-syst.* [Salicylate-containing combinations]

severe, and: *MepA-syst.* [Aspirin]

cramps, spasms: *Acet-syst.*, *AcSodCit-syst.*, *Altr-syst.*, *AmincAc-syst.*, *Amph-syst.*, **Antac-orloc.**, *Antcoa-syst.*, **AntconS-syst.**, *AnthisDAg-syst.* [Acetaminophen-containing combinations], *AntfunA-vag.*, *AntglaC-oph.*, **Antm-syst.**, **AppSupS-syst.**, *AscAc-syst.*, **AspirSC-syst.**, *Aztr-syst.*, *BarbAn-syst.* [Acetaminophen], *Benzod-syst.*, *Bet-syst.*, *Bupre-syst.*, *Carbac-oph.*, *CarbidEL-syst.* [*Entacapone*], *Carbopr-syst.*, *ChlordA-syst.*, *CholAO-syst.*, **Cholec-syst.**, *Cil-syst.*, *Cinox-syst.*, *Clind-vag.*, **Clot-orloc.**, *Dant-syst.*, **DecAn-syst.** [**Ibuprofen-containing combinations**], *DecAn-syst.* [Acetaminophen-containing combinations], *Desm-syst.*, **Dinopst-parloc.**, **Dinopne-cervag.**, *DiuL-syst.*, **DiuPH-syst.**, **Edd-syst.**, *Edr-syst.*, *EdrA-syst.*, *ErgolM-syst.*, **Eryts-syst.**, *Eton-vag.*, *Fluox-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, **Hist-syst.**, **Ida-syst.**, *Ipe-orloc.*, *IsomDA-syst.*, **Iron-syst.**, **Lami-syst.**, *Lax-loc.*, **Levoca-syst.**, *Linc-syst.*, **Metro-syst.**, *Nalo-syst.*, *Nicl-orloc.*, *Ond-syst.*, *Panc-syst.*, *Para-syst.*, *Phena-syst.*, *Phy-oph.*, **Phy-syst.**, *PolyE-loc.*, **Prazi-syst.**, *Pyran-orloc.*, *Pyridos-syst.*, *Pyrv-orloc.*, **Quin-syst.**, *Rau-syst.*, **Rifam-syst.**, **Riv-syst.**, **Sertr-syst.**, **Sin-syst.**, *Ske-syst.*, **Ske-syst.** [**Metaxalone**], *SodBi-syst.*, *SodF-syst.*, *Sucr-orloc.*, *Teli-syst.*, *Teri-syst.*, *Testos-syst.*, **Tetr-syst.**, *Trav-oph.*, *Trimethop-syst.*, *TypVL-syst.*, *Vaso-syst.*, *VitE-syst.*, *VitMF-syst.*, *Zid-syst.*, *Zolp-syst.*

gastrointestinal: *Cev-syst.*, *Gala-syst.*, *Pil-syst.*

mild: **Mesa-orloc.**, **Mesa-reloc.**, **Valp-syst.**

to moderate: **Gold-syst.**

severe: *Ceph-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Van-syst.*

epigastric (pain or discomfort in chest, upper stomach, or throat; heartburn): **AntinfN-syst.**, *Cop-syst.*, *Don-syst.*, *Melo-syst.*, *Metyra-syst.*, **Miglu-syst.**, *Tini-syst.*, *Vald-syst.*, *ZinS-syst.*

severe: *Oct-syst.*

gastrointestinal (abdominal or stomach pain; diarrhea; nausea; vomiting): *Alos-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *FlutS-inhloc.*, *Glim-syst.*

headache, with: *Sal-syst.*

mild: **Fluorq-syst.**, **Mesa-orloc.**, **Mesa-reloc.**, **Mis-syst.**, **Penic-syst.**, **PotS-syst.**, **Terb-syst.**

to moderate: **Gold-syst.**

to severe: **Mono-loc.**

pressure in the stomach: *Lit-syst.*

severe: AspirSC-syst., BisS-orloc., *Ceph-syst.*, *ChorioG-syst.*, DecAn-syst. [Salicylate-containing combinations], *Meno-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Uro-syst.*, *Van-syst.*

continuing, and: MepA-syst. [Aspirin]

soreness: *Histr-syst.*, **Iron-syst.**, **Natal-syst.**

upper: *Anid-syst.*, **Atom-syst.**, *Mica-syst.*, *Sol-syst.*, *Teli-syst.*, *Tros-syst.*

with discomfort: **Ioh-syst.**

ENGASGANDO: Colf-intloc.

ERUCTAÇÃO (arroto; sensação de plenitude; excesso de ar ou gás no estômago) (Ver Borborismo; Distensão; Flatulência): Atorv-syst., *Beth-syst.*, *Cefd-syst.*, *Cele-syst.*, *Cev-syst.*, *Cholest-orloc.*, *Colest-orloc.*, *Cycla-syst.*, *Fenof-syst.*, *Lax-loc.*, *Melo-syst.*, *Nico-syst.*, *Omeg-syst.*, *Pantop-syst.*, *Rifab-syst.*, *Rise-syst.*, *Sir-syst.*, *Tacri-syst.*, *Teli-syst.*, *Vaso-syst.*, *Ven-syst.*

ESFÍNCTER gastroesofágico, relaxamento do: *BronT-syst.* [*Aminophylline*, *Oxtriphylline*, *Theophylline*], *Dyp-syst.*

ESPASMOS (Ver Dor, cólicas).

ESTENOSE ou estreitamento gastrointestinal.

cystic fibrosis patients: *Panc-syst.*

FÍSTULA gastrointestinal: *Glut-syst.*

FLATULÊNCIA (gases ou distensão do estômago) (Ver Borborismo; Distensão; Eructação): *Anag-syst.*, *AntdiaS-syst.*, *Cab-syst.*, *Cefu-syst.*, *Chloramp-ot.*

vomiting, with: *Chloramp-ot.*

GASTRITE (Ver Dispepsia; Inflamação, gastrite).

GASTROENTERITE (Ver Inflamação, gastroenterite).

HEMATÊMESE (Ver Hemorragia; Vômito, sangue).

spitting blood (hemoptysis) (See EXPECTORATION, Bloody; Bleeding).

HEMORRAGIA: **Indo-syst.**

gastrointestinal (bloody or black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds; constipation): **Abcix-syst.**, *AcetSal-syst.*, *AcSodCit-syst.*, *Adal-syst.*, *Aldes-syst.*, *AntinfN-syst.*, **AntinfN-syst.** [**Floctafenine**], *AntinfN-syst.* [*Etodolac*; *Flurbiprofen*], *AntandN-syst.*, **Antcoa-syst.**, *AnthisDAg-syst.* [*Salicylate-containing combinations*], *Arg-syst.*, *ArsTr-syst.*, *BarbAn-syst.* [Acetaminophen], *Basil-syst.*, **Bevac-syst.**, *BisSMT-syst.*, *Bromo-syst.*, *Capec-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carm-imploc.*, *Cele-syst.*, *Cholest-orloc.*, *Cil-syst.*, *Cital-syst.*, *Clofaz-syst.*, *Clop-syst.*, *Colest-orloc.*, *Cyt-syst.*, *DauL-syst.*, *DicM-syst.*,

DipyA-syst., *DiuL-syst.*, *Docet-syst.*, *Don-syst.*, **Drot-syst.**, *Epir-syst.*, *Ept-syst.*, *Erl-syst.*, *Etan-syst.*, **Fluda-syst.**, *Ibr-syst.*, *Ima-syst.*, *IsomDA-syst.*, *Lep-syst.*, *Levod-syst.*, *Melo-syst.*, *MepA-syst.*, *Mero-syst.*, **Mitox-syst.**, *Myc-syst.*, *Nef-syst.*, *Niti-syst.*, *Nitri-inhloc.*, **Pam-syst.**, *Pli-syst.*, *Rof-syst.*, *Seleg-syst.*, *Ske-syst.*, *Sulfi-syst.*, *Tene-syst.*, *Tir-syst.*, *Tiz-syst.*, **Tola-parsyst.**, *Tors-syst.*, *TramA-syst.* [Acetaminophen], **Tret-syst.**, *Vald-syst.*, *Ven-syst.*

gastroenteritis, hemorrhagic (bloody diarrhea): *Colc-syst.*

gastrointestinal, upper: *Citra-syst.* [*Potassium Citrate-containing*], *Paro-syst.*

gastrointestinal, upper and lower: *Gala-syst.*

males (black, tarry stools; vomiting of blood or material that looks like coffee grounds): *Andro-syst.*

serious potential life-threatening: *DecAn-syst.* [Salicylate-containing combinations], *HydroI-syst.*, *Ketor-syst.*, *MethotC-syst.*, *MethotNC-syst.*

ulceration, with (bloody or black, tarry stools; stomach pain, severe; vomiting of blood or material that looks like coffee grounds): *AspirSC-syst.*, *Sal-syst.*

ulceration and/or perforation, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): *DecAn-syst.* [*Ibuprofen-containing combinations*]

peptic: *Fludro-syst.*, *Ketor-syst.*

ulcerative enterocolitis, without other signs and symptoms of: *Gold-syst.*

occult blood in the stool, with: *Gold-syst.* [*Auranofin*]

ulcer.

hemorrhagic (black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds): *Melo-syst.*

peptic ulcer, from a previously existing (black, tarry stools): *Vinb-syst.*

HÉRNIA de hiato (azia; vômito): *Cele-syst.*

HIPERSENSIBILIDADE, REAÇÃO, gastrointestinal (náuseas e vômitos severos com diarréia; febre súbita; dor nas articulações; sensação incomum de desconforto ou mal-estar): *Azat-syst.*

HIPOTONICIDADE gástrica (Ver Indigestão): *Gluc-syst.*

INCHAÇO (Ver Distensão).

INDIGESTÃO: *Adal-syst.*, *Allop-syst.*, *AmphoB-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *AnthisDAg-syst.*, *Brim-oph.*, *Cholest-orloc.*, *Cil-syst.*, *CorticG-syst.*, *DecAn-syst.* [Ibuprofen-containing combinations, Salicylate-containing combinations], *Doxyc-mucloc.*, *Esc-syst.*, *Ethc-syst.*, *Fent-trsyst.*, *Ketor-syst.*, *Mero-syst.*, *Moc-syst.*, *Nico-nas.*, *Phena-syst.*, *Rep-syst.*, *Rise-syst.*, *Sucr-orloc.*, *Teri-syst.*, *Testos-syst.*, *Tic-syst.*, *Tret-syst.*, *Valp-syst.*

feeling of indigestion: Cetr-syst., ChorioG-syst., Meno-syst., Uro-syst.

mild: Nico-syst.

to moderate: **Gold-syst.**

INFECÇÃO (Ver Inflamação; Irritação).

candidiasis, gastrointestinal: Capec-syst.

gastroenteritis, infectious (abdominal or stomach pain): Mont-syst.

viral, gastrointestinal (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): FlutS-inhloc.

INFLAMAÇÃO (Ver Infecção; Irritação; Úlcera).

gastritis (heartburn; burning feeling in chest or stomach; tenderness in stomach area; stomach upset; stomach cramps or pain; nausea; vomiting; bloated feeling or gas; indigestion): **AbLam-syst.**, Almot-syst., AmlodAt-syst. [Amlodipine], AntinfN-syst., AnthyGR-syst., Aprep-syst., Atorv-syst., AtovaPro-syst., Capec-syst., CarbidEL-syst. [Entacapone], Cefd-syst., Cele-syst., Cil-syst., DecAn-syst. [Ibuprofen-containing combinations], DipyA-syst., Enta-syst., Epir-syst., Flox-syst., Fluorq-syst., HydroI-syst., Iba-syst., Lef-syst., Levoca-syst., Melo-syst., Mem-syst., Moc-syst., Niti-syst., Oxc-syst., Pentosa-syst., Rof-syst., Rosu-syst., Sild-syst., **Sir-syst.**, SodPhe-syst., Sor-syst., Tad-syst., Teli-syst., Tros-syst., Vard-syst.

atrophic: Eso-syst.

increased acid secretion (hypersecretion, gastric): **Hist-syst.**, Tola-parsyst.

pediatric patients with juvenile rheumatoid arthritis: Etan-syst.

gastroenteritis (abdominal or stomach pain; anorexia; diarrhea; nausea; unusual tiredness or weakness; vomiting): Adal-syst., Almot-syst., AntinfN-syst., Atorv-syst., Capec-syst., Cele-syst., Cortic-inhloc., Efal-syst., Estro-syst., Flut-inhloc., **Gals-syst.**, Gemif-syst., HydroI-syst., Lef-syst., Leval-inhloc., Mom-inhloc., Nar-syst., **Natal-syst.**, Nef-syst., Niti-syst., Olm-syst., OlmH-syst., Paliv-syst., Pantop-syst., **Pime-top.**, Ralo-syst., Rof-syst., Rosu-syst., Sild-syst., **Sir-syst.**, Tacro-syst., Teli-syst., Valp-syst., Zolm-syst.

hemorrhagic (bloody diarrhea): Colc-syst.

pediatric patients with juvenile rheumatoid arthritis: Etan-syst.

infectious (abdominal or stomach pain): Mont-syst.

viral (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): Tram-syst.

mucositis (irritation of mouth; swelling or inflammation of the mouth; sores, ulcers, or white spots on lips, tongue, or inside mouth; cracked lips; diarrhea; difficulty in swallowing): Alemt-syst., **Amsa-syst.**, Busu-syst., Carbopl-syst., **Clofar-syst.**, DauL-syst., Doxor-syst., DoxorL-syst., **Epir-syst.**, Fluda-syst., **Gemt-syst.**, **Ida-syst.**, **Iri-syst.**, Melp-syst., **Mitox-syst.**, Oxa-syst., Pac-syst., **PacP-syst.**, **Pegf-syst.**, Peme-syst., **Ras-syst.**, Sor-syst., **Teni-syst.**, **Tret-syst.**, **Zole-syst.**

contact (inflammation of mucous membranes): Amlex-mucloc.

decreased: ColSF-syst.

grade 4: Epir-syst.

resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

IRRITAÇÃO (náusea; vômito) (Ver Infecção; Inflamação): *AnabS-syst.*, *IodS-syst.*, *PotI-syst.*, *SodI-syst.*

contact (mild abdominal or stomach soreness or pain; nausea or vomiting): *Citra-syst.* [*Potassium Citrate*]

alimentary tract (continuing abdominal or stomach pain, cramping, or soreness; chest or throat pain, especially when swallowing; stools containing fresh or digested blood): *PotS-syst.*

gastrointestinal (bloating or “gassy” feeling, heartburn, indigestion, mild stomach pain and/or nausea with or without vomiting; abdominal or stomach pain or discomfort; stomach cramps; diarrhea): *Andro-syst.*, **AnthisDAG-syst.** [**Salicylate-containing combinations**], **AspirSC-syst.**, *Bacl-syst.*, **BarbAn-syst.**, **Caff-syst.**, **Chloroq-syst.**, **CorticG-syst.**, *Cyclob-syst.*, **DecAn-syst.** [**Salicylate-containing combinations**], *DiuP-syst.*, **DiuP-syst.** [**Spironolactone**], *HydroxT-oph.*, **Hydxcy-syst.**, **MepA-syst.**, *Opi-syst.*, **Probu-syst.**, **Sal-syst.**, *Ske-syst.*, **Ske-syst.** [**Metaxalone**]

animal pharmacological and toxicological data: *Lope-orloc.*

LESÕES.

perforation, gastrointestinal: *AntinfN-syst.*

sloughing of the gastrointestinal mucosa: *Colc-syst.*

MOBILIDADE gastrointestinal diminuída (constipação; sensação de plenitude ou de passagem de gás; dores de estômago ou cólicas): *Capec-syst.*, *Cyclope-oph.*

NÁUSEA: *Abac, syst.*, *AbLam-syst.*, *AbLamZid-syst.*, *Abar-syst.*, *Abcix-syst.*, *Acamp-syst.*, *Acet-syst.*, *Acetyl-inh.*, *Acetyl-syst.*, *Acit-syst.*, *AcSodCit-syst.*, *Acyc-syst.*, *Adal-syst.*, *Aden-syst.*, *Adef-syst.*, *Agal-syst.*, *Albd-syst.*, *Album-syst.*, *AlbMic-syst.*, *Aldes-syst.*, *Alef-syst.*, *Alemt-syst.*, *Alend-syst.*, *Alfuz-syst.*, *Algl-syst.*, *Allop-syst.*, *Almot-syst.*, *Aman-syst.*, *Amif-syst.*, *AminPot-syst.*, *AmincAc-syst.*, *Aminglut-syst.*, *Aminglyc-syst.*, *Aminsod-syst.*, *Amio-syst.*, *Amlex-mucloc.*, *Amlod-syst.*, *AmlodBen-syst.*, *Amph-syst.*, *AmphoB-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *AmphoBLsC-syst.*, *Ampr-syst.*, *Amsa-syst.*, *AmylN-syst.*, *Anag-syst.*, *Anak-syst.*, *Anast-syst.*, *Anest-oph.*, *Anest-parloc.*, *AnestBar-syst.*, *AngIn-syst.*, *Anid-syst.*, *Antac-orloc.*, *AntinfN-oph.* [*Diclofenac*], **AntinfN-syst.**, **AnthyGR-syst.**, **AntandN-syst.**, *Antchsp-syst.*, *Antcoa-syst.*, **Antcoa-syst.** [*Dicumarol*], *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, **AntdepMAO-syst.**, **AntdepT-syst.**, **AntdiaS-syst.** [*Chlorpropamide*, *Tolbutamide*], *AntfunA-syst.*, *AntglaC-oph.*, *AnthemF-syst.*, **Anthis-syst.** [**Azatadine**; **Diphenhydramine**], *Anthis-syst.* [*Cetirizine*, *Clemastine*, *Cyproheptadine*, *Loratadine*], *AnthisDAG-syst.* [*Acetaminophen-containing combinations*], *AnthisDAC-syst.*, *AnthisP-syst.*, **Antm-syst.**, *Anthyr-syst.*, **AntvCPOv-syst.**, **AppSupS-syst.**, *Aprac-oph.*, *Aprot-syst.*, *Arb-syst.*, *Ard-syst.*, *Arg-syst.*, **Arip-syst.**, **ArsTr-syst.**, *AscAc-syst.*, **Ataz-syst.**, **Atom-syst.**, *Atorv-syst.*, **Atova-syst.**, **AtovaPro-syst.**, *AtropB-syst.*, **Azac-syst.**, **Azat-syst.**, *Azel-nas.*, *Azith-syst.*, *Aztr-syst.*, **Bacl-intsyst.**, **Bacl-syst.**, *Barb-syst.*, *BarbAn-syst.* [*Acetaminophen*; *Aspirin*; *Caffeine*], **Basil-syst.**, *Bell-syst.*, *Bentir-syst.*, *Benzod-syst.*, *Benzon-syst.*, *BetBA-oph.* [*Metipranolol*; *Timolol*], *BetBA-syst.*, *BetBAT-syst.*, *Bet-syst.*, *Beth-syst.*, **Bex-syst.**, **BisSMT-syst.**, **Biv-**

syst., **Bort-syst.**, **Bos-syst.**, **BotB-parloc.**, *Bret-syst.*, *Brim-oph.*, **Bromo-syst.**, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.*, **Bupre-syst.**, **Bupro-syst.**, *Buse-syst.*, **Busp-syst.**, **Busu-syst.**, **Butor-nasyst.**, **Cab-syst.**, *Caff-syst.*, *Calcit-nassyst.*, **Calcit-syst.**, *CalcA-syst.*, *CalcCBA-syst.*, **CalcCBA-syst.** [Bepridil and Nifedipine], **CalcS-syst.**, **Capec-syst.**, **Carbet-syst.**, **CarbidL-syst.**, **CarbidEL-syst.** [Entacapone], **CarbonAI-syst.**, *Carbopl-syst.*, **Carbopr-syst.**, **Carm-imploc.**, **Carm-syst.**, *Carv-syst.*, *Casp-syst.*, **Cefd-syst.**, *Cefu-syst.*, **Cele-syst.**, **Ceph-syst.**, *CetiP-syst.* [Pseudoephedrine], *Cetr-syst.*, **Cetux-syst.**, **Cev-syst.**, *Chlop-syst.*, **ChlH-syst.**, *Chloramb-syst.*, *Chloramp-ot.*, *Chloramp-syst.*, *ChlordA-syst.*, **CholAO-syst.**, **Cholest-orloc.**, *ChorioA-syst.*, *Chym-parloc.*, **Cid-syst.**, **Cil-syst.**, **Cinac-syst.**, *Cinox-syst.*, *Cip-oph.*, *Cisap-syst.*, **Cital-syst.**, *CitAGM-mucloc.*, **Clad-syst.**, *Clar-syst.*, *Clind-vag.*, **Clod-syst.**, **Clofar-syst.**, **Clofaz-syst.**, **Clofib-syst.**, *Clom-syst.*, **Clon-parloc.**, *Clon-syst.*, *ClonC-syst.*, *Clop-syst.*, **Clot-orloc.**, **Cloz-syst.**, *Coc-mucloc.*, *Colest-orloc.*, *ColSF-syst.*, **ConjE-syst.**, *Cortic-inhloc.*, *Cortic-nas.* [Beclomethasone, Budesonide, Dexamethasone, Flunisolide, Fluticasone], *Cortic-ot.*, *Cortic-rec.*, *Cortic-top.*, *Cos-syst.*, **Crom-inhloc.**, *Crom-systorloc.*, *Cycla-syst.*, **Cycloph-syst.**, *Cyclos-syst.*, *Cyp-syst.*, **Cys-syst.**, **Cyt-syst.**, **Dac-syst.**, *Dacli-syst.*, **Dacti-syst.**, *Danap-syst.*, **Dant-syst.**, *Daps-syst.*, **Dapt-syst.**, **Darb-syst.**, *Darif-syst.*, **Dau-syst.**, **DauL-syst.**, **DecAn-syst.** [Ibuprofen-containing combinations], *DecAn-syst.* [Acetaminophen-containing combinations], **Del-syst.**, **Den-syst.**, *Desl-syst.*, *DeslP-syst.*, *Desm-syst.*, **Dexmed-syst.**, **Dexmet-syst.**, *Dext-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, **DicM-syst.**, **Did-syst.**, *Dietc-syst.*, *DigitG-syst.*, **Dihy-nassyst.**, **Dimer-syst.**, **Dinopst-parloc.**, **Dinopne-cervag.**, *DiphTTH-syst.*, *Dipy-syst.*, **DipyA-syst.**, *Dir-syst.*, *Diso-syst.*, **DiuPH-syst.**, **Docet-syst.**, *Dof-syst.*, **Don-syst.**, *Dorz-oph.*, *DorzT-oph.*, *Doxap-syst.*, *Doxaz-syst.*, *Doxep-top.*, **Doxor-syst.**, **DoxorL-syst.**, *Doxyc-syst.*, *DoxycD-syst.*, **Dron-syst.**, **DrosE-syst.**, **DrosEE-syst.**, **Dul-syst.**, *Dyp-syst.*, **EdC-syst.**, *Edr-syst.*, *EdrA-syst.*, **Efal-syst.**, **Efav-syst.**, **Efl-syst.**, **Ele-syst.**, **Emt-syst.**, *EmtT-syst.*, **Enf-syst.**, *Eno-syst.*, **Enta-syst.**, *Entec-syst.*, **EnterNF-syst.**, **Epir-syst.**, **Epoe-syst.**, **Epop-syst.**, **ErgolM-syst.**, **Ergon-syst.**, **Erl-syst.**, **Ert-syst.**, **Esc-syst.**, *Esm-syst.*, *Eso-syst.*, **Eso-syst.**, **Estro-syst.**, *Estro-vag.*, **EstroP-syst.**, **EstroPO-syst.**, **Esz-syst.**, **Etan-syst.**, *Etham-syst.*, **Ethc-syst.**, **Ethi-syst.**, **Etid-syst.**, **Etom-syst.**, **Eton-vag.**, **Etop-syst.**, **Exem-syst.**, **Exen-syst.**, *Ezet-syst.*, *EzetS-syst.*, *Fam-syst.*, *FatE-syst.*, **Fel-syst.**, *Fenof-syst.*, **Fenol-syst.**, **Fent-syst.**, **Fent-trsyst.**, **FentD-syst.**, *Feru-syst.*, *Fex-syst.*, **FexP-syst.**, *Flavox-syst.*, *Flec-syst.*, *Flox-syst.*, **Fluc-syst.**, **Fluda-syst.**, *Fludro-syst.*, **Flum-syst.**, **Fluorq-syst.**, **Fluoru-syst.**, **Fluox-syst.**, *Flut-inhloc.*, **Flut-nas.**, *FlutS-inhloc.*, **Fluv-syst.**, *Fol-syst.*, **Fome-syst.**, **Fomiparloc.**, **Fon-syst.**, **For-inhloc.**, **Fosam-syst.**, **Fosc-syst.**, **Fosf-syst.**, *Fro-syst.*, **Ful-syst.**, *Fur-orloc.*, *Fus-syst.*, *Gab-syst.*, *Gadob-syst.*, **Gadod-syst.**, **Gadop-syst.**, **Gadot-syst.**, *Gadov-syst.*, **Gala-syst.**, *GalliC-syst.*, **GalliN-syst.**, *Gals-syst.*, *Ganc-syst.*, *Ganir-syst.*, **Gef-syst.**, **Gemc-syst.**, *Gemf-syst.*, *Gemif-syst.*, **Gemt-syst.**, **Gla-syst.**, *Glim-syst.*, **GlipM-syst.**, *Gluc-syst.*, *Glut-syst.*, **GlybM-syst.**, **Glyc-syst.**, *Gold-syst.*, *Gon-syst.*, *Gos-syst.*, **Gra-syst.**, *Gri-syst.*, *GroH-syst.*, *Guai-syst.*, *Guanab-syst.*, *Guane-syst.*, *Guanf-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, **HepatBIG-syst.**, *HepatBVR-syst.*, **Hist-syst.**, *HistH2-syst.* [Famotidine, Nizatidine, Ranitidine], *Histr-syst.*, **HMG-syst.**, **HyalS-syst.**, *HyalSD-syst.*, **Hyalur-parloc.**, **Hydra-syst.**, **HydroI-syst.**, *HydroxT-oph.*, **Hydxyu-syst.**, **Ibr-syst.**, **IbupO-syst.**, *Ibut-syst.*, **Ida-syst.**, **Ifo-syst.**, **Ima-syst.**, *Imig-syst.*, **ImipC-syst.**, *Imiq-top.*, **Imm-syst.**, *Ina-syst.*, **Indin-syst.**, *IndiuPt-syst.*, *IndiuS-syst.*, **Infli-syst.**, **IntA1-syst.**, **IntB1a-syst.**, **IntG-syst.**, **IntA-syst.**, *Iob-systhe.*, **Iod-top.**, *IodS-syst.*, *Iodip-syst.*, *Iodix-*

syst., *Iodoh123-syst.*, *Iodoh131-syst.*, **Iodoq-orloc.**, *Ioh-loc.*, *Ioh-syst.*, *Iopr-syst.*, *Iot-syst.*, **Ioxa-syst.**, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-inhloc.*, *Ipr-nas.*, *IprA-inhloc.*, **Iri-syst.**, **Iron-syst.**, *IsomDA-syst.*, **Ison-syst.**, *Isot-syst.*, *Isox-syst.*, *JapV-syst.*, **Kan-orloc.**, *Keta-syst.*, **Ketor-syst.**, *Ltry-syst.*, **Lami-syst.**, **LamiZ-syst.**, **Lamo-syst.**, *Lans-syst.*, **Lant-orloc.**, *Lat-oph.*, *Lax-loc.*, **Lef-syst.**, **Len-syst.**, **Let-syst.**, *Leval-inhloc.*, **Levam-syst.**, *Levoc-oph.*, **Levoca-syst.**, **Levod-syst.**, *Levof-syst.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, **Linc-syst.**, **Line-syst.**, *Lod-oph.*, **Lom-syst.**, **LopiR-syst.**, **Lor-syst.**, *Lox-syst.*, **Lut-syst.**, *MagS-syst.*, **Man-syst.**, **Mann-syst.**, *Map-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Meb-syst.*, *Mecam-syst.*, **Mech-syst.**, **MedE-syst.**, **Mef-syst.**, **Meg-syst.**, *Melo-syst.*, *Melp-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.*, *Merc-syst.*, **Mero-syst.**, **Mesa-orloc.**, **Mesa-reloc.**, *Mesn-syst.*, **Metf-syst.**, **MetfP-syst.**, **MethotC-syst.**, *MethotNC-syst.*, **Methox-syst.**, *Methy-syst.*, *MethylB-syst.*, **Methyler-syst.**, *Methylp-syst.*, **Methys-syst.**, *Meto-syst.*, **Metro-syst.**, *Metro-top.*, *Metro-vag.*, **Metyra-syst.**, *Metyro-syst.*, **Mex-syst.**, *Mica-syst.*, *Mida-syst.*, *Mido-syst.*, **Mif-syst.**, **Miglu-syst.**, *Mir-syst.*, *Mis-syst.*, **Mitom-syst.**, **Mitox-syst.**, **Moc-syst.**, **Mod-syst.**, *Moe-syst.*, **Moli-syst.**, *Mom-inhloc.*, *Mom-nas.*, *Mono-loc.*, *Mont-syst.*, *Mor-syst.*, *Mup-top.*, **Myc-syst.**, **Nali-syst.**, **Nalm-syst.**, *Nalo-syst.*, **Nalt-syst.**, *Nap-oph.*, **Nar-syst.**, *Ned-inhloc.*, **Nef-syst.**, *Nel-syst.*, **Neo-orloc.**, *Nep-oph.*, *Nes-syst.*, **Nev-syst.**, *Nia-syst.*, **NiaL-syst.**, *Nicl-orloc.*, *Nico-inhsyst.*, **Nico-nas.**, *Nico-syst.*, *Nis-syst.*, *Nita-syst.*, **Nitra-syst.**, **Nitro-syst.**, *Nitrop-syst.*, **NoreE-syst.**, *Nyl-syst.*, *Nys-orloc.*, **Oct-syst.**, *Ola-syst.*, *Olm-syst.*, *OlmH-syst.*, *Olo-oph.*, **Ols-orloc.**, *Omep-syst.*, **Opi-syst.**, *Opr-syst.*, *Orl-orloc.*, **Ose-syst.**, **Oxa-syst.**, **Oxc-syst.**, *Oxyb-syst.*, *Oxyt-syst.*, **Pac-syst.**, **PacP-syst.**, **Pam-syst.**, *Panc-syst.*, *Pantop-syst.*, **Para-syst.**, **Paro-syst.**, **Pegas-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Pegv-syst.**, **Peme-syst.**, *Pemo-syst.*, **Penic-syst.**, **Penicil-syst.**, **PenicilB-syst.**, **Penta-syst.**, *PenteC-syst.*, *Pentosa-syst.*, **Pentost-syst.**, *Pentox-syst.*, **Perf-orloc.**, **Perg-syst.**, **PerpA-syst.**, *Phenot-syst.*, **Phent-syst.**, *Pho-syst.*, *Phy-oph.*, **Phy-syst.**, *Pil-oph.*, **Pil-syst.**, *Pime-top.*, *Pimo-syst.*, *Pip-syst.*, **Pli-syst.**, *Podof-top.*, *Podop-top.*, **PolyE-loc.**, *PotI-syst.*, **PotS-syst.**, **Pral-syst.**, **Prami-syst.**, **Praml-syst.**, **Prazi-syst.**, *Prazo-syst.*, *PrazoP-syst.*, **Prima-syst.**, *Primi-syst.*, *Procai-syst.*, **Procar-syst.**, **Proge-syst.**, *Propa-syst.*, **Propo-syst.**, *Protasyst.*, **Proti-syst.**, *Pse-syst.*, *Pyran-orloc.*, *PyreP-top.*, *Pyridos-syst.*, *Pyrim-syst.*, *Pyrv-orloc.*, **Quid-syst.**, **Quin-syst.**, *QuinuD-syst.*, *Rabe-syst.*, **RabiV-syst.**, **Rac-syst.**, *Ralo-syst.*, **Ralt-syst.**, *Ram-syst.*, **Ras-syst.**, **Rau-syst.**, **Rem-syst.**, **Rep.syst.**, *Reso-top.*, *Ret-syst.*, *Riba-syst.*, **RibaI-syst.**, *Rifap-syst.*, **Ril-syst.**, *Rima-syst.*, *Rise-syst.*, **Risp-syst.**, **Ritod-syst.**, **Riton-syst.**, **Ritu-syst.**, **Riv-syst.**, **Riz-syst.**, *Roc-syst.*, **Rof-syst.**, **Ropin-syst.**, **Ropiv-parloc.**, *Rosu-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sac-syst.*, *SalA-top.*, *Sam-syst.*, *Saq-syst.*, **Seleg-syst.**, **SelenSup-syst.**, **Sertr-syst.**, *Seve-orloc.*, *Sib-syst.*, **Sin-syst.**, **Sir-syst.**, *Ske-syst.*, **Ske-syst.** [Metaxalone], *SodBeSP-syst.*, *SodF-syst.*, *SodI123-syst.*, *SodI131-systdia.*, **SodN-syst.**, **SodO-syst.**, *SodPhe-syst.*, **SodPol-loc.**, *SodTe-syst.*, *SodTh-syst.*, *Sol-syst.*, **Sor-syst.**, *Spa-syst.*, *Spi-syst.*, *Sta-syst.*, **Stre-syst.**, **Succ-syst.**, *Sucr-orloc.*, **SulfadP-syst.**, **Sulfap-syst.**, **Sulfas-syst.**, **Sulfi-syst.**, **Sulfi-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Sum-syst.**, **Sur-syst.**, *Sym-parsyst.*, **Tacri-syst.**, **Tacro-syst.**, *Tacro-top.*, *Tad-syst.*, **Tamo-syst.**, *Tams-syst.*, *TecF-syst.*, *TecAlA-syst.*, *TecAr-syst.*, *TecB-syst.*, *TecMer-syst.*, *TecO-syst.*, *TecSuc-syst.*, *TecSul-syst.*, *TecTeb-syst.*, **Teg-syst.**, **Teli-syst.**, *Telm-syst.*, *TelmH-syst.*, **Tem-syst.**, **Teni-syst.**, **Teno-syst.**, *Tera-syst.*, **Teri-syst.**, *Teri-syst.*, *Testol-syst.*, *Testos-syst.*, **Tetr-syst.**, *Thall-syst.*, **Thiab-syst.**, *Thiog-syst.*, *Thiot-syst.*, *Thr-syst.*, **Thyr-syst.**, **ThyrA-syst.**, *Tia-syst.*, **Tic-syst.**, **Til-syst.**, *Tini-syst.*, *Tinz-syst.*, **Tiop-syst.**, *Tir-syst.*, **Toc-syst.**, *Tola-parsyst.*, **Tolc-syst.**, **Tolt-syst.**, **Topi-syst.**, **Topo-syst.**, **Tore-syst.**, **TosI-syst.**

Tram-syst., *TramA-syst.*, *TrandV-syst.*, **Trane-syst.**, **Tras-syst.**, **Traz-syst.**, **Trep-syst.**, **Tret-syst.**, *Trimetha-syst.*, *Trimethop-syst.*, *Trimetr-syst.*, **Trio-syst.**, **Tros-syst.**, **Trov-syst.**, *TypVL-syst.*, **Ure-parloc.**, **Ure-syst.**, *Uro-syst.*, **Vac-syst.**, **Vala-syst.**, **Vald-syst.**, **Valg-syst.**, **Valp-syst.**, *Vals-syst.*, *ValsH-syst.*, **Van-orloc.**, *Van-syst.*, *Vard-syst.*, *Vari-syst.*, **Vasc-syst.**, *Vaso-syst.*, **Ven-syst.**, *Ver-parloc.*, *Vig-syst.*, *Vinb-syst.*, *Vinc-syst.*, *Vind-syst.*, **Vino-syst.**, *VitDA-syst.*, *VitE-syst.*, *VitMF-syst.*, **Vor-syst.**, *Xyl-nas.*, *Yoh-syst.*, *Zaf-syst.*, *Zalc-syst.*, **Zale-syst.**, *Zan-inhsyst.*, **Zic-syst.**, **Zid-syst.**, **Zil-syst.**, *ZinS-syst.*, **Zip-syst.**, **Zole-syst.**, **Zolm-syst.**, *Zolp-syst.*, **Zon-syst.**

adults.

females and males: *Leup-syst.*

pediatric patients, and: **Desf-inhsyst.**, **Sevo-inhsyst.**

children: **Etan-syst.**

continuing: *AspirSC-syst.*, *BisS-orloc.*, *CalcS-syst.*, *Cetr-syst.*, *ChorioG-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Meno-syst.*, *Sal-syst.*, *Uro-syst.*

more than 30 minutes: *Ipe-orloc.*

female infertility, patients treated for: **FollitA-syst.**, **FollitB-syst.**

gonadotropin-releasing hormone agonist (GnRHa) undergoing assisted reproductive technology, patients pretreated with a (ART): **FollitB-syst.**

mild: *AnestInh-syst.*, **AnestInh-syst.** [Nitrous oxide], **Carbam-syst.**, **Lit-syst.**, **Por-syst.**, **Probe-syst.**

females: **Meno-syst.**

to moderate: **Gold-syst.**, **Iopa-syst.**, *Iov-syst.*

motion sickness: *Palo-syst.*

pediatric patients being treated for juvenile rheumatoid arthritis: **Sulfas-syst.**

pain in one side of the body, anxiety, tiredness, with: *HyalSD-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

severe: *BisS-orloc.*, *Cetr-syst.*, *ChorioG-syst.*, **Cisp-syst.**, *Meno-syst.*, *Riv-syst.*, *Uro-syst.*, *Zid-syst.*

vomiting, with: *Allop-syst.*, **Altr-syst.**, **AmphoB-syst.**, **AmphoBLC-syst.**, **Clind-syst.**, *Corticot-syst.*, *Gold-syst.*, *Hepar-syst.*, *Histr-syst.*, *Methe-syst.*, **Mur-syst.**, *Nico-inhsyst.*, *Rep-syst.*, *Resp-syst.*, **RifamI-syst.**, **RifamIP-syst.**, *Spec-syst.*, **Terb-syst.**, *Trav-oph.*

continuing: *AspirSC-syst.*, *Sal-syst.*

migraine, and: *DicM-syst.*

mild to moderate: **Altr-syst.**, **Gold-syst.**

severe, with diarrhea: *Azat-syst.*

PERFURAÇÃO gástrica (Ver Úlcera): **Indo-syst.**

gastrointestinal (severe pain in abdomen; fever; nausea; vomiting): *AntinfN-syst.*, *Docet-syst.*

ulceration and/or bleeding, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): *DecAn-syst.* [Ibuprofen-containing combinations]

peptic: *Fludro-syst.*, *Ketor-syst.*

ulcer, perforated (severe abdominal pain; cramping; burning; bloody, black, or tarry stools, trouble breathing; vomiting of material that looks like coffee grounds; severe and continuing nausea; heartburn and/or indigestion): Melo-syst.

PLENITUDE, sensação de (Ver Distensão; Flatulência): Adal-syst., AnabS-syst., AntdiaS-syst., Brim-oph., Capec-syst., Cyclope-oph., Mero-syst., Rise-syst., Testos-syst.
gastrointestinal tract: Ketor-syst.

POLIDIPSIA (Ver Sede, excessiva).

PÓLIPOS em fundo gástrico (Ver Tumor, pólipos): OmeP-syst.

PRESSÃO no estômago: Lit-syst.

REDUÇÃO do ácido gástrico (alcalose hipoclorêmica) (Ver Alcalinização): Antac-orloc., BisS-orloc., CalcS-syst. [Calcium Carbonate], Eso-syst., Rabe-syst.

REFLUXO (azia; vômito) (Ver Azia; Dispepsia): Cele-syst.

acid (heartburn): Telm-syst.

esophageal (chest pain; difficulty in swallowing; heartburn, repeated; regurgitation of food): Almot-syst.

gastroesophageal (heartburn; vomiting): BronT-syst., Cev-syst., Dyp-syst., Exen-syst., Melo-syst., Mem-syst., Oxa-syst., Tad-syst., Tiot-inhloc., Vard-syst.

gastrointestinal (bloating; diarrhea; gas; heartburn; indigestion; loss of appetite; nausea; stomach pain; vomiting): Sor-syst., Sum-syst.

regurgitation, with (heartburn; vomiting): Alos-syst.

SANGRAMENTO (Ver Hemorragia).

SEDE: Capec-syst., CetiP-syst. [Pseudoephedrine], Cyclope-oph., Dexmed-syst., Dom-syst., **Doxep-top.**, Gadob-syst., Gadop-syst., Gadov-syst., Glut-syst., Mont-syst., Ola-syst., ValsH-syst., Zole-syst.

continuing: AntinfN-syst., Ketor-syst., Vald-syst.

decreased: Hal-syst.

dehydration (increased thirst) (See GENERALITIES): Sac-syst.

excessive (polydipsia): Fluv-syst., Iod-top., Risp-syst., Sum-syst., Tinz-syst.

increased: AcSodCit-syst., Acyc-syst., Almot-syst., Aminglyc-syst., Antac-orloc., **AspirSC-syst.**, BarbAn-syst. [Aspirin], Benzod-syst., BisS-orloc., Cortic-nas., **EdC-syst.**, Glyc-syst., HydroI-syst., Iri-syst., Lax-loc., **Lit-syst.**, **Mann-syst.**, Mecas-syst., Mir-syst., Mod-syst., Nalt-syst., Nar-syst., Nef-syst., Niti-syst., Oxc-syst., Paro-syst., Ras-syst., Ritu-syst., Riz-syst., Sal-syst., Sib-syst., Sild-syst., **Sir-syst.**, SodBi-syst., Tacro-syst., Trop-oph., **Ure-syst.**, Van-syst., VitDA-syst.

electrolyte imbalance, with: AngInH-syst.

hypercalcemia, with: CalcS-syst.

sudden: SodC-parloc.

unusual: **Acit-syst.**, DecAn-syst. [Salicylate-containing combinations], *Dinopst-parloc.*, Ergon-syst., MepA-syst. [Aspirin], Methyler-syst.

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: *FollitA-syst.*

SENSAÇÕES, como se.

bloated feeling: *Fent-trsyst.*

burning sensation (See Pain, burning.): **Mono-loc.**

feeling of indigestion: *Cetr-syst.*, *ChorioG-syst.*, *Meno-syst.*, *Uro-syst.*

feeling empty in stomach: Oct-syst.

fullness (See Fullness).

upset stomach, feeling of: **TosI-syst.**

vomiting, feeling like: **TosI-syst.**

SOFRIMENTO estomacal (Ver Angústia; Dispepsia).

SOLUÇO: Amif-syst., AnestBar-syst., AntconD-syst., AntconS-syst., Aprep-syst., CarbidL-syst., CarbidEL-syst., Cev-syst., Cortic-nas. [Dexamethasone], CorticG-syst., Dinopst-parloc., Doxap-syst., Etom-syst., Fome-syst., Levod-syst., Mida-syst., Nicoinhsyst., Nico-nas., Nico-syst., Oxa-syst., Palo-syst., Propo-syst., Roc-syst., Ske-syst.

TOXICIDADE gastrointestinal (anorexia; cólicas abdominais ou estomacais; queimação ou dor gástrica; sangue ou fezes pretas; constipação ou diarreia; dificuldade em engolir ou dor na parte de trás da garganta ou no peito ao engolir; vômitos com sangue ou material que se parece com borra de café; náusea; vômitos, possivelmente com hematêmese): *Capec-syst.*, *Clofaz-syst.*, **Colc-syst.**, **Procar-syst.**, Pyrim-syst., SulfadP-syst.

TRANSTORNOS, distúrbios, anormalidades, alterações (Ver Anorexia; Azia; Desconforto; Dispepsia; Dor; Flatulência; Inflamação; Náusea; Vômito).

gastrointestinal disorders or upset (abdominal discomfort or pain; anorexia [loss of appetite]; constipation; abdominal or stomach cramps; bloating; burning of stomach; diarrhea; dryness of mouth; flatulence; heartburn; increase in appetite; loss of appetite; mouth ulcers; nausea; stomach pain, fullness, or discomfort; indigestion; stomach upset; passing of gas; vomiting): Acet-syst., AcSodCit-syst., *Adal-syst.*, *Albd-syst.*, **Aman-syst.**, **AminsSod-syst.**, **AmphoB-syst.**, **AmphoBLC-syst.**, **Ampr-syst.**, **AntdiaS-syst.**, *AntfunA-syst.*, **Anthis-syst.** [Azatadine; Diphenhydramine], *Anthis-syst.* [Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Loratadine], *Aztr-syst.*, *Bet-syst.*, *Brim-oph.*, *CarbidEL-syst.* [Entacapone], *Cefd-syst.*, *Cefu-syst.*, *Chym-parloc.*, *Clar-syst.*, *Clind-top.*, *Clind-vag.*, **Clofaz-syst.**, **Clot-orloc.**, *Cortic-nas.* [Dexamethasone], *Cortic-ot.*, *Cyclos-syst.*, *Daps-syst.*, *Dir-syst.*, *Gemif-syst.*, *IsomDA-syst.*, *Mero-syst.*, *Methe-syst.*, **Metro-syst.**, *Mex-syst.*, **Nali-syst.**, *Pip-syst.*, *Pyran-orloc.*, *Pyrv-orloc.*, *Ralo-syst.*, **RifamI-syst.**, **RifamIP-syst.**, *Rima-syst.*, *Rise-syst.*, *Saq-syst.*, *Spec-syst.*, *Spi-syst.*, *Sta-syst.*, **SulfadP-syst.**, **Sulfap-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Sur-syst.**, *Teli-syst.*, **Terb-syst.**, *Teri-syst.*, *Testos-syst.*, **Tetr-syst.**, **Tors-syst.**, *TramA-syst.*

[Acetaminophen], *Trav-oph.*, *Trimethop-syst.*, *Vala-syst.*, *Zalc-syst.*, *Zic-syst.*, *Zid-syst.*

severe: **Thiab-syst.**

intolerance, gastric.

gastrointestinal (anorexia [loss of appetite]; diarrhea; dyspepsia [heartburn, indigestion and/or sour stomach]; nausea; vomiting): **Rifab-syst.**, **Thali-syst.**

mild (diarrhea; nausea; vomiting): **Progu-syst.**

TUMORES (Ver Câncer).

polyps, gastric fundic gland: *Omep-syst.*

ÚLCERA gástrica (perda do apetite; náusea; inchaço, ardor, câimbra ou dor de estômago; vômito; perda de peso; sangramento, ulceração ou perfuração) (Ver Perfuração): *AntinfN-syst.*, **AntinfN-syst [Floctafenine]**, *Cab-syst.*, *Capec-syst.*, *Clop-syst.*, *Cortic-top.*, *DicM-syst.*, *Flavoc-syst.*, *Glut-syst.*, *Melo-syst.*, *Por-syst.*, *Rise-syst.*, *Tacro-syst.*

gastric, multiple gastrointestinal and peptic or nonpeptic: *AntinfN-syst.*, **AntinfN-syst [Floctafenine]**

gastrointestinal (bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds): *AnthisDAg-syst.* [*Salicylate-containing combinations*], *AspirSC-syst.*, *Cele-syst.*, **Dacti-syst.**, *Dau-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *DecAn-syst.* [*Ibuprofen-containing combinations*], *Doxor-syst.*, *Flox-syst.*, *Fluoru-syst.*, *Ketor-syst.*, *Melo-syst.*, *MepA-syst.*, *Merc-syst.*, *Nalt-syst.*, *Rof-syst.*, *Sal-syst.*, *Thiog-syst.*, *Tret-syst.*, *Vald-syst.*

bleeding, with (See Bleeding): *Sal-syst.*

multiple: *AntinfN-syst.*, **AntinfN-syst [Floctafenine]**

perforation and/or bleeding, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing) (See Bleeding; Perforation): *DecAn-syst.* [*Ibuprofen-containing combinations*], *Ketor-syst.*

hemorrhagic (black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds) (See Bleeding): *AspirSC-syst.*, *Melo-syst.*

mucosal, superficial: *Dacti-syst.*

nonpeptic: *AntinfN-syst.*, **AntinfN-syst [Floctafenine]**

peptic (black, tarry stools; blood in vomit; severe or continuing stomach pain): *AntinfN-syst.*, **AntinfN-syst [Floctafenine]**, *Bromo-syst.*, *Cholest-orloc.*, *Cil-syst.*, *Clop-syst.*, *Colest-orloc.*, *Cortic-rec.*, *CorticG-syst.*, *DicM-syst.*, *Ketor-syst.*, *Mech-syst.*, *Sum-syst.*, *Tic-syst.*, *Urs-syst.*

aggravation or exacerbation of: *Nia-syst.*, *SodBeSP-syst.*

bleeding from a previously existing peptic ulcer (black, tarry stools) (See Bleeding): *Vinb-syst.*

due to increased acid secretion: **Hist-syst.**

perforation and/or bleeding, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks

like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing) (See Bleeding; Perforation): *Fludro-syst.*, *Ketor-syst.*

reactivation (abdominal or stomach pain, severe): *Penic-syst.*

perforated (severe abdominal pain; cramping; burning; bloody, black, or tarry stools, trouble breathing; vomiting of material that looks like coffee grounds; severe and continuing nausea; heartburn and/or indigestion) (See Perforation): *Melo-syst.*

serious potential life-threatening: *MethotC-syst.*, *MethotNC-syst.*

VÔMITO, regurgitação: *Abac-syst.*, *AbLamZid-syst.*, *Abcix-syst.*, *Acet-syst.*, *Acetyl-inh.*, *Acetyl-syst.*, *Acit-syst.*, *AcSodCit-syst.*, *Acyc-syst.*, *Adal-syst.*, *Album-syst.*, *AlbMic-syst.*, *Aldes-syst.*, *Alemt-syst.*, *Algl-syst.*, *Allop-syst.*, *Almot-syst.*, *Aman-syst.*, *Amif-syst.*, *AmincAc-syst.*, *Aminglut-syst.*, *Aminglyc-syst.*, *AminsSod-syst.*, *Amio-syst.*, *AmmSAR-syst.*, *Amph-syst.*, *AmphoB-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *AmphoBLsC-syst.*, *Amsa-syst.*, *AmylN-syst.*, *Anag-syst.*, *Anast-syst.*, *Anest-oph.*, *Anest-parloc.*, *AnestBar-syst.*, *Anid-syst.*, *Antac-orloc.*, *AntinfN-oph.* [*Diclofenac*], *AntinfN-syst.*, *AntinfN-syst.* [*Tiaprofenic Acid; Tolmetin*], *AntandN-syst.*, *Antchsp-syst.*, *Antcoa-syst.*, *Antcoa-syst.* [*Dicumarol*], *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.*, *AntdiaS-syst.*, *AntfunA-syst.*, *AntglaC-oph.*, *AnthemF-syst.*, *Anthis-syst.*, [*Cyproheptadine*], *AnthisDAg-syst.* [Acetaminophen-containing combinations], *AnthisDAc-syst.*, *AnthisP-syst.*, *Antm-syst.*, *Antthyr-syst.*, *AntvCPol-syst.*, *AntvM.-syst.*, *AppSupS-syst.*, *Ard-syst.*, *Arg-syst.*, *Arip-syst.*, *ArsTr-syst.*, *AscAc-syst.*, *Ataz-syst.*, *Atom-syst.*, *Atorv-syst.*, *Atova-syst.*, *AtovaPro-syst.*, *AtropB-syst.*, *Azac-syst.*, *Azat-syst.*, *Azith-syst.*, *Aztr-syst.*, **Bacl-intsyst.**, *Barb-syst.*, *BarbAn-syst.* [Acetaminophen; Aspirin; Caffeine], **Basil-syst.**, *Bell-syst.*, *Bentir-syst.*, *Benzod-syst.*, *Benzon-syst.*, *Bet-syst.*, *BetBA-oph.* [*Metipranolol; Timolol*], *BetBA-syst.*, *BetBAT-syst.*, *Beth-syst.*, **Bevac-syst.**, **Bex-syst.**, *BisSMT-syst.*, **Biv-syst.**, **Bleo-syst.**, **Bort-syst.**, *Bos-syst.*, *Bret-syst.*, *Brim-oph.*, *Bromo-syst.*, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.* [*Aminophylline, Theophylline*], *Bupre-syst.*, **Bupro-syst.**, *Buse-syst.*, *Busp-syst.*, **Busu-syst.**, **Butor-nasyst.**, *Cab-syst.*, *Caff-syst.*, **Calcit-syst.**, **CalcS-syst.**, **Capec-syst.**, *Carbac-oph.*, **Carbet-syst.**, **CarbidL-syst.**, *CarbidEL-syst.* [*Entacapone*], **CarbonAI-syst.**, *Carbopl-syst.*, *Carbopr-syst.*, **Carm-imploc.**, **Carm-syst.**, *Carv-syst.*, *Casp-syst.*, *Cefd-syst.*, *Cefu-syst.*, *Cele-syst.*, **Ceph-syst.**, *CetiP-syst.* [Pseudoephedrine], **Cetux-syst.**, *Cev-syst.*, *CharA-orloc.*, *Chlop-syst.*, **ChlH-syst.**, *Chloramb-syst.*, *Chloramp-ot.*, *Chloramp-syst.*, *ChlordA-syst.*, **CholAO-syst.**, **Cholest-orloc.**, *ChorioA-syst.*, **Cid-syst.**, **Cinac-syst.**, *Cinox-syst.*, *Cital-syst.*, *CitAGM-mucloc.*, **Clad-syst.**, *Clar-syst.*, *Clind-vag.*, **Clod-syst.**, **Clofar-syst.**, **Clofaz-syst.**, *Clofib-syst.*, *Clom-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Clop-syst.*, **Clot-orloc.**, **Cloz-syst.**, *Coc-mucloc.*, *Colc-syst.*, *Colect-orloc.*, *ConjE-syst.*, *Cop-syst.*, *Cortic-inhloc.*, *Cortic-nas.* [*Beclomethasone, Budesonide, Dexamethasone, Flunisolide, Fluticasone*], *Cortic-ot.*, *Cortic-top.*, *Cos-syst.*, *Cyclob-syst.*, **Cycloph-syst.**, *Cyclos-syst.*, *Cyp-syst.*, **Cys-syst.**, **Cyt-syst.**, **Dac-syst.**, *Dacli-syst.*, **Dacti-syst.**, *Danaz-syst.*, **Dant-syst.**, *Daps-syst.*, *Dapt-syst.*, **Darb-syst.**, *Darif-syst.*, **Dau-syst.**, **DauL-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DecAn-syst.* [Acetaminophen-containing combinations], **Del-syst.**, **Den-syst.**, *Dexmed-syst.*, *Dexmet-syst.*, *Dext-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *DicM-syst.*, *Dietc-syst.*, *DigitG-syst.*, **Dihy-nassyst.**, **Dimer-syst.**, **Dinopst-parloc.**, **Dinopne-cervag.**, *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtTTPVH-syst.*, *Dipy-syst.*, **DipyA-syst.**, *Dir-syst.*, **DiuPH-syst.**, *Docet-syst.*, **Don-syst.**, *Doxap-syst.*, *Doxaz-syst.*,

Doxor-syst., DoxorL-syst., Doxyc-syst., Dron-syst., DrosEE-syst., Dul-syst., Dyp-syst., EdC-syst., Edr-syst., EdrA-syst., Efal-syst., Efav-syst., Efl-syst., Emt-syst., EmtT-syst., Eno-syst., Enta-syst., Entec-syst., EnterNF-syst., Epir-syst., Epoe-syst., Epop-syst., ErgolM-syst., Ergon-syst., Erl-syst., Ert-syst., Esm-syst., Eso-syst., EstroP-syst., EstroPO-syst., Esz-syst., Etan-syst., Etham-syst., Ethc-syst., Ethi-syst., Etom-syst., Eton-vag., Etop-syst., Exem-syst., Exen-syst., FacVIIa-syst., Fam-syst., FatE-syst., Fel-syst., Fenol-syst., Fent-syst., Fent-trsyst., FentD-syst., Flavox-syst., Flec-syst., Flox-syst., Fluc-syst., Fluda-syst., Fludro-syst., Flum-syst., Fluorq-syst., Fluoru-syst., Fluox-syst., Flut-inhloc., Flut-nas., Fluv-syst., Fome-syst., Fomi-parloc., Fon-syst., Fosam-syst., Fosc-syst., Ful-syst., Fur-orloc., Fus-syst., Gab-syst., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gala-syst., GalliC-syst., GalliN-syst., Gals-syst., Ganc-syst., Ganir-syst., Gef-syst., Gemc-syst., Gemf-syst., Gemif-syst., Gemt-syst., Gla-syst., Glim-syst., GlipM-syst., Gluc-syst., Glut-syst., GlybM-syst., Glyc-syst., Gos-syst., Gra-syst., Gri-syst., Guai-syst., Guane-syst., Guanf-syst., HaeC-syst., HaeP-syst., HepatAVI-syst., HepatBVR-syst., Hist-syst., HistH2-syst. [Famotidine, Nizatidine, Ranitidine], HyalS-syst., Hyalur-parloc., Hydra-syst., HydroI-syst., HydroxT-oph., Hydxyu-syst., Iba-syst., Ibr-syst., IbufO-syst., Ida-syst., Ifo-syst., Ilo-inh., Ima-syst., ImipC-syst., Imm-syst., Ina-syst., Indin-syst., Indo-syst., Infli-syst., IntA1-syst., IntB1b-syst., IntG-syst., IntA-syst., Iod-top., IodS-syst., Iodip-syst., Iodix-syst., Iodoh123-syst., Iodoh131-syst., Iodoq-orloc., Ioh-loc., Ioh-syst., Iopr-syst., Iot-syst., Ioxa-syst., Ipe-orloc., Iri-syst., Iron-syst., IsomDA-syst., Ison-syst., Isox-syst., JapV-syst., Kan-orloc., Keta-syst., Ketor-syst., Ltry-syst., Lami-syst., LamiZ-syst. [Zidovudine], Lamo-syst., Lans-syst., Lant-orloc., Lef-syst., Len-syst., Let-syst., Leval-inhloc., Levam-syst., Levoca-syst., Levod-syst., Levof-syst., Levom-syst., Lid-syst., Lid-top., LidP-top., Linc-syst., Lind-top., Line-syst., Lit-syst., Lom-syst., LopiR-syst., Lor-syst., Lox-syst., MagS-syst., Man-syst., Mann-syst., Map-syst., Meb-syst., Mecam-syst., Mecas-syst., Mech-syst., MedE-syst., Mef-syst., Meg-syst., Melo-syst., Melp-syst., Mem-syst., MeniVDC-syst., Mep-syst., MepA-syst., Merc-syst., Mero-syst., Mesa-orloc., Mesn-syst., Metf-syst., Methe-syst., MethotC-syst., MethotNC-syst., Methy-syst., MethylB-syst., Methyler-syst., Methylp-syst., Methys-syst., Metro-syst., Metro-vag., Metyra-syst., Metyro-syst., Mex-syst., Mica-syst., Mida-syst., Mif-syst., Miglu-syst., Mir-syst., Mis-syst., Mitom-syst., Mitox-syst., Moc-syst., Mod-syst., Mom-inhloc., Mono-loc., Mont-syst., Mor-syst., Mur-syst., Myc-syst., Nali-syst., Nalm-syst., Nalo-syst., Nalt-syst., Nar-syst., Ned-inhloc., Nef-syst., Neo-orloc., Nep-oph., Nes-syst., Nev-syst., Nia-syst., NiaL-syst., Nicl-orloc., Nico-inhsyst., Nico-nas., Nico-syst., Nita-syst., Nitra-syst., Nitro-syst., Nitrop-syst., NoreE-syst., Nyl-syst., Nys-orloc., Oct-syst., Ola-syst., Ols-orloc., Omep-syst., Opi-syst., Orl-orloc., Ose-syst., Oxa-syst., Oxc-syst., Oxyb-syst., Oxyt-syst., Pac-syst., PacP-syst., Paliv-syst., Pam-syst., Pantop-syst., Para-syst., Paro-syst., Pegas-syst., Pegf-syst., PegiA2a-syst., PegiA2b-syst., Peme-syst., Pemo-syst., Penic-syst., Penicil-syst., PenicilB-syst., Penta-syst., Pentosa-syst., Pentost-syst., Pentox-syst., Perf-orloc., Perg-syst., PerpA-syst., Phenot-syst., Phent-syst., Pho-syst., Phy-oph., Phy-syst., Pil-oph., Pil-syst., Pime-top., Pimo-syst., Pip-syst., Pli-syst., PncC-syst., Podof-top., Podop-top., PolyE-loc., PotI-syst., PotS-syst., Praml-syst., Prazi-syst., Pre-syst., Prima-syst., Primi-syst., Procai-syst., Procar-syst., Proge-syst., Progu-syst., Propa-syst., Propo-syst., ProtA-syst., Pse-syst., Pyran-orloc., PyreP-top., Pyridos-syst., Pyrim-syst., Pyrv-orloc., Quid-syst., Quin-syst., QuinuD-syst., Rabe-syst., Rac-syst., Ralo-syst., Ralt-syst., Ras-syst., Rau-syst., Rem-syst., Rep-syst., Reso-top., Resp-syst., Ret-syst., Riba-syst.,

RibaI-syst., *Rifap-syst.*, *Rifax-orloc.*, **Ril-syst.**, *Rima-syst.*, *Rise-syst.*, *Risp-syst.*, **Ritod-syst.**, **Riton-syst.**, **Ritu-syst.**, **Riv-syst.**, **Riz-syst.**, *Roc-syst.*, *Rof-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, *Rosu-syst.*, *Sac-syst.*, *Sala-top.*, *Sam-syst.*, *Saq-syst.*, **Seleg-syst.**, *SelenSup-syst.*, *Serm-syst.*, *Sertr-syst.*, *Seve-orloc.*, *Sild-syst.*, *Sin-syst.*, **Sir-syst.**, *Ske-syst.*, **Ske-syst.** [Metaxalone], **SodBeSP-syst.**, *SodF-syst.*, *SodI123-syst.*, *SodI131-systdia.*, **SodN-syst.**, **SodO-syst.**, *SodPhe-syst.*, **SodPol-loc.**, *SodTe-syst.*, *SodTh-syst.*, *Sol-syst.*, **Sor-syst.**, *Spa-syst.*, *Spi-syst.*, *Sta-syst.*, **Stre-syst.**, **Succ-syst.**, **SulfadP-syst.**, **Sulfap-syst.**, **Sulfas-syst.**, **Sulfi-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Sum-syst.**, **Sur-syst.**, *Sym-parsyst.*, **Tacri-syst.**, **Tacro-syst.**, *Tad-syst.*, *TecMer-syst.*, *TecO-syst.*, *TecSul-syst.*, *TecTet-syst.*, *Teg-syst.*, *Teli-syst.*, *TelmH-syst.*, **Tem-syst.**, **Teni-syst.**, **Teno-syst.**, *Tera-syst.*, *Teri-syst.*, *Teri-syst.*, *Testol-syst.*, *Testos-syst.*, **Tetr-syst.**, **Thiab-syst.**, *Thiog-syst.*, *Thiot-syst.*, *Thr-syst.*, *ThyH-syst.*, **Thyr-syst.**, *ThyrA-syst.*, **Tia-syst.**, *Tic-syst.*, *Til-syst.*, *Tini-syst.*, *Tinz-syst.*, **Tiop-syst.**, *Tiot-inhloc.*, **Tiz-syst.**, *Toc-syst.*, *Tola-parsyst.*, **Tolc-syst.**, **Topo-syst.**, *Tore-syst.*, **TosI-syst.**, **Tram-syst.**, *TramA-syst.*, **Trane-syst.**, **Tras-syst.**, **Traz-syst.**, *Trep-syst.*, **Tret-syst.**, *Trimetha-syst.*, *Trimethop-syst.*, *Trimetr-syst.*, *Trip-syst.*, *Tros-syst.*, **Trov-syst.**, *TypVL-syst.*, **Ure-parloc.**, **Ure-syst.**, *Uro-syst.*, **Urs-syst.**, **Vac-syst.**, *Vala-syst.*, *Vald-syst.*, **Valg-syst.**, **Valp-syst.**, *ValsH-syst.*, **Van-orloc.**, *Van-syst.*, *Vard-syst.*, *Vari-syst.*, **Vasc-syst.**, *Vaso-syst.*, **Ven-syst.**, *Vig-syst.*, *Vinb-syst.*, *Vinc-syst.*, *Vind-syst.*, **Vino-syst.**, *VitA-syst.*, *VitDA-syst.*, *VitMF-syst.*, *Vor-syst.*, *Yoh-syst.*, *Zalc-syst.*, *Zan-inhsyst.*, **Zic-syst.**, **Zid-syst.**, *ZinS-syst.*, *Zip-syst.*, **Zole-syst.**, *Zolp-syst.*, *Zop-syst.*

acid (heartburn): *Ert-syst.*, *Indin-syst.*

adults.

females and males: *Leup-syst.*

pediatric patients: **Desf-inhsyst.**, **Sevo-inhsyst.**

ambulatory patients: *Bupre-syst.*

bloating, stomach, with: *Chloramp-ot.*

blood (hematemesis) (vomiting of blood or material that looks like coffee grounds; dark or bloody vomit): *Amsa-syst.*, *AntinfN-syst.*, **AntinfN-syst.** [**Floctafenine**], *AntinfN-syst.* [*Etodolac*; *Flurbiprofen*], *BarbAn-syst.* [Caffeine], *BronT-syst.*, *Busu-syst.*, *Caff-syst.*, *Capec-syst.*, *Cil-syst.*, *Danap-syst.*, *Dyp-syst.*, *Eno-syst.*, *Hepar-syst.*, *Ibr-syst.*, *Melo-syst.*, *Mitom-syst.*, *Pli-syst.*, *Prota-syst.*, *Rau-syst.*, *SodF-syst.*, *Valp-syst.*, *VitMF-syst.*

material that looks like coffee grounds: *Cil-syst.*, *Danap-syst.*, *Eno-syst.*, *Hepar-syst.*, *Prota-syst.*

spontaneous: *Ept-syst.*

children: **Etan-syst.**

continuing: *AspirSC-syst.*, *CalcS-syst.*, *Cetr-syst.*, *ChorioG-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *DiphTT-syst.*, *Meno-syst.*, *Sal-syst.*, *TetaT-syst.*, *Trimethob-syst.*, *Uro-syst.*

more than 30 minutes: *Ipe-orloc.*

discoloration of vomit.

bright red: *Pyrv-orloc.*

female infertility, patients treated for: **FollitA-syst.**, **FollitB-syst.**

gastric: *Alpr-syst.*

gonadotropin-releasing hormone agonist (GnRHa) undergoing assisted reproductive technology (ART), patients pretreated with a: **FollitB-syst.**

Repertório - Capítulos Estômago / Alimentos

mild: AnestInh-syst., **AnestInh-syst.** [Nitrous oxide], **Carbam-syst.**, **Por-syst.**, Tamo-syst.

females: Meno-syst.

to moderate: **Iopa-syst.**, Iov-syst.

to severe: **Probe-syst.**

nausea, with: Allop-syst., **Altr-syst.**, **AmphoB-syst.**, **AmphoBLC-syst.**, **Clind-syst.**, Corticot-syst., Gold-syst., Hepar-syst., Histr-syst., Methe-syst., **Mur-syst.**, Nico-inhsyst., Rep-syst., Resp-syst., **RifamI-syst.**, **RifamIP-syst.**, Spec-syst., **Terb-syst.**, Trav-oph.

continuing: AspirSC-syst., Sal-syst.

migraine, and: DicM-syst.

mild to moderate: **Altr-syst.**, **Gold-syst.**

severe, with diarrhea: Azat-syst.

pediatric patients being treated for juvenile rheumatoid arthritis: **Sulfas-syst.**

primarily of central origin: Estro-syst.

reflux, with (heartburn; vomiting): Alos-syst.

severe: BisS-orloc., Cetr-syst., ChorioG-syst., **Cisp-syst.**, Daps-top., DiphtTT-syst., Meno-syst., Riv-syst., TetaT-syst., Trimethob-syst., Uro-syst., Zid-syst.

CAPÍTULO ALIMENTOS

DOCES.

desire, craving: **PerpA-syst.**

CAPÍTULO ABDOME

ABCESSO abdominal: *Etan-syst.*

ARREDONDAMENTO do tronco: Cortic-nas., Flut-inhloc., **Sir-syst.**

ASCITE (Ver Edema).

BAÇO.

crystalline deposits in the tissue of the spleen: *Clofaz-syst.*

hepatosplenomegaly (in patients with acute promyelocytic leukemia) (See Liver; Spleen; Splenomegaly): **Tret-syst.**

infarction: *Clofaz-syst., Inflī-syst.*

length increased: *Mecas-syst.*

rupture (pain, left upper abdominal or shoulder): *ColSF-syst. [Filgrastim], Pegf-syst.*

splenomegaly (See Splenomegaly).

BORBORIGMO (excesso de ar ou gás no estômago ou intestino) (Ver Distensão): *Pyridos-syst.*

CÁLCULOS BILIARES (Ver Vesícula Biliar, cálculos).

CÂNCER (Ver Tumores).

carcinoma.

gastrointestinal (abdominal discomfort; blood in stool; change in bowel habits; difficulty swallowing or eating; lump or swelling in the abdomen; nausea; loss of appetite; unexplained weight loss; unusual tiredness or weakness; vomiting; yellow skin or eyes): *Adal-syst.*

liver: *Cyp-syst.*

hepatocellular (abdominal or stomach pain; unexplained weight loss): *AnabS-syst., DrosEE-syst., EstroPO-syst.*

women having a predisposing or pre-existing condition, especially those who smoke tobacco: *DrosEE-syst., EstroPO-syst.*

gastrointestinal: *Ver-parloc.*

CICATRIZAÇÃO gastrointestinal: Iron-syst.

CIRROSE do fígado (pele ou olhos amarelos) (Ver Fígado): *Amio-syst., Bos-syst., Chloramb-syst., Cyp-syst., Fenof-syst.*

liver atrophy, necrosis, hepatotoxicity, fatty changes, periportal fibrosis, including (dark urine; yellow eyes or skin): *MethotC-syst., MethotNC-syst.*

pruritus, increased, in patients with cirrhosis: *Gadob-syst.*

COLECISTITE (Ver Inflamação).

COLÉDOCO, CANAL (Ver Vesícula Biliar, cálculos).

obstruction, biliary (“sludge” of crystals in biliary duct): *AntinfN-syst. [Sulindac]*, *Ceph-syst. [Ceftriaxone]*, *Oct-syst.*

COLEDOCOLITÍASE (Ver Vesícula Biliar, cálculos).

COLELITÍASE (Ver Vesícula Biliar, cálculos).

COLESTASE (dor abdominal ou de estômago; calafrios; fezes cor de barro; urina escura; diarreia; tonturas; febre; dor de cabeça; prurido; perda de apetite; náuseas; erupção cutânea; odor da respiração desagradável; cansaço ou fraqueza incomuns; vômito de sangue; pele ou olhos amarelos) (Ver Fígado; Icterícia; Obstrução, biliar; Vesícula Biliar): *Anid-syst.*, *AntdiaS-syst.*, *Anthis-syst.*, *AnthisD-syst.*, *Azat-syst.*, *Ceph-syst. [Cetirizine]*, *Cyclob-syst.*, *Eryts-syst.*, *Infli-syst.*, *Lef-syst.*, **Merc-syst.**, *Methy-syst.*, *MethyTD-syst.*, *Nali-syst.*, *Nia-syst.*, *Tamo-syst.*, *Tram-syst.*

hepatic dysfunction, with (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Ceph-syst.*

intrahepatic (malaise; nausea and vomiting; dark urine; pale stools; yellow eyes and skin): *Thiab-syst.*

CÓLICAS (Ver Dor, cólicas).

CÓLON (Ver Doença de Crohn; Inflamação, cólon; Úlceras, enterocolite, ulcerativa).

inflammation (colitis) (abdominal cramping or pain; anorexia; black, tarry stools; blood in stools; diarrhea, watery; weight loss): *Almot-syst.*, *AntinfN-syst.*, *Atorv-syst.*, **Bevac-syst.**, *Capec-syst.*, *Cele-syst.*, *Cil-syst.*, *Docet-syst.*, *Flut-inhloc.*, *Iri-syst.*, *Isot-syst.*, *Melo-syst.*, *Melp-syst.*, *Mem-syst.*, *Mesa-reloc.*, *Methy-syst.*, *MethyTD-syst.*, *Myc-syst.*, *Oxa-syst.*, *Rise-syst.*, *Rof-syst.*, *Sild-syst.*, *Tic-syst.*

acute (abdominal pain and tenderness; bloody stools; fever): *Spi-syst.*

antibiotic associated (stomach cramps, tenderness, or pain; watery or bloody diarrhea; fever): *Teli-syst.*

Clostridium difficile colitis (severe abdominal or stomach cramps and pain; abdominal tenderness; watery and severe diarrhea, which may also be bloody; fever): *Dir-syst.*, *Penicil-syst.*, *PenicilB-syst.*, *Sulfo-syst.*, *SulfoT-syst.*

enterocolitis (See enterocolitis).

exacerbation of: *AntinfN-syst.*

hemorrhagic (black, tarry stools): *Cycloph-syst.*, **PegiA2b-syst.**, *Vinb-syst.*

ischemic (abdominal pain, new or worsening; bloody diarrhea; rectal bleeding): *Alos-syst.*, *Bort-syst.*, *Docet-syst.*, *Teg-syst.*

necrotizing (cecal inflammation, bloody stools, severe and sometimes fatal infections): *Doxor-syst. [Doxorubicin and Cytarabine combination regimen]*

pseudomembranous (abdominal or stomach cramps or pain, severe; abdominal tenderness; diarrhea, watery and severe, which may also be bloody; fever): *Azith-syst.*, *Cefd-syst.*, *Ceph-syst.*, *Clar-syst.*, **Clind-syst.**, *Clind-top.*, *Doxyc-syst.*, *Ert-syst.*, *Fluorq-syst.*, *ImipC-syst.*, *Levof-syst.*, **Linc-syst.**, *Line-syst.*, *Mero-syst.*, *Nali-syst.*, *Nitro-syst.*, *Ose-syst.*, *Rifap-syst.*, *Spa-syst.*, *Trov-syst.*, *Van-syst.*

mild to life-threatening (abdominal or stomach cramps; pain; bloating; abdominal tenderness; diarrhea, watery and severe, which may also be bloody; fever; increased thirst; nausea or vomiting; unusual tiredness or weakness; unusual weight loss): *Aztr-syst.*, *Cefu-syst.*, *Dapt-syst.*

ulcerative (diarrhea, abdominal pain, rectal bleeding): *Lans-syst.*, **PegiA2b-syst.**

ischemia, colonic, secondary: *Alos-syst.*

megacolon, toxic (bloating; constipation; loss of appetite; severe stomach pain with nausea and vomiting): *Alos-syst.*, *Dif-syst.*, *DiphenA-syst.*, *Lope-orloc.*, *Pare-syst.*

patients with inflammatory bowel disease: *Opi-syst.*

necrosis: *SodPol-loc.*

ulceration: *Iri-syst.*

bleeding, with: *Iri-syst.*

DESCONFORTO (Ver Sofrimento; Transtornos): *Algl-syst.*, *Clar-syst.*, *Dir-syst.*, *Teri-syst.*, **CellSP-syst.**, **Cholec-syst.**, *Cloz-syst.*, *Cyclosp-syst.*, *Dant-syst.*, **DecAn-syst.** [**Ibuprofen-containing combinations**], *Def-syst.*, **DiatI-loc.**, **Diat-loc.**, **Dipy-syst.**, *Ele-syst.*, **Eryts-syst.**, *Flut-inhloc.*, *Gon-syst.*, *Histr-syst.*, *Imig-syst.*, **Ioh-loc.**, **Ioxa-loc.**, *Levof-syst.*, *Moc-syst.*, **Natal-syst.**, **Oct-syst.**, **Sin-syst.**, *Spa-syst.*, *TecTet-syst.*, *TypVL-syst.*, *Zolp-syst.*

gastrointestinal (abdominal or stomach pain; diarrhea; nausea; vomiting): **Aden-syst.**, *Alos-syst.*, *FlutS-inhloc.*

mild: **Fluorq-syst.**

to moderate: **AntinfN-syst.**

pain, with (stomach pain; stomach soreness or discomfort): *Alos-syst.*, **Ioh-syst.**

DILATADO, aumentado (inchaço abdominal ou da área do estômago; sensação de plenitude ou inchaço; pressão no estômago) (Ver Distensão; Plenitude): **DrosE-syst.**, **Gemt-syst.**, *Glut-syst.*, **Ibr-syst.**, *IbupO-syst.*, **Iri-syst.**, **MedE-syst.**, **Sir-syst.**

liver (See Hepatomegaly).

spleen (See Splenomegaly).

length increased: *Mecas-syst.*

DISTENSÃO (inchaço abdominal ou da área do estômago; sensação de plenitude ou inchaço; pressão no estômago) (Ver Borborismo; Dilatado; Flatulência; Plenitude): *Alend-syst.*, *Alos-syst.*, *AntinfN-syst.*, *ArsTr-syst.*, **Azat-syst.**, *Capec-syst.*, *Chloramp-syst.*, *Dant-syst.*, *Fent-syst.*, *Fludro-syst.*, *Indin-syst.*, **Indo-syst.**, **Miglu-syst.**, *SodBeSP-syst.*, *Teli-syst.*, **Tret-syst.**, *Tros-syst.*, *Vinc-syst.*

bloating: *Cefu-syst.*, **ChlordA-syst.**, *Cholest-orloc.*, *Colest-orloc.*, *Don-syst.*, **DrosEE-syst.**, **Estro-syst.**, **EstroPO-syst.**, *Eton-vag.*, *Fol-syst.*, *Gadov-syst.*, *Lax-loc.*, **Miglu-syst.**, *NoreE-syst.*, **PolyE-loc.**, *Pyridos-syst.*, *Tic-syst.*, **Tiop-syst.**, *Vasc-syst.*

moderate to severe: *Cetr-syst.*, *ChorioG-syst.*, *Meno-syst.*, *Uro-syst.*

dilation of intestine, toxic (bloating; constipation; loss of appetite; nausea or vomiting; stomach pain) (See Enlarged; Swelling): *Capec-syst.*

gas, with: **Miglu-syst.**

progressive: *Oct-syst.*

DIVERTICULITE (Ver Inflamação).

DOENÇA DE CROHN agravada (diarréia; febre; sangramento retal; dor de estômago; perda de peso) (Ver Cólon, inflamação; Inflamação, cólon; Úlceras, enterocolite, ulcerativa): *Glut-syst.*

DOR: *Abac-syst.*, *AbLam-syst.*, *AbLamZid-syst.*, *Acarb-syst.*, *Acit-syst.*, *Acyc-syst.*, *Adal-syst.*, *Adef-syst.*, *Agal-syst.*, *Albd-syst.*, *Alemt-syst.*, *Alend-syst.*, *Alfuz-syst.*, *Almot-syst.*, *AminsSod-syst.*, *Amlod-syst.*, *AmlodBen-syst.*, *AmphoBLC-syst.*, *AmphoBLsC-syst.*, *Ampr-syst.*, *Amsa-syst.*, *Anag-syst.*, *Anak-syst.*, *Anast-syst.*, *AnestBar-syst.*, *Antcoa-syst.*, *AntconD-syst.*, *AntfunA-syst.*, *AntfunA-vag.*, *AnthtyGR-syst.*, *Aprep-syst.*, *Arg-syst.*, *ArsTr-syst.*, *Ataz-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Azac-syst.*, *Azat-syst.*, *Azith-syst.*, **Bals-syst.**, *BarbAn-syst.* [Caffeine]; **Basil-syst.**, **Bevac-syst.**, **Bort-syst.**, *Benzod-syst.*, **Bex-syst.**, **BisSMT-syst.**, **Biv-syst.**, **Bort-syst.**, **Bupro-syst.**, **Busu-syst.**, *Cab-syst.*, *Caff-syst.*, *Calcit-nassyst.*, **Capec-syst.**, **Carbet-syst.**, **CarbidL-syst.**, **CarbidEL-syst.** [Entacapone], *Carv-syst.*, *Cefd-syst.*, *Cele-syst.*, *Cetr-syst.*, **Cetux-syst.**, *Cev-syst.*, *CharA-orloc.*, **Cholec-syst.**, *ChorioA-syst.*, **Cil-syst.**, *Cisap-syst.*, *Cital-syst.*, **Clind-syst.**, *Clind-top.*, **Clofar-syst.**, *Clom-syst.*, **Clop-syst.**, **Clot-orloc.**, *Coc-mucloc.*, **ConjE-syst.**, *Cortic-inhloc.*, *Cortic-nas.* [Fluticasone], *Crom-systorloc.*, **Cys-syst.**, *Dacti-syst.*, *Daps-top.*, **Darb-syst.**, *Darif-syst.*, **DauL-syst.**, *Dexmed-syst.*, **Dexmet-syst.**, **DiatI-loc.**, **Diat-loc.**, *Dic-top.*, **DicM-syst.**, **Did-syst.**, *Dimer-syst.*, *DiphtTTH-syst.*, **DipyA-syst.**, *Dir-syst.*, *Docet-syst.*, *Dof-syst.*, *Dol-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxaz-syst.*, **DrosE-syst.**, **EdD-syst.**, *Efav-syst.*, **Efl-syst.**, *Emt-syst.*, *EmtT-syst.*, **Enta-syst.**, *Epl-syst.*, *Epr-syst.*, *Ergon-syst.*, **Erl-syst.**, **Eryts-syst.**, *Esc-syst.*, *Eso-syst.*, **Estro-syst.**, *Estro-vag.*, **EstroPO-syst.**, *Etham-syst.*, **Exem-syst.**, *Ezet-syst.*, **Fel-syst.**, *Fenof-syst.*, *Fenol-syst.*, **Fent-syst.**, *FexP-syst.*, *Fin-syst.*, **Fluc-syst.**, *Flut-inhloc.*, *Flut-nas.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fome-syst.*, **Fomi-parloc.**, *Fosam-syst.*, **Fosc-syst.**, *Fosf-syst.*, *FrucDP-orloc.*, **Ful-syst.**, *Fur-orloc.*, *Gab-syst.*, *Gadob-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gala-syst.*, *Gals-syst.*, *Ganc-syst.*, *Ganir-syst.*, *Gemif-syst.*, **Gemt-syst.**, *Glim-syst.*, **GlipM-syst.**, *Glut-syst.*, **GlybM-syst.**, **Gra-syst.**, *Hepar-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HistH2-syst.* [Famotidine; Nizatidine; Ranitidine], *HMG-syst.*, **Iba-syst.**, **Ibr-syst.**, *IbupO-syst.*, **Ima-syst.**, *Imm-syst.*, *Ina-syst.*, **Indin-syst.**, **Infli-syst.**, *Influ-syst.*, **IntA1-syst.**, *IntB1a-syst.*, **IntB1b-syst.**, *Iod-top.*, **Ioh-loc.**, **Ioxa-loc.**, **Iri-syst.**, **Iron-syst.**, *Isot-syst.*, *JapV-syst.*, **Ketor-syst.**, *Ketot-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lans-syst.*, **Lant-orloc.**, *Lat-oph.*, **Lef-syst.**, **Len-syst.**, **Levod-syst.**, *Levof-syst.*, **Levom-syst.**, **Linc-syst.**, *LopiR-syst.*, **Lor-syst.**, *LosH-syst.*, **Lut-syst.**, *Man-syst.*, *Meb-syst.*, **MedE-syst.**, **Mef-syst.**, **Meg-syst.**, *Melo-syst.*,

MethylB-syst., Methyler-syst., Metro-vag., Metyra-syst., Mica-syst., **Mif-syst.**, **Migli-syst.**, **Miglu-syst.**, Mir-syst., **Mis-syst.**, Moc-syst., MoeH-syst., Mom-inhloc., Mont-syst., Mup-top., **Myc-syst.**, **Nali-syst.**, Ned-inhloc., Nef-syst., Nes-syst., **Nev-syst.**, Nia-syst., NiaL-syst., Nicl-orloc., Nico-inhsyst., Nico-nas., Nico-syst., **Nita-syst.**, Niti-syst., **Nitro-syst.**, Nitrop-syst., **NoreE-syst.**, **Oct-syst.**, Ola-syst., Olm-syst., OlmH-syst., **Omep-syst.**, Ond-syst., Orl-orloc., Ose-syst., **Oxa-syst.**, **Oxc-syst.**, Palo-syst., **Pam-syst.**, Pantop-syst., **Paro-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, Pentosa-syst., Perf-orloc., **Phent-syst.**, Pime-top., Pip-syst., Podop-top., PolyE-loc., **Por-syst.**, **Praml-syst.**, **Prazi-syst.**, **Prima-syst.**, **Proge-syst.**, Prota-syst., Pyran-orloc., **Pyridos-syst.**, Que-syst., Quid-syst., **Quin-syst.**, **RabiV-syst.**, **Ralt-syst.**, **Ras-syst.**, **Rifab-syst.**, **Ril-syst.**, **Rise-syst.**, Risp-syst., **Riton-syst.**, Ritu-syst., **Riv-syst.**, Ropin-syst., Rosu-syst., Sac-syst., Saq-syst., **Seleg-syst.**, **Sertr-syst.**, Sib-syst., Sild-syst., **Sin-syst.**, **Sir-syst.**, Ske-syst., **Ske-syst.** [Metaxalone], **SodO-syst.**, SodPhe-syst., **Sor-syst.**, Spa-syst., Sta-syst., **SulfadP-syst.**, **Sulfas-syst.**, **SulfoT-syst.**, **Sur-syst.**, **Tacri-syst.**, **Tacro-syst.**, **Teg-syst.**, Teli-syst., Telm-syst., TelmH-syst., Tem-syst., Teno-syst., Teri-syst., Tia-syst., **Tic-syst.**, **Tiop-syst.**, Tiot-inhloc., **Tolc-syst.**, Tolt-syst., **Tolt-syst.**, Topi-syst., **Topo-syst.**, **TosI-syst.**, **Tram-syst.**, TramA-syst., Tret-syst., Vac-syst., **Vald-syst.**, **Valg-syst.**, Vals-syst., ValsH-syst., Vard-syst., Vari-syst., **Vig-syst.**, Zalc-syst., Zale-syst., Zic-syst., Zid-syst., Zil-syst., **Zole-syst.**, Zolp-syst., **Zon-syst.**

biliary (upper abdominal pain): Atorv-syst.

burning: Mono-loc.

lower abdominal: Cortic-nas. [Dexamethasone], SodC-parloc.

colic (See Pain, cramps).

continuing: BronA-syst., Dinopst-parloc., Dyp-syst.

cramps or spasms, abdominal: **AbLamZid-syst.**, Acet-syst., AcSodCit-syst., Almot-syst., AntfunA-vag., AppSupS-syst., Aztr-syst., Benzod-syst., Bet-syst., CarbidEL-syst. [Entacapone], **Ceph-syst.**, CholAO-syst., **Cholec-syst.**, Cisap-syst., **Clot-orloc.**, **ConjE-syst.**, Dant-syst., **DecAn-syst.** [**Ibuprofen-containing combinations**], Desm-syst., **Dinopne-cervag.**, **Dipy-syst.**, Dom-syst., **DrosEE-syst.**, **EdD-syst.**, **Estro-syst.**, **Etan-syst.**, Eton-vag., Gala-syst., HepatBIG-syst., HepatBVR-syst., **Hist-syst.**, **Iri-syst.**, **Iron-syst.**, **Lami-syst.**, Lax-loc., **Levoca-syst.**, Mal-top., Metro-vag., Nicl-orloc., NoreE-syst., **Oct-syst.**, **Omep-syst.**, Pip-syst., **Prazi-syst.**, **Proge-syst.**, Propo-syst., Pyran-orloc., **Quin-syst.**, **Riv-syst.**, **Sertr-syst.**, **Sin-syst.**, Ske-syst., **Ske-syst.** [Metaxalone], Spec-syst., **Tacri-syst.**, Tamo-syst., Testos-syst., TypVL-syst., Vaso-syst., Zid-syst., Zolp-syst.

gastrointestinal (stomach cramps or pain): Cev-syst., Pil-syst.

intestinal: BarS-loc.

mild: Mesa-orloc., Mesa-reloc., Valp-syst.

to moderate: AntinfN-syst., Gold-syst., Nalt-syst.

muscle, and: Zale-syst.

severe: Ceph-syst., Mesa-orloc., Mesa-reloc., Van-syst.

discomfort, with (stomach pain; stomach soreness or discomfort): Alos-syst., **Ioh-syst.**

for treatment of refractory ovarian cancer patients: DoxorL-syst.

for patients treated for female infertility: FollitA-syst., FollitB-syst.

Repertório - Capítulo ABDOME

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: **FollitA-syst.**, FollitB-syst.
gastrointestinal (abdominal or stomach pain; diarrhea; nausea; vomiting): Alos-syst., Carv-syst., Ganir-syst.
generalized: Del-syst.
groin: **Iron-syst.**, Isot-syst.
severe: Feru-syst.
hip: Imm-syst.
in adults: DigitG-syst.
in children: **Dexmet-syst.**, **Etan-syst.**
lower abdomen: Cortic-nas. [Dexamethasone], Ure-parloc.
mild: Zalc-syst., **Fluorq-syst.**, **Mesa-orloc.**, **Mesa-reloc.**
to moderate: **AntinfN-syst.**, **Gold-syst.**, **Nalt-syst.**
to severe: **Mono-loc.**
pelvic: Adal-syst., Alpr-loc., **Anast-syst.**, **Biv-syst.**, **ConjE-syst.**, DrosE-syst., Estro-syst., Fluorq-syst., **Ful-syst.**, Gadop-syst., IntB1b-syst., Nef-syst., PenteZ-syst., Rosu-syst., **Sir-syst.**, SodC-parloc., Tir-syst., Trav-oph.
abdominal, and: **Biv-syst.**
for patients treated for female infertility: **FollitA-syst.**
for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: **FollitA-syst.**
severe: Cetr-syst., ChorioA-syst., ChorioG-syst., Meno-syst., Uro-syst.
severe: BronA-syst., Ceph-syst., ChorioG-syst., Dinopst-parloc., Dyp-syst., Ganir-syst., Meno-syst., Mesa-orloc., Mesa-reloc., Uro-syst., Van-syst.
patients treated for female infertility: **FollitA-syst.**, **FollitB-syst.**
patients pretreated with a gonadotropin-releasing hormone agonist (GnRH_a) undergoing assisted reproductive technology (ART): **FollitB-syst.**
soreness: **Iron-syst.**
swollen abdomen, painful.
neonates: Caff-syst.
tenderness: AngIn-syst., **Azat-syst.**, Ceph-syst., Van-syst.
right upper quadrant (tenderness in upper right part of abdomen): Tolc-syst.
with guarding, abdominal: Oct-syst.
upper abdominal (stomach pain): Anid-syst., **Atom-syst.**, Anid-syst., **Atom-syst.**, Enf-syst., **Len-syst.**, Mica-syst., Sol-syst., Tad-syst., Teli-syst., Tros-syst.
worsening: **Teg-syst.**

EDEMA, ascite (dor e inchaço do abdome): Aldes-syst., Capec-syst., Dacti-syst., DauL-syst., Docet-syst., Epir-syst., **Iri-syst.**, **Sir-syst.**, Tret-syst.
accumulation of fluid, rapid, in the peritoneal cavity, with ovarian hyperstimulation syndrome: ChorioG-syst.
ovarian hyperstimulation syndrome, with: ChorioG-syst.

ENCEFALOPATIA hepática (com alterações mentais, confusão, agitação ou estupor) (Ver MENTAL; GENERALIDADES): AcetSal-syst., AcSodCit-syst., BarbAn-syst. [Acetaminophen]; TramA-syst. [Acetaminophen]

ENTORPECIMENTO, dormência: *Gold-syst.*

ERUPÇÕES.

pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk):

Penic-syst.

paraneoplastic pemphigus (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): *Ritu-syst.*

ESCLEROSE biliar intra e extra-hepática (Ver Fígado; Vesícula Biliar): *Flox-syst.*

ESFÍNCTER DE ODDI.

spasm (severe stomach pain with nausea and vomiting): *Teg-syst.*

ESPLENOMEGALIA (dor abdominal; sensação de plenitude): **AbLam-syst.**, *AntconD-syst.*, *ColSF-syst.* [*Filgrastim*], *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Pegf-syst.*

children: Lami-syst.

ESTENOSE ou estreitamento (Ver Intestino, obstrução; Obstrução).

gastrointestinal.

cystic fibrosis patients: Panc-syst.

intestinal (abdominal pain; nausea; vomiting): *Infli-syst.*

ESTRIAS (linhas púrpuro-avermelhadas).

groin: ClotB-top., *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*

trunk: ClotB-top., *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Fludro-syst.*, *NysT-top.*

FIBROSE.

liver (yellow eyes or skin): *Capec-syst.*, *Thiog-syst.*

centrilobular sinusoidal (abdominal pain; feeling of fullness in upper abdomen; bleeding from the esophagus; vomiting): *Busu-syst.*

periportal (yellow eyes or skin): *Thiog-syst.*

retroperitoneal (continuing or severe abdominal or stomach pain; increased frequency of urination; continuing loss of appetite; lower back pain; continuing or severe nausea and vomiting; weakness): *Bromo-syst.*

FÍGADO (Ver Icterícia; Vesícula Biliar).

atrophy.

hepatocellular (abdominal pain; bloating of abdomen; dark urine; light-colored stools; nausea and vomiting; yellow eyes or skin): *Busu-syst.*

including hepatotoxicity, necrosis, cirrhosis, fatty changes, periportal fibrosis (dark urine; yellow eyes or skin): *MethotC-syst.*, *MethotNC-syst.*

bilirubin (See Liver Function Tests; Gall Bladder; Jaundice; GENERALITIES; DIAGNOSTIC TESTS).

hyperbilirubinemia (yellow eyes or skin): *Acyc-syst.*, *Ataz-syst.*, **Barb-syst.** [*Phenobarbital*], **Bevac-syst.**, *Bex-syst.*, *Busu-syst.*, **Capec-syst.**, *Casp-syst.*,

Repertório - Capítulo ABDOME

DeslP-syst., Gadob-syst., Gemif-syst., Gemt-syst., Lar-syst., Melo-syst., Mica-syst., Nel-syst., Nev-syst., Sor-syst., Teli-syst., Tore-syst., Vor-syst., Zaf-syst., Zid-syst., Zil-syst.

children: *VitK-syst.* [*Menadiol, Phytonadione*]

neonates: *VitK-syst.* [*Menadiol, Phytonadione*]

slow development of: *Oct-syst.*

with hepatotoxicity, and hepatic veno-occlusive disease (yellow eyes or skin; upper abdominal pain; rapid weight gain): **Gemt-syst.**

hypobilirubinemia: **Album-syst.**

cholestasis (See Cholestasis; Gall Bladder; Obstruction, Biliary)

crystalline deposits in the tissue: *Clofaz-syst.*

damage (yellow eyes or skin): *AcetSal-syst., AcSodCit-syst., Alef-syst., Barb-syst., BarbAn-syst.* [*Acetaminophen*], *Daps-syst., DecAn-syst.* [*Acetaminophen-containing combinations*], *Dof-syst., IsomDA-syst., Pegas-syst., Sulfas-syst., TramA-syst.* [*Acetaminophen*], *TypVI-parsyst., Ven-syst.*

hepatocellular: *Bals-syst., Colc-syst., Mica-syst.*

necrosis, with: *Colc-syst.*

disease, hepatic, overt: *AcetSal-syst., AcSodCit-syst., AnthisDAg-syst., BarbAn-syst.* [*Acetaminophen*], *DecAn-syst.* [*Acetaminophen-containing combinations*], *IsomDA-syst.*

disorder, hepatic (dark urine; light-colored stools; loss of appetite; nausea and vomiting; unusual tiredness; yellow eyes or skin; fever with or without chills; stomach pain): *Histr-syst., Tret-syst.*

failure or insufficiency, hepatic (headache; stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools yellow eyes or skin): **Abac-syst., AbLamZid-syst., Adef-syst., Aldes-syst., AntfunA-syst.** [*Itraconazole*], *AnthisDAg-syst., Capec-syst., Cele-syst., Clar-syst., Cyp-syst., Del-syst., Efav-syst., Fluda-syst., Fluox-syst., Indin-syst., IntB1a-syst., Iron-syst., Lef-syst., Melo-syst., Mem-syst., Niti-syst., Rosi-syst., Sertr-syst., Sta-syst., Terb-syst., Tiz-syst., Topi-syst., Trov-syst., Valp-syst.* [*Valproic Acid, Divalproex*], *Ven-syst., Zalc-syst.*

acute (continuing headache; continuing stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools; yellow eyes or skin): *Atom-syst., Fel-syst., Infli-syst., Pemo-syst.*

cholestasis, including (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Ceph-syst.*

during pregnancy, resulting in the death of a newborn: *Valp-syst.*

hepatitis, with (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin; including cholestatic hepatitis, infectious hepatitis, hepatic failure, and/or LFT abnormalities with clinical symptoms): **Nev-syst.**

necrosis, with: *Nef-syst.*

overt: *BarbAn-syst.* [*Acetaminophen*], *DecAn-syst.* [*Acetaminophen-containing combinations*], *IsomDA-syst.*

severe (headache; stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools; yellow eyes or skin): *Alef-syst.*

fibrosis (See Fibrosis).

function, liver (See DIAGNOSTIC TESTS, Liver Function Tests, failure).

abnormalities in (hepatic dysfunction) (persistent elevation of liver function tests; abdominal or stomach pain; dark urine; diarrhea; dizziness; headache; itching; light-colored stools; loss of appetite; nausea and vomiting; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin; fever with or without chills): *AcetSal-syst., AcSodCit-syst., Acit-syst., Albd-syst., AnabS-syst., AntinfN-syst. [Naproxen], Anthis-syst., Atorv-syst., Azat-syst., BarbAn-syst. [Acetaminophen], Benzod-syst., Bos-syst., Cand-syst., Casp-syst., Cil-syst., Clar-syst., Danaz-syst., Did-syst., Dipy-syst., DiuL-syst., EstroP-syst., Fluv-syst., Glut-syst., Indin-syst., Lep-syst., Melo-syst., MethyIp-syst., Niti-syst., Pemo-syst., PenicilB-syst., TramA-syst., Vac-syst., Valg-syst., Valp-syst.*

including cholestatic hepatitis (abdominal pain; nausea or vomiting; yellow eyes or skin): *PenicilB-syst.*

decreased: Adal-syst.

impairment (yellow eyes or skin): *AngInH-syst., AntdiaS-syst., BcgL-mucloc., ChlH-syst., ClonC-syst., DiuPH-syst., DiuT-syst., Docet-syst., Flec-syst., Mica-syst., Pentost-syst., PrazoP-syst., Ritod-syst., Silv-top., Teni-syst., Trimethob-syst., Zil-syst.*

asymptomatic: *Estro-syst.*

granulomatous changes: *Tacri-syst.*

hepatic effects (dark urine; loss of appetite; nausea; stomach pain; unusual tiredness or weakness; vomiting; weight loss; hepatitis; jaundice; hepatic enzymes, increased) (See Inflammation, liver): *RosiM-syst.*

hepatic reactions (flu-like symptoms; nausea; unusual tiredness; yellow skin or eyes; jaundice, fatal fulminant hepatitis, liver necrosis and hepatic failure) (See Inflammation, liver (hepatitis).): *Vald-syst.*

hepatitis (See Inflammation, liver).

hepatomegaly (See Hepatomegaly).

hepatotoxicity (black or bloody vomit; dark or amber urine; severe or continuing headache; loss of appetite; severe or continuing nausea; pain in abdomen; pain, tenderness, and/or swelling in upper abdominal area; pale stools; stomach pain; seen as changes on hepatic function tests that are attributable to severe cholestasis; unusual tiredness or weakness; yellow eyes and skin): *AbLamZid-syst., Acet-syst., AcSodCit-syst., Aldes-syst., Allop-syst., Altr-syst., AmlodBen-syst., Amsa-syst., AnabS-syst., AnestInh-syst. [Enflurane, Halothane, Isoflurane, Methoxyflurane], AngIn-syst. [Captopril, Enalapril, Lisinopril], Antcoa-syst., AntfunA-syst., AnthisDAg-syst., AspirSC-syst., Azat-syst., Bals-syst., BarbAn-syst. [Acetaminophen], BetBA-syst. [Acebutolol, Bisoprolol, or Labetalol], BetBAT-syst., Bleo-syst., Carm-syst., Chloramb-syst., Clar-syst., Clom-syst., Cop-syst., Cyclosp-syst., Cyt-syst., Dac-syst., Dacti-syst., Dant-syst., DecAn-syst. [Acetaminophen-containing combinations], Doxyc-syst., Emt-syst., EmtT-syst., EnaF-syst., Eryts-*

Repertório - Capítulo ABDOME

syst., *Etop-syst.*, *Fenof-syst.*, *Flox-syst.*, *Fluorq-syst.*, *Gold-syst.*, *Hydra-syst.*, *Ifo-syst.*, *Ina-syst.*, *IntA-syst.*, *IsomDA-syst.*, *LamiZ-syst.*, *Lans-syst.*, **Lef-syst.**, *Levam-syst.*, *Lom-syst.*, *Mech-syst.*, **Meg-syst.**, **Merc-syst.**, *Meto-syst.*, *Moe-syst.*, *MoeH-syst.*, *Nev-syst.*, *Nia-syst.*, *Nitro-syst.*, *Opi-syst.*, *Penicil-syst.*, *Phena-syst.*, *Pli-syst.*, *Podop-top.*, **Procar-syst.**, *Pyraz-syst.*, *Sal-syst.*, *Sir-syst.*, *Ske-syst.*, *Sta-syst.*, *Stre-syst.*, **Tacri-syst.**, *Tacro-syst.*, *Tamo-syst.*, *Teno-syst.*, *Tetr-syst.*, *Thiog-syst.*, *Thiog-syst.*, **Tiz-syst.**, **Tore-syst.**, *Trand-syst.*, *TrandV-syst.*, **Trimetr-syst.**, *Trov-syst.*, *Valp-syst.*, *VitA-syst.*, *Zalc-syst.*, *Zid-syst.*

ACE inhibitor-associated (syndrome of cholestatic jaundice, fulminant hepatic necrosis, and death): *TrandV-syst.*

asymptomatic: *IntA-syst.*, *Mor-syst.*

damage, liver, lithocholate-induced, increased: *Urs-syst.*

decreases in serum albumin and serum lipoprotein levels, and increases in liver transaminase levels: *Pegas-syst.*

rats and rabbits: *Sper-vag.*

including fatty changes: **Aspar-syst.**

including hyperbilirubinemia and hepatic veno-occlusive disease (yellow eyes or skin; upper abdominal pain; rapid weight gain): **Gemt-syst.**

including lactic acidosis (abdominal discomfort or pain; nausea; decreased appetite; general feeling of discomfort; diarrhea; fever; fast, shallow breathing; muscle pain or cramping; nausea; shortness of breath; skin rash; sleepiness; unusual tiredness or weakness; yellow eyes or skin): *Abac-syst.*, *AbLamZid-syst.*, *EmtT-syst.*, *Teno-syst.*

fatal: *Teno-syst.*

women: **AbLamZid-syst.**

including liver atrophy, necrosis, cirrhosis, fatty changes, periportal fibrosis (dark urine; yellow eyes or skin): *MethotC-syst.*, *MethotNC-syst.*

including hepatitis, cholestatic jaundice, chronic active hepatitis, and hepatic necrosis (yellow eyes or skin; darkening of urine; itching; abdominal or stomach pain, continuing; pale stools or black, tarry stools; headache, continuing; general feeling of discomfort or illness; unpleasant breath odor, continuing; vomiting of blood): *Nitro-syst.*

severe (abdominal pain or tenderness, fever, nausea and vomiting): *Iodip-syst.*

transaminase elevations (See DIAGNOSTIC TESTS, Liver Function Tests): *Emt-syst.*

transient: *Amsa-syst.*

hypertension, portal (chest pain or discomfort; coughing up blood; fainting, shortness of breath; tiredness; weakness): *Thiog-syst.*

infiltration, eosinophilic (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): *Mont-syst.*

injury (pruritus; dark urine; persistent anorexia; yellow eyes or skin; influenza (flu)-like symptoms; right upper quadrant tenderness): *Alef-syst.*, *Carv-syst.*, *IntB1a-syst.*, *Iron-syst.*, *Tiz-syst.*, *Trov-syst.*

hepatocellular: *AngIn-syst.*, *Methy-syst.*, *MethyTD-syst.*

Repertório - Capítulo ABDOME

severe, including idiopathic fulminant liver failure resulting in death:
Tolc-syst.

severe: *Atom-syst.*

ketosis (nausea; stomach pain; vomiting): *Adal-syst.*

necrosis (abdominal or stomach pain, continuing; black, tarry stools; headache, continuing; malaise, continuing; unpleasant breath odor, continuing; vomiting of blood; yellow eyes or skin): *Adal-syst., Allop-syst., AnabS-syst., Andro-syst., AngIn-syst., Anid-syst., AntconH-syst., Anthyr-syst., BetBA-syst. [Labetalol], Chloramb-syst., Cital-syst., Fluox-syst., Mex-syst., Nev-syst., Nitro-syst., Probe-syst., Sir-syst., Tic-syst., Ven-syst.*

acute (abdominal or stomach pain; black, tarry stools; chills; light-colored stools; dark urine; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Lef-syst.*

centrilobular (abdominal or stomach pain; black, tarry stools; chills; light-colored stools; dark urine; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Thiog-syst.*

fatal: *MethyTD-syst.*

fulminant: *AmlodBen-syst., AngIn-syst., Brin-oph., Disu-syst., Dorz-oph., DorzT-oph., EnaF-syst., SulfadP-syst., Sulfap-syst., Sulfo-syst., Zon-syst.*

hepatic failure, with: *Nef-syst.*

hepatocellular (abdominal or stomach pain; black, tarry stools; chills; light-colored stools; dark urine; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Busu-syst., Dac-syst., Tacri-syst.*

hepatocellular damage, with: *Colc-syst.*

including liver atrophy, hepatotoxicity, cirrhosis, fatty changes, periportal fibrosis (dark urine; yellow eyes or skin): *MethotC-syst., MethotNC-syst.*

peliosis hepatis (dark-colored urine; fever; hives; light-colored stools; loss of appetite, continuing; nausea; purple- or red-colored spots on body or inside the mouth or nose; sore throat; vomiting): *AnabS-syst., Andro-syst., Danaz-syst., Thiog-syst.*

porphyria cutanea tarda (dark urine; fluid-filled skin blisters; itching of the skin; light-colored stools; sensitivity to the sun; skin thinness; yellow eyes or skin): *AntdiaS-syst.*

steatosis, hepatic (fatty infiltration of the liver) (bloating of abdomen; dark urine; light-colored stools; nausea and vomiting; abdominal pain; upper right abdominal pain; yellow eyes and skin): *Abac-syst., AbLam-syst., Alef-syst., LamiZ-syst., Sta-syst., Tamo-syst., Ven-syst.*

hepatomegaly, with: *Emt-syst., Teno-syst.*

severe: *EmtT-syst., Sta-syst., Zalc-syst., Zid-syst.*

fatal cases: *Adef-syst., Emt-syst., Lami-syst., LamiZ-syst., Sta-syst.*

children: *Lami-syst.*

Repertório - Capítulo ABDOME

women: *Adef-syst.*

swelling and vacuolization, hepatocellular.

studies in beagle dogs: *AntandN-syst.* [*Nilutamide*]

tenderness: *Nev-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

veno-occlusive disease, hepatic (stomach pain; swelling of feet or lower legs; bloated abdomen; pain and fullness in right upper abdomen; weight gain; yellow eyes and skin) (potentially fatal): *Azat-syst.*, *Busu-syst.*, *Oxa-syst.*, *Thiog-syst.*

hepatotoxicity and hyperbilirubinemia, with (yellow eyes or skin; upper abdominal pain; rapid weight gain): **Gemt-syst.**

FÍSTULA gastrointestinal: *Glut-syst.*

FLATULÊNCIA (sensação de inchaço; excesso de ar ou gás no estômago ou intestino; passagem de gás) (Ver Borborigmo; Distensão): *Acamp-syst.*, **Acarb-syst.**, *Adal-syst.*, *Adef-syst.*, *Alend-syst.*, **Anag-syst.**, **AntinfN-syst.**, *AntandN-syst.*, *Antcoa-syst.*, *Atom-syst.*, *Atorv-syst.*, *Bals-syst.*, *Bentir-syst.*, **Bevac-syst.**, *Brim-oph.*, *Cab-syst.*, *Capec-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Cefd-syst.*, *Cefu-syst.*, **Cele-syst.**, *Ceph-syst.*, **Cil-syst.**, *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *Clofib-syst.*, **ConjE-syst.**, *Cortic-rec. [Budesonide]*, *Cyclope-oph.*, *DecAn-syst. [Ibuprofen-containing combinations]*, **DicM-syst.**, *Efav-syst.*, *EmtT-syst.*, *Enta-syst.*, **Erl-syst.**, *Eso-syst.*, **Estro-syst.**, **EstroP-syst.**, *Fenof-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fol-syst.*, *Gab-syst.*, *Gadov-syst.*, **Gemf-syst.**, *Glut-syst.*, **Gold-syst.**, **HMG-syst.**, **HydroI-syst.**, *IbupO-syst.*, *Ima-syst.*, **Iri-syst.**, *Lax-loc.*, *Lef-syst.*, **Levod-syst.**, **Lut-syst.**, **Melo-syst.**, *Mero-syst.*, *Mesa-orloc.*, **Mesa-reloc.**, **Metf-syst.**, *Methy-syst.*, *Mido-syst.*, **Migli-syst.**, **Miglu-syst.**, *Mis-syst.*, *Mom-inhloc.*, *Nel-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nita-syst.*, **Nitro-syst.**, **Oct-syst.**, *Omepe-syst.*, *Oxa-syst.*, *Palo-syst.*, *Pantop-syst.*, **Paro-syst.**, **PenicilB-syst.**, *Pentosa-syst.*, *Pentost-syst.*, *Pre-syst.*, *Pyridos-syst.*, *Rabe-syst.*, *Ralo-syst.*, **Rifab-syst.**, **Ril-syst.**, *Rise-syst.*, *Riton-syst.*, **Riv-syst.**, *Riz-syst.*, *Ropin-syst.*, *Rosu-syst.*, *Saq-syst.*, **Sertr-syst.**, *Seve-orloc.*, **Sir-syst.**, *Testos-syst.*, **Teg-syst.**, *Teli-syst.*, *Telm-syst.*, *Teno-syst.*, *Tic-syst.*, *Til-syst.*, **Tiop-syst.**, *Tolc-syst.*, *Tram-syst.*, *TramA-syst.*, *Tros-syst.*, *Vald-syst.*, *Valp-syst.*, *Vaso-syst.*

artificial reproductive technologies: **FollitA-syst.**

discharge, with (gas with leaky bowel movements): **Orl-orloc.**

for patients treated for female infertility: **FollitA-syst.**

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing.

less: *Capec-syst.*

mild: **PotS-syst.**

abdominal distention, with: **Miglu-syst.**

FORMIGAMENTO do tronco: *Gold-syst.*

FRAQUEZA.

trunk: *Fludro-syst.*, *Gold-syst.*

severe: *Cortic-top.*, *Gluc-syst.*

GANGRENA.

bowel (bloody diarrhea; new or worsening abdominal pain; rectal bleeding): *Teg-syst.*

HEMORRAGIA: Indo-syst.

colitis, hemorrhagic (black, tarry stools): *Cycloph-syst., PegiA2b-syst., Vinb-syst.*

duodenal, due to ulceration: *Melo-syst.*

enteritis, hemorrhagic: *PyreP-top.*

gastroenteritis, hemorrhagic (bloody diarrhea): *Colc-syst.*

gastrointestinal (black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds): **Abcix-syst.,** *AcetSal-syst., AcSodCit-syst., Adal-syst., Aldes-syst., AntinfN-syst., AntandN-syst., Antcoa-syst., AnthisDAG-syst., Arg-syst., ArsTr-syst., BarbAn-syst.* [Acetaminophen], *Basil-syst., Bevac-syst., BisSMT-syst., Bromo-syst., Capec-syst., CarbidL-syst., CarbidEL-syst., Carm-imploc., Cele-syst., Cholest-orloc., Cil-syst., Cital-syst., Clofaz-syst., Clop-syst., Colest-orloc., Cyt-syst., DauL-syst., DicM-syst., DipyA-syst., DiuL-syst., Docet-syst., Drot-syst., Epir-syst., Ept-syst., Erl-syst., Etan-syst., Fluda-syst., Ibr-syst., Ima-syst., IsomDA-syst., Levod-syst., Melo-syst., MepA-syst., Mero-syst., Mitox-syst., Myc-syst., Nef-syst., Niti-syst., Nitri-inhloc., Pam-syst., Pli-syst., Rof-syst., Seleg-syst., Ske-syst., Sulfi-syst., Tene-syst., Tir-syst., Tiz-syst., Tola-parsyst., Tors-syst., TramA-syst.* [Acetaminophen], **Tret-syst.,** *Vald-syst., Ven-syst.*

males: *Andro-syst.*

lower.

upper, and (bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; severe stomach pain; constipation): *Gala-syst.*

rectal, and (black, tarry stools; blood in stools; vomiting of blood or material that looks like coffee grounds): *Lep-syst.*

serious potential life-threatening (bloody or black, tarry stools; severe stomach pain; vomiting of blood or material that looks like coffee grounds): *DecAn-syst.* [*Salicylate-containing combinations*], *HydroI-syst., Ketor-syst.*

ulceration, with: *AspirSC-syst., DecAn-syst.* [*Ibuprofen-containing combinations*], **MethotC-syst.,** *MethotNC-syst., Sal-syst.*

fatal: **MethotC-syst.,** *MethotNC-syst.*

perforation and/or bleeding, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): *DecAn-syst.* [*Ibuprofen-containing combinations*], *Ketor-syst.*

ulcerative enterocolitis, without other signs and symptoms of (bloody or black tarry stools; occult blood in the stool has also been reported with auranofin): *Gold-syst.*

upper: *Citra-syst.* [*Potassium Citrate-containing*], *Paro-syst.*

lower, and (bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; severe stomach pain; constipation): *Gala-syst.*

hepatic.

Repertório - Capítulo ABDOME

asymptomatic: Antcoa-syst.

hemoperitoneum (with ovarian hyperstimulation syndrome): *ChorioG-syst.*, *Lut-syst.*, *Mero-syst.*

intra-abdominal, acute, potentially life-threatening: Danaz-syst.

retroperitoneal (abdominal pain or swelling; back pain or backaches): **Abcix-syst.**, **Antcoa-syst.**, *Cil-syst.*, *Tene-syst.*, *Tir-syst.*

ulceration of the colon with bleeding: Iri-syst.

HEPATITE (Ver Fígado; Inflamação, fígado).

HEPATOESPLENOMEGALIA (em pacientes com leucemia promielocítica aguda) (Ver Baço; Esplenomegalia; Fígado): **Tret-syst.**

HEPATOMEGALIA (sensação de plenitude ou dor no abdome superior) (Ver Fígado): *AntconD-syst.*, *AntinfN-syst.* [Phenylbutazone], **Clofar-syst.**, *Cyp-syst.*, *Dacti-syst.*, *Entec-syst.*, *Epir-syst.*, **Iri-syst.**, *Nev-syst.*, *Niti-syst.*, **PegiA2b-syst.**, *Sertr-syst.*

serum transaminase levels, abnormal, initially, with: Nev-syst.

steatosis, with: Emt-syst., *Teno-syst.*

severe: Emt-syst., *Sta-syst.*, *Zalc-syst.*, *Zid-syst.*

fatal cases (mainly in women): *Adef-syst.*, *Emt-syst.*, *Lami-syst.*, *LamiZ-syst.*, *Sta-syst.*

HÉRNIA (dor abdominal; protuberância no abdome) (Ver Protrusão): *Imiq-top.*, *Paliv-syst.*, **Sir-syst.**

abdominal: Infl-syst.

umbilical (hernia of the navel): *Gals-syst.*

HERPES ZOSTER (bolhas dolorosas no tronco do corpo): **Bort-syst.**, *Cele-syst.*, *HepatBVR-syst.*, *IntB1a-syst.*, **Sir-syst.**, *Tiot-inhloc.*, *Vari-syst.*

HIPEREXTENSÃO do tronco: *Thie-syst.*

HIPERSENSIBILIDADE, REACÃO de.

gastrointestinal (severe nausea and vomiting with diarrhea; sudden fever; joint pain; sudden unusual feeling of discomfort or illness): *Azat-syst.*

hepatic (yellow eyes or skin): *Pap-syst.*

ICTERÍCIA (plenitude abdominal; febre recorrente; calafrios; fezes cor de barro; perda de apetite; náuseas; dor abdominal ou de estômago; cansaço ou fraqueza incomum; pele ou olhos amarelos) (Ver Fígado; Vesícula Biliar; GENERALIDADES): *Acarb-syst.*, *Acit-syst.*, *AminsSod-syst.*, *Amlod-syst.*, *Amsa-syst.*, **AngIn-syst.**, *AntinfN-syst.* [Phenylbutazone], *AntandN-syst.*, *AntconD-syst.*, *Antdys-syst.* [Phenothiazine], *AnthisP-syst.*, **Ataz-syst.**, *Bals-syst.*, *Bell-syst.*, *Cele-syst.*, *Cil-syst.*, **Clofar-syst.**, *Clofaz-syst.*, *Cloz-syst.*, *Cop-syst.*, *Daps-syst.*, *DicM-syst.*, *DiphtTTH-syst.*, *DipyA-syst.*, *Doxaz-syst.*, *DoxorL-syst.*, *Dul-syst.*, *Eryts-syst.*, *Ethi-syst.*, *FatE-syst.*, **Fluc-syst.**, *Fluorq-syst.*, *Fus-syst.*, *Gab-syst.*, *HepatAVI-syst.*, *HistH2-syst.*, *Indin-syst.*, *Infli-syst.*, *Irb-syst.*, **Iri-syst.**, *Lef-syst.*, *Melo-syst.*, *Mitox-syst.*,

Repertório - Capítulo ABDOME

Nel-syst., *Nev-syst.*, *Pantop-syst.*, *Por-syst.*, *Rabe-syst.*, *Ril-syst.*, *Risp-syst.*, *RosiM-syst.*, *Rosu-syst.*, *Sertr-syst.*, *Sur-syst.*, *Tacri-syst.*, **Tiop-syst.**, *Tolc-syst.*, *Valp-syst.*, *ValsH-syst.*, *Vor-syst.*, *ZinS-syst.*

cholestatic (darkening of urine, pale stools, yellow eyes or skin): *Allop-syst.*, *Aminglut-syst.*, *AmlodBen-syst.*, *Andro-syst.*, *AntandN-syst.*, *AntconH-syst.*, *AntdepT-syst.*, *AntdiaS-syst.*, *Anthyr-syst.* [*Methimazole*], *CarbonAI-syst.*, *ChlordA-syst.*, *Danaz-syst.*, *Diso-syst.*, **DrosEE-syst.**, *EnaF-syst.*, *Estro-syst.*, *Ethc-syst.*, *Eton-vag.*, *Fluox-syst.*, *Ketor-syst.*, *Map-syst.*, **MedE-syst.**, *Moli-syst.*, *Nali-syst.*, *Nitro-syst.*, *NoreE-syst.*, *Penic-syst.*, *Penicil-syst.* [*Flucloxacillin*], *PerpA-syst.*, *Phenot-syst.*, *Thie-syst.*, *Tic-syst.*, *Vor-syst.*

hepatitis, with: **Teli-syst.**, *Zil-syst.*

hepatocellular: *Tic-syst.*

neonates: *VitK-syst.* [*Menadiol*, *Phytonadione*]

obstructive: *Hal-syst.*, *Lox-syst.*, *Pimo-syst.*, *Thiox-syst.*

pseudojaundice (yellow skin): *Rifab-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

toxic (loss of appetite, nausea, vomiting, yellow eyes or skin, swelling in upper abdominal area): *AntinfN-syst.*

transient: *ChlH-syst.*

ÍLEO paralítico (dor abdominal. constipação severa; vômitos severos) (Ver Paralisia, íleo): *Alos-syst.*, *AntinfN-syst.* [*Meclofenamate*], *Capec-syst.*, *Cele-syst.*, *ChlordA-syst.*, *Chym-parloc.*, *CitAGM-mucloc.*, *Colc-syst.*, *Diaz-orsyst.*, *Dif-syst.*, *DiphenA-syst.*, *Docet-syst.*, *Doxep-top.*, *Hepar-syst.*, *IbupO-syst.*, *Ipr-inhloc.*, *Mecam-syst.*, *Mem-syst.*, *Nitrop-syst.*, *Oxa-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Podop-top.*, *Por-syst.*, *Ras-syst.*, **Sir-syst.**, *Trimetha-syst.*, *Vino-syst.*

adynamic (constipation; tender or mildly bloated abdomen): *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*

cystic fibrosis, patients with: *Ipr-inhloc.*

elderly: *ChlordA-syst.*, *PerpA-syst.*

hemorrhage-induced: *Antcoa-syst.*

inflammatory bowel disease, patients with: *Opi-syst.*

transient: **Indo-syst.**

INCHAÇO (Ver Distensão): *CharA-orloc.*, *Hepar-syst.*, **PenicilB-syst.**, *Prota-syst.*

spleen: **AbLam-syst.**

intestines.

angioedema (stomach pain): *AmlodBen-syst.*, *AngIn-syst.*, *AngInH-syst.*

painful.

neonates: *Caff-syst.*

INDIGESTÃO (Ver ESTÔMAGO, Dispepsia): *Adal-syst.*, *Allop-syst.*, *AmphoB-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *AnthisDAg-syst.*, *Brim-oph.*, *Cholest-orloc.*, *Cil-syst.*, *CorticG-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*, *Salicylate-containing combinations*], *Doxyc-mucloc.*, *Esc-syst.*, *Ethc-syst.*, *Fent-trsyst.*, *Ketor-syst.*, *Mero-syst.*

Moc-syst., Nico-nas., Phena-syst., Rep.syst., Rise-syst., Sucr-orloc., Teri-syst., Testos-syst., Tic-syst., Tret-syst., Valp-syst.

feeling of indigestion: Cetr-syst., ChorioG-syst., Meno-syst., Uro-syst.

mild: Nico-syst.

to moderate: **Gold-syst.**

INFECCÃO (Ver Inflamação).

Bacillus Calmette-Guérin, disseminated, with liver involvement (fever; cough): BcgL-mucloc.

Clostridium difficile colitis (severe abdominal or stomach cramps and pain; abdominal tenderness; watery and severe diarrhea, which may also be bloody; fever): Dir-syst.

candidiasis, gastrointestinal: Capec-syst.

gastroenteritis.

infectious (abdominal or stomach pain): Mont-syst.

viral (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): Tram-syst.

viral, gastrointestinal (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): FlutS-inhloc.

INFLAMAÇÃO (Ver Infecção).

appendicitis (stomach or lower abdominal pain, severe cramping, bloating, nausea, or vomiting): BarS-loc., Etan-syst., Tram-syst.

colon (colitis) (abdominal cramping or pain; anorexia; black, tarry stools; blood in stools; diarrhea, watery; weight loss): Almot-syst., AntinfN-syst., Atorv-syst., **Bevac-syst.**, Capec-syst., Cele-syst., Cil-syst., Docet-syst., Flut-inhloc., Iri-syst., Isot-syst., Melo-syst., Melp-syst., Mem-syst., Mesa-reloc., Methy-syst., MethyTD-syst., Myc-syst., Oxa-syst., Rise-syst., Rof-syst., Sild-syst., Tic-syst.

acute (abdominal pain and tenderness; bloody stools; fever): Spi-syst.

antibiotic associated (stomach cramps, tenderness, or pain; watery or bloody diarrhea; fever): Teli-syst.

Clostridium difficile colitis (severe abdominal or stomach cramps and pain; abdominal tenderness; watery and severe diarrhea, which may also be bloody; fever): Dir-syst., Penicil-syst., PenicilB-syst., Sulfo-syst., SulfoT-syst.

enterocolitis (See enterocolitis).

exacerbation of: AntinfN-syst.

hemorrhagic (black, tarry stools): Cycloph-syst., **PegiA2b-syst.**, Vinb-syst.

ischemic (abdominal pain, new or worsening; bloody diarrhea; rectal bleeding): Alos-syst., Bort-syst., Docet-syst., Teg-syst.

necrotizing (cecal inflammation, bloody stools, severe and sometimes fatal infections): Doxor-syst. [Doxorubicin and Cytarabine combination regimen]

pseudomembranous (abdominal or stomach cramps or pain, severe; abdominal tenderness; diarrhea, watery and severe, which may also be bloody; fever): Azith-syst., Cefd-syst., Ceph-syst., Clar-syst., **Clind-syst.**, Clind-top., Doxyc-syst., Ert-syst., Fluorq-syst., ImipC-syst., Levof-syst.,

Repertório - Capítulo ABDOME

Linc-syst., Line-syst., Mero-syst., Nali-syst., Nitro-syst., Ose-syst., Rifap-syst., Spa-syst., Trov-syst., Van-syst.

mild to life-threatening (abdominal or stomach cramps; pain; bloating; abdominal tenderness; diarrhea, watery and severe, which may also be bloody; fever; increased thirst; nausea or vomiting; unusual tiredness or weakness; unusual weight loss): Aztr-syst., Cefu-syst., Dapt-syst.

ulcerative (diarrhea, abdominal pain, rectal bleeding): Lans-syst., **PegiA2b-syst.**

diverticulitis (abdominal pain or tenderness; fever): Cele-syst.

duodenitis (abdominal discomfort): Capec-syst., Rise-syst.

enteritis (abdominal pain, cramping, or discomfort; bloody stools; diarrhea): AntinfN-syst., Atorv-syst., Docet-syst., **Flox-syst.**, **MethotC-syst.**, MethotNC-syst.

eosinophilic: Clofaz-syst.

exacerbation of: AntinfN-syst.

hemorrhagic: PyreP-top.

may be fatal: **MethotC-syst.**, MethotNC-syst.

regional: AntinfN-syst.

enterocolitis (See colon; enteritis): AntinfN-syst., Doxyc-syst.

necrotizing (abdominal distention; dehydration; diarrhea, bloody; irritability; unusual tiredness or weakness; vomiting): Capec-syst., Indo-syst.

neonates: Caff-syst.

neutropenic (abdominal pain, cramping, or tenderness; diarrhea; vomiting nausea; fever; chills; muscle pain): Docet-syst.

perforation, with (severe stomach pain): Ida-syst.

pseudomembranous (abdominal or stomach cramps and pain, severe; abdominal tenderness; diarrhea, watery and severe, which may also be bloody; fever): QuinuD-syst.

ulcerative (abdominal pain, cramping, or burning, severe; bloody or black tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): Gold-syst.

gall bladder (cholecystitis) (indigestion; stomach pain; severe nausea; vomiting):

Adal-syst., AngInH-syst., BetBAT-syst., Clofib-syst., ClonC-syst., DiuPH-syst., DiuT-syst., Don-syst., Etan-syst., Fenof-syst., Infli-syst., LosH-syst., MethyTD-syst., PrazoP-syst., Tram-syst., **Urs-syst.**

acalculus (yellow eyes or skin): Flox-syst.

increased incidence of: Gemf-syst.

transaminases, elevated, with (indigestion; stomach pain; severe nausea; vomiting) (See DIAGNOSTIC TESTS, Liver Function Tests): Teg-syst.

gastroenteritis (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): Adal-syst., Almot-syst., AntinfN-syst., Atorv-syst., Capec-syst., Cele-syst., Cortic-inhloc., Efal-syst., Estro-syst., Flut-inhloc., **Gals-syst.**, Gemif-syst., HydroI-syst., Lef-syst., Leval-inhloc., Mom-inhloc., Nar-syst., **Natal-syst.**, Nef-syst., Niti-syst., Olm-syst., OlmH-syst., Paliv-syst., Pantop-syst., **Pime-top.**, Ralo-syst., Rof-syst., Rosu-syst., Sild-syst., Tacro-syst., Teli-syst., Valp-syst., Zolm-syst.

hemorrhagic (bloody diarrhea): Colc-syst.

Repertório - Capítulo ABDOME

infectious (abdominal or stomach pain): *Mont-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

viral (abdominal or stomach pain; diarrhea; loss of appetite; nausea; weakness): *Tram-syst.*

ileum (ileitis).

regional (rectal bleeding; severe abdominal or stomach pain; severe diarrhea): *Isot-syst.*

inflammatory disease.

bowel (rectal bleeding; severe abdominal or stomach pain; severe diarrhea): *Isot-syst.*

melena and hematochezia, including (bright red blood in the stool; bloody, black, or tarry stools; severe abdominal or stomach pain; severe diarrhea; pancreatitis; fibrosing alveolitis): *Mesa-reloc.*

liver (hepatitis) (abdominal or stomach pain; chills; clay-colored stools or dark urine; diarrhea; dizziness; fever; headache; itching) (See Liver): *Acet-syst., Acit-syst., Alef-syst., AminsSod-syst., Amio-syst., AntandN-syst., AntconD-syst., AntconH-syst., AntdepMAO-syst., AntdiaS-syst., AntfunA-syst. [Itraconazole], Anthis-syst., AnthisD-syst., AnthisDAg-syst. [Acetaminophen-containing combinations], Azat-syst., Aztr-syst., Bell-syst., Bort-syst., Cand-syst., Capec-syst., Cele-syst., CetiP-syst. [Cetirizine], Clofaz-syst., Cloz-syst., ConjE-syst., Cyclob-syst., Cycloph-syst., Dacti-syst., DecAn-syst. [Acetaminophen-containing combinations, Ibuprofen-containing combinations], DeslP-syst., DicM-syst., Did-syst., Dipy-syst., Disu-syst., Docet-syst., Don-syst., Doxaz-syst., DrosEE-syst., Dul-syst., Efal-syst., Efav-syst., Estro-syst., EstroPO-syst., Ethi-syst., Ezet-syst., **Fluc-syst.**, Gri-syst., HepatAVI-syst., HistH2-syst., Indin-syst., Infl-i-syst., IsomDA-syst., **Ison-syst.**, *Isot-syst.*, JapV-syst., Ketor-syst., Ketot-syst., Lef-syst., Levom-syst., Los-syst., LosH-syst., *Melo-syst.*, Mesa-orloc., *Mesa-reloc.*, Methy-syst., MethyTD-syst., Moli-syst., Nitro-syst., Ols-orloc., Ose-syst., Para-syst., Pio-syst., *Quid-syst.*, Rabe-syst., *Rifam-syst.*, **RifamI-syst.**, **RifamIP-syst.**, *Rifap-syst.*, Ritod-syst., RosiM-syst., Sertr-syst., Sta-syst., *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, Sur-syst., Tamo-syst., **Teli-syst.**, Terb-syst., Tic-syst., Topi-syst., *Tret-syst.*, Valg-syst., Vals-syst., Zaf-syst.*

acute: *Oct-syst.*

autoimmune (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): *IntB1a-syst.*

chemical (elevated hepatic enzymes, nausea and vomiting): *Flox-syst.*

cholestatic (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Amio-syst., AntinfN-syst., Capec-syst., Clar-syst., Doxaz-syst., Gold-syst., Mont-syst., PenicilB-syst., Spi-syst., SulfoT-syst., Tinz-syst.*

fulminant: *Nev-syst.*

hepatic dysfunction, with (abdominal pain; nausea or vomiting; yellow eyes or skin): *PenicilB-syst.*

hepatocellular and chronic active: *Fenof-syst.*

Repertório - Capítulo ABDOME

chronic active: *Nitro-syst.*

hepatocellular and cholestatic: *Fenof-syst.*

fulminant (chills; fever; itching of the skin; nausea; yellow eyes or skin; stomach pain; unusual tiredness): *DicM-syst.*

cholestatic: *Nev-syst.*

granulomatous: *Allop-syst.*

hepatic failure, with (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin; including cholestatic hepatitis, infectious hepatitis, hepatic failure, and/or LFT abnormalities with clinical symptoms): **Nev-syst.**

hepatitis B.

exacerbation (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): **AbLam-syst.**

hepatitis prodromal symptoms (loss of appetite; nausea; unusual tiredness or weakness; vomiting; fatigue, malaise, anorexia, nausea, jaundice, liver tenderness or hepatomegaly, with or without initially abnormal serum transaminase levels): **Ison-syst., Nev-syst., Rifam-syst., RifamI-syst., RifamIP-syst.**

hepatocellular hepatitis: *Clar-syst.*

chronic active, and cholestatic: *Fenof-syst.*

hypersensitivity hepatitis (darkening of urine; pale stools; yellow eyes or skin): *Carbam-syst.*

idiopathic: *Efal-syst.*

injury, hepatocellular, and: *Methy-syst., MethyTD-syst.*

liver function test abnormalities, with: *Vala-syst.*

jaundice, with: **Teli-syst., Zil-syst.**

overt: *Dant-syst.*

toxic (loss of appetite, nausea, vomiting, yellow eyes or skin, swelling in upper abdominal area): *AntinfN-syst., Gold-syst., Methox-syst., Thiog-syst.*

women having a predisposing or pre-existing condition, especially those who smoke tobacco: *DrosEE-syst., EstroPO-syst.*

mucositis (sores in mouth and on lips; esophageal and intestinal epithelial necrosis and ulceration): *Carbopl-syst., Pac-syst.*

decreased: *ColSF-syst.*

pancreas (pancreatitis) (abdominal pain and distention; fever with or without chills, swelling and/or tenderness in upper abdominal or stomach area; nausea; vomiting): *Abac-syst., AbLam-syst., AbLamZid-syst., Acit-syst., Amio-syst., AmlodBen-syst., AngIn-syst., AngInH-syst., AntinfN-syst., Antcoa-syst., Aspar-syst., Atorv-syst., Bex-syst., BetBAT-syst., Bex-syst., Busu-syst., Cele-syst., Cholest-orloc., Clofib-syst., ClonC-syst., ConjE-syst., Cortic-rec., CorticG-syst., Cyclosp-syst., Cyp-syst., Daps-top., Den-syst., DicM-syst., Did-syst., DiphenoA-syst., DiuL-syst., DiuPH-syst., DiuT-syst., Dol-syst., Don-syst., Efav-syst., EmtT-syst., Enf-syst., Eryts-syst., Eso-syst., Estro-syst., EstroP-syst., Etan-syst., Ezet-syst., EzetS-syst., Fenof-syst., Fludro-syst., Fluox-syst., Gef-syst., Glut-syst., GroH-syst., HistH2-syst. [Cimetidine; Ranitidine], Indin-syst., Isot-syst., Lami-syst., LamiZ-syst., Lamo-*

Repertório - Capítulo ABDOME

syst., *Lans-syst.*, *Lef-syst.*, *Leve-syst.*, *LosH-syst.*, **Meg-syst.**, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Methy-syst.*, *MethyTD-syst.*, *Metro-syst.*, *Moe-syst.*, *Mont-syst.*, *Myc-syst.*, *Nitro-syst.*, *Ola-syst.*, *Ols-orloc.*, *Oxa-syst.*, *Pantop-syst.*, **Pegas-syst.**, **PegiA2b-syst.**, *Penic-syst.*, *Penta-inh.*, *Penta-syst.*, *PrazoP-syst.*, *Propo-syst.*, *Rifap-syst.*, *Risp-syst.*, *Riton-syst.*, *Sertr-syst.*, *Sir-syst.*, *Sor-syst.*, *Sta-syst.*, *SulfadP-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Tamo-syst.*, *Teno-syst.*, *Tetr-syst.*, *Thr-syst.*, *Topi-syst.*, *Tram-syst.*, *Tret-syst.*, *Vald-syst.*, *Valp-syst.*, *ValsH-syst.*, *Ven-syst.*, *Vino-syst.*, *VitDA-syst.*, *Zalc-syst.*

acute (bloating; chills; constipation; darkened urine; fast heartbeat; fever; indigestion; loss of appetite; nausea; pains in stomach, side, or abdomen, possibly radiating to the back; vomiting; yellow eyes or skin): *Bort-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *HMG-syst.* [*Simvastatin*, *Lovastatin*], *Ketor-syst.*, *Mem-syst.*, *Oct-syst.*, *Paro-syst.*

necrotizing (bloating; chills; constipation; darkened urine; fast heartbeat; fever; indigestion; loss of appetite; nausea; pains in stomach, side, or abdomen, possibly radiating to the back; vomiting; yellow eyes or skin): *Gadob-syst.*

possibly fatal: *LopiR-syst.*, *Sta-syst.*

hypersensitivity pancreatitis (severe stomach pain with nausea and vomiting): *Azat-syst.*, *Danaz-syst.*

peritonitis (abdominal or stomach pain, severe; chills; nausea and vomiting, severe): *Alpr-syst.*, **Darb-syst.**, *Por-syst.*, **Sir-syst.**

chemical (abdominal pain and cramps; abdominal tenderness): *Van-syst.*

serous fibrosis, with (retroperitoneal fibrosis): *Perg-syst.*

INTESTINO.

atrophy, villous, intestinal (abdominal pain; abdominal distention; chronic or occasional diarrhea; stools that float, are foul smelling or “fatty”): *Myc-syst.*

crystalline deposits in the intestinal mucosa: *Clofaz-syst.*

damage, severe: *Colc-syst.*

dilation, toxic (bloating; constipation; loss of appetite; nausea or vomiting; stomach pain) (See Distention; Enlarged; Swelling): *Capec-syst.*

gangrenous (bloody diarrhea; new or worsening abdominal pain; rectal bleeding) (See Gangrene.): *Teg-syst.*

infarction: *Thr-syst.*

injury (abdominal pain and tenderness): *Spi-syst.*

necrosis (black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds): *Bevac-syst.*

obstruction (diarrhea; pain or cramping in abdomen; nausea and vomiting) (See Occlusion): *Alos-syst.*, *Bevac-syst.*, *Capec-syst.*, *Cele-syst.*, *Citra-syst.* [*Potassium Citrate-containing*], *Clofaz-syst.*, *Dant-syst.*, *Docet-syst.*, *Doxep-top.*, *Hepar-syst.*, *Infli-syst.*, *Ipr-nas.*, *Oxa-syst.*, *Panc-syst.*, *Ras-syst.*, *Risp-syst.*

with perforation: *Ritu-syst.*

perforation (abdominal or stomach cramps or pain; black, tarry stools; diarrhea; fever; severe vomiting, sometimes with blood) (See Perforation): *Alos-syst.*, *Cele-*

Repertório - Capítulo ABDOME

syst., *Citra-syst.* [*Potassium Citrate-containing*], *CorticG-syst.*, *DicM-syst.*, *Etan-syst.*, *Infli-syst.*, *Melo-syst.*, **MethotC-syst.**, *MethotNC-syst.*

fatal: **MethotC-syst.**, *MethotNC-syst.*

obstruction, with: *Ritu-syst.*

stenosis, intestinal (abdominal pain; nausea; vomiting): *Infli-syst.*

ulceration, bowel (abdominal or stomach pain, cramping, or burning; black, tarry stools; constipation; diarrhea; vomiting of blood or material that looks like coffee grounds; nausea; heartburn; indigestion) (See Ulcers): *Alos-syst.*

INTESTINO DELGADO.

infarction and necrosis: *Vaso-syst.*

ischemia, mesenteric (abdominal pain, usually after eating a meal; constipation; diarrhea; nausea; vomiting): *Alos-syst.*, *Teg-syst.*

INTUSSUSCEPÇÃO (diarréia; dor ou cólicas no abdômen; náuseas e vômitos): *DiphTTH-syst.*

IRRITAÇÃO.

contact, of the alimentary tract (mild abdominal or stomach soreness or pain; nausea or vomiting): *Citra-syst.* [*Potassium Citrate*], *PotS-syst.*

duodenal mucosa: *Mono-loc.*

gastrointestinal (bloating or “gassy” feeling, mild stomach pain, heartburn or indigestion, nausea with or without vomiting): *Andro-syst.*, **AnthisDAg-syst.**, **AspirSC-syst.**, *Bacl-syst.*, **BarbAn-syst.**, **Caff-syst.**, **Chloroq-syst.**, **CorticG-syst.**, *Cyclob-syst.*, **DecAn-syst.** [**Salicylate-containing combinations**], *DiuP-syst.*, **DiuP-syst.** [**Spironolactone**], *HydroxT-oph.*, **Hydxcy-syst.**, **MepA-syst.**, *Opi-syst.*, **Probu-syst.**, **Sal-syst.**, *Ske-syst.*, **Ske-syst.** [**Metaxalone**]

animal pharmacological and toxicological data: *Lope-orloc.*

LESÕES.

sloughing of the gastrointestinal mucosa: *Colc-syst.*

LIPASE, INIBIDOR: *Orl-orloc.*

MÁ ABSORÇÃO, síndrome da (diarréia; aumento da quantidade de gás; fezes de cor clara, espumosa, aparecendo gordura; perda súbita de peso): *Cholest-orloc.*, *Colest-orloc.*, *Efav-syst.*, *Kan-orloc.*, *Neo-orloc.*

fat (stools that float, foul smelling and fatty in appearance): *Oct-syst.*

MESENTÉRIO.

calcification of mesenteric arteries: *Isot-syst.*

crystalline deposits in mesenteric lymph nodes: *Clofaz-syst.*

infarction: *Vaso-syst.*

ischemia (abdominal pain, usually after eating a meal; constipation; diarrhea; nausea; vomiting): *Alos-syst.*, *Teg-syst.*

Repertório - Capítulo ABDOME

MOTILIDADE gastrointestinal diminuída (constipação; sensação e plenitude no abdômen ou passagem de gás; dor de estômago ou cólicas): *Capec-syst.*, *Cyclope-oph.*

bowel (constipation): *Dron-syst.*

MOVIMENTOS incontroláveis.

trunk.

twisting: *Ond-syst.*

MÚSCULOS, rigidez abdominal: *FentD-syst.* [*Alfentanil*]

NECROSE.

avascular (hip or shoulder pain): *CorticG-syst.*

enterocolitis, necrotizing (See Inflammation).

hepatic (See Liver).

intestinal ischemic necrosis (bloody vomit; severe stomach pain) (See Intestine):

Aldes-syst.

pancreatitis, necrotizing (See Inflammation).

OBSTRUÇÃO.

biliary (“sludge” of crystals in biliary duct): *AntinfN-syst.* [*Sulindac*], *Ceph-syst.* [*Ceftriaxone*]

gallbladder (yellow eyes or skin; pain or tenderness in stomach, side, or abdomen) (See Gall Bladder): *ConjE-syst.*

pseudolithiasis (anorexia; epigastric pain; nausea and vomiting): *Ceph-syst.* [*Ceftriaxone*]

intestines (See Intestine, obstruction).

OCCLUSÃO venosa, mesentérica (dor abdominal, geralmente após comer uma refeição; constipação; diarreia; náuseas; vômitos) (Ver Intestino, obstrução): *Bevac-syst.*

PANCREATITE (Ver Inflamação).

PARALISIA dos intestinos.

ileus paralyticus (abdominal pain; severe constipation; severe vomiting) (See Ileus): *Alos-syst.*, *AntinfN-syst.* [*Meclofenamate*]

hemorrhage-induced: *Antcoa-syst.*

PELIOSE HEPÁTICA (Ver Fígado).

PERFURAÇÃO (Ver Intestino, perfuração).

duodenal, due to ulceration (burning upper abdominal pain; loss of appetite; nausea; vomiting): *Aprep-syst.*, *Melo-syst.*

enterocolitis with perforation (severe stomach pain): *Ida-syst.*

gastrointestinal (severe pain in abdomen; fever; nausea; vomiting): *AntinfN-syst.*, *Docet-syst.*

ulceration, gastrointestinal, possibly with perforation and/or bleeding (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): *DecAn-syst.* [*Ibuprofen-containing combinations*], *Ketor-syst.*

intestines (abdominal or stomach cramps or pain; black, tarry stools; diarrhea; fever; severe vomiting, sometimes with blood): *Alos-syst.*

ischemic (bloody vomit; severe stomach pain): *Alde-syst.*

PERISTÁLTICO, estimulante: *Cholec-syst.*, *Meto-syst.*

PERITÔNIO.

accumulation of fluid, rapid, in the peritoneal cavity (with ovarian hyperstimulation syndrome) (See Ascites; Edema): *ChorioG-syst.*

PERTURBAÇÃO abdominal: *Meb-syst.*

PLENITUDE, sensação de (Ver Dilatado; Distensão): *AnabS-syst.*, *Capec-syst.*, *Cyclope-oph.*, *Fenol-syst.*, **Perf-orloc.**, *Vald-syst.*

trunk: Cortic-nas., Flut-inhloc., **Sir-syst.**

PORFIRIA cutânea tardia (urina escura; bolhas na pele cheia de fluido; prurido na pele; fezes de cor clara; sensibilidade ao sol; pele frágil; pele ou olhos amarelos): *AntdiaS-syst.*

REFLUXO gastrointestinal (inchaço; diarreia; gás; azia; indigestão; perda de apetite; náuseas; dor de estômago; vômitos): *Sor-syst.*, *Sum-syst.*

RETROPERITONEAL, FIBROSE (febre; perda de apetite; dor abdominal baixa; dor lombar; náuseas; vômitos): *CarbidEL-syst.*, *Enta-syst.*, *Perg-syst.*, *Prami-syst.*, *Ropin-syst.*, *Tolc-syst.*, *Vasc-syst.*

inflammation, with (inflammation and fibrosis, serous (retroperitoneal fibrosis)): *Perg-syst.*

SANGRAMENTO (Ver Hemorragia).

SENSAÇÕES, como se.

bloated feeling: **AntinfN-syst.**, *AntandN-syst.*, *Antchsp-syst.*, *Bell-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Gold-syst.**, *Ketor-syst.*, *Lit-syst.*

burning feeling: **Mono-loc.**

fullness, feeling of (See Fullness): *AnabS-syst.*

gastrointestinal tract: *Ketor-syst.*

indigestion, feeling of: *Cetr-syst.*, *ChorioG-syst.*, *Meno-syst.*, *Uro-syst.*

pressure, pelvic: *DrosE-syst.*, *Estro-syst.*, *Metro-syst.*

SIGMÓIDE, cólon (Ver Inflamação).

perforation of pre-existing sigmoid lesions, e.g., diverticula, carcinoma (severe pain, cramping, or burning; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; severe and continuing nausea, heartburn, and/or indigestion) (See Perforation): AntinfN-syst., **AntinfN-syst.** [**Floctafenine**]

SOFRIMENTO abdominal (Ver Desconforto; Transtornos): *GlipM-syst.*

gastrointestinal: *Mido-syst.*, *VitMF-syst.*

TOXICIDADE (Ver Fígado, hepatotoxicidade).

gastrointestinal (abdominal or stomach cramping or pain, colicky or burning; bloody or black, tarry stools; constipation or diarrhea, severe; difficulty in swallowing or pain in back of throat or chest when swallowing; vomiting blood or material that looks like coffee grounds): Capec-syst., Clofaz-syst., **Colc-syst.**, **Procar-syst.**, *Pyrim-syst.*, *SulfadP-syst.*

TRANSTORNOS, distúrbios, anormalidades, alterações (Ver Desconforto; Dor; Sofrimento).

gastrointestinal (abdominal discomfort or pain; anorexia [loss of appetite]; constipation; abdominal or stomach cramps; bloating; burning of stomach; diarrhea; dryness of mouth; flatulence; heartburn; increase in appetite; loss of appetite; mouth ulcers; nausea; stomach pain, fullness, or discomfort; indigestion; stomach upset; passing of gas; vomiting): *Acet-syst.*, *AcSodCit-syst.*, Adal-syst., Albd-syst., **Aman-syst.**, **AminsSod-syst.**, **AmphoB-syst.**, **AmphoBLC-syst.**, **Ampr-syst.**, **AntdiaS-syst.**, AntfunA-syst., **Anthis-syst.** [**Azatadine**, **Diphenhydramine**]; Anthis-syst. [Cetirizine, Clemastine, Cyproheptadine, Loratadine], Aztr-syst., Bet-syst., Brim-oph., CarbidEL-syst. [Entacapone], Cefd-syst., Cefu-syst., Chym-parloc., Clar-syst., **Clind-syst.**, Clind-top., Clind-vag., **Clofaz-syst.**, **Clot-orloc.**, Cortic-nas. [Dexamethasone], Cortic-ot., Daps-syst., Dir-syst., Gemif-syst., *IsomDA-syst.*, Mero-syst., **Metro-syst.**, *Mex-syst.*, **Nali-syst.**, Pip-syst., Pyran-orloc., Pyrv-orloc., **Quin-syst.**, Ralo-syst., **RifamI-syst.**, **RifamIP-syst.**, Rima-syst., Rise-syst., Saq-syst., Spec-syst., Spi-syst., Sta-syst., **SulfadP-syst.**, **Sulfap-syst.**, **Sulfas-syst.**, **Sulfo-syst.**, **SulfoT-syst.**, **Sur-syst.**, Teli-syst., **Terb-syst.**, Teri-syst., Testos-syst., **Tetr-syst.**, **Tors-syst.**, *TramA-syst.* [*Acetaminophen*], Trav-oph., Trimethop-syst., Vala-syst., Zalc-syst., Zic-syst.

severe: **Thiab-syst.**

hepatic (dark urine; light-colored stools; loss of appetite; nausea and vomiting; unusual tiredness; yellow eyes or skin; fever with or without chills; stomach pain; transaminase levels, increased): *Histr-syst.*, *Tini-syst.*

intolerance, **gastrointestinal** (anorexia [loss of appetite]; diarrhea; dyspepsia [heartburn, indigestion and/or sour stomach]; nausea; vomiting): **Rifab-syst.**, **Thali-syst.**

TROMBOSE.

hepatic vein: *Dac-syst.*

intra-abdominal (stomach tenderness, pain, swelling, or warmth): Bevac-syst.

Repertório - Capítulo ABDOME

mesenteric (abdominal pain usually after eating a meal; constipation; diarrhea; nausea; vomiting): *Eton-vag.*, *NoreE-syst.*

TUMORES (Ver Câncer).

adenoma, hepatic (swelling, pain, or tenderness in upper abdominal area): *Eton-vag.*, *NoreE-syst.*

hepatocellular: *Danaz-syst.*

benign (swelling, pain, or tenderness in upper abdominal area):
DrosEE-syst., *EstroPO-syst.*

increased risk of: *MedE-syst.*

hemangioma, hepatic, enlargement of (full feeling in upper abdomen; nausea; pain in upper abdomen): *Estro-syst.*

hepatic.

benign (swelling, pain, or tenderness in upper abdominal area): *Eton-vag.*, *NoreE-syst.*

increased risk of: *MedE-syst.*

malignant, increase of the incidence of.

rodents: *Clofib-syst.*

peliosis hepatic (See Liver).

hepatocellular tumors (pain or tenderness in upper abdomen; swelling of abdomen):
Andro-syst.

hyperplasia.

hepatic.

focal nodular: *DrosEE-syst.*, *EstroPO-syst.*

women having a predisposing or pre-existing condition, especially those who smoke tobacco: *DrosEE-syst.*, *EstroPO-syst.*

regenerative.

liver biopsy, on: *Busu-syst.*

nodular (blood in the stool; stomach bloating or pain; vomiting blood): *Thiog-syst.*

neoplasm, hepatic (bloated abdomen; dull, achy, upper abdominal pain; loss of appetite; unexplained weight loss): **Niti-syst.**

ÚLCERAS.

anastomotic (abdominal or stomach pain; cramping or burning; black, tarry stools; constipation; diarrhea; vomiting of blood or material that looks like coffee grounds; nausea; heartburn; indigestion): *Bevac-syst.*

colon: *Iri-syst.*

bleeding, with: *Iri-syst.*

colitis, ulcerative (diarrhea, abdominal pain, rectal bleeding): *Lans-syst.*,
PegiA2b-syst.

exacerbation of (bloody diarrhea; fever; skin rash): *Ols-orloc.*,
Sulfas-syst.

duodenal (stomach pain): *Cab-syst.*, *CarbidL-syst.*, *Cil-syst.*, *Clop-syst.*, *Docet-syst.*,
Levod-syst., *Melo-syst.*

Repertório - Capítulo ABDOME

hemorrhagic (black, tarry stools; bloody stools; vomiting of blood or material that looks like coffee grounds): Melo-syst.

perforating (burning upper abdominal pain; loss of appetite; nausea; vomiting): Aprep-syst., Melo-syst.

enterocolitis, ulcerative (abdominal pain, cramping, or burning, severe; bloody or black tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing) (See Inflammation): Gold-syst.

gastrointestinal (bloody or black, tarry stools; stomach pain, severe; vomiting of blood or material that looks like coffee grounds): Cele-syst., Dacti-syst., Dau-syst., DecAn-syst. [Salicylate-containing combinations], DecAn-syst. [Ibuprofen-containing combinations], Doxor-syst., Flox-syst., Fluoru-syst., Melo-syst., MepA-syst., Merc-syst., Nalt-syst., Rof-syst., Sal-syst., Thiog-syst., Tret-syst., Vald-syst.

multiple and peptic or nonpeptic: AntinfN-syst., AntinfN-syst [Floctafenine], AnthisDAg-syst., AspirSC-syst.

bleeding, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): AspirSC-syst., DecAn-syst. [Ibuprofen-containing combinations], Ketor-syst., MethotC-syst., MethotNC-syst., Sal-syst.

perforation, and: DecAn-syst. [Ibuprofen-containing combinations], Ketor-syst.

fatal: MethotC-syst., MethotNC-syst.

perforation, with (abdominal pain, cramping, or burning, severe; bloody or black, tarry stools; vomiting of blood or material that looks like coffee grounds; nausea, heartburn, and/or indigestion, severe and continuing): DecAn-syst. [Ibuprofen-containing combinations], Ketor-syst.

bleeding, and: DecAn-syst. [Ibuprofen-containing combinations], Ketor-syst.

intestines (abdominal or stomach pain, cramping, or burning; black, tarry stools; constipation; diarrhea; vomiting of blood or material that looks like coffee grounds; nausea; heartburn; indigestion): Alos-syst., AntinfN-syst.

URGÊNCIA para evacuar ou defecar: CarbidEL-syst. [Entacapone], Doxap-syst., Gala-syst., Sin-syst., Teri-syst.

immediate: Orl-orloc.

increased (increase in bowel movements): Guanad-syst., Guane-syst., Ibr-syst., Orl-orloc., Vaso-syst.

VESÍCULA BILIAR (Ver Fígado; Icterícia; Inflamação).

colic (spasmogenic effect on the gallbladder muscle and bile ducts): Cholec-syst., Sin-syst.

disease, gallbladder (abdominal fullness; gaseous abdominal pain; nausea and vomiting; recurrent fever; yellow eyes or skin): DrosE-syst., DrosEE-syst., Eton-vag., NoreE-syst.

increased risk of: MedE-syst.

Repertório - Capítulo ABDOME

obstruction, gallbladder (yellow eyes or skin; pain or tenderness in stomach, side, or abdomen): *ConjE-syst.*, *Estro-syst.*, *EstroP-syst.*

pseudolithiasis (anorexia; epigastric pain; nausea and vomiting): *Ceph-syst.* [*Ceftriaxone*]

spasm, biliary (abdominal pain): *FentD-syst.*, *Opi-syst.*

stones (cholelithiasis) (abdominal fullness; gaseous abdominal pain; recurrent fever; yellow eyes or skin): **Adal-syst.**, *Cele-syst.*, *Cholest-orloc.*, *Colest-orloc.*, *Dipy-syst.*, *DipyA-syst.*, *Ezet-syst.*, *EzetS-syst.*, *Fenof-syst.*, *Fluda-syst.*, *Gemf-syst.*, *Natal-syst.*, *Oct-syst.*, *Sum-syst.*

choledocholithiasis (stone, bile duct) (severe stomach pain with nausea and vomiting): *Teg-syst.*

increased incidence of: *Gemf-syst.*

CAPÍTULO RETO

ABSCESSO.

perirectal (accumulation of pus or swollen, red, tender area of infection around the rectum): **Amsa-syst.**

CÂIMBRA (Ver Constrição).

CALOR, aquecimento do reto: *Sper-vag.*

COMICHÃO, prurido (Ver Entorpecimento; Formigamento): *Iodoq-orloc., Nicl-orloc., Sper-vag.*

CONSTIPAÇÃO: **Abar-syst., Acit-syst., Aldes-syst., Alemt-syst., Alend-syst., Alfuz-syst., Alos-syst., Aman-syst., Amio-syst., AmlodBen-syst., Amph-syst., Anag-syst., Anast-syst., Anest-parloc., Anid-syst., AntinfN-syst., AntandN-syst., Antchsp-syst. [Glycopyrrolate], AntconH-syst., AntdepMAO-syst., AntdepT-syst., AntdiaS-syst., AntfunA-syst., Anthis-syst., Anthyr-syst., AppSupS-syst., Aprac-oph., Arip-syst., ArsTr-syst., Atom-syst., Atorv-syst., Atta-orloc., Azac-syst., Bacl-intsyst., Bacl-syst., Bals-syst., Barb-syst., BarS-loc., Basil-syst., Bell-syst., Benzod-syst., Benzon-syst., BetBA-oph. [Levobetaxolol], BetBASyst., BetBAT-syst., Bevac-syst., BisS-orloc., BisSMT-syst., Bort-syst., Bromo-syst., Bupro-syst., Busu-syst., Butor-nasyst., Cab-syst., Capec-syst., Calcit-nassyst., CalcCBA-syst., Carbam-syst., CarbidL-syst., CarbidEL-syst., CarbidEL-syst. [Entacapone], CarbonAI-syst., Carbopl-syst., Carm-imploc., Cefd-syst., Cele-syst., Cetux-syst., Cev-syst., CharA-orloc., ChlordA-syst., Cholest-orloc., Cisap-syst., Clad-syst., Clofar-syst., Clon-parloc., Clon-syst., ClonC-syst., Clop-syst., Cloz-syst., Colesev-orloc., Colest-orloc., Colf-intloc., Cortic-inhloc., Cycli-syst., Cyclob-syst., Cyclope-oph., Cyp-syst., Cys-syst., CytL-int., Dacli-syst., Danap-syst., Dapt-syst., Darb-syst., Darif-syst., DauL-syst., DecAn-syst. [Ibuprofen-containing combinations], Den-syst., Dext-syst., Diaz-parsyst., Dif-syst., DiphenA-syst., Diso-syst., DiuP-syst., DiuPH-syst. [Amiloride], Docet-syst., Dom-syst., Don-syst., Dul-syst., Efav-syst., Enf-syst., Enta-syst., EnterNF-syst., Epoe-syst., Erl-syst., Ert-syst., Esc-syst., Eso-syst., Estro-syst., Exem-syst., Fel-syst., Fenof-syst., Fenol-syst., Fent-syst., Fent-trsyst., FentD-syst., Flavox-syst., Flec-syst., Fluda-syst., Fluorq-syst., Fluox-syst., Fluv-syst., Fon-syst., Ful-syst., Gab-syst., Gadob-syst., Gadov-syst., Gemc-syst., Gemif-syst., Gemt-syst., Glut-syst., Gold-syst., Gra-syst., Guanf-syst., Hal-syst., HepatBVR-syst., Hist-syst., HistH2-syst. [Famotidine; Nizatidine; Rinitidine], Histr-syst., HMG-syst., Hydra-syst., HydroI-syst., Hydxyu-syst., Iba-syst., Ibr-syst., IbupO-syst., Ima-syst., IntB1b-syst., Iri-syst., Iron-syst., KaoP-orloc., Ketor-syst., Lamo-syst., Lans-syst., Lant-orloc., Lef-syst., Len-syst., Let-syst., Leval-inhloc., Levod-syst., Levof-syst., Levom-syst., Lope-orloc., Lut-syst., Mecam-syst., Mecl-syst., Melo-syst., Mem-syst., Mero-syst., Methy-syst., Methys-syst., Meto-syst., Mex-syst., Miglu-syst., Mir-syst., Mis-syst., Mitox-syst., Moc-syst., Mod-syst., MoeH-syst., Moli-syst., Myc-syst., Nalt-syst., Nar-syst., Nef-syst., Nico-nas., Nico-syst., Oct-syst., Ola-syst., Omep-syst., Ond-syst., Opi-syst. [Codeine; Morphine; Opium Tincture], Oxa-syst., Oxc-syst., Oxyb-syst., Palo-**

syst., **Pam-syst.**, *Pantop-syst.*, *Pare-syst.*, **Paro-syst.**, **Pegf-syst.**, **Peme-syst.**, *Pentosa-syst.*, *Pentost-syst.*, **Perg-syst.**, **PerpA-syst.**, **Phenot-syst.**, *Pime-top.*, **Pimo-syst.**, **Pre-syst.**, *Procar-syst.*, *Propa-syst.*, **Pru-orloc.**, **Que-syst.**, **Quid-syst.**, *QuinuD-syst.*, *Rabe-syst.*, **Ralt-syst.**, **Ras-syst.**, *Rep-syst.*, *Rifap-syst.*, **Rifax-orloc.**, *Ril-syst.*, *Rise-syst.*, **Risp-syst.**, *Riton-syst.*, **Riv-syst.**, *Riz-syst.*, *Rof-syst.*, *Ropin-syst.*, *Rosu-syst.*, *Sac-syst.*, *Saq-syst.*, *Seleg-syst.*, *Sertr-syst.*, *Seve-orloc.*, **Sib-syst.**, **Sir-syst.**, *Ske-syst.*, *SodPhe-syst.*, **SodPol-loc.**, **Sol-syst.**, **Sor-syst.**, **Sucr-orloc.**, *Teli-syst.*, **Tem-syst.**, **Teri-syst.**, **Thali-syst.**, *Thie-syst.*, **Thiox-syst.**, *Tini-syst.*, *Tinz-syst.*, *Tiot-inhloc.*, **Tiz-syst.**, **Tolc-syst.**, **Tolt-syst.**, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, **Tram-syst.**, *TramA-syst.*, *TrandV-syst.*, *Traz-syst.*, *Trimetha-syst.*, **Tros-syst.**, **Urs-syst.**, *Vala-syst.*, *Valp-syst.*, **Ven-syst.**, *Ver-parloc.*, **Vig-syst.**, *Vind-syst.*, **Vino-syst.**, *VitDA-syst.*, *Zalc-syst.*, *Zale-syst.*, *Zic-syst.*, **Zid-syst.**, **Zip-syst.**, **Zole-syst.**, *Zon-syst.*, **Zop-syst.**

aggravated: **Tros-syst.**

complications of constipation, serious, during IBS clinical trials, in women: *Alos-syst.*

elderly patients: *Aman-syst.*, *AntdepT-syst.*, *PerpA-syst.*

females: *Meno-syst.*, *Tamo-syst.*

for treatment of refractory ovarian cancer patients: **DoxorL-syst.**

for treatment of Kaposi's sarcoma patients: *DoxorL-syst.*

hemorrhage-induced paralytic ileus or intestinal obstruction, caused by: *Hepar-syst.*, *Prota-syst.*

impaction (constipation; nausea; severe stomach pain; vomiting): *Alos-syst.*, *Antac-orloc.*, *Atta-orloc.*, *BarS-loc.*, *Lax-loc.*, *SodPol-loc.*

males: *Gos-syst.*

adult males: *Leup-syst.*

mild: **Antac-orloc.**, **Por-syst.**

to severe: *Dant-syst.*

paralytic ileus, leading to: *Lox-syst.*, *Map-syst.*

transient, and: *Atta-orloc.*

moderate: **Capec-syst.**

obstipation (severe constipation): *Phenot-syst.*

paralytic ileus, resulting in: *AntdepT-syst.*, *Mecam-syst.*

renal dysfunction, patients with: *Aman-syst.*

severe: **Vinc-syst.**

hypercalcemia, with: *CalcS-syst.*

CONSTRIÇÃO, contração, oclusão (Ver Estenose; Obstrução): *AnestBar-syst.*

DESCONFORTO.

anal (burning or itching around anus): *BisSMT-syst.*

rectal: *Orl-orloc.*

DIARRÉIA ou efeitos laxativos (aumento nos movimentos peristálticos; fezes líquidas ou amolecidas) (Ver Involuntárias; Peristáltico; Urgência): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Abar-syst.**, **Acamp-syst.**, **Acarb-syst.**, *Acet-syst.*, *Acit-syst.*, *AcSodCit-syst.*, *Acyc-syst.*, *Adal-syst.*, *Adef-syst.*, *Albd-syst.*, **Aldes-syst.**, *Alemt-syst.*, *Alend-syst.*,

Alfuz-syst., Almot-syst., Alos-syst., Alpr-syst., Altr-syst., Aman-syst., AmincAc-syst., AminsSod-syst., Amio-syst., Amlex-mucloc., AmlodBen-syst., AmmSAr-syst., Amph-syst., AmphoB-syst., AmphoBLC-syst., AmphoBLsC-syst., Ampr-syst., Amsa-syst., AnabS-syst., Anag-syst., Anak-syst., Anast-syst., Andro-syst., AnestBar-syst., AngIn-syst., AngInH-syst., Anid-syst., Antac-orloc., AntinfN-syst., AntthyGR-syst., AntandN-syst., AntandN-syst. [Nilutamide], Antcoa-syst., Antcoa-syst. [Dicumarol], AntconH-syst. [Ethotoin], AntdepMAO-syst., AntdepT-syst., AntdiaS-syst., AntfunA-syst. [Itraconazole], AntglaC-oph., Anthis-syst., AnthisDAg-syst. [Acetaminophen-containing combinations], Antm-syst., AppSupS-syst., Aprep-syst., Arg-syst., Arip-syst., ArsTr-syst., AscAc-syst., Ataz-syst., Atom-syst., Atorv-syst., Atova-syst., AtovaPro-syst., AtropB-syst., Azac-syst., Azat-syst., Aztr-syst., Bacl-intsyst., Bals-syst., BarbAn-syst. [Acetaminophen; Aspirin], BarS-loc., Basil-syst., Bentir-syst., Benzod-syst., BetBA-oph. [Timolol], BetBA-syst., BetBAT-syst., Bet-syst., Beth-syst., Bevac-syst., Bex-syst., BisSMT-syst., Bort-syst., Brim-oph., Bromo-syst., BronT-syst., Bupre-syst., Buse-syst., Busp-syst., Busu-syst., Cab-syst., Calcit-nassyst., Calcit-syst., CalcCBA-syst., CalcCBA-syst. [Bepidil], Carbac-oph., Carbam-syst., CarbidL-syst., CarbidEL-syst., CarbidEL-syst. [Entacapone], CarbonAI-syst., Carbopl-syst., Carbopr-syst., Carm-imploc., Carm-syst., Carv-syst., Cefd-syst., Cefu-syst., Cele-syst., CellSP-syst., Ceph-syst., Cetux-syst., Cev-syst., CharA-orloc., ChIH-syst., Chloramp-ot., Chloramp-syst., ChlordA-syst., CholAO-syst., Cholest-orloc., Cid-syst., Cil-syst., Cinac-syst., Cinox-syst., Cisap-syst., Cital-syst., Citra-syst. [Potassium citrate- and sodium citrate-containing], Clad-syst., Clar-syst., Clind-syst., Clind-vag., Clod-syst., Clofar-syst., Clofaz-syst., Clofib-syst., ClonC-syst., Clop-syst., Clot-orloc., Colest-orloc., ConjE-syst., Cop-syst., Cortic-inhloc., Cortic-nas. [Fluticasone], Cortic-rec., Crom-systorloc., Cycli-syst., Cycloph-syst., Cyp-syst., Cys-syst., Cyt-syst., Dacli-syst., Dacti-syst., Danaz-syst., Dapt-syst., Darb-syst., Dau-syst., DauL-syst., DecAn-syst. [Ibuprofen-containing combinations, Acetaminophen-containing combinations], Def-syst., Del-syst., Den-syst., Diat-syst., Dic-top., DicM-syst., Did-syst., DigitG-syst., Dihy-nassyst., Dinopst-parloc., Dinopne-cervag., DiphtTTH-syst., DiphtTTPVH-syst., Dipy-syst., Dir-syst., Diso-syst., DiuL-syst., DiuL-syst. [Ethacrynic acid], DiuPH-syst., DiuT-syst., Docet-syst., Dof-syst., Dol-syst., Dom-syst., Don-syst., DorzT-oph., Doxap-syst., Doxor-syst., DoxorL-syst., Doxyc-mucloc., Doxyc-syst., DoxycD-syst., Dul-syst., Dyp-syst., EdD-syst., Edr-syst., EdrA-syst., Efav-syst., Efl-syst., Emt-syst., EmtT-syst., Enf-syst., Eno-syst., Enta-syst., Entec-syst., EnterNF-syst., Epir-syst., Epl-syst., Epoe-syst., Epop-syst., Ergon-syst., Ert-syst., Esc-syst., Eso-syst., Estra-syst., Esz-syst., Etan-syst., Etid-syst., Etop-syst., Exem-syst., Exen-syst., Ezet-syst., Fam-syst., FatE-syst., Fel-syst., Fenof-syst., Fenol-syst., Fent-trsyst., Fin-syst., Fluc-syst., Fluda-syst., Fluorq-syst., Fluoru-syst., Fluox-syst., Flut-inhloc., Flut-nas., FlutS-inhloc., Fluv-syst., Fome-syst., Fomi-parloc., Fon-syst., Fosam-syst., Fosf-syst., FrucDP-orloc., Ful-syst., Fur-orloc., Fus-syst., Gab-syst., Gadob-syst., Gadod-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gala-syst., GalliN-syst., Gef-syst., Gemc-syst., Gemf-syst., Gemif-syst., Gemt-syst., Gla-syst., Glim-syst., GlipM-syst., Gluc-syst., GlybM-syst., Glyc-syst., Gold-syst., Gra-syst., Gri-syst., Guai-syst., Guanad-syst., Guane-syst., HaeC-syst., HaeP-syst., HepatAVI-syst., HepatBIG-syst., HepatBVR-syst., HistH2-syst., HMG-syst., HyalS-syst., Hydra-syst., Hydxyu-syst., Iba-syst., Ibr-syst., IbufO-syst., Ida-syst., Ilo-inh., Ima-syst., ImipC-syst., Imm-syst., Inda-syst., Indin-syst., IndiuS-syst., Infa-syst., Infli-syst., Influsyst., IntA1-syst., IntB1a-syst., IntB1b-syst., IntG-syst., IntA-syst., Iod-top., IodS-syst.,

Iodix-syst., **Iodoq-orloc.**, Ipe-orloc., *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, IsomDA-syst., **Ison-syst.**, **Kan-orloc.**, **Ketor-syst.**, *Ltry-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lamo-syst.*, **Lans-syst.**, **Lant-orloc.**, *Lax-loc.*, **Lef-syst.**, **Len-syst.**, *Let-syst.*, *Leval-inhloc.*, **Levam-syst.**, **Levoca-syst.**, *Levod-syst.*, *Levof-syst.*, *Levom-syst.*, **Linc-syst.**, **Line-syst.**, **Lit-syst.**, *Lom-syst.*, **LopiR-syst.**, **Lor-syst.**, *Los-syst.*, *Lut-syst.*, *Lym-syst.*, *MagSup-syst.*, *Mal-top.*, *Map-syst.*, *Meb-syst.*, *Mech-syst.*, **Mef-syst.**, **Melo-syst.**, *Mem-syst.*, **MeniVDC-syst.**, *Meno-syst.*, *Mep-syst.*, *Merc-syst.*, **Mero-syst.**, *Mesa-reloc.*, *Mesn-syst.*, **Metf-syst.**, **MetfP-syst.**, *Methy-syst.*, *MethyTD-syst.*, *MethylB-syst.*, *Methyler-syst.*, **Methys-syst.**, **Meto-syst.**, **Metro-syst.**, *Metro-vag.*, *Metyra-syst.*, **Metyro-syst.**, *Mex-syst.*, *Mica-syst.*, **Mif-syst.**, **Migli-syst.**, **Miglu-syst.**, *Mis-syst.*, **Mitox-syst.**, *Moc-syst.*, *Mod-syst.*, *Moe-syst.*, *MoeH-syst.*, *Mom-nas.*, *Mono-loc.*, *Mont-syst.*, *Mor-syst.*, **Mur-syst.**, **Myc-syst.**, **Nali-syst.**, *Nalo-syst.*, *Nalt-syst.*, *Nar-syst.*, **Nef-syst.**, **Nel-syst.**, **Neo-orloc.**, **Nev-syst.**, *Nia-syst.*, **NiaL-syst.**, *Nicl-orloc.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nita-syst.*, *Niti-syst.*, **Nitro-syst.**, *Nys-orloc.*, **Oct-syst.**, *Olm-syst.*, *OlmH-syst.*, **Ols-orloc.**, *Omep-syst.*, **Ond-syst.**, **Ose-syst.**, **Oxa-syst.**, *Oxc-syst.*, **Oxyb-syst.**, **Pac-syst.**, **PacP-syst.**, *Paliv-syst.*, *Palo-syst.*, **Pam-syst.**, *Panc-syst.*, **Pantop-syst.**, **Paro-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Pegv-syst.**, **Penic-syst.**, *PenicilB-syst.*, **Penta-syst.**, *PenteC-syst.*, *Pentosa-syst.*, **Pentost-syst.**, **Perf-orloc.**, *Perg-syst.*, *PerpA-syst.*, **Phent-syst.**, *Pho-syst.*, *Phy-oph.*, **Phy-syst.**, *Pil-oph.*, **Pil-syst.**, **Pime-top.**, *Pimo-syst.*, *Pip-syst.*, **Pli-syst.**, **PneC-syst.**, *Podof-top.*, *Podop-top.*, **Por-syst.**, *PotI-syst.*, **PotS-syst.**, **Prami-syst.**, *Praml-syst.*, *PrazoP-syst.*, **Procai-syst.**, **Procar-syst.**, **Proge-syst.**, *Propa-syst.*, *Pyran-orloc.*, *PyreP-top.*, **Pyridos-syst.**, *Pyrim-syst.*, *Pyrv-orloc.*, **Quin-syst.**, *QuinuD-syst.*, *Rabe-syst.*, **Ralt-syst.**, *Ram-syst.*, **Ras-syst.**, **Rau-syst.**, **Rep-syst.**, *Reso-top.*, **Rifam-syst.**, **RifamI-syst.**, **RifamIP-syst.**, *Rifap-syst.*, **Ril-syst.**, **Rise-syst.**, **Risp-syst.**, **Riton-syst.**, **Ritu-syst.**, **Riv-syst.**, *Riz-syst.*, **Rof-syst.**, *Ropin-syst.*, *Rosi-syst.*, **RosiM-syst.**, *Rosu-syst.*, *Sac-syst.*, *SalA-top.*, *Saq-syst.*, *Seleg-syst.*, **SelenSup-syst.**, **Sertr-syst.**, *Seve-orloc.*, *Sib-syst.*, **Sild-syst.**, *Sin-syst.*, **Sir-syst.**, *Ske-syst.*, *SodF-syst.*, **SodO-syst.**, **Sor-syst.**, *Spa-syst.*, *Spi-syst.*, *Sta-syst.*, *Stre-syst.*, **Succ-syst.**, *Sucr-orloc.*, **SulfadP-syst.**, **Sulfap-syst.**, **Sulfas-syst.**, *Sulfi-syst.*, **Sulfo-syst.**, **SulfoT-syst.**, **Sur-syst.**, **Tacri-syst.**, **Tacro-syst.**, *Tad-syst.*, *Tamo-syst.*, **Teg-syst.**, **Teli-syst.**, *Telm-syst.*, *TelmH-syst.*, *Tem-syst.*, **Teni-syst.**, **Teno-syst.**, **Terb-syst.**, **Teri-syst.**, *Testol-syst.*, *Testos-syst.*, **Tetr-syst.**, **Thiab-syst.**, *Thiog-syst.*, *ThyH-syst.*, **Tia-syst.**, **Tic-syst.**, **Til-syst.**, *Tini-syst.*, **Tiop-syst.**, **Tiz-syst.**, *Tola-parsyst.*, **Tolc-syst.**, **Tolt-syst.**, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, **Tram-syst.**, *TramA-syst.*, *Trand-syst.*, *TrandV-syst.*, **Trane-syst.**, **Tras-syst.**, *Traz-syst.*, *Trav-oph.*, **Trep-syst.**, **Tret-syst.**, *Trimethob-syst.*, *Trimethop-syst.*, *Trip-syst.*, *Tros-syst.*, *TypVL-syst.*, *Ure-parloc.*, **Urs-syst.**, *Vac-syst.*, *Vala-syst.*, **Vald-syst.**, **Valg-syst.**, **Valp-syst.**, *Vals-syst.*, *ValsH-syst.*, *Vard-syst.*, *Vari-syst.*, **Vasc-syst.**, *Vaso-syst.*, **Ven-syst.**, **Vig-syst.**, *Vinc-syst.*, *Vind-syst.*, *Vino-syst.*, *VitA-syst.*, *VitB12-syst.*, *VitDA-syst.*, *VitE-syst.*, *VitMF-syst.*, *Vor-syst.*, *Zalc-syst.*, *Zan-inhsyst.*, **Zic-syst.**, **Zip-syst.**, **Zole-syst.**, *Zolp-syst.*, *Zon-syst.*

bloody (See Melena): *ArsTr-syst.*, *Beth-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, **Prazi-syst.**, *Tic-syst.*

watery and severe, and: *Ceph-syst.*, *Van-syst.*

clostridium difficile diarrhea (severe abdominal or stomach cramps and pain; abdominal tenderness; watery and severe diarrhea, which may also be bloody; fever): *Oxa-syst.*

colostomy, without: **Peme-syst.**

continuing: AspirSC-syst., BisS-orloc., Cetr-syst., ChorioG-syst., DecAn-syst. [Salicylate-containing combinations], MepA-syst. [Aspirin], **Mesa-orloc.**, Sal-syst., Uro-syst.

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: **FollitA-syst.**

for patients treated for female infertility: **FollitA-syst.**

hemorrhagic (loose, bloody stools) (See Melena; bloody).

infectious (contagious diarrhea): Orl-orloc.

leakage of solution, rectal: Perf-orloc.

mild: Clind-top., Azith-syst., **Capec-syst.**, **Ceph-syst.**, Estro-syst., **Fluorq-syst.**, **Penicil-syst.**, **PenicilB-syst.**, **Trov-syst.**, Uro-syst.

females: Meno-syst.

to severe: **Dant-syst.**, **Erl-syst.**, **Mesa-orloc.**

moderate: **Capec-syst.**

movements, bowel.

increased: **TosI-syst.**

loose: **CellSP-syst.**

nausea and vomiting, severe, with: Azat-syst.

severe: AspirSC-syst., BisS-orloc., **Capec-syst.**, Carbam-syst., Cetr-syst., ChorioG-syst., Colc-syst., **Dant-syst.**, DecAn-syst. [Salicylate-containing combinations], **Erl-syst.**, MepA-syst. [Aspirin], **Mesa-orloc.**, **Metyro-syst.**, Sal-syst., Uro-syst.

stimulation, gastrointestinal: Antm-syst.

strongyloidiasis (verminosis), during treatment of: Ive-syst.

watery and severe: Ceph-syst., Van-syst.

bloody: Ceph-syst., Van-syst.

DOR no reto (proctalgia): Capec-syst., Infli-syst., Mesa-reloc., Orl-orloc.

burning: AnestBar-syst., AnthisP-syst., **CarbonAI-syst.**, Sper-vag.

perineal area: Dipy-syst.

soreness of rectal area: **Neo-orloc.**

stinging: AnthisP-syst., Sper-vag.

tenesmus (frequent urge to defecate; straining while passing stool): Atorv-syst., Cele-syst., Cortic-rec. [Tixocortol], DauL-syst., **Glut-syst.**, Moc-syst., Valr-mucloc.

ENTORPECIMENTO do ânus (Ver Comichão; Formigamento): **CarbonAI-syst.**

ESTENOSE ou constrição (Ver Constrição; Obstrução): AntinfN-syst.

FLATOS (Ver ABDOME, Flatulência): **Anag-syst.**, **AntdiaS-syst.**, Perf-orloc.

FORMIGAMENTO (Ver Comichão; Entorpecimento).

anus: **CarbonAI-syst.**

HEMORRAGIA retal (sangue ou fezes negras) (Ver Intestino, sangue; Melena; ESTÔMAGO, Hemorragia; ABDOME, Hemorragia): **AntinfN-syst.** [**Ketoprofen**; Piroxicam, Indomethacin; Naproxen], AntandN-syst., AspirSC-syst., Atorv-syst., Basil-syst.,

Capec-syst., Cil-syst., Cortic-inhloc., DicM-syst., DipyA-syst., Ketor-syst., Lep-syst., Melo-syst., Nef-syst., Oxc-syst., Sild-syst., SodPhe-syst., Teg-syst., Tinz-syst., Vinb-syst.

diarrhea, hemorrhagic (loose, bloody stools): *ArsTr-syst., Beth-syst.*

gastrointestinal (black, tarry stools; vomiting of blood or material that looks like coffee grounds): **Abcix-syst.,** *AcetSal-syst., AcSodCit-syst., Adal-syst., Aldes-syst., AntandN-syst., Antcoa-syst., AnthisDAg-syst. [Salicylate-containing combinations], Arg-syst., ArsTr-syst., Bevac-syst., BisSMT-syst., Bromo-syst., Capec-syst., CarbidL-syst., CarbidEL-syst., Carm-imploc., Cele-syst., Cholest-orloc., Cil-syst., Cital-syst., Clop-syst., Colest-orloc., Cyt-syst., DauL-syst., DicM-syst., DipyA-syst., DiuL-syst., Docet-syst., Don-syst., Drot-syst., Epir-syst., Ept-syst., Erl-syst., Etan-syst., Fluda-syst., Ibr-syst., Ima-syst., IsomDA-syst., Lep-syst., Levod-syst., Melo-syst., MepA-syst., Mero-syst., Mitox-syst., Myc-syst., Nef-syst., Niti-syst., Nitri-inhloc., Pam-syst., Pli-syst., Rof-syst., Seleg-syst. Ske-syst., SodBeSP-syst., Sulfi-syst., Tene-syst., Tir-syst., Tiz-syst., Tola-parsyst., Tors-syst., TramA-syst. [Acetaminophen], Tret-syst., Vald-syst., Ven-syst.*

males: *Andro-syst.*

serious potential life-threatening (bloody or black, tarry stools; severe stomach pain; vomiting of blood or material that looks like coffee grounds): *DecAn-syst. [Salicylate-containing combinations], HydroI-syst., Ketor-syst., MethotC-syst., MethotNC-syst.*

ulcerative enterocolitis, without other signs and symptoms of (bloody or black tarry stools; occult blood in the stool has also been reported): *Gold-syst.*

upper and lower: *Gala-syst.*

HEMORRÓIDAS (sangramento após evacuação; inchaço desconfortável em torno do ânus): *Alos-syst., Azac-syst., Cele-syst., DauL-syst., DipyA-syst., Glut-syst.*

ÍLEO (constipação) (Ver Constipação; ABDOME, Íleo).

IMPACTAÇÃO FECAL ou fecaloma (Ver Constipação, impactação).

INCONTINÊNCIA (Ver Involuntárias, fezes).

INFECCÃO (Ver Inflamação).

clostridial (diarrhea, nausea and vomiting, abdominal pain, bloody stools): *Anid-syst.*

diarrhea, infectious (contagious diarrhea): *Orl-orloc.*

clostridium difficile diarrhea (severe abdominal or stomach cramps and pain; abdominal tenderness; watery and severe diarrhea, which may also be bloody; fever): *Oxa-syst.*

fungal overgrowth (itching of rectal area): *Clind-syst., DoxycD-syst., Linc-syst.*

INFLAMAÇÃO (Ver Infecção; Irritação).

lesions, inflammatory, with monilial overgrowth in the anogenital region: *Doxyc-syst.*

mucositis (cracked lips; diarrhea; difficulty in swallowing; sores, ulcers, or white spots on lips, tongue, or inside mouth): *Fluda-syst.*, **Gemt-syst.**, **Iri-syst.**, *Oxa-syst.*, **PacP-syst.**, **Pegf-syst.**, *Peme-syst.*, **Ras-syst.**, *Sor-syst.*, **Zole-syst.**

decreased: *ColSF-syst.*

proctitis (black, tarry stools; continuing diarrhea): **Dacti-syst.**

INVOLUNTÁRIAS, fezes (inabilidade ou perda do controle peristáltico) (Ver Diarréia; Peristáltico; Urgência): *Anest-parloc.*, *Anid-syst.*, *ArsTr-syst.*, *Carm-imploc.*, *Coc-mucloc.*, *Don-syst.*, *Gadob-syst.*, *Mal-top.*, **Orl-orloc.**, **Perf-orloc.**, *Pyridos-syst.*, *SodO-syst.*, *Valp-syst.*

fecal and urinary (inability to hold bowel movement and urine): *Anest-parloc.*

IRRITAÇÃO (Ver Inflamação).

anal: *PolyE-loc.*

contact, of the alimentary tract (continuing abdominal or stomach pain, cramping, or soreness; chest or throat pain, especially when swallowing; stools containing fresh or digested blood): *PotS-syst.*

rectal: *AnestBar-syst.*, **AntinfN-syst.** [**Ketoprofen**]; *AntinfN-syst.*

[*Indomethacin*], *Cortic-rec.*, *Lax-loc.*, *Mesa-reloc.*, **Neo-orloc.**, *Sal-syst.*, *Sper-vag.*

skin, surrounding rectal area: *Lax-loc.*

LESÕES.

inflammatory, with monilial overgrowth in the anogenital region: *Doxyc-syst.*

MELENA (fezes com sangue ou tipo alcatrão negro) (Ver Diarréia, sangue; Hemorragia): *AntinfN-syst.* [**Floctafenine**, *Etodolac*, *Flurbiprofen*], *Atorv-syst.*, **BisSMT-syst.**, *Carv-syst.*, *Cele-syst.*, *DipyA-syst.*, *HydroI-syst.*, *Ibr-syst.*, *Melo-syst.*, *Mero-syst.*, *Nad-syst.*, *Niti-syst.*, *TramA-syst.*

MOTILIDADE gastrointestinal diminuída (constipação; sensação de plenitude ou passagem de gás; dor ou cólica intestinal) (Ver Constipação): *Capec-syst.*, *Cyclope-oph.*

bowel (constipation): *Dron-syst.*

OBSTRUÇÃO (Ver Constrição; Estenose): *AntinfN-syst.*

PERISTÁLTICO, estimulante (Ver Diarréia; Involuntárias; Urgência): *Citra-syst.* [*Potassium citrate- and sodium citrate-containing*], **Cholec-syst.**, **Meto-syst.**, *Pho-syst.*

SANGRAMENTO (Ver Hemorragia).

TENESMO (Ver Dor, tenesmo).

TRANSTORNOS, desordens retais: *Pantop-syst.*

ULCERAÇÃO.

Repertório - Capítulo RETO

anal (abdominal pain, irregular bowel movements, rectal discomfort, difficulty in moving bowels): Vasc-syst.

rectal (abdominal pain, irregular bowel movements, rectal discomfort, difficulty in moving bowels): Vasc-syst.

URGÊNCIA (desejo) para evacuar (Ver Diarréia; Involuntárias; Peristáltico): CarbidEL-syst., [Entacapone], Doxap-syst., Gala-syst., Sin-syst., Teri-syst.

immediate: Orl-orloc.

increased (increase in bowel movements): Guanad-syst., **Guane-syst.**, **Ibr-syst.**, **Orl-orloc.**, Vaso-syst.

CAPÍTULO FEZES

ALCATRÃO-ASPECTO (Ver Melena; Preta; RETO): *AnthisP-syst.*, *Capec-syst.*, *CarbidEL-syst.* [*Entacapone*], *Cortic-ot.*, *CarbonAI-syst.*, *Cil-syst.*, *Danap-syst.*, *Eno-syst.*, *Gemc-syst.*, *Hepar-syst.*, *Infli-syst.*, *Oxa-syst.*, *Paro-syst.*, *Pli-syst.*, *Prota-syst.*, *Rau-syst.*, *SodF-syst.*, *Tacro-syst.*, *Vari-syst.*, *VitMF-syst.*

ANORMAL, fezes: *LopiR-syst.*

AQUOSA (Ver Fina; Moles; Soltas; RETO): *Teli-syst.*

AZUL, azulada: **AtropB-syst.**, **MethylB-syst.**
blue-green stools: **AtropB-syst.**, **MethylB-syst.**

BRANCA.

concentrations of fatty acid–salts of aluminum: *Antac-orloc.*

CINZA, acinzentada.

grayish black stools (discoloration produced by bismuth): **BisS-orloc.**, *BisSMT-syst.*

DESCOLORAÇÃO das fezes (Ver Alcatrão; Azul; Branca; Cinza; Escura; Preta; Verde; Vermelha): **Clofaz-syst.**

blue (See **Bluish**).

green (See **Green**).

light-colored: *Histr-syst.*, *Tolc-syst.*

produced by bismuth (**grayish black stools**): **BisS-orloc.**, *BisSMT-syst.*

red bright vomit, with: *Pyrv-orloc.*

reddish-orange to reddish-brown: **Rifab-syst.**, **Rifam-syst.**, **RifamI-syst.**, **RifamIP-syst.**, **Rifap-syst.**

speckling (See **Speckling**).

whitish (See **White**).

ESCURA, raramente: *Pru-orloc.*

ESTEATORRÉIA (Ver Gordurosa): *Cholest-orloc.*, *Colest-orloc.*

EVACUAÇÃO.

oily (oily bowel movements): **Orl-orloc.**

spotting, oily (oily spotting of underclothes): **Orl-orloc.**

FINA, líquida (Ver Aquosa; Moles; Soltas; RETO): **Ibr-syst.**, **TosI-syst.**

GORDUROSA, oleosa (evacuações oleosas) (Ver Esteatorréia): **Orl-orloc.**

LÍQUIDA (Ver Fina).

MANCHADA.

concentrations of fatty acid-salts of aluminum: *Antac-orloc.*

MELENA (fezes tipo alcatrão, sangrenta ou preta) (Ver Alcatrão-Aspecto; Preta; RETO): *AntinfN-syst.* [**Floctafenine**, *Etodolac*, *Flurbiprofen*], *Atorv-syst.*, **BisSMT-syst.**, *Carv-syst.*, *Cele-syst.*, *DipyA-syst.*, *HydroI-syst.*, *Ibr-syst.*, *Melo-syst.*, *Mero-syst.*, *Nad-syst.*, *Niti-syst.*, *TramA-syst.*

MOLES (Ver Aquosa; Fina; Solta; RETO): *Tiop-syst.*

MUTÁVEL: Ceph-syst. [Cefixime]

ODOR.

unpleasant: Succ-syst.

PRETA (Ver Alcatrão-Aspecto; Melena; RETO): *AnthisP-syst.*, *Capec-syst.*, *CarbidEL-syst.* [*Entacapone*], *Cortic-ot.*, *CarbonAI-syst.*, **CharA-orloc.**, *Cil-syst.*, *Danap-syst.*, *Eno-syst.*, *Gemc-syst.*, *Hepar-syst.*, *Iron-syst.*, *Oxa-syst.*, *Paro-syst.*, *Pli-syst.*, *Prota-syst.*, *Rau-syst.*, *SodF-syst.*, *Tacro-syst.*, *Vari-syst.*, *VitMF-syst.*

grayish black stools (discoloration produced by bismuth): **BisS-orloc.**, *BisSMT-syst.*

SANGRENTA: *Ard-syst.*, *AtropB-syst.*, *CarbidEL-syst.* [*Entacapone*], *CarbonAI-syst.*, *Cil-syst.*, *Danap-syst.*, *Eno-syst.*, *Gemc-syst.*, *Hepar-syst.*, *Ketor-syst.*, *Paro-syst.*, *Pli-syst.*, *Prota-syst.*, *Tir-syst.* *Vari-syst.*

SOLTA (Ver Aquosa; Fina; Moles; RETO): *AmlodAt-syst.* [*Atorvastatin*], **Azac-syst.**, *Dul-syst.*, *Enta-syst.*, **Gold-syst.**, **Ibr-syst.**, **Len-syst.**, *Omeq-syst.*, *Pime-top.*, **Sertr-syst.**, **Succ-syst.**, *Tad-syst.*, *Teli-syst.*, **TosI-syst.**

green: *Chloramp-ot.*

VERDE, esverdeada.

dark: *Iron-syst.*

lose: *Chloramp-ot.*

VERMELHA, avermelhada (Ver Sangrenta).

reddish-orange to reddish-brown: **Rifab-syst.**, **Rifam-syst.**, **RifamI-syst.**, **RifamIP-syst.**, **Rifap-syst.**

CAPÍTULO BEXIGA

ANÚRIA (Ver Micção, suprimida).

CÂNCER.

carcinoma, urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): Adal-syst.

CISTITE (Ver Infecção; Inflamação).

CONTRAÇÃO: *BcgL-mucloc.*

spasm, vesical sphincter: *BronA-syst.*

DISÚRIA (Ver Micção, disúria; Urgência para urinar).

DIURÉTICOS, efeitos: *Anthro-syst.*

excessive: *Dom-syst., Ure-syst.*

DOR (Ver Infecção; Inflamação; Irritação; Micção; RINS, Infecção): *AntinfN-syst., Fent-trsyst., Sir-syst.*

absent (analgesia): *AtropB-syst.*

burning: *Valr-mucloc.*

during urination: *ConjE-syst., Metro-vag.*

tenesmus (pain or straining to pass urine or stool): *Moc-syst.*

urination, during: *Anthis-syst.* [*Azatadine, Cetirizine, Chlorpheniramine, Cyproheptadine, Dexchlorpheniramine, Loratadine*], *AnthisD-syst., AnthisDAg-syst., AnthisDAC-syst., AnthisP-syst., Bacl-syst., Bort-syst., CholAO-syst., Cycli-syst., MethylB-syst., Pse-syst., Rau-syst., Tret-syst., Vinc-syst.*

continuing: **BcgL-mucloc.**

frequent, and: *Methe-syst.*

severe: **BcgL-mucloc.**

EDEMA.

urothelial (blood in urine; frequent urge to urinate; painful urination): **CitAGM-mucloc.**

ESPASMO (Ver Contração).

FIBROSE: *Cycloph-syst.*

cystitis, with: *Cycloph-syst.*

HEMORRAGIA.

cystitis, hemorrhagic (blood in urine; painful urination): **Cycloph-syst.**, *Fluda-syst.*, **Ifo-syst.**, *Mitot-syst.*, *Vino-syst.*

genitourinary: **Abcix-syst.**, *Tir-syst.*

hematuria, with (blood in urine; lower back pain; pain or burning while urinating): **Arg-syst.**

urinary tract (blood in urine): *Tene-syst.*

INCONTINÊNCIA urinária (Ver Micção, involuntária; Urgência para urinar).

INFECCÃO (Ver Inflamação; Irritação; RINS, Infecção).

superinfections, genitourinary tract (with *Pseudomonas* or *Candida*): *Nitro-syst.*

urinary tract (bladder pain; bloody or cloudy urine; difficult, burning, or painful urination; frequent urge to urinate; lower back or side pain): **Abar-syst.**, **Adal-syst.**, *Amph-syst.*, *AntinfN-syst.* [**Flurbiprofen**, *Tolmetin*], **AnthyGR-syst.**, *Atorv-syst.*, **Azac-syst.**, *Bals-syst.*, *Capec-syst.*, *CarbidEL-syst.*, **Carm-imploc.**, *Cele-syst.*, *Cev-syst.*, *CitAGM-mucloc.*, *Clop-syst.*, *Cortic-inhloc.*, *Dapt-syst.*, *Darif-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxaz-syst.*, **Epoe-syst.**, *Epr-syst.*, **Estro-syst.**, *Esz-syst.*, *Exem-syst.*, *Fon-syst.*, **Ful-syst.**, *Gadob-syst.*, **Gala-syst.**, *GlipM-syst.*, **Iba-syst.**, *Imiq-top.*, *Infli-syst.*, *Ioxi-syst.*, *Ipr-inhloc.*, **Lef-syst.**, *Mem-syst.*, **MetfP-syst.**, **Mitox-syst.**, *Mom-inhloc.*, **Natal-syst.**, *Nef-syst.*, *Oct-syst.*, *Olm-syst.*, *Omep-syst.*, *Orl-orloc.*, *Oxc-syst.*, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, **Perg-syst.**, **Por-syst.**, *Prami-syst.*, **Ralo-syst.**, *Rep-syst.*, *Ril-syst.*, *Rise-syst.*, *Ropin-syst.*, *Rosu-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *SodBeSP-syst.*, *Sol-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tia-syst.*, *Tinz-syst.*, **Tiot-inhloc.**, **Tiz-syst.**, *Tolc-syst.*, **Tolt-syst.**, *Tram-syst.*, *Trav-oph.*, *Trip-syst.*, **Urs-syst.**, *Vig-syst.*, *Zic-syst.*, **Zole-syst.**

females: *Sper-vag.*

males: **Andro-syst.**

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

INFLAMAÇÃO, cistite (infecção) (urina turva ou sanguinolenta; dificuldade, ardor ou dor para urinar) (Ver Dor; Infecção; Irritação; Micção; Urgência para urinar; RINS, Infecção): *Adal-syst.*, *AntinfN-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*], *Calcit-nassyst.*, *Cele-syst.*, *Cev-syst.*, *Cortic-inhloc.*, **Cycloph-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Estro-syst.*, **Fluda-syst.**, *Iba-syst.*, *IntB1b-syst.*, *Ketot-syst.*, *Nef-syst.*, **Ralo-syst.**, *Sild-syst.*, *Valp-syst.*

cystitis-like syndrome (bloody or cloudy urine; difficult, burning, or painful urination; frequent urge to urinate): *ConjE-syst.*

dysuria (difficult or painful urination; burning while urinating): **Abar-syst.**, *AmlodAt-syst.* [*Amlodipine*], *Anag-syst.*, *AntinfN-syst.* [**Floctafenine**, *Etodolac*, *Fenoprofen*], *AppSupS-syst.*, *Atorv-syst.*, **Azac-syst.**, **Basil-syst.**, *Cele-syst.*, *CitAGM-mucloc.*, *Crom-inhloc.*, *DauL-syst.*, *Dinopst-parloc.*, *Dom-syst.*, *Estro-syst.*, *Fluda-syst.*, *Fluorq-syst.*, *Histr-syst.*, **Ifo-syst.**, *Indin-syst.*, *Infli-syst.*, **Len-syst.**, *Moc-syst.*, *Oxa-syst.*, *PenicilB-syst.*, *Pil-syst.*, *Ril-syst.*, **Sir-syst.**, *Sum-syst.*, *Tolt-syst.*, *Topi-syst.*, *Tram-syst.*, *Tret-syst.*, *Valp-syst.*, **Valr-mucloc.**, *Zic-syst.*

caused by crystalluria or urolithiasis (painful urination): *Metyro-syst.*

discomfort while urinating: *Nalt-syst.*

fibrosis, with: *Cycloph-syst.*

hemorrhagic (blood in urine; painful urination): **Cycloph-syst.**, *Fluda-syst.*, **Ifo-syst.**, *Mitot-syst.*, *Vino-syst.*

irritation: *Methe-syst.*

irritable bladder symptoms (painful or difficult urination; trouble in holding urine; unusually frequent urination): **Valr-mucloc.**

local: **Valr-mucloc.**

males: **Andro-syst.**

postpubertal: **AnabS-syst.**

urinary tract, lower (bloody or cloudy urine; difficult, burning, or painful urination; frequent urge to urinate): *DecAn-syst.* [*Ibuprofen-containing combinations*]

pain during urination: *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Chlorpheniramine*, *Cyproheptadine*, *Dexchlorpheniramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *Bacl-syst.*, *Bort-syst.*, *CholAO-syst.*, *Cycli-syst.*, *MethylB-syst.*, *Pse-syst.*, *Rau-syst.*, *Tret-syst.*, **Vinc-syst.**

continuing: **BcgL-mucloc.**

frequent, and: *Methe-syst.*

severe: **BcgL-mucloc.**

secondary to bladder irritation: **BcgL-mucloc.**

IRRITAÇÃO (sangue na urina; urgência para urinar; aumento da frequência para urinar; dor ao urinar, severa ou contínua) (Ver Infecção; Inflamação; Urgência): **BcgL-mucloc.**, *CitAGM-mucloc.*, *Methe-syst.*

infection, bladder, secondary to bladder irritation: **BcgL-mucloc.**

irritable bladder symptoms (painful or difficult urination; trouble in holding urine; unusually frequent urination): **Valr-mucloc.**

local: **Valr-mucloc.**

males: **Andro-syst.**

postpubertal: **AnabS-syst.**

urinary tract, lower (bloody or cloudy urine; difficult, burning, or painful urination; frequent urge to urinate): *DecAn-syst.* [*Ibuprofen-containing combinations*]

MICÇÃO (Ver Inflamação; Urgência para urinar).

burning when urinating: *ConjE-syst.*, *Metro-vag.*

change in frequency of: *Van-syst.*

decreased (See URINE, Scanty).

difficult (trouble in urinating): *Aman-syst.*, *AmphoB-syst.*, *Antchsp-syst.*, *AntdepT-syst.*, *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Chlorpheniramine*, *Cyproheptadine*, *Dexchlorpheniramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *AtropB-syst.*, **Bacl-intsyst.**, *Bacl-syst.*, *Bell-syst.*, *Bort-syst.*, *Butornasyst.*, *CetiP-syst.* [*Pseudoephedrine*], *ChlordA-syst.*, *CholAO-syst.*, *Cloz-syst.*, *ConjE-syst.*, *Dant-syst.*, *DecAn-syst.*, *Def-syst.*, *Dif-syst.*, *DiphenoA-syst.*, *Flavox-syst.*, *Fluv-syst.*, *Hal-syst.*, *Iopa-syst.*, *Lox-syst.*, *Mann-syst.*, *Map-syst.*, *Mecam-syst.*, **Moli-syst.**, *Nyl-syst.*, *Oxyb-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pil-syst.*, *Pse-syst.*, *Rau-*

syst., Seleg-syst., Ske-syst. [Orphenadrine], Sol-syst., Tram-syst., Tret-syst., Tros-syst., Ven-syst., **Vinc-syst.**, Zic-syst.

anticholinergic effect (difficult urination): Thiox-syst.

elderly patients: Aman-syst.

hesitation, urinary: **Atom-syst.**, BronA-syst., Fluda-syst.

renal dysfunction, patients with: Aman-syst.

transient, worsen of: Buse-syst.

vesical sphincter spasm, as the result of: BronA-syst. [**Terbutaline**]

dribbling (by drops): **Abar-syst.**, Atorv-syst., Basil-syst., BenzyB-top., **Biv-syst.**

dysuria (difficult or painful urination; burning while urinating): **Abar-syst.**, AmlodAt-syst. [Amlodipine], Anag-syst., AntinfN-syst. [**Floctafenine**, Etodolac, Fenoprofen], AppSupS-syst., Atorv-syst., **Azac-syst.**, **Basil-syst.**, Cele-syst., CitAGM-mucloc., Crom-inhloc., DauL-syst., Dinopst-parloc., Dom-syst., Estro-syst., Fluda-syst., Fluorq-syst., Histr-syst., **Ifo-syst.**, Indin-syst., Infli-syst., **Len-syst.**, Moc-syst., Oxa-syst., PenicilB-syst., Pil-syst., Ril-syst., **Sir-syst.**, Sum-syst., Tolt-syst., Topi-syst., Tram-syst., Tret-syst., Valp-syst., **Valr-mucloc.**, Zic-syst.

caused by crystalluria or urolithiasis (painful urination): Metyro-syst.

discomfort while urinating: Nalt-syst.

feeble stream (slow): Seleg-syst.

frequent (trouble in holding or releasing urine; painful urination; increased need to urinate; passing urine more often): **Abar-syst.**, Antm-syst., BarbAn-syst. [Caffeine], **BcgL-mucloc.**, BetBA-syst. [Acebutolol, Carteolol], **Bevac-syst.**, Bupro-syst., Caff-syst., Calcit-syst., CalcS-syst., CarbidEL-syst., **CarbonAI-syst.**, Cefd-syst., Crom-inhloc., Cyclob-syst., **Diso-syst.**, DiuL-syst., DiuP-syst., DiuPH-syst., DiuT-syst., Dom-syst., Don-syst., Doxaz-syst., Fluox-syst., Fluv-syst., Gab-syst., Gadob-syst., Gadov-syst., Glyc-syst., Histr-syst., IbupO-syst., **Ifo-syst.**, Inda-syst., Ketor-syst., **Mann-syst.**, Mecas-syst., Meto-syst., Metro-syst., Metro-vag., **Mido-syst.**, Mir-syst., Nalt-syst., **Natal-syst.**, **Paro-syst.**, **Pil-syst.**, Prami-syst., Prazo-syst., PrazoP-syst., Pyridos-syst., Sild-syst., **Sir-syst.**, Sum-syst., Tetr-syst. [**Demeclocycline**], Tiz-syst., Topi-syst., Tors-syst., Tram-syst., Tret-syst., Ure-syst., **Valr-mucloc.**, Ven-syst., VitA-syst., VitDA-syst.

and painful: Methe-syst.

night (waking to urinate at night; increased urge to urinate during the night): Atorv-syst., DauL-syst., Don-syst., Doxaz-syst., Guanad-syst., Guane-syst., Nef-syst., Riton-syst., Sild-syst., **Sir-syst.**, Valr-mucloc., VitA-syst., VitDA-syst.

pollakiuria (frequent urination usually with very small amounts of urine):

Dul-syst., Oct-syst.

increased (See URINE, Copious).

involuntary (incontinence, urinary; loss of bladder control; inability to hold urine): Anest-parloc., AntinfN-syst., AntdepT-syst. [Amoxapine], AntglaC-oph., AnthisP-syst., Arip-syst., ArsTr-syst., Atorv-syst., Bacl-syst., CarbidL-syst., CarbidEL-syst., Carm-imploc., Cele-syst., Chym-parloc., Cloz-syst., Coc-mucloc., CytL-int., Dant-syst., Don-syst., Fluda-syst., Fluox-syst., Gadob-syst., Hal-syst., HydroI-syst., Levod-syst., Lox-syst., Mal-top., Mem-syst., Meto-syst., Metro-syst., Moli-syst., Nef-syst., Ola-syst., Paro-syst., Perg-syst., PerpA-syst., Phenot-syst., Phy-oph., Pimo-

syst., *Prami-syst.*, *Prazo-syst.*, *PrazoP-syst.*, *Pre-syst.*, *Pyridos-syst.*, *Que-syst.*, *Risp-syst.*, *Ropin-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, **SodO-syst.**, *Tem-syst.*, *Thiox-syst.*, *Topi-syst.*, *Trav-oph.*, *Valp-syst.*, **Valr-mucloc.**, *Ven-syst.*, *Zic-syst.*

fecal incontinence, with (inability to hold urine and bowel movement): *Anest-parloc.*

pediatric patients: *Sertr-syst.*

resistance, urethral, affected: *Dul-syst.*

stress incontinence (increased frequency of urination; loss of bladder control): **Lit-syst.**

nocturia (waking to urinate at night; increased urge to urinate during the night): *Atorv-syst.*, *DauL-syst.*, *Don-syst.*, *Doxaz-syst.*, *Guanad-syst.*, *Guane-syst.*, *Nef-syst.*, *Riton-syst.*, *Sild-syst.*, **Sir-syst.**, *Valr-mucloc.*

painful: *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Chlorpheniramine*, *Cyproheptadine*, *Dexchlorpheniramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *Bacl-syst.*, *Bort-syst.*, *CholAO-syst.*, *Cycli-syst.*, *Gadov-syst.*, *MethylB-syst.*, *Metro-syst.*, *Pse-syst.*, *Rau-syst.*, *Tret-syst.*, **Vinc-syst.**

continuing: **BcgL-mucloc.**

frequent, and: *Methe-syst.*

severe: **BcgL-mucloc.**

problems with (trouble in urinating): *Benzod-syst.*, *Buse-syst.*, **Cyclob-syst.**, *Darif-syst.*, *Doxap-syst.*, *Gemif-syst.*, **Paro-syst.**

micturition disturbances (trouble in holding or releasing urine; painful urination): *Cele-syst.*, *Cital-syst.*, *Doxaz-syst.*, **Risp-syst.**, *Testos-syst.*, *TramA-syst.*

slow (See Urination, feeble stream).

suppressed, anuria (inability to urinate; urinary cessation) (See KIDNEYS, Failure, Suppression): **Aldes-syst.**, *Alemt-syst.*, *Alpr-syst.*, *AntinfN-syst.*, *BronA-syst.* [*Ephedrine*], **Carbam-syst.**, **Desm-syst.**, *Fent-trsyst.*, *Iod-top.*, *Ioxi-syst.*, *Sulfas-syst.*

nephrotoxicity, with: **Aldes-syst.**

troubled (See problems with).

OBSTRUÇÃO (Ver Retenção de urina).

RETENÇÃO de urina (hesitação ao urinar; diminuição do volume e da frequência de urina; dificuldade na passagem da urina [pingando]; dor à micção; inchaço da face, dedos, mãos, pés e pernas; ganho de peso) (Ver Micção, dificuldade, suprimida): **Abar-syst.**, *AntdepT-syst.*, **Atom-syst.**, *Atorv-syst.*, *Basil-syst.*, *BenzyB-top.*, **Biv-syst.**, *Bupre-syst.*, **Carbam-syst.**, *CarbidL-syst.*, *CarbidEL-syst.*, *Cyclope-oph.*, *Cyt-syst.*, *Darif-syst.*, **Desm-syst.**, *Dext-syst.*, *Dinopst-parloc.*, **Diso-syst.**, *Dol-syst.*, *Dron-syst.*, *Fent-syst.*, **Fent-trsyst.**, *FentD-syst.*, *Fluv-syst.*, *Fon-syst.*, *HistH2-syst.* [*Cimetidine*], *Histr-syst.*, *HydroI-syst.*, *IbupO-syst.*, *Iopr-syst.*, *Ipr-inhloc.*, *Ipr-nas.*, *Lans-syst.*, *Levod-syst.*, **Mido-syst.**, *Mod-syst.*, *Nalm-syst.*, **Opi-syst.**, *Palo-syst.*, **Paro-syst.**, *PenicilB-syst.*, *Ropiv-parloc.*, **Sir-syst.**, *Sol-syst.*, *Tiot-inhloc.*, *Tram-syst.*, *TramA-syst.*, *Trip-syst.*, *Tros-syst.*, *Ven-syst.*, **Zic-syst.**

atony, bladder, due to (difficulty in passing urine): *Doxep-top.*

males with prostatism: *BronA-syst.* [**Terbutaline**]

obstruction (trouble in urinating): *Riv-syst.*, *Tacri-syst.*

Repertório - Capítulo BEXIGA

caused by blood clot formation (decreased urination): AmincAc-syst.
outlet, bladder: Trip-syst.

short-term: Trimetha-syst.

sodium and water (decrease in urination): Clon-syst., ClonC-syst., CorticG-syst.,
Diaz-parsyst., **EstroPO-syst.**

adults: **Diaz-parsyst.**

young infants: **Diaz-parsyst.**

SANGRAMENTO (Ver Hemorragia).

TELEANGIECTASIA (sangue na urina): Danaz-syst.

TENESMO (Ver Contração; Dor).

ULCERAÇÃO.

urothelial (blood in urine; frequent urge to urinate; painful urination): **CitAGM-**
mucloc.

URGÊNCIA para urinar (desejo mórbido) (Ver Inflamação; Micção, disúria): Atorv-syst.,
Bevac-syst., **Diso-syst.**, Gadob-syst., Gala-syst., Gla-syst., IntB1b-syst., Iopr-syst., **Lit-**
syst., **Mido-syst.**, **Natal-syst.**, Nef-syst., Tem-syst., **Valr-mucloc.**

frequent: AntinfN-syst., Antm-syst., Bacl-intsyst., Bacl-syst., **BcgL-mucloc.**, Beth-
syst., Carbac-oph., CholAO-syst., ConjE-syst., Dant-syst., EdC-syst., Edr-syst.,
EdrA-syst., Fent-trsyst., HydroI-syst., Phy-syst., Probe-syst., **Proti-syst.**, Seleg-syst.,
Thyr-syst.

nocturia (waking to urinate at night; increased urge to urinate during the night):
Atorv-syst., DauL-syst., Don-syst., Doxaz-syst., Guanad-syst., Guane-syst., Nef-syst.,
Riton-syst., Sild-syst., **Sir-syst.**, Valr-mucloc.

sudden: EdC-syst.

CAPÍTULO RINS

ACIDOSE TUBULAR renal (sonolência; fadiga; cefaléia; respiração agitada; náuseas ou vômitos) (Ver Túbulos): *Azac-syst.*, *Ifo-syst.*, *Topi-syst.*

ADDISON, DOENÇA DE (Ver Adrenal, Glândulas).

ADRENAL, GLÂNDULAS (Ver Addison, Doença de; Cushing, Síndrome de).

aldosterone antagonist, aldosterone synthesis, suppressed (hypoaldosteronism, adrenal cortical insufficiency, inhibition of renal function, hyperkalemia, and metabolic acidosis): *DiuP-syst.*, *Hepar-syst.*

Catechol-O-Methyl Transferase (COMT) enzyme, inhibition of the (prevention metabolism of endogenous and exogenous catechols): *Enta-syst.*

enlarged and/or hemorrhagic, increase in.

female rats: *Bacl-syst.*

failure: *Etom-syst.*

hemorrhage (abdominal or stomach pain; apprehension; diarrhea; dizziness or fainting; headache; loss of appetite; nausea with or without vomiting; nervousness; weakness) resulting in acute adrenal insufficiency): *Antcoa-syst.*, *Hepar-syst.*

hypoadrenalism, adrenal insufficiency (unusual tiredness or weakness; feeling faint; loss of appetite; nausea or vomiting; diarrhea; increased skin pigmentation) (See Addison's Disease): *Aminglut-syst.*, *AntfunA-syst.*, *ClotB-top.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Proge-syst.*

acute (including symptoms such as nervousness, confusion, or sudden weakness): *Cortic-rec.*, *CorticG-syst.*, *Metyra-syst.*

life-threatening: *CorticG-syst.*

adrenocortical (darkening of skin; diarrhea; dizziness; drowsiness; loss of appetite; mental depression; nausea and vomiting; skin rash; unusual tiredness): **Mitot-syst.**

children: *Cortic-oph.*

relative: **Sur-syst.**

hypothalamic-pituitary-adrenal (HPA) function, suppression of: *Cortic-inhloc.*, *Cortic-nas.*, *Cortic-top.*, *Flut-nas.*

stimulation, beta-adrenergic: *Ritod-syst.*

suppression: *ClotB-top.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Flut-inhloc.*, *Mom-inhloc.*, *Proge-syst.*

children: *Cortic-oph.*

risk of: *NysT-top.*

unresponsiveness, adrenocortical and pituitary, secondary (particularly in times of stress): *Fludro-syst.*

ANTIDIURÉTICO, EFEITO (diminuição da micção) (Ver URINA, Escassa): *Opi-syst.*

CÁLCULO, urolitíase (Ver URINA, Sedimento; GENERALIDADES; TESTES DIAGNÓSTICOS) (sangue na urina; náusea e/ou vômito; dor na virilha, genitais, lado, costas ou abdome; dor aguda nas costas apenas baixo das costelas): *Adal-syst.*, Antac-orloc. [Calcium-containing]; *AntinfN-syst.*, *Atorv-syst.*, *CarbonAl-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Efav-syst.*, *Etan-syst.*, *Glut-syst.*, *Histr-syst.*, **Indin-syst.**, *Metyro-syst.*, *Nef-syst.*, *Sum-syst.*, *Tiz-syst.*, *Topi-syst.*

calcific (difficult or painful urination): *CalcS-syst.*

nephrocalcinosis or nephrolithiasis (severe lower back or side pain): *DiuP-syst.*

if hypercalciuria is present: *DiuL-syst.*

oxalate (side or lower back pain): *AscAc-syst.*

urate (lower back and/or side pain; painful urination, with or without blood in urine): *Probe-syst.*, **Sulfi-syst.**

xanthine (blood in urine, difficult or painful urination, pain in lower back and/or side): *Allop-syst.*

CÂNCER.

carcinoma, urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): *Adal-syst.*

CUSHING, SÍNDROME DE, Doença de Cushing, estado cushingóide (dor nas costas, visão borrada, fraturas ósseas; diabetes mellitus [aumento da sede, fome ou micção]; aumento da sede, aumento da frequência urinária; irritabilidade; irregularidade menstrual; depressão mental; crescimento adicional dos pelos faciais no sexo feminino; plenitude ou arredondamento da face, pescoço e tronco; pressão arterial alta; impotência em homens [incomum diminuição do desejo ou habilidade sexual em homens]; atrofia muscular e fraqueza, cansaço ou fraqueza; retardo da velocidade de crescimento em crianças ou adolescentes) (Ver FACE, Cushingóide, Estado; GENERALIDADES, Cushing, Síndrome de): *Ampr-syst.*, *ClotB-top.*, *Cortic-nas.*, *Cortic-ot.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Del-syst.*, *Flut-inhloc.*, *Proge-syst.*, **Sir-syst.**

cushingoid appearance: *Del-syst.*, *Fosam-syst.*

cushingoid state, development of (increased fat deposits on face, neck, and trunk): *Fludro-syst.*

DANO ou deterioração renal (urina turva ou sanguinolenta; urinar doloroso ou difícil; súbito aumento ou diminuição na frequência/quantidade de urina; dor no lado ou parte inferior das costas; sede aumentada; perda de apetite; náuseas ou vômitos; cansaço ou fraqueza; inchaço do rosto, dedos ou parte inferior das pernas; ganho de peso; respiração agitada; aumento da pressão arterial) (Ver Disfunção; Falência): *Clod-syst.*, **EdC-syst.**, *Sulfas-syst.*, *Zole-syst.*

edema and proteinuria, with resultant (bloody or cloudy urine; difficult or painful urination; sudden increase or decrease in amount of urine; swelling of face, feet, and/or lower legs): *Antcoa-syst.*

hematuria and oliguric renal failure, with: *Colc-syst.*

reversible: *Genta-ot.*

DEPLEÇÃO de proteínas (fraqueza muscular) (Ver TESTES DIAGNÓSTICOS, Urina, proteína): *Cortic-top*.

DIABETES INSIPIDUS nefrogênico (aumento da **frequência de urinar ou da quantidade de urina; aumento da sede; cansaço ou fraqueza**) (Ver GENERALIDADES): *Lit-syst.*, *Tetr-syst.* [*Demeclocycline*]

DISFUNÇÃO renal; anormalidades renais ou da função renal (diminuição na produção ou na capacidade de concentrar urina, às vezes brusca; urina turva; hipertensão arterial; falta de ar, respiração agitada, aperto no peito e/ou chiado; inchaço do rosto, dedos, pés e/ou parte inferior das pernas; sede permanente; cansaço ou fraqueza; ganho de peso) (Ver Dano; Falência; Glomérulos; Inflamação; Nefrose; Túbulos; Ureteres): *Anag-syst.*, *ArsTr-syst.*, *Ceph-syst.*, *Clod-syst.*, *Dacti-syst.*, *FacVIIa-syst.*, *Imm-syst.*, *Lep-syst.*, *SodBeSP-syst.*, *Testos-syst.*, *TrandV-syst.*

disorder, urinary tract: *Darif-syst.*
nephropathy.

glomerulonephropathy, membranous (cloudy or bloody urine; high blood pressure; swelling of face, feet or lower legs): *Etan-syst.*

polyneuropathy: *Ifo-syst.*

severe (blood in urine; joint pain; swelling of feet or lower legs): **MethotC-syst.**

toxic (bloody or cloudy urine; difficult or painful urination; sudden decrease in amount of urine): *Ceph-syst.*, **Sir-syst.**

urate (symptoms of renal impairment, e.g., increased blood pressure; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; unusual tiredness or weakness; weight gain): *Probe-syst.*

uric acid (joint pain; lower back or side pain; swelling of feet or lower legs): *Aspar-syst.*, *Busu-syst.*, *Chloramb-syst.*, **Cisp-syst.**, **Cycloph-syst.**, *Cyt-syst.*, *Dacti-syst.*, *Dau-syst.*, *Doxor-syst.*, *Epir-syst.*, *Hydxyu-syst.*, *Ida-syst.*, *Mech-syst.*, *Melp-syst.*, *Merc-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Vinb-syst.*, **Vinc-syst.**

obstructive, increased risk of.

infants and young children, and in geriatric, azotemic, and dehydrated or debilitated patients: *Iodip-syst.*

renal dynamic, significant alteration of: *Mann-syst.*

DIURÉTICO, efeito: *Antthro-syst.*

excessive: *Dom-syst.*, *Ure-syst.*

DOR: *Brin-oph.*, *Dipy-syst.*, **Sir-syst.**

colic, renal (pain, severe and/or sharp, in lower back and/or side): *AnthisDAg-syst.* [*Acetaminophen-containing combinations*]; *Diat-loc.*, *Probe-syst.*

patients with severe renal function impairment: *Acet-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*]

flank (pain in lower back and/or side): *Iri-syst.*, *Ketor-syst.*, *Paro-syst.*, *Ras-syst.*, *Ritu-syst.*, *Tacro-syst.*, *Zic-syst.*

hematuria and/or azotemia, with (pain in lower back and/or side; bloody or cloudy urine): *Ketor-syst.*

irritation, renal (pain or burning while urinating): *Progu-syst.*

EDEMA, retenção de fluídos, sal e água (**aumento da pressão arterial**; diminuição da quantidade de urina; respiração ruidosa ou chocalhante; falta de ar, respiração agitada, em repouso; inchaço do rosto, tornozelos, dedos, mãos, pés e/ou parte inferior das pernas; ganho de peso, às vezes rápido) (Ver Retenção; EXTREMIDADES; GENERALIDADES): *Album-syst., AntinfN-syst., Bacl-syst., Bos-syst.*

urothelial edema (blood in urine; frequent urge to urinate; painful urination): **CitAGM-mucloc.**

sodium retention, with (rapid weight gain; swelling of feet or lower legs): *CorticG-syst.*

FALÊNCIA renal; insuficiência, diminuição ou distúrbios da função renal (dor no lado ou parte inferior das costas; aumento ou diminuição na frequência/quantidade de urina, súbita; diminuição da capacidade de concentrar urina; urina turva ou sanguinolenta; sede contínua ou aumentada; perda de apetite; náuseas ou vômitos; cansaço ou fraqueza; inchaço do rosto, dedos, pés e/ou pernas; falta de ar, incômodo ao respirar, aperto no peito e/ou sibilância; rápido ganho de peso, pressão sanguínea aumentada, aumento de peso; diminuição no clearance de água livre, na osmolaridade da urina, no ritmo de filtração glomerular, no clearance da creatinina, e na excreção de sódio, potássio e cloreto; aumento no nitrogênio da uréia sanguínea [BUN], creatinina sanguínea e potássio sérico; hiponatremia dilucional) (Ver Dano; Disfunção): **Abac-syst., AbLamZid-syst., Acamp-syst., Acet-syst., Acyc-syst., Adef-syst., Aldes-syst., Allop-syst., Aman-syst., AmincAc-syst., AmphoB-syst., AmphoBLC-syst., Antcoa-syst., AntconH-syst., AntinfN-syst., ArsTr-syst., Aspar-syst., AspirSC-syst.** [*Aspirin*], *Atorv-syst., Azac-syst., Barb-syst., BarbAn-syst.* [Acetaminophen; Barbiturates]; *Biv-syst., Bleo-syst., Bret-syst., BronA-syst.* [Epinephrine]; *Cand-syst., Capec-syst., Carbam-syst., Carm-syst., Carv-syst., Cele-syst., Ceph-syst., Cetux-syst., ChlH-syst., CholAO-syst., Cid-syst., Cital-syst., Clad-syst., Clod-syst., Cyp-syst., Dapt-syst., DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst., Den-syst., Diat-syst., DicM-syst., Docet-syst., EmtT-syst., Enf-syst., Ethan-parloc., Fluda-syst., Fluox-syst., Fluv-syst., Fosc-syst., Gemt-syst., Histr-syst., Hydxyu-syst., Ibut-syst., Ilo-inh., Indin-syst., Indo-syst., Iot-syst., Ioxa-syst., Iri-syst., IsomDA-syst., JapV-syst., Ketor-syst., MagS-syst., Mann-syst., Melo-syst., Mem-syst., MethotC-syst., Mica-syst., Mitox-syst., Mur-syst., Ola-syst., Opr-syst., Paro-syst., Peme-syst., Penta-inh., Phena-syst., Podop-top., Ras-syst., RhO-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Riton-syst., Ritu-syst., Sal-syst., Sertr-syst., Silv-top., Sulfi-syst., Sum-syst., Tacro-syst., Tacro-top., Teni-syst., Teno-syst., Thali-syst., Thr-syst., Tic-syst., Tola-parsyst., Tret-syst., Trip-syst., Vala-syst., Vald-syst., Valg-syst., Vals-syst., Van-orloc., Van-syst., Ven-syst., VitDA-syst., Vor-syst., Zic-syst., Zole-syst.*

accumulation, magnesium in presence of renal function impairment (dizziness or light-headedness): *Lax-loc.*

acute (agitation; coma; confusion; increased thirst; loss of appetite; nausea; vomiting; abdominal pain; decreased urine output, sometimes sudden; decrease in urine-concentrating ability; cloudy urine; depression; dizziness; headache; hostility; irritability; lethargy; muscle twitching; rapid weight gain; seizures; stupor; swelling

of face, ankles, fingers, feet, hands and/or lower legs; unusual tiredness or weakness; fast or slow heartbeat): *Acamp-syst.*, *Acyc-syst.*, *Allop-syst.*, *ArsTr-syst.*, *Atorv-syst.*, *Carbam-syst.*, *Cele-syst.*, *Ceph-syst.*, *CholAO-syst.*, *Cital-syst.*, *Clad-syst.*, *Clod-syst.*, *Cortic-rec.*, *CorticG-syst.*, *Dapt-syst.*, *Del-syst.*, *Den-syst.*, *Diat-syst.*, *EmtT-syst.*, *Ethan-parloc.*, *Iot-syst.*, *Ioxa-syst.*, *Iri-syst.*, *Ketor-syst.*, *Mem-syst.*, *Mica-syst.*, *Ola-syst.*, *Paro-syst.*, *Pimo-syst.*, *Que-syst.*, *Quin-syst.*, *Ras-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Sum-syst.*, *Tacro-syst.*, *Tacro-top.*, *Thr-syst.*, **Tola-parsyst.**, *Tret-syst.*, *Vald-syst.*, *Valg-syst.*, *Van-orloc.*, *Van-syst.*, *Vor-syst.*, *Zic-syst.*

asymptomatic: *Moe-syst.*

diabetic nephropathy patients: *Iot-syst.*, *Ioxa-syst.*

life-threatening: *CorticG-syst.*

renal papillary necrosis leading to renal failure (bloody or cloudy urine; sudden decrease in amount of urine; swelling of face, fingers, feet, or lower legs; weight gain): *AcetSal-syst.*, *AntinfN-syst.*

renal tubular necrosis (bloody or cloudy urine, difficult or painful urination, sudden decrease in amount of urine): *AntinfN-syst.*, *AnthisDAg-syst.* [*Acetaminophen-containing combinations*]; *BarbAn-syst.* [*Acetaminophen*], *Cycloph-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*], **EdC-syst.**, *EdD-syst.*, *IsomDA-syst.*, **Sir-syst.**, *Sulfo-syst.*, *SulfoT-syst.*, *Tret-syst.*

acute (bloody or cloudy urine; difficult or painful urination; sudden decrease in amount of urine): *EmtT-syst.*, *Imm-syst.*, *Teno-syst.*

leading to renal failure (signs include bloody or cloudy urine and sudden decrease in amount of urine): *AcSodCit-syst.*

rhabdomyolysis, secondary to myoglobinuria, with: *AmincAc-syst.*, *NiaL-syst.*

susceptible non-diabetic patients: *Iot-syst.*, *Ioxa-syst.*

aggravated (back/side pain; decreased frequency /amount of urine bloody urine; increased thirst; loss of appetite; nausea; vomiting; unusual tiredness or weakness; swelling of face, fingers, lower legs; weight gain; troubled breathing; increased blood pressure): *Histr-syst.*

creatinine, serum, elevated, with subsequent renal failure (lower back/side pain; decreased urine output; decreased frequency of urination): *Vala-syst.*

hypotension, during or after: *Amif-syst.*

immune hemolytic anemia, with (back, leg, or stomach pain; nausea, vomiting, or loss of appetite; unusual tiredness or weakness; fever; pale skin): *AnestBar-syst.*

increased chance of: *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*

myoglobinuric: *BronT-syst.* [*Theophylline*]

oliguric, with hematuria and renal damage: *Colc-syst.*

urate nephropathy, associated with (increased blood pressure; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; unusual tiredness or weakness; weight gain): *Sulfi-syst.*

rhabdomyolysis and myoglobinuria, with: *AmincAc-syst.*

reversible: *AngIn-syst.*, *AngInH-syst.*

slightly and temporarily: *Diat-syst.*, *Iot-syst.*, *Ioxa-syst.*

transient: *Sulfi-syst.*

urate nephropathy, associated with (increased blood pressure; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; unusual tiredness or weakness; weight gain): *Sulfi-syst.*

with eosinophilia: *Riton-syst.*

with magnesium accumulation (dizziness or light-headedness): *Lax-loc.*

with nephrotoxicity (swelling of feet or lower legs; unusual decrease in urination; proteinuria, glycosuria, hypophosphatemia, azotemia, renal tubular acidosis): *Lom-syst., Stre-syst.*

possibly fatal: *Stre-syst.*

FANCONI, SÍNDROME DE (múltiplas anormalidades da função dos túbulos proximais) (Ver Túbulos): *Cid-syst., Ifo-syst.*

GLOMÉRULOS (Ver Disfunção; Nefrose).

filtration, glomerular, declined: *Mur-syst.*

glomerulopathy.

membranous: *AngIn-syst. [Captopril], AngInH-syst. [Captopril]*

possible impending (bloody or cloudy urine; swelling of face, feet, or lower legs; weight gain; may progress to nephrotic syndrome): *Penic-syst.*

glomerulonephropathy, membranous (cloudy or bloody urine; high blood pressure; swelling of face, feet or lower legs): *Etan-syst.*

HEMOLÍTICA-URÊMICA, SÍNDROME (consiste em anemia microangiopática hemolítica [hematócrito 25% ou menos], insuficiência renal irreversível, trombocitopenia [contagem de plaquetas inferior a 100.000] e, menos frequentemente, hipertensão pulmonar, anormalidades neurológicas e hipertensão arterial): *Mitom-syst.*

HEMORRAGIA do trato urinário (sangue na urina): *Tene-syst.*

HIDRONEFROSE (inchaço da face, mãos, pernas e pés; urina turva) (Ver Nefrose).

HIPOADRENALISMO (Ver Adrenal, Glândulas).

INFARTO do rim (dor nas costas ou lateral; náusea; vômito) (Ver Dano; Falência): *Inflisyst.*

ischemia, renal, transient: *Sulfi-syst.*

INFECÇÃO (Ver Inflamação; BEXIGA, Infecção).

super infection, genitourinary tract (with *Pseudomonas* or *Candida*): *Nitro-syst.*

urinary tract (bladder pain; bloody or cloudy urine; difficult, burning, or painful urination; frequent urge to urinate; lower back or side pain): **Abar-syst., Adal-syst., AntinfN-syst. [Flurbiprofen; Tolmetin]; AnthyGR-syst., Atorv-syst., Azac-syst., Bals-syst., Capec-syst., CarbidEL-syst., Carm-imploc., Cele-syst., Cev-syst., CitAGM-mucloc., Clop-syst., Cortic-inhloc., Dapt-syst., Darif-syst., Don-syst., DorzT-oph., Doxaz-syst., Epoe-syst., Epr-syst., Estro-syst., Esz-syst., Exem-syst.,**

Fluda-syst., *Fon-syst.*, **Ful-syst.**, *Gadob-syst.*, **Gala-syst.**, *GlipM-syst.*, *Iba-syst.*, *Imiq-top.*, *Ioxi-syst.*, *Ipr-inhloc.*, **Lef-syst.**, *Mem-syst.*, **MetfP-syst.**, **Mitox-syst.**, *Mom-inhloc.*, **Natal-syst.**, *Nef-syst.*, *Oct-syst.*, *Olm-syst.*, *Omep-syst.*, *Orl-orloc.*, *Oxc-syst.*, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, **Perg-syst.**, **Por-syst.**, *Prami-syst.*, **Ralo-syst.**, *Rep-syst.*, *Ril-syst.*, *Rise-syst.*, *Ropin-syst.*, *Rosu-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *SodBeSP-syst.*, *Sol-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tia-syst.*, *Tinz-syst.*, **Tiot-inhloc.**, **Tiz-syst.**, *Tolc-syst.*, **Tolt-syst.**, *Tram-syst.*, *Trav-oph.*, *Trip-syst.*, **Urs-syst.**, *Vig-syst.*, *Zic-syst.*, **Zole-syst.**

females: *Sper-vag.*

males (frequent urge to urinate): **Andro-syst.**

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

INFLAMAÇÃO, nefrite (dores nas costas; aumento ou diminuição da urina; urina com sangue ou turva; dificuldade em respirar; sonolência; dor de cabeça; cansaço ou fraqueza; náuseas ou vômitos; ganho de peso incomum; inchaço da face, pés ou pernas) (Ver Infecção): *Anthyr-syst.* [*Methimazole*]; *Atorv-syst.*, *Ketor-syst.*

interstítial (bloody or cloudy urine; increased blood pressure; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; rapid weight gain; fever; skin rash): *AntinfN-syst.*, *Cefu-syst.*, *Cele-syst.*, *Fluorq-syst.*, *HistH2-syst.* [*Cimetidine*], *Indin-syst.*, *Melo-syst.*, *Pantop-syst.*, *PegiA2b-syst.*, *Penicil-syst.*, *Rabe-syst.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Silv-top.*, *Sulfo-syst.*, *SulfoT-syst.*

acute (fever; joint pain; skin rash; swelling of body or of feet and ankles; unusual weight gain): *Azith-syst.*, *Sib-syst.*, *Sulfi-syst.*

glomerulitis (pain in lower back or abdomen; bloody urine; difficulty in breathing; decreased urination; swelling of face and/or legs): *AntinfN-syst.*, *Gold-syst.*

glomerulonephritis (bloody or cloudy urine; increased blood pressure; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; rapid weight gain): *AntinfN-syst.*, *AnthisD-syst.*, *CetiP-syst.* [*Cetirizine*], *Enf-syst.*, *Hydra-syst.*, *Isot-syst.*

pyelonephritis (chills; fever; frequent or painful urination; headache; stomach pain): **Adal-syst.**, *Etan-syst.*, *Glut-syst.*, *Indin-syst.*, *PegiA2a-syst.*, *Riba-syst.*, **Sir-syst.**

bacteremia, with (chills; fever; frequent or painful urination; headache; stomach pain): *Indin-syst.*

ureteritis, hemorrhagic: *Cycloph-syst.*

vasculitis, renal (backache; increase or decrease in urination; swelling of feet or lower legs): *Anthyr-syst.*

IRRITAÇÃO renal (dor ou formigamento enquanto urina) (Ver Infecção; Inflamação): *Progu-syst.*

NEFROPATIA (Ver Disfunção renal; Nefrose; Nefrótica, Síndrome; Nefrotoxicidade).

NEFROSE (diminuição súbita na quantidade de urina; urina turva; inchaço do rosto, dedos, pés e/ou inferior das pernas; rápido ganho de peso) (Ver Nefrótica, Síndrome; Nefrotoxicidade): *AntinfN-syst.*, *AntconD-syst.*, *Crom-inhloc.* [*Cromolyn (inhalation)*]

hydronephrosis (swelling of face, hands, legs, and feet; cloudy urine): **Sir-syst.**
tubular, osmotic: *Imm-syst.*

NEFRÓTICA, SÍNDROME (urina turva ou com sangue; pressão arterial alta; inchaço do rosto, dedos, tornozelos, pernas, e/ou pés) (Ver Nefrose; Nefrotoxicidade): *Agal-syst.*, *AntinfN-syst.*, *Gold-syst.*, *Probe-syst.*, *RabiI-syst.*, *TetaIG-syst.*, *Tic-syst.*, *Tiop-syst.*

NEFROTOXICIDADE, fibrose intersticial com atrofia tubular (elevação da creatinina sérica, transitória; grande aumento ou diminuição da frequência de micção ou da quantidade de urina; sede aumentada; perda de apetite; náuseas ou vômitos; urina turva ou sanguinolenta; dificuldade ou dor ao urinar; inchaço do rosto, tornozelos, mãos, pés e/ou região inferior das pernas; proteinúria; cristalúria; acidose tubular renal; agitação, coma, confusão, depressão; tonturas; dores de cabeça; irritabilidade; letargia; espasmos musculares; ganho de peso rápido; convulsões; cansaço ou fraqueza) (Ver Nefrose; Nefrótica, Síndrome): *Acyc-syst.*, *Adef-syst.*, **Aminglyc-syst.**, *AnestInh-syst.* [*Methoxyflurane*]; *Carbam-syst.*, *Carm-syst.*, **Capr-syst.**, **Cid-syst.**, **Cisp-syst.**, *Clofib-syst.*, **Cycloph-syst.**, *Cyclosp-syst.*, *EdD-syst.*, **Fosc-syst.**, **GalliN-syst.**, *Ifo-syst.*, *Iodip-syst.*, *Kan-orloc.*, *Meg-syst.*, *Mesa-reloc.*, *Neo-orloc.*, **Penta-syst.**, *Pentost-syst.*, **Tacro-syst.**, *Thiot-syst.*, *Vald-syst.*, *Van-syst.*, **Zole-syst.**

albuminuria, transient, with (cloudy urine): **Sur-syst.**

chronic progressive (serial deterioration in renal function and morphologic changes in the kidneys (interstitial fibrosis with tubular atrophy)): *Cyclosp-syst.*

increased (agitation; coma; confusion; decreased urine output; depression; dizziness; headache; hostility; irritability; lethargy; muscle twitching; nausea; rapid weight gain; seizures; stupor; swelling of face, ankles, or hands; unusual tiredness or weakness): *Valg-syst.*

mild: *Carbopl-syst.*

oliguria and anuria, with (unusual decrease in urination): **Aldes-syst.**

rabbits: *Sper-vag.*

rats: *Sper-vag.*

male (regenerative tubules, thickening of basement membranes, infiltration of mononuclear cells and tubular protein casts): *CarbidEL-syst.*

renal failure, with (swelling of feet or lower legs; unusual decrease in urination; proteinuria, glycosuria, hypophosphatemia, azotemia, renal tubular acidosis): *Lom-syst.*, **Stre-syst.**

possibly fatal: **Stre-syst.**

seen as changes in renal function tests: *Bleo-syst.*

serious: *Mup-top.*

striped form of: *Cyclosp-syst.*

sulfonamide-like (blood in urine, difficult urination, pain in lower back, pain or burning while urinating, sudden decrease in amount of urine): *CarbonAl-syst.*

toxicity, renal (blood in urine; decreased urination; shortness of breath; swelling of feet or lower legs; hemolytic-uremic syndrome [consisting of microangiopathic hemolytic anemia {hematocrit 25% or less}, irreversible renal failure, thrombocytopenia {platelet count less than 100,000}, and less frequently, pulmonary hypertension, neurologic abnormalities, and hypertension]): *Mitom-syst.*

PERITUBULAR, capilares.

congestion: *Cyclosp-syst.*

PIELORENAL, DISTENÇÃO (dor ou desconforto severo abdominal ou renal; dor nas costas): *Ioh-syst.*

POTÁSSIO, perda renal (Ver Falência): **AmphoB-syst.**

RAQUITISMO renal (Ver GENERALIDADES): *Ifo-syst.*

RETENÇÃO (Ver Edema; EXTREMIDADES; GENERALIDADES).

fluid (swelling of ankles, feet or lower legs; pleural effusion, ascites, pulmonary edema, and rapid weight gain [with or without superficial edema]): *Bacl-syst., Bos-syst., ColSF-syst. [Sargramostim], Cortic-rec., DecAn-syst. [Ibuprofen-containing combinations], DicM-syst., Docet-syst., Estro-syst., Histr-syst., Ima-syst., Opr-syst., Pho-syst., Rosi-syst.*

females: **Tamo-syst.**

local: *Ima-syst.*

overhydration: *CarboE-syst.*

sodium, and: *Album-syst., Clon-syst., ClonC-syst., CorticG-syst., DrosEE-syst., Estra-syst., EstroPO-syst., Fludro-syst., Hydra-syst., Minox-syst., Minox-top.*

salt and water balance, abnormal: *Etom-syst.*

sodium (decrease in amount of urine; noisy, rattling breathing; shortness of breath; swelling of ankles, fingers, hands, feet, or lower legs; troubled breathing at rest; weight gain): *Cortic-rec., Estro-syst., InsD-syst., SodPol-loc.*

fluid, and: *Album-syst., Clon-syst., ClonC-syst., CorticG-syst., DrosEE-syst., Estra-syst., EstroPO-syst., Fludro-syst., Hydra-syst., Minox-syst., Minox-top.*

salt and water balance, abnormal: *Etom-syst.*

urinary (passing urine less often) (See BLADDER, Retention of urine): **Abar-syst., AntdepT-syst., Atom-syst., Atorv-syst., Basil-syst., BenzyB-top., Biv-syst., Bupre-syst., Carbam-syst., CarbidL-syst., CarbidEL-syst., Cyclope-oph., Cyt-syst., Darif-syst., Desm-syst., Dext-syst., Dinopst-parloc., Diso-syst., Dol-syst., Dron-syst., Fent-syst., Fent-trsyst., FentD-syst., Fluv-syst., Fon-syst., HistH2-syst. [Cimetidine], Histr-syst., HydroI-syst., IbupO-syst., Iopr-syst., Ipr-inhloc., Ipr-nas., Lans-syst., Levod-syst., Mido-syst., Mod-syst., Nalm-syst., Opi-syst., Palo-syst., Paro-syst., PenicilB-syst., Ropiv-parloc., Sir-syst., Sol-syst., Tiot-inhloc., Tram-syst., TramA-syst., Trip-syst., Tros-syst., Ven-syst., Zic-syst.**

sodium and water: *Clon-syst., ClonC-syst., CorticG-syst., Diaz-parsyst., EstroPO-syst.*

adults: **Diaz-parsyst.**

young infants: **Diaz-parsyst.**

SANGRAMENTO (Ver Hemorragia).

SÍNDROME DA SECREÇÃO INAPROPRIADA DE HORMÔNIO

ANTIDIURÉTICO (SSIHAD, intoxicação aquosa) (diminuição da capacidade de concentrar urina; micção frequente; diminuição repentina na quantidade de urina; inchaço dos pés ou pernas): *Amio-syst.*, **AntdepMAO-syst.**, *ArsTr-syst.*, *Carbam-syst.*, *Ceph-syst.*, *Clod-syst.*

SUPRESSÃO da urina (Ver Dano; Disfunção; Falência; Nefrotoxicidade; BEXIGA, Micção, suprimida): **Aldes-syst.**, *Alemt-syst.*, *Alpr-syst.*, *AntinfN-syst.*, *BronA-syst.* [Ephedrine], *Carbam-syst.*, *Desm-syst.*, *Fent-trsyst.*, *Iod-top.*, *Ioxi-syst.*, *Sulfas-syst.*
nephrotoxicity, with: Aldes-syst.

TÚBULOS renais (células tubulares) (Ver Fanconi, Síndrome de).

acidosis, tubular (drowsiness; fatigue; headache; nausea; troubled breathing; vomiting): *Azac-syst.*, *Ifo-syst.*, *Topi-syst.*

injury, proximal tubular cell: *Cid-syst.*

necrosis, tubular (bloody or cloudy urine, difficult or painful urination, sudden decrease in amount of urine): *AntinfN-syst.*, *AnthisDAg-syst.* [*Acetaminophen-containing combinations*]; *BarbAn-syst.* [*Acetaminophen*], *Cycloph-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*], **EdC-syst.**, *EdD-syst.*, *IsomDA-syst.*, **Sir-syst.**, *Sulfo-syst.*, *SulfoT-syst.*, *Tret-syst.*

acute (bloody or cloudy urine; difficult or painful urination; sudden decrease in amount of urine): *EmtT-syst.*, *Imm-syst.*, *Teno-syst.*

renal failure, leading to (signs include bloody or cloudy urine and sudden decrease in amount of urine): *AcSodCit-syst.*

nephrosis, tubular, osmotic: *Imm-syst.*

tubulopathy.

proximal (cloudy urine; increase in amount of urine; increased thirst): *EmtT-syst.*, *Teno-syst.*

toxic: *Cyclosp-syst.*

ULCERAÇÃO do endotélio do trato urinário (sangue na urina; urgência frequente para urinar; dor na micção): **CitAGM-mucloc.**

URETÉRES.

obstruction, ureteral (back or side pain, severe; nausea; vomiting): *Infli-syst.*

spasm, ureteral (decreased, difficult or painful urination; frequent urge to urinate): *FentD-syst.*, *Opi-syst.*, **Pare-syst.**

stricture, ureteral (difficult or painful urination; frequent urge to urinate): *Bevac-syst.*

CAPÍTULO PRÓSTATA

AUMENTO, hiperplasia, hipertrofia de próstata (dor ou dificuldade na micção) (Ver Inflamação): Seleg-syst., Tret-syst.

benign (difficulty urinating): Andro-syst.

CÂNCER.

carcinoma.

prostatic (difficult or frequent urination).

geriatric males: AnabS-syst.

urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): Adal-syst.

carcinoma disease flare, prostatic, transient (with a transient, sometimes severe, increase in bone or tumor pain; difficult urination; spinal compression): Gos-syst.

adult males (bone pain): Leup-syst.

DISTÚRBIOS prostáticos (dor ou desconforto pélvico; dor ou dificuldade na micção): Alpr-loc., Cele-syst., Ipr-nas., TramA-syst., Trav-oph., Ver-parloc.

INFLAMAÇÃO, prostatite (dor nas costas; calafrio; febre; micção frequente; dor na virilha; dor muscular; dor ou queimação ao urinar; inchaço da próstata) (Ver Aumento): Atom-syst.

granulomatous (appears as nodularity, enlargement, induration, and distortion of the prostate, which is clinically indistinguishable from prostatic carcinoma): **BcgL-mucloc.**

CAPÍTULO URETRA

CÂNCER.

carcinoma, urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): Adal-syst.

DOR: Valr-mucloc.

stinging: **Alpr-loc.**

HEMORRAGIA: **Alpr-loc.**

spotting from urethra: **Alpr-loc.**

INFECCÃO (Ver Inflamação).

superinfections, genitourinary tract (with *Pseudomonas* or *Candida*): *Nitro-syst.*

INFLAMAÇÃO, uretrite (sangue na urina; aumento da frequência de micção; dor ou queimação ao urinar) (Ver Infecção): *Anest-mucloc.*, **AntinfN-syst.** [**Floctafenine**]

OBSTRUÇÃO ureteral (sangue na urina; dificuldade, queimação ou dor ao urinar; dor severa no abdome e nas regiões lateral e inferior das costas): *AntinfN-syst.*

outlet, urethral: *Trip-syst.*

RESISTÊNCIA uretral diminuída: *Dul-syst.*

SANGRAMENTO (Ver Hemorragia).

CAPÍTULO URINA

ACETONÚRIA, cetonúria: AcetSal-syst., AnthisDAg-syst. [Salicylate-containing combinations]; AspirSC-syst., BarbAn-syst. [Aspirin]; Carbam-syst., DecAn-syst. [Salicylate-containing combinations]; Ison-syst., MepA-syst. [Aspirin], RifamI-syst., RifamIP-syst., Sal-syst.

ÁCRIDA, ácida: *Pho-syst.* [*Monobasic Potassium Phosphate; Potassium and Sodium Phosphates*], *Rac-syst.*

AÇÚCAR (glicosúria) (Ver GENERALIDADES, Diabetes; TESTES DIAGNÓSTICOS, Urina): Carbam-syst., *Carv-syst.*, *Cid-syst.*, *Cortic-top.*, *Fludro-syst.*, *Gadob-syst.*, Ison-syst., *Lit-syst.*, *Palo-syst.*, RifamI-syst., RifamIP-syst., *Tacro-syst.*

ALBUMINOSA, albuminúria (urina turva) (Ver Proteinúria; Turva): *Atorv-syst.*, *Carv-syst.*, *Cele-syst.*, ChIH-syst., *Den-syst.*, *Epl-syst.*, *Gadob-syst.*, *Melo-syst.*, *TramA-syst.*, *Ver-parloc.*

with transient nephrotoxicity: **Sur-syst.**

ALCALINA: *CarbonAI-syst.*, *Citra-syst.*, SodBi-syst.
orange-red color, with: *Antcoa-syst.* [*Anisindione*]

ALTERNÂNCIA entre urina escassa e copiosa.
frequency of urination or amount of urine, greatly increased or decreased: *Aminglyc-syst.*

ANTIDIURÉTICO, efeito (diminuição da micção) (Ver Escassa, oligúria).

CÁLCULO (Ver Sedimento; RINS, Cálculo; GENERALIDADES; TESTES DIAGNÓSTICOS).

CETONÚRIA (Ver Acetonúria).

COPIOSA, poliúria (efeito diurético; micção frequente; aumento no volume de urina pálida e diluída; aumento intenso e súbito na frequência e na intensidade de urina): *AmlodAt-syst.* [*Amlodipine*], *AmlodBen-syst.*, *AntinfN-syst.*, **AntdiaS-syst.**, *Anthro-syst.*, *AppSupS-syst.*, **CarbonAI-syst.**, *Cital-syst.*, *Clofar-syst.*, *Cortic-nas.*, *DauL-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Dom-syst.*, *Doxaz-syst.*, *Dyp-syst.*, *Gemc-syst.*, **Glyc-syst.**, *Imiq-top.*, *Inda-syst.*, *MethylB-syst.*, *Moc-syst.*, *Nar-syst.*, *Nef-syst.*, *Opr-syst.*, *Oxa-syst.*, *Oxc-syst.*, **Risp-syst.**, *Riz-syst.*, **Sir-syst.**, *Sym-parsyst.* [*Dopamine*], *Tacri-syst.*, *Tacro-syst.*, *Teli-syst.*, *Tetr-syst.* [*Demeclocycline*], *Tors-syst.*, *Ure-syst.*, *Van-syst.*, **Vinc-syst.**, *VitA-syst.*, *VitDA-syst.*, *Zolm-syst.*

diuresis, excessive: *Dom-syst.*, *Ure-syst.*

mild: AscAc-syst.
 pale, diluted urine: Mecas-syst.
 unusually: CalcS-syst.

COR.

bluish: AtropB-syst., MethylB-syst.
 greenish: **AtropB-syst., MethylB-syst., Mitox-syst.**
 to blue: **MethylB-syst.**

brown: Fur-orloc., Nitro-syst.
 acid urine, in: Lax-loc.
 alkaline urine, in: Lax-loc.

dark: AmphoBLsC-syst., Bacl-syst., CarbidL-syst., CarbidEL-syst., Dant-syst.,
Histr-syst., Lamo-syst., Lans-syst., Levod-syst., Metro-syst., Metro-vag., Phenot-
syst., Sir-syst., Tic-syst., Tini-syst., Tolc-syst.
 iron sulfide formation: Iron-syst.

discolored urine: CarbidEL-syst. [Entacapone], Nita-syst., Teli-syst.

orange.
 brownish: Enta-syst.
 reddish.
 alkaline urine, in: Antcoa-syst. [Anisindione]
 rose (“vin-rosé”): Def-syst.
 yellow: **Sulfas-syst.**

pale, diluted urine.
 increased volume: Mecas-syst.

pink.
 alkaline urine, in: Lax-loc.
 to red, in alkaline urine: Lax-loc.

red: Dau-syst., Doxor-syst., Epir-syst., Ida-syst., Valr-mucloc.
 alkaline urine, in: Lax-loc.
 browish: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**
 orange: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**
 to reddish-brown: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-**
 syst., Rifap-syst.
 to brown, in alkaline urine: Lax-loc.
 to violet, in alkaline urine: Lax-loc.

violet.
 alkaline urine, in: Lax-loc.

yellow: Ribo-syst.
 acid urine, in: Lax-loc.
 amber: AntandN-syst.
 bright: **Tolc-syst.**
 dark: **Fur-orloc.**
 greenish: AntandN-syst.
 orange: **Sulfas-syst.**
 rusty-yellow: Nitro-syst.
 to brown: Nitro-syst.

to brown, in acid urine: *Lax-loc.*

CRISTALÚRIA (Ver Sedimento).

DIURÉTICO, efeito (Ver Copiosa, poliúria): *Antthro-syst.*

excessive: *Dom-syst., Ure-syst.*

ESCASSA, oligúria (diminuição na quantidade de urina; efeito antidiurético): *Acamp-syst., Acyc-syst., Aldes-syst., AnthisDAG-syst., AntinfN-syst., AntdepMAO-syst., ArsTr-syst., Bacl-syst., Barb-syst., BarbAn-syst.* [*Barbiturates*], *Biv-syst., BronT-syst.,* Carbam-syst., *Cetr-syst., ChorioG-syst., Chym-parloc., Cital-syst., Clod-syst., Clofar-syst., Dapt-syst., DecAn-syst., Del-syst., Dexmed-syst., Dom-syst., Dol-syst., EmtT-syst., Gadov-syst., Gemc-syst., Imig-syst., Imiq-top., Indo-syst., Iri-syst., Ketor-syst., Mann-syst., Mem-syst., Meno-syst., Mica-syst., Mitom-syst., Mur-syst., Nyl-syst., OlmH-syst., Opi-syst., Opr-syst., Oxa-syst., Para-syst., Pare-syst., Paro-syst., Procai-syst., Ras-syst., Ritu-syst., Sertr-syst., Sir-syst., Ske-syst.* [*Orphenadrine*], *Tacro-syst., Tacro-top., Thr-syst., Tola-parsyst., TramA-syst., Tret-syst., Uro-syst.,* Valg-syst., *ValsH-syst., Van-orloc., Van-syst., Ven-syst., Vinc-syst., Vind-syst.*

nephrotoxicity, with: **Aldes-syst.**

retention, sodium and water (decrease in urination): **Diaz-parsyst.**

adults: **Diaz-parsyst.**

young infants: **Diaz-parsyst.**

sudden: *Allop-syst., AntinfN-syst., AntconD-syst., Crom-inhloc.* [*Cromolyn (inhalation)*], *Dant-syst., Ketor-syst., Vald-syst.*

FENILCETONÚRIA (Ver TESTES DIAGNÓSTICOS, Hiperfenilalaninemia).

GLICOSÚRIA (Ver Açúcar).

HEMATÚRIA: *Acyc-syst., Adal-syst., Alpr-syst., Anag-syst., AntinfN-syst.* [**Floctafenine**], **Antcoa-syst., AnthisDAG-syst., AnthisP-syst., Ard-syst., Arg-syst.,** AspirSC-syst., *Atorv-syst., AtropB-syst., Azel-nas., Bacl-syst., BarbAn-syst.* [*Aspirin*], **BcgL-mucloc., Capec-syst., CarbidEL-syst. [*Entacapone*], *Carv-syst., Cele-syst., ConjE-syst., Clofar-syst.,* Cop-syst., *Danap-syst., Dant-syst., DecAn-syst.* [*Salicylate-containing combinations*], *Den-syst., Dic-top., Dinopst-parloc., DipyA-syst., DiuL-syst., Dol-syst., Doxaz-syst., Efav-syst., Eno-syst., Ept-syst., Fluda-syst., Fluorq-syst., Gadob-syst., Gala-syst., Gef-syst., Gemc-syst., Gemt-syst., Gla-syst., Gold-syst., Hepar-syst., Iri-syst., Lans-syst., Lep-syst., Leval-inhloc., Melo-syst., MepA-syst.* [*Aspirin*], *Methe-syst., Metyro-syst., Mitom-syst., Myc-syst., Nad-syst., Nef-syst., Nitri-inhloc., Olm-syst., OlmH-syst., Omep-syst., Oxa-syst., Paro-syst., Podof-top.,*** Progu-syst., *Prota-syst., Pym-syst., QuinuD-syst., Rabe-syst., Ras-syst., Rifap-syst., Ritu-syst., Ropin-syst.,* Sal-syst., *Sild-syst., Sir-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Tacro-syst., Tic-syst., Tinz-syst., Tiop-syst., Tir-syst., Tolc-syst., Topi-syst., Tram-syst., Trip-syst., Valr-mucloc., Vari-syst.*

aggravated hematuria: *Histr-syst.*

bladder hemorrhage, with: **Arg-syst.**

flank pain, with: *Ketor-syst.*

and azotemia: *Ketor-syst.*
microscopic hematuria: *EdC-syst., EdD-syst., Indo-syst.*
patients with existing renal function impairment: *Valg-syst.*
renal damage and oliguric renal failure, with: *Colc-syst.*
transient: *CitAGM-mucloc.*

MIOGLOBINÚRIA (Ver Sedimento).

ODOR.

asparagus-like: *Thiab-syst.*
strong: **AntinfN-syst.** [**Floctafenine**]
unpleasant: **Succ-syst.**
unusual: *Thiab-syst.*

OLIGÚRIA (Ver Escassa).

PIÚRIA (pús na urina) (Ver Albuminosa; Proteinúria; Turva).

POLIÚRIA (Ver Copiosa)..

PORFIRIA aguda, intermitente (escurecimento da urina): *Carbam-syst.*

PROTEINÚRIA (urina turva) (Ver Albuminosa; Turva): *AcetSal-syst., Aldes-syst., AngIn-syst.* [*Captopril*], *AngInH-syst.* [*Captopril*], *AntinfN-syst., Antcoa-syst., AnthisDAg-syst.* [*Salicylate-containing combinations*]; *AspirSC-syst., BarbAn-syst.* [*Aspirin*], **Bevac-syst., Cid-syst., DecAn-syst.** [*Salicylate-containing combinations*], *EdC-syst., EdD-syst., Fluda-syst., Fluox-syst., Gemc-syst., Gold-syst., Imiq-top., IntG-syst., Lit-syst., MepA-syst.* [*Aspirin*], *Omep-syst., PenicilB-syst., Rifap-syst., Sal-syst., Tiop-syst.*

SANGRAMENTO (Ver Hematúria).

SEDIMENTO (Ver RINS, Cálculo; GENERALIDADES; TESTES DIAGNÓSTICOS).

azotemia (see uremia).
calcium, raised level of (hypercalciuria): *Calcip-top.*
significant, from endogenous sources: *EdC-syst.*
crystalluria (blood in urine; difficult urination; pain in lower back; pain or burning while urinating; sudden decrease in amount of urine): *AminsSod-syst., AntinfN-syst., AtropB-syst., CarbonAl-syst., Fluorq-syst.* [*Ciprofloxacin, Norfloxacin*], *Indin-syst., Iodip-syst., Maf-top., Methe-syst., Metyro-syst., Silv-top., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Thiab-syst.*
alkaline urine, in: *Fluorq-syst.* [*Ciprofloxacin, Norfloxacin*]
urate: *Fluda-syst.*
epithelial cells, urinary bladder, atypical, in urine: *Cycloph-syst.*
large renal epithelial cells in urine: *EdC-syst., EdD-syst.*
hypocalciuric: **Pli-syst.**
iron sulfide formation: *Iron-syst.*

Repertório - Capítulo URINA

myoglobinuria: *AmincAc-syst., CarbidL-syst., Pimo-syst., Que-syst.*
rhabdomyolysis.

caused by: *Neu-syst., Ola-syst.*

renal failure, and: *AmincAc-syst., NiaL-syst.*

oxalate, increase in: *AscAc-syst.*

uremia, azotemia.

flank pain, with: *Ketor-syst.*

hematuria, and: *Ketor-syst.*

uric acid.

hyperuricosuria (blood in urine; joint pain; swelling of feet or lower legs):

Panc-syst.

TURVA (Ver Albuminosa; Proteinúria): *AmmMer-top., AntinfN-syst., AntconD-syst., AnthisDAg-syst., ArsTr-syst., Ceph-syst., Clod-syst., Clofar-syst., ConjE-syst., Crom-inhloc. [Cromolyn (inhalation)]; DecAn-syst., Gold-syst., Imiq-top., Opr-syst., Para-syst., Probe-syst., Tiop-syst., VitDA-syst.*

proteinuria (cloudy urine): *AcetSal-syst., Aldes-syst., AngIn-syst. [Captopril], AngInH-syst. [Captopril], AntinfN-syst., Antcoa-syst., AnthisDAg-syst. [Salicylate-containing combinations]; AspirSC-syst., BarbAn-syst. [Aspirin], Bevac-syst., Cid-syst., DecAn-syst. [Salicylate-containing combinations], EdC-syst., EdD-syst., Fluda-syst., Fluox-syst., Gemc-syst., Gold-syst., Imiq-top., IntG-syst., Lit-syst., MepA-syst. [Aspirin], Omep-syst., PenicilB-syst., Rifap-syst., Sal-syst., Tiop-syst.*

pyuria (pus in the urine, cloudy urine): *Den-syst., Levom-syst., Mont-syst., PenicilB-syst., Rifap-syst., Sir-syst.*

sterile: *Acet-syst., DecAn-syst. [Acetaminophen-containing combinations]*

patients with severe renal function impairment: *AnthisDAg-syst. [Acetaminophen-containing combinations]*

CAPÍTULO GENITÁLIA MASCULINA

ANESTESIA genital: *Fluox-syst.*

ATROFIA.

testes (decrease in testicle size): *Andro-syst., Danaz-syst., Gos-syst., Histr-syst.*
adult males: *Leup-syst.*

CALOR, aquecimento.

penis of sexual partner: *Sper-vag.*

CÂNCER.

carcinoma, urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): *Adal-syst.*

COMICHÃO.

penis.

penis of sexual partner: *Sper-vag.*

pruritus, genital (itching or pain of the genital area): *Ceph-syst. [Cefixime], Histr-syst.*

DESEJO SEXUAL (Ver Disfunção; Orgasmo; MENTAL).

changes in (changes in libido or sexual ability): *Aman-syst., Amio-syst., AmlodBen-syst., Amph-syst., AnabS-syst., Andro-syst., AntandN-syst. [Bicalutamide], AppSupS-syst., Atom-syst., Benzod-syst., Buse-syst., Cab-syst., CarbidL-syst., CarbidEL-syst., Cital-syst., Cyp-syst., Don-syst., DrosEE-syst., Dul-syst., Dut-syst., Esc-syst., Estra-syst., Estro-syst., EstroPO-syst., Esz-syst., Fenof-syst., Fent-trsyst., Fin-syst., Fluox-syst., Fluv-syst., Gos-syst., HistH2-syst., Histr-syst., Leup-syst., Levod-syst., Levom-syst., Map-syst., Mecam-syst., Methy-syst., MethyTD-syst., Minox-top., Nef-syst., Ola-syst., Paro-syst., Prami-syst., Proge-syst., Rau-syst., Risp-syst., Saq-syst., Tamo-syst., Tams-syst., Topi-syst., Tram-syst., ValsH-syst., Ven-syst., VitDA-syst.*

decreased sexual desire (loss in sexual ability, desire, drive, or performance; decreased interest in sexual intercourse; inability to have or keep an erection): *Aman-syst., Amio-syst., AmlodBen-syst., Amph-syst., AnabS-syst., Andro-syst., AntandN-syst. [Bicalutamide], Atom-syst., Buse-syst., Cital-syst., Cortic-top., Dul-syst., Dut-syst., Esc-syst., Estra-syst., Estro-syst., EstroPO-syst., Esz-syst., Fenof-syst., Fent-trsyst., Fin-syst., Fluox-syst., Fluv-syst., Gos-syst., HistH2-syst., Histr-syst., Levom-syst., Map-syst., Mecam-syst., Methy-syst., MethyTD-syst., Minox-top., Nef-syst., Ola-syst., Paro-syst., Prami-syst., Proge-syst., Rau-syst., Risp-syst., Saq-syst., Sir-syst., Tamo-syst., Tams-syst., Topi-syst., Tram-syst., ValsH-syst., Ven-syst., VitDA-syst.*

Repertório - Capítulo GENITÁLIA MASCULINA

adult males: Leup-syst.

increased sexual desire (See MIND, Lascivious, lustful; MIND, Amativeness; MIND, Nymphomania; MIND, Satyriasis.) (increased interest in sexual ability, desire, drive, or performance; increased interest in sexual intercourse): AnabS-syst., Andro-syst., Cab-syst., CarbidEL-syst., **Cyp-syst.**, Don-syst., EstroPO-syst., **Map-syst.**, Nef-syst.

hypersexuality: CarbidL-syst., Levod-syst.

DISFUNÇÃO, problemas e alterações sexuais (diminuição do desejo ou do desempenho sexual; ejaculação anormal) (Ver Desejo; Ejaculação; Ereção; Orgasmo): Bacl-intsyst., Bacl-syst., Carbam-syst., Histr-syst., **Levom-syst.**, Minox-top., Nalt-syst., **Paro-syst.**, **Risp-syst.**, **Sertr-syst.**, **Ven-syst.**

ability, sexual, decreased (anorgasmia; ejaculatory disorders; impotence): Amio-syst., Amph-syst., AnabS-syst., **AntdepMAO-syst.**, **BetBA-syst.**, **BetBAT-syst.**, Clofib-syst., Clon-syst., ClonC-syst., Cortic-top., DiuP-syst., DiuPH-syst., DiuT-syst., Guanab-syst., Guanf-syst., Hal-syst., Lox-syst., **Mecam-syst.**, Methy-syst., MethyTD-syst., Minox-top., Moli-syst., Oxyb-syst., PerpA-syst., Phenot-syst., Pimo-syst., PrazoP-syst., Proge-syst., **Sir-syst.**, Thiox-syst.

impairment, sexual function: AntdepT-syst. [**Amoxapine**, **Clomipramine**], VitE-syst.

DOR.

burning of penis of sexual partner: AntfunA-vag., Metro-vag., Sper-vag.

during sexual intercourse: **Podof-top.**

irritation of penis of sexual partner: AntfunA-vag., Metro-vag., Sper-vag.
penis.

burning feeling in penis: **Dimer-syst.**

mild, along penis: Pap-int., Phent-int.

erection, during: **Alpr-loc.**

stinging of penis of sexual partner: Sper-vag.

testes (swelling of testes): **Agal-syst.**, Alpr-loc., Fin-syst., Vinb-syst., **Vinc-syst.**

EDEMA (Ver Inchaço).

EJACULAÇÃO (Ver Disfunção).

abnormal, trouble in, disturbances, failure or disorder (change or problem with discharge of semen; failure to discharge semen): **AntdepMAO-syst.**, Atom-syst., **Cital-syst.**, DiuL-syst., Dul-syst., Dut-syst., **Esc-syst.**, **Fluox-syst.**, **Fluv-syst.**, Histr-syst., Metyro-syst., Nef-syst., **Paro-syst.**, **Sertr-syst.**, Sild-syst., **Tams-syst.**, Vard-syst.

delayed (See discharge, seminal, late, too).

difficult: Fent-trsyst., **Guanad-syst.**, **Guane-syst.**, Pap-int., Phent-int.

discharge, seminal (ejaculation).

absent.

hemophilia patients: AmincAc-syst.

late, too (ejaculation delayed) (longer than usual time to ejaculation of semen): Dul-syst., **Esc-syst.**, **Ven-syst.**

quick, too: DiuL-syst.

scanty (ejaculate volume decreased): Dut-syst., Fin-syst.

inability to, caused by alpha-adrenergic blockade: Phenox-syst.

oligospermia: Sulfap-syst., Sulfas-syst.

premature (See discharge, seminal, quick, too).

spermicide (inactivate or kill sperm): **Sper-vag.**

EREÇÃO.

absent (See wanting, impotence).

continued, frequent, prolonged, persistent (priapism) (prolonged, inappropriate penile erection, continuing for more than 4-6 hours with severe and continuing pain of the penis) (See Virilism): Alfuz-syst., Alpr-loc., **Andro-syst.**, CarbidL-syst., CarbidEL-syst., Cital-syst., Doxaz-syst., Fluox-syst., Hepar-syst., Levod-syst., Nef-syst., Ola-syst., Pap-int., Paro-syst., PerpA-syst., Phenot-syst., Phent-int., Prazo-syst., PrazoP-syst., Risp-syst., **Sild-syst.**, **Tad-syst.**, Tinz-syst., Traz-syst., **Vard-syst.**, **Yoh-syst.**, Zip-syst.

increased, and: **Tad-syst.**

lasting up to 4 hours: **Andro-syst.**

postpubertal males: **AnabS-syst.**

difficulty in keeping: DiuL-syst., Dul-syst.

disturbance, dysfunction, erectile (loss in sexual ability, desire, drive, or performance; decreased interest in sexual intercourse; inability to have or keep an erection): **Atom-syst.**, Histr-syst., Sor-syst., Telm-syst.

frequent (See continued).

impotence (See wanting).

increased: **Tad-syst.**

and prolonged: **Tad-syst.**

painful: **Alpr-loc.**

persistent (See continued).

priapism (See continued).

prolonged (See continued).

spontaneous: Tad-syst.

wanting (impotence) (loss in sexual ability, desire, drive, function or performance; decreased interest in sexual intercourse; inability to have or keep an erection): Alfuz-syst., Amio-syst., AmlodBen-syst., Amph-syst., Anest-parloc., **AntandN-syst.** [Bicalutamide]; Antchsp-syst. [Glycopyrrolate], **AntdepMAO-syst.**, AppSupS-syst., Atom-syst., Atorv-syst., BetBA-oph. [Timolol], **BronA-syst.**, **Buse-syst.**, Carv-syst., **Cital-syst.**, Cloz-syst., Cortic-nas., Cortic-ot., Cortic-rec., **Cyp-syst.**, DicM-syst., Diso-syst., Disu-syst., Dul-syst., Dut-syst., **Esc-syst.**, Fin-syst., **Fluox-syst.**, Flutinhloc., Gab-syst., Gla-syst., Gos-syst., HistH2-syst., HMG-syst., HydroI-syst., **Map-syst.**, Mem-syst., Meto-syst., Metyro-syst., Mir-syst., MoeH-syst., Nef-syst., Oxyb-syst., **Paro-syst.**, Prami-syst., Primi-syst., Rau-syst., Ropin-syst., **Sir-syst.**, Tamo-syst., Topi-syst., TramA-syst., Trimetha-syst., **Trip-syst.**, ValsH-syst., **Ven-syst.**

Repertório - Capítulo GENITÁLIA MASCULINA

adult males: *Leup-syst.*

ERUPÇÕES.

lesions, inflammatory, with monilial overgrowth in the anogenital region: *Doxyc-syst.*

rash of penis of sexual partner: *Sulfo-vag.*

striae (reddish purple lines on groin): *Fludro-syst., NysT-top.*

ESPERMOGRAMA, alterações no (Ver Fertilidade; Sêmen; TESTES DIAGNÓSTICOS).

sperm count and motility abnormalities: *Danaz-syst.*

oligospermia: *Sulfap-syst., Sulfas-syst.*

ESTRIAS (linhas roxas-avermelhadas na virilha): *Fludro-syst., NysT-top.*

FERTILIDADE (Ver Espermograma; Sêmen).

fertility adjunct: *Bromo-syst., Meno-syst.*

infertility: *Sulfap-syst., Sulfas-syst.*

FIBROSE do pênis (curvatura do pênis com dor durante a ereção; caroços no pênis) (Ver Peyronie, Doença de): *Alpr-loc., Pap-int., Phent-int.*

FIMOSE (problemas com o prepúcio do pênis): **Podof-top.**

FORMIGAMENTO.

penis.

glans.

tip: **Pap-int., Phent-int.**

GANGRENA.

penis: *Antcoa-syst.*

GOZO, prazer (Ver Orgasmo)

HEMORRAGIA (Ver Sangramento).

HERPES (See Infection).

HIRSUTISMO (Ver Pêlos).

IMPOTÊNCIA (Ver Ereção, insuficiente).

INCHAÇO, edema.

angioedema, angioneurotic edema (large, hive-like swelling on sex organs): *AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., AtovaPro-syst., Cand-syst., CandH-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., DiphtTTH-syst., Dorz-oph., Doxyc-syst., Dul-syst.,*

Repertório - Capítulo GENITÁLIA MASCULINA

Eno-syst., Etan-syst., Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gals-syst., Gef-syst., Hyalur-parloc., Ibr-syst., Imiq-top., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mero-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., Rabe-syst., Rifax-orloc., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tene-syst., Tini-syst., Tinz-syst., Tiot-inhloc., TosI-syst., Tras-syst., Vald-syst.

scrotum (swelling of the scrotum): **Sir-syst.**

testes: *Alpr-loc., AntdepT-syst. [Amoxapine], Atorv-syst., Map-syst., PerpA-syst.*

INFECCÃO (Ver Inflamação).

fungal overgrowth (itching of genital areas): *Clind-syst., DoxycD-syst., Linc-syst.*

herpes simplex (burning or stinging of skin, painful cold sores or blisters on genitals): *Cele-syst., Clofar-syst., Enf-syst., Estro-syst., Gemt-syst., IntB1a-syst., Isot-syst., Leval-inhloc., Pime-top., Ritu-syst., Sir-syst.*

disseminated (burning or stinging of skin; painful cold sores or blisters on genitals): *Isot-syst.*

moniliasis (white patches on tongue, in mouth, or in folds of skin, including the genitals): *Alemt-syst.*

superinfections, genitourinary tract (with *Pseudomonas* or *Candida*): *Nitro-syst.*

INFLAMAÇÃO.

epididymitis (chills; fever, pain in abdomen, groin, or scrotum; pain or burning with urination; swelling of scrotum): *Atorv-syst.*

acute, nonspecific (chills; pain in scrotum or groin): *Andro-syst.*

noninfectious (chills; fever; pain in abdomen, groin, or scrotum; pain or burning with urination; swelling of scrotum): *Amio-syst.*

lesions, inflammatory, with monilial overgrowth in the anogenital region: *Doxyc-syst.*

testes (orchitis).

postpubescent and adult men (pain, tenderness, or swelling in testicles and scrotum): *MeaMRV-syst., Mum-syst., RubeM-syst.*

LESÕES inflamatórias com proliferação de monília na região anogenital: *Doxyc-syst.*

LIBIDO (Ver Desejo).

MANCHAS BRANCAS nos genitais: *HistH2-syst., Omep-syst.*

ORGASMO (Ver Desejo; Disfunção).

abnormal: *Atom-syst., Dul-syst.*

anorgasmia (enjoyment, absent; not able to have an orgasm): **AntdepMAO-syst., Cital-syst., Esc-syst., Fent-trsyst., Fluox-syst., Fluv-syst., Paro-syst., Sild-syst., Ven-syst.**

delayed: **Fluv-syst.**

PÊLOS.

hirsutism.

pubic hair growth: **Nafa-syst.**

increase in: Andro-syst.

PÊNIS.

burning of penis of sexual partner: AntfunA-vag., Metro-vag., Sper-vag.

irritation of penis of sexual partner: AntfunA-vag., Metro-vag., Sper-vag., Sulfo-vag.

itching of penis of sexual partner: Sper-vag.

rash of penis of sexual partner: Sulfo-vag.

stinging of penis of sexual partner: Sper-vag.

warmth of penis of sexual partner: Sper-vag.

PEYRONIE, DOENÇA DE (placas fibrosas no corpo cavernoso do pênis; dor no pênis na ereção) (Ver Fibrose): AntconH-syst.

PRIAPISMO (Ver Ereção, continuada).

PUBERDADE.

precocious (acne; enlargement of penis or testes; growth of pubic hair; rapid increase in height): ChorioG-syst.

SANGRAMENTO, hemorragia.

genitourinary (blood in urine; lower back pain; pain or burning while urinating):

Abcix-syst., **Arg-syst.**, Tir-syst.

SÊMEN (Ver Ejaculação; Fertilidade).

abnormalities.

semen viscosity and volume, and in sperm count and motility: Danaz-syst.

SENSAÇÕES, como se.

burning feeling in penis: **Dimer-syst.**, Sper-vag.

TAMANHO, diminuído: Andro-syst., Danaz-syst., Gos-syst., **Histr-syst.**

adult males: Leup-syst.

TESTOSTERONA, NÍVEIS de (Ver TESTES DIAGNÓSTICOS).

ÚLCERAS ou feridas.

genitals (sores on genitals): HistH2-syst., Omep-syst., Tret-syst.

penis: Fosc-syst.

sores: Fosc-syst.

VIRILISMO em jovem pré-puberdade (acne; aumento do pênis; incremento na frequência de ereções; crescimento anormal de pêlos) (Ver Ereção): **AnabS-syst.**, **Andro-syst.**

CAPÍTULO GENITÁLIA FEMININA

ABORTO: *Carbopr-syst., Dinopst-parloc., Dinopne-cervag., Mif-syst., SodC-parloc., Ure-parloc.*

incomplete (passing pieces of tissue from uterus; hemorrhage; severe endometritis): *SodC-parloc.*

spontaneous (stillbirth): *AnthisD-syst., CetiP-syst. [Cetirizine], Cetr-syst., Cital-syst., Lut-syst.*

uterine pain, increased, with (correlates with efficacy): *Carbopr-syst.*

AMENORRÉIA (Ver Menstruação, ausente).

ANESTESIA genital: *Fluox-syst.*

ATONIA do útero (inércia uterina) (inibição do trabalho de parto; retardo ou interrupção das contrações do útero): *BronA-syst. [Terbutaline]*

ATROFIA.

endometrial: *Estro-syst.*

AUMENTADA, hiperplasia.

clitoris: *Metyra-syst.*

ovaries: **Clom-syst., Nafa-syst., Proge-syst.**

mild to moderate: *Lut-syst.*

uncomplicated, mild to moderate (mild bloating, stomach or pelvic pain):

ChorioG-syst., Meno-syst., Uro-syst.

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART):

FollitA-syst.

uterus.

endometrium (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding) (See Endometrium, endometriosis; Uterus): *ConjE-syst., DrosE-syst., Estro-vag., EstroP-syst.*

fibroid (abdominal bloating; stomach pain; pelvic pain): **Clom-syst.**

leiomyomata, uterine, increase in size (abdominal bloating; pelvic pain; stomach pain): *ConjE-syst., Estro-syst.*

CALOR, aquecimento.

vagina: *Sper-vag.*

CÂNCER (Ver Lesões; Tumor; Úlceras).

carcinoma.

Repertório - Capítulo GENITÁLIA FEMININA

endometrial (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): Tamo-syst.

urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): Adal-syst.

endometrial (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): ConjE-syst., DrosE-syst., Estro-syst., Estro-vag.

carcinoma (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): Tamo-syst.

ovarian (acid or sour stomach; belching; backache; full or bloated feeling or pressure in the stomach; heartburn; indigestion; loss of appetite; stomach discomfort, upset or pain; swelling of abdominal or stomach area): ConjE-syst., Estro-syst.

uterus.

sarcoma (including malignant mixed mullerian tumors): Tamo-syst.

CISTOS.

ovaries (See Tumors).

COITO (Ver Desejo Sexual; Disfunção. Orgasmo).

orgasm.

abnormal: Atom-syst., Dul-syst.

absent (anorgasmia): **AntdepMAO-syst., Cital-syst., Esc-syst., Fent-trsyst., Fluox-syst., Fluv-syst., Paro-syst., Sertr-syst., Ven-syst.**

delayed: Fluv-syst.

COLO DO ÚTERO, **cérvix.**

disorder: ConjE-syst.

ectropion, cervical, change in (abnormal turning out of cervix): Estro-syst.

erosion (light vaginal bleeding between periods and after intercourse): ConjE-syst., Eton-vag.

change in: NoreE-syst.

secretion, cervical, and: DrosEE-syst.

lesion on cervix (See Lesions).

patients treated for female infertility: FollitA-syst.

secretion (change in amount of vaginal discharge; bloody vaginal discharge): ConjE-syst., Eton-vag.

change in: NoreE-syst.

erosion, cervical, and: DrosEE-syst.

COMICHÃO (Ver Irritação).

genital (itching or pain of the genital area): Ceph-syst. [Cefixime], Tamo-syst.

pruritus.

vulvovaginal: Clind-vag.

primarily due to *Candida albicans* (itching of the vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): **Clind-vag.**

vagina: *Alpr-loc.*, *AntfunA-vag.*, *GentiV-vag.*, *Sper-vag.*

CONTRACEPTIVO (inibição da ovulação): *DrosEE-syst.*, *EstroPO-syst.*, *Eton-vag.*, *MedE-syst.*, *NoreE-syst.*, *Proge-syst.* [*Levonorgestrel*; *Medroxyprogesterone* (parenteral); *Norethindrone* (base); *Norgestrel*]

CONTRAÇÕES.

uterus.

slow down or halt: *MagS-syst.*, *Ritod-syst.*

oxytocic (uterine stimulant, uterine activity increased): *Carbet-syst.*, *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Ergon-syst.*, *Methyler-syst.*, *Oxyt-syst.*

stimulation, uterine (cramps in lower abdomen or stomach area): *Mis-syst.*

tetany; hypertonus, uterine; titanic uterine contraction; hypertonicity with spasm, uterine (continuous and severe cramping of the uterus): *Dinopne-cervag.*, *Dinopst-parloc.*, *Ergon-syst.*, *Methyler-syst.*, *Ure-parloc.*

unexpected: *Oxyt-syst.*

DESEJO SEXUAL, libido (Ver Coito; Orgasmo; MENTAL).

changes in, disorders: *Aman-syst.*, *Amio-syst.*, *Amph-syst.*, *AnabS-syst.*, *Andro-syst.*, **AntandN-syst.** [*Bicalutamide*], *AppSupS-syst.*, **Atom-syst.**, *Atorv-syst.*, *Benzod-syst.*, *Cab-syst.*, *CarbidEL-syst.*, **Cital-syst.**, *ConjE-syst.*, **Cyp-syst.**, *Don-syst.*, *DrosEE-syst.*, *Dul-syst.*, **Estra-syst.**, *Estro-syst.*, *EstroPO-syst.*, *Fenof-syst.*, *Fin-syst.*, **Fluox-syst.**, **Fluv-syst.**, *Gos-syst.*, *HistH2-syst.*, *Leup-syst.*, *Levom-syst.*, **Map-syst.**, **Mecam-syst.**, **MedE-syst.**, *Methy-syst.*, *MethyTD-syst.*, *Miglu-syst.*, *Nef-syst.*, *Ola-syst.*, **Paro-syst.**, *Podof-top.*, *Proge-syst.*, *Rau-syst.*, **Risp-syst.**, *Saq-syst.*, **Sertr-syst.**, *Tams-syst.*, *Topi-syst.*, *Tram-syst.*, *ValsH-syst.*, **Ven-syst.**, *VitDA-syst.*

decreased (loss in sexual ability, desire, drive, or performance; decreased interest in sexual intercourse): *Aman-syst.*, *Amio-syst.*, *AnabS-syst.*, *Andro-syst.*, **AntandN-syst.** [*Bicalutamide*], **Atom-syst.**, *Atorv-syst.*, **Cital-syst.**, *Dul-syst.*, **Estra-syst.**, *EstroPO-syst.*, *Fenof-syst.*, *Fin-syst.*, **Fluox-syst.**, **Fluv-syst.**, *Gos-syst.*, *HistH2-syst.*, *Levom-syst.*, **Map-syst.**, **Mecam-syst.**, **MedE-syst.**, *Methy-syst.*, *MethyTD-syst.*, *Miglu-syst.*, *Nef-syst.*, *Ola-syst.*, **Paro-syst.**, *Podof-top.*, *Proge-syst.*, *Rau-syst.*, **Risp-syst.**, *Saq-syst.*, **Sertr-syst.**, **Sir-syst.**, *Tams-syst.*, *Topi-syst.*, *Tram-syst.*, *ValsH-syst.*, **Ven-syst.**, *VitDA-syst.*

adult females: *Leup-syst.*

female patients treated for central precocious puberty: **Nafa-syst.**

female patients treated for endometriosis: **Nafa-syst.**

increased (See MIND, Lascivious, lustful; MIND, Amativeness; MIND, Nymphomania; MIND, Satyriasis): *AnabS-syst.*, *Andro-syst.*, *Cab-syst.*,

Repertório - Capítulo GENITÁLIA FEMININA

CarbidEL-syst., ConjE-syst., Cyp-syst., Don-syst., Estro-syst., EstroPO-syst., Map-syst., Nef-syst.

hypersexuality: *CarbidL-syst., Levod-syst.*

female patients treated for endometriosis: **Nafa-syst.**

DISFUNÇÃO, problemas, alterações sexuais (redução do desejo ou do desempenho sexual) (Ver Coito; Desejo Sexual; Orgasmo): *Bacl-intsyst., Miglu-syst., Risp-syst., Sertr-syst., Ven-syst.*

ability, sexual, decreased (anorgasmia): **AntdepMAO-syst., BetBA-syst., BetBAT-syst., Clofib-syst., Clon-syst., ClonC-syst., DiuP-syst., DiuPH-syst., DiuT-syst., Guanab-syst., Guanf-syst., Hal-syst., Lox-syst., Mecam-syst., Methy-syst., MethyTD-syst., Miglu-syst., Moli-syst., Oxyb-syst., PerpA-syst., Phenot-syst., Pimo-syst., PrazoP-syst., Saq-syst., Sertr-syst., Sir-syst., Thiox-syst.**

impairment, sexual function: *AntdepT-syst.* [**Amoxapine, Clomipramine**], *VitE-syst.*

vulvovaginal disorder: **MedE-syst.**

DISMENORRÉIA (Ver Dor; Menstruação, dolorosa).

DISPAREUNIA (Ver Dor; Relação Sexual, dolorosa).

DOR: *Ganir-syst.*

cramping.

uterus (menstrual cramping; severe cramping of the uterus): *ConjE-syst., Ergon-syst., Meno-syst., Methyler-syst., Mif-syst., NoreE-syst.*

tetany, hypertonus, uterine (continuous and severe cramping of the uterus): *Dinopne-cervag., Dinopst-parloc., Ergon-syst., Methyler-syst.*

dysmenorrhea (faintness; nausea; vomiting; irregular or painful menstrual period; abdominal cramps; diarrhea): *Almot-syst., Amph-syst., Anthis-syst.* [*Desloratadine*], **Atom-syst., ConjE-syst., Desl-syst., Estro-syst., Esz-syst., Fex-syst., Fluox-syst., Flut-inhloc., Fosf-syst., Gla-syst., IntB1b-syst., Lamo-syst., Leval-inhloc., Lut-syst., MedE-syst., Mir-syst., Mom-inhloc., Mom-nas., Natal-syst., Nico-nas., Nico-syst., Ola-syst., Paro-syst., Pemi-oph., Pime-top., Pyridos-syst., Risp-syst., Sib-syst., SodO-syst., Topi-syst., Vala-syst., Valp-syst., Zale-syst.**

patients treated for female infertility: *FollitA-syst.*

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa)

undergoing artificial reproductive technologies (ART): *FollitA-syst.*

dyspareunia (painful sexual intercourse): *Estro-syst., Podof-top.*

intercourse, during (See dyspareunia).

pelvis, pelvic: *Adal-syst., Anast-syst., Biv-syst., ConjE-syst., DrosE-syst., Estro-syst., Fluorq-syst., Ful-syst., Gadop-syst., IntB1b-syst., Nef-syst., PenteZ-syst., Rosu-syst., Sir-syst., SodC-parloc., Tir-syst.*

abdominal, and: **Biv-syst.**

for patients treated for female infertility: **FollitA-syst.**

Repertório - Capítulo GENITÁLIA FEMININA

for patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: **FollitA-syst.**

severe: Cetr-syst., ChorioA-syst., ChorioG-syst., Meno-syst., Uro-syst.

stinging of female partners: Alpr-loc.

uterus.

increased, accompanying abortion (correlates with efficacy): Carbopr-syst., Dinopst-parloc., Dinopne-cervag.

vagina: GentiV-vag.

burning: AntfunA-vag., GentiV-vag., Sper-vag.

stinging: Sper-vag.

vulva: Desm-syst.

ECLÂMPSIA (Ver GENERALIDADES, Convulsões, gravidez): Paro-syst.

EDEMA (Ver Inchaço).

EMBOLISMO, líquido amniótico (ansiedade; dor em queimação no baixo ventre; dor no peito, severa; calafrios; tosse; convulsões; sensação de calor; sensação de calor nos lábios e língua; dor de cabeça, severa; nervosismo; dormência nos dedos; dor na região lombar, pélvis ou estômago; zumbido nos ouvidos; falta de ar; sede súbita ou sabor salgado; sudorese): SodC-parloc.

ENDOMÉTRIO.

endometriosis; disorder, endometrial; proliferation, endometrial; hyperplasia; endometriotic disease flare (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding) (See Enlarged, uterus, endometrium; Uterus): DrosE-syst., Estro-syst., Estro-vag., Tamo-syst., Tore-syst.

dogs: Tore-syst.

monkeys: Tore-syst.

transient (pelvic pain, dysmenorrhea, dyspareunia, pelvic tenderness, induration): Gos-syst.

adult females: Leup-syst.

polyps (See Polypus).

ERUPÇÕES.

hypersensitivity (skin rash or hives): AntfunA-vag.

striae (reddish purple lines on groin): Fludro-syst., NysT-top.

ESPASMOS no útero (Ver Dor, cólicas).

ESTRIAS (linhas púrpuro-avermelhadas na virilha): Fludro-syst., NysT-top.

ESTRÓGENO.

hypoestrogenemia (flushing or redness of skin; mood or mental changes; nervousness; sweating): Clom-syst., Danaz-syst.

females: Leup-syst.

endometriosis, treated for: **Nafa-syst.**

FERTILIDADE.

fertility adjunct: **Bromo-syst., Lut-syst., Meno-syst., Proge-syst.** [**Progesterone** (vaginal)]

infertility.

temporary (trouble getting pregnant): **NoreE-syst.**

FETO.

dead, death: **Ganir-syst.**

GESTAÇÃO, gravidez.

ectopic: **Lut-syst.**

ruptured (sudden increase in abdominal or shoulder pain; unusual or large amount of vaginal bleeding; pale, cold clammy skin; confusion; dizziness, lightheadedness; fast, weak pulse; sweating): **Mif-syst.**

multiple gestation: **Lut-syst.**

GONADOTROFINA, inibidor: **Danaz-syst., EstroPO-syst., Nafa-syst.**

inhibition of GnRH and LH (ovulation inhibitors): **Cetr-syst.**

GRAVIDEZ (Ver Gestaç o).

HEMORRAGIA (Ver Metrorragia; Sangramento).

HERPES (Ver Infecç o).

HIRSUTISMO (Ver P elos).

INCHAÇO, edema.

angioedema, angioneurotic edema (large, hive-like swelling on sex organs): **AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., AtovaPro-syst., Cand-syst., CandH-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst.** [**Cefuroxime**], **ChorioG-syst., DiphtTTH-syst., Dorz-oph., Doxyc-syst., Dul-syst., Eno-syst., Etan-syst., Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gals-syst., Gef-syst., Hyalur-parloc., Ibr-syst., Imiq-top., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mero-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., Rabe-syst., Rifax-orloc., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tene-syst., Tini-syst., Tinz-syst., Tiot-inhloc., TosI-syst., Tras-syst., Vald-syst.**

vulva: **Dinopne-cervag.**

INFECC O (Ver Inflamaç o).

candidiasis (itching of the vagina or outside genitals; pain during sexual intercourse; thick, white curd-like vaginal discharge without odor or with mild odor): **Clind-vag.**, Estro-syst.

cervical (itching in the vagina; pain during sexual intercourse; thick, white vaginal discharge without odor or with mild odor): **Metro-vag.**

vaginal (burning or itching of vagina; discharge from vagina): Aztr-syst., **Ceph-syst.**, DoxycD-syst., DrosEE-syst., Eryts-syst., EstroPO-syst., Eton-vag., Flut-inhloc., Levof-syst., Metro-syst., NoreE-syst., **Penicil-syst.**, PenicilB-syst., Spa-syst., Teli-syst.

ulvovaginal (vaginal itching or irritation; thick, white vaginal discharge): **ConjE-syst.**, Estro-vag., Sper-vag.

fungal, overgrowth (itching of genital areas): Clind-syst., DoxycD-syst., Linc-syst.

herpes simplex (burning or stinging of skin; painful cold sores or blisters on genitals): Cele-syst., **Clofar-syst.**, **Enf-syst.**, Estro-syst., **Gemt-syst.**, IntB1a-syst., Leval-inhloc., Pime-top., Ritu-syst., **Sir-syst.**

disseminated: Isot-syst.

moniliasis (white patches on tongue, in mouth, or in folds of skin, including the genitals): Alemt-syst., **Gla-syst.**

vaginal (thick, whitish discharge from the vagina or cervical canal, vaginal yeast infection): **Cefd-syst.**, Fluorq-syst., Leval-inhloc., Line-syst., **MedE-syst.**

pelvic (abdominal cramping; chills; shivering; fever; foul-smelling vaginal discharge; pain in lower abdomen): SodC-parloc.

superinfections, genitourinary tract (with *Pseudomonas* or *Candida*): Nitro-syst.

vaginosis, fungal (change in the color, amount, or odor of vaginal discharge): **Estro-syst.**, Glut-syst., Teli-syst.

INFLAMAÇÃO (Ver Infecção; Irritação).

cervix (cervicitis): **Clind-vag.**

candida (itching in the vagina; pain during sexual intercourse; thick, white vaginal discharge without odor or with mild odor): **Metro-vag.**

primarily due to *Candida albicans* (itching of the vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): **Clind-vag.**

inflammatory disease, pelvic (lower abdominal pain): Flut-inhloc.

lesions, inflammatory, with monilial overgrowth in the anogenital region (See Lesions): Doxyc-syst.

uterus.

endometriosis; endometritis; disorder, endometrial; proliferation, endometrial; hyperplasia; endometriotic disease flare (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): Carbopr-syst., Dinopst-parloc., Dinopne-cervag., DrosE-syst., Estro-syst., Estro-vag., **Ralo-syst.**, SodC-parloc., Tamo-syst., Tore-syst., Ure-parloc.

dogs: Tore-syst.

monkeys: Tore-syst.

Repertório - Capítulo GENITÁLIA FEMININA

transient (pelvic pain, dysmenorrhea, dyspareunia, pelvic tenderness, induration): Gos-syst.

adult females: Leup-syst.

vagina (vaginitis) (redness, burning or itching of vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): Aztr-syst., Cefd-syst., Cele-syst., Ceph-syst., Cev-syst., Clind-vag., ConjE-syst., Danaz-syst., Darif-syst., Ert-syst., Estro-syst., EstroP-syst., Eton-vag., Fluorq-syst. [Sparfloxacin; Moxifloxacin]; Flut-inhloc., Fosf-syst., Gold-syst., Gos-syst., Infl-syst., IntB1a-syst., Lor-syst., Metro-vag., Mif-syst., Natal-syst., Nef-syst., Ola-syst., Oxc-syst., Paro-syst. QuinuD-syst., Ralo-syst., Teli-syst., Trov-syst., Valp-syst.

adult females: Leup-syst.

allergic (persistent vaginal redness, irritation, rash, dryness, or whitish discharge): Sper-vag.

atrophic (itching of the vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): Acit-syst.

primarily due to *Candida albicans* (itching of the vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): **Clind-vag.**

recurrent: DrosEE-syst., EstroPO-syst.

sporadic: DrosEE-syst., EstroPO-syst.

vaginosis, fungal (change in the color, amount, or odor of vaginal discharge): **Estro-syst., Glut-syst., Teli-syst.**

vulvovaginitis (itching, stinging, or redness of the genital area): Estro-vag., Flut-inhloc.

vulva (vulvitis) (itching, stinging, or redness of the genital area): Acyc-top., Metro-vag.

vulvovaginitis (itching, stinging, or redness of the genital area): Estro-vag., Flut-inhloc.

IRRITAÇÃO (Ver Inflamação; Comichão).

vagina: AntfunA-vag., GentiV-vag., Nys-vag., Sper-vag., Teli-syst.

LACTAÇÃO (Ver PEITO, Leite; GENERALIDADES, Lactação).

decreased flow of milk: Antchsp-syst.

postpartum (decreased amount or quality of milk): Eton-vag.

hyperprolactinemia (swelling of breasts or unusual milk production): Cital-syst., Fluox-syst., Oxyt-syst., Paro-syst., Risp-syst., Sertr-syst.,

lactation inhibitor: **Bromo-syst., Cab-syst.**

LESÕES (Ver Câncer; Tumor; Úlcera).

cervix.

patients treated for female infertility: FollitA-syst.

inflammatory, with monilial overgrowth in the anogenital region: Doxyc-syst.

Repertório - Capítulo GENITÁLIA FEMININA

LEUCORRÉIA, descarga vaginal (aumento da quantidade de corrimento vaginal claro; corrimento vaginal branco): AntfunA-vag., Cefd-syst., **ConjE-syst.**, DoxorL-syst., DrosE-syst., **Estro-syst.**, Estro-vag., **Eton-vag.**, Mif-syst., Nafa-syst., Ralo-syst.

bloody: Estro-syst.

brown: Estro-syst., Tini-syst.

candidiasis, *Candida albicans* (itching of the vagina or outside genitals; pain during sexual intercourse; thick, white curd-like vaginal discharge without odor or with mild odor): **Clind-vag.**, Estro-syst.

vaginal (burning or itching of vagina; discharge from vagina): Aztr-syst., **Ceph-syst.**, DoxycD-syst., DrosEE-syst., Eryts-syst., EstroPO-syst., Eton-vag., Flut-inhloc., Levof-syst., Metro-syst., **Penicil-syst.**, PenicilB-syst., Spa-syst., Teli-syst.

vaginitis, due to *Candida albicans* (itching of the vagina or genital area; pain during sexual intercourse; thick, white vaginal discharge with no odor or with a mild odor): **Clind-vag.**

vulvovaginal (vaginal itching or irritation; thick, white vaginal discharge): **ConjE-syst.**, Estro-vag., Sper-vag.

change in: DrosE-syst., Estro-syst.

continuing.

pediatric females (white vaginal discharge): Leup-syst.

patients treated for female infertility: FollitA-syst.

patients pretreated with a gonadotropin-releasing hormone agonist (GnRH α) undergoing artificial reproductive technologies (ART): FollitA-syst.

transient: Sper-vag.

white: Estro-syst., Tini-syst.

LIBIDO (Ver Desejo Sexual).

MANCHAS BRANCAS nos genitais: HistH2-syst., Omep-syst.

MASCULINIZAÇÃO, virilismo, virilização (acne ou pele oleosa; diminuição do tamanho das mamas; aumento do clitóris; rouquidão ou engrossamento da voz; irregularidades menstruais; crescimento anormal e excessivo de pêlos; calvície de padrão masculina) (Ver Aumentada, clitóris; MENTAL): **AnabS-syst.**, **Andro-syst.**, Danaz-syst.

hirsutism, with (deepening of voice; increased hair growth; irregular menstrual periods): Aminglut-syst.

MENOPAUSA.

flashes, with hot: Tram-syst.

MENSTRUACÃO (Ver Metrorragia; Sangramento).

absent, missed menstrual periods, stopping of menstrual bleeding (amenorrhea) (complete stoppage of menstrual bleeding over several months): **Andro-syst.**, AntfunA-syst., Cele-syst., **ConjE-syst.**, **Cycloph-syst.**, **Danaz-syst.**, Docet-syst., **DrosEE-syst.**, **Epir-syst.**, Estro-syst., **EstroPO-syst.**, Eton-vag., Flut-inhloc., **Gos-**

syst., *Levom-syst.*, *Lox-syst.*, *Mecas-syst.*, **MedE-syst.**, *Mir-syst.*, **Mitox-syst.**, **Nafa-syst.**, *Natal-syst.*, *Nef-syst.*, *Niti-syst.*, *NoreE-syst.*, **Procar-syst.**, **Proge-syst.**, *Risp-syst.*, **SodPhe-syst.**, **Tamo-syst.**, *Thiot-syst.*, *Valp-syst.*

adult females: **Leup-syst.**

unusual stopping of menstrual bleeding: **Atom-syst.**, *HepatAVI-syst.*

breakthrough bleeding (medium to heavy, irregular vaginal bleeding between regular monthly periods, which may require the use of a pad or a tampon): **ConjE-syst.**, **Danaz-syst.**, **DrosEE-syst.**, *Estro-syst.*, **EstroPO-syst.**, *Eton-vag.*, *NoreE-syst.*, **Proge-syst.**

female patients treated for central precocious puberty: **Nafa-syst.**

female patients treated for endometriosis: **Nafa-syst.**

suppression, gonadal (missing menstrual periods): **Mech-syst.**

with ovarian suppression (missed or irregular menstrual periods): **Busu-syst.**

amenorrhea (See absent).

copious: *AnthisP-syst.*, *Capec-syst.*, *Eno-syst.*

menorrhagia (increased amount of menstrual bleeding at regular monthly periods): *Clom-syst.*, *Estro-syst.*, **MedE-syst.**, **Mitox-syst.**, *Nef-syst.*

female patients treated for central precocious puberty: **Nafa-syst.**

female patients treated for endometriosis: **Nafa-syst.**

unusually heavy or unexpected: *Hepar-syst.*, *Prota-syst.*

delayed (See late).

discomfort, unusual, caused by clotting of menstrual fluid: *AmincAc-syst.*, *Trane-syst.*

disorders, changes in, altered, disturbances, abnormal, dysfunctions (menstrual changes): *Adal-syst.*, *AntinfN-syst.* [*Naproxen*]; *AntfunA-syst.*, *Anthyr-syst.*, **Atom-syst.**, *Cele-syst.*, *Chloramb-syst.*, *Cital-syst.*, *Cortic-inhloc.*, *Cortic-nas.*, *Cortic-ot.*, *Eton-vag.*, *Fluv-syst.*, *Gla-syst.*, **Hal-syst.**, *HepatAVI-syst.*, **IntB1b-syst.**, *Isot-syst.*, *Meno-syst.*, *Meto-syst.*, **Miglu-syst.**, *Mir-syst.*, *Moc-syst.*, *Moli-syst.*, *Mom-inhloc.*, *Nef-syst.*, *Nico-nas.*, *NoreE-syst.*, *Ola-syst.*, *Orl-orloc.*, *Paro-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, *Que-syst.*, **SodPhe-syst.**, **Tamo-syst.**, *Thiox-syst.*, *ThyH-syst.*, **Topi-syst.**, **Valp-syst.**, *Ven-syst.*

dysmenorrhea (See painful).

early (See frequent).

frequent, too.

early: *Anthis-syst.*

heavier (See copious).

irregular: *AntfunA-syst.* [*Ketoconazole*], **Atom-syst.**, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, **Danaz-syst.**, *Dom-syst.*, *Fludro-syst.*, *MedE-syst.*, *Moc-syst.*, **Natal-syst.**, *Orl-orloc.*, *Proge-syst.*, **Sir-syst.**, **SodPhe-syst.**

change in amount of bleeding during periods: **Atom-syst.**, *HepatAVI-syst.*

change in pattern of monthly periods: **Atom-syst.**, **ConjE-syst.**, **DrosEE-syst.**, **EstroPO-syst.**, *HepatAVI-syst.*

including abnormal timing or amount of flow for withdrawal bleeding: **ConjE-syst.**

female patients treated for central precocious puberty: **Nafa-syst.**

female patients treated for endometriosis: **Nafa-syst.**

late, too: **Atom-syst.**

painful (dysmenorrhea) (faintness; nausea; vomiting; irregular or painful menstrual period; abdominal cramps; diarrhea): *Almot-syst., Amph-syst., Anthis-syst. [Desloratadine], Atom-syst., ConjE-syst., Desl-syst., Estro-syst., Esz-syst., Fex-syst., Fluox-syst., Flut-inhloc., Fosf-syst., Gla-syst., IntB1b-syst., Lamo-syst., Leval-inhloc., Lut-syst., MedE-syst., Mir-syst., Mom-inhloc., Mom-nas., Natal-syst., Nico-nas., Nico-syst., Ola-syst., Paro-syst., Pemi-oph., Pime-top., Pyridos-syst., Risp-syst., Sib-syst., SodO-syst., Topi-syst., Vala-syst., Valp-syst., Zale-syst.*

patients treated for female infertility: *FollitA-syst.*

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART): *FollitA-syst.*

prolongued: *Moc-syst.*

scanty (very light menstrual bleeding): **DrosEE-syst., EstroPO-syst.**

hypomenorrhea: *VitA-syst.*

oligomenorrhea (absent, missed or irregular menstrual periods; stopping of menstrual bleeding; unusual menstrual periods): **Andro-syst., Tamo-syst.**

METRORRAGIA (sangramento menstrual pela vagina, inexplicável, inesperado e/ou extraordinariamente intenso; sangramento prolongado) (Ver Menstruação; Sangramento): *AntinfN-syst., EstroPO-syst., Nef-syst., Pil-syst., Proge-syst., Valp-syst.*

hematoma, pelvic (increased or continuing vaginal bleeding): *Oxyt-syst.*

menorrhagia (increased amount of menstrual bleeding at regular monthly periods):

Clom-syst., Estro-syst., MedE-syst., Mitox-syst., Nef-syst., Proge-syst., Risp-syst.

female patients treated for central precocious puberty: **Nafa-syst.**

female patients treated for endometriosis: **Nafa-syst.**

metorrhagia (normal menstrual bleeding occurring earlier, possibly lasting longer than expected): *Atorv-syst.*

NATIMORTO (Ver Aborto, espontâneo).

NECROSE do miométrio: *Ure-parloc.*

ODOR, vaginal (Ver Leucorréia): *Sper-vag.*

ORGASMO (Ver Coito; Desejo Sexual; MENTAL).

abnormal: *Atom-syst., Dul-syst.*

anorgasmia: **AntdepMAO-syst., Cital-syst., Esc-syst., Fent-trsyst., Fluox-syst., Fluv-syst., Paro-syst., Sertr-syst., Ven-syst.**

delayed: **Fluv-syst.**

OVÁRIOS.

cysts (See Tumors, ovaries, cysts).

disorder, ovarian: *Lut-syst.*

enlargement (See Enlarged).

hyperstimulation, ovarian (abdominal pain; bloating; diarrhea; severe nausea; rapid weight gain; vomiting; pelvic bloating or tenderness): **Lut-syst.**

Repertório - Capítulo GENITÁLIA FEMININA

mild: *Nafa-syst.*
ovarian hyperstimulation syndrome (See Ovarian Hyperstimulation Syndrome).
torsion, adnexal (ovarian torsion): *Lut-syst.*

OVULAÇÃO.

contraceptive (inhibition of the ovulation): *DrosEE-syst., EstroPO-syst., Eton-vag., MedE-syst., NoreE-syst., Proge-syst.* [*Levonorgestrel; Medroxyprogesterone* (parenteral); *Norethindrone* (base); *Norgestrel*]
hyperstimulation, ovarian (abdominal pain; bloating; diarrhea; severe nausea; rapid weight gain; vomiting; pelvic bloating or tenderness): **Lut-syst.**

mild: *Nafa-syst.*
induced: *Tamo-syst.*

PARTO, TRABALHO DE, nascimento.

inhibited (labor inhibition): *MagS-syst., Ritod-syst.*
late: *Isox-syst.*
premature: *Lut-syst.*

PÊLOS.

hirsutism.
pubic hair growth: **Nafa-syst.**
increase in: *Andro-syst.*

PLACENTA retida (aumento do sangramento uterino): *SodC-parloc.*

PÓLIPOS (Ver Tumor).

endometrial (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): *Tamo-syst.*

PROLACTINA.

prolactinemia or hyperprolactinemia (swelling of breasts or unusual milk production): *Cital-syst., Fluox-syst., Paro-syst., Risp-syst., Sertr-syst.*

RELAÇÃO SEXUAL, dor, dispareunia (relação sexual dolorosa): *Estro-syst., Podof-top.*

SANGRAMENTO, hemorragia (Ver Menstruação; Metrorragia).

genitourinary (blood in urine; lower back pain; pain or burning while urinating): **Abcix-syst., Arg-syst., Tir-syst.**
intermenstrual (uterine bleeding between menstrual periods): *ArsTr-syst., Atom-syst., DrosEE-syst., EstroPO-syst., HepatAVI-syst.*
postpartum: *Oxyt-syst.*
ovaries.
at time of ovulation (abdominal or stomach pain): **Antcoa-syst.**
uterus: *Atorv-syst.*
and vaginal: *Atorv-syst.*
continuing.

Repertório - Capítulo GENITÁLIA FEMININA

pediatric females (vaginal bleeding): *Leup-syst.*
excessive (unusually heavy or unexpected vaginal or menstrual bleeding): **Antcoa-syst.**, *Mif-syst.*
increased: *Ure-parloc.*
intermenstrual (uterine bleeding between menstrual periods): *ArsTr-syst.*
patients treated for female infertility: **FollitA-syst.**
patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART): **FollitA-syst.**
spotting (light uterine or vaginal bleeding between regular menstrual periods) (See vagina, spotting): *Clom-syst.*, *NoreE-syst.*, **Proge-syst.**
unexpected or unusual: *Estro-vag*
unexpected or unusual: *Estro-vag.*, *Oxyt-syst.*
increased: *Dinopst-parloc.*, *Dinopne-cervag.*
vagina (no menstrual vaginal bleeding): *Atorv-syst.*, *Cil-syst.*, *DicM-syst.*, *DrosE-syst.*, *Estro-syst.*, **EstroP-syst.**, *Eton-vag.*, *Ful-syst.*, *Ganir-syst.*, *Lep-syst.*, *Let-syst.*, *MedE-syst.*, *Mis-syst.*, *Nef-syst.*, *Tore-syst.*
abnormal: *Epl-syst.*
heavy: *Anast-syst.*, *ArsTr-syst.*, *Bevac-syst.*, *Cele-syst.*, *ConjE-syst.*, **DrosE-syst.**, *Estro-syst.*, **Gemt-syst.**, *Ibr-syst.*, *Valp-syst.*
patients treated for female infertility: *FollitA-syst.*
patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART): *FollitA-syst.*
spotting (lighter, irregular vaginal bleeding between regular menses): **ConjE-syst.**, **Danaz-syst.**, **DrosEE-syst.**, *Estro-syst.*, **EstroPO-syst.**, *Eton-vag.*, **Gos-syst.**, **Nafa-syst.**, **Proge-syst.**
adult females: **Leup-syst.**
uterine, and: *Atorv-syst.*

SENSAÇÕES, como se.

feeling of pressure in pelvis: *DrosE-syst.*, *Estro-syst.*, *Metro-syst.*

SÍNDROME DA HIPERESTIMULAÇÃO OVARIANA (SHO) (dor abdominal ou de estômago, contínua ou severa; náuseas, vômitos ou diarreia; diminuição da quantidade da urina; sensação de indigestão; inchaço moderado a grave; ganho de peso rápido; dor pélvica, às vezes grave; falta de ar; inchaço das pernas): *Cetr-syst.*, *ChorioA-syst.*, *Ganir-syst.*

ascites, with: *ChorioG-syst.*

fluid, accumulation of, rapid, in the pleural and pericardial cavities, with ovarian hyperstimulation syndrome: *ChorioG-syst.*

gonadotropin-releasing hormone agonist (GnRHa), patients pretreated with a, undergoing assisted reproductive technology (ART): **FollitA-syst.**, **FollitB-syst.**

hydrothorax, with: *ChorioG-syst.*

infertility, female, patients treated for: **FollitA-syst.**, **FollitB-syst.**

pleural effusion, with: *ChorioG-syst.*

respiratory distress, acute, with: *ChorioG-syst.*

severe (severe abdominal or stomach pain; feeling of indigestion; moderate to severe bloating; decreased amount of urine; continuing or severe nausea, vomiting, or diarrhea; severe pelvic pain; rapid weight gain; shortness of breath; swelling of lower legs; marked increase in vascular permeability): *ChorioG-syst.*, *Meno-syst.*, *Uro-syst.*

SÍNDROME DA TENSÃO PRÉ-MENSTRUAL (TPM), síndrome pré-menstrual (inchaço abdominal e cólicas e/ou dor pélvica ou de estômago; dor de cabeça): **Clom-syst.**, *ConjE-syst.*, *Doxyc-mucloc.*

TUMOR (Ver Câncer; Pólipos).

ovaries.

cysts (aching; bloating stomach; heaviness; pelvic discomfort; abdominal pain): *Bacl-syst.*, *ChorioA-syst.*, **ChorioG-syst.**, **Clom-syst.**, *IntB1a-syst.*, **Lut-syst.**, *Nafa-syst.*, **Proge-syst.**, *Tamo-syst.*, *Uro-syst.*

patients treated for female infertility: **FollitA-syst.**, **FollitB-syst.**
uncomplicated, mild to moderate: **Meno-syst.**

uterus.

enlargement, fibroid (abdominal bloating; stomach pain; pelvic pain): **Clom-syst.**

leiomyomata, uterine, increase in size (abdominal bloating; pelvic pain; stomach pain): *ConjE-syst.*, *Estro-syst.*

sarcoma (including malignant mixed mullerian tumors): *Tamo-syst.*

ÚLCERAS ou feridas.

genitals: *HistH2-syst.*, *Omep-syst.*, *Tret-syst.*

vulva: *Fosc-syst.*

sores: *Fosc-syst.*

ÚTERO.

coagulation: *Carbet-syst.*, *Carbopr-syst.*, *Dinopne-cervag.*, *Oxyt-syst.*

endometriosis; disorder, endometrial; proliferation, endometrial; hyperplasia; endometriotic disease flare (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding) (See Endometrium, endometriosis): *DrosE-syst.*, *Estro-syst.*, *Estro-vag.*, **Ralo-syst.**, *Tamo-syst.*

transient (pelvic pain, dysmenorrhea, dyspareunia, pelvic tenderness, induration): *Gos-syst.*

adult females: *Leup-syst.*

oxytocic (uterine stimulant, uterine activity increased): *Carbet-syst.*, *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Ergon-syst.*, *Methyler-syst.*, *Oxyt-syst.*

polyps (See Polypus).

rupture, uterine (increased or continuing vaginal bleeding; severe pelvic or abdominal pain, can lead to maternal death): *Oxyt-syst.*

sarcoma (including malignant mixed mullerian tumors): *Tamo-syst.*

stimulation, uterine (cramps in lower abdomen or stomach area): *Mis-syst.*

Repertório - Capítulo GENITÁLIA FEMININA

tetany; hypertonus, uterine; titanic uterine contraction; hypertonicity with spasm, uterine (continuous and severe cramping of the uterus): Dinopne-cervag., Dinopst-parloc., Ergon-syst., Methyler-syst., Ure-parloc.

VAGINA.

dryness: Anast-syst., Sper-vag.

stinging of female partners: Alpr-loc.

vulvovaginal disorder: **MedE-syst.**

VIRILISMO, virilização (Ver Masculinização).

VULVA.

vulvovaginal disorder: **MedE-syst.**

CAPÍTULO LARINGE E TRAQUÉIA

CONSTRIÇÃO.

glottis.

closure, glottic: Rem-syst.

trachea: **Ber-intloc.**

DOR (Ver GARGANTA).

larynx.

pharyngolaryngeal (sore throat; pain, throat): *Aprep-syst.*, **Dexmet-syst.**, **Dul-syst.**

ESPASMO de glote (Ver Laringismo).

GLOTE.

closure, glottis (See Constriction): Rem-syst.

INCHAÇO, edema (Ver GARGANTA).

glottis

angioedema (swelling of glottis; sudden trouble in swallowing or breathing): *AngIn-syst.*, *AngInH-syst.*, *EnaF-syst.*, *Etid-syst.*, *Moe-syst.*, *MoeH-syst.*, *TrandV-syst.*

and face, extremities, lips, tongue, larynx: *Moe-syst.*, *MoeH-syst.*, *Trand-syst.*

and larynx: *AngIn-syst.*, *AngInH-syst.*, *Etid-syst.*, *Moe-syst.*, *MoeH-syst.*

larynx (feeling of choking; high-pitched noise when breathing, wheezing; coughing; difficulty in breathing; difficulty in swallowing; hoarseness; shortness of breath; troubled breathing, or unusually slow or irregular breathing; tightness in chest; resulting in airway obstruction, can be fatal; tightness or swelling of neck; hoarseness; wheezing): *Amif-syst.*, *AmlodBen-syst.*, *AntinfN-syst.*, *AntvCPOv-syst.*, *BarbAn-syst.* [*Codeine*], *BronA-inhloc.* [*Salmeterol*], *Chym-parloc.*, *Crom-inhloc.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *Dipy-syst.*, *EnaF-syst.*, **FlutS-inhloc.**, *HistH2-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iot-loc.*, *Iot-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Ketor-syst.*, *Ond-syst.*, *Tene-syst.*, *Tiop-syst.*, *Tret-syst.*

allergic (shortness of breath, slow or irregular breathing, troubled breathing): *Opi-syst.*

angioedema (sudden trouble in swallowing or breathing): *AngIn-syst.*, *AngInH-syst.*, *EnaF-syst.*, *Eno-syst.*, *Etid-syst.*, *Gat-oph.*, *Moe-syst.*, *MoeH-syst.*, *Ofl-ot.*, *TrandV-syst.*

and face, extremities, lips, tongue, glottis: *Moe-syst.*, *MoeH-syst.*, *Trand-syst.*

and glottis: *AngIn-syst.*, *AngInH-syst.*, *Etid-syst.*, *Moe-syst.*, *MoeH-syst.*

Repertório - Capítulo LARINGE E TRAQUÉIA

laryngeal/pharyngeal edema (coughing; difficulty in breathing; difficulty in swallowing; hoarseness; shortness of breath; slow or irregular breathing; tightness in chest; wheezing): *Infli-syst.*

INFLAMAÇÃO (Ver Irritação; Laringismo; GARGANTA).

larynx (laryngitis) (cough; dry or sore throat; hoarseness; trouble in swallowing; voice changes; hoarseness; loss of voice): *Acit-syst., Agal-syst., Almot-syst., Capec-syst., Cele-syst., Cortic-inhloc., Glut-syst., IntB1b-syst., Ralo-syst., Sild-syst., Tiot-inhloc.*

trachea (tracheitis) (irritation of nose, throat, and/or upper chest area, possibly with hoarseness and/or coughing): *Gold-syst.*

IRRITAÇÃO (Ver Inflamação).

larynx (feeling of choking; high-pitched noise when breathing): *BronA-inhloc. [Salmeterol], FlutS-inhloc.*

LARINGISMO estriduloso, laringoespasma (espasmo da garganta; aperto na garganta; falta de ar; problemas para falar ou respirar; aperto no peito ou chiado; sensação de engasgo; ruído muito alto ao respirar) (Ver Inflamação; RESPIRAÇÃO, Angústia): *Almot-syst., AnestBar-syst., Arip-syst., Barb-syst., Benzod-syst. [Diazepam], Benzon-syst., BronA-inhloc. [Salmeterol], Desf-inhsyst., FentD-syst., Fluox-syst., FlutS-inhloc., Gadob-syst., Gla-syst., Keta-syst., Neu-syst., Ond-syst., Paro-syst., Pral-syst., Sevo-inhsyst.*

allergic (shortness of breath, troubled breathing, tightness in chest, or wheezing) *BarbAn-syst. [Codeine], Opi-syst.*

MUCO.

secretions, tracheobronchial, increased (increased salivation): *Keta-syst.*

SANGRAMETO, trato respiratório (tossindo sangue): *Tene-syst.*

SÍNDROME DA DISESTESIA FARINGOLARÍNGEA aguda (sensações subjetivas de disfagia ou dispnéia, sem qualquer laringoespasma ou broncoespasmo): *Oxa-syst.*

TRAQUÉIA.

calcification, tracheal or tracheobronchial (trouble in breathing): *Antcoa-syst. [Warfarin]*

VOZ, alterações (Ver LINGUAGEM, CONVERSAÇÃO E VOZ).

CAPÍTULO LINGUAGEM, CONVERSAÇÃO E VOZ

VOZ.

alterations, changes: **Bevac-syst.**, *Calcit-nassyst.*, *Gadov-syst.*, **Estro-syst.**, *Flut-nas.*, *Isot-syst.*, **OlmH-syst.**, *Pil-syst.*, **Til-syst.**

aphonia (See lost).

hoarseness (rough, scratchy sound to voice): **AbLam-syst.**, **AntandN-syst.**, *Calcit-nassyst.*, *Capec-syst.*, *CarbidEL-syst.*, *Cortic-nas.* [*Beclomethasone*, *Dexamethasone*, *Flunisolide*], *Crom-inhloc.*, **Dorn-inhloc.**, **Estro-syst.**, *Flut-nas.*, *Lit-syst.*, *Nalt-syst.*, *Nico-nas.*, *Nico-syst.*, **OlmH-syst.**, *Prazi-syst.*, *Sor-syst.*, **Til-syst.**

lost.

aphonia (loss of voice): **Abar-syst.**, *Alfuz-syst.*, *ArsTr-syst.*, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, *CarbidEL-syst.*, *Cital-syst.*, **DrosE-syst.**, *EzetS-syst.*, *Fex-syst.*, *Flut-inhloc.*, *Gals-syst.*, **GroH-syst.**, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, **Ipr-inhloc.**, **Lar-syst.**, **Len-syst.**, *Lut-syst.*, **MetfP-syst.**, **NoreE-syst.**, *Olm-syst.*, *OmeP-syst.*, **Oxa-syst.**, **Pam-syst.**, **Pime-top.**, *Ram-syst.*, *Risp-syst.*, **RosiM-syst.**, **Sir-syst.**, **Tiot-inhloc.**, *Tram-syst.*, **Urs-syst.**, **Zole-syst.**

dysphonia (hoarseness; sore throat; voice changes): **Cortic-inhloc.**, **Flut-inhloc.**, *FlutS-inhloc.*, *For-inhloc.*, *Levof-syst.*, *Tiot-inhloc.*

uncontrolled vocal outbursts and/or tics, vocal sounds that you cannot control: *Amph-syst.*, *Methylp-syst.*, *Pemo-syst.*

vocalization: **Keta-syst.**

CAPÍTULO RESPIRAÇÃO

ACCELERADA, respiração rápida; hiperventilação. taquipnéia (respiração profunda ou rápida, com tonturas; dormência de pés, mãos e ao redor da boca; respiração rápida superficial; falta de ar) (Ver Angústia Respiratória; Asma; Difícil; Dispnéia; Falência; Impedida; Sibilante): **Abac-syst.**, *Abar-syst.*, *Almot-syst.*, *Alpr-syst.*, **Amif-syst.**, *Amio-syst.*, *AmlodAt-syst.* [*Amlod-syst.*], **AmmSAR-syst.**, *Amph-syst.*, *AmphoBCC-syst.*, AntdepMAO-syst., *AntdepT-syst.* [*Amoxapine*], AnthisDAc-syst. [*Pseudoephedrine*], AppSupS-syst., **Arip-syst.**, *ArsTr-syst.*, *AspirSC-syst.*, BarbAn-syst. [*Aspirin*], *Benzod-syst.* [*Diazepam*], BisS-orloc., BronA-syst. [*Ephedrine*], *Busu-syst.*, **Caff-syst.**, *CarbidEL-syst.*, *CarbidL-syst.*, CetiP-syst. [*Pseudoephedrine*], *Cital-syst.*, *Cloz-syst.*, *Coc-mucloc.*, DecAn-syst. [*Salicylate-containing combinations*], **Dexmet-syst.**, *Dipy-syst.*, *DorzT-oph.*, **Doxap-syst.**, *Doxaz-syst.*, *Ert-syst.*, *Etom-syst.*, *FacIX-syst.*, **Flum-syst.**, *FollitB-syst.*, *Gadob-syst.*, *Gef-syst.*, *Gla-syst.*, *Hal-syst.*, *Hepar-syst.*, *HydroI-syst.*, *Iri-syst.*, *Lox-syst.*, *Maf-top.*, *Mem-syst.*, MepA-syst. [*Aspirin*], Mesa-orloc., *Mont-syst.*, **Mur-syst.**, *Nev-syst.*, *Paliv-syst.*, *Para-syst.*, *Peme-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, **Pral-syst.**, *Pse-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Que-syst.*, *Risp-syst.*, *Sal-syst.*, *Sala-top.*, *SodBeSP-syst.*, *Tacri-syst.*, *Thr-syst.*, *Tiz-syst.*, *Trimetr-syst.*, *Valp-syst.*

children: AcetSal-syst., AnthisDAg-syst. [*Salicylate-containing combinations*], *DecAn-syst.* [*Salicylate-containing combinations*], Sal-syst.

young: AcetSal-syst., AnthisDAg-syst. [*Salicylate-containing combinations*]

hyperpnea (fast or deep breathing): BisSMT-syst. [*Bismuth subsalicylate*]

shallow and rapid breathing, due to acidosis: Iron-syst.

ACIDOSE respiratória (falta de ar; dificuldade respiratória): *CarbonAI-syst.*

shallow and rapid breathing, due to acidosis: Iron-syst.

ALCALOSE respiratória: *AntinfN-syst.* [*Phenylbutazone*], BarbAn-syst. [*Aspirin*], **BronA-inhloc.**, DecAn-syst. [*Salicylate-containing combinations*]

mild: *GalliN-syst.*, *SodBeSP-syst.*

ANGÚSTIA RESPIRATÓRIA; respiração difícil, obstrução as vias aéreas, dispnéia, broncoespasmo, broncoconstricção (respiração rápida, superficial, problemática, difícil, anormal ou trabalhosa; tosse; respiração ruidosa; falta de ar; aperto no peito; congestão no peito; respiração sibilante; doença pulmonar ou função pulmonar diminuída) (Ver Asfixia; Asma; Difícil. Dispnéia; Falência; Impedida; Sibilante): *Acetyl-syst.*, *Adal-syst.*, **Aden-syst.**, **Agal-syst.**, *AlbMic-syst.*, *Almot-syst.*, *Alpha-syst.*, *Aman-syst.*, *Amif-syst.*, *Amio-syst.*, *Amph-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *AmphoBLsC-syst.*, **Anast-syst.**, *AnestBar-syst.*, *AnestInh-syst.* [*Enflurane*, *Isoflurane*, *Methoxyflurane*, *Nitrous Oxide*], *AngIn-syst.*, *AngInH-syst.*, *AntandN-syst.*, Antchsp-syst., *AntglaC-oph.*, *Anththro-syst.*, **AnthyGR-syst.**, *AntvCPol-syst.*, *AntvM.-syst.*, AppSupS-syst., *Aprac-oph.*, *Arb-syst.*, **ArsTr-syst.**, *Atorv-syst.*, **Azac-syst.**, *Azel-nas.*, *Azel-oph.*, *Aztr-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Codeine*], **Basil-syst.**, *Benzod-syst.* [*Diazepam*], *Benzon-syst.*, *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, **Bort-syst.**, *Brim-oph.*, *Brin-oph.*, *BronA-syst.* [*Epinephrine*], *Busu-syst.*, *Calcit-nassyst.*, **Calf-**

intloc., *Capec-syst.*, *Carbet-syst.*, *CarbidEL-syst.*, **Carv-syst.**, *Casp-syst.*, *Cele-syst.*, **Cetux-syst.**, *ChorioG-syst.*, *Chym-parloc.*, *Cisat-syst.*, *Cital-syst.*, *CitAGM-mucloc.*, **Clofar-syst.**, *Clop-syst.*, *ColSF-syst.*, *Colc-syst.*, *CortO-systdia.*, *Cortic-inhloc.*, *Dacli-syst.*, *Dapt-syst.*, **Darb-syst.**, **DauL-syst.**, *Del-syst.*, **Den-syst.**, *Desf-inhsyst.*, *Desl-syst.*, *DeslP-syst.*, *Dexmed-syst.*, *Diat-syst.*, *Dic-top.*, *DicM-syst.*, *Dihi-nassyst.*, *Dinopst-parloc.*, *Dipy-syst.*, *Docet-syst.*, *Dof-syst.*, *Dol-syst.*, *Don-syst.*, *Dorn-inhloc.*, *Dorz-oph.*, *DorzT-oph.*, *Doxac-syst.*, *Doxaz-syst.*, *DoxorL-syst.*, *Efav-syst.*, *EmtT-syst.*, *EnaF-syst.*, *Enf-syst.*, *Eno-syst.*, *Enta-syst.*, *Ergon-syst.*, **Erl-syst.**, *Ert-syst.*, *Etan-syst.*, **Exem-syst.**, *EzetS-syst.*, *FatE-syst.*, **Fenof-syst.**, **Fent-syst.**, *Fent-trsyst.*, *FexP-syst.*, **Fluda-syst.**, *Fluorq-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *Fluv-syst.*, *Fol-syst.*, *FollitB-syst.*, *For-inhloc.*, **Ful-syst.**, *Gadob-syst.*, *Gadop-syst.*, *Gals-syst.*, *Gat-oph.*, *Gef-syst.*, **Gemc-syst.**, *Gemif-syst.*, **Gemt-syst.**, **Gla-syst.**, *GlipM-syst.*, *Guanad-syst.*, *HepatAVI-syst.*, *HistH2-syst.* [*Famotidine*, *Nizatidine*, *Ranitidine*], *Hydra-syst.*, *HydroI-syst.*, **Ibr-syst.**, *Ilo-inh.*, *Ima-syst.*, *Imiq-top.*, **Imm-syst.**, **Infli-syst.**, *IntB1a-syst.*, *IntB1b-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-syst.*, **Iri-syst.**, *Isot-syst.*, *Ketor-syst.*, *Lami-syst.*, *LamiZ-syst.*, **Lar-syst.**, *Lat-oph.*, *Lef-syst.*, **Len-syst.**, **Let-syst.**, *Leval-inhloc.*, *Levoc-oph.*, *Lid-syst.*, *Lid-top.*, *Lut-syst.*, *Mal-top.*, *Mef-syst.*, *Meg-syst.*, *Melo-syst.*, *Mem-syst.*, *MepA-syst.* [*Aspirin*], **MetfP-syst.**, *Methyler-syst.*, *Mida-syst.*, *Mir-syst.*, *Mis-syst.*, *Miv-syst.*, *Moc-syst.*, *Mom-inhloc.*, *Mup-nas.*, **Mur-syst.**, **Myc-syst.**, *Natal-syst.*, *Nef-syst.*, *Nel-syst.*, *Neu-syst.*, *Nico-nas.*, *Nitro-syst.*, **NoreE-syst.**, *Ofl-ot.*, *Ola-syst.*, *Olm-syst.*, *Omeg-syst.*, *Omep-syst.*, *Ond-syst.*, **Oxa-syst.**, **PacP-syst.**, **Paliv-syst.**, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, *Pegas-syst.*, *PegiA2a-syst.*, **Penta-inh.**, *Pentosa-syst.*, *Pentost-syst.*, *Phy-syst.*, *Pil-syst.*, *Podop-top.*, **Por-syst.**, *Prami-syst.*, *Prazo-syst.*, *PrazoP-syst.*, *Pre-syst.*, **Prota-syst.**, *Pyridos-syst.*, *Que-syst.*, *Ram-syst.*, *Ras-syst.*, *Resp-syst.*, **Riba-syst.**, **RibaI-syst.**, *Ril-syst.*, *Risp-syst.*, **Ritu-syst.**, **Riz-syst.**, *Roc-syst.*, *Rof-syst.*, *Ropin-syst.*, **RosiM-syst.**, *Rosu-syst.*, *Sal-syst.*, *Sevo-inhsyst.*, **Sild-syst.**, **Sir-syst.**, **SodBeSP-syst.**, **Sor-syst.**, *Sulfi-syst.*, *Sum-syst.*, *Sym-parsyst.*, *Tad-syst.*, *Tal-intloc.*, *TecF-syst.*, *TecB-syst.*, *TecSul-syst.*, *Teno-syst.*, *Tera-syst.*, *Teri-syst.*, *Thr-syst.*, *Tini-syst.*, *Tiop-syst.*, **Tiot-inhloc.**, *Tiz-syst.*, *Toc-syst.*, *Tolc-syst.*, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, *Tram-syst.*, *TramA-syst.*, *TrandV-syst.*, *Tras-syst.*, **Tret-syst.**, **Urs-syst.**, *Vac-syst.*, *Valp-syst.*, *Vard-syst.*, *Ven-syst.*, *Zan-inhsyst.*, *Zic-syst.*, **Zole-syst.**, *Zolp-syst.*, *Zop-syst.*

acute (troubled breathing, sudden; chest tightness): *Alemt-syst.*, *Cyclos-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

adults: *Desf-inhsyst.*, **Sevo-inhsyst.**

adult respiratory distress syndrome (ARDS) (cyanosis; quick, shallow breathing; shortness of breath; tightness in chest; troubled breathing; difficult breathing; wheezing): **Abac-syst.**, *Aman-syst.*, *Amio-syst.*, *Colc-syst.*, **Def-syst.**, *Infli-syst.*, **Mur-syst.**, *Pegf-syst.*, *Ritu-syst.*, *Tras-syst.*

acute (blue lips, fingernails, or skin; difficult, fast or troubled breathing; shortness of breath; tightness in chest; wheezing): *Docet-syst.*, *Imm-syst.*, *Meno-syst.*, *Tal-intloc.*, *Vac-syst.*

neutropenic patients with sepsis: *ColSF-syst.* [*Filgrastim*]

animals: *QuinuD-syst.*

dogs: *Levoc-oph.*

mice: *Levoc-oph.*, *Mero-syst.*

monkeys: *Levoc-oph.*

rats: *Levoc-oph.*, *Mero-syst.*

asthma, bronchitis, bronchospastic allergic reaction (See Asthma).
 bronchospasm, bronchoconstriction (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): *Adal-syst.*, **Agal-syst.**, *Amio-syst.*, *AmphoBLC-syst.*, *AnestBar-syst.*, *AnestInh-syst.* [*Enflurane*, *Isoflurane*, *Methoxyflurane*, *Nitrous Oxide*], *AntglaC-oph.*, *Aprot-syst.*, *Azel-nas.*, *Barb-syst.*, *BarbAn-syst.* [*Codeine*], *Benzon-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *BronA-syst.*, *Calcit-nassyst.*, *Capec-syst.*, *Carv-syst.*, *Casp-syst.*, *Cele-syst.*, *Chym-parloc.*, *Cisat-syst.*, *Dexmed-syst.*, *Diat-syst.*, *Dinopst-parloc.*, *Dipy-syst.*, *Dol-syst.*, *Dorz-oph.*, *Doxac-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *Fol-syst.*, *Gals-syst.*, *Gemc-syst.*, *HistH2-syst.* [*Famotidine*, *Nizatidine*, *Ranitidine*], **Ibr-syst.**, *Imm-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-syst.*, *Isot-syst.*, *Ketor-syst.*, *Lar-syst.*, *Lid-top.*, *Melo-syst.*, *MepA-syst.* [*Aspirin*], *Miv-syst.*, *Nel-syst.*, *Neu-syst.*, *Nico-nas.*, *Ond-syst.*, *Pegas-syst.*, *Penta-inh.*, *Por-syst.*, *Propo-syst.*, *Riton-syst.*, **Ritu-syst.**, *Roc-syst.*, *Sal-syst.*, *Sevo-inhsyst.*, *TecSul-syst.*, *Thr-syst.*, *Tini-syst.*, *TosI-syst.*, *Tras-syst.*, *Vac-syst.*, *Zan-inhsyst.*
 acute (troubled breathing, sudden; chest tightness): *Alemt-syst.*
 aggravated: *Doxaz-syst.*
 asthmatic patients: *Carbopr-syst.*, *Dinopst-parloc.*
 cough, with: *AntvCPOv-syst.*
 hypersensitivity-induced (shortness of breath; tightness in chest; troubled breathing; wheezing): *BronA-inhloc.*
 increased.
 asthma patients (difficulty in breathing; tightness in chest; wheezing): *Acetyl-inh.*
 precipitous fall in pulmonary function (FEV₁), associated with a (increased wheezing; tightness in chest; or difficulty in breathing): **Crom-inhloc.**
 pulmonary edema, with: *TecSul-syst.*
 severe: *Dipy-syst.*, *Infli-syst.*
 wheezing, with: *AntvCPOv-syst.*
 exertional dyspnea: **Azac-syst.**, *Histr-syst.*, **Len-syst.**, *Lit-syst.*
 females: **Meno-syst.**
 hypotension, associated with: *Amif-syst.*
 interstitial lung disease (cough; difficult breathing; fever; shortness of breath): *Adal-syst.*, *Cetux-syst.*, *Lef-syst.*
 labored respiration (difficult breathing).
 female mice: *Alos-syst.*
 laryngospasm (shortness of breath; trouble in speaking or breathing; tightness in chest; or wheezing; feeling of choking; high-pitched noise when breathing) (See LARYNX AND TRACHEA): *AnestBar-syst.*, *Arip-syst.*, *Barb-syst.*, *Benzod-syst.* [*Diazepam*], *Benzon-syst.*, *BronA-inhloc.* [*Salmeterol*], **Desf-inhsyst.**, *FentD-syst.*, *Fluox-syst.*, **FlutS-inhloc.**, *Keta-syst.*, *Neu-syst.*, *Ond-syst.*, **Pral-syst.**, **Sevo-inhsyst.**
 allergic (shortness of breath, troubled breathing, tightness in chest, or wheezing) *BarbAn-syst.* [*Codeine*], *Opi-syst.*
 leading to respiratory paralysis: *Antchsp-syst.*
 mucositis resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

paroxysmal nocturnal dyspnea: *Tras-syst.*

patients with predisposition to bronchoconstriction: *BetBA-oph.*

pediatric patients: *Desf-inhsyst.*

rats: *Eno-syst.*

respiratory depression, including: *Alpr-syst.*

infants: **Alpr-syst.**

respiratory paralysis, leading to: *Antchsp-syst.*

severe: *Dipy-syst., Hal-syst., Infl-i-syst., Nico-syst., TecAlA-syst., Thiox-syst.*

shortness of breath: **Abac-syst., AbLam-syst., AbLamZid-syst., Adal-syst.,** *Alemt-syst., AmlodAt-syst. [Amlod-syst.], Amio-syst., AmylN-syst., Anest-oph., AntandN-syst., AntdepMAO-syst., AntinfN-syst. [Fenoprofen, Naproxen], AntCoaC-syst., AntdepT-syst., AntfunA-syst. [Itraconazole], Anthis-syst. [Azatadine, Clemastine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst. [Pseudoephedrine], AnthisP-syst., Anththro-syst., Arip-syst., ArsTr-syst., AspirSC-syst., Ataz-syst., Atorv-syst., AtropB-syst., Barb-syst., BarbAn-syst. [Barbiturates, Aspirin], Bentir-syst., Beth-syst., BronA-syst. [Ephedrine], Busu-syst., CarbidEL-syst., Cele-syst., CetiP-syst. [Pseudoephedrine], Cetr-syst., ChIH-syst., Chlorh-mucloc., ChorioG-syst., Cital-syst., Clad-syst., Clar-syst., Cloz-syst., Coc-mucloc., ColSF-syst. [Sargramostim], Cyp-syst., Danap-syst., DecAn-syst., Desm-syst., Dexmet-syst., DiuP-syst., Docet-syst., DorzT-oph., Doxaz-syst., Dut-syst., Edr-syst., EdrA-syst., EmtT-syst., Eno-syst., Epoe-syst., Etan-syst., FacIX-syst., Flavox-syst., Flum-syst., Fluorq-syst., FlutS-inhloc., Glut-syst., Hepar-syst., HyalSD-syst., Hyalur-parloc., HydroI-syst., HydroxT-oph., Iba-syst., Ibr-syst., Imm-syst., Infl-i-syst., InsA-syst., InsD-syst., InsGla-syst., InsGlu-syst., InsL-syst., Iri-syst., Mem-syst., Meno-syst., Mep-syst., MepA-syst. [Meprobamate], Mitom-syst., Mont-syst., Ketor-syst., Lut-syst., MagS-syst., Man-syst., Mech-syst., Melo-syst., Mex-syst., Mitot-syst., Mitox-syst., Mod-syst., Mur-syst., Nalt-syst., Natal-syst., Nia-syst., Nial-syst., Nico-inhsyst., Niconas., Nis-syst., Nitra-syst., Nitrop-syst., Ond-syst., Opr-syst., Ose-syst., Oxa-syst., Paliv-syst., Para-syst., PenteC-syst., PerpA-syst., Phy-oph., Phy-syst., Pil-syst., PramI-syst., Prazi-syst., Pre-syst., Primi-syst., Pse-syst., Pyridos-syst., Pyrim-syst., Quin-syst., Ras-syst., Rau-syst., Rep-syst., Reso-top., Ritod-syst., Sal-syst., Sin-syst., SodBeSP-syst., SodC-parloc., SodN-syst., Sta-syst., TecAl-syst., Teli-syst., Teno-syst., Thr-syst., ThyH-syst., Thyr-syst., Tiot-inhloc., Tiz-syst., TosI-syst., Tras-syst., Tret-syst., Uro-syst., Vac-syst., Vald-syst., Valp-syst., Valg-syst., Vino-syst., Xyl-nas., Zic-syst.*

children: *AnthisP-syst.*

females: *Tamo-syst.*

sudden onset of: *Isot-syst., Mech-top.*

troubled breathing: **Abac-syst., AbLam-syst., Abar-syst., Amif-syst., Amio-syst.,** *Anest-oph., AntCoaC-syst., AntandN-syst., AntdepMAO-syst., AntinfN-syst. [Fenoprofen, Naproxen], AntdepT-syst., Anthis-syst. [Azatadine, Clemastine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst. [Pseudoephedrine], AnthisP-syst., Aspar-syst., AspirSC-syst., Ataz-syst., AtropB-syst., Barb-syst., BarbAn-syst. [Barbiturates, Aspirin], Bentir-syst., Benzod-syst., BetBA-oph., BronA-syst. [Ephedrine], Bupre-syst., Butor-nasyst., Calcit-syst., Cefd-syst., CetiP-syst. [Pseudoephedrine], ChIH-syst., Chlorh-mucloc., Cital-syst., Cloz-syst., Coc-*

Repertório - Capítulo RESPIRAÇÃO

mucloc., *DecAn-syst.*, *Desm-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *DipyA-syst.*, **Diso-syst.**, *DorzT-oph.*, *Doxap-syst.*, *Edr-syst.*, *EdrA-syst.*, *Efav-syst.*, *Ert-syst.*, *FacIX-syst.*, *Fent-syst.*, *Fent-trsyst.*, *Feru-syst.*, *Flavox-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gef-syst.*, *Gluc-syst.*, *Hepar-syst.*, *Hydrol-syst.* [Hydrocodone], *IbupO-syst.* [Ibuprofen], *Imm-syst.*, *Infli-syst.*, *Iodip-syst.*, *Iodix-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-loc.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Iri-syst.*, **Iron-syst.**, *JapV-syst.*, *Ketor-syst.*, *Lut-syst.*, *Maf-top.*, *Map-syst.*, *Mep-syst.*, *MepA-syst.* [Aspirin, Meprobamate], *Moli-syst.*, *Nev-syst.*, *Nico-inhsyst.*, *Ond-syst.*, *Orl-orloc.*, *Paliv-syst.*, *Para-syst.*, *Paro-syst.*, *Peme-syst.*, *PerpA-syst.*, **Phenot-syst.**, *Phy-syst.*, *Pil-oph.*, *Pil-syst.*, *Por-syst.*, *Prazi-syst.*, *Primi-syst.*, *Pse-syst.*, *Quin-syst.*, *Ras-syst.*, *Rep-syst.*, *Reso-top.*, *Ret-syst.*, *Ritu-syst.*, *Sal-syst.*, *SodBeSP-syst.*, *Sol-syst.*, *Tacro-syst.*, *Tacro-top.*, *TecAlA-syst.*, *TecMer-syst.*, *TecSul-syst.*, *TecTet-syst.*, *Thr-syst.*, *Tiz-syst.*, *Tram-syst.*, *Tras-syst.*, **Tret-syst.**, *Trimetr-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *ValsH-syst.*, *Vaso-syst.*, *Xyl-nas.*, *Zale-syst.*, *Zan-inhsyst.*, *Zic-syst.*, *Zolp-syst.*

children: AnthisP-syst.

severe: Lox-syst.

APNÉIA (Ver Presa).

ASFIXIA (dificuldade em respirar; perda da consciência) (Ver Impedida): Pyran-orloc.

ASMA, bronquite, reação alérgica broncoespástica (congestão no peito; tosse produtiva; dificuldade de respiração; falta de ar; problemas respiratórios; aperto no peito; respiração sibilante) (Ver Angústia Respiratória; Difícil; Dispnéia; Falência; Impedida; Sibilante): *Acetyl-syst.*, *Adal-syst.*, **Agal-syst.**, *Alemt-syst.*, *Alfuz-syst.*, *Almot-syst.*, *Anag-syst.*, *Anast-syst.*, *AntinfN-syst.*, *AnthiSDag-syst.* [*Salicylate-containing combinations*], *AnthiSP-syst.*, *AntvCPOv-syst.*, *Aprac-oph.*, *Arb-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *Azel-oph.*, *BarbAn-syst.* [*Aspirin; Barbiturates*], *Brim-oph.*, *Butor-nasyst.*, *Capec-syst.*, *Carbac-oph.*, *Cele-syst.*, *Cev-syst.*, *Chlorh-imploc.*, *Clop-syst.*, *Cortic-nas.* [*Fluticasone*], **Darb-syst.**, *Darif-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations; Salicylate-containing combinations*], **Del-syst.**, *Desf-inhsyst.*, *Dic-top.*, *Dihy-nassyst.*, *DipyA-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxyc-mucloc.*, *Efal-syst.*, *Efav-syst.*, **Estro-syst.**, *Etan-syst.*, *Exem-syst.*, *Fent-trsyst.*, *FentD-syst.*, *Fluda-syst.*, *Fluorq-syst.*, **Flut-inhloc.**, *FlutS-inhloc.*, *Fomi-parloc.*, *Gab-syst.*, *Gla-syst.*, *Gold-syst.*, **GroH-syst.**, *Hydrol-syst.*, **Iba-syst.**, **Infli-syst.**, *Ketor-syst.*, *Lat-oph.*, **Lef-syst.**, **Len-syst.**, *Lym-syst.*, *Melo-syst.*, *Mem-syst.*, *MepA-syst.*, **Ned-oph.**, *Nef-syst.*, *Nico-nas.*, *Niti-syst.*, *Olm-syst.*, *Opi-syst.*, *Ose-syst.*, *Oxc-syst.*, *Pantop-syst.*, *Paro-syst.*, *Pemi-oph.*, *Pentost-syst.*, **Pime-top.**, *Pre-syst.*, **Rep-syst.**, *Rise-syst.*, *Ritu-syst.*, **RoF-syst.**, *Ropin-syst.*, *Rosu-syst.*, *Sal-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, *SodTe-syst.*, *Tacri-syst.*, *TelmH-syst.*, *Testos-syst.*, *Tram-syst.*, *TrandV-syst.*, *Trav-oph.*, *Trie-syst.*, **Urs-syst.**, *Valp-syst.*, *Zale-syst.*, *Zan-inhsyst.*, *Zic-syst.*

allergic reaction (shortness of breath, troubled breathing, tightness in chest, hives, or wheezing): *Bentir-syst.*, *Cortic-nas.* [*Dexamethasone, Fluticasone*], *Leval-inhloc.*

asthma, asthma symptoms, asmatic episodes (See Difficult; Wheezing) (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): *Adal-syst.*, *Anag-syst.*, *AntinfN-syst.*, *AnthiSP-syst.*, *AntvCPOv-syst.*,

Repertório - Capítulo RESPIRAÇÃO

Aprac-oph., Arb-syst., Atorv-syst., Azel-oph., Capec-syst., Carbac-oph., Desf-inhsyst., Dic-top., DipyA-syst., Efav-syst., Fent-trsyst., Fluorq-syst., Ketor-syst., Lat-oph., **Ned-oph.**, Nef-syst., Pime-top., Ritu-syst., Rosu-syst., Seleg-syst., Sild-syst., **Sir-syst.**, SodTe-syst., Tacri-syst., Testos-syst.

adults: Desf-inhsyst.

bronchial (shortness of breath, troubled breathing, tightness in chest, hives, or wheezing): Cortic-nas. [Dexamethasone, Fluticasone], Tret-syst.

deteriorating, acutely (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): BronA-inhloc. [Salmeterol]

exacerbation of, worsening (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): Estro-syst., Flut-inhloc., Lat-oph., Pyridos-syst.

acute, exacerbation of: Pyridos-syst.

serious, increased risk of: FlutS-inhloc.

significantly: BronA-inhloc. [Salmeterol]

life-threatening: Arb-syst.

pediatric patients: Desf-inhsyst.

worsening (See exacerbation of).

bronchitis (congestion in chest; phlegm producing cough; cough producing mucus; difficulty breathing; shortness of breath; tightness in chest; wheezing): **Agal-syst.**, Alemt-syst., Alfuz-syst., Almot-syst., Anag-syst., Anast-syst., Atorv-syst., Brim-oph., Butor-nasyst., Capec-syst., Cele-syst., Cev-syst., Chlorh-imploc., Clop-syst., **Darb-syst.**, Darif-syst., **Del-syst.**, Dihy-nassyst., Don-syst., DorzT-oph., Doxyc-mucloc., Efal-syst., **Estro-syst.**, Etan-syst., Exem-syst., Fluda-syst., Fomi-parloc., Gab-syst., Gla-syst., Gold-syst., **GroH-syst.**, HydroI-syst., **Iba-syst.**, **Infli-syst.**, **Lef-syst.**, **Len-syst.**, Lym-syst., Mem-syst., Nef-syst., Nico-nas., Niti-syst., Olm-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Pemi-oph., Pentost-syst., **Pime-top.**, Pre-syst., **Rep-syst.**, Rise-syst., **Rof-syst.**, Ropin-syst., Rosu-syst., Sild-syst., **Sir-syst.**, TelmH-syst., Tram-syst., TrandV-syst., Trav-oph., Trie-syst., **Urs-syst.**, Valp-syst., Zale-syst., Zan-inhsyst., Zic-syst.

acute, exacerbation of: Pyridos-syst.

“gold” bronchitis: Gold-syst.

bronchospastic allergic reaction (shortness of breath, troubled breathing, tightness in chest, or wheezing): Acetyl-syst., AntinfN-syst., AnthisDAg-syst. [Salicylate-containing combinations], AspirSC-syst., BarbAn-syst. [Aspirin; Barbiturates], DecAn-syst. [Ibuprofen-containing combinations; Salicylate-containing combinations], FentD-syst., MepA-syst., Opi-syst., Sal-syst., Ske-syst.

asthmatic patients: AntinfN-oph. [Indomethacin]

ASSOBIANTE (Ver Sons).

stridor (noisy breathing; harsh, high-pitched sound during breathing): AntvCPOv-syst., **FlutS-inhloc.**, **Nitri-inhloc.**, Ond-syst., Pil-syst.

BRADIPNÉIA (Ver Lenta).

BRONQUITE (Ver Asma).

CHEYNE-STOKES (Ver Irregular; GENERALIDADES, Respiração).

CHOCALHANTE (Ver Sons).

rhonchi (trouble breathing; noisy breathing): **Azac-syst.**, **Gemt-syst.**

CIANOSE (Ver Presa).

CONGESTÃO respiratória: **EpoE-syst.**

DIFÍCIL (Ver Angústia Respiratória; Asfixia; Asma; Dispneia; Falência; Impedida; Sibilante): **Abac-syst.**, **Abar-syst.**, **Alfuz-syst.**, **Amio-syst.**, **AmmSAR-syst.**, **AntdepMAO-syst.**, **AntdepT-syst.** [*Amoxapine*], **AntglaC-oph.**, **AnthisP-syst.**, **Antm-syst.**, **Arip-syst.**, **ArsTr-syst.**, **Azac-syst.**, **Azith-syst.**, **BetBA-syst.**, **BetBAT-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **BronA-syst.** [*Ephedrine*], **Butor-nasyst.**, **CarbidEL-syst.**, **CetiP-syst.** [*Pseudoephedrine*], **Cev-syst.**, **Cital-syst.**, **Cloz-syst.**, **Coc-mucloc.**, **Don-syst.**, **DorzT-oph.**, **DrosE-syst.**, **Esm-syst.**, **EzetS-syst.**, **Fenof-syst.**, **Fent-trsyst.**, **Fex-syst.**, **Fluox-syst.**, **Fluv-syst.**, **Gadov-syst.**, **Gals-syst.**, **Gold-syst.**, **GroH-syst.**, **Guanf-syst.**, **Hal-syst.**, **Hist-syst.**, **HyalSD-syst.**, **Iba-syst.**, **Ima-syst.**, **Imiq-top.**, **Iot-syst.**, **Ioxa-syst.**, **Ipr-inhloc.**, **Lar-syst.**, **Len-syst.**, **Lid-syst.**, **Lox-syst.**, **Lut-syst.**, **Mem-syst.**, **MetfP-syst.**, **Meto-syst.**, **Mida-syst.**, **NoreE-syst.**, **Olm-syst.**, **OmeP-syst.**, **Oxa-syst.**, **Paliv-syst.**, **Pam-syst.**, **Paro-syst.**, **Penic-syst.**, **Perg-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Phy-syst.**, **Pime-top.**, **Pimo-syst.**, **Podop-top.**, **PyreP-top.**, **Pyridos-syst.**, **Que-syst.**, **Ram-syst.**, **Risp-syst.**, **RosiM-syst.**, **Sertr-syst.**, **Sir-syst.**, **Sulfi-syst.**, **TecB-syst.**, **Thiox-syst.**, **Tiop-syst.**, **Tiot-inhloc.**, **Tiz-syst.**, **Tram-syst.**, **Urs-syst.**, **Van-syst.**, **Ven-syst.**, **Zole-syst.**

cyanotic infants: **Ioxa-syst.**

leading to respiratory paralysis: **Antchsp-syst.**

severe: **Hal-syst.**, **Nico-syst.**, **Thiox-syst.**

slight: **DiphtA-syst.**

DISPNEIA (falta de ar; respiração difícil ou trabalhosa; aperto no peito; respiração sibilante) (Ver Angústia Respiratória; Asfixia; Asma; Dificil; Falência; Impedida; Sibilante): **Acetyl-syst.**, **Adal-syst.**, **Aden-syst.**, **Agal-syst.**, **AlbMic-syst.**, **Almot-syst.**, **Alpha-syst.**, **Aman-syst.**, **Amif-syst.**, **Amph-syst.**, **AmphoBCC-syst.**, **AmphoBLsC-syst.**, **Anast-syst.**, **AnthyGR-syst.**, **AntandN-syst.**, **Antthro-syst.**, **AntvCPol-syst.**, **AntvM.-syst.**, **AppSupS-syst.**, **Aprac-oph.**, **Aprot-syst.**, **Arb-syst.**, **ArsTr-syst.**, **Atorv-syst.**, **Azac-syst.**, **Azel-oph.**, **Aztr-syst.**, **Basil-syst.**, **Benzod-syst.** [*Diazepam*], **Bevac-syst.**, **Bort-syst.**, **Brim-oph.**, **Brin-oph.**, **BronA-syst.** [*Epinephrine*], **Busu-syst.**, **Capec-syst.**, **Carbet-syst.**, **CarbidEL-syst.**, **Carv-syst.**, **Cele-syst.**, **Cetux-syst.**, **ChorioG-syst.**, **Cital-syst.**, **CitAGM-mucloc.**, **Clofar-syst.**, **Clop-syst.**, **ColSF-syst.**, **CortO-systdia.**, **Dacli-syst.**, **Dapt-syst.**, **Darb-syst.**, **DauL-syst.**, **Del-syst.**, **Den-syst.**, **Desf-inhsyst.**, **Desl-syst.**, **DeslP-syst.**, **Dexmed-syst.**, **Dic-top.**, **DicM-syst.**, **Dihy-nassyst.**, **Dipy-syst.**, **Docet-syst.**, **Dof-syst.**, **Don-syst.**, **Dorn-inhloc.**, **Dorz-oph.**, **DorzT-oph.**, **Doxaz-syst.**, **DoxorL-syst.**, **Efav-syst.**, **EmtT-syst.**, **Eno-syst.**, **Enta-syst.**, **Epop-syst.**, **Ergon-syst.**, **Erl-syst.**, **Ert-syst.**, **Etan-syst.**, **Exem-syst.**, **FatE-syst.**, **Fent-syst.**, **FexP-syst.**, **Fluda-syst.**, **Fluorq-syst.**, **Fluox-syst.**, **Flut-inhloc.**, **Fluv-syst.**, **FollitB-syst.**, **For-inhloc.**, **Ful-syst.**, **Gadob-syst.**, **Gadop-syst.**, **Gals-syst.**, **Gat-**

Repertório - Capítulo RESPIRAÇÃO

oph., *Gef-syst.*, **Gemc-syst.**, *Gemif-syst.*, **Gemt-syst.**, **Gla-syst.**, *Guanad-syst.*, *HepatAVI-syst.*, *Hydra-syst.*, *HydroI-syst.*, **Ibr-syst.**, *Ilo-inh.*, *Ima-syst.*, *Imiq-top.*, **Imm-syst.**, **Inflisyst.**, *IntB1a-syst.*, *IntB1b-syst.*, **Iri-syst.**, *Ketor-syst.*, *Lar-syst.*, *Lat-oph.*, *Lef-syst.*, **Len-syst.**, **Let-syst.**, *Leval-inhloc.*, *Levoc-oph.*, *Mef-syst.*, *Meg-syst.*, *Melo-syst.*, *Mem-syst.*, *Methyler-syst.*, *Mir-syst.*, *Mis-syst.*, *Moc-syst.*, **Myc-syst.**, *Natal-syst.*, *Nef-syst.*, *Nitro-syst.*, *Ofl-ot.*, *Ola-syst.*, *Omeg-syst.*, **Oxa-syst.**, **PacP-syst.**, *Paliv-syst.*, **Pam-syst.**, *Pantop-syst.*, *PegiA2a-syst.*, **Peme-syst.**, **Penta-inh.**, *Pentosa-syst.*, *Pentost-syst.*, *Pime-top.*, **Por-syst.**, *Prami-syst.*, *Prazo-syst.*, *PrazoP-syst.*, *Pre-syst.*, **Prota-syst.**, *Que-syst.*, **Riba-syst.**, **Ribal-syst.**, *Risp-syst.*, **Ritu-syst.**, **Riz-syst.**, *Rof-syst.*, *Ropin-syst.*, *Rosu-syst.*, **Sild-syst.**, **Sir-syst.**, **Sor-syst.**, *Sum-syst.*, *Sym-parsyst.*, *Tad-syst.*, *Tal-intloc.*, *TecF-syst.*, *Teno-syst.*, *Tera-syst.*, *Teri-syst.*, *Thr-syst.*, *Tini-syst.*, *Tiop-syst.*, *Toc-syst.*, *Tolc-syst.*, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, *Tram-syst.*, *Tram-syst.*, *TramA-syst.*, *TrandV-syst.*, *Tras-syst.*, **Tret-syst.**, *Vac-syst.*, *Valp-syst.*, *Vard-syst.*, *Ven-syst.*, *Zan-inhsyst.*, *Zic-syst.*, **Zole-syst.**, *Zop-syst.*

adults: *Desf-inhsyst.*

animals: *QuinuD-syst.*

dogs: *Levoc-oph.*

mice: *Levoc-oph.*, *Mero-syst.*

monkeys: *Levoc-oph.*

rats: *Levoc-oph.*, *Mero-syst.*, *Eno-syst.*

exertional: **Azac-syst.**, *Histr-syst.*, *Indin-syst.*, **Len-syst.**, *Lit-syst.*

hypotension, associated with: *Amif-syst.*

paroxysmal nocturnal: *Tras-syst.*

pediatric patients: *Desf-inhsyst.*

DOENÇA do trato respiratório superior (resfriado comum; congestão nasal; tosse; dor de garganta; dor de cabeça; coriza; febre; congestão no peito): *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Mup-nas.*, *TramA-syst.*, *Vari-syst.*

DOLOROSA: *Procai-syst.*

EMBOLISMO pulmonar (ansiedade; dor no peito; tosse; desmaio; pulsação rápida; falta de ar ou problemas respiratórios súbitos; tonturas ou vertigens): *DrosE-syst.*

FALÊNCIA, insuficiência ou depressão respiratória (respiração irregular, rápida ou lenta; difícil, anormal ou superficial; diminuição do ritmo respiratório; falta de ar, às vezes grave; dificuldade respiratória, às vezes severa; congestão no peito; lábios, unhas, pele, mucosa nasal ou boca pálida ou azul; doença pulmonar ou função pulmonar diminuída) (Ver Angústia Respiratória; Asfixia; Difícil. Dispneia; Impedida; Lenta): **Abac-syst.**, *AcetSal-syst.*, *AcSodCit-syst.*, *Adal-syst.*, *Aminglut-syst.*, *Amio-syst.*, **AnestBar-syst.**, *AnestInh-syst.*, *Antchsp-syst.*, *AntconS-syst.*, *AntdepMAO-syst.*, *AnthisDAg-syst.* [Acetaminophen-containing combinations], *BarbAn-syst.* [Acetaminophen; Codeine], *Bacl-intsyst.*, *Bell-syst.*, *Benzod-syst.* [*Diazepam*], *Bleo-syst.*, *Bret-syst.*, *BronA-syst.* [Ephedrine], *Bupre-syst.*, *Carbam-syst.*, *Carv-syst.*, *Cele-syst.*, *CetiP-syst.* [Pseudoephedrine], *Cital-syst.*, *Clonparloc.*, *Clon-syst.*, *ClonC-syst.*, *Cloz-syst.*, *Coc-mucloc.*, *Dant-syst.*, *DecAn-syst.* [Acetaminophen-containing combinations], *Desf-inhsyst.*, *Dext-syst.*, *Dif-syst.*, *Dihynassyst.*, *Dipheni-syst.*, *DiphenoA-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxep-top.*, *Drop-syst.*,

Repertório - Capítulo RESPIRAÇÃO

Ergon-syst., Ethc-syst., **Fenof-syst.**, *Fent-trsyst.*, *Fluox-syst.*, *Fluv-syst.*, Gala-syst., IbupO-syst. [Oxycodone], IsomDA-syst., *JapV-syst.*, *Keta-syst.*, *Lami-syst.*, *LamiZ-syst.*, Leve-syst., Levom-syst., *MagSup-syst.*, Melo-syst., Methyler-syst., Mex-syst., **Mida-syst.**, Mor-syst., *Mup-nas.*, **Mur-syst.**, *Myc-syst.*, Nab-syst., Nico-inhsyst., *Niti-syst.*, *Nitro-syst.*, *Opi-syst.*, Oxa-syst., Oxyb-syst., *Paliv-syst.*, Pare-syst., *Paro-syst.*, *Pimo-syst.*, Pip-syst., *Por-syst.*, Probe-syst., *Propo-syst.*, Pyrim-syst., *Rem-syst.*, *Ril-syst.*, Riv-syst., Seleg-syst. [MAO inhibitors], *Sertr-syst.*, Sevo-inhsyst., **SodBeSP-syst.**, *Thie-syst.*, Tiz-syst., *Tram-syst.*, TramA-syst., **Tret-syst.**, Vald-syst., Vasc-syst., *Ven-syst.*, Vig-syst., Zale-syst., Zolp-syst., Zon-syst.

cardiopulmonary depression: Toc-syst.

collapse, cardiorespiratory: *Bleo-syst.*, *HydroxT-oph.*

females: **Meno-syst.**

hypoxia, and, requiring supplemental oxygen or ventilatory support: *Tras-syst.*

increasing muscular weakness may affect respiratory muscles, resulting in death: Gala-syst.

insufficiency, respiratory, requiring intubation: *Aldes-syst.*

intraoperative, may progress to apnea: **FentD-syst.**

labored respiration (difficult breathing).

female mice: Alos-syst.

leading to apnea: *Keta-syst.*

leading to respiratory paralysis: Antchsp-syst.

patients with chronic obstructive lung disease (COPD) and asthma: *Zan-inhsyst.*

postoperative, may progress to apnea: **FentD-syst.**

potentially fatal: *AnthisP-syst.*

progressive: *Atrop-oph.*

severe: *Barb-syst.*

toxicity, pulmonary, including respiratory failure, tachypnea, and wheezing (rapid breathing; severe shortness of breath): *Aldes-syst.*

FALTA DE AR, encurtada (Ver Acelerada; Angústia Respiratória; Asma; Difícil; Dispnéia; Falência; Impedida; Sibilante)

FRAQUEZA respiratória: *Coc-mucloc.*

HIPERSENSIBILIDADE, REAÇÃO DE (sibilante; em uma criança com histórico de asma): *Sac-syst.*

apnea, hypersensitivity-associated: *Etop-syst.*

HIPERTENSÃO pulmonar (falta de ar): *Fluox-syst.*

HIPERVENTILAÇÃO (Ver Acelerada).

HIPOVENTILAÇÃO (Ver Lenta).

HIPÓXIA, hipoxemia (confusão; tontura; pulsação rápida; falta de ar; fraqueza; lábios ou pele azulados) (Ver Asfixia; Impedida; GENERALIDADES; TESTES DIAGNÓSTICOS):

Repertório - Capítulo RESPIRAÇÃO

Amif-syst., *Amio-syst.*, **AmphoBCC-syst.**, *AnestInh-syst.*, *ArsTr-syst.*, *BronT-syst.* [Theophylline], *Colc-syst.*, *Colf-intloc.*, *Desf-inhsyst.*, **Dexmed-syst.**, *Fluda-syst.*, **Gemt-syst.**, *IbuO-syst.*, *Imm-syst.*, *Lid-top.*, *Miv-syst.*, **Mur-syst.**, *Pegf-syst.*, *Rem-syst.*, *Sevo-inhsyst.*, **Sir-syst.**, *Thr-syst.*, *Vac-syst.*

adult and pediatric patients: *Desf-inhsyst.*

anoxia.

brain damage: *Propo-syst.*

encephalopathy, hypoxic: *Mida-syst.*

hypotension, associated with: *Amif-syst.*

respiratory insufficiency, and, requiring supplemental oxygen or ventilatory support: *Tras-syst.*

IMPEDIDA, dificultada, obstruída; obstrução de vias aéreas (Ver Angústia Respiratória; Asfixia; Asma; Difícil; Dispnéia; Falência; Lenta; Sibilante): *AngIn-syst.*, *AngInH-syst.*, **Calf-intloc.**, *EnaF-syst.*, *Gat-oph.*, *Keta-syst.*, *Ofl-ot.*

adults: Sevo-inhsyst.

increased, asthma patients (difficulty in breathing; tightness in chest; wheezing): *Acetyl-inh.*

laryngospasm (shortness of breath; trouble in speaking or breathing; tightness in chest; or wheezing; feeling of choking; high-pitched noise when breathing): *AnestBar-syst.*, *Arip-syst.*, *Barb-syst.*, *Benzod-syst.* [*Diazepam*], *Benzon-syst.*, ‘ [*Salmeterol*], **Desf-inhsyst.**, *FentD-syst.*, *Fluox-syst.*, **FlutS-inhloc.**, *Keta-syst.*, *Neu-syst.*, *Ond-syst.*, **Pral-syst.**, **Sevo-inhsyst.**

allergic (shortness of breath, troubled breathing, tightness in chest, or wheezing) *BarbAn-syst.* [*Codeine*], *Opi-syst.*

mucositis resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

stricture, endobronchial (troubled breathing; reported only with treatment for non-small cell lung carcinoma [NSCLC]): **Por-syst.**

INFECCÃO respiratória (sintomas gripais; tosse; febre; espirros; dor de garganta) (Ver PEITO, Infecção, Inflamação; GENERALIDADES, Influenza): *Alpr-loc.*, *Carm-imploc.*, *Gab-syst.*, *Ketot-syst.*, **Lef-syst.**, **PacP-syst.**, *Zip-syst.*

lower respiratory tract infection (cough; troubled breathing; tightness in chest; wheezing): *Orl-orloc.*

mild to moderate: *Zaf-syst.*

upper respiratory tract infection [URTI] (ear congestion or pain; nasal congestion or stuffy nose; chest pain; chills; cough; fever; sneezing; sore throat; body aches or pain; head congestion; headache; loss of voice, hoarseness or other voice changes; runny nose; unusual tiredness or weakness; difficulty in breathing; greenish-yellow mucus; flu-like or cold-like symptoms): **Abar-syst.**, **Adal-syst.**, *Alfuz-syst.*, **Anak-syst.**, **AntandN-syst.**, *ArsTr-syst.*, **AtovaPro-syst.**, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **Butor-nasyst.**, *Calcit-nassyst.*, *Cand-syst.*, *CandH-syst.*, *CarbidEL-syst.*, **Cele-syst.**, *Cital-syst.*, **Clop-syst.**, *Coc-mucloc.*, *Daps-top.*, **Darb-syst.**, **Del-syst.**, *Desm-syst.*, *Dihy-nassyst.*, *DiphtTTH-syst.*, *Dof-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxaz-syst.*, **DrosE-syst.**, **Epoe-syst.**, *Epr-syst.*, **Estro-syst.**, **EstroP-**

Repertório - Capítulo RESPIRAÇÃO

syst., **Eton-vag.**, *Exem-syst.*, **Ezet-syst.**, *EzetS-syst.*, *Fel-syst.*, *Fex-syst.*, *FexP-syst.*, **Flut-inhloc.**, **FlutS-inhloc.**, **FollitA-syst.**, **For-inhloc.**, *Gals-syst.*, **GlipM-syst.**, **GlybM-syst.**, **GroH-syst.**, *HepatAVI-syst.*, *HepatAVIHB-syst.*, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, **Infli-syst.**, *IntBla-syst.*, **Ipr-inhloc.**, *Irb-syst.*, *Lans-syst.*, **Lar-syst.**, *Lat-oph.*, **Len-syst.**, *Los-syst.*, *LosH-syst.*, *Lut-syst.*, *Lym-syst.*, *Mem-syst.*, **MetfP-syst.**, **Mitox-syst.**, **Mom-inhloc.**, **Mom-nas.**, **Natal-syst.**, **Nate-syst.**, **NoreE-syst.**, *Olm-syst.*, **OlmH-syst.**, **Oma-syst.**, *Omep-syst.*, **Orl-orloc.**, **Oxa-syst.**, **Oxc-syst.**, **Paliv-syst.**, **Pam-syst.**, *Pantop-syst.*, **Pime-top.**, **Pio-syst.**, *Ram-syst.*, **Rep-syst.**, *Risp-syst.*, **Rof-syst.**, *Ropin-syst.*, **Rosi-syst.**, **RosiM-syst.**, **Sir-syst.**, *Telm-syst.*, **TelmH-syst.**, **Til-syst.**, **Tiot-inhloc.**, *Tiz-syst.*, **Tolc-syst.**, *Tram-syst.*, **Urs-syst.**, **Vald-syst.**, *Vals-syst.*, **Zole-syst.**

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRH α)
undergoing artificial reproductive technologies (ART): **FollitA-syst.**

viral, respiratory (flu-like symptoms): *FlutS-inhloc.*

INTERSTICIAL, doença pulmonar (tosse; respiração difícil; febre; falta de ar) (Ver PEITO, Afecções, pulmão): *Adal-syst.*, *Cetux-syst.*, *Lef-syst.*

IRREGULAR, desigual (Ver Respiração): **Abac-syst.**, *Abar-syst.*, **Amif-syst.**, *Amio-syst.*, *AntdepMAO-syst.*, *BronA-syst.* [Ephedrine], *Busu-syst.*, *CetiP-syst.* [Pseudoephedrine], *Chloramp-ot.*, *Chloramp-syst.*, *Cital-syst.*, *Cloz-syst.*, *Coc-mucloc.*, *DorzT-oph.*, *Ert-syst.*, *FacIX-syst.*, *Gef-syst.*, *HydroI-syst.*, *Iri-syst.*, *Nev-syst.*, *Paliv-syst.*, *Peme-syst.*, *Thr-syst.*, *Tiz-syst.*, *Trimetr-syst.*

breathing patterns, bizarre: *CarbidEL-syst.*

Cheyne-Stokes respiration (alternating periods of shallow and deep breathing):
Barb-syst., *BarbAn-syst.* [Barbiturates], *SodO-syst.*

LENTA, bradipnéia, ritmo ou frequência respiratória reduzida (Ver Falência): **Abac-syst.**, *Alpr-syst.*, *Amio-syst.*, *AntdepMAO-syst.*, *Barb-syst.*, *BronA-syst.* [Ephedrine], *Bupre-syst.*, *Butor-nasyst.*, *Carm-imploc.*, *CetiP-syst.* [Pseudoephedrine], *Cital-syst.*, *Cloz-syst.*, *Coc-mucloc.*, *DorzT-oph.*, *Etom-syst.*, *Fent-syst.*, *Fent-trsyst.*, *HydroI-syst.* [Hydrocodone], *Lid-top.*, *Mep-syst.*, *MepA-syst.* [Meprobamate], *Paliv-syst.*, *Para-syst.*, *Tiz-syst.*, *Tram-syst.*

animal studies: *AntandN-syst.* [Flutamide], *Sum-syst.*

depression, respiratory (irregular, fast or slow, difficult or shallow breathing; decreased breathing rate; shortness of breath, sometimes severe; troubled breathing, sometimes severe; pale or blue lips, fingernails, skin or inside of nose or mouth) (See Failure, insufficiency or depression): *AcetSal-syst.*, *AcSodCit-syst.*, *Aminglut-syst.*, ***AnestBar-syst.***, *AnestInh-syst.*, *AntconS-syst.*, *AntdepMAO-syst.*, *AnthisDAg-syst.* [Acetaminophen-containing combinations], *BarbAn-syst.* [Acetaminophen; Codeine], *Bacl-intsyst.*, *Bell-syst.*, *Benzod-syst.* [*Diazepam*], *Bret-syst.*, *Bupre-syst.*, *Carbam-syst.*, *Cele-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Cloz-syst.*, *Dant-syst.*, *DecAn-syst.* [Acetaminophen-containing combinations], *Desf-inhsyst.*, *Dext-syst.*, *Dif-syst.*, *Dihy-nassyst.*, *Dipheni-syst.*, *DiphenoA-syst.*, *Don-syst.*, *Doxep-top.*, *Drop-syst.*, *Ergon-syst.*, *Ethc-syst.*, *Gala-syst.*, *IbupO-syst.* [Oxycodone], *IsomDA-syst.*, *Keta-syst.*, *Leve-syst.*, *Levom-syst.*, *LidP-top.*,

Repertório - Capítulo RESPIRAÇÃO

MagSup-syst., *Melo-syst.*, *Methyler-syst.*, **Mida-syst.**, *Nab-syst.*, *Opi-syst.*, *Oxyb-syst.*, *Pare-syst.*, *Pimo-syst.*, *Pip-syst.*, *Propo-syst.*, *Pyrim-syst.*, *Rem-syst.*, *Riv-syst.*, *Seleg-syst.* [MAO inhibitors], *Sevo-inhsyst.*, *Thie-syst.*, *Tiz-syst.*, *Tram-syst.*, *TramA-syst.*, *Vald-syst.*, *Vasc-syst.*, *Vig-syst.*, *Zon-syst.*

increasing muscular weakness may affect respiratory muscles, resulting in death: *Gala-syst.*

intraoperative, may progress to apnea: **FentD-syst.**

leading to apnea: *Keta-syst.*

postoperative, may progress to apnea: **FentD-syst.**

potentially fatal: *AnthisP-syst.*

progressive: *Atrop-oph.*

severe: *Barb-syst.*

hypventilation; ventilation, pulmonary, reduced (extremely shallow or slow breathing; respiratory rate < 8 breaths per minute, pCO₂ greater than 55mm Hg): *Clon-parloc.*, *Dexmed-syst.*, **Fent-trsyst.**, *Hal-syst.*

unusually: *BarbAn-syst.* [Barbiturates, Aspirin]

OBSTRUÍDA (Ver Impedida).

OFEGANTE: *BronA-syst.* [Ephedrine], *Palo-syst.*

PRESA, parada (sem respiração) (Ver Asfixia; Impedida; Lenta): *Amio-syst.*, *Anest-mucloc.*, *Barb-syst.*, *BarbAn-syst.* [Barbiturates], *Chloroq-syst.*, *Colc-syst.*, *Diat-syst.*, *FentD-syst.*, *Hydxyz-syst.*, *Lid-syst.*, *LidP-top.*, *Mida-syst.*, **Mur-syst.**, *Quid-syst.*, *Trimetha-syst.*

apnea; apneic episodes; spontaneous respiration, loss of (bluish skin or lips; not breathing): **Alpr-syst.**, *Anest-parloc.*, **AnestBar-syst.**, *AnthisP-syst.*, *Barb-syst.*, *BarbAn-syst.* [Barbiturates], *Benzod-syst.*, *Ber-intloc.*, *Brim-oph.*, *CitAGM-mucloc.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Colf-intloc.*, **Desf-inhsyst.**, *Dexmed-syst.*, *Diso-syst.*, *Doxac-syst.*, **Fent-trsyst.**, **FentD-syst.**, *Gals-syst.*, *Ibr-syst.*, *Imm-syst.*, *Indo-syst.*, *Lamo-syst.*, *Levom-syst.*, *Mero-syst.*, **Mida-syst.**, **Mur-syst.**, *Nes-syst.*, *Neu-syst.*, **Propo-syst.**, *Rabe-syst.*, *Rem-syst.*, *Risp-syst.*, *Roc-syst.*, *Ropiv-parloc.*, *SodO-syst.*, *Vac-syst.*, *Vig-syst.*

adult patients: **Desf-inhsyst.**

brief periods of: *Etom-syst.*

depression, respiratory, leading to apnea: *Keta-syst.*

hypersensitivity-associated: *Etop-syst.*

hypotension, associated with: *Amif-syst.*

intraoperative or postoperative respiratory depression, may progress to apnea: **FentD-syst.**

neonates weighing less than 2kg at birth: **Alpr-syst.**

pediatric patients: **Desf-inhsyst.**, *Sevo-inhsyst.*

unexplained: *Cisap-syst.*

cardiorespiratory (no pulse or blood pressure; no breathing; unconscious; heart stops): *AnestBar-syst.*, *Chloroq-syst.*, *Ond-syst.*, *Risp-syst.*, *TecSul-syst.*

Repertório - Capítulo RESPIRAÇÃO

cyanosis (bluish-colored lips, fingernails, or palms of hands): AmylN-syst., AntvCPol-syst., AntvM.-syst., **Calf-intloc.**, Cital-syst., *DiphTTH-syst.*, *FatE-syst.*, *Hepar-syst.*, *Imm-syst.*, *Niti-syst.*, Nitra-syst., *Nitro-syst.*, **Paliv-syst.**, Palo-syst., *Ras-syst.*, SodN-syst., *Sulfas-syst.*, *TecAlA-syst.*, *Thr-syst.*, *Vac-syst.*, *Vasc-syst.*, *VitK-syst.*

animal studies: Sum-syst.

rats: Eno-syst.

ashen gray: *Coc-mucloc.*

peripheral (bluish-colored fingernails or palms of hands): BetBAT-syst.

death, can result in: *Mida-syst.*

hypotension, during or after: *Amif-syst.*

paralysis, respiratory (inability to breath without assistance): *Aminglyc-syst.*, *Anest-parloc.*, Antchsp-syst., *MagS-syst.*, Nico-inhsyst., Nico-nas., Nico-syst., *Pyridos-syst.*

difficulty in breathing leading to respiratory paralysis: Antchsp-syst.

PROFUNDA (Ver Lenta): AspirSC-syst., BarbAn-syst. [Aspirin], BisS-orloc., DecAn-syst. [Salicylate-containing combinations], MepA-syst. [Aspirin], Mesa-orloc., *Pap-syst.*, *Para-syst.*, Sal-syst., *Sala-top.*

children: AcetSal-syst., AnthisDAg-syst. [Salicylate-containing combinations], *DecAn-syst.* [Salicylate-containing combinations], Sal-syst.

young: AcetSal-syst., AnthisDAg-syst. [Salicylate-containing combinations]

desire to breath.

urge to take a deep breath: *CortO-systdia.*

hyperpnea (fast or deep breathing): BisSMT-syst. [Bismuth subsalicylate]

RESPIRAÇÃO.

accelerated (See Accelerated).

arrested (See Arrested).

asthmatic (See Asthma).

breathing patterns, bizarre: *CarbidEL-syst.*

Cheyne-Stokes respiration (See Irregular).

deep (See Deep).

difficult (See Difficult).

impeded (See Impeded).

irregular (See Irregular).

Kussmaul respiration (abnormally slow deep breathing): *SodBeSP-syst.*

obstructed (See Impeded).

shallow: **Abac-syst.**, *Amio-syst.*, AntdepMAO-syst., BronA-syst. [Ephedrine], CetiP-syst. [Pseudoephedrine], *Cital-syst.*, Cloz-syst., *Coc-mucloc.*, *DorzT-oph.*, *Paliv-syst.*, SodF-syst., Tiz-syst., VitMF-syst.

shallow and rapid breathing, due to acidosis: Iron-syst.

very: *Nitrop-syst.*

slow (See Slow).

RONCANTE, roncós (Ver Sons): **Mecas-syst.**

SEGURANDO a respiração.

adults: **Desf-inhsyst., Sevo-inhsyst.**

pediatric patients: Desf-inhsyst., Sevo-inhsyst.

SIBILANTE, sibilos (dificuldade em respirar ou com problemas na respiração) (Ver Acelerada; Angústia Respiratória; Asma; Difícil; Dispneia; Impedida): **AbLam-syst., Abar-syst., Adal-syst., Amif-syst., Amio-syst., AnestBar-syst., AntinfN-syst., AntCoaC-syst., AntandN-syst., AntfunA-syst. [*Itraconazole*], *Antm-syst., AntvCPOv-syst., ArsTr-syst., Ataz-syst., Atorv-syst., Azac-syst., Aztr-syst., Barb-syst., BetBA-oph., Beth-syst., Bleo-syst., Carbopl-syst., Cefd-syst., Cele-syst., Clar-syst., ColSF-syst.* [*Filgrastim, Sargramostim*], **Crom-inhloc., Cyp-syst., Def-syst., Desm-syst., DiatI-loc., Diat-loc., Diat-syst., DipyA-syst., Docet-syst., Doxac-syst., Doxap-syst., Dut-syst., Edr-syst., EdrA-syst., Efav-syst., EmtT-syst., Ert-syst., Esm-syst., Etan-syst., FacIX-syst., Feru-syst., Gadod-syst., Gadop-syst., Gadot-syst., Gef-syst., Glut-syst., Hepar-syst., Hyalur-parloc., HydroI-syst., HydroxT-oph., Iba-syst., Ibr-syst., ImipC-syst., Imm-syst., InflI-syst., InsA-syst., InsD-syst., InsGla-syst., InsGlu-syst., InsL-syst., Iodip-syst., Ioh-loc., Ioh-syst., Iopa-syst., Iopr-syst., Iot-loc., Iot-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Iri-syst., JapV-syst., Ketor-syst., Lami-syst., LamiZ-syst., Leuc-syst., Maf-top., Mech-syst., Melo-syst., Mep-syst., Mida-syst., Mitot-syst., Miv-syst., Mur-syst., Natal-syst., Nev-syst., Nico-inhsyst., Opr-syst., Orl-orloc., Ose-syst., Oxa-syst., Paliv-syst., Paro-syst., Peme-syst., Penta-inh., PenteC-syst., PenteZ-syst., Phy-oph., Phy-syst., Pil-oph., Pime-top., Praml-syst., Prazi-syst., Pre-syst., Procar-syst., PyreP-top., Pyridos-syst., Pyrim-syst., Ras-syst., Rep-syst., Ret-syst., Roc-syst., Sevo-inhsyst., SodBeSP-syst., Sta-syst., Tacro-top., TecAlA-syst., TecMer-syst., TecSul-syst., Teli-syst., Teno-syst., Thr-syst., Tiot-inhloc., TosI-syst., Tras-syst., Tret-syst., Trimetr-syst., Vac-syst., Vald-syst., ValsH-syst., Vaso-syst., Xyl-nas., Zan-inhsyst., Zic-syst.****

bronchial: *Alpr-syst.*

bronchospasm, with: *AntvCPOv-syst.*

children: **Lami-syst.**

females: *Tamo-syst.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

patients with predisposition to bronchoconstriction: *BetBA-oph.*

tightness in chest, with: *Abar-syst., HydroI-syst., Peme-syst.*

SÍNDROME DA ANGÚSTIA RESPIRATÓRIA DO ADULTO (SARA) (Ver Angústia Respiratória; GENERALIDADES).

SONS (Ver Assobiante; Chocalhante; Roncante; Sibilante).

abnormal: *AbLam-syst.*

changes in: **Gemt-syst.**

crackles, lung: **Azac-syst.**

decreased: **Azac-syst.**

rales (small clicking, bubbling, or rattling sounds in the lung when listening with a stethoscope): **Azac-syst., Gemt-syst., Pam-syst., Tret-syst.**

fine: *Bleo-syst.*

rhonchi (trouble breathing; noisy breathing): **Azac-syst., Gemt-syst., Roc-syst.**

Repertório - Capítulo RESPIRAÇÃO

stridor (noisy breathing; harsh, high-pitched sound during breathing): AntvCPOv-syst., **FlutS-inhloc.**, **Nitri-inhloc.**, *Ond-syst.*, *Pil-syst.*

TAQUIPNÉIA (Ver Acelerada).

TOXICIDADE pulmonar (tosse ou falta de ar): *Ifo-syst.*

respiratory failure, tachypnea, and wheezing, including (rapid breathing; severe shortness of breath): Aldes-syst.

CAPÍTULO TOSSE

CONTÍNUA, continuada: *Dinopst-parloc.*

ESPASMÓDICA: **Meg-syst.**

HEMOPTISE (Ver Sangue).

PERSISTENTE: **Oxa-syst.**

dry, and: *AmlodBen-syst., AngIn-syst., AngInH-syst., EnaF-syst., Moe-syst., MoeH-syst., Trand-syst., TrandV-syst.*

SANGUE, hemoptise (tossindo sangue) (Ver PEITO, Hemorragia; EXPECTORAÇÃO, Sangue): *Danap-syst., Eno-syst., Hepar-syst., Lep-syst., Prota-syst.*

hemoptysis (coughing or spitting up blood): *Amio-syst., AntinfN-syst., Arg-syst., ArsTr-syst., Capec-syst., Crom-inhloc., Dau-syst., DauL-syst., Fluda-syst., Gadov-syst., Ilo-inh., Nes-syst., Penic-syst., Tal-intloc., Tinz-syst., Tiop-syst.*

treatment for NSCLC, with: **Por-syst.**

SECA: *Los-syst., Pyrim-syst.*

persistent, and: *AmlodBen-syst., AngIn-syst., AngInH-syst., EnaF-syst., Moe-syst., MoeH-syst., Trand-syst., TrandV-syst.*

TOSSE: *Abac-syst., AbLam-syst., AbLamZid-syst., Abar-syst., Acetyl-syst., Adal-syst., Aden-syst., Alemt-syst., Alfuz-syst., Amio-syst., AmlodAt-syst. [Amlodipine], AmmSAr-syst., AmphoBLsC-syst., Anak-syst., Anast-syst., AnestBar-syst. [Methohexital, Thiopental], Anid-syst., AntandN-syst., AntfunA-syst. [Itraconazole], AntvCPol-syst., AntvCPOv-syst., AntvM.-syst., Aprep-syst., Arg-syst., Arip-syst., ArsTr-syst., Atom-syst., Atorv-syst., Atova-syst., AtovaPro-syst., Azac-syst., Azel-nas., Bals-syst., Basil-syst., Benzod-syst. [Diazepam], BetBA-oph., Bevac-syst., Bort-syst., BotA-parloc., BotB-parloc., Brim-oph., BronA-inhloc., Busu-syst., Butor-nasyst., Calcit-nassyst., Cand-syst., CandH-syst., Capec-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Cital-syst., Clad-syst., Clar-syst., Clofar-syst., Clop-syst., Cortic-inhloc., Cortic-nas. [Beclomethasone (monohydrate), Budesonide, Dexamethasone, Flunisolide, Fluticasone], Crom-inhloc., Crom-nas., Cyp-syst., Danaz-syst., Daps-top., Darb-syst., Del-syst., Den-syst., Desf-inhsyst., Desm-syst., Diat-syst., Dihy-nassyst., DiphtTTH-syst., Docet-syst., Dof-syst., Don-syst., DorzT-oph., Doxap-syst., Doxaz-syst., Doxyc-mucloc., DrosE-syst., Dul-syst., Dut-syst., Emt-syst., EmtT-syst., Enf-syst., Epina-oph., Epl-syst., Epoe-syst., Epr-syst., Erl-syst., Ert-syst., Eso-syst., Estro-syst., EstroP-syst., Etan-syst., Eton-vag., Exem-syst., Ezet-syst., EzetS-syst., Fel-syst., Fex-syst., FexP-syst., Fluda-syst., Fluorq-syst., Fluox-syst., Flut-nas., FlutS-inhloc., Fomi-parloc., For-inhloc., Fosam-syst., Gab-syst., Gadov-syst., Gals-syst., GlipM-syst., Glut-syst., GlybM-syst., GroH-syst., HepatAVI-syst., HepatAVIHB-syst., Hyalur-parloc., HydroxT-oph., Iba-syst., Ibr-syst., Ima-syst., Imiq-top., Imm-syst., Indin-syst., Infli-syst., Infla-syst., InsD-syst., IntA1-syst.,*

Iov-syst., Ioxa-syst., **Ipr-inhloc.**, IprA-inhloc., **Iri-syst.**, Isot-syst., **Lami-syst.**, LamiZ-syst., Lans-syst., **Lar-syst.**, Lef-syst., **Len-syst.**, Let-syst., Levoc-oph., Levom-syst., LopiR-syst., Los-syst., LosH-syst., Lut-syst., Lym-syst., Melo-syst., Mem-syst., Mero-syst., **MetfP-syst.**, Mida-syst., **Mitox-syst.**, **Mom-nas.**, Mont-syst., Mup-nas., Nalt-syst., **Natal-syst.**, **Nate-syst.**, Ned-inhloc., **Nev-syst.**, **Nico-inhsyst.**, **Nico-nas.**, Nitro-syst., **NoreE-syst.**, Olm-syst., **OlmH-syst.**, **Oma-syst.**, Omep-syst., Opr-syst., **Orl-orloc.**, Ose-syst., **Oxa-syst.**, **Oxc-syst.**, **PacP-syst.**, Paliv-syst., **Pam-syst.**, Pantop-syst., **Para-syst.**, Paro-syst., PegiA2a-syst., PegiA2b-syst., Pemi-oph., PenicilB-syst., **Penta-inh.**, PenteC-syst., PenteZ-syst., **Pime-top.**, **Pio-syst.**, Por-syst., **Praml-syst.**, Pre-syst., Propo-syst., Pyrim-syst., Rabe-syst., Ram-syst., **Rep-syst.**, **Risp-syst.**, Ritu-syst., **Rof-syst.**, Ropin-syst., **RosiM-syst.**, Sertr-syst., **Sevo-inhsyst.**, **Sir-syst.**, SodC-parloc., Sol-syst., **Sor-syst.**, Sta-syst., Tacro-syst., Tad-syst., Tamo-syst., TecSul-syst., Teli-syst., Telm-syst., **TelmH-syst.**, Tem-syst., Teno-syst., **Til-syst.**, **Tiot-inhloc.**, Tiz-syst., Toc-syst., **Tolc-syst.**, Topi-syst., **TosI-syst.**, Tram-syst., **Tret-syst.**, Tros-syst., **Urs-syst.**, Vac-syst., **Vald-syst.**, Vals-syst., ValsH-syst., Vari-syst., Ven-syst., Zan-inhsyst., **Zole-syst.**

adults: **Desf-inhsyst.**, **Sevo-inhsyst.**

bronchospasm, with: AntvCPOv-syst.

females: **Meno-syst.**, Tamo-syst.

increased: Meno-syst.

increased: Alef-syst., **Ataz-syst.**, **Bex-top.**, Carv-syst., **Cetux-syst.**, **Cil-syst.**, Dof-syst., EmtT-syst., Epina-oph., Estro-syst., **Ful-syst.**, Gadob-syst., **Gemt-syst.**, HistH2-syst. [Nizatidine], **Ilo-inh.**, Lans-syst., **Leval-inhloc.**, Leve-syst., Mox-oph., **Myc-syst.**, **Nef-syst.**, Nes-syst., Nico-syst., Ola-syst., Olo-oph., Pantop-syst., Paro-syst., Ril-syst., **Ritu-syst.**, Ropin-syst., Rosu-syst., **Sevo-inhsyst.**, **Sir-syst.**, **Teri-syst.**, Tia-syst., Tras-syst., Valp-syst., Zic-syst., Zip-syst.

adults: **Sevo-inhsyst.**

females: Meno-syst.

pediatric patients: **Sevo-inhsyst.**

patients with predisposition to bronchoconstriction: BetBA-oph.

pediatric patients: **Desf-inhsyst.**, Fex-syst., **Sevo-inhsyst.**

CAPÍTULO EXPECTORAÇÃO

COPIOSA.

bronchial secretions (increase in bronchial secretions): *Acetyl-inh.*, *Antm-syst.*, *Benzod-syst.*, *Edr-syst.*, *EdrA-syst.*, *Phy-syst.*

ESPESSA, grossa, viscosa.

bronchial secretions (thickening of bronchial secretions): **AnthisD-syst.**

ESVERDADA.

greenish-yellow mucus: **Flut-inhloc.**

HEMOPTISE (Ver Sanguinolenta).

SANGUINOLENTA, escarrando sangue, hemoptise (tossindo ou cuspiendo sangue) (Ver PEITO, hemorragia; TOSSE, Sangue): *Amio-syst.*, *AntinfN-syst.*, *Arg-syst.*, *ArsTr-syst.*, *Capec-syst.*, *Crom-inhloc.*, *Dau-syst.*, *DauL-syst.*, *Fent-trsyst.*, **Fluda-syst.**, *Gadov-syst.*, **Ilo-inh.**, *Nes-syst.*, *Penic-syst.*, *Tal-intloc.*, *Tinz-syst.*, *Tiop-syst.*

CAPÍTULO PEITO

ABSCESSO.

mammae (breasts) (breast pain): *BetBA-oph.* [*Levobetaxolol*]

ADAMS-STOKES, ATAQUES (Ver VERTIGEM; GENERALIDADES): *BronA-syst.* [*Isoproterenol*]

AFECÇÕES, doenças ou distúrbios.

heart: *Adal-syst., Almot-syst., Alpr-syst., Amif-syst., Anid-syst., Arb-syst., Biv-syst., Busu-syst., Capec-syst., Cele-syst., Cil-syst., Cisap-syst., Clop-syst., Coc-mucloc., Dexmed-syst., Diat-syst., DigitG-syst., Dipy-syst., Diso-syst., Docet-syst., Dof-syst., Don-syst., Ele-syst., Eno-syst., Ergon-syst., Fluorq-syst., Fluox-syst., Fro-syst., Gadob-syst., Gra-syst., HydroxT-oph., Ibut-syst., Imiq-top., Iopa-syst., Iot-syst., Ioxa-syst., Ioxi-syst., Ipr-inhloc., Leval-inhloc., Lit-syst., Mann-syst., Methyler-syst., Mor-syst., Nes-syst., Ond-syst., Pam-syst., Paro-syst., Phenot-syst., Por-syst., Prazi-syst., Procai-syst., Propa-syst., Quid-syst., Risp-syst., Ritod-syst., Ritu-syst., Sir-syst., Sum-syst., Telm-syst., Zolp-syst.*

aorta, damage to the (See Aorta).

arrhythmias, cardiac (See Arrhythmias).

cardiopulmonary dynamic, alteration of, significant: *Mann-syst.*

cardiotoxicity (See Toxicity).

conduction disorders or defects (See Conduction Disorders).

block, heart (See Arrhythmias).

depression, myocardial (See Failure).

ductus, damage to the (See Ductus).

dysplasia, bronchopulmonary, with pulmonary fibrosis (fever; cough; shortness of breath): *Busu-syst.*

enlarged, cardiomegaly (See Cardiomegaly).

failure, heart (See Failure).

congestive heart failure (See Failure).

systolic dysfunction, left ventricular (See Failure).

fibrillation (blue discoloration of fingernails, lips, or skin; decreased blood pressure; rapid, irregular, or weak pulse): *Coc-mucloc.*

atrial (dizziness; fainting; fast, slow, or irregular heartbeat): *Adal-syst., Amif-syst., Anid-syst., Capec-syst., Cil-syst., Clop-syst., Dexmed-syst., Dipy-syst., Docet-syst., Don-syst., Eno-syst., Fluorq-syst., Fluox-syst., Gadob-syst., Gra-syst., Imiq-top., Ioxi-syst., Ipr-inhloc., Leval-inhloc., Ond-syst., Pam-syst., Por-syst., Propa-syst., Risp-syst., Sir-syst., Sum-syst., Telm-syst., Tiot-inhloc., Ven-syst., Ver-parloc., Zic-syst.*

ventricular: *Alpr-syst., Arb-syst., Biv-syst., Cele-syst., Cisap-syst., Diat-syst., Dipy-syst., Diso-syst., Dof-syst., Ele-syst., Ergon-syst., Fro-syst., HydroxT-oph., Ibut-syst., Iopa-syst., Iot-syst., Ioxa-syst.,*

Repertório - Capítulo PEITO

Methyler-syst., *Mor-syst.*, *Nes-syst.*, *Paro-syst.*, *Phenot-syst.*, *Prazi-syst.*, *Quid-syst.*, *Ritu-syst.*, *Sum-syst.*, *Ven-syst.*

adults: *DigitG-syst.*

arrest, cardiac, with: *Dof-syst.*

fatal: *BronA-syst.* [*Epinephrine*]

flutter.

atrial (fast or irregular heartbeat; dizziness; fainting): *Amif-syst.*, *Docet-syst.*, *Pam-syst.*, *Propa-syst.*

ventricular: *Quid-syst.*

hypertrophy, enlargement, cardiomegaly (See **Cardiomyopathy, hypertrophy; Hypertrophy, enlargement**).

infarction, myocardial (See **Infarction**)

irritability, ventricular: *Lit-syst.*

leukomalacia, periventricular (See **Leukomalacia**).

QT syndrome, prolonged (irregular or slow heart rate; fainting; sudden death): *Drop-syst.*

shock, cardiogenic (See **Shock GENERALITIES, Shock**).

spasm of right ventricle infundibulum (See **Spasms of Heart**).

toxicity, cardiac (See **Toxicity**).

valves (See **Valves**).

lungs (See **Inflammation, lungs; Infection; Fibrosis**): *Adal-syst.*, *AntandN-syst.*, [Nilutamide], *Bos-syst.*, *Cetux-syst.*, *Erl-syst.*, *Etan-syst.*, *Fluoru-syst.*, *Gef-syst.*, *IbupO-syst.*, *Lef-syst.*, *Leval-inhloc.*, *Mann-syst.*, *Mitom-syst.*, *Mont-syst.*, *Myc-syst.*, *PacP-syst.*, *Penta-inh.*, *Ritod-syst.*, *Sir-syst.*, *Tret-syst.*, *Vino-syst.*

air leak syndrome, pulmonary (See **Air Leak Syndrome**).

artery, pulmonary, damage to the (See **Artery**).

asthma (See **Inflammation, lungs, asthma; RESPIRATION, Asthma**)

Bacillus Calmette-Guérin (BCG) infection (See **Infection**).

bronchitis (See **Inflammation, lungs, asthma; RESPIRATION, Asthma**)

bronchospasm, bronchoconstriction (See **RESPIRATION, Distress Inflammation, lungs**)

bronchospastic allergic reaction (See **Inflammation, lungs, asthma; RESPIRATION, Asthma**)

cardiopulmonary dynamic, alteration of, significant: *Mann-syst.*

disorders (chest pain; cough; shortness of breath or troubled breathing): *AntandN-syst.*, *IbupO-syst.*, *Leval-inhloc.*, *Zic-syst.*

lung function, decreased; diffusion capacity, decrease in (difficulty in breathing) (See **RESPIRATION, Failure, respiratory**).

prior, worsening of (difficulty in breathing worsening): *Etan-syst.*

embolism, pulmonary (See **Embolism**).

eosinophilia, pulmonary (chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Pyrim-syst.*, *Ven-syst.*

fibrosis (See **Fibrosis**).

granulomatous inflammation and chronic alveolitis.

chronic toxicity studies in rats: *AntandN-syst.* [Nilutamide]

Repertório - Capítulo PEITO

hypoplasia, pulmonary (See Hypoplasia).
infarction, pulmonary (See Infarction, pulmonary).
infections (See Infection).
inflammation (See Inflammation).
interstitial lung disease (cough; difficult breathing; fever; shortness of breath): *Adal-syst.*, *Cetux-syst.*, *Erl-syst.*, *Etan-syst.*, *Gef-syst.*, *Lef-syst.*, *Myc-syst.*, *Sir-syst.*
fatal: *Gef-syst.*
pneumothorax (sudden onset of severe breathing; difficulty severe pain in chest): *PacP-syst.*, *Penta-inh.*
pulmonary symptoms, worsening of: *Mont-syst.*
pulmonary disease, pneumopathy (cough; shortness of breath): *Etan-syst.*, *Fluoru-syst.*, *Mitom-syst.*, *Tret-syst.*
tuberculosis (See Infection).
veno-occlusive disease, pulmonary (PVOD) (shortness of breath, fatigue on exertion, fainting, coughing up blood): *Bos-syst.*

ANEURISMA (Ver Aorta; Artéria Coronária; Artéria Pulmonar).

ANGINA PECTORIS (vasoespasma coronário; dor no braço, costas ou mandíbula; dor, desconforto, aperto ou peso no peito; batimento cardíaco rápido ou irregular; falta de ar; transpiração; náusea): *Almot-syst.*, *Amlod-syst.*, *AntinfN-syst.*, *AppSupS-syst.*, **Arb-syst.**, *Atorv-syst.*, *Bret-syst.*, *BronA-syst.* [Albuterol, *Ephedrine*, *Epinephrine*, Isoproterenol, Metaproterenol, Terbutaline], *Calcit-nassyst.*, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carv-syst.*, *Cele-syst.*, *Clofib-syst.*, **Darb-syst.**, *Diaz-orsyst.*, *Diaz-parsyst.*, *Dihy-nassyst.*, *Ele-syst.*, *EnaF-syst.*, *Epl-syst.*, *Ergon-syst.*, **Fluda-syst.**, *FlutS-inhloc.*, *For-inhloc.*, *Fro-syst.*, *Gadop-syst.*, *Gra-syst.*, *Guanad-syst.*, *Guane-syst.*, *Hydra-syst.*, *Indin-syst.*, *Iodix-syst.*, *Iov-syst.*, *Ioxi-syst.*, **Iri-syst.**, *Lat-oph.*, *Leval-inhloc.*, *Methyler-syst.*, *Methylp-syst.*, *Mil-syst.*, *Minox-syst.*, *Moc-syst.*, *Nef-syst.*, *Nes-syst.*, *Omeg-syst.*, *Pentost-syst.*, *Por-syst.*, *Prazo-syst.*, *PrazoP-syst.*, *Propa-syst.*, *Rep-syst.*, **Ritod-syst.**, *Ritu-syst.*, *Rosu-syst.*, *Seleg-syst.*, *Sild-syst.*, *Sym-parsyst.*, *Tad-syst.*, *TecB-syst.*, *TecTet-syst.*, *Tera-syst.*, *Teri-syst.*, *Tinz-syst.*, **Tiot-inhloc.**, *Trav-oph.*, *Vard-syst.*, *Vasc-syst.*, *Vaso-syst.*, *Zolm-syst.*

exacerbation of: *AntinfN-syst.*, *Minox-syst.*, *Seleg-syst.*

ischemia, myocardial; ischemia, coronary (See Infarction, ischemia): *Aldes-syst.*, *Arb-syst.*, *Carv-syst.*, *Coc-mucloc.*, *Desf-inhsyst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *Dihy-nassyst.*, *Erl-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Fluoru-syst.*, *Gadob-syst.*, **Iri-syst.**, *Let-syst.*, *Palo-syst.*, *Rosi-syst.*, *Sild-syst.*, *Sor-syst.*, *Vard-syst.*

adults: *Desf-inhsyst.*

pediatric patients, and: *Desf-inhsyst.*

hypotension.

after: *Amif-syst.*

during: *Amif-syst.*

pediatric patients: *Desf-inhsyst.*

adults, and: *Desf-inhsyst.*

transient (chest pain): *Almot-syst.*, *Ele-syst.*, *Fro-syst.*

males: *Gos-syst.*

adult: *Leup-syst.*
precipitation of: *Trimetha-syst.*
Prinzmetal's angina: *Sum-syst.*
resulting in symptomatic myocardial ischemia and myocardial infarction: *Sum-syst.*
unstable (arm, back or jaw pain; chest pain or discomfort; chest tightness or heaviness; fast or irregular heartbeat; shortness of breath): *Docet-syst., Ose-syst.*

AORTA (Ver Aneurisma).

damage to the (weakening of the wall, leading to edema, laceration, and possible aneurysm): *Alpr-syst.*

aortic rupture: *BronA-syst.* [*Ephedrine, Epinephrine*]

APERTO (Ver Constrição).

ARREDONDAMENTO do tronco: Flut-inhloc., **Sir-syst.**

ARRITMIAS cardíacas; disritmias (dor no peito ou desconforto; tontura ou desmaio; desfalecimento; batimento cardíaco rápido, lento ou irregular; vertigem; pulsação rápida ou irregular; anormalidades no ECG) (Ver TESTES DIAGNÓSTICOS): *Abcix-syst., AcetSal-syst., AcSodCit-syst., Acetyl-syst., Adal-syst., Aden-syst., Agal-syst., Album-syst., AlbMic-syst., Almot-syst., Aldes-syst., Alpr-loc., Alpr-syst., Aman-syst., Amif-syst., Amlod-syst., AmlodBen-syst., Amph-syst., AmphoB-syst., AmphoBCC-syst., AmphoBLC-syst., Amsa-syst., AmylN-syst., Anest-parloc., AnestBar-syst., AnestInh-syst., AntinfN-syst., AnthyGR-syst., Antchsp-syst.* [*Glycopyrrolate*]; *Antdys-syst., AntglaC-oph., Anthis-syst.* [*Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine*], *AnthisD-syst., AnthisDAg-syst.* [Acetaminophen-containing combinations], *AnthisP-syst., AntvCPOv-syst., AppSupS-syst., Aprac-oph., Aprep-syst., Arb-syst., Arg-syst., Arip-syst., ArsTr-syst., Atom-syst., Atorv-syst., Atrop-oph., Azac-syst., Azel-nas., Barb-syst., BarbAn-syst.* [Acetaminophen, Barbiturates, Caffeine, Codeine], *Basil-syst., Bell-syst., Benzod-syst., Ber-intloc., BetBA-oph.* [*Levobetaxolol, Timolol Maleate*], *BetBA-syst., BetBAT-syst., BisSMT-syst.* [Bismuth Subsalicylate], *Biv-syst., Bos-syst., Bret-syst., Brim-oph., BronA-inhloc., BronA-inhloc., BronA-syst.* [Albuterol, Ephedrine, Epinephrine, Isoproterenol, Metaproterenol, Terbutaline], *BronT-syst., Bupre-syst., Bupro-syst., Busp-syst., Busu-syst., Butor-nasyst., Caff-syst., CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], **CalcS-syst., Calf-intloc.,** *Cand-syst., CandH-syst., Capec-syst., Carbac-oph., Carbam-syst., CarbidL-syst., CarbidEL-syst., Carbopr-syst., Carv-syst., Cele-syst., CetiP-syst.* [*Pseudoephedrine*], *Cev-syst., ChlH-syst., Chloramp-ot., ChlordA-syst., Chym-parloc., Cicl-top., Cil-syst., Cisap-syst., Cisat-syst., Cital-syst., Clad-syst., Clar-syst., Clofar-syst., Clofib-syst., Clon-parloc., Clon-syst., ClonC-syst., Cloz-syst., Coc-mucloc., Colc-syst., Colf-intloc., ColSF-syst.* [*Filgrastim, Sargramostim*], *CortO-systdia., Cortic-inhloc., CorticG-syst., Cycla-syst., Cycli-syst., Cyclob-syst., Cyclope-oph., Cyclosp-syst., Cyp-syst., Dacli-syst., Darb-syst., DauL-syst., DecAn-syst.* [Acetaminophen-containing combinations], **Def-syst., Den-syst., Desf-inhsyst., Desl-syst., DeslP-syst., Desm-syst., Dexmed-syst., Dexmet-syst., Diat-syst., Diaz-orsyst., Diaz-parsyst., DicM-syst., Diett-top., Dif-syst., DigitG-syst., Dihy-nassyst., Dimer-syst., Dinopst-parloc., Dinopne-cervag.,**

DiphenA-syst., DiphTT-syst., Dipi-oph., **Dipy-syst.**, DipyA-syst., Diso-syst., Docet-syst., **Dof-syst.**, Dol-syst., Dom-syst., Don-syst., DorzT-oph., Doxac-syst., Doxap-syst., Doxaz-syst., Doxep-top., Doxor-syst., DoxorL-syst., Dron-syst., **Drop-syst.**, Dyp-syst., Edr-syst., **EdrA-syst.**, EdrA-syst., Efav-syst., Ele-syst., EnaF-syst., Epine-oph., **Epop-syst.**, ErgoLM-syst., Ergon-syst., Ert-syst., Esm-syst., Eso-syst., Ethc-syst., Etom-syst., FacVIIa-syst., **Fenol-syst.**, Fent-trsyst., **FentD-syst.**, Flavox-syst., Flec-syst., Fluda-syst., Flum-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., Fluv-syst., FollitB-syst., Fome-syst., For-inhloc., Fro-syst., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gala-syst., GalliC-syst., Gemc-syst., **Gemt-syst.**, Gla-syst., GlipM-syst., Gluc-syst., Glyc-syst., Gold-syst., Gos-syst., Gra-syst., Guanab-syst., **Guane-syst.**, Guanf-syst., HepatBVR-syst., **Hist-syst.**, HistH2-syst., Histr-syst., Hom-oph., HyalSD-syst., Hyalur-parloc., **Hydra-syst.**, HydroI-syst., HydroxT-oph., Iba-syst., Ibr-syst., IbupO-syst. [Ibuprofen], Ibut-syst., Ida-syst., Ilo-inh., Imiq-top., **Imm-syst.**, Ina-syst., Indo-syst., IntAl-syst., IntB1b-syst., Iodix-syst., Iopa-syst., Iopr-syst., Iot-syst., Iov-syst., Ioxa-syst., Ioxi-syst., Ioxi-syst., Ipe-orloc., Ipr-inhloc., Iprnas., IprA-inhloc., Irb-syst., **Iri-syst.**, **Iron-syst.**, IsomDA-syst., Isot-syst., Isox-syst., **Ive-syst.**, **Keta-syst.**, Ketot-syst., Lamo-syst., Lef-syst., **Leval-inhloc.**, Levod-syst., Levom-syst., Lid-syst., Lid-top., Lind-top., Lit-syst., LopiR-syst., Los-syst., LosH-syst., MagS-syst., MagSup-syst., Mal-top., Mann-syst., Map-syst., Mef-syst., Melo-syst., Mem-syst., Mep-syst., MepA-syst. [Meprobamate], Methox-exsyst., Methy-syst., MethyTD-syst., Methyler-syst., **Methylp-syst.**, Methys-syst., Meto-syst., Metyra-syst., Mex-syst., Mido-syst., Mil-syst., **Minox-syst.**, Minox-top., Mir-syst., Mis-syst., Mitox-syst., Miv-syst., Moc-syst., Mod-syst., Mor-syst., **Mur-syst.**, Myc-syst., Nab-syst., **Nalm-syst.**, Nalo-syst., Nalt-syst., Nap-oph., Nar-syst., Nef-syst., Nel-syst., Nes-syst., Neu-syst., Nia-syst., **NiaL-syst.** [Niacin], Nico-inhsyst., Nico-nas., Nico-syst., Nis-syst., **Nitra-syst.**, Nitrop-syst., Nyl-syst., **Oct-syst.**, Oflot., Ola-syst., Olm-syst., OlmH-syst., Omep-syst., Ond-syst., Opi-syst., **Opr-syst.**, Ose-syst., Oxa-syst., Oxyb-syst., Oxym-nas., Oxym-oph., Oxyt-syst., Pac-syst., PacP-syst., Paliv-syst., Palo-syst., **Pam-syst.**, Pantop-syst., Pap-syst., Para-syst., Pare-syst., Paro-syst., Pegas-syst., PegiA2b-syst., Pemo-syst., Penta-syst., PenteC-syst., Pentost-syst., Pentox-syst., Perg-syst., PerpA-syst., Phenot-syst., **Phenox-syst.**, **Phent-syst.**, Pheny-nas., Phy-oph., Phy-syst., Pil-oph., Pil-syst., **Pimo-syst.**, **Pral-syst.**, **Praml-syst.**, Prazi-syst., Pre-syst., Procai-syst., **Propo-syst.**, **Prota-syst.**, Pse-syst., Pyridos-syst., Pyrim-syst., Que-syst., Quid-syst., Quin-syst., Ralt-syst., Ras-syst., Rau-syst., Rem-syst., Rep-syst., Reso-top., Resp-syst., Ril-syst., Risp-syst., Ritu-syst., Riv-syst., Riz-syst., Roc-syst., Ropin-syst., Ropiv-parloc., Sam-syst., Sco-oph., Seleg-syst., Sertr-syst., **Sevo-inhsyst.**, Sib-syst., Sild-syst., **Sir-syst.**, Ske-syst., SodBeSP-syst., SodF-syst., SodN-syst., SodO-syst., SodPhe-syst., Sol-syst., Sta-syst., Sum-syst., Sym-parsyst., Tacri-syst., Tacro-syst., Tad-syst., TecMer-syst., TecSul-syst., Teli-syst., Telm-syst., TelmH-syst., Tene-syst., Teno-syst., Tera-syst., Thali-syst., Thie-syst., Thiox-syst., Thr-syst., ThyH-syst., Thyr-syst., ThyA-syst., Tinz-syst., Tiot-inhloc., Tir-syst., **Tiz-syst.**, Tola-parsyst., **TosI-syst.**, Tram-syst., TramA-syst. [Acetaminophen], Trand-syst., TrandV-syst. [Verapamil], Trav-oph., Traz-syst., **Tret-syst.**, Trimetha-syst., Trop-oph., Tros-syst., Ure-syst., Vala-syst., Valg-syst., Valp-syst., Vals-syst., ValsH-syst., Van-syst., Vard-syst., Vasc-syst., Vaso-syst., Ven-syst., Vig-syst., VitDA-syst., VitMF-syst., Vor-syst., Xyl-nas., Yoh-syst., Zan-inhsyst., Zic-syst., Zip-syst., Zole-syst., Zolm-syst., Zolp-syst., Zon-syst.

abnormalities, bigeminy and other cardiographic.

adults: Desf-inhsyst.

pediatric patients: *Desf-inhsyst.*
activation of the right ventricle, delayed: *Sum-syst.*
acute (chest pain; swelling of feet or lower legs): *Pentost-syst.*
lifethreatening: *Doxor-syst., Epir-syst.*
adults: *Leup-syst.*
asystole (slow heartbeat): *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Diso-syst., FentD-syst., MagSup-syst., Mex-syst.*
bowel movement, after a large: *PolyE-loc.*
tachycardia progressing to bradycardia or asystole: *Bupro-syst.*
atrial (dizziness, fainting, fast, slow, or irregular heartbeat): **Opr-syst.,** *Sertr-syst., Teli-syst.*
block, heart (disease in the electrical system of the heart): *BetBA-oph.* [*Betaxolol, Levobetaxolol, Timolol*], *Dexmed-syst., Dipy-syst., Dof-syst., Don-syst., DorzT-oph., Lid-syst., Lid-top., Que-syst.*
atrioventricular (chest pain; dizziness; fainting; pounding, slow heartbeat; troubled breathing; unusual tiredness or weakness): *ArsTr-syst., Bort-syst., BronA-syst.* [*Epinephrine*], *Carbam-syst., Carv-syst., Cev-syst., Clonparloc., Dexmed-syst., Dipy-syst., Diso-syst., Dof-syst., HistH2-syst., Ibut-syst., Iopr-syst., Mef-syst., Mem-syst., Pac-syst., Pil-oph., Pil-syst., Prazi-syst., Sertr-syst., Sild-syst., TrandV-syst.* [*Verapamil*]
complete: *Bort-syst.*
first degree: *Dexmed-syst., Propa-syst.*
second degree: *CalcCBA-syst.* [*Diltiazem, Flunarizine, Amlodipine, Bepridil, Verapamil*], *Flec-syst., Mor-syst., Propa-syst.*
third degree: *CalcCBA-syst.* [*Diltiazem, Flunarizine, Amlodipine, Bepridil, Verapamil*], *Flec-syst., Ibut-syst., Mor-syst.*
bifascicular: *Ataz-syst.*
bundle branch block: *Carv-syst., Cyclob-syst., Dof-syst., Ibut-syst., Nitro-syst., Pac-syst., Propa-syst., Sertr-syst.*
cardiotoxicity, other arrhythmias, and congestive heart failure, including: *Cyclob-syst.*
right (shortness of breath, palpitations, fatigue, irregular fast heartbeat): *Anid-syst.*
complete: *Anag-syst.*
ectopy, ventricular (See Ectopy).
first degree: *Aden-syst.*
adults: *DigitG-syst.*
second degree: *Aden-syst., Alpr-syst., CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Dexmed-syst., Dinopst-parloc., Ond-syst.*
adults: *DigitG-syst.*
sinoatrial: *Lit-syst.*
sinus node: *Lit-syst.*
tachycardia, atrial, with: *DigitG-syst.*
third-degree: *Aden-syst., CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Cisap-syst.*

adults: *DigitG-syst.*

Wenckebach block: *Bupre-syst.*

bradycardia, bradyarrhythmias (slow heartbeat, less than 60 beats per minute, especially less than 50 beats per minute; chest pain or discomfort; lightheadedness; dizziness or fainting; shortness of breath; irregular heartbeat; unusual tiredness; drowsiness): *Abcix-syst.*, *Agal-syst.*, *Alpr-syst.*, *Amif-syst.*, *AmincAc-syst.*, *Amlod-syst.*, *Anest-parloc.*, *AnestInh-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.*, *AntglaC-oph.*, *AnthisDAc-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Antm-syst.*, *Aprep-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates, Codeine*], *Benzod-syst.*, *BetBA-oph.*, *BetBA-syst.*, *BetBAT-syst.*, **Biv-syst.**, *Bret-syst.*, *Brim-oph.*, *Bupre-syst.*, *Butor-nasyst.*, *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], **Calf-intloc.**, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carbopr-syst.*, **Carv-syst.**, *Cev-syst.*, *ChlH-syst.*, *Cisat-syst.*, *Cital-syst.*, **Clon-parloc.**, *Clon-syst.*, *ClonC-syst.*, *Coc-mucloc.*, *Colf-intloc.*, **Darb-syst.**, *DecAn-syst.*, *Desf-inhsyst.*, **Dexmed-syst.**, *Diat-syst.*, *DicM-syst.*, *Diett-top.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxac-syst.*, *Doxaz-syst.*, *Drop-syst.*, *Edr-syst.*, *EdrA-syst.*, *Epir-syst.*, *ErgolM-syst.*, *Ergon-syst.*, *Esm-syst.*, *Ethc-syst.*, *Etom-syst.*, *FacVIIa-syst.*, *Fent-trsyst.*, **FentD-syst.**, *Fluda-syst.*, *Flum-syst.*, *Fluv-syst.*, *Fome-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gadop-syst.*, *Gala-syst.*, *Gold-syst.*, *Guanab-syst.*, **Guane-syst.**, *Guanf-syst.*, *HistH2-syst.*, *HydroI-syst.* [*Hydrocodone*], *HydroxT-oph.*, *IbupO-syst.* [*Ibuprofen*], *Ibut-syst.*, *Imiq-top.*, *Indin-syst.*, *Indo-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-nas.*, *Irb-syst.*, **Iri-syst.**, *Keta-syst.*, *Leval-inhloc.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *Lit-syst.*, *LopiR-syst.*, *MagS-syst.*, *MagSup-syst.*, *Mal-top.*, *Mef-syst.*, *Melo-syst.*, *Mep-syst.*, *MepA-syst.* [*Meprobamate*], *Methy-syst.*, *Methyler-syst.*, *Methys-syst.*, *Mido-syst.*, *Mis-syst.*, *Miv-syst.*, *Moc-syst.*, *Nalm-syst.*, *Nap-oph.*, *Nar-syst.*, *Nef-syst.*, *Nes-syst.*, *Neu-syst.*, *Nia-syst.*, *NiaL-syst.*, *Nico-inhsyst.*, *Nico-nas.*, **Oct-syst.**, *Olm-syst.*, *Ond-syst.*, *Opi-syst.*, *Ose-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Pac-syst.*, *PacP-syst.*, *Paliv-syst.*, *Palo-syst.*, *Para-syst.*, *Pare-syst.*, *PerpA-syst.*, *Phy-oph.*, *Phy-syst.*, *Pil-syst.*, *Prazi-syst.*, *Propa-syst.*, **Propo-syst.**, **Proto-syst.**, *Pse-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Ralt-syst.*, *Ras-syst.*, *Rau-syst.*, *Rem-syst.*, *Reso-top.*, *Ritu-syst.*, *Riv-syst.*, *Riz-syst.*, *Ropiv-parloc.*, *Sertr-syst.*, **Sevo-inhsyst.**, *Ske-syst.* [*Methocarbamol, Orphenadrine*], *SodBeSP-syst.*, *SodO-syst.*, *SodPhe-syst.*, *Sum-syst.*, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *TecSul-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.* [*Telmisartan*], *Tir-syst.*, **Tiz-syst.**, *Tram-syst.*, *Trand-syst.*, *TrandV-syst.*, *Trav-oph.*, *Traz-syst.*, *Valg-syst.*, *Vals-syst.*, *ValsH-syst.*, *Vasc-syst.*, *Ven-syst.*, *Vig-syst.*, *Zan-inhsyst.*, *Zole-syst.*, *Zolp-syst.*, *Zon-syst.*

adults: *Desf-inhsyst.*, **Sevo-inhsyst.**

pediatric patients, and: *Desf-inhsyst.*, **Sevo-inhsyst.**

cardiovascular status, unstable, patients with: *Benzod-syst.*

geriatric patients: *Benzod-syst.*

hypercalcemia, with: *CalcS-syst.*

ill patients, severely: *Benzod-syst.*

parasympathetic (vagal) stimulation, as a result of: *Cand-syst.*, *CandH-syst.*

pediatric patients: *Desf-inhsyst.*, **Sevo-inhsyst.**

adults, and: *Desf-inhsyst.*, **Sevo-inhsyst.**

Repertório - Capítulo PEITO

- progressive: *DigitG-syst.*
pulmonary reserve, limited, patients with: *Benzod-syst.*
resistant: *GlipM-syst.*
resting heart rate, slight reduction in: *BetBA-oph.* [*Timolol Maleate*]
sinus bradycardia: **Aden-syst.**, *Flec-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Mor-syst.*, *Seleg-syst.*, *Tene-syst.*
 cardiomyopathy, hypertrophic (HCM), patients: *TrandV-syst.*
 [*Verapamil*]
 children: *DigitG-syst.*
 infants: *DigitG-syst.*
symptomatic (dizziness): *BetBA-syst.*
tachycardia progressing to bradycardia or asystole: *Bupro-syst.*
transient (<60 beats per minute): **Ber-intloc.**, *BronA-syst.* [*Epinephrine*]
 followed by tachycardia: *BronA-syst.* [*Epinephrine*]
vagal stimulation, due to: *Los-syst.*, *LosH-syst.*, *OlmH-syst.*
cardiotoxicity, bundle branch block, and congestive heart failure, including: *Cyclob-syst.*
children: *DigitG-syst.*
congenital heart disease patients: *Paliv-syst.*
continuing: *Pil-syst.*
contractions.
 atrial, premature: **Aden-syst.**
 ventricular, premature (irregular heartbeat): **Aden-syst.**, *Coc-mucloc.*, *HistH2-syst.* [*Ranitidine*], *Mex-syst.*, *Ond-syst.*, *Oxyt-syst.*, *Sum-syst.*
 increased frequency of: *Flec-syst.*
 nonsustained: *Sum-syst.*
 unifocal or multifocal, especially bigeminy or trigeminy.
 adults: *DigitG-syst.*
dissociation, atrioventricular: *AnestInh-syst.* [*Halothane*]
 adults: *DigitG-syst.*
ectopy, ventricular (See Ectopy).
extrasystoles (extra heartbeats): *AmlodAt-syst.* [*Amlodipine*], *Anid-syst.*, *Capec-syst.*, *Dexmed-syst.*, **Dipy-syst.**, *Leval-inhloc.*, *Mef-syst.*, *Palo-syst.*
 atrial: *Flum-syst.*
 frequent: *Quid-syst.*
 hypotension, associated with: *Amif-syst.*
 nodal: *Flum-syst.*
 supraventricular (rapid or irregular heartbeat): *Gadob-syst.*, *Ibut-syst.*, *Palo-syst.*
 ventricular (extra heart beat): *Capec-syst.*, *Flum-syst.*, *Gadob-syst.*, *Histr-syst.*, *Ibut-syst.*, *Nes-syst.*, *Ola-syst.*, *Ven-syst.*
fast, rapid heartbeat (See tachycardia).
females: *Tamo-syst.*
fibrillation.
 atrial (dizziness; fainting; fast, slow, or irregular heartbeat): *Adal-syst.*, *Amif-syst.*, *Anid-syst.*, *Capec-syst.*, *Cil-syst.*, *Clop-syst.*, **Dexmed-syst.**, *Dipy-syst.*,

Repertório - Capítulo PEITO

Docet-syst., Don-syst., Eno-syst., Fluorq-syst., Fluox-syst., Gadob-syst., Gra-syst., Imiq-top., Ioxi-syst., Ipr-inhloc., Leval-inhloc., Ond-syst., Pam-syst., Por-syst., Propa-syst., Risp-syst., Sir-syst., Sum-syst., Telm-syst., Tiot-inhloc., Ven-syst., Ver-parloc., Zic-syst.

ventricular: *Alpr-syst., Arb-syst., Biv-syst., Cele-syst., Cisap-syst., Diat-syst., Dipy-syst., Diso-syst., Dof-syst., Ele-syst., Ergon-syst., Fro-syst., HydroxT-oph., Ibut-syst., Iopa-syst., Iot-syst., Ioxa-syst., Methyler-syst., Nes-syst., Paro-syst., Phenot-syst., Prazi-syst., Quid-syst., Ritu-syst., Sum-syst., Ven-syst.*

adults: *DigitG-syst.*

arrest, cardiac, with: *Dof-syst.*

fatal: *BronA-syst. [Epinephrine]*

flutter, atrial (fast or irregular heartbeat; dizziness; fainting): *Amif-syst.*

gallop rhythm: *Epir-syst.*

S₃ gallop (See DIAGNOSTIC TESTS, Electrocardiogram): *Tras-syst.*

hypercalcemia, with: *CalcS-syst.*

hypokalemia, accentuated by: *CandH-syst.*

idioventricular rhythm: *Ibut-syst.*

accelerated: *Tene-syst.*

infants: *DigitG-syst.*

irregular heartbeat: *AmincAc-syst., Amph-syst., Anest-oph., Anest-parloc., AngInH-syst., AntCoaC-syst., AntdepT-syst. [Amoxapine], Anthis-syst. [Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine], AnthisD-syst., AnthisDAc-syst. [Pseudoephedrine], Aprac-oph., BarbAn-syst. [Caffeine], BetBA-oph., BetBA-syst., BetBAT-syst., BronA-inhloc., Caff-syst., CalcS-syst., Carbac-oph., Carbam-syst., CarbidEL-syst., Cev-syst., ChlH-syst., ChlordA-syst., Cil-syst., Cital-syst., Clofib-syst., Cloz-syst., Cortic-ot., Cortic-top., CorticG-syst., Cyclope-oph., Darb-syst., DecAn-syst., DicM-syst., Dihy-nassyst., DipyA-syst., Dom-syst., Doxap-syst., Doxaz-syst., Doxep-top., Drop-syst., EdrA-syst., Epine-oph., Ergon-syst., Etom-syst., Fent-trsyst., Flec-syst., Fluda-syst., Fludro-syst., FlutS-inhloc., For-inhloc., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gemc-syst., Gluc-syst., Glyc-syst., Gos-syst., Gra-syst., Hydrol-syst., HydroxT-oph., Imiq-top., Ina-syst., IntAl-syst., Iodix-syst., Ioxa-syst., IprA-inhloc., Iri-syst., IsomDA-syst., Leval-inhloc., Levod-syst., Map-syst., Mef-syst., Melo-syst., Mep-syst., Methox-exsyst., MethyIp-syst., Metyra-syst., Minox-syst., Minox-top., Mitox-syst., Mur-syst., Myc-syst., Nalm-syst., Nalo-syst., Nar-syst., Nef-syst., Nia-syst., NiaL-syst., Nico-inhsyst., Nico-nas., Nico-syst., Nyl-syst., Oct-syst., Ond-syst., Opr-syst., Ose-syst., Oxyb-syst., Oxym-nas., Oxym-oph., Oxyt-syst., Paliv-syst., PegiA2b-syst., Pentox-syst., PerpA-syst., Pheny-nas., Pheny-oph., Phy-oph., Phy-syst., Pimo-syst., Prazi-syst., Procai-syst., Pse-syst., Pyrim-syst., Quin-syst., Ralt-syst., Ras-syst., Rau-syst., Riz-syst., Ropin-syst., Sam-syst., Seleg-syst., SodBeSP-syst., SodPhe-syst., Tacro-syst., TecSul-syst., Thali-syst., ThyH-syst., Thyr-syst., ThyrA-syst., Tiz-syst., Ven-syst., VitDA-syst., Xyl-nas., Zan-inhsyst., Zip-syst., Zolm-syst.*

adults: *Leup-syst.*

hyperkalemia, with: *Cyclosp-syst.*

lifethreatening: *Metyro-syst.*

maternal and fetal (fast or irregular heartbeat): **Ritod-syst.**

nodal (junctional) rhythm: *AnestInh-syst.* [*Halothane*], *Cital-syst.*, *Desf-inhsyst.*, *Ibut-syst.*

accelerated.

adults: *DigitG-syst.*

adults: *Desf-inhsyst.*

pediatric patients, and: *Desf-inhsyst.*

pediatric patients: *Desf-inhsyst.*

adults, and: *Desf-inhsyst.*

palpitation (See Palpitation).

pounding heartbeat: *AntinfN-syst.* [**Fenoprofen**, *Naproxen*], *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *Bacl-syst.*, *BetBA-oph.*, *Brim-oph.*, *Busp-syst.*, *Butor-nasyst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Cyclob-syst.*, *Epine-oph.*, *Levod-syst.*, *Mep-syst.*, *Nalt-syst.*, *Opi-syst.*, *Oxym-nas.*, *Oxym-oph.*, *Pheny-nas.*, *Pheny-oph.*, *Pse-syst.*, *Ropin-syst.*, *Ske-syst.*, *SodBeSP-syst.*, *Xyl-nas.*, *Zip-syst.*

racing heartbeat (See tachycardia).

reversible: *Clon-parloc.*

severe: *Pil-syst.*

sinus arrhythmia (fainting, dizziness, chest pain, shortness of breath): *Anid-syst.*, *Palo-syst.*, *Sum-syst.*

sinus pause: *Flec-syst.*, *Mor-syst.*, *Propa-syst.*

skipped beats: **Aden-syst.**

slow heartbeat (See bradycardia).

supraventricular: *AnestInh-syst.*, **Arb-syst.**, *Flec-syst.*

transient: *ColSF-syst.* [*Filgrastim*, *Sargramostim*]

ventricular, and: **Arb-syst.**

tachycardia, tachyarrhythmias (fast, pounding, or irregular heartbeat or pulse, more than 200 beats per minute; lightheadedness when getting up from a lying or sitting position): **AbLam-syst.**, *Acetyl-syst.*, *Adal-syst.*, *Agal-syst.*, *Album-syst.*, *AlbMic-syst.*, *Alemt-syst.*, *Alfuz-syst.*, *Almot-syst.*, *Alpha-syst.*, *Alpr-loc.*, *Alpr-syst.*, *Aman-syst.*, *AmlodBen-syst.*, **Amph-syst.**, *AmphoBCC-syst.*, *Amsa-syst.*, **AmylN-syst.**, *Anest-parloc.*, *AnestBar-syst.*, **AnthhyGR-syst.**, *AntinfN-syst.*, *AntCoaC-syst.*, *Antchsp-syst.* [*Glycopyrrolate*], *AntdepMAO-syst.*, *AntdepT-syst.* [*Amoxapine*], *Antdys-syst.*, *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *AntvCPOv-syst.*, *Aprot-syst.*, *Arb-syst.*, *Arip-syst.*, **ArsTr-syst.**, *Atom-syst.*, *Atrop-oph.*, *AtropB-syst.*, **Azac-syst.**, *Azel-nas.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *BarbAn-syst.* [*Caffeine*], *Bell-syst.*, *BetBA-oph.*, *BisSMT-syst.* [*Bismuth Subsalicylate*], *Bort-syst.*, *Bos-syst.*, *Brim-oph.*, **BronA-inhloc.**, **BronA-syst.** [*Ephedrine*, *Epinephrine*], *BronT-syst.*, *Bupro-syst.*, *Busp-syst.*, *Busu-syst.*, **Caff-syst.**, *CalcCBA-syst.*, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carbet-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carbopr-syst.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cev-syst.*, *ChlordA-syst.*, **Cil-syst.**, *Cital-*

syst., Clad-syst., *Clar-syst.*, **Clofar-syst.**, Clon-parloc., **Cloz-syst.**, *Coc-mucloc.*, *Colf-intloc.*, *ColSF-syst.*, CortO-systdia., Cortic-inhloc., Cycla-syst., Cycli-syst., *Cyclope-oph.*, *Cyclosp-syst.*, Cyp-syst., Dacli-syst., **Darb-syst.**, DauL-syst., **Def-syst.**, **Den-syst.**, Desl-syst., DesIP-syst., *Desm-syst.*, Dexmet-syst., Diaz-orsyst., Diaz-parsyst., DicM-syst., *Dif-syst.*, **Dimer-syst.**, Dinopst-parloc., Dinopne-cervag., *DiphenoA-syst.*, DiphTT-syst., *Dipi-oph.*, Dipy-syst., *DipyA-syst.*, Docet-syst., *Dol-syst.*, *Dom-syst.*, *Don-syst.*, Doxap-syst., Doxaz-syst., *Doxep-top.*, DoxorL-syst., Dron-syst., **Drop-syst.**, Dut-syst., Dyp-syst., *EdrA-syst.*, *Efav-syst.*, *EmtT-syst.*, *EnaF-syst.*, Epine-oph., *Epir-syst.*, **Epoe-syst.**, **Epop-syst.**, Ert-syst., *Eso-syst.*, Etan-syst., Etom-syst., **Fenol-syst.**, *Fent-trsyst.*, *FentD-syst.*, Flavox-syst., Fluda-syst., *Flum-syst.*, Fluorq-syst., *Fluox-syst.*, FlutS-inhloc., Fluv-syst., *FollitB-syst.*, Fome-syst., For-inhloc., *Gadob-syst.*, Gadop-syst., Gadot-syst., *Gadov-syst.*, *GalliC-syst.*, Gemc-syst., **Gemt-syst.**, *Gla-syst.*, Gluc-syst., Glut-syst., *Gos-syst.*, *Hal-syst.*, *HepatBVR-syst.*, **Hist-syst.**, *HistH2-syst.*, *Hom-oph.*, *HyalSD-syst.*, *Hyalur-parloc.*, **Hydra-syst.**, HydroI-syst., *HydroxT-oph.*, Iba-syst., Ibr-syst., *IbupO-syst.*, *Imiq-top.*, **Imm-syst.**, *Indin-syst.*, *InsD-syst.*, IntB1b-syst., Ioxi-syst., *Ipe-orloc.*, *Ipr-nas.*, IprA-inhloc., *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, IsomDA-syst., *Isot-syst.*, *Isox-syst.*, **Keta-syst.**, *Ketot-syst.*, *Ltry-syst.*, *Lamo-syst.*, Lef-syst., **Leval-inhloc.**, Levod-syst., *Lind-top.*, Lit-syst., *Los-syst.*, *LosH-syst.*, *Lox-syst.*, *Mann-syst.*, *Map-syst.*, *Mef-syst.*, Melo-syst., *Mem-syst.*, *Mep-syst.*, *Methyler-syst.*, **Methylp-syst.**, Methys-syst., *Meto-syst.*, **Minox-syst.**, *Minox-top.*, *Mir-syst.*, Mitox-syst., *Miv-syst.*, Moc-syst., *Mod-syst.*, *Moli-syst.*, **Mur-syst.**, *Nab-syst.*, **Nalm-syst.**, *Nalo-syst.*, Nalt-syst., **Natal-syst.**, *Neu-syst.* [Gallamine], *Nia-syst.*, **NiaL-syst.**, Nico-inhsyst., Nico-nas., *Nico-syst.*, *Nis-syst.*, **Nitra-syst.**, Nyl-syst., *Ofl-ot.*, Ola-syst., *Olm-syst.*, *OlmH-syst.*, *Omep-syst.*, *Ond-syst.*, Opi-syst., **Opr-syst.**, *Ose-syst.*, Oxa-syst., Oxyb-syst., *Oxym-nas.*, *Oxym-oph.*, *Oxyt-syst.*, Paliv-syst., Palo-syst., **Pam-syst.**, *Pap-syst.*, Paro-syst., Pegas-syst., *Pemo-syst.*, *PenteC-syst.*, *Perg-syst.*, PerpA-syst., *Phenot-syst.*, *Pheny-nas.*, Pheny-oph., Pil-syst., **Pimo-syst.**, **Pral-syst.**, **Praml-syst.**, *Prazi-syst.*, *Pre-syst.*, *Procai-syst.*, Pse-syst., *Pyrim-syst.*, *Que-syst.*, *Quin-syst.*, Ralt-syst., Ras-syst., *Resp-syst.*, *Ril-syst.*, Risp-syst., Riz-syst., *Roc-syst.*, Ropin-syst., *Sco-oph.*, Seleg-syst., *Sertr-syst.*, **Sevo-inhsyst.**, Sib-syst., *Sild-syst.*, **Sir-syst.**, Ske-syst., SodBeSP-syst., *SodN-syst.*, *SodPhe-syst.*, *Sol-syst.*, Sta-syst., Sym-parsyst., *Tacri-syst.*, Tacro-syst., Tad-syst., TecMer-syst., *Teli-syst.*, *Telm-syst.*, TelmH-syst., *Teno-syst.*, Tera-syst., Thie-syst., *Thiox-syst.*, *Thr-syst.*, *ThyH-syst.*, *Thyr-syst.*, *ThyrA-syst.*, Tinz-syst., Tiot-inhloc., Tola-parsyst., **TosI-syst.**, Tram-syst., *TramA-syst.*, *Traz-syst.*, **Tret-syst.**, *Trimetha-syst.*, *Trop-oph.*, *Tros-syst.*, Ure-syst., *Vala-syst.*, *Valg-syst.*, Valp-syst., *Vals-syst.*, *ValsH-syst.*, Van-syst., Vard-syst., Vasc-syst., Ven-syst., Vor-syst., *Xyl-nas.*, Yoh-syst., Zan-inhsyst., Zic-syst., Zip-syst.

adults: Desf-inhsyst., DigitG-syst., Leup-syst., Sevo-inhsyst.

pediatric patients, and: Desf-inhsyst., Sevo-inhsyst.

atrial: DigitG-syst.

block, with: DigitG-syst.

paroxymal: Docet-syst.

bradycardia, progressing to, or asystole: Bupro-syst.

transient bradycardia, followed by tachycardia: BronA-syst.
[Epinephrine]

Repertório - Capítulo PEITO

dialysis patients with end-stage renal disease: Levoca-syst.
failure, heart, worsened leading to: **Fenol-syst.**
females: Tamo-syst.
heart rate.
 increase in heart rate of 9.2 bpm, mean, relative to placebo: Desl-syst.
 resting, of 100 beats per minute: Fel-syst.
hypercalcemia, with: CalcS-syst.
ischemic cardiac events, leading to: **Fenol-syst.**
junctional (nodal).
 children: DigitG-syst.
 infants: DigitG-syst.
malignant: Aman-syst.
maternal heart rate, small increase in: Ritod-syst.
mild: Pantop-syst.
mother and baby (maternal and fetal): **Ritod-syst.**
 during use for delay of premature labor: Isox-syst.
normal sinus rhythm and then bradycardia, followed by: Dron-syst.
onchocerciasis (verminosis), patients with: **Ive-syst.**
pediatric patients: Desf-inhsyst., **Dexmet-syst.**, **Sevo-inhsyst.**
 adults, and: Desf-inhsyst., Sevo-inhsyst.
reflex: Amlod-syst., Nitrop-syst., Oxyt-syst., **Phenox-syst.**, **Phent-syst.**,
Risp-syst.
sinus tachycardia: **Aden-syst.**, **Aldes-syst.**, Cital-syst., Docet-syst., Palo-
syst., Paro-syst., Ven-syst.
stimulation, cardiac: BronA-syst. [Ephedrine], Hydra-syst.
 direct: Tola-parsyst.
supraventricular (fainting; fast, pounding, or irregular heartbeat or pulse;
palpitations): Alpr-syst., Amif-syst., Dexmed-syst., Dipy-syst., Fluda-syst.,
Fluorq-syst., Ilo-inh., Ipr-inhloc., Leval-inhloc., Mem-syst., Ond-syst., PacP-
syst., Ritu-syst., Tiot-inhloc., Tros-syst., Ven-syst.
 allergic reactions, associated with: Amif-syst.
 hypotension, associated with: Amif-syst.
systolic blood pressure and heart rate, rapid increases in: Arb-syst.
transient: Vasc-syst.
ventricular (fainting; fast, pounding, or irregular heartbeat or pulse;
palpitations): Arg-syst., Cicl-top., Cisap-syst., Clar-syst., Dexmed-syst.,
Dipy-syst., Diso-syst., **Dof-syst.**, Ele-syst., Ergon-syst., Flec-syst., Fluox-
syst., Fro-syst., Gala-syst., Iopa-syst., Ioxa-syst., Methyler-syst., Nes-syst.,
Ond-syst., Paro-syst., Quid-syst., Ritu-syst., Sertr-syst., Sum-syst., Tene-syst.,
Ven-syst.
 monomorphic, regular nonsustained: Ibut-syst.
 nonsustained: Mil-syst.
 polymorphic, sustained and nonsustained: Ibut-syst.
 transient: Pac-syst.
 torsades de pointes (chest pain or discomfort; irregular or slow heart
rate; fainting; shortness of breath; sudden death; prolonged QT

Repertório - Capítulo PEITO

interval): *AntfunA-syst.*, *CalcCBA-syst.* [*Bepridil*], *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *Diso-syst.*, **Dof-syst.**, *Eryts-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Gala-syst.*, *Levof-syst.*, *Nel-syst.*, *Paro-syst.*, *Penta-syst.*, *Propa-syst.*, *Quid-syst.*, *Tacro-syst.*, *Ven-syst.*, *Vor-syst.*

potentially fatal: *Propa-syst.*

QT prolongation, with (irregular or slow heart rate; recurrent fainting; sudden death) (See DIAGNOSTIC TESTS, Electrocardiogram): *Phenot-syst.*

worsened: *Flec-syst.*

weak heartbeat, and fast: **AmylN-syst.**, *Iron-syst.*, *Nitra-syst.*

thrombolysis, coronary, during or following (sinus bradycardia, accelerated idioventricular rhythm, ventricular premature depolarizations, supraventricular tachycardia, ventricular tachycardia, and ventricular fibrillation): *Ret-syst.*

transient: *Iov-syst.*

trigeminy: *Ritu-syst.*

ventricular (fainting; fast, slow, pounding, or irregular heartbeat or pulse; palpitations; dizziness or fainting; seen on ECG as prolonged QT interval as well as lowered and inverted T-wave and S-T segment changes; increase in frequency of premature ventricular contractions, or a worsening or new appearance of ventricular tachycardia or ventricular fibrillation): *Aldes-syst.*, *Almot-syst.*, *Amsa-syst.*, *AnestInh-syst.* [*Halothane*], **Arb-syst.**, *Arg-syst.*, *BronT-syst.*, *Cital-syst.*, *Clar-syst.*, *Dexmed-syst.*, **Dof-syst.**, *Dyp-syst.*, *Ergon-syst.*, *Methyler-syst.*, *Nalo-syst.*, **Pimo-syst.**, **Probu-syst.**, *Sild-syst.*

extrasystoles: *Capec-syst.*

potentially fatal: *Aldes-syst.*

supraventricular, and: **Arb-syst.**

weak heartbeat and fast: **AmylN-syst.**, *Iron-syst.*, *Nitra-syst.*

ARTÉRIA CORONÁRIA.

arrhythmias, cardiac, during or following coronary thrombolysis (sinus bradycardia, accelerated idioventricular rhythm, ventricular premature depolarizations, supraventricular tachycardia, ventricular tachycardia, and ventricular fibrillation): *Ret-syst.*

calcification of coronary and pulmonary arteries: *Isot-syst.*

mesenteric, and, increased incidence of.

animal studies: *Isot-syst.*

dissection, coronary artery (See Aneurism): *Tir-syst.*

disorder, coronary artery (arm, back or jaw pain; chest pain or discomfort; chest tightness or heaviness; fast or irregular heartbeat; shortness of breath; sweating; nausea): *Adal-syst.*, *Alef-syst.*, *Cele-syst.*

infarction, coronary (See Infarction, myocardial): *EstroPO-syst.*

ischemia, coronary (See Angina; Infarction): *EstroPO-syst.*

thrombosis, coronary (chest pain or discomfort; pain or discomfort in arms, jaw, back or neck; shortness of breath; nausea; sweating; vomiting): *Estro-syst.*, *Iopr-syst.*, *Vaso-syst.*

vasospasm, coronary artery (See Angina pectoris).

ARTÉRIA PULMONAR, danos na (Ver Aneurisma): *Alpr-syst.*

ARTERIOSCLEROSE: *BronA-syst.* [*Isoproterenol*]

ATELECTASIA (tosse; respiração difícil; febre; batimento cardíaco rápido): *Antm-syst.*, *Azac-syst.*, *Meno-syst.*, **Nitri-inhloc.**, *Opi-syst.*, **Sir-syst.**

AUMENTO (Ver Hipertrofia).

BRADICARDIA (Ver Arritmias).

BRONCODILATAÇÃO: *BronA-inhloc.* [*Albuterol*, *Bitolterol*, *Epinephrine*, *Fenoterol*, *Formoterol*, *Isoetharine*, *Isoproterenol*, *Metaproterenol*, *Pirbuterol*, *Procaterol*, *Salmeterol*, *Terbutaline*], *BronA-syst.* [*Albuterol*, *Epinephrine*, *Isoproterenol*, *Metaproterenol*, *Terbutaline*], *BronT-syst.* [*Aminophylline*, *Oxtriphylline*, *Theophylline*], *Dyp-syst.*, *FlutS-inhloc.*, *For-inhloc.*, *Ipr-inhloc.*, *IprA-inhloc.*, *Leval-inhloc.*, *OxtG-syst.*, *TheG-syst.*, *TheEP-syst.*, *Tiot-inhloc.*

BRONQUIOLITE (tosse; dificuldade em respirar; febre): *Tiop-syst.*

obliterans, *obstructive bronchiolitis* (coughing, wheezing, or shortness of breath): *Efal-syst.*, *Penic-syst.*, *Ritu-syst.*

organizing pneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): *Amio-syst.*

BRÔNQUIOS.

fistula, *bronchopleural* (shortness of breath or troubled breathing) (See *Fistula*): *Tal-intloc.*

irritation, *bronchial*: *BronA-inhloc.*

stricture, *endobronchial* (troubled breathing).

treatment for non-small cell lung Carcinoma (NSCLC), with: **Por-syst.**

ulceration, *endobronchial* (painful and/or difficult breathing).

treatment for non-small cell lung Carcinoma (NSCLC), with: *Por-syst.*

CALCIFICAÇÃO.

coronary and pulmonary arteries: *Isot-syst.*

mesenteric, and, *increased incidence of.*

animal studies: *Isot-syst.*

thickening, *pleural*, *extensive*, with *calcification*: *Tal-intloc.*

tracheal or tracheobronchial (trouble in breathing): *Antcoa-syst.* [*Warfarin*]

CÂNCER (Ver Tumor).

mammae (breast) (clear or bloody discharge from nipple; inverted nipple; dimpling of breast skin; lump in breast or under the arm; persistent crusting or scaling of

Repertório - Capítulo PEITO

nipple; redness or swelling of breast; sore on the skin of the breast that does not heal): *DrosE-syst.*, *Estro-syst.*

carcinoma, breast (clear or bloody discharge from nipple; inverted nipple; dimpling of breast skin; lump in breast or under the arm; persistent crusting or scaling of nipple; redness or swelling of breast; sore on the skin of the breast that does not heal): *Adal-syst.*

gynecomastia, leading to primary intraductal breast carcinoma: *Fin-syst.*

invasive: *EstroPO-syst.*

tumor flare (bone pain; diffuse musculoskeletal pain and erythema with increased size of tumor lesions): *Tore-syst.*

CAPACIDADE VITAL FORÇADA (CVF), diminuição na: *Dorn-inhloc.*

CARDIOMIOPATIA (desconforto ou dor no peito; dificuldade para respirar; falta de ar; inchaço dos pés e pernas; pulsação rápida ou irregular; tonturas ou sensação de desfalecimento; cansaço incomum ou fraqueza): *Aldes-syst.*, *Amph-syst.*, *Anag-syst.*, *AppSupS-syst.*, *Capec-syst.*, *Did-syst.*, *Dipy-syst.*, *Doxor-syst.*, *Ida-syst.*, *Imiq-top.*, *IntB1a-syst.*, *LamiZ-syst.*, *PegiA2b-syst.*, *Tacro-syst.*, *Zalc-syst.*

degeneration, myocardial, acidophilic.

chronic toxicity studies in beagle dogs: AntandN-syst. [Flutamide]

hypertrophy, heart (cardiomegaly) (chest pain or discomfort; shortness of breath; irregular heartbeat; fatigue) (See Hypertrophy, heart): **Agal-syst.**, *Anag-syst.*

voltage reduction in the QRS complex, persistent, systolic interval prolongation, and reduction of ejection fraction, associated with: *Epir-syst.*

secondary: *Tret-syst.*

CATARRO (Ver Inflamação).

CATARRO, escarro, aumento da produção (aumento mucoso na garganta e nos pulmões) (Ver GARGANTA; GENERALIDADES): *For-inhloc.*

CHOCALHANTE (Ver RESPIRAÇÃO).

CHOQUE cardiogênico (Ver Falência): *Carv-syst.*, *Ritu-syst.*

CONDUÇÃO cardíaca, defeitos ou transtornos da (efeitos cardiovasculares; tonturas; desfalecimento ou desmaio e/ou palpitações; bloqueio atrioventricular [AV]; bradicardia ventricular ou atrioventricular juncional; bloqueio de ramo; depressão da contratilidade miocárdica; alargamento do segmento QRS; prolongamento do intervalo QT; bradicardia sinusal; bloqueio sinoatrial [AS]; taquicardia sinusal; torsades de pointes; fibrilação ventricular; taquicardia ventricular; assistolia) (Ver Afecções; Arritmias; TESTES DIAGNÓSTICOS): *Carbam-syst.*, *Chloroq-syst.*, *Clon-parloc.*, *Diso-syst.*, *Hydxcyc-syst.*, *Lid-syst.*, *MagS-syst.*, *Mor-syst.*, *Quid-syst.*

children: *DigitG-syst.*

infants: *DigitG-syst.*

intra-atrial and intraventricular: Propa-syst.

delay, intraventricular: Propa-syst.

CONGESTÃO (Ver Pele; Plenitude; Rubor): **Fenof-syst.**, Mom-inhloc., Paro-syst., **Penta-inh.**

mammae.

engorgement, breast (fullness or tenderness of breasts): Dinopst-parloc.

pulmonary (coughing; troubled breathing; wheezing): Dexmed-syst., Mann-syst.

respiratory: **Epo-e-syst.**

upper respiratory tract (chest congestion): Mup-nas.

toxicity, pulmonary, including pulmonary congestion, pulmonary edema, pleural effusion (shortness of breath) (See Congestion, pulmonary): **Aldes-syst.**

CONSTRICÇÃO, tensão (Ver Opressão; Pressão): **AbLam-syst.**, Abar-syst., Acetyl-syst., Adal-syst., **Agal-syst.**, **Amif-syst.**, AmphoBLsC-syst., AntinfN-syst., AntCoaC-syst., **AntandN-syst.**, AntfunA-syst. [Itraconazole], AnthisD-syst., AnthisDAg-syst., AnthisDAC-syst., Antm-syst., Antthro-syst., Ataz-syst., Atorv-syst., Barb-syst., Beth-syst., Cele-syst., Clar-syst., CortO-systdia., Cyp-syst., Desm-syst., DiatI-loc., Diat-loc., Diat-syst., **Dimer-syst.**, Docet-syst., Doxap-syst., Dut-syst., Edr-syst., EdrA-syst., Efav-syst., Ele-syst., EmtT-syst., Ert-syst., Etan-syst., Feru-syst., FexP-syst., Flut-inhloc., FlutS-inhloc., Gadod-syst., Gadop-syst., Gadot-syst., Gef-syst., Glut-syst., Hepar-syst., Hyalur-parloc., HydroI-syst., HydroxT-oph., Iba-syst., Ibr-syst., Imm-syst., Infl-syst., InsD-syst., Iodip-syst., Ioh-loc., Ioh-syst., Iopa-syst., Iopr-syst., Iot-loc., Iot-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Iri-syst., Ketor-syst., Melo-syst., **Nar-syst.**, **Natal-syst.**, Nev-syst., Nico-inhsyst., **Nico-nas.**, Nis-syst., Opr-syst., Orl-orloc., Oxa-syst., Peme-syst., PenteC-syst., Phy-oph., Phy-syst., **Praml-syst.**, Prazi-syst., Pre-syst., Pyridos-syst., Ras-syst., Rep-syst., **Riz-syst.**, Serm-syst., SodBeSP-syst., Sta-syst., Sum-syst., TecAlA-syst., TecSul-syst., Teli-syst., Teno-syst., Thr-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., **Tret-syst.**, Trimetr-syst., Vac-syst., Vald-syst., Zic-syst., **Zolm-syst.**

patients who have asthma, urticaria, angioedema, and similar conditions: Barb-syst.
stricture, endobronchial (troubled breathing).

treatment for non-small cell lung Carcinoma (NSCLC), with: **Por-syst.**

wheezing, with: Abar-syst., HydroI-syst., Peme-syst.

CORAÇÃO (Ver Afecções, coração).

fullness or tonic effect in the heart: CalcS-syst., Ina-syst., Mil-syst.

CUSHINGÓIDE estado, desenvolvimento de (aumento dos depósitos de gordura no tronco) (Ver GENERALIDADES): Fludro-syst.

DESCARGA (Ver Leite).

mammae (breasts): Eton-vag., **NoreE-syst.**

nipple, from: Danaz-syst.

DOENÇA PULMONAR VENO-OCCLUSIVA (DPVO) (Ver Afecções, pulmões).

DOR: Abcix-syst., Acit-syst., Adal-syst., **Aden-syst.**, **Agal-syst.**, AlbMic-syst., Alfuz-syst., Almot-syst., Amif-syst., Amio-syst., Amph-syst., AmphoBLsC-syst., **Anast-syst.**, Anest-parloc., AngIn-syst., AngInH-syst., AntinfN-syst., Anthro-syst., AntvCPOv-syst., Aprac-oph., Arb-syst., ArsTr-syst., Atorv-syst., **Azac-syst.**, Aztr-syst., Bacl-syst., Barb-syst., BarbAn-syst. [Barbiturates], Basil-syst., Benzod-syst. [Diazepam], BetBA-oph. [Timolol], BetBA-syst., BetBAT-syst., Brin-oph., BronA-inhloc., BronA-syst., Busp-syst., Busu-syst., Calcit-nassyst., Carbam-syst., Carbet-syst., CarbidEL-syst., Carm-imploc., **Carv-syst.**, Cele-syst., Cil-syst., Cital-syst., Clon-parloc., **Clop-syst.**, ConjE-syst., Cortic-inhloc., Cyt-syst., Dacli-syst., Danaz-syst., **Darb-syst.**, DauL-syst., DecAn-syst. [Ibuprofen-containing combinations], **Den-syst.**, Dic-top., DicM-syst., **Dimer-syst.**, Dinopst-parloc., DipyA-syst., Diso-syst., DiuL-syst., Docet-syst., Dof-syst., Dol-syst., Don-syst., **Dorn-inhloc.**, DorzT-oph., Doxap-syst., DoxorL-syst., **DrosE-syst.**, **DrosEE-syst.**, Ele-syst., EmtT-syst., **Epoe-syst.**, **Ert-syst.**, Esm-syst., **Estro-syst.**, Etan-syst., **Ethan-parloc.**, Eton-vag., Exem-syst., Ezet-syst., FatE-syst., Fel-syst., Fent-trsyst., Flec-syst., Flum-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., For-inhloc., Fro-syst., **Ful-syst.**, Gadob-syst., Gadod-syst., Gadop-syst., Gadov-syst., Gals-syst., **Gla-syst.**, Glut-syst., Gra-syst., GroH-syst., Hepar-syst., Hist-syst., HistH2-syst. [Nizatidine], HydroxT-oph., IbupO-syst., Ilo-inh., Imiq-top., Imm-syst., Ina-syst., IndiuS-syst., Infli-syst., IntAl-syst., IntBlA-syst., Ioxa-syst., IprA-inhloc., **Iron-syst.**, Isot-syst., Isox-syst., Ketor-syst., Lamo-syst., **Lar-syst.**, Lat-oph., Lef-syst., **Len-syst.**, Let-syst., Leval-inhloc., Man-syst., Mann-syst., Mef-syst., Mem-syst., MethylB-syst., Mex-syst., Minox-top., Mod-syst., Moe-syst., MoeH-syst., Mom-nas., Mor-syst., **Mur-syst.**, **Myc-syst.**, Nalt-syst., Natal-syst., NialL-syst. [Niacin], Nis-syst., Nitro-syst., Nyl-syst., Ola-syst., Olm-syst., **OlmH-syst.**, Omep-syst., Ond-syst., **Oxa-syst.**, Oxc-syst., PacP-syst., Pantop-syst., Paro-syst., **Pegv-syst.**, **Peme-syst.**, Penic-syst., PenicilB-syst., **Penta-inh.**, PenteC-syst., Pentox-syst., **Por-syst.**, Prami-syst., Pre-syst., Pyrim-syst., Quid-syst., Quin-syst., QuinuD-syst., **Ralo-syst.**, Ras-syst., Rau-syst., Rep-syst., **Riba-syst.**, **RibaI-syst.**, **Rifab-syst.**, Rise-syst., Risp-syst., Ropin-syst., Rosu-syst., Saq-syst., **Sir-syst.**, SodBeSP-syst., SulfadP-syst., Sulfas-syst., Tacro-syst., Tad-syst., Tams-syst., Telm-syst., Teri-syst., ThyH-syst., Thyr-syst., Til-syst., **Tiot-inhloc.**, Tolc-syst., **Tolt-syst.**, Topi-syst., **TosI-syst.**, Tram-syst., TramA-syst., TrandV-syst., **Tret-syst.**, Tros-syst., TypVI-parsyst., Valp-syst., Vard-syst., Ven-syst., Vino-syst., Vor-syst., Zale-syst., Zic-syst., Zip-syst., **Zole-syst.**

atypical: Pac-syst.

children: BronA-syst. [Albuterol]

hypotension, associated with: Amif-syst., AngIn-syst.

mammæ (breasts) (mastalgia): **Abar-syst.**, Acit-syst., Anast-syst., Andro-syst., Cele-syst., **ConjE-syst.**, Dipy-syst., Dom-syst., **Estro-syst.**, Estro-vag., **EstroP-syst.**, **EstroPO-syst.**, Fluox-syst., Histr-syst., IntBlb-syst., Let-syst., **MedE-syst.**, Nef-syst., **NoreE-syst.**, PerpA-syst., Phenot-syst., Proge-syst., Testos-syst.

burning feeling: Dinopst-parloc.

females: Glut-syst., **Lut-syst.**, Tem-syst., **Topi-syst.**

endometriosis, treated for: Nafa-syst.

infertility, treated for: **FollitA-syst.**

mastodynia (breast pain): Epl-syst.

tenderness (See sore, tender).

non-cardiac: **Cinac-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: FollitA-syst.

pleura (sharp pain in either or both sides of the chest): Dipy-syst.

precordial (See Angina): CetiP-syst. [Pseudoephedrine], Cev-syst.

distress, and (chest pain): Vasc-syst.

ribs: Probe-syst.

severe: AntdepMAO-syst., SodC-parloc., **Nar-syst.**, **Riz-syst.**, Seleg-syst., Sum-syst., **Zolm-syst.**

sore, tender.

mammæ (breasts): Aztr-syst., **ConjE-syst.**, **DrosEE-syst.**, **Estra-syst.**, **Estro-syst.**, **EstroP-syst.**, **EstroPO-syst.**, Eton-vag., FollitB-syst., Histr-syst., **MedE-syst.**, Minox-syst., **NoreE-syst.**, **Pimo-syst.**, Proge-syst., Uro-syst.

females: Cital-syst., **Hal-syst.**, Meno-syst., Sertr-syst.

treated for infertility: **FollitA-syst.**

increased: Buse-syst., Gos-syst.

adults: Leup-syst.

males: **Andro-syst.**, Pimo-syst.

postpubertal: **AnabS-syst.**

swelling, and: Meto-syst.

retrosternal (See substernal).

substernal or retrosternal discomfort or pain (painful feeling in chest, (pressing or painful feeling in chest): Carbopr-syst., Cev-syst., Dinopst-parloc., Dinopne-cervag., Gala-syst., Gals-syst., HydroxT-oph.

tenderness (See sore).

thorax: Adal-syst.

transient: Isot-syst.

DUCTO ARTERIOSO, dano ao: Alpr-syst.

ECTOPIA.

atrial: Sum-syst.

rhythms, ectopic (dizziness; fainting; fast, slow, or irregular heartbeat): Prazi-syst.

isolated junctional ectopic beats: Sum-syst.

ventricular, increased: Ibut-syst., Mil-syst.

EDEMA pulmonar (edema pulmonar; dor no peito; respiração difícil, rápida e barulhenta, às vezes com chiado ou sibilo; lábios e unhas azuis; pele pálida; aumento da transpiração; tosse, às vezes produzindo catarro espumoso rosa; falta de ar; inchaço nas pernas e tornozelos; calafrios; tosse; febre; sensação de desconforto geral ou doença; espessamento das secreções brônquicas; problemas na respiração) (Ver Efusões; Hidrotórax): Album-syst., Aman-syst., AnestBar-syst., AntinfN-syst., AntfunA-syst. [Itraconazole], Barb-syst., BarbAn-syst. [Acetaminophen, Barbiturates], Basil-syst., Biv-syst., Bos-syst., BronA-syst. [Ephedrine, Epinephrine], CalcCBA-syst., Coc-mucloc., Colc-syst., Cyt-syst., Dacli-syst., Dexmed-syst., Diat-syst., Dipy-syst., Docet-syst., Eno-syst., Epir-syst., Gadob-syst., Gemc-syst., Guane-syst., Ibr-syst., Imiq-top., Imm-syst., Iopa-syst., Iot-syst., Ioxa-syst., Isox-syst.,

Repertório - Capítulo PEITO

Ketor-syst., *Levom-syst.*, *Mur-syst.*, **Mur-syst.**, *Nalo-syst.*, *Pentost-syst.*, *Phenot-syst.*, *Por-syst.*, *Pyridos-syst.*, *Ras-syst.*, **Ritod-syst.**, *RosiM-syst.*, **Sir-syst.**, *Toc-syst.*, *Tret-syst.*, *Vac-syst.*, *ZinS-syst.*

acute: *Docet-syst.*, *Gadob-syst.*

bronchospasm, with (severe wheezing or troubled breathing): *TecSul-syst.*

cardiogenic: **Mur-syst.**

cardiomyopathy, hypertrophic (HCM), patients: *TrandV-syst.* [*Verapamil*]

fibrosis, interstitial, with: *Mecam-syst.*

hypotesion, severe, with.

hypertrophic cardiomyopathy (HCM) patients: *TrandV-syst.* [*Verapamil*]

noncardiogenic (chest pain; difficult, fast, noisy breathing, sometimes with wheezing; blue lips and fingernails; pale skin; increased sweating; coughing; shortness of breath): *Prota-syst.*, *Tras-syst.*

possible: *CalcCBA-syst.*

EFUSÕES (Ver Edema pulmonar; Hidrotórax).

pericardial (chest pain or discomfort; shortness of breath): *Adal-syst.*, *Aldes-syst.*, *Capec-syst.*, *ColSF-syst.* [*Sargramostim*], *Docet-syst.*, *Infli-syst.*, *Minox-syst.*, *Perg-syst.*, **Tret-syst.**

pleural, and: *ColSF-syst.* [*Sargramostim*]

pericarditis, with: *Hydra-syst.*, *Quid-syst.*

pleural (chest pain; shortness of breath): *Abcix-syst.*, *Adal-syst.*, *ArsTr-syst.*, **Azac-syst.**, *Bromo-syst.*, *CarbidEL-syst.*, *ChorioG-syst.*, **Clofar-syst.**, *ColSF-syst.* [*Sargramostim*], *Dexmed-syst.*, *Docet-syst.*, *Enta-syst.*, *Epir-syst.*, **Ethan-parloc.**, *Let-syst.*, **Pam-syst.**, **Por-syst.**, *Prami-syst.*, *Quid-syst.*, *Ropin-syst.*, *RosiM-syst.*, **Sir-syst.**, **Tacro-syst.**, *Tolc-syst.*, **TosI-syst.**, *Tras-syst.*, **Tret-syst.**, **Zole-syst.**

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

pericardial, and: *ColSF-syst.* [*Sargramostim*]

pericarditis, with: *Dant-syst.*

toxicity, pulmonary, including pulmonary congestion, pulmonary edema, pleural effusion (shortness of breath) (See Congestion, pulmonary): **Aldes-syst.**

pleuritis, with: *Hydra-syst.*

ELECTROCARDIOGRAMA (ECG), alterações no (Ver TESTES DIAGNÓSTICOS).

EMBOLISMO pulmonar (falta de ar ou problemas respiratórios; dor no peito; ansiedade; tosse; desmaios; pulsação rápida; tonturas ou vertigens; dor queimante no abdômen inferior; calafrios; convulsões; sensação de calor; sensação de calor nos lábios e língua; dor de cabeça; nervosismo; dormência na ponta dos dedos; dor em região lombar, pelve ou estômago; zumbido nos ouvidos; falta de ar; sede súbita ou sabor salgado; transpiração): *Capec-syst.*, *Cele-syst.*, *Cetux-syst.*, *Chym-parloc.*, *Clofib-syst.*, *Cloz-syst.*, *Cyp-syst.*, *Darb-syst.*, *Den-syst.*, *Docet-syst.*, *DrosE-syst.*, *DrosEE-syst.*, *Epoe-syst.*, *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Eton-vag.*, **FacIX-syst.**, *Fluox-syst.*, *Gadob-syst.*, *Ibr-syst.*, *Imm-syst.*, **Iri-syst.**, *Len-syst.*, *Let-syst.*, *Meno-syst.*, *NoreE-syst.*, *PacP-syst.*, *Risp-syst.*, *SodC-parloc.*, *SodTe-syst.*, *Tal-intloc.*, *Tamo-syst.*, *Tore-syst.*

Repertório - Capítulo PEITO

increased risk of: *ConjE-syst., Estro-vag., MedE-syst.*

males: *Gos-syst.*

adult: *Leup-syst.*

thromboembolism, pulmonary (pain in chest, groin, or legs, especially the calves; difficulty breathing; severe, sudden headache; slurred speech; sudden, unexplained shortness of breath; sudden loss of coordination; sudden, severe weakness or numbness in arm or leg; vision changes): *PacP-syst.*

ESPASMOS do coração.

spasm of right ventricle infundibulum: *Alpr-syst.*

ESTRIAS no tronco (linhas púrpuro-avermelhadas): *ClotB-top., Cortic-rec., Cortic-top., CorticG-syst., Fludro-syst., NysT-top.*

FALÊNCIA cardíaca (dor ou desconforto no peito; veias dilatadas no pescoço; fadiga extrema; respiração irregular; batimentos cardíacos irregulares; falta de ar; inchaço do rosto, dedos, pés ou pernas; ganho de peso; respiração ofegante) (Ver Choque): *AmlodAt-syst., [Amlodipine], BetBA-oph., Coc-mucloc., Cyp-syst., Docet-syst., DorzT-oph., DoxorL-syst., Eno-syst., Gemc-syst., Imiq-top., Lep-syst., Melo-syst., Mur-syst., Nico-inhsyst., Nico-nas., Nico-syst., Pam-syst., Por-syst., Ras-syst., RosiM-syst., Tore-syst., Tras-syst., Tret-syst.*

arrest, cardiac (chest pain; irregular heartbeat; heart failure; stopping of heart; no blood pressure or pulse; unconsciousness): *Adal-syst., Agal-syst., Aldes-syst., Alpr-syst., Amif-syst., Arg-syst., Benzod-syst., BronT-syst. [Aminophylline, Theophylline], Carv-syst., Chloroq-syst., Chym-parloc., Cisap-syst., Citra-syst. [Potassium Citrate-containing], Colc-syst., Darb-syst., Dexmed-syst., Diat-syst., DigitG-syst., Dipy-syst., Dof-syst., DorzT-oph., Ergon-syst., Flec-syst., Fluox-syst., FlutS-inhloc., For-inhloc., Hydxyc-syst., Imm-syst., Ioxa-syst., Iri-syst., Leval-inhloc., Levom-syst., Lid-syst., Lid-top., MagS-syst., Melo-syst., Methyler-syst., Mida-syst., Mor-syst., Mur-syst., PacP-syst., Phenot-syst., Pyridos-syst., Ras-syst., Sevo-inhsyst., Sild-syst., Toc-syst., TramA-syst. [Tramadol], Tret-syst., Vac-syst.*

cardiorespiratory (no pulse or blood pressure; no breathing; unconscious; heart stops): *AnestBar-syst., Chloroq-syst., Ond-syst., Risp-syst., TecSul-syst.*

cardiovascular status, unstable, patients with: *Benzod-syst.*

cardiovascular system depression leading to cardiac arrest (increased sweating, low blood pressure, pale skin, slow or irregular heartbeat): *Anest-mucloc., Anest-top.*

death, resulting in: *Mida-syst.*

fibrillation, ventricular, with: *Dof-syst.*

geriatric patients: *Benzod-syst.*

hypotension.

after: *Amif-syst.*

during: *Amif-syst.*

ill patients, severely: *Benzod-syst.*

pulmonary reserve, limited, patients with: *Benzod-syst.*

Repertório - Capítulo PEITO

sinus arrest: *Flec-syst.*, *Mor-syst.*, *Propa-syst.*

hypertrophic cardiomyopathy (HCM) patients: *TrandV-syst.*
[*Verapamil*]

sudden: *Beth-syst.*

cardiovascular failure: *VitDA-syst.*

cardiovascular system depression (increased sweating, low blood pressure, pale skin, slow or irregular heartbeat): *Anest-mucloc.*, *Anest-parloc.*, *Anest-top.*, *AnestBar-syst.*, *AnestInh-syst.*, *Coc-mucloc.*, *Desf-inhsyst.*, *FentD-syst.*, *LidP-top.*, *Mida-syst.*, *Neu-syst.*, *Propo-syst.*, *Ropiv-parloc.*, *Sevo-inhsyst.*

cardiac arrest, leading to: *Anest-mucloc.*, *Anest-top.*, *FentD-syst.*

collapse.

cardiac: *BotA-parloc.*

cardiorespiratory: *Bleo-syst.*, *HydroxT-oph.*

adults: *Trop-oph.*

children: *Trop-oph.*

cardiovascular, circulatory: *AntCoaC-syst.*, *AntconH-syst.*, *AntvCPol-syst.*, *AntvM.-syst.*, *AppSupS-syst.*, *Barb-syst.*, *Benzon-syst.*, *Beth-syst.*, *Capec-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Chloramp-syst.*, *DiatI-loc.*, *Gat-oph.*, *HydroxT-oph.*, *Imm-syst.*, *Iron-syst.*, *IsomDA-syst.*, **Mur-syst.**, *Neu-syst.*, *Ofl-ot.*, **Prota-syst.**, *Pyrim-syst.*, *Sevo-inhsyst.*, *SodBeSP-syst.*, *Vac-syst.*

congestive heart failure (chest pain; decreased urine output; dilated neck veins; extreme fatigue; irregular breathing; irregular heartbeat; shortness of breath; swelling of face, fingers, feet, or lower legs; tightness in chest; troubled breathing; weight gain; wheezing): *Adal-syst.*, *Album-syst.*, *Aldes-syst.*, *Alpr-syst.*, *Aman-syst.*, *Amio-syst.*, *Anag-syst.*, *AntinfN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *BetBA-oph.* [*Betaxolol*, *Timolol*], *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, *CalcCBA-syst.*, *Carbam-syst.*, *Cele-syst.*, *Coc-mucloc.*, *CorticG-syst.*, *Corticot-syst.*, *Cyclob-syst.*, *Cycloph-syst.*, **Darb-syst.**, *Dau-syst.*, *DauL-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Diaz-orsyst.*, *Diaz-parsyst.*, *Diso-syst.*, *Docet-syst.*, *Doxor-syst.*, *Epir-syst.*, *Etan-syst.*, *Flec-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Ibut-syst.*, *Ida-syst.*, *Ilo-inh.*, *Infli-syst.*, *IntB1a-syst.*, *Mitox-syst.*, *Mor-syst.*, *Pentost-syst.*, *Phenot-syst.*, **Pio-syst.**, *Propa-syst.*, *Ralt-syst.*, *Rosi-syst.*, *RosiM-syst.*, **Sir-syst.**, *Telm-syst.*, *Tras-syst.*, *Zalc-syst.*

cardiotoxicity and bundle branch block or other arrhythmias, including:
Cyclob-syst.

compromised cardiovascular function, patients with: *Album-syst.*

delayed (manifested by ascites, gallop rhythm, hepatomegaly, pleural effusion, pulmonary edema, and tachycardia): *Epir-syst.*

exacerbation of: *AntinfN-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Diso-syst.*, *Mor-syst.*, *Propa-syst.*

hypotension, with (dizziness, lightheadedness, or fainting): *Diso-syst.*

new-onset: *Etan-syst.*

severe: *Cycloph-syst.*, *Diat-syst.*

multiple contrast studies within 72 hours, patients who have had:
Diat-syst., *Iot-syst.*

large volumes of contrast agent, patients receiving: *Diat-syst.*, *Iot-syst.*
elevated uric acid levels, patients with: *Diat-syst.*, *Iot-syst.*
fatal: *Cycloph-syst.*
susceptible individuals: *CorticG-syst.*, *Diaz-parsyst.*
worsening (See exacerbation of).
contractility, or contractile force, myocardial, decreased: *Album-syst.*, *Iot-syst.*,
Ioxa-syst., *Quid-syst.*, *Sevo-inhsyst.*
death, sudden cardiac (heart failure): *Sild-syst.*
depression.
cardiopulmonary: *Toc-syst.*
myocardial: *BetBA-oph.*
dysfunction, cardiac, mechanical (dizziness; fainting; fast, slow, or irregular
heartbeat): **Iri-syst.**
fatal, with symptomatic onset: *Ritu-syst.*
insufficiency, cardiac: *Carv-syst.*
left ventricular function, cardiac: *Docet-syst.*
systolic dysfunction, left ventricular (chest pain; decreased urine output;
dilated neck veins; extreme fatigue; irregular breathing; irregular heartbeat;
shortness of breath; swelling of face, fingers, feet, or lower legs; tightness in
chest; troubled breathing; weight gain; wheezing): **Clofar-syst.**
output, cardiac, decreased: *Agal-syst.*
shock, with: *Aprot-syst.*
tamponade, cardiac (shortness of breath): *Bort-syst.*

FIBROSE (Ver Inflamação).

cardiac, increased incidence of.
animals: *Isot-syst.*
edema, interstitial pulmonary, with: *Mecam-syst.*
intra-atrial.
beagle dogs (chronic toxicity studies): *AntandN-syst.*[Flutamide]
myocardium (see cardiac).
pleura (chest pain; cough; shortness of breath): *Perg-syst.*, *Vasc-syst.*
pleuropulmonary (shortness of breath; chest pain or tightness): *Vasc-syst.*
pulmonary (cough; painful breathing; shortness of breath; fever; troubled or quick,
shallow breathing; unusual tiredness or weakness; loss of appetite and weight; chest
discomfort): *Adal-syst.*, **Amio-syst.**, **Anag-syst.**, *AntconH-syst.*, **Bleo-syst.**, *Cab-*
syst., **Carm-syst.**, *Chloramb-syst.*, *Docet-syst.*, *Enta-syst.*, *Gold-syst.*, *Lef-syst.*,
Lom-syst., *Melp-syst.*, *MethotC-syst.*, *MethotNC-syst.*, *Myc-syst.*, *Oxa-syst.*, *PacP-*
syst., *Sir-syst.*, *Toc-syst.*
dysplasia, bronchopulmonary, with (fever; cough; shortness of breath):
Busu-syst.
infiltrates, pulmonary, with: *Lom-syst.*
interstitial (cough; difficult or painful breathing; fever; shortness of breath;
slight fever): **Amio-syst.**, **Anag-syst.**, **Cycloph-syst.**, *Infli-syst.*
diffuse: *Nitro-syst.*

Repertório - Capítulo PEITO

pleuropulmonary (shortness of breath; chest pain or tightness): *Vasc-syst.*
serous, with inflammation: (pleuritis; pleural infection; pleural fibrosis; pericarditis; pericardial effusion): *Perg-syst.*

FÍSTULA broncopulmonar (falta de ar ou problemas respiratórios) (Ver Brônquios; Pleura):
Tal-intloc.

FORMIGAMENTO, dormência no tronco: *Gold-syst.*

FRAQUEZA.

cardiac: *Coc-mucloc., Cortic-nas. [Dexamethasone]*

trunk: *Fludro-syst., Gold-syst.*

severe: *Cortic-top., Gluc-syst.*

GALACTORRÉIA (Ver Leite).

GINECOMASTIA (Ver Hipertrofia, mamas).

HEMORRHAGE.

heart.

intraventricular: *Calf-intloc.*

grade III, in apneic infants: *Colf-intloc.*

hemoptysis (coughing or spitting up blood): *Amio-syst., AntinfN-syst., Arg-syst., ArsTr-syst., Capec-syst., Crom-inhloc., Dau-syst., DauL-syst., Fluda-syst., Gadov-syst., Ilo-inh., Nes-syst., Tal-intloc., Tinz-syst., Tiop-syst.*

treatment for non-small cell lung Carcinoma (NSCLC), with: **Por-syst.**

lungs (pulmonary) (coughing up blood; shortness of breath): **Antcoa-syst., Cil-syst., Colf-intloc., Ept-syst., Indo-syst., Nitri-inhloc., Sild-syst.**

myocarditis, hemorrhagic: *Cycloph-syst.*

pericardium (chest pain): **Antcoa-syst.**

hemopericardium: *Cycloph-syst.*

respiratory tract (coughing up blood): *Tene-syst.*

HERPES ZOSTER (See Infection).

HIDROPSIA (Ver Edema pulmonar; Hidrotórax).

HIDROTÓRAX, hidropsia.

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

HIPEREXTENSÃO do tronco: *Thie-syst.*

HIPERSENSIBILIDADE pulmonar (febre; problemas respiratórios; tosse; falta de ar; aperto no peito; respiração ofegante): *Carbam-syst.*

HIPERTENSÃO pulmonar (Ver GENERALIDADES).

Repertório - Capítulo PEITO

pulmonary (shortness of breath): *Fluox-syst.*, *Minox-syst.*, *Paro-syst.*, *Prota-syst.*, *Sertr-syst.*

primary pulmonary hypertension (PPH) (chest pain; decreased ability to exercise; fainting; swelling of feet or lower legs; trouble in breathing):

AppSupS-syst.

systemic, and: *Prota-syst.*

HIPERTROFIA, aumento.

heart (cardiomegaly) (chest pain or discomfort; shortness of breath; irregular heartbeat; fatigue) (See Cardiomyopathy, hypertrophy): **Agal-syst.**, *Anag-syst.*, *Fludro-syst.*, *Tret-syst.*

spontaneous (enlarged heart): *Tacro-syst.*

mammæ (breasts): **Abar-syst.**, *AntdepT-syst.* [**Amoxapine**], *Atorv-syst.*, *ChorioG-syst.*, **ConjE-syst.**, *Del-syst.*, **Estra-syst.**, *Estro-vag.*, *Fluox-syst.*, *Fosam-syst.*, *Lox-syst.*, *Map-syst.*, *NoreE-syst.*, *Sild-syst.*, *Testos-syst.*

females: *AntdepT-syst.* [**Amoxapine**], *Cital-syst.*, **Estro-syst.**, *Sertr-syst.*

central precocious puberty, treated for: **Nafa-syst.**

endometriosis, treated for: **Nafa-syst.**

gynecomastia (enlargement or swelling of breasts or breast soreness, in both males and females): *AntandN-syst.* [*Nilutamide*], *Clofib-syst.*, **Cyp-syst.**, *Doxaz-syst.*, *Dut-syst.*, *Efav-syst.*, *Epl-syst.*, *Fin-syst.*, *Fluox-syst.*, *GroH-syst.*, *HistH2-syst.*, *Histr-syst.*, *LamiZ-syst.*, *Sor-syst.*

aggravated: *Histr-syst.*

carcinoma, breast, primary intraductal, leading to: *Fin-syst.*

males: **Andro-syst.**, *AntconH-syst.*, *AntfunA-syst.* [*Ketoconazole*], *Clom-syst.*, *DigitG-syst.*, *Diso-syst.*, *Dom-syst.*, **Estro-syst.**, *Esz-syst.*, *Ethi-syst.*, *Meno-syst.*, *Nef-syst.*

postpubertal males: **AnabS-syst.**

males: *AntdepT-syst.* [**Amoxapine**]

nipples: **Abar-syst.**

thymus: **Mecas-syst.**

HIPOPLASIA pulmonar, com contração da zona superior: *Carm-syst.*

HIPOTENSÃO pulmonar: *Bos-syst.*, *Epop-syst.*, *Ilo-inh.*, *Nitri-inhloc.*, *Sild-syst.*, *Tolaparsyst.*, *Trep-syst.*

INCHAÇO (Ver Edema).

mammæ (breasts): *Buse-syst.*, **DrosEE-syst.**, **EstroPO-syst.**, *Eton-vag.*, *Gos-syst.*, *Metyro-syst.*, *Moli-syst.*, **NoreE-syst.**, *PerpA-syst.*, *Phenot-syst.*, **Pimo-syst.**, *Thiox-syst.*

adults: *Leup-syst.*

females: **Hal-syst.**

males: *Pimo-syst.*

tenderness, and: *Metos-syst.*

toxicity, pulmonary, including pulmonary congestion, pulmonary edema, pleural effusion (shortness of breath) (See Congestion, pulmonary): **Aldes-syst.**

INFARTO do miocárdio; ataque cardíaco; injúria ou lesão miocárdica; infarto coronário (dor, desconforto ou pressão no peito e/ou na mandíbula, pescoço, costas ou braços; dor em pressão no peito; inexplicável falta de ar; transpiração; pele fria e pálida; ansiedade; transpiração fria; desfalecimento, tontura ou desmaio; aumento da frequência cardíaca; náusea ou vômito; elevação do segmento ST no eletrocardiograma; diminuição da contratilidade cardíaca; elevação da creatinofosfoquinase [CPK], hemorragias e microinfartos do miocárdio): *Acit-syst., Adal-syst., Aldes-syst., Alef-syst., Almot-syst., Amif-syst., Anag-syst., AntCoaC-syst., BisSMT-syst., Bleo-syst., Bromo-syst., BronA-syst. [Epinephrine], Cand-syst., CandH-syst., CarbidEL-syst., Cele-syst., Cisp-syst., Colc-syst., Cortic-nas. [Dexamethasone], Cyp-syst., Darb-syst., Desf-inhsyst., Desm-syst., Diat-syst., Diaz-orsyst., Diaz-parsyst., Dihy-nassyst., Docet-syst., Dof-syst., DorzT-oph., Doxaz-syst., DrosE-syst., DrosEE-syst., Ele-syst., Epl-syst., Epoe-syst., Ergon-syst., Erl-syst., Estro-syst., EstroPO-syst., Etan-syst., Eton-vag., FacIX-syst., Fro-syst., Gadop-syst., Gemc-syst., HydroxT-oph., Imiq-top., Indin-syst., Iri-syst., Let-syst., Methyler-syst., Mif-syst., Mitox-syst., Mor-syst., Mur-syst., NoreE-syst., PegiA2b-syst., Pentost-syst., Perg-syst., Phent-syst., Pil-syst., Ras-syst., Rep-syst., Ritu-syst., Sild-syst., Sor-syst., Tad-syst., Telm-syst., Tore-syst., Tram-syst., Tret-syst., Vard-syst., Vasc-syst., Vaso-syst.*

angina pectoris (See Angina).

arrest, cardiac (chest pain; irregular heartbeat; heart failure; stopping of heart; no blood pressure or pulse; unconsciousness): *Adal-syst., Agal-syst., Aldes-syst., Alpr-syst., Amif-syst., Arg-syst., Benzod-syst., BronT-syst. [Aminophylline, Theophylline], Carv-syst., Chloroq-syst., Chym-parloc., Cisap-syst., Citra-syst. [Potassium Citrate-containing], Colc-syst., Darb-syst., Dexmed-syst., Diat-syst., DigitG-syst., Dipy-syst., Dof-syst., DorzT-oph., Ergon-syst., Flec-syst., Fluox-syst., FlutS-inhloc., For-inhloc., Hydxyc-syst., Imm-syst., Ioxa-syst., Iri-syst., Leval-inhloc., Levom-syst., Lid-syst., Lid-top., MagS-syst., Melo-syst., Methyler-syst., Mida-syst., Mor-syst., Mur-syst., PacP-syst., Phenot-syst., Pyridos-syst., Ras-syst., Sevo-inhsyst., Sild-syst., Toc-syst., TramA-syst. [Tramadol], Tret-syst., Vac-syst.*

cardiorespiratory (no pulse or blood pressure; no breathing; unconscious; heart stops): *AnestBar-syst., Chloroq-syst., Ond-syst., Risp-syst., TecSul-syst.*

cardiovascular status, unstable, patients with: *Benzod-syst.*

cardiovascular system depression leading to cardiac arrest (increased sweating, low blood pressure, pale skin, slow or irregular heartbeat): *Anest-mucloc., Anest-top.*

death, resulting in: *Mida-syst.*

fibrillation, ventricular, with: *Dof-syst.*

geriatric patients: *Benzod-syst.*

hypotension.

after: *Amif-syst.*

during: *Amif-syst.*

ill patients, severely: *Benzod-syst.*

pulmonary reserve, limited, patients with: *Benzod-syst.*

Repertório - Capítulo PEITO

sinus arrest: *Flec-syst.*, *Mor-syst.*, *Propa-syst.*
hypertrophic cardiomyopathy (HCM) patients: *TrandV-syst.*
[*Verapamil*]
sudden: *Beth-syst.*
disorder, coronary artery (See Coronary artery).
vasospasm, coronary artery (See Angina).
fatal: *Pac-syst.*
patient with previous infarction: *Vino-syst.*
hypotension.
after: *Amif-syst.*
during: *Amif-syst.*
increased risk of: *ConjE-syst.*, *Estro-vag.*, *MedE-syst.*
ischemia, myocardial; ischemia, coronary (See Angina pectoris, ischemia): *Aldes-syst.*, *Arb-syst.*, *Carv-syst.*, *Coc-mucloc.*, *Desf-inhsyst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *Dihy-nassyst.*, *Erl-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Fluoru-syst.*, *Gadob-syst.*, **Iri-syst.**, *Let-syst.*, *Palo-syst.*, *Rosi-syst.*, *Sild-syst.*, *Sor-syst.*, *Vard-syst.*
adults: *Desf-inhsyst.*
pediatric patients, and: *Desf-inhsyst.*
hypotension.
after: *Amif-syst.*
during: *Amif-syst.*
pediatric patients: *Desf-inhsyst.*
adults, and: *Desf-inhsyst.*
transient (chest pain): *Almot-syst.*, *Ele-syst.*, *Fro-syst.*
males: *Gos-syst.*
adult: *Leup-syst.*
necrosis, myocardial: *Cycloph-syst.*
vasospasm, coronary artery, resulting in symptomatic myocardial ischemia and myocardial infarction: *Sum-syst.*

INFARTO pulmonar: *Meno-syst.*

INFECCÃO, pulmões: *For-inhloc.*

Bacillus Calmette-Guérin (BCG).

lung involvement, with (fever; cough): *BcgL-mucloc.*

herpes zoster (“shingles”; painful blisters on trunk of body): **Bort-syst.**, *Cele-syst.*, *HepatBVR-syst.*, *IntBla-syst.*, **Sir-syst.**, *Tiot-inhloc.*, *Vari-syst.*

lungs (pulmonary): **AntandN-syst.**

preexisting, exacerbation of: *Indo-syst.*

pleura (chest pain; cough; fever or chills; shortness of breath; troubled breathing): *Estro-syst.*, *Perg-syst.*

respiratory (See Inflammation; RESPIRATION, Infection; GENERALITIES, Influenza) (flu-like symptoms; cough; fever; sneezing; sore throat): *Alpr-loc.*, *Carm-imploc.*, *Ketot-syst.*, **Lef-syst.**, **PacP-syst.**, *Zip-syst.*

lower respiratory tract infection (cough; troubled breathing; tightness in chest; wheezing): *Orl-orloc.*

mild to moderate: *Zaf-syst.*

upper respiratory tract infection [URTI] (ear congestion or pain; nasal congestion or stuffy nose; chest pain; chills; cough; fever; sneezing; sore throat; body aches or pain; head congestion; headache; loss of voice, hoarseness or other voice changes; runny nose; unusual tiredness or weakness; difficulty in breathing; greenish-yellow mucus; flu-like or cold-like symptoms): **Abar-syst.**, *Alfuz-syst.*, **Anak-syst.**, **AntandN-syst.**, *ArsTr-syst.*, **AtovaPro-syst.**, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **Butor-nasyst.**, *Calcit-nassyst.*, *Cand-syst.*, *CandH-syst.*, *CarbidEL-syst.*, **Cele-syst.**, *Cital-syst.*, **Clop-syst.**, *Coc-mucloc.*, *Daps-top.*, **Darb-syst.**, **Del-syst.**, *Desm-syst.*, *Dihy-nassyst.*, *DiphTTH-syst.*, *Dof-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxaz-syst.*, **DrosE-syst.**, **Epoe-syst.**, *Epr-syst.*, **Estro-syst.**, **EstroP-syst.**, **Eton-vag.**, *Exem-syst.*, **Ezet-syst.**, *EzetS-syst.*, *Fel-syst.*, *Fex-syst.*, *FexP-syst.*, **Flut-inhloc.**, **FlutS-inhloc.**, **FollitA-syst.**, **For-inhloc.**, *Gals-syst.*, **GlipM-syst.**, **GlybM-syst.**, **GroH-syst.**, *HepatAVI-syst.*, *HepatAVIHB-syst.*, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, **Infli-syst.**, *IntB1a-syst.*, **Ipr-inhloc.**, *Irb-syst.*, *Lans-syst.*, **Lar-syst.**, *Lat-oph.*, **Len-syst.**, *Los-syst.*, *LosH-syst.*, *Lut-syst.*, *Lym-syst.*, *Mem-syst.*, **MetfP-syst.**, **Mitox-syst.**, **Mom-inhloc.**, **Mom-nas.**, **Natal-syst.**, **Nate-syst.**, **NoreE-syst.**, *Olm-syst.*, **OlmH-syst.**, **Oma-syst.**, *Omep-syst.*, **Orl-orloc.**, **Oxa-syst.**, **Oxc-syst.**, **Paliv-syst.**, **Pam-syst.**, *Pantop-syst.*, **Pime-top.**, **Pio-syst.**, *Ram-syst.*, **Rep-syst.**, *Risp-syst.*, **Rof-syst.**, *Ropin-syst.*, **Rosi-syst.**, **RosiM-syst.**, **Sir-syst.**, *Telm-syst.*, **TelmH-syst.**, **Til-syst.**, **Tiot-inhloc.**, *Tiz-syst.*, **Tolc-syst.**, *Tram-syst.*, **Urs-syst.**, **Vald-syst.**, *Vals-syst.*, **Zole-syst.**

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART): **FollitA-syst.**

viral (flu-like symptoms): *FlutS-inhloc.*

tuberculosis (frequently disseminated or extrapulmonary): *Infli-syst.*

reactivated (chest pain; cough; coughing or spitting up blood; difficulty in breathing; sore throat; muscle aches; night sweats; sudden high fever or low-grade fever for months; unusual tiredness): *Adal-syst.*

pulmonary, latent: *AntinfN-syst.* [*Indomethacin*]

INFLAMAÇÃO (Ver Infecção, pulmões).

heart.

endocarditis (chest pain or discomfort; chills; fever; heart murmur; shortness of breath): *Aldes-syst.*, *PegiA2a-syst.*, *Riba-syst.*

infectious (chest pain or discomfort; chills; fever; heart murmur; shortness of breath): *Myc-syst.*

myocarditis (chest pain or discomfort; fever and chills; fast heartbeat; trouble breathing): *Aldes-syst.*, *Capec-syst.*, *Cloz-syst.*, *Dau-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Tret-syst.*

fatal: *Cloz-syst.*

hemorrhagic: *Cycloph-syst.*

increased incidence of.

animals: *Isot-syst.*

myopericarditis (fast heartbeat; fever or chills; shortness of breath):
Cycloph-syst.

pericardium (pericarditis) (anxiety; blue or pale skin; chest pain, possibly moving to the left arm, neck, or shoulder; chills; shortness of breath; unusual tiredness or weakness): *Adal-syst., Anag-syst., AntinfN-syst., ColSF-syst.* [*Sargramostim*], *Crom-inhloc., Cycloph-syst., Dau-syst., Mesa-orloc., Mesa-reloc., MethotNC-syst., Minox-syst., Perg-syst., Quid-syst., Tret-syst.*

constrictive: *Cab-syst.*

effusions, with: *Hydra-syst., Quid-syst.*

pleural, with: *Dant-syst.*

myopericarditis (fast heartbeat; fever or chills; shortness of breath):
Cycloph-syst.

pleuropericarditis (sudden severe chest pain): *Bleo-syst.*

lungs (cough; difficult or painful breathing; fever or chills; shortness of breath; chest pain; sneezing; sore throat; troubled breathing; tightness in chest; wheezing): *Alemt-syst., Azat-syst., Bleo-syst., Carm-syst., Cycloph-syst., Gemc-syst., Lef-syst., MethodC-syst., MethotNC-syst., Vari-syst., Procar-syst., Sir-syst., SodBeSP-syst., Toc-syst., Vari-syst.*

acute: *Nitro-syst., Ritu-syst., Tal-intloc.*

allergic pneumonitis(chest pain; chills; cough; fever; general feeling of discomfort or illness; shortness of breath; thickening of bronchial secretions; troubled breathing): **Fluda-syst., Fluorq-syst.** [*Levofloxacin*], *Levof-syst., Tic-syst.*

alveoli (alveolitis) (coughing; shortness of breath; troubled breathing):
Aminglut-syst., Amio-syst., Anag-syst., Toc-syst.

allergic (cough; shortness of breath or troubled breathing): *Fenof-syst., Paro-syst.*

fibrosing: *Mesa-reloc., Sulfas-syst.*

granulomatous inflammation and chronic alveolitis.

chronic toxicity studies in rats: *AntandN-syst.* [*Nilutamide*]

aspiration: *EnterNF-syst., Fluv-syst.*

elderly: **EnterNF-syst.**

asthma, bronchitis, bronchospastic allergic reaction (See RESPIRATION, Asthma) (congestion in chest; cough producing mucus; difficulty breathing; shortness of breath; troubled breathing; tightness in chest; wheezing): *Acetyl-syst., Adal-syst., Agal-syst., Alemt-syst., Alfuz-syst., Almot-syst., Anag-syst., Anast-syst., AntinfN-syst., AnthisDAg-syst.* [*Salicylate-containing combinations*], *AnthisP-syst., AntvCPOv-syst., Aprac-oph., Arb-syst., AspirSC-syst., Atorv-syst., Azel-oph., BarbAn-syst.* [*Aspirin; Barbiturates*], *Brim-oph., Butor-nasyst., Capec-syst., Carbac-oph., Cele-syst., Cev-syst., Chlorh-imploc., Clop-syst., Cortic-nas.* [*Fluticasone*], **Darb-syst., Darif-syst., DecAn-syst.** [*Ibuprofen-containing combinations; Salicylate-containing combinations*], **Del-syst., Desf-inhsyst., Dic-top., Dihy-nassyst., DipyA-syst., Don-syst., DorzT-oph., Doxyc-mucloc., Efal-syst., Efav-syst., Estro-syst.,**

Etan-syst., Exem-syst., Fent-trsyst., FentD-syst., Fluda-syst., Fluorq-syst., **Flut-inhloc.**, FlutS-inhloc., Fomi-parloc., Gab-syst., Gla-syst., Gold-syst., **GroH-syst.**, HydroI-syst., **Iba-syst.**, **Infli-syst.**, Ketor-syst., Lat-oph., **Lef-syst.**, **Len-syst.**, Lym-syst., Melo-syst., Mem-syst., MepA-syst., **Ned-oph.**, Nef-syst., Nico-nas., Niti-syst., Olm-syst., Opi-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Pemi-oph., Pentost-syst., **Pime-top.**, Pre-syst., **Rep-syst.**, Rise-syst., Ritu-syst., **RoF-syst.**, Ropin-syst., Rosu-syst., Sal-syst., Seleg-syst., Sild-syst., **Sir-syst.**, Ske-syst., SodTe-syst., Tacri-syst., TelmH-syst., Testos-syst., Tram-syst., TrandV-syst., Trav-oph., Trie-syst., **Urs-syst.**, Valp-syst., Zale-syst., Zan-inhsyst., Zic-syst.

allergic reaction (shortness of breath, troubled breathing, tightness in chest, hives, or wheezing): Bentir-syst., Cortic-nas. [Dexamethasone, Fluticasone], Leval-inhloc.

asthma, asthma symptoms, asmatic episodes (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): Adal-syst., Anag-syst., AntinfN-syst., AnthisP-syst., AntvCPOv-syst., Aprac-oph., Arb-syst., Atorv-syst., Azel-oph., Capec-syst., Carbac-oph., Desf-inhsyst., Dic-top., DipyA-syst., Efav-syst., Fent-trsyst., Fluorq-syst., Ketor-syst., Lat-oph., **Ned-oph.**, Nef-syst., Pime-top., Ritu-syst., Rosu-syst., Seleg-syst., Sild-syst., **Sir-syst.**, SodTe-syst., Tacri-syst., Testos-syst.

adults: Desf-inhsyst.

bronchial (shortness of breath, troubled breathing, tightness in chest, hives, or wheezing): Cortic-nas. [Dexamethasone, Fluticasone], Tret-syst.

deteriorating, acutely (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): BronA-inhloc. [Salmeterol]

exacerbation of, worsening (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): Estro-syst., Flut-inhloc., Lat-oph., Pyridos-syst.

acute, exacerbation of: Pyridos-syst.

serious, increased risk of: FlutS-inhloc.

significantly: BronA-inhloc. [Salmeterol]

significantly: BronA-inhloc. [Salmeterol]

life-threatening: Arb-syst.

pediatric patients: Desf-inhsyst.

worsening (See exacerbation of).

bronchitis (congestion in chest; phlegm producing cough; cough producing mucus; difficulty breathing; shortness of breath; tightness in chest; wheezing): **Agal-syst.**, Alemt-syst., Alfuz-syst., Almot-syst., Anag-syst., Anast-syst., Atorv-syst., Brim-oph., Butor-nasyst., Capec-syst., Cele-syst., Cev-syst., Chlorh-imploc., Clop-syst., **Darb-syst.**, Darif-syst., **Del-syst.**, Dihy-nassyst., Don-syst., DorzT-oph., Doxyc-mucloc., Efal-syst., **Estro-syst.**, Etan-syst., Exem-syst., Fluda-syst., Fomi-parloc., Gab-syst., Gla-syst., Gold-syst., **GroH-syst.**, HydroI-

syst., **Iba-syst.**, **Infli-syst.**, **Lef-syst.**, **Len-syst.**, Lym-syst., Mem-syst., Nef-syst., Nico-nas., Niti-syst., Olm-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Pemi-oph., Pentost-syst., **Pime-top.**, Pre-syst., **Rep-syst.**, Rise-syst., **Rof-syst.**, Ropin-syst., Rosu-syst., Sild-syst., **Sir-syst.**, TelmH-syst., Tram-syst., TrandV-syst., Trav-oph., Trie-syst., **Urs-syst.**, Valp-syst., Zale-syst., Zan-inhsyst., Zic-syst.

acute, exacerbation of: Pyridos-syst.

“gold” bronchitis: Gold-syst.

bronchospastic allergic reaction (shortness of breath, troubled breathing, tightness in chest, or wheezing): Acetyl-syst., AntinfN-syst., AnthisDAg-syst. [Salicylate-containing combinations], AspirSC-syst., BarbAn-syst. [Aspirin; Barbiturates], DecAn-syst. [Ibuprofen-containing combinations; Salicylate-containing combinations], FentD-syst., MepA-syst., Opi-syst., Sal-syst., Ske-syst.

asmathic patients: AntinfN-oph. [Indomethacin]

bronchiolitis (cough; difficulty in breathing; fever): Tiop-syst.

bronchiolitis obliterans, obstructive bronchiolitis (coughing, wheezing, or shortness of breath) (See pneumonia, bronchiolitis obliterans): Penic-syst.

organizing pneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): Amio-syst.

bronchospasm, bronchoconstriction (cough; difficulty breathing; noisy breathing; shortness of breath; tightness in chest; wheezing): Adal-syst., **Agal-syst.**, Amio-syst., AmphoBLC-syst., AnestBar-syst., AnestInh-syst. [Enflurane, Isoflurane, Methoxyflurane, Nitrous Oxide], AntglaC-oph., Aprot-syst., Azel-nas., Barb-syst., BarbAn-syst. [Codeine], Benzon-syst., BetBA-syst., BetBAT-syst., BronA-syst., Calcit-nassyst., Capec-syst., Carv-syst., Casp-syst., Cele-syst., Chym-parloc., Cisat-syst., Dexmed-syst., Diat-syst., Dinopst-parloc., Dipy-syst., Dol-syst., Dorz-oph., Doxac-syst., Fluox-syst., Flut-inhloc., Fol-syst., Gals-syst., Gemc-syst., HistH2-syst. [Famotidine, Nizatidine, Ranitidine], **Ibr-syst.**, Imm-syst., Iopa-syst., Iot-syst., Ioxa-syst., Isot-syst., Ketor-syst., Lar-syst., Lid-top., Melo-syst., MepA-syst. [Aspirin], Miv-syst., Nel-syst., Neu-syst., Nico-nas., Ond-syst., Pegas-syst., Penta-inh., Por-syst., Propo-syst., Riton-syst., **Ritu-syst.**, Roc-syst., Sal-syst., Sevo-inhsyst., TecSul-syst., Thr-syst., Tini-syst., Tosl-syst., Tras-syst., Vac-syst., Zan-inhsyst.

acute (troubled breathing, sudden; chest tightness): Alemt-syst.

aggravated: Doxaz-syst.

asthmatic patients: Carbopr-syst., Dinopst-parloc.

cough, with: AntvCPOv-syst.

hypersensitivity-induced (shortness of breath; tightness in chest; troubled breathing; wheezing): BronA-inhloc.

increased.

asthma patients (difficulty in breathing; tightness in chest; wheezing): Acetyl-inh.

precipitous fall in pulmonary function (FEV₁), associated with a (increased wheezing; tightness in chest; or difficulty in breathing):

Crom-inhloc.

pulmonary edema, with: *TecSul-syst.*

severe: *Dipy-syst., Infl-i-syst.*

wheezing, with: *AntvCPOv-syst.*

eosinophilic: *AntinfN-syst.* [*Naproxen*]

fatal, potentially: *MethotC-syst., MethotNC-syst.*

fibrosis, pulmonary (cough; painful breathing; shortness of breath; fever; troubled or quick, shallow breathing; unusual tiredness or weakness; loss of appetite and weight; chest discomfort): *Adal-syst., Amio-syst., Anag-syst., AntconH-syst., Bleo-syst., Cab-syst., Carm-syst., Chloramb-syst., Docet-syst., Enta-syst., Gold-syst., Lef-syst., Lom-syst., Melp-syst., MethotC-syst., MethotNC-syst., Myc-syst., Oxa-syst., PacP-syst., Sir-syst., Toc-syst.*

dysplasia, bronchopulmonary, with (fever; cough; shortness of breath): *Busu-syst.*

infiltrates, pulmonary, with: *Lom-syst.*

interstitial (cough; difficult or painful breathing; fever; shortness of breath; slight fever): *Amio-syst., Anag-syst., Cycloph-syst., Infl-i-syst.*

diffuse: *Nitro-syst.*

pleuropulmonary (shortness of breath; chest pain or tightness): *Vasc-syst.*

granulomatous inflammation and chronic alveolitis.

chronic toxicity studies in rats: *AntandN-syst.* [*Nilutamide*]

interstitial (cough; difficult or painful breathing; fever; shortness of breath): *Amio-syst., Anag-syst., Anthyr-syst.* [*Propylthiouracil*], *Efal-syst., Gold-syst., Infl-i-syst., Sulfas-syst., Tamo-syst.*

diffuse (cough; shortness of breath): *Cyt-syst., Nitro-syst.*

interstitial lung disease (See Affections, lungs).

mucositis resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

pneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled or difficult breathing; tightness in chest; wheezing; diarrhea; general feeling of discomfort or illness; joint pain; loss of appetite; nausea; runny nose; shivering; sweating; trouble sleeping; vomiting): *Abcix-syst., Adal-syst., Anag-syst., Anak-syst., Azac-syst., Barb-syst., BarbAn-syst.* [*Barbiturates*], *Bex-syst., Bort-syst., Busu-syst., Capec-syst., Cele-syst., Cev-syst., Clofar-syst., Cortic-inhloc., Darb-syst., Dic-top., Did-syst., DoxorL-syst., Efal-syst., EmtT-syst., Enf-syst., Eno-syst., Etan-syst., Ethan-parloc., FacVIIa-syst., Fluda-syst., Fon-syst., Gemif-syst., Gemt-syst., Iba-syst., Ilo-inh., Ima-syst., Infl-i-syst., Iri-syst., Lep-syst., Mero-syst., Natal-syst., Ose-syst., PacP-syst., PegiA2a-syst., Pentost-syst., Phenot-syst., Pime-top., Por-syst., Prami-syst., Ralo-syst., Ras-syst., Riba-syst., Ril-syst., Rise-syst., Rosu-syst., Sir-syst., Teri-syst., Tiz-syst., Toc-syst., TosI-syst., Tram-syst., Tret-syst., Valp-syst., Vari-syst., Ver-parloc., Zic-syst.*

Repertório - Capítulo PEITO

aspiration: *BotB-parloc.*, *Carm-imploc.*, *Cloz-syst.*, *Ethan-parloc.*, *Mem-syst.*, *Zic-syst.*

bronchiolitis obliterans, obstructive bronchiolitis (coughing, wheezing, or shortness of breath): *Efal-syst.*, *Penic-syst.*

organizing pneumonia (See Bronchiolitis obliterans) (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): *Amio-syst.*

bronchopneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): *Capec-syst.*, *Hal-syst.*

eosinophilic (pulmonary infiltrates with eosinophilia; chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Crom-inhloc.*, *Crom-nas.*, *Fluox-syst.*

infiltrates, pulmonary (shortness of breath; fever; troubled or quick, shallow breathing; unusual tiredness or weakness; loss of appetite and weight; chest discomfort or pain; cough): **Anag-syst.**, *AntconH-syst.*, *Bromo-syst.*, *CarbidEL-syst.*, *Cortic-inhloc.*, *DauL-syst.*, *Enta-syst.*, **Ethan-parloc.**, *Lom-syst.*, *Nev-syst.*, *Prami-syst.*, *Ritu-syst.*, *Ropin-syst.*, *Tiop-syst.*, *Tolc-syst.*, *Tras-syst.*

consolidation or pleural effusion on radiograph, with: *Nitro-syst.*

fibrosis, pulmonary, with: *Lom-syst.*

radiographic: Tret-syst.

interstitial (cough; difficult breathing; fever; shortness of breath): *Cil-syst.*, *Docet-syst.*, *PacP-syst.*, *Rabe-syst.*

pneumocytosis (pneumonia that results from infection with *Pneumocystis carinii* (PCP); pneumonia occurring in infants or in persons with impaired immune systems (as AIDS victims) (chest pain, cough, fever or chills, sneezing, shortness of breath, sore throat, troubled breathing, tightness in chest, wheezing): *Infli-syst.*, *MethotNC-syst.*, *Tem-syst.*

tuberculosis (See Infection).

mediastinal: *Por-syst.*

pleura (pleurisy, pleuritis) (chest pain; shortness of breath): *Abcix-syst.*, *Perg-syst.*, *Quid-syst.*, **Ritu-syst.**

effusions, with: *Hydra-syst.*, *Quid-syst.*

pleuropericarditis (sudden severe chest pain): *Bleo-syst.*

serous, with fibrosis: (pleuritis; pleural infection; pleural fibrosis; pericarditis; pericardial effusion): *Perg-syst.*

upper respiratory tract (irritation of nose, throat, and/or upper chest area, possibly with hoarseness and/or coughing; cold-symptoms): **FlutS-inhloc.**, *Gold-syst.*, *Lans-syst.*

IRREGULARIDADES (Ver Afecções).

cardiac; cardiovascular changes; cardiac complications; cardiac disorders (chest pain or discomfort; fast, irregular, or pounding heart beat; shortness of breath): CarbidL-syst., CarbidEL-syst., CortO-systdia., Cortic-nas. [Dexamethasone], Levod-syst., Mont-syst., SodBeSP-syst.

discomfort: **Tret-syst.**

breast, in women: Clofib-syst.

chest: BronA-inhloc., CarbidEL-syst., **Dorn-inhloc.**, Hist-syst., HydroxT-oph., Ina-syst., IprA-inhloc., Natal-syst., NiaL-syst. [Niacin], Pyrim-syst., SodBeSP-syst., Tacro-syst., Tolc-syst., Ven-syst.

IRRITAÇÃO (Ver Inflamação).

bronchial: BronA-inhloc.

ISQUEMIA miocárdica (Ver Angina pectoris; Infarto do miocárdio).

LACTAÇÃO (Ver Leite).

LEITE, lactação, amamentação (Ver Descarga; GENITÁLIA FEMININA, Lactação; GENERALIDADES, Lactação).

decreased flow: Bell-syst., Oxyb-syst.

when given immediately postpartum: **MedE-syst.**, NoreE-syst.

galactorrhea (See increased).

increased (galactorrhea) (inappropriate secretion of milk; unexpected or excess milk flow from breasts): AntdepT-syst., CalcCBA-syst., Cital-syst., **Cyp-syst.**, Dom-syst., Estro-syst., EstroPO-syst., Metyro-syst., Nef-syst., **Oxyt-syst.**, Paro-syst., Proge-syst., Risp-syst.

females: Fluox-syst., Que-syst., Sertr-syst.

endometriosis, treated for: Nafa-syst.

lactation inhibitor: **Bromo-syst.**, **Cab-syst.**

prolactinemia or hyperprolactinemia (swelling of breasts or unusual milk production): Cital-syst., Fluox-syst., Paro-syst., Risp-syst., Sertr-syst.

hyperprolactinemia (swelling of breasts or unusual milk production): Fluox-syst., Methy-syst., MethyTD-syst., Sertr-syst.

stimulation, prolactin (increased flow of breast milk): Meto-syst.

unusual secretion of milk; unusual lactation: Fluv-syst., **Hal-syst.**, Lox-syst., Map-syst., Moli-syst., PerpA-syst., Phenot-syst., **Pimo-syst.**, Thiox-syst.

males: Pimo-syst.

LEUCOMALÁCIA periventricular: Calf-intloc.

LINFADENOPATIA.

axillary (swelling of glands in armpit): DiphtTT-syst.

MAMAS.

galactorrhea (See Milk).

size, decrease, in females: **Danaz-syst.**

MOVIMENTOS incontroláveis.

[trunk.](#)

[twisting:](#) *Ond-syst.*

MUCO (Ver Catarro, escarro; Inflamação; LARINGE E TRAQUÉIA, Muco; EXPECTORAÇÃO).

[lungs, increase in:](#) *EdrA-syst.*

[secretions.](#)

[bronchial, increase in:](#) *EdrA-syst.*

[tracheobronchial, increased](#) (increased salivation): *Keta-syst.*

MURMÚRIOS cardíacos (dor no peito; batimentos cardíacos rápidos; falta de ar; fadiga; pele ou pontas dos dedos de coloração azulada): *AppSupS-syst., Azac-syst., Mecas-syst., Tret-syst.*

NECROSE miocárdica: *Cycloph-syst.*

OPRESSÃO (Ver Constrição; Pressão): *Nar-syst., Riz-syst., Sum-syst., Zolm-syst.*

PALPITAÇÃO, coração (pulso ou batimento cardíaco rápido ou irregular; consciência ou sensação de pulsação cardíaca) (Ver Arritmias): *Adal-syst., Almot-syst., Amlod-syst., AmlodBen-syst., Anag-syst., Antchsp-syst.* [*Glycopyrrolate*], *Anthis-syst.* [*Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine*], *AppSupS-syst., Arb-syst., ArsTr-syst., Atom-syst., Atorv-syst., Benzod-syst., Bos-syst., BronA-syst., Bupro-syst., CarbidL-syst., CarbidEL-syst., Carv-syst., Cele-syst., CetiP-syst.* [*Pseudoephedrine*], *Cev-syst., Cil-syst., Clop-syst., Cortic-inhloc., DesIP-syst., Dexmet-syst., DicM-syst., Dihy-nassyst., Dipy-syst., Diso-syst., Dol-syst., Dom-syst., Doxaz-syst., Dron-syst., Efav-syst., Estro-syst., FexP-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., Fluv-syst., For-inhloc., Gadob-syst., Gadov-syst., Gla-syst., Gos-syst., HistH2-syst.* [*Famotidine*], *Histr-syst., Hydra-syst., HydroI-syst., Ibut-syst., Ilo-inh., Infl-i-syst., IntB1b-syst., Ipr-inhloc., Ipr-nas., Isot-syst., Lef-syst., Len-syst., Leval-inhloc., Levod-syst., LosH-syst., Man-syst., Mef-syst., Melo-syst., Methylp-syst., Mis-syst., Moc-syst., Moe-syst., Mont-syst., Nar-syst., Nia-syst., Nis-syst., Ola-syst., Ond-syst., Oxyb-syst., Paro-syst., Prazo-syst., PrazoP-syst., Que-syst., QuinuD-syst., Risp-syst., Ritod-syst., Riz-syst., Seleg-syst., Sertr-syst., Sib-syst., Sild-syst., Sir-syst., Sym-par-syst., Tacri-syst., Tad-syst., Teli-syst., Tera-syst., Tini-syst., Tiot-inhloc., Tram-syst., TramA-syst., Tros-syst., Valp-syst., ValsH-syst., Vard-syst., Ven-syst., Zolm-syst., Zop-syst.*

[adults:](#) *Leup-syst.*

[females treated for endometriosis:](#) *Nafa-syst.*

[patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies:](#) *FollitA-syst.*

PELE, ruborização ou rubor da parte superior do tórax; ondas de calor (sensação de calor; vermelhidão da parte superior do tórax): *Acit-syst., Dexmet-syst., Doxaz-syst., Dul-syst., Ele-syst., Estro-syst., Fenol-syst., FexP-syst., Fro-syst., Gemif-syst., HepatAVIHB-syst.,*

Histr-syst., Ibr-syst., Ilo-inh., Imm-syst., Mica-syst., Moc-syst., Oxa-syst., Oxc-syst., Palo-syst., Sor-syst., Tamo-syst., TecF-syst., Teg-syst., Teli-syst., Tram-syst., TramA-syst., Trep-syst., Trip-syst., Vard-syst.

alcohol use, associated with: *Pime-top*.

prolonged: *CortO-systdia*.

females: *Meno-syst*.

severe: *CortO-systdia*.

transient: **CortO-systdia**.

PERICÁRDIO.

effusion (chest pain or discomfort; shortness of breath): *Adal-syst., Aldes-syst., Capec-syst., Docet-syst., Infl-i-syst., Perg-syst.*

fluid, accumulation of, rapid, in the pleural and pericardial cavities, with ovarian hyperstimulation syndrome: *ChorioG-syst*.

pericarditis (See Inflammation).

PESO (Ver Opressão).

PLENITUDE do tronco (Ver Congestão; Pele; Rubor): *Cortic-nas., Flut-inhloc., Sir-syst.*

PLEURA.

effusion (chest pain; shortness of breath): *Abcix-syst., Adal-syst., ArsTr-syst., Azac-syst., Bromo-syst., Cab-syst., CarbidEL-syst., ChorioG-syst., Clofar-syst., Dexmed-syst., Docet-syst., Enta-syst., Epir-syst., Ethan-parloc., Let-syst., Pam-syst., Por-syst., Prami-syst., Ropin-syst., RosiM-syst., Sir-syst., Tacro-syst., Tolc-syst., TosI-syst., Tras-syst., Zole-syst.*

pericarditis, with: *Dant-syst.*

fibrosis, pleural (chest pain; cough; shortness of breath): *Perg-syst.*

fistula, bronchopleural (shortness of breath or troubled breathing) (See Fistula): *Tal-intloc.*

fluid, accumulation of, rapid, in the pleural and pericardial cavities, with ovarian hyperstimulation syndrome: *ChorioG-syst*.

pleurisy (chest pain; shortness of breath): *Abcix-syst.*

thickening of (shortness of breath; chest pain or tightness): *Bromo-syst., CarbidEL-syst., Enta-syst., Prami-syst., Ropin-syst., Tolc-syst.*

extensive, with calcification: *Tal-intloc.*

PNEUMONIA (Ver Inflamação, pulmões; Pulmões).

PNEUMOTÓRAX (início súbito de dificuldades respiratórias graves; dor severa no peito) (Ver Afecções): *PacP-syst., Penta-inh.*

PRESSÃO (Ver Constrição; Opressão; Sensações, como se).

PULMÕES.

damage, lungs, severe: *AmmSAr-syst.*

irritation of lungs: *Acetyl-inh.*

pneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled or difficult breathing; tightness in chest; wheezing; diarrhea; general feeling of discomfort or illness; joint pain; loss of appetite; nausea; runny nose; shivering; sweating; trouble sleeping; vomiting): *Abcix-syst., Adal-syst., Anag-syst., Anak-syst., Azac-syst., Barb-syst., BarbAn-syst.* [Barbiturates], *Bex-syst., Bort-syst., Busu-syst., Capec-syst., Cele-syst., Cev-syst., Clofar-syst., Cortic-inhloc., Darb-syst., Dic-top., Did-syst., DoxorL-syst., Efal-syst., EmtT-syst., Enf-syst., Eno-syst., Etan-syst., Ethan-parloc., FacVIIa-syst., Fluda-syst., Fon-syst., Gemif-syst., Gemt-syst., Iba-syst., Ilo-inh., Ima-syst., Infl-i-syst., Iri-syst., Lep-syst., Mero-syst., Natal-syst., Ose-syst., PacP-syst., PegiA2a-syst., Pentost-syst., Phenot-syst., Pime-top., Por-syst., Prami-syst., Ralo-syst., Ras-syst., Riba-syst., Ril-syst., Rise-syst., Rosu-syst., Sir-syst., Teri-syst., Tiz-syst., Toc-syst., TosI-syst., Tram-syst., Tret-syst., Valp-syst., Vari-syst., Ver-parloc., Zic-syst.*

aspiration: *BotB-parloc., Carm-imploc., Cloz-syst., Ethan-parloc., Mem-syst., Zic-syst.*

bronchiolitis obliterans, obstructive bronchiolitis (coughing, wheezing, or shortness of breath): *Efal-syst., Penic-syst.*

organizing pneumonia (See Bronchiolitis obliterans) (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): *Amio-syst.*

bronchopneumonia (chest pain; cough; fever or chills; sneezing; shortness of breath; sore throat; troubled breathing; tightness in chest; wheezing): *Capec-syst., Hal-syst.*

eosinophilic (pulmonary infiltrates with eosinophilia; chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Crom-inhloc., Crom-nas., Fluox-syst.*

infiltrates, pulmonary (shortness of breath; fever; troubled or quick, shallow breathing; unusual tiredness or weakness; loss of appetite and weight; chest discomfort or pain; cough): *Anag-syst., AntconH-syst., Bromo-syst., CarbidEL-syst., Cortic-inhloc., DauL-syst., Enta-syst., Ethan-parloc., Lom-syst., Nev-syst., Prami-syst., Ritu-syst., Ropin-syst., Tiop-syst., Tolc-syst., Tras-syst.*

consolidation or pleural effusion on radiograph, with: *Nitro-syst.*

fibrosis, pulmonary, with: *Lom-syst.*

interstitial (cough; difficult breathing; fever; shortness of breath): *Cil-syst., Docet-syst., PacP-syst., Rabe-syst.*

pneumocytosis (pneumonia that results from infection with *Pneumocystis carinii* (PCP); pneumonia occurring in infants or in persons with impaired immune systems (as AIDS victims) (chest pain, cough, fever or chills, sneezing, shortness of breath, sore throat, troubled breathing, tightness in chest, wheezing): *Infl-i-syst., MethotNC-syst., Tem-syst.*

tuberculosis (See Infection).

PULSAÇÃO, pulso (Ver Arritmias).

absent: *Vasc-syst.*

Repertório - Capítulo PEITO

legs: *Dihy-nassyst.*

fast, rapid (See Arrhythmias, tachycardia): Alpr-loc., *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, **Darb-syst.**, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], Ergon-syst., HydroxT-oph., *InsA-syst.*, *InsGla-syst.*, *InsGlu-syst.*, *InsL-syst.*, Methyler-syst., NiaL-syst. [Niacin], Nico-syst., *Penta-syst.*, *Pyrim-syst.*, *Tacro-syst.*, *Vasc-syst.*, *Ven-syst.*, *VitK-syst.*

continuing: Seleg-syst. [MAO inhibitors]

irregular: *AmlodAt-syst.*, [*Amlodipine*], *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cloz-syst.*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *Hal-syst.*, *Indin-syst.*, *Lit-syst.*, *Lox-syst.*, Nico-syst., *Ola-syst.*, *Penta-syst.*, *Perg-syst.*, *PerpA-syst.*, *Pimo-syst.*, *Ritu-syst.*, *Risp-syst.*

continuing: Seleg-syst. [MAO inhibitors]

pounding: *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, **Darb-syst.**, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], HydroxT-oph., NiaL-syst. [Niacin], *Pyrim-syst.*, *Tacro-syst.*, *Ven-syst.*

rapid (See fast).

slow: Rau-syst.

weak: *AngInH-syst.*, Ergon-syst., Methyler-syst., Nico-syst., *Vasc-syst.*, *VitK-syst.*

legs: *Dihy-nassyst.*

RIGIDEZ.

chest wall: *FentD-syst.*, **Rem-syst.**

muscles of respiration: *FentD-syst.*, *Opi-syst.*

stiffness of the upper torso and arms: *Pyridos-syst.*

RUBOR da parte superior do tórax; ondas de calor (Ver Congestão; Pele; Plenitude).

SANGRAMENTO (Ver Equimose; Hematoma; Hemorragia).

SENSAÇÕES, como se.

burning feeling in breasts: *Dinopst-parloc.*

pressure.

chest, feeling of: *Bret-syst.*, *Calcit-syst.*, **Nar-syst.**, *Oxa-syst.*, *Proti-syst.*, **Riz-syst.**, *Sum-syst.*, *TecF-syst.*, **Zolm-syst.**

substernal (pressing feeling in chest): *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*

SONS.

heart.

distant: *Nitrop-syst.*

respiration (See RESPIRATION).

TAQUICARDIA, taquiarritmia (Ver Arritmias; Palpitação).

TORSADES DE POINTES (Ver Arritmias, taquicardia ventricular).

TOXICIDADE.

cardiac, myocardial; cardiotoxicity (chest pain or discomfort; fast or irregular heartbeat; shortness of breath; swelling of the feet and lower legs; troubled breathing; arrhythmias, congestive heart failure; cardiomyopathy): *Capec-syst.*, *Cyclob-syst.*, *Dau-syst.*, *DauL-syst.*, *Doxor-syst.*, *DoxorL-syst.*, *Ida-syst.*, *Ifo-syst.*, *IntA-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-syst.*, **Meg-syst.**, *Mitox-syst.*, *Tras-syst.*

bundle branch block or other arrhythmias and congestive heart failure, including: *Cyclob-syst.*

myopericarditis, acute, including (fast heartbeat; fever or chills; shortness of breath): **Cycloph-syst.**

severe.

dogs: *Minox-syst.*

young women with anorexia nervosa, bulimia, and related eating disorders: *Ipe-orloc.*

cardiovascular (chest pain; conduction disorders; dizziness or lightheadedness when getting up from a lying or sitting position; fast or irregular heartbeat; hypotension; shortness of breath; sudden fainting; blurred vision; confusion; dizziness; fainting; lightheadedness; unusual tiredness or weakness): *Chloroq-syst.*, *Eno-syst.*, *IbupO-syst.* [*Ibuprofen*], *Quin-syst.*

lungs (pulmonary) (cough; shortness of breath; bronchitis; dyspnea; epistaxis; lung edema; pneumonia; pharyngitis; rhinitis; sinusitis): *Bleo-syst.*, *Busu-syst.*, *Chloramb-syst.*, *Ifo-syst.*, *Pentost-syst.*, *Procar-syst.*

parenchymal (coughing; shortness of breath): *Gemc-syst.*

pulmonary congestion, pulmonary edema, pleural effusion, including (shortness of breath): **Aldes-syst.**

respiratory failure, tachypnea, and wheezing, including (rapid breathing; severe shortness of breath): *Aldes-syst.*

severe (cough or shortness of breath): *Fluda-syst.*

TROMBOSE.

coronary (chest pain or discomfort; pain or discomfort in arms, jaw, back or neck; shortness of breath; nausea; sweating; vomiting): *Estro-syst.*, *Iopr-syst.*, *Vaso-syst.*

mural: *Tras-syst.*

thromboembolism, pulmonary (pain in chest, groin, or legs, especially the calves; difficulty breathing; severe, sudden headache; slurred speech; sudden, unexplained shortness of breath; sudden loss of coordination; sudden, severe weakness or numbness in arm or leg; vision changes): *PacP-syst.*

TUMOR (Ver Câncer).

mammary glands (breasts) (breast lumps; discharge from breast): *ConjE-syst.*, *DrosEE-syst.*, *Estro-syst.*, *EstroP-syst.*, *EstroPO-syst.*

fibroadenosis, breast (lumps in breasts; painful or tender cysts in the breasts): *Cele-syst.*

fibrocystic breast (lumps in breasts; painful or tender cysts in the breasts): *Atorv-syst.*, *Estro-syst.*, *IntB1b-syst.*

mass, chest (unusual lump or swelling in the chest): *Capec-syst.*

neoplasm, breast (abnormal growth in breast): *Cele-syst.*, *IntB1b-syst.*
tumor flare (bone pain; diffuse musculoskeletal pain and erythema with increased size of tumor lesions): *Tore-syst.*
women having a predisposing or pre-existing condition: *EstroPO-syst.*

ULCERAÇÃO.

endobronchial (painful and/or difficult breathing).
treatment for non-small cell lung Carcinoma (NSCLC), with: *Por-syst.*

VÁLVULAS cardíacas.

degeneration, myxomatous, chronic.
chronic toxicity studies in beagle dogs: *AntandN-syst.* [Flutamide]
heart disease, valvular (decreased ability to exercise; swelling of feet or lower legs; trouble in breathing): *AppSupS-syst.*
thickening, fibrotic, of the aortic, mitral, tricuspid, and/or pulmonary valves: *Vasc-syst.*

VASODILATAÇÃO: *Acetyl-syst.*, *Almot-syst.*, *Anag-syst.*, *Anthro-syst.*, *Atorv-syst.*, *Bos-syst.*, *Brim-oph.*, *Busu-syst.*, *Butor-nasyst.*, *CalcCBA-syst.*, *Cil-syst.*, *ConjE-syst.*, *Cyclasyst.*, *Cyclope-oph.*, *Den-syst.*, *Diaz-parsyst.*, *DipyA-syst.*, *Docet-syst.*, *Don-syst.*, *Etan-syst.*, *Feru-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Ful-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gadov-syst.*, *Gla-syst.*, *Hydra-syst.*, *IbupO-syst.*, *IntB1a-syst.*, *Iri-syst.*, *Lans-syst.*, *Levof-syst.*, *LidP-top.*, *Mido-syst.*, *Minox-syst.*, *Minox-top.*, *Mod-syst.*, *Nalm-syst.*, *Nef-syst.*, *Nitra-syst.* [*Isosorbide*, *Dinitrate*, *Nitroglycerin*], *Nitrop-syst.*, *Nyl-syst.*, *Oxyb-syst.*, *Pantop-syst.*, *Pap-syst.*, *Paro-syst.*, *Perf-orloc.*, *Pil-syst.*, *Praml-syst.*, *Prazo-syst.*, *Riton-syst.*, *Rosu-syst.*, *Sib-syst.*, *Sild-syst.*, *Sir-syst.*, *Sum-syst.*, *Tia-syst.*, *TosI-syst.*, *Tram-syst.*, *Trand-syst.*, *Trep-syst.*, *Valp-syst.*, *Vals-syst.*, *Vor-syst.*, *Zic-syst.*

arteriolar (feeling of warmth and flushing of skin): *Diat-syst.*, *Iodip-syst.*, *Iopa-syst.*, *Iot-syst.*

cerebral: *CalcCBA-syst.*

excessive: *SodN-syst.*

heart: *CalcCBA-syst.*

peripheral (flushing): *AmlodAt-syst.* [Amlodipine], *Anest-parloc.*

pulmonary: *Bos-syst.*

systemic, and: *Epop-syst.*

systemic and pulmonary: *Epop-syst.*

VAZAMENTO DE AR PULMONAR, SÍNDROME DO.

due to excess ventilation caused by rapid improvement in lung: *Colf-intloc.*

CAPÍTULO COSTAS

ABSCESSO epidural: *Clon-parloc.*

ARREDONDAMENTO do tronco (Ver Gordura, Aumento dorsocervical): *Cortic-nas., Flut-inhloc., Sir-syst.*

CALCIFICAÇÃO (Ver Exostose).

irregular, excessive, in vertebrae.

studies in animals, during periods of rapid bone growth, mainly in children:

Antcoa-syst.

CÂNCER.

enlargement of metastatic cancer, rapid, in critical locations such as the brain or spinal cord: Thyra-syst.

CIFOSE (corcunda): *Cortic-rec.*

COMPRESSÃO da medula espinhal: *Tamo-syst., Trip-syst.*

CUSHINGÓIDE, estado, desenvolvimento de (aumento de depósitos de gordura no tronco) (Ver Gordura, Aumento dorsocervical; RINS, Síndrome de Cushing; GENERALIDADES): *Fludro-syst.*

DESCOLORAÇÃO.

redness: Van-syst.

DISTONIA (Ver Espasmos).

DOR: *Abar-syst., Abcix-syst., Adal-syst., Alemt-syst., Almot-syst., AmlodBen-syst., AmphoB-syst., AmphoBLsC-syst., Anag-syst., Anast-syst., Anest-parloc., Anid-syst., Antcoa-syst., AntvCPOv-syst., Ard-syst., ArsTr-syst., Ataz-syst., Atorv-syst., AtovaPro-syst., Azac-syst., Basil-syst., BetBA-syst., BetBAT-syst., Bex-syst., Biv-syst., Bort-syst., BotA-parloc., BotB-parloc., Calcit-nassyst., Cand-syst., CandH-syst., Capec-syst., Carbam-syst., Carbet-syst., CarbidEL-syst., Carm-imploc., Carv-syst., Cele-syst., Cetux-syst., Chym-parloc., Cil-syst., CitAGM-mucloc., Clofar-syst., Clop-syst., ConjE-syst., Cortic-rec., Cortic-top., Dal-syst., Danap-syst., Darb-syst., Darif-syst., Den-syst., Diaz-parsyst., Dic-top., Dinopst-parloc., Dipy-syst., DipyA-syst., Dof-syst., DorzT-oph., Doxaz-syst., DoxorL-syst., DrosE-syst., Efal-syst., EmtT-syst., Eno-syst., Enta-syst., Estro-syst., Estro-vag., EstroP-syst., Exem-syst., Ezet-syst., FatE-syst., Fenof-syst., Fenol-syst., Fex-syst., FexP-syst., Fin-syst., Fluorq-syst., Fomi-parloc., For-inhloc., Fosf-syst., Ful-syst., Gab-syst., Gadob-syst., Gadop-syst., Gadov-syst., Gemif-syst., Gemt-syst., Gla-syst., Glut-syst., GroH-syst., Hepar-syst., HepatAVI-syst., HepatAVIHB-syst., HepatBIG-syst., HepatBVR-syst., HistH2-syst. [Nizatidine], Histr-syst., Iba-syst., Ibr-syst., IbupO-syst.,*

Ilo-inh., *Ima-syst.*, *Imiq-top.*, **Imm-syst.**, *Infli-syst.*, **Iopa-syst.**, *Ipr-inhloc.*, **Iri-syst.**, **Iron-syst.**, **Isot-syst.**, *Lat-oph.*, **Lef-syst.**, **Len-syst.**, **Let-syst.**, *Levom-syst.*, *Los-syst.*, *LosH-syst.*, **Lym-syst.**, *Mecas-syst.*, *Mem-syst.*, *Mesa-orloc.*, *MethotC-syst.*, *Mido-syst.*, **Mif-syst.**, **Miglu-syst.**, *Mir-syst.*, *Mod-syst.*, *MoeH-syst.*, *Mom-inhloc.*, *Nate-syst.*, *Nes-syst.*, **NiaL-syst.**, *Nico-inhsyst.*, **Nico-nas.**, *Oct-syst.*, *Olm-syst.*, *OlmH-syst.*, *Olo-oph.*, *Omeg-syst.*, *Omep-syst.*, *Orl-orloc.*, **Oxa-syst.**, *Oxc-syst.*, *Pantop-syst.*, *Paro-syst.*, **PegiA2a-syst.**, **Pegv-syst.**, *Pemi-oph.*, *Pentost-syst.*, *Pime-top.*, *Pre-syst.*, *Probe-syst.*, *Proge-syst.*, *Prota-syst.*, **Rep-syst.**, *Ril-syst.*, **Rise-syst.**, *Risp-syst.*, **Ritu-syst.**, **Rof-syst.**, *Ropiv-parloc.*, *Rosi-syst.*, *RosiM-syst.*, *Rosu-syst.*, *Seleg-syst.*, *Sib-syst.*, **Sir-syst.**, **SodO-syst.**, *Sucr-orloc.*, *Tacro-top.*, **Tad-syst.**, **Tams-syst.**, *Teg-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tem-syst.*, *Tera-syst.*, *Teri-syst.*, *Thr-syst.*, **Til-syst.**, *Tinz-syst.*, **Tiz-syst.**, *Topi-syst.*, **TosI-syst.**, *Tram-syst.*, *Trav-oph.*, **Urs-syst.**, **Vac-syst.**, *Vald-syst.*, **Valp-syst.**, *Vals-syst.*, *Vard-syst.*, *Ver-parloc.*, *Zale-syst.*, *Zic-syst.*, **Zole-syst.**

burning.

lower back: *Chym-parloc.*

sacral area: *Chym-parloc.*

females: *Meno-syst.*

flank (pain in lower back or side): *Antcoa-syst.*, *Cinox-syst.*, *CorticG-syst.*, **Gemt-syst.**, **Iron-syst.**, *Nali-syst.*, *Ketor-syst.*, *Tret-syst.*

azotemia and/or hematuria, with (pain in lower back and/or side; bloody or cloudy urine): *Ketor-syst.*

hematuria and/or azotemia, with (pain in lower back and/or side; bloody or cloudy urine): *Ketor-syst.*

transient: **CitAGM-mucloc.**

lower back: *Cinox-syst.*, *CorticG-syst.*, *Dimer-syst.*, *Dihi-nassyst.*, **Gemt-syst.**, *Iri-syst.*, *Nali-syst.*, **Perg-syst.**, *SodC-parloc.*

mild: *Mono-loc.*

to severe: *Mono-loc.*

ribs, and: *Probe-syst.*

severe: *Feru-syst.*, *Mono-loc.*

sore: **Chym-parloc.**

cervical region (neck): *AntdepMAO-syst.*

ERUPÇÕES.

pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk):

Penic-syst.

paraneoplastic pemphigus (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): *Ritu-syst.*

rash: *Van-syst.*

ESPASMOS, distonia (espasmos dos músculos das costas): *AnthisD-syst.* [Promethazine], *Drop-syst.*, **Hal-syst.**, *Lox-syst.*, *Meto-syst.*, **Moli-syst.**, *Ola-syst.*, **PerpA-syst.**, *Pimo-syst.*, **Risp-syst.**, *Thie-syst.*, **Thiox-syst.**

lower back: **Chym-parloc.**

myoclonus, spinal: *Zic-syst.*

ESTRIAS (linhas púrpuro-avermelhadas no tronco): *ClotB-top.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Fludro-syst.*, *NysT-top.*

EXOSTOSE.

hyperostosis, spinal (back pain; bone or joint pain; difficulty in moving or walking; stiff, painful muscles): **Acit-syst.**

FORMIGAMENTO, dormência no tronco: *Gold-syst.*

FRAQUEZA.

trunk: *Fludro-syst.*, *Gold-syst.*

severe: *Cortic-top.*, *Gluc-syst.*

FRATURAS.

vertebral compression (fractures in the neck or back): *Fludro-syst.*

GORDURA, AUMENTO dorsocervical (corcunda de búfalo) (Ver RINS, Síndrome de Cushing; **GENERALIDADES**): *Ampr-syst.*, *Del-syst.*

HEMORRAGIA.

hematoma.

epidural (back pain; bowel/bladder dysfunction; leg weakness; numbness; paralysis; paresthesias): *Ard-syst.*, *Dal-syst.*, *Danap-syst.*, *Eno-syst.*, *Fon-syst.*, *Tinz-syst.*

resulting in long-term or permanent paralysis: *Fon-syst.*

spinal (back pain; bowel/bladder dysfunction; leg weakness; numbness; paralysis; paresthesias): *Ard-syst.*, *Dal-syst.*, *Danap-syst.*, *Eno-syst.*, *Fon-syst.*, *Tinz-syst.*

intraspinal: *Nad-syst.*

resulting in long-term or permanent paralysis: *Fon-syst.*

spinal (confusion; dizziness; headache, continuing or severe; nausea and vomiting; paralysis; paresthesias; weakness): **Antcoa-syst.**

HIPEREXTENSÃO do tronco: *Thie-syst.*

INCHAÇO.

buttocks, raised red swellings on the: *CarbidEL-syst.* [*Entacapone*], *Paro-syst.*, *Vari-syst.*

INFARTO.

spinal cord (blurred vision; confusion; numbness or tingling in face, arms, legs; severe headache; trouble speaking or walking): *Antcoa-syst.*, *Thr-syst.*

INFECCÃO (Ver Inflamação).

herpes zoster (“shingles”; painful blisters on trunk of body): **Bort-syst.**, *Cele-syst.*, *HepatBVR-syst.*, *IntB1a-syst.*, **Sir-syst.**, *Tiot-inhloc.*, *Vari-syst.*

INFLAMAÇÃO (Ver Infecção).

diskitis.

aseptic: *Chym-parloc.*

bacterial (fever; back pain or stiffness; abdominal pain): *Chym-parloc.*

meningitis.

arachnoiditis (inflammation of the meninges and subarachnoid space).

chemical (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness; cerebrospinal fluid [CSF] pleocytosis; nausea; neck pain or rigidity; vomiting): **CytL-int.**, *MethotC-syst.*

myelitis.

transverse (back pain; sudden and severe muscle weakness, sudden and progressing): *Efal-syst.*, *MeniVDC-syst.*, *Vari-syst.*

osteomyelitis.

vertebral (increased bone pain in vertebrae): *Efal-syst.*

LHERMITTE, SINAL DE (Posição em Gatilho; Sinal de Kernig; Sinal de Brudzinski) (transtornos da coluna cervical com sensação de choque elétrico que se move nas costas e nas pernas após um movimento de flexão do pescoço) (Ver GENERALIDADES, Esclerose Múltipla): *Cisp-syst.*, *Oxa-syst.*

MEDULA ÓSSEA (Ver GENERALIDADES).

abnormalities of bone marrow function: *Dacti-syst.*

damage, possibly irreversible: *Chloramb-syst.*

depression (See Myelosuppression).

failure (chest pain; chills; cough or hoarseness; fever; lower back or side pain; painful or difficult urination; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen glands; unusual bleeding or bruising; unusual tiredness or weakness): **Busu-syst.**

fibrosis: *Fluda-syst.*

hypoplasia/aplasia (chest pain; chills; cough or hoarseness; fever; lower back or side pain; painful or difficult urination; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen glands; unusual bleeding or bruising; unusual tiredness or weakness): *Busu-syst.*, *Paro-syst.*, *Ritu-syst.*, *Vino-syst.*

myelodysplasia, myelodysplastic syndrome: *Ibr-syst.*, *Tem-syst.*, **TosI-syst.**

suppression (See Myelosuppression).

MENINGITE (Ver Inflamação; CABEÇA, Inflamação; GENERALIDADES, Inflamação).

MIELOPATIA.

dorsal column: *Cisp-syst.*

encephalomyelopathy: *Carm-syst.*

MOVIMENTOS.

trunk.

twisting: *Ond-syst.*

uncontrolled, involuntary: **Arip-syst.**, Carbam-syst., *CarbidEL-syst.*, *Moc-syst.*, *Sertr-syst.*, **Zip-syst.**

OPISTÓTONO (hiperextensão do corpo [espasmo severo] com cabeça e calcanhares dobrados para trás e corpo curvado para frente): *BronA-syst.* [Ephedrine], *Carbam-syst.*, *Seleg-syst.* [MAO inhibitors], *Trimethob-syst.*

neonates: *Caff-syst.*

OSTEOMIELITE (Ver Inflamação).

OSTEOPENIA, osteoporose.

vertebral trabecular bone density, risk of increased loss of (during treatment for endometriosis or breast cancer): *Gos-syst.*

PARALISIA.

spinal cord: *Ethan-parloc.*

PÊLOS.

hypertrichosis (increased hair growth on back): *Diaz-orsyst.*, *Histr-syst.*, **Minox-syst.**

PLENITUDE do tronco: *Cortic-nas.*, *Flut-inhloc.*, **Sir-syst.**

RADICULOPATIA: *HepatBVR-syst.*

RIGIDEZ: **Chym-parloc.**, *Vac-syst.*

cervical region (neck): *AntdepMAO-syst.*

SENSACÕES, como se.

burning feeling in lower back or sacral area: *Chym-parloc.*

CAPÍTULO EXTREMIDADES

ABSCESSO.

feet (itching, pain, redness, or swelling on the foot): Etan-syst.

ACATISIA (Ver Inquietude).

ACINESIA (ausência de movimento): Cloz-syst., Fluv-syst., Paro-syst.

ACROMEGALIA (interrupção da menstruação; dor nas costas; alterações na visão; transpiração excessiva; extrema fraqueza; micção frequente; dor de cabeça; aumento no tamanho de mãos e pés; sede aumentada; aumento do volume de urina pálida, diluída; dor nas articulações; dor nas extremidades): GroH-syst., Mecas-syst.

APERTO (Ver Constrição).

ARREPIO (Ver Estremecimento; Sacudida): AnestBar-syst. [**Methohexital**, **Thiopental**], AnthisP-syst., **Arip-syst.**, BenzyB-top., Carbam-syst., CarbidEL-syst., Pimo-syst., Sertr-syst., Thiox-syst., **Zip-syst.**

body movements, jerky: Mida-syst.

muscle, severe: Lox-syst.

myoclonic (sudden jerky movements of body): Seleg-syst.

ARTICULAÇÕES, DISTÚRBIOS das ou **ARTROPATIAS** (dificuldade no movimento; dores musculares ou rigidez; dor, inchaço e vermelhidão nas articulações): Adal-syst., Iba-syst., Nate-syst., Rise-syst., Teg-syst., Tic-syst.

arthralgia (See Pain).

arthritis (See Inflammation).

arthrosis (See Arthrosis).

hypertrophy, tissue (“crackling” sound when moving joint; joint “catching” or stiffness; pain when moving joint): **Chond-imploc.**

lesions or erosions of the cartilage in weight-bearing joints and other signs of arthropathy.

immature animals of various species: Ofl-ot.

stiffness (See Stiffness).

ARTRALGIA (Ver Artrose; Dor, articulações).

ARTROSE (doença degenerativa das articulações; dores articulares) (Ver Articulações, Distúrbios das): **Acit-syst.**, **Agal-syst.**, Dic-top., FacVIIa-syst., **Pam-syst.**, Sild-syst., Valp-syst.

ATAXIA (tremores e caminhada instável; inabilidade, instabilidade, tremor ou outros problemas no controle muscular ou na coordenação; dificuldade em caminhar) (Ver

Repertório - Capítulo EXTREMIDADES

Descoordenação): *Acyc-syst.*, *Agal-syst.*, *Aman-syst.*, *Aminglut-syst.*, *AmlodAt-syst.* [*Amlodipine*], *AntandN-syst.* [*Flutamide*], *AntconD-syst.*, **AntconH-syst.**, **AntconS-syst.**, *Bacl-intsyst.*, **Benzod-syst.**, *BetBA-oph.* [*Levobunolol*], *BisSMT-syst.* [*Metronidazole*], *Capec-syst.*, *Carbam-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Carm-imploc.*, *Cele-syst.*, *Chloramb-syst.*, *Cyclope-oph.*, *Dext-syst.*, *Diett-top.*, *Don-syst.*, *DoxorL-syst.*, **Dron-syst.**, *Efav-syst.*, *Ethc-syst.*, *Fel-syst.*, **Flum-syst.**, *Fluorq-syst.*, *Fluv-syst.*, **Gab-syst.**, *IntBlA-syst.*, *Isot-syst.*, **Lamo-syst.**, *Levam-syst.*, *Leve-syst.*, **Levod-syst.**, *Lit-syst.*, *Mef-syst.*, *Metro-syst.*, *Metro-vag.*, *Mod-syst.*, **Nab-syst.**, **Nef-syst.**, *Nitrop-syst.*, **Oxc-syst.**, *Pip-syst.*, **Pre-syst.**, **Primi-syst.**, *Sild-syst.*, *SodO-syst.*, *SulfadP-syst.*, **Tacri-syst.**, *Tia-syst.*, *Tini-syst.*, **Topi-syst.**, *Tore-syst.*, *TramA-syst.*, *Tret-syst.*, **Valp-syst.**, *Vari-syst.*, **Vig-syst.**, **Zic-syst.**, *Zid-syst.*, *Zolp-syst.*, **Zon-syst.**, *Zop-syst.*

animals: *QuinuD-syst.*, *Sum-syst.*

dogs: *Levof-syst.*

monkeys: *Levof-syst.*

rodents: *Gemif-syst.*

mice: *Levof-syst.*, *Mero-syst.*

female: *Alos-syst.*

rats: *Eno-syst.*, *Levof-syst.*, *Mero-syst.*

cerebellar (shakiness and unsteady walk; unsteadiness, trembling, or other problems with muscle control or coordination): *HepatAVI-syst.*

debilitated patients: **Benzod-syst.**

dizziness, possibly with ataxia and/or vertigo: **Flum-syst.**

elderly patients: **Benzod-syst.**

severe: *Zale-syst.*

AUMENTADAS.

bone, exostosis (See Exostosis).

feet and hands size: *Mecas-syst.*

hands and feet size: *Mecas-syst.*

hypertrophy, tissue (“crackling” sound when moving joint; joint “catching” or stiffness; pain when moving joint): **Chond-imploc.**

BLOQUEIO neuromuscular (Ver Paralisia).

CÃIBRA, contrações musculares (contrações esqueléticas involuntárias localizadas, dolorosas, de início súbito e de curta duração) (Ver Arrepio; Coréia; Contrações; Distonia; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor): *Acyc-syst.*, *Adal-syst.*, *AmlodBen-syst.*, *AnabS-syst.*, *AngInH-syst.*, *Antdys-syst.*, *Antm-syst.*, **Azac-syst.**, *Bals-syst.*, **Bort-syst.**, *BronA-inhloc.*, *BronA-syst.*, *Busp-syst.*, *Carv-syst.*, *ChlordA-syst.*, *Cisp-syst.*, *Clop-syst.*, *Cortic-ot.*, *Cortic-top.*, *CorticG-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Diett-top.*, *DiuP-syst.*, *Doxaz-syst.*, *Dul-syst.*, *Edr-syst.*, *EdrA-syst.*, *Estro-syst.*, *Fel-syst.*, *Fludro-syst.*, *FlutS-inhloc.*, *For-inhloc.*, *Gluc-syst.*, *HistH2-syst.*, **Ilo-inh.**, **Ima-syst.**, *Ketor-syst.*, *Lamo-syst.*, *Lind-top.*, *Los-syst.*, *Mef-syst.*, *Methylp-syst.*, **Miglu-syst.**, *Omep-syst.*, *Para-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *QuinuD-syst.*, **Ralo-syst.**, *Ropin-syst.*, *Seleg-syst.*, *SodO-syst.*, *SodTh-syst.*, *SulfadP-syst.*, *Sum-syst.*,

Repertório - Capítulo EXTREMIDADES

Tacro-syst., Teli-syst., Telm-syst., Tini-syst., Tinz-syst., Tolc-syst., Tram-syst., Trimethob-syst., ValsH-syst., Zolp-syst.

abdominal, and: Zale-syst.

children: BronA-syst. [*Albuterol*]

calf: HyalSD-syst.

legs: Aminglyc-syst. [*Gentamicin*], Anag-syst., AntinfN-syst. [**Fenoprofen**, **Tolmetin**], Atorv-syst., Carbam-syst., Cele-syst., Cev-syst., Chym-parloc., ConjE-syst., Cyclosp-syst., Def-syst., Dipy-syst., Dom-syst., **Don-syst.**, Estro-syst., Gemif-syst., Imm-syst., **IntA-syst.**, Iopa-syst., **Iron-syst.**, Leval-inhloc., Mido-syst., **Miglu-syst.**, Nes-syst., Rise-syst., **Sir-syst.**, Teri-syst., ThyH-syst., Valp-syst., Zic-syst.

night: Bromo-syst.

CALCIFICAÇÃO irregular, excessiva, em epífises e vértebras (Ver Exostose).

studies in animals, during periods of rapid bone growth, mainly in children: Antcoa-syst.

CALOR.

hot flashes; flushing.

arms (feeling of warmth; redness of the arms): **Alpr-syst.**, AmlodBen-syst., Atom-syst., **Bos-syst.**, CarbidEL-syst., **Clofar-syst.**, Dexmet-syst., Doxaz-syst., Dul-syst., Ele-syst., **Estro-syst.**, FexP-syst., Gemif-syst., HepatAVIHB-syst., **Histr-syst.**, **Ibr-syst.**, **Ilo-inh.**, Imm-syst., Mica-syst., Moc-syst., Oxa-syst., Oxc-syst., Palo-syst., Sor-syst., TecF-syst., Teg-syst., Teli-syst., **Tram-syst.**, TramA-syst., Trep-syst., **Trip-syst.**, **Vard-syst.**

alcohol use, associated with: Pime-top.

females: Meno-syst., **Tamo-syst.**

feet: **Calcit-syst.**

hands: **Calcit-syst.**

CAMINHANDO (Ver Marcha, Distúrbios da).

clumsiness when walking: Thiog-syst.

difficult, trouble in: Capec-syst., Etop-syst., Flox-syst., IntG-syst., **Lox-syst.**, **Mex-syst.**, Vinb-syst., **Vinc-syst.**, Vind-syst.

shuffling: AntdepT-syst., AnthisD-syst. [*Promethazine*], AnthisP-syst., **Arip-syst.**, CalcCBA-syst. [*Flunarizine*], Carbam-syst., CarbidEL-syst., **Hal-syst.**, IntG-syst., Lamo-syst., **Lox-syst.**, Meto-syst., **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, Que-syst., **Risp-syst.**, Sertr-syst., Thie-syst., **Thiox-syst.**, **Zip-syst.**

unsteadiness when walking: Thiog-syst.

CARTILAGENS, DISTÚRBIOS das.

hypertrophic cartilage diseases: **Chond-imploc.**

CIABOSE periférica (cor azulada de lábios, pele, palmas das mãos, dedos ou unhas) (Ver Síndrome dos Dedos Roxos; Fenômeno de Raynaud; GENERALIDADES, Cianose):

Repertório - Capítulo EXTREMIDADES

AmylN-syst., BetBAT-syst., *Niti-syst.*, Nitra-syst., *Nitro-syst.*, Palo-syst., *Ras-syst.*, SodN-syst., *Sulfas-syst.*, *TecAlA-syst.*, *Thr-syst.*, *Vac-syst.*, *Vasc-syst.*

animals: Sum-syst.

congenital heart disease patients: **Paliv-syst.**

tingling, pain and cyanosis of the extremities associated with diminished or absent peripheral pulses: Vasc-syst.

CIRCULAÇÃO periférica.

disorder, vascular, peripheral (changes in skin color; cold hands and feet; pain, redness, or swelling in arm or leg): *Carv-syst.*, *Clofib-syst.*, *Glut-syst.*, *IntBlb-syst.*, **Iri-syst.**, *Mero-syst.*, **Sir-syst.**, **SodBeSP-syst.**, *Ver-parloc.*

mild and lasting 1 hour or less (cold fingers or toes, itching of skin, numbness or tingling of fingers or toes, weakness in the legs occurring without other signs and symptoms of ischemia): **Vasc-syst.**

reduced, vasoconstriction, vasospasm: (cold hands and feet; pale, cool, or blotchy skin on arms or legs; weak or absent pulse in arms or legs; itching of skin; pain in arms, legs, or lower back; pale or cold hands or feet; weakness in legs): *BetBA-syst.* [except Labetalol], *BetBAT-syst.*, BronA-inhloc.[Epinephrine], BronA-syst. [Epinephrine], *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Ergon-syst.*, *Esm-syst.*, *Methyler-syst.*

severe (pale, cool, or blotchy skin on arms or legs; cool, pale, or numb arms or legs; muscle pain; weak or absent arterial pulse in arms or legs; tingling, itching, and cool skin): *Carbopr-syst.*, *Ergon-syst.*, *Methyler-syst.*

resistance, vascular, peripheral, decreased: Sevo-inhsyst.

vasodilation, peripheral (flushing): AmlodAt-syst. [Amlodipine], *Tola-parsyst.*

CLAUDICAÇÃO (Ver Mancando).

COMICHÃO periférico: *EmtT-syst.*

palms of hands: **Aminglut-syst.**

face, and: **Aminglut-syst.**

CONSTRIÇÃO, tensão, pressão.

hands: **Dimer-syst.**

joint: *Nar-syst.*, *Riz-syst.*

muscle: *Caff-syst.*, *Nar-syst.*, *Riz-syst.*

CONTRAÇÕES musculares (movimentos espasmódicos repentinos de corpo) (Ver Estremecimento; Sacudida): *Acamp-syst.*, *Alos-syst.*, **Aminglyc-syst.**, *AmlodAt-syst.* [Amlodipine], *Amph-syst.*, *Anest-oph.*, *AnestBar-syst.* [**Methohexital**, *Thiopental*], *AntinfN-syst.*, *AntconH-syst.*, *AntdepT-syst.*, *Antm-syst.*, **Arip-syst.**, *BarbAn-syst.* [Caffeine], *BronA-inhloc.*, *Caff-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *Cital-syst.*, *Clod-syst.*, *Cyclob-syst.*, **Cyclos-syst.**, *Dapt-syst.*, *Del-syst.*, *Dexmet-syst.*, *Edr-syst.*, *EdrA-syst.*, *EmtT-syst.*, *Fluv-syst.*, **Fosc-syst.**, *Gab-syst.*, **Hal-syst.**, *Histr-syst.*, *Lamo-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.*, *Methylp-syst.*, *Meto-syst.*, *Mica-syst.*, *Mitot-syst.*, **Moli-syst.**, *Nef-syst.*, *Nitrop-syst.*, *Ola-syst.*, *Paro-syst.*, *Pemo-syst.*, **PerpA-syst.**, **Phenot-syst.**

Repertório - Capítulo EXTREMIDADES

Phy-syst., Pre-syst., **Procar-syst.**, Pyridos-syst., **Risp-syst.**, Ropiv-parloc., Seleg-syst., Sertr-syst., Tacro-top., Thie-syst., Thr-syst., Tram-syst., Valp-syst., Ven-syst., Vind-syst., Zic-syst.

fasciculations (twitches of the muscle visible under the skin): Oxa-syst.
feet.

small muscles: Coc-mucloc.

fingers.

small muscles: Coc-mucloc.

myoclonus, myoclonia (muscle twitching or jerking; rhythmic movement of muscles): AntdepMAO-syst., Chloramb-syst., Cital-syst., Fluv-syst., Nalm-syst., Ola-syst., Paro-syst., Pre-syst., SodBeSP-syst., SodO-syst., Sum-syst., Ven-syst., Zic-syst.

jerks, myoclonic (sudden jerky movements of body): Seleg-syst.

postoperative: Propo-syst.

opisthotonus, with: Propo-syst.

sleep, during: **AntdepMAO-syst.** [**Tranlycypromine**]

slight: Lit-syst., Ola-syst.

small muscles, generalized: Coc-mucloc.

spasms, weakness, and: Pyran-orloc.

CONTRATURA.

ankles.

rapid muscle contraction and relaxation in the ankle causing abnormal movements of the foot: Alos-syst.

arms: Dacti-syst.

muscle: AntdepT-syst., SodO-syst.

involuntary: TramA-syst.

tendinous (difficulty moving body parts): Atorv-syst.

CORÉIA, movimentos coreiformes (contrações, movimentos incontrolados dos braços ou pernas; movimento torcendo, irregular, especialmente da face e das extremidades) (Ver Arrepio; Distonia; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor): Estro-syst., Mecam-syst., Pip-syst.

choreoathetosis, choreoathetoid movements (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): Cital-syst., Estro-syst.

transient (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): AntconH-syst.

DESAJEITADO, desastrado, inabilidade motora (Ver MENTAL, Desajeitado): **AbLam-syst.**, Acit-syst., Alos-syst., AntfunA-syst. [Itraconazole], Ataz-syst., Atorv-syst., **Bort-syst.**, **Carbam-syst.**, CarbidEL-syst., ChlH-syst., Emt-syst., **Enf-syst.**, Fluorq-syst. [Ciprofloxacin, Lomefloxacin, Moxifloxacin, Norfloxacin], Gemif-syst., **Lami-syst.**, Lef-syst., Levof-syst., Line-syst., Lom-syst., Miglu-syst., Nali-syst., **Procar-syst.**, Tini-syst.

children: **Lami-syst.**

clumsiness: **Altr-syst.**, *Aminglut-syst.*, *Aminglyc-syst.*, *Antchsp-syst.*, *Anthis-syst.* [Azatadine, Clemastine], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAc-syst.* [Pseudoephedrine], *AnthisP-syst.*, *Antm-syst.*, *Atrop-oph.*, *Bacl-syst.*, **Barb-syst.**, *Bell-syst.*, **Carbam-syst.**, *CarbonAI-syst.*, *ChlH-syst.*, **ChlordA-syst.**, *Cyclob-syst.*, *DiuP-syst.*, *EmtT-syst.*, *Ethc-syst.*, *Ethi-syst.*, *Flavox-syst.*, *Hom-oph.*, **Ison-syst.**, *Lind-top.*, *Mal-top.*, **Mep-syst.**, *MepA-syst.*, *Methys-syst.*, *Metro-syst.*, *Oxyb-syst.*, *Para-syst.*, *Podop-top.*, **RifamI-syst.**, **RifamIP-syst.**, *Sco-oph.*, *Ske-syst.*, *Sulfi-syst.*, *Trop-oph.*

children: *AnthisP-syst.*

walking, when: *Thiog-syst.*, *Tret-syst.*

DESCOLORAÇÃO.

blue-gray coloring of skin on arms: *Amio-syst.*

patients with fair skin or with excessive sun exposure: *Amio-syst.*

bluish-colored.

arms.

coldness, and pain, and: *Hepar-syst.*

feet: *Dihi-nassyst.*

fingers.

pain, and.

toes, and: *Lit-syst.*

hands: *Dihi-nassyst.*

palms of hands: *BetBA-syst.*, *Esm-syst.*, *Iron-syst.*, *Nitra-syst.*

legs.

coldness, and pain, and: *Hepar-syst.*

toes: *Antcoa-syst.*, *Thr-syst.*

pain, and.

fingers, and: *Lit-syst.*

colored bumps on fingertips, elbows, or palms: **Bleo-syst.**

darkening.

palms of hands: *Epir-syst.*

black patients: *Doxor-syst.*

children: *Doxor-syst.*

soles of feet: *Epir-syst.*

black patients: *Doxor-syst.*

children: *Doxor-syst.*

pale, pallor.

digits: *Vasc-syst.*

feet: *Dihi-nassyst.*

cold, and: *Methys-syst.*

hands: *Dihi-nassyst.*

cold, and: *Methys-syst.*

purple: *Antcoa-syst.*, *Thr-syst.*

redness.

arms: *Glut-syst.*, *Lut-syst.*, **SodBeSP-syst.**, *Van-syst.*

feet: **Calcit-syst.**, *Flox-syst.*

Repertório - Capítulo EXTREMIDADES

soles of feet: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

tingling of hands and feet, followed by pain, redness, and swelling: *Fluoru-syst.*

hands: **Calcit-syst.**, *Flox-syst.*, *Phenot-syst.*

palms of hands: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

tingling of hands and feet, followed by pain, redness, and swelling: *Fluoru-syst.*

legs: *Glut-syst.*, *Lut-syst.*, **SodBeSP-syst.**

yellow-orange.

patches on palms of hands: *VitA-syst.*

patches on soles of feet: *VitA-syst.*

DESCOORDENAÇÃO (perda ou diminuição da coordenação) (Ver Ataxia): **Aman-syst.**, *AntdepMAO-syst.*, *AnthisP-syst.*, *Atorv-syst.*, *Busp-syst.*, *Cital-syst.*, *Fluorq-syst.*, *Fluv-syst.*, *Gab-syst.*, *Ltry-syst.*, **Lamo-syst.**, *Line-syst.*, *Lit-syst.*, *Nef-syst.*, **Pre-syst.**, *Ril-syst.*, *Sertr-syst.*, *Ven-syst.*, *Zic-syst.*

ataxia (See Ataxia).

coordination.

abnormal, or problems with (awkwardness; trembling or shaking of arms, legs, hands, or feet; trouble in walking; clumsiness or unsteadiness; poor coordination): *Almot-syst.*, *Anthis-syst.*, *Aprac-oph.*, *Capec-syst.*, *Fent-syst.*, *Fent-trsyst.*, *Gold-syst.*, **Lamo-syst.**, *Oxc-syst.*, **Vig-syst.**

impaired (difficulty with coordination): *Efav-syst.*, *Ven-syst.*, **Zop-syst.**

loss of: *Nar-syst.*

sudden: *Isot-syst.*

muscle, loss of: *Tem-syst.*, *Traz-syst.*

flapping movements of the hands, uncontrollable: *AspirSC-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Sal-syst.*

elderly patients: *AspirSC-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Sal-syst.*

hypotaxia (confusion; dizziness; fast heartbeat; shortness of breath; weakness): *Tret-syst.*

motor coordination, decreased: *Dron-syst.*

motor/coordination/extrapyramidal effects (difficulty in speaking; loss of balance control; uncontrolled movements, especially of face, neck, and back; restlessness or desire to keep moving; twisting movements of body): *Seleg-syst.*

DESMIELINIZANTES, TRANSTORNOS (Ver Esclerose Múltipla; GENERALIDADES, Desmielinizantes, Transtornos, Imunes, Transtornos).

axonal degeneration without demyelination, affecting mainly sensory fibers in the lower limbs: **Thali-syst.**

neurotoxicity (paraparesis/quadruparesis of upper and/or lower extremities consistent with a demyelinating disease): *Clad-syst.*

DISCINESIA (Ver Movimentos descontrolados).

DISMETRIA (controle dos movimentos corporais prejudicado, por exemplo, ao pisar) (Ver Descoordenação): *Carbam-syst.*, *Oxc-syst.*

DISTONIA (espasmo da musculatura da língua, face, pescoço e costas; torção ou outro movimento muscular incomum ou súbito; incapacidade para mover os olhos) (Ver Arrepio; Coréia; Contrações; Espasmo; Estremecimento; Movimentos descontrolados; Sacudida; Tremor): *Drop-syst.*, *Fluv-syst.*, *Gadov-syst.*, *Sum-syst.*

DOR em extremidades: **AbLam-syst.**, *Acit-syst.*, *Adal-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, **ConjE-syst.**, *Cyclos-syst.*, *EzetS-syst.*, *Fex-syst.*, *FlutS-inhloc.*, *HistH2-syst.*, **Iba-syst.**, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, **Mecas-syst.**, *Nev-syst.*, *Ola-syst.*, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Thali-syst.**, *TrandV-syst.*, **Zalc-syst.**, *Zid-syst.*

aching.

muscles.

stiffness, and weakness: Ipe-orloc.

arms, and legs: Ipe-orloc.

ankles: *CarbidEL-syst.* [*Entacapone*], *Paro-syst.*, *Vari-syst.*

arms: **Aden-syst.**, *AntandN-syst.*, BisSMT-syst. [*Metronidazole*], *Cele-syst.*, *Dihynassyst.*, **DrosE-syst.**, *Efav-syst.*, **Erl-syst.**, *EzetS-syst.*, *Fex-syst.*, *FlutS-inhloc.*, *Glut-syst.*, *HepatAVI-syst.*, *Hydra-syst.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lut-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Mor-syst.*, *Nev-syst.*, *Ola-syst.*, *Oma-syst.*, **Peme-syst.**, *Ritu-syst.*, *Ropin-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **SodBeSP-syst.**, **Sor-syst.**, **Thali-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

coldness, and blue color of skin, and: *Hepar-syst.*

arthralgia (See joints).

bone (See skeletal).

burning, peripheral: **AbLam-syst.**, *Acit-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, **CarbidL-syst.**, *CarbidEL-syst.*, **CarbonAI-syst.**, *Cyclos-syst.*, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, *EmtT-syst.*, **Enf-syst.**, **Erl-syst.**, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *Miglu-syst.*, *Nali-syst.*, *Nitro-syst.*, **Peme-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Thali-syst.**, *Tini-syst.*, **Zalc-syst.**, *Zid-syst.*

arms: *Cele-syst.*, *Efav-syst.*, **Erl-syst.**, *FlutS-inhloc.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, **Peme-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**, **Thali-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

children: **Lami-syst.**

feet: **CarbonAI-syst.**, *Cele-syst.*, *Cyclos-syst.*, *Efav-syst.*, **Erl-syst.**, *Etham-syst.*, *FlutS-inhloc.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, **Pac-syst.**, **Peme-syst.**, **RifamI-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Thali-syst.**, *Tolc-syst.*, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

hands, and: Ethi-syst., **Ison-syst.**, **RifamIP-syst.**

fingers: **CarbonAI-syst.**, Mech-syst.

except smallest finger: Danaz-syst., Mem-syst.

hands: **CarbonAI-syst.**, Cele-syst., Cyclos-syst., Efav-syst., **Erl-syst.**, Etham-syst., FlutS-inhloc., Infli-syst., **Lami-syst.**, LamiZ-syst., **Pac-syst.**, **Peme-syst.**, **RifamI-syst.**, Ritu-syst., **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Thali-syst.**, **Zalc-syst.**, Zid-syst.

children: **Lami-syst.**

feet, and: Ethi-syst., **Ison-syst.**, **RifamIP-syst.**

legs: Cele-syst., Efav-syst., **Erl-syst.**, FlutS-inhloc., Infli-syst., **Lami-syst.**, LamiZ-syst., **Peme-syst.**, Ritu-syst., **Sir-syst.**, **Sor-syst.**, **Thali-syst.**, **Zalc-syst.**, Zid-syst.

children: **Lami-syst.**

toes: **CarbonAI-syst.**, Mech-syst.

children: **Lami-syst.**

crawling, peripheral: EmtT-syst.

feet: AntinfN-syst., AntandN-syst., **BisSMT-syst.** [Metronidazole], Busp-syst., Cele-syst., Cyclob-syst., Cyclos-syst., Efav-syst., **Erl-syst.**, Etham-syst., Ethc-syst., FlutS-inhloc., **Fosc-syst.**, Gold-syst., Gri-syst., Hydra-syst., Infli-syst., Iodoq-orloc., Iot-syst., Ioxa-syst., **Iron-syst.**, **Lami-syst.**, LamiZ-syst., MeaRV-syst., MeaMRV-syst., Metro-syst., Mida-syst., Nev-syst., **Peme-syst.**, Podop-top., **RifamI-syst.**, Ritu-syst., RubeM-syst., RubeV-syst., **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, Testol-syst., **Thali-syst.**, **Valg-syst.**, **Zalc-syst.**, Zid-syst.

abrupt and intense: Antcoa-syst.

children: **Lami-syst.**

hands, and: Ethi-syst., **Ison-syst.**, **RifamIP-syst.**

heels, upon exertion: Dihi-nassyst.

soles of feet: **Capec-syst.**, Docet-syst., **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

tingling of hands and feet, followed by pain, redness, and swelling: Fluoru-syst.

ulceration, erythema, and desquamation on the hands and feet with pain and inflammation: DoxorL-syst.

fingers.

blue color, and.

toes, and: Lit-syst.

except smallest finger: Danaz-syst., Mem-syst.

toes, and: Vinb-syst., **Vinc-syst.**, Vind-syst.

hands: AntinfN-syst., AntandN-syst., **BisSMT-syst.** [Metronidazole], Busp-syst., Cele-syst., Cyclob-syst., Cyclos-syst., Efav-syst., **Erl-syst.**, Etham-syst., Ethc-syst., FlutS-inhloc., **Fosc-syst.**, Gold-syst., Gri-syst., Infli-syst., Iodoq-orloc., Iot-syst., Ioxa-syst., **Iron-syst.**, **Lami-syst.**, LamiZ-syst., MeaRV-syst., MeaMRV-syst., Metro-syst., Mida-syst., Nev-syst., **Peme-syst.**, Podop-top., **RifamI-syst.**, Ritu-syst., RubeM-syst., RubeV-syst., **Sir-syst.**, **Sor-syst.**, **Sta-syst.**, **Thali-syst.**, **Valg-syst.**, **Zalc-syst.**, Zid-syst.

children: **Lami-syst.**

feet, and: *Ethi-syst.*, **Ison-syst.**, **RifamIP-syst.**

palms of hands: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

tingling of hands and feet, followed by pain, redness, and swelling: *Fluoru-syst.*

ulceration, erythema, and desquamation on the hands and feet with pain and inflammation: *DoxorL-syst.*

joints, arthralgia (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Acit-syst.**, **Adal-syst.**, *Aldes-syst.*, *Alef-syst.*, *Allop-syst.*, *Almot-syst.*, *Amio-syst.*, **AmlodAt-syst.** [**Atorvastatin**], *Anag-syst.*, *Anast-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntfunA-syst.* [*Itraconazole*], *Anthyr-syst.*, *Aprep-syst.*, *ArsTr-syst.*, **Aspar-syst.**, *Ataz-syst.*, **Azac-syst.**; *Azat-syst.*, *Bals-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Basil-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Betcar-syst.*, **Bort-syst.**, **BotB-parloc.**, *Cab-syst.*, **Calcit-nassyst.**, *Capec-syst.*, *Carbam-syst.*, *Carv-syst.*, *Cefd-syst.*, *Cefu-syst.*, *Ceph-syst.* [**Cefaclor**], *Cev-syst.*, *Cil-syst.*, *Cital-syst.*, *Clad-syst.*, *Clar-syst.*, **Clofar-syst.**, **Clop-syst.**, **ColSF-syst.** [**Filgrastim**, **Sargramostim**], *Crom-inhloc.*, *Dacli-syst.*, *Danaz-syst.*, *Dapt-syst.*, **Darb-syst.**, *Darif-syst.*, *DauL-syst.*, *Del-syst.*, **Den-syst.**, **Diat-syst.**, *Dic-top.*, **Diect-syst.**, *DiphTT-syst.*, *DiphTTH-syst.*, **DipyA-syst.**, *Docet-syst.*, *DoxycD-syst.*, *Dul-syst.*, *Efal-syst.*, *Efav-syst.*, *Emt-syst.*, *EmtT-syst.*, *Epr-syst.*, *Eso-syst.*, *Exem-syst.*, *Ezet-syst.*, *Fluda-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *Fosam-syst.*, *Gab-syst.*, *Gadov-syst.*, *Gals-syst.*, *Gemif-syst.*, **Gemt-syst.**, **Gla-syst.**, *Glut-syst.*, *Gold-syst.*, **GroH-syst.**, *HaeP-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, *HepatAVIHB-syst.*, *HepatBIG-syst.*, *HepatBVR-syst.*, *HistH2-syst.* [*Cimetidine*; *Famotidine*; *Ranitidine*], *Histr-syst.*, *Hydra-syst.*, *Iba-syst.*, **Ibr-syst.**, **Ima-syst.**, **Imm-syst.**, *Indin-syst.*, *IndiuPt-syst.*, *IndiuS-syst.*, *Infli-syst.*, **IntB1a-syst.**, *IodS-syst.*, **Iot-syst.**, *Iov-syst.*, **Ioxa-syst.**, **Isot-syst.**, **Lami-syst.**, *LamiZ-syst.*, *Lans-syst.*, *Lat-oph.*, *Lef-syst.*, **Len-syst.**, **Let-syst.**, *Levam-syst.*, **Levom-syst.**, *LopiR-syst.*, **Lym-syst.**, *MeaRV-syst.*, *MeaMRV-syst.*, **Mecas-syst.**, **Mef-syst.**, **Meg-syst.**, *Melo-syst.*, *Mem-syst.*, **MeniVDC-syst.**, *Mero-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Methy-syst.*, *MethyTD-syst.*, *Methylp-syst.*, *Moc-syst.*, **Mom-inhloc.**, *Mom-nas.*, *Mont-syst.*, **Mur-syst.**, *Nali-syst.*, **Nalt-syst.**, *Nar-syst.*, **Natal-syst.**, *Nef-syst.*, **Nev-syst.**, **Nico-nas.**, *Nico-syst.*, **Nitro-syst.**, *Oct-syst.*, *Ola-syst.*, *Olm-syst.*, *OlmH-syst.*, **Oma-syst.**, *Ose-syst.*, **Oxa-syst.**, *Oxc-syst.*, **Pac-syst.**, **PacP-syst.**, **Palif-syst.**, *Palo-syst.*, **Pam-syst.**, *Pantop-syst.*, *Paro-syst.*, *Pegas-syst.*, **Pegf-syst.**, **PegiA2a-syst.**, *PegiA2b-syst.*, **Peme-syst.**, **Penic-syst.**, *PenicilB-syst.*, *Pentost-syst.*, *Phenot-syst.*, *Pime-top.*, *PneV-syst.*, *PotI-syst.*, *Prami-syst.*, **Praml-syst.**, *Prazi-syst.*, *Pre-syst.*, *Procai-syst.*, **Procar-syst.**, *Propa-syst.*, **Pyraz-syst.**, *Pyrim-syst.*, *Quid-syst.*, *QuinuD-syst.*, *Rabe-syst.*, **RabiV-syst.**, *Ralo-syst.*, *Ram-syst.*, **Rep-syst.**, **RibaI-syst.**, *Rifab-syst.*, **RifamIP-syst.**, *Rifap-syst.*, **Rise-syst.**, *Risp-syst.*, *Riton-syst.*, **Ritu-syst.**, *Riz-syst.*, *Ropin-syst.*, *RosiM-syst.*, *Rosu-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sertr-syst.*, **Sir-syst.**, *SodI-syst.*, *SodTh-syst.*, **Sor-syst.**, *Sta-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Tacro-top.*, *Tad-syst.*, *Tamo-syst.*, *Tera-syst.*, *Terb-syst.*, **Teri-syst.**, *Thiab-syst.*, *Til-syst.*, *Tini-syst.*, *Tiop-syst.*, *Topi-syst.*, **TosI-syst.**, *Tram-syst.*, *TrandV-syst.*, *Trie-syst.*, *Trimethop-syst.*,

Repertório - Capítulo EXTREMIDADES

Tros-syst., TypVI-parsyst., Vac-syst., Vala-syst., Vald-syst., Valp-syst., Vals-syst., Vard-syst., Vari-syst., Ven-syst., Ver-parloc., **Vig-syst.**, Vino-syst., VitA-syst., Zalc-syst., Zan-inhsyst., Zic-syst., Zip-syst., **Zole-syst.**

arthritis, and: **Lym-syst.**

continuing: Gos-syst.

adults: Leup-syst.

severe, and: Prota-syst.

female patients: Nafa-syst.

incapacitating: Iba-syst.

bone, muscle, and: Iba-syst.

increased (exacerbation of existing pain): CorticG-syst., **Diat-syst.**, **Iot-syst.**, Iov-syst., **Ioxa-syst.**

internal bleeding, due to: Hepar-syst.

myalgia, and: Ols-orloc.

onchocerciasis (verminosis), patients with: **Ive-syst.**

rash, skin, with: Del-syst.

severe: Iba-syst.

bone, muscle, and: Iba-syst.

continuing, and: Prota-syst.

stiffness, with: Anast-syst.

swollen: Cinox-syst., CorticG-syst.

knees: CarbidEL-syst. [Entacapone], **HyalSD-syst.**, Paro-syst., Vari-syst.

legs: AmphoB-syst., AntandN-syst., Basil-syst., BisSMT-syst. [Metronidazole], CarbidEL-syst., Cele-syst., Dihy-nassyst., Dinopst-parloc., **DrosE-syst.**, Efav-syst., **Erl-syst.**, Ert-syst., EzetS-syst., Fex-syst., Fluorq-syst., FlutS-inhloc., Glut-syst., Infli-syst., **Iopa-syst.**, Isot-syst., **Lami-syst.**, LamiZ-syst., Los-syst., Lut-syst., MeaRV-syst., MeaMRV-syst., Mesa-reloc., Mif-syst., Mor-syst., Nev-syst., Ola-syst., **Oma-syst.**, **Peme-syst.**, Ritu-syst., Ropin-syst., RubeM-syst., RubeV-syst., Seleg-syst., **Sir-syst.**, **SodBeSP-syst.**, **Sor-syst.**, Tacro-syst., Teg-syst., **Thali-syst.**, Tiot-inhloc., Tir-syst., Topi-syst., Trip-syst., **Zalc-syst.**, Zid-syst.

abrupt and intense: Antcoa-syst.

calves: Isot-syst.

upon exertion: Dihy-nassyst.

children: **Lami-syst.**

coldness, and blue color of skin, and: Hepar-syst.

lower legs: Meto-syst., Testol-syst.

severe: Feru-syst.

limb (pain in arms or legs): ArsTr-syst., **Azac-syst.**, **Bort-syst.**, Capec-syst., **Clofar-syst.**, Dapt-syst., **Darb-syst.**, Histr-syst., **Len-syst.**, Tad-syst., Tram-syst.

myalgia (muscle pain) (joint pain; swollen joints, muscle aching or cramping; muscle pains or stiffness; difficulty in moving; proximal muscle weakness, spontaneous activity in the electromyogram, and elevated creatine kinase values): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Acit-syst.**, Acyc-syst., **Agal-syst.**, Aldes-syst., Alef-syst., Alemt-syst., Alend-syst., Allop-syst., Almot-syst., Aminglut-syst., Amio-syst., Anag-syst., Anast-syst., AngInH-syst., AntinfN-syst. [**Fenoprofen**, **Tolmetin**, Naproxen], Antcoa-syst., **AntconH-syst.**, AntfunA-syst. [Itraconazole],

Anthis-syst. [*Desloratadine*], Anthyr-syst., AntvCPOv-syst., Aprac-oph., Aprep-syst., Arip-syst., ArsTr-syst., Atom-syst., AtovaPro-syst., Azac-syst., Azel-nas., Aztr-syst., Bals-syst., Barb-syst., BarbAn-syst. [*Barbiturates*], Basil-syst., BetBA-oph. [*Levobetaxolol*, *Metipranolol*], Bevac-syst., Bort-syst., Brim-oph., Bupro-syst., Busp-syst., Cab-syst., Calcit-nassyst., Capec-syst., Carbam-syst., Carv-syst., Cefd-syst., Cefu-syst., Cele-syst., Ceph-syst., Cev-syst., Cil-syst., Cinac-syst., Cital-syst., Clad-syst., Clar-syst., Clofar-syst., Colc-syst., Colesev-orloc., ColSF-syst. [*Filgrastim*, *Sargramostim*], Cortic-nas. [*Beclomethasone*], Cortic-ot., Cortic-top., CorticG-syst., Crom-inhloc., Crom-systorloc., Cyt-syst., Dacli-syst., Dacti-syst., Danaz-syst., Darb-syst., DauL-syst., DecAn-syst. [*Ibuprofen-containing combinations*], Del-syst., Den-syst., Desf-inhsyst., Desl-syst., Dic-top., DicM-syst., DiphtTT-syst., DiphtA-syst., Dipy-syst., DipyA-syst., Docet-syst., Doxaz-syst., DoxorL-syst., Doxyc-mucloc., Dul-syst., Efal-syst., Efav-syst., Emt-syst., EmtT-syst., Enf-syst., Erl-syst., Eso-syst., EstroP-syst., Ezet-syst., EzetS-syst., Fenof-syst., Fex-syst., Fluda-syst., Fludro-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., Fosam-syst., Ful-syst., Gab-syst., Gadob-syst., Gemif-syst., GlipM-syst., Gluc-syst., Glut-syst., GroH-syst., Guanad-syst., Guane-syst., HepatAVI-syst., HepatAVIHB-syst., HepatBIG-syst., HistH2-syst., Histr-syst., HMG-syst., HyalSD-syst., Hydra-syst., Iba-syst., Ibr-syst., Ima-syst., Imm-syst., Indin-syst., Infli-syst., IntA1-syst., IntB1a-syst., IntB1b-syst., Iron-syst., JapV-syst., Ketor-syst., Lami-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lat-oph., Lef-syst., Len-syst., Leval-inhloc., Levam-syst., Levom-syst., LopiR-syst., Los-syst., Lym-syst., Mef-syst., Meg-syst., Melo-syst., Mem-syst., Mero-syst., Mir-syst., Mitot-syst., Moc-syst., Moe-syst., Mom-inhloc., Mom-nas., Mont-syst., Mur-syst., Nalt-syst., Nar-syst., Nev-syst., Nia-syst., NiaL-syst., Nico-nas., Nico-syst., Nitro-syst., Olm-syst., Omep-syst., Orl-orloc., Ose-syst., Oxc-syst., Pac-syst., PacP-syst., Pantop-syst., Paro-syst., Pegas-syst., Pegf-syst., PegiA2a-syst., Peme-syst., PenicilB-syst., Pentost-syst., Pio-syst., PneV-syst., Prami-syst., Pre-syst., Procar-syst., Pyridos-syst., Pyrim-syst., Quid-syst., Quin-syst., QuinuD-syst., Rabe-syst., RabiV-syst., Ralo-syst., Ram-syst., Riba-syst., RibaI-syst., Rifab-syst., Ril-syst., Rise-syst., Riton-syst., Ritu-syst., Riz-syst., Ropin-syst., Rosu-syst., Sertr-syst., Sild-syst., Sir-syst., Sor-syst., Sta-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Sum-syst., Tacri-syst., Tacro-syst., Tacro-top., Tad-syst., Tamo-syst., Telm-syst., Tem-syst., Terb-syst., Thiab-syst., Tia-syst., Tini-syst., Tiop-syst., Tiot-inhloc., Topi-syst., TosI-syst., Tram-syst., Trand-syst., Traz-syst., Tret-syst., Trimethop-syst., Tros-syst., TypVI-parsyst., TypP-syst., Vac-syst., Vald-syst., Valp-syst., ValsH-syst., Vard-syst., Vari-syst., Vasc-syst., Ven-syst., Vino-syst., VitA-syst., VitDA-syst., Yel-syst., Zalc-syst., Zale-syst., Zic-syst., Zid-syst., Zip-syst., Zole-syst., Zolm-syst.

arthralgia, and: Ols-orloc.

children: BronA-syst. [*Albuterol*]

continuing: Gos-syst.

adults: Leup-syst.

female patients: Nafa-syst.

incapacitating: Iba-syst.

joint, bone, and: Iba-syst.

mild: Ret-syst., Thr-syst.

Repertório - Capítulo EXTREMIDADES

musculoskeletal: **AbLamZid-syst.**, *AmlodBen-syst.*, *Amsa-syst.*, **Epop-syst.**, **GlipM-syst.**, **Ima-syst.**, *Irb-syst.*, **Lami-syst.**, **Mom-inhloc.**, **Mom-nas.**, **PegiA2b-syst.**, **RibaI-syst.**, **Urs-syst.**, *Vind-syst.*, *Zid-syst.*

females: *Tamo-syst.*

onchocerciasis (verminosis), patients with: **Ive-syst.**

rash, skin, with: *Del-syst.*

severe: *Iba-syst.*

joint, bone, and: *Iba-syst.*

starting 6 to 12 hours after administration and persisting 1 or 2 days: *Influ-syst.*

stiffness, and: **Neu-syst.** [**Succinylcholine**]

uncomplicated: *Atorv-syst.*

neuralgia (See Inflammation, neuritis; Neuropathy): *Cele-syst.*, *Dexmed-syst.*, *Efav-syst.*, *Nef-syst.*, *Rosu-syst.*, *Sild-syst.*, *Zic-syst.*

osteodynia (See skeletal).

sensations, painful (See Sensations, as if).

shoulder: *CarbidEL-syst.*, *Dinopst-parloc.*, *HepatBVR-syst.*

skeletal (bone pain): **Acit-syst.**, **Adal-syst.**, **Agal-syst.**, *Alemt-syst.*, **Anast-syst.**, *ArsTr-syst.*, **Bort-syst.**, *Buse-syst.*, *Capec-syst.*, *Carbam-syst.*, *Cev-syst.*, *Cil-syst.*, *Cinox-syst.*, *CorticG-syst.*, *Cyt-syst.*, **Erl-syst.**, *Exem-syst.*, *Fro-syst.*, **Ful-syst.**, *GroH-syst.*, *Histr-syst.*, *Infli-syst.*, **Let-syst.**, *Nali-syst.* *Nar-syst.*, *Olm-syst.*, **Pam-syst.**, **Pegf-syst.**, *Rise-syst.*, *SodF-syst.*, *Sor-syst.*, *Tiot-inhloc.*, **Tret-syst.**, **Trip-syst.**, *Vinb-syst.*, *VitDA-syst.*, *VitMF-syst.*, **Zole-syst.**

continuing: *Gos-syst.*

adults: *Leup-syst.*

patients with Paget's disease: **Etid-syst.**

females: **Tamo-syst.**

flare reaction (increase in bone pain, transient): *Sam-syst.*, **Stro-syst.**

incapacitating: *Iba-syst.*

joint, muscle, and: *Iba-syst.*

increased.

patients with Paget's disease: **Etid-syst.**

transient: *Testos-syst.*

patients pretreated with testosterone: *SodPho-syst.*

medullary (pain in lower back or pelvis; pain in arms or legs): **ColSF-syst.** [**Filgrastim**, **Sargramostim**], **Pegf-syst.**

musculoskeletal: **AbLamZid-syst.**, *AmlodBen-syst.*, *Amsa-syst.*, **Epop-syst.**, **GlipM-syst.**, **Ima-syst.**, *Irb-syst.*, **Lami-syst.**, **Mom-inhloc.**, **Mom-nas.**, **PegiA2b-syst.**, **RibaI-syst.**, **Urs-syst.**, *Vind-syst.*, *Zid-syst.*

females: *Tamo-syst.*

recurrent.

patients with Paget's disease: **Etid-syst.**

severe: *Iba-syst.*

joint, muscle, and: *Iba-syst.*

transient increase in: *Testos-syst.*

patients pretreated with testosterone: *SodPho-syst.*

soreness, tenderness.

arms: *Calcit-syst.*

feet: *Calcit-syst.*

muscle: *Flut-inhloc.*

stabbing: **Erl-syst.**, *FlutS-inhloc.*, **Lami-syst.**, **Peme-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**

children: **Lami-syst.**

tenderness (See soreness).

tendons: *Gemif-syst.*, *Spa-syst.*, *Trov-syst.*

tingling, pain and cyanosis of the extremities associated with diminished or absent peripheral pulses: **Vasc-syst.**

toes: *Antcoa-syst.*, *Thr-syst.*

abrupt and intense: *Antcoa-syst.*

blue color, and.

fingers, and: *Lit-syst.*

fingers, and: *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

tumor pain: *Tamo-syst.*

DORMÊNCIA periférica (Ver Formigamento; Neuropatia. Parestesia): **AbLam-syst.**, *Acit-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, **CarbidL-syst.**, *CarbidEL-syst.*, **CarbonAI-syst.**, *Cyclos-syst.*, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, *EmtT-syst.*, **Enf-syst.**, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Gold-syst.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Metro-top.*, *Miglu-syst.*, *Nali-syst.*, *Nev-syst.*, *Nitro-syst.*, *Ofl-ot.*, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sta-syst.**, **Sur-syst.**, **Thali-syst.**, *Tini-syst.*, **Zalc-syst.**, *Zid-syst.*

arms: **Altr-syst.**, *Aden-syst.*, *AntandN-syst.*, **BisSMT-syst.** [*Metronidazole*], *Cele-syst.*, **DauL-syst.**, *Dihy-nassyst.*, **Erl-syst.**, *FlutS-inhloc.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Nev-syst.*, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sur-syst.**, **Thali-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

hands, and: *TecTeb-syst.*

sudden, and weakness, in the arms and legs: *Enf-syst.*, *Fluorq-syst.* [*Norfloxacin*], *HepatAVI-syst.*, *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

children: **Lami-syst.**

feet: **Abac-syst.**, *AbLamZid-syst.*, *AngInH-syst.*, *Antdys-syst.*, *AntinfN-syst.*, *AntandN-syst.*, **BisSMT-syst.** [*Metronidazole*], *Buse-syst.*, *Busp-syst.*, **CarbonAI-syst.**, *Cele-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, *DiphenoA-syst.*, **Erl-syst.**, *Etham-syst.*, *Ethc-syst.*, *FlutS-inhloc.*, **Fosc-syst.**, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *Hydra-syst.*, *Infli-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, **Iron-syst.**, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Metro-syst.*, *Mida-syst.*, *Nev-syst.*, **Pac-syst.**, **Peme-syst.**, **Pentost-syst.**, *Podop-top.*, **RifamI-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sta-syst.**, **Sur-syst.**, **Thali-syst.**, **Thiab-syst.**, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

hands, and: *Ethi-syst.*, **Ison-syst.**, **RifamIP-syst.**

soles of feet: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

fingers: **Amio-syst.**, *Anthyr-syst.*, *BetBA-syst.* [*Labetalol*], *BetBAT-syst.*, **CarbonAI-syst.**, *Carbopl-syst.*, **Cisp-syst.**, *Cortic-top.*, *Cyt-syst.*, *Etop-syst.*, *Fluda-syst.*, *Ida-syst.*, *IntA-syst.*, *Mech-syst.*, **Procar-syst.**, *Seleg-syst.*, *Testol-syst.*, **Vasc-syst.**

except smallest finger: *Danaz-syst.*, *Mem-syst.*

mild: *Colc-syst.*

tingling, with: *BetBA-syst.* [*Labetalol*], *Dihy-nassyst.*

tips of: *SodC-parloc.*

toes, and: *Etop-syst.*, *Mex-syst.*, *Mitom-syst.*, *Toc-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

hands: **Abac-syst.**, *AbLamZid-syst.*, *AngInH-syst.*, *Antdys-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *BisSMT-syst.* [*Metronidazole*], *Buse-syst.*, *Busp-syst.*, **CarbonAI-syst.**, *Cele-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, *DiphenoA-syst.*, **Erl-syst.**, *Etham-syst.*, *Ethc-syst.*, *FlutS-inhloc.*, **Fosc-syst.**, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *Hydra-syst.*, *Infli-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, **Iron-syst.**, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Metro-syst.*, *Mida-syst.*, *Nev-syst.*, **Pac-syst.**, **Peme-syst.**, **Pentost-syst.**, *Podop-top.*, **RifamI-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sta-syst.**, **Sur-syst.**, **Thali-syst.**, **Thiab-syst.**, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

arms, and: *TecTeb-syst.*

children: **Lami-syst.**

feet, and: *Ethi-syst.*, **Ison-syst.**, **RifamIP-syst.**

palms of hands: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

legs: **Altr-syst.**, *AntandN-syst.*, *Basil-syst.*, *BisSMT-syst.* [*Metronidazole*], *Cele-syst.*, *Chym-parloc.*, **DauL-syst.**, *Dihy-nassyst.*, **Erl-syst.**, *FlutS-inhloc.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Nev-syst.*, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sur-syst.**, *Tacro-syst.*, **Thali-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

sudden, and weakness, in the arms and legs: *Enf-syst.*, *Fluorq-syst.* [*Norfloxacin*], *HepatAVI-syst.*, *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

limbs: *HepatBVR-syst.*

toes: **Amio-syst.**, *Anthyr-syst.*, *BetBA-syst.* [*Labetalol*], *BetBAT-syst.*, **CarbonAI-syst.**, *Carbopl-syst.*, *Chym-parloc.*, **Cisp-syst.**, *Cyt-syst.*, *Etop-syst.*, *Fluda-syst.*, *Ida-syst.*, *IntA-syst.*, *Mech-syst.*, **Procar-syst.**, *Seleg-syst.*, *Testol-syst.*, **Vasc-syst.**

fingers, and: *Etop-syst.*, *Mex-syst.*, *Mitom-syst.*, *Toc-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

mild: *Colc-syst.*

tingling, with: *BetBA-syst.* [*Labetalol*], *Dihy-nassyst.*

DUREZA, rigidez: *Alos-syst.*, *Aman-syst.*, *Carbam-syst.*, *Cloz-syst.*, *HepatAVI-syst.*, *Tolc-syst.*, **Zip-syst.**

arms: *Busp-syst.*, *CalcCBA-syst.* [*Flunarizine*], *Cloz-syst.*, **Hal-syst.**, *IntG-syst.*, *Lit-syst.*, *Meto-syst.*, **PerpA-syst.**, **Phenot-syst.**, *Que-syst.*, **Risp-syst.**, *Tacri-syst.*, *Thie-syst.*

legs, and: *AntdepT-syst.*, *Lamo-syst.*, **Lox-syst.**, **Moli-syst.**, **Pimo-syst.**, **Thiox-syst.**

upper torso, and: *Pyridos-syst.*

cogwheel (incremental or ratchet-like movement of muscle; rigid or stiff muscles; muscle discomfort): *Paro-syst.*

fingers.

hands, and: *Rau-syst.*

hands.

fingers, and: *Rau-syst.*

joints: **AbLam-syst.**, *Hepar-syst.*, *Prazi-syst.*, *Nar-syst.*, *Riz-syst.*, *Tram-syst.*

adhesions (joint stiffness): *Chond-imploc.*

continuing and severe: *Prota-syst.*

internal bleeding, due to: *Hepar-syst.*

pain, with: *Anast-syst.*

pannus formation (inability to move joint): *Chond-imploc.*

severe and continuing: *Prota-syst.*

legs: *Busp-syst.*, *CalcCBA-syst.* [*Flunarizine*], **Hal-syst.**, *IntG-syst.*, *Meto-syst.*, **PerpA-syst.**, **Phenot-syst.**, *Que-syst.*, **Risp-syst.**, *Tacri-syst.*, *Thie-syst.*

arms, and: *AntdepT-syst.*, *Lamo-syst.*, **Lox-syst.**, **Moli-syst.**, **Pimo-syst.**, **Thiox-syst.**

limbs: **Arip-syst.**, *Carbam-syst.*, *CarbidEL-syst.*, *Diaz-orsyst.*, *Sertr-syst.*, **Zip-syst.**

muscles: *AntdepMAO-syst.*, *AnthisP-syst.*, **Arip-syst.**, *Bacl-intsyst.*, *Busp-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *ChlordA-syst.*, *Cloz-syst.*, **Dihynassyst.**, *Hal-syst.*, *HydroxT-oph.*, *Nar-syst.*, *Nef-syst.*, *Ola-syst.*, *Opi-syst.*, *Pam-syst.*, *Paro-syst.*, *Phenot-syst.*, **Pral-syst.**, **Rem-syst.**, *Resp-syst.*, *Ril-syst.*, *Riz-syst.*, *Sertr-syst.*, *Sum-syst.*, *Thiox-syst.*, **Zip-syst.**

aching, and weakness: *Ipe-orloc.*

arms, and legs: *Ipe-orloc.*

hypertonia (excessive muscle tone; muscle tension or tightness; muscle stiffness): **Acit-syst.**, *Almot-syst.*, *Aman-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*], *Brin-oph.*, *Cele-syst.*, *Cev-syst.*, *ConjE-syst.*, *Dipy-syst.*, *Fluorq-syst.*, *Gadob-syst.*, *Gadov-syst.*, **Gla-syst.**, *IbupO-syst.*, *IntB1b-syst.*, **Leval-inhloc.**, *Mod-syst.*, *Nef-syst.*, *Ola-syst.*, *Pantop-syst.*, *Paro-syst.*, *PegiA2b-syst.*, *Pyridos-syst.*, *Que-syst.*, *QuinuD-syst.*, *Ritu-syst.*, *Rosu-syst.*, *Sild-syst.*, **Sir-syst.**, *TramA-syst.*, *Valp-syst.*, *Vard-syst.*, *Ven-syst.*, *Zale-syst.*, **Zic-syst.**, *Zip-syst.*

severe: *AntdepT-syst.* [*Amoxapine*], *AnthisP-syst.*, *Arip-syst.*, *CarbidEL-syst.*, *Don-syst.*, *Fluox-syst.*, *Hal-syst.*, *Lox-syst.*, *Map-syst.*, *Mem-syst.*, *Moli-syst.*, *Paro-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, *Que-syst.*, *Sertr-syst.*, *Thiox-syst.*, *Ven-syst.*

Repertório - Capítulo EXTREMIDADES

skeletal muscles: *Hal-syst., Moli-syst., PerpA-syst., Phenot-syst., Risp-syst., Thiox-syst.*

stiffness, and: **Neu-syst.** [**Succinylcholine**]

tenseness and weakness, muscular: *CetiP-syst.* [**Pseudoephedrine**]

unexplained: *Cyclob-syst.*

severe: *Enta-syst., Meto-syst.*

shoulder: *HepatBVR-syst.*

EDEMA (Ver Inchaço).

EMBOLIA periférica (Ver Trombose): *Vaso-syst.*

lower extremity (pain in legs; redness or swelling of leg): **Iri-syst.**

EMBOLISMO (Ver Embolia).

ENTORSES.

joints: *Daps-top., Tram-syst.*

muscle: *Flut-inhloc.*

EPIFISÁRIO, FECHAMENTO, prematuro (falta ou diminuição do crescimento normal em crianças): *AnabS-syst., Isot-syst., VitA-syst.*

ERITRODISESTESIA PALMO-PLANTAR (Ver Síndrome Mão e Pé).

ERUPÇÕES.

pemphigus vulgaris or foliaceus (lesions on the face, neck, scalp, and/or trunk; blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): **Penic-syst., Topi-syst.**

paraneoplastic pemphigus (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): *Ritu-syst.*

rash.

arms: *Van-syst.*

ESCLEROSE MÚLTIPLA (visão borrada; dificuldade em controlar a sua bexiga ou intestinos; dificuldade em andar; tristeza ou depressão; esquecimento; câibras musculares; torpor ou formigamento em braços, pernas ou rosto; fala enrolada ou problemas de deglutição; cansaço incomum ou fraqueza) (Ver GENERALIDADES, Imunes, Transtornos): *Adal-syst., Etan-syst., HepatAVI-syst.*

aggravation: *Imiq-top.*

Lhermitte's sign (multiple sclerosis): *Cisp-syst.*

ESPASMO muscular (Ver Arrepio; Câibra; Coréia; Contrações; Distonia; Estremecimento; Movimentos descontrolados; Sacudida; Tremor): *AnthisD-syst.* [**Promethazine**], *Benzod-syst., BenzyB-top., Busp-syst., Estro-syst., Gadov-syst., IntBla-syst., Lox-syst., Miv-syst., Nar-syst., Phenot-syst., Pimo-syst., Riz-syst., Ropin-syst., Telm-syst., Thiox-syst., Tram-syst.*

Repertório - Capítulo EXTREMIDADES

arms: Phenot-syst.

body: Phenot-syst.

legs: Phenot-syst.

tetany (abdominal cramps; confusion; convulsions; difficulty in breathing; irregular heartbeats; mood or mental changes; muscle cramps in hands, arms, feet, legs, or face; numbness and tingling around the mouth, fingertips, or feet; shortness of breath; tremor): **Sir-syst.**, SodF-syst., VitMF-syst.

hypocalcemic (convulsions, muscle cramps, numbness, tingling, pain, or weakness in hands or feet; shortness of breath, tremor or troubled breathing):

EdD-syst., Pho-syst.

twitches, weakness, and: Pyran-orloc.

ESTREMECIMENTO (Ver Sacudida; Tremor).

ESTRIAS (linhas de púrpuro-avermelhadas).

arms: ClotB-top., Cortic-rec., Cortic-top., CorticG-syst., Fludro-syst., NysT-top.

legs: ClotB-top., Cortic-rec., Cortic-top., CorticG-syst., Fludro-syst., NysT-top.

EXOSTOSE (proliferação óssea): **Alend-syst.**, **Calcit-nassyst.**, **Calcit-syst.**, **Clod-syst.**, **Etid-syst.**, **Iba-syst.**, **Pam-syst.**, **Pli-syst.**, **Rise-syst.**, **Til-syst.**, **Zole-syst.**

hyperostosis.

cortical: Alpr-syst.

skeletal (back pain; bone or joint pain; difficulty in moving; stiff, painful muscles): Isot-syst.

spinal (back pain; bone or joint pain; difficulty in moving or walking; stiff, painful muscles): **Acit-syst.**

EXTENSÃO (tendão ou ligamento) dos dedos dos pés, tornozelos, joelhos e quadris: FentD-syst. [Alfentanil]

FADIGA: Abac-syst.

muscular: ValsH-syst.

FENÔMENO de RAYNAUD, Doença de Raynaud (formigamento ou dor nos dedos das mãos e pés quando expostos ao frio; palidez ou sensação de frio na ponta dos dedos) (Ver Cianose; Síndrome dos Dedos Roxos): **Bleo-syst.**, **Bromo-syst.**, **Cisp-syst.**, **Clon-syst.**, **ClonC-syst.**

FLEXIONADAS.

fingers, wrists, and elbows: FentD-syst. [Alfentanil]

FORMIGAMENTO ou picadas periféricas (Ver Dormência; Neuropatia; Parestesia): **AbLam-syst.**, **Acit-syst.**, **AntfunA-syst.** [Itraconazole], **Ataz-syst.**, **Atorv-syst.**, **Bort-syst.**, **CarbidL-syst.**, **CarbidEL-syst.**, **CarbonAI-syst.**, **Cyclos-syst.**, **Did-syst.**, **Docet-syst.**, **Emt-syst.**, **EmtT-syst.**, **Enf-syst.**, **Fluorq-syst.** [Ciprofloxacin, Lomefloxacin, Moxifloxacin, Norfloxacin], **Gemif-syst.**, **Lami-syst.**, **LamiZ-syst.**, **Lef-syst.**, **Len-syst.**, **Levof-syst.**, **Line-**

syst., *Metro-top.*, *Miglu-syst.*, *Nali-syst.*, **Nico-nas.**, *Nitro-syst.*, *Ofl-ot.*, **Peme-syst.**, *Pyridos-syst.*, *Ritu-syst.*, *RubeM-syst.*, **Sir-syst.**, **Sor-syst.**, *Tini-syst.*, **Zalc-syst.**, *Zid-syst.*

arms: *Aden-syst.*, *AntandN-syst.*, BisSMT-syst. [Metronidazole], *Cele-syst.*, Dihy-nassynt., *Efav-syst.*, *FlutS-inhloc.*, *Gold-syst.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, **Nico-nas.**, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sor-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

children: **Lami-syst.**

feet: **Abac-syst.**, *AngInH-syst.*, *AntinfN-syst.*, *AntandN-syst.*, BisSMT-syst. [Metronidazole], *Buse-syst.*, *Busp-syst.*, **Calcit-syst.**, **CarbonAI-syst.**, *Cele-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, *Efav-syst.*, *Etham-syst.*, *Ethc-syst.*, *Fluoru-syst.*, *FlutS-inhloc.*, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *Hydra-syst.*, *Infli-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, **Iron-syst.**, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *Metro-syst.*, *Mida-syst.*, **Nico-nas.**, **Pac-syst.**, **Peme-syst.**, **Pentost-syst.**, *Podop-top.*, **RifamI-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sor-syst.**, **Thiab-syst.**, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

hands, and: **Clofar-syst.**, *Ethi-syst.*, **Ison-syst.**, **RifamIP-syst.**

followed by pain, redness, and swelling: *Fluoru-syst.*

soles of feet: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

fingers: **Amio-syst.**, *Anthyr-syst.*, *BetBA-syst.* [*Labetalol*], *BetBAT-syst.*, **CarbonAI-syst.**, *Carbopl-syst.*, **Cisp-syst.**, *Cycla-syst.*, *Cyt-syst.*, *Etop-syst.*, *Fluda-syst.*, *Ida-syst.*, *IntA-syst.*, *Mech-syst.*, **Procar-syst.**, *Testol-syst.*, **Vasc-syst.**

except smallest finger: *Danaz-syst.*, *Mem-syst.*

numbness, with: *BetBA-syst.* [*Labetalol*], *Dihy-nassynt.*

toes, and: *Etop-syst.*, *Mex-syst.*, *Mitom-syst.*, *Toc-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

hands: **Abac-syst.**, *AngInH-syst.*, *AntinfN-syst.*, *AntandN-syst.*, BisSMT-syst. [Metronidazole], *Buse-syst.*, *Busp-syst.*, **Calcit-syst.**, **CarbonAI-syst.**, *Cele-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, **Dimer-syst.**, *Efav-syst.*, *Etham-syst.*, *Ethc-syst.*, *Fluoru-syst.*, *FlutS-inhloc.*, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *Hydra-syst.*, *Infli-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, **Iron-syst.**, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, *Metro-syst.*, *Mida-syst.*, **Nico-nas.**, **Pac-syst.**, **Peme-syst.**, **Pentost-syst.**, *Podop-top.*, **RifamI-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sor-syst.**, **Thiab-syst.**, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

feet, and: **Clofar-syst.**, *Ethi-syst.*, **Ison-syst.**, **RifamIP-syst.**

followed by pain, redness, and swelling: *Fluoru-syst.*

palms of hands: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

legs: *AntandN-syst.*, BisSMT-syst. [Metronidazole], *Cele-syst.*, Dihy-nassynt., *Efav-syst.*, *FlutS-inhloc.*, *Infli-syst.*, **Lami-syst.**, *LamiZ-syst.*, *MeaRV-syst.*, **Nico-nas.**, **Peme-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, **Sir-syst.**, **Sor-syst.**, **Zalc-syst.**, *Zid-syst.*

children: **Lami-syst.**

limbs: *HepatBVR-syst.*

pain, tingling, and cyanosis of the extremities associated with diminished or absent peripheral pulses: *Vasc-syst.*

toes: **Amio-syst.**, *Anthyr-syst.*, *BetBA-syst.* [*Labetalol*], *BetBAT-syst.*, **CarbonAI-syst.**, *Carbopl-syst.*, **Cisp-syst.**, *Cycla-syst.*, *Cyt-syst.*, *Etop-syst.*, *Fluda-syst.*, *Ida-syst.*, *IntA-syst.*, *Mech-syst.*, **Procar-syst.**, *Testol-syst.*, **Vasc-syst.**

fingers, and: *Etop-syst.*, *Mex-syst.*, *Mitom-syst.*, *Toc-syst.*, *Vinb-syst.*, **Vinc-syst.**, *Vind-syst.*

numbness, with: *BetBA-syst.* [*Labetalol*], *Dihy-nassyst.*

FRAQUEZA nas extremidades.

arms: **AbLam-syst.**, *Acit-syst.*, **Amio-syst.**, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, *CarbidEL-syst.*, **DauL-syst.**, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, **Enf-syst.**, *Fludro-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *Gemif-syst.*, *Gold-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *Nali-syst.*, *Nitro-syst.*, **Sur-syst.**, *Thie-syst.*, *Tini-syst.*

increasing, muscle: *Antm-syst.*

legs, and: **Hal-syst.**, *Meto-syst.*, **Moli-syst.**, *Ond-syst.*, **PerpA-syst.**, **Risp-syst.**

sudden, and numbness, in the arms and legs: *Enf-syst.*, *Fluorq-syst.* [*Norfloxacin*], *HepatAVI-syst.*, *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

feet: **AbLam-syst.**, *Acit-syst.*, *Antdys-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, *Busp-syst.*, *CarbidEL-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, **DauL-syst.**, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, *EmtT-syst.*, **Enf-syst.**, *Etham-syst.*, *Ethc-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hydra-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *Metro-syst.*, *Mida-syst.*, *Miglu-syst.*, *Nali-syst.*, *Nitro-syst.*, *Podop-top.*, **Sur-syst.**, *Tini-syst.*, **Valg-syst.**

hands: **AbLam-syst.**, *Acit-syst.*, *Antdys-syst.*, *AntinfN-syst.*, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, *Busp-syst.*, *CarbidEL-syst.*, *Cyclob-syst.*, *Cyclos-syst.*, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, *EmtT-syst.*, **Enf-syst.**, *Etham-syst.*, *Ethc-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hydra-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *Metro-syst.*, *Mida-syst.*, *Miglu-syst.*, *Nali-syst.*, *Nitro-syst.*, *Podop-top.*, **Sur-syst.**, *Tini-syst.*, **Valg-syst.**

legs: **AbLam-syst.**, *Acit-syst.*, **Amio-syst.**, *AngInH-syst.*, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Ataz-syst.*, *Atorv-syst.*, **Bort-syst.**, *Buse-syst.*, *CarbidEL-syst.*, *Chym-parloc.*, **Did-syst.**, *Docet-syst.*, *Emt-syst.*, **Enf-syst.**, *Fludro-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *Gemif-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *Miglu-syst.*, *Nali-syst.*, *Nitro-syst.*, **Sur-syst.**, *Thie-syst.*, *Tini-syst.*, *Tret-syst.*, **Vasc-syst.**

arms, and: *Meto-syst.*, **Moli-syst.**, *Ond-syst.*, **PerpA-syst.**, **Risp-syst.**

Repertório - Capítulo EXTREMIDADES

sudden, and numbness, in the arms and legs: *Enf-syst.*, *Fluorq-syst.* [*Norfloxacín*], *HepatAVI-syst.*, *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

motor.

peripheral: *Daps-syst.*

severe (shakiness and unsteady walk; unsteadiness. trembling, or other problems with muscle control or coordination; respiratory failure): *Sta-syst.*

muscle weakness: **AbLam-syst.**, *Almot-syst.*, *Amio-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Antac-orloc.* [*Aluminum-containing*; *Magaldrate*], *AntinfN-syst.* [*Tolmetin*], *AntglaC-oph.*, *ArsTr-syst.*, **Bacl-syst.**, *Benzod-syst.*, *Brim-oph.*, *Busp-syst.*, *Capec-syst.*, *Carv-syst.*, *Cortic-nas.*, *Cortic-ot.*, *Cortic-rec.*, *CorticG-syst.*, *Cyclob-syst.*, **Dant-syst.**, *Dihi-nassyst.*, *Diso-syst.*, *Doxaz-syst.*, *Edr-syst.*, *EdrA-syst.*, *Fludro-syst.*, *Gala-syst.*, *HepatBVR-syst.*, *IndiuC-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Levom-syst.*, *Lit-syst.*, *Mef-syst.*, *Oxc-syst.*, *Phy-oph.*, *Pip-syst.*, *Podop-top.*, **Pral-syst.**, **Quin-syst.**, *Ske-syst.*, **Thali-syst.**, *Tia-syst.*

aching, and: *Ipe-orloc.*

arms, and legs: *Ipe-orloc.*

hypotonia (See Hypotonia).

increasing: *Antm-syst.*, *Don-syst.*, *Tacri-syst.*

mice: *Azel-nas.*

respiration, not affecting muscles of: **Dant-syst.**

severe: *Antchsp-syst.*, *CarbonAI-syst.*, *Map-syst.*

spasms, twitches, and: *Pyran-orloc.*

tenseness, muscular, and: *CetiP-syst.* [*Pseudoephedrine*]

wasting, and: *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*

paraparesis of upper and/or lower extremities consistent with a demyelinating disease: *Clad-syst.*

quadruparesis of upper and/or lower extremities consistent with a demyelinating disease: *Clad-syst.*

severe: *Cortic-top.*, *Gluc-syst.*

FRATURAS espontâneas dos ossos (dor ou inchaço dos braços, pernas, costas ou costelas, sem qualquer injúria prévia): *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, *Cortic-rec.*, *Flut-inhloc.*, *Gab-syst.*, *Let-syst.*, *Mem-syst.*, **Sir-syst.**

adolescents: *Isot-syst.*

compression, vertebral, and long bone pathologic fractures, includes: *CorticG-syst.*

humerus: *Ose-syst.*

long bones, pathologic: *Fludro-syst.*

non spontaneous (pain or swelling in arms or legs without any injury): *Adal-syst.*

osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*

pathological (unexplained broken bone, pain or swelling in arms or legs without any injury): *Exem-syst.*, *Niti-syst.*, *Rosu-syst.*

long bones: *Fludro-syst.*

spontaneous (fractures in arms or legs without any injury): *Fludro-syst.*

sports, when participating in: *Isot-syst.*

FRIEZA nas extremidades: Vasc-syst.

arms.

legs, and: Lit-syst.

pain, and blue color of skin, and: Hepar-syst.

feet: Dihy-nassyst., Mero-syst.

hands, and: Carv-syst., Glut-syst., Iri-syst., Lut-syst., Sir-syst., SodBeSP-syst.

pale, and: Methys-syst.

fingers: Vasc-syst.

digits: Vasc-syst.

hands: Dihy-nassyst., Mero-syst.

feet, and: Carv-syst., Glut-syst., IntB1b-syst., Iri-syst., Lut-syst., Sir-syst., SodBeSP-syst.

pale, and: Methys-syst.

legs.

arms, and: Lit-syst.

pain, and blue color of skin, and: Hepar-syst.

toes: Vasc-syst.

GANGRENA periférica (pele seca ou de aparência enrugada nas mãos, pernas ou pés; pele dos dedos das mãos ou dos pés fria, pálida ou de cor azulada; prurido na pele; dormência ou formigamento dos dedos das mãos ou dos pés; dor nos dedos das mãos ou dos pés): Aldes-syst., Cele-syst., Ergon-syst., Hydxyu-syst.

digits, gangrenous: Thr-syst.

GOTA ou hiperuricemia (dor nas articulações do tornozelo, joelho ou dedo grande do pé; dor, inchaço ou rigidez nas articulações) (Ver Dor; GENERALIDADES, Gota): AngInH-syst., Atorv-syst., BetBA-oph. [Levobetaxolol], BetBAT-syst., Cand-syst., Carv-syst., ClonC-syst., Clop-syst., DiuL-syst., DiuPH-syst., DiuT-syst., Imiq-top., MethyTD-syst., Nef-syst., PrazoP-syst., Sild-syst., ValsH-syst.

arthritis, gouty, acute (chills; pain and swelling of joints, especially big toe, ankle, or knee; tense, hot skin over affected joints): Etham-syst., Pyraz-syst.

hyperuricemia (joint pain, stiffness, or swelling; lower back, side, or stomach pain; swelling of feet or lower legs) (See GENERALITIES, Gout; DIAGNOSTIC TESTS): AngInH-syst., Aspar-syst., BetBAT-syst., Busu-syst., Cand-syst., Carv-syst., Chloramb-syst., Cisp-syst., ClonC-syst., Cycloph-syst., Cyt-syst., Dacti-syst., Dau-syst., Did-syst., DiuPH-syst., DiuT-syst., Doxor-syst., Epir-syst., Fluda-syst., Fluorq-syst., HistH2-syst. [Nizatidine]; Hydxyu-syst., Ida-syst., Mech-syst., Melp-syst., Merc-syst., MethyTD-syst., Moly-syst., Nia-syst., Olm-syst., OlmH-syst., Panc-syst., PrazoP-syst., RifamIP-syst., Rifap-syst., Sild-syst., SodPhe-syst., Thiog-syst., Thiot-syst., Vinb-syst., Vinc-syst.

secondary (severe pain or inflammation in feet, knees, hands, or elbows): EdC-syst., EdD-syst.

HEMIPARESIA (Ver Paralisia; Fraqueza).

HEMIPLEGIA (Ver Paralisia; Fraqueza).

HEMORRAGIA, sangramento.

[joints](#), [hemarthrosis](#) (joint pain, stiffness, or swelling): **Antcoa-syst.**

[HIV-infected patients with hemophilia type A or B who are receiving protease inhibitor therapy](#): *Nel-syst.*

HIPERESTESIA.

[palmar-plantar](#) (tenderness of the palms and soles): **Sur-syst.**

HIPERTONIA (Ver Dureza).

HIPERTROFIA (Ver Aumentadas).

HIPOESTESIA (diminuição na sensação de toque) (Ver Parestesia): *Arb-syst.*, *Dipy-syst.*

[hands](#) (numbness or decreased sensitivity): *Leval-inhloc.*

[neuropathy, peripheral, mild to moderate, including paresthesia and hypesthesia](#) (numbness or tingling in fingers and toes): *Vino-syst.*

HIPOTONIA (tônus muscular diminuído; sensação de fraqueza incomum; perda de força ou energia; dores musculares ou fraqueza): **Bacl-intsyst.**, *Carv-syst.*, *DiphtTTH-syst.*, *Paliv-syst.*, **Sir-syst.**, *Vig-syst.*, *Zale-syst.*, **Zop-syst.**

[antimyotonic](#) (muscle relaxation): **Quin-syst.**

[infants](#): *Brim-oph.*

[mice](#): *Azel-nas.*

[relaxant, skeletal muscle; muscular relaxation](#): *AntconH-syst.*, *Antm-syst.*, **Bacl-intsyst.**, *Benzod-syst.* [*Diazepam*, *Lorazepam*], *Cyclob-syst.*, *OrpA-syst.*, *Ske-syst.*, [*Carisoprodol*, *Chlorphenesin*, *Chlorzoxazone*, *Metaxalone*, *Methocarbamol*, *Orphenadrine Citrate*]

[prolongued](#): *PenicilB-syst.* [*Piperacillin and Tazobactam combination*]

INABILIDADE motora (Ver Desajeitado).

INCHAÇO, edema (ganho de peso rápido) (Ver Inflamação).

[angioedema of the extremities](#), angioneurotic edema (large, hive-like swelling on hands, legs, feet, limbs): *AngIn-syst.*, *AngInH-syst.*, *AntfunA-syst.*, *AnthisP-syst.*, *Aprep-syst.*, *Arip-syst.*, *Atom-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Cand-syst.*, *CandH-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.* [*Cefuroxime*], *ChorioG-syst.*, *DiphtTTH-syst.*, *Dof-syst.*, *Dorz-oph.*, *Doxyc-syst.*, *Dul-syst.*, *EnaF-syst.*, *Epr-syst.*, *Ezet-syst.*, *EzetS-syst.*, *FexP-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Gab-syst.*, *Gals-syst.*, *Gef-syst.*, *Hyalur-parloc.*, **Ibr-syst.**, *Imiq-top.*, *IodS-syst.*, *JapV-syst.*, *Lar-syst.*, *Lef-syst.*, *Leval-inhloc.*, *Los-syst.*, *LosH-syst.*, *Melo-syst.*, *Moe-syst.*, *MoeH-syst.*, *Momnas.*, *Mont-syst.*, *Nali-syst.*, *Nef-syst.*, *Nis-syst.*, **Nitro-syst.**, *Ola-syst.*, *Olm-syst.*, *Ond-syst.*, *Oxa-syst.*, *Paliv-syst.*, *Pam-syst.*, *Pime-top.*, *PotI-syst.*, *Probu-syst.*, *Rabe-syst.*, *Rifax-orloc.*, *Rise-syst.*, *Risp-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Sertr-syst.*, *Sir-syst.*,

Repertório - Capítulo EXTREMIDADES

SodI-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tini-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., Vald-syst., Vals-syst.

arms: Dof-syst., IodS-syst., Nis-syst., PotI-syst., SodI-syst.

face, extremities, lips, tongue, glottis, and larynx (sudden trouble in swallowing or breathing; swelling of face, mouth, hands, or feet; hoarseness): Trand-syst.

feet: AngIn-syst., AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., AtovaPro-syst., Cand-syst., CandH-syst., CarbidEL-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., DiphtTTH-syst., Dorz-oph., Doxyc-syst., Dul-syst., Etan-syst., Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gef-syst., Hyalur-parloc., **Ibr-syst.**, Imiq-top., JapV-syst., Lamo-syst., Lar-syst., Lef-syst., Leval-inhloc., Lid-top., Los-syst., LosH-syst., Melo-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., **Nitro-syst.**, Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., Probu-syst., Rabe-syst., Rifax-orloc., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tini-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., Vald-syst., Vals-syst.

hands: AngIn-syst., AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., Cand-syst., CandH-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., DiphtTTH-syst., Dorz-oph., Doxyc-syst., Dul-syst., Etan-syst., Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gef-syst., Hyalur-parloc., **Ibr-syst.**, Imiq-top., JapV-syst., Lamo-syst., Lar-syst., Lef-syst., Leval-inhloc., Lid-top., Los-syst., LosH-syst., Melo-syst., Mero-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., **Nitro-syst.**, Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., Probu-syst., Rabe-syst., Rifax-orloc., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tini-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., Vald-syst., Vals-syst.

legs: AntfunA-syst., AnthisP-syst., Aprep-syst., Arip-syst., Atom-syst., Atorv-syst., Cand-syst., CandH-syst., CarbidEL-syst., Cele-syst., Ceph-syst. [Cefuroxime], ChorioG-syst., DiphtTTH-syst., Dof-syst., Dorz-oph., Doxyc-syst., Dul-syst., Etan-syst., Ezet-syst., EzetS-syst., FexP-syst., Fluox-syst., FlutS-inhloc., Gab-syst., Gef-syst., Hyalur-parloc., **Ibr-syst.**, Imiq-top., IodS-syst., Lar-syst., Lef-syst., Leval-inhloc., Los-syst., LosH-syst., Melo-syst., Mom-nas., Mont-syst., Nali-syst., Nef-syst., Nis-syst., Ola-syst., Olm-syst., Ond-syst., Oxa-syst., Paliv-syst., Pam-syst., Pime-top., PotI-syst., Rabe-syst., Rifax-orloc., Rise-syst., Risp-syst., Rosi-syst., RosiM-syst., Sertr-syst., Sir-syst., SodI-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tini-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, Tras-syst., Vald-syst.

limbs: Epr-syst.

ankles: Acamp-syst., AntdiaS-syst. [Chlorpropamide, Tolbutamide], AspirSC-syst., Bacl-intsyst., **Basil-syst.**, Cital-syst., Clod-syst., Clofar-syst., Cortic-inhloc., Dapt-syst., **Darb-syst.**, Del-syst., Docet-syst., Dof-syst., Efal-syst., EmtT-syst., **Eno-syst.**, **EpoE-syst.**, **Exem-syst.**, Gadob-syst., Gold-syst., **Ibr-syst.**, Imiq-top., Ins-syst.,

Repertório - Capítulo EXTREMIDADES

Ketor-syst., **Len-syst.**, *Mem-syst.*, *Methys-syst.*, *Moe-syst.*, *MoeH-syst.*, *Ola-syst.*, *Opr-syst.*, *Paro-syst.*, **Pegf-syst.**, *Pil-syst.*, **Proge-syst.**, **Ralo-syst.**, *Rosu-syst.*, *Sertr-syst.*, **Sir-syst.**, **Tacro-syst.**, *Tacro-top.*, *Thr-syst.*, **TosI-syst.**, *Tram-syst.*, *Ven-syst.*, *Vind-syst.*

feet, and: **Ketor-syst.**, *Sib-syst.*

lower legs, and: *EnaF-syst.*, **Ketor-syst.**, **Nis-syst.**

fingers, and: **Ketor-syst.**

lower legs, and: **Ketor-syst.**

mild: *Rosi-syst.*

raised red swellings: *CarbidEL-syst.* [*Entacapone*], *Paro-syst.*, *Vari-syst.*

arms: *Fluorq-syst.*, **Ful-syst.**, *Gef-syst.*, **Gemt-syst.**, *Gla-syst.*, *Glut-syst.*, *Histr-syst.*, *Ilo-inh.*, *Lut-syst.*, *Mem-syst.*, **Nef-syst.**, **Ola-syst.**, *OlmH-syst.*, *Oxa-syst.*, *Oxyb-syst.*, **Pegv-syst.**, *Prami-syst.*, **Pre-syst.**, *Ralt-syst.*, **Ritu-syst.**, **SodBeSP-syst.**, *Thie-syst.*, *Vald-syst.*, *Valp-syst.*, *Vor-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

dependent edema (edema in lower or dependent parts of the body; swelling of legs and feet): *Carv-syst.*, *GroH-syst.*, **Lar-syst.**, **Ropin-syst.**

feet: **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, *Allop-syst.*, *Andro-syst.*, *Antac-
orloc.*, **AntinfN-syst.** [*Phenylbutazone*], *AntandN-syst.* [**Nilutamide**], *Antcoa-syst.*, *AntconD-syst.*, *AnthisDAg-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Azith-syst.*, *Bacl-intsyst.*, **Basil-syst.**, *Buse-syst.*, *Capec-syst.*, *Carbam-syst.*, *CarbidL-syst.*, **Cele-syst.**, *Cisap-syst.*, *Clad-syst.*, *Clofar-syst.*, *ColSF-syst.* [*Sargramostim*], *Cortic-inhloc.*, *Cortic-top.*, *Crom-inhloc.* [*Cromolyn (inhalation)*], *Dacli-syst.*, *Danaz-syst.*, **Darb-syst.**, *DauL-syst.*, *DecAn-syst.*, **Diaz-orsyst.**, **Diaz-parsyst.**, *Dihy-nassyst.*, *Docet-syst.*, *Dof-syst.*, *Dol-syst.*, *Dom-syst.*, *Doxaz-syst.*, *Dut-syst.*, *Efal-syst.*, **Eno-syst.**, **Epoe-syst.**, **Exem-syst.**, *FacVIIa-syst.*, *Fent-trsyst.*, **Fluda-syst.**, *Fluorq-syst.*, **Ful-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gef-syst.*, **Gemc-syst.**, **Gemt-syst.**, *Gla-syst.*, *Gold-syst.*, *Gos-syst.*, *GroH-syst.*, **Guanad-syst.**, **Guane-syst.**, *Histr-syst.*, **HydroI-syst.** [*Ibuprofen*], **Ibr-syst.**, *Ilo-inh.*, *Imiq-top.*, *Ins-syst.*, *InsGla-syst.*, **Ketor-syst.**, **Len-syst.**, *Let-syst.*, *Levod-syst.*, *Lit-syst.*, *LosH-syst.*, *Mann-syst.*, **MedE-syst.**, *Mem-syst.*, *Methox-syst.*, **Methy-syst.**, *Methys-syst.*, *Metyra-syst.*, *Metyro-syst.*, *Mica-syst.*, *Mitom-syst.*, *Moe-syst.*, *MoeH-syst.*, **Myc-syst.**, *Nalt-syst.*, *Nev-syst.*, *Nico-nas.*, *Oct-syst.*, *Ola-syst.*, *OlmH-syst.*, *Opr-syst.*, *Oxa-syst.*, *Oxyb-syst.*, **Pegf-syst.**, **Pegv-syst.**, *PenicilB-syst.*, *Pil-syst.*, **Por-syst.**, *Prazi-syst.*, *Prazo-syst.*, *PrazoP-syst.*, **Pre-syst.**, **Proge-syst.**, *Que-syst.*, **Ralo-syst.**, *Ralt-syst.*, *Ril-syst.*, *Rise-syst.*, **Ritu-syst.**, *Rosu-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *SodBi-syst.*, *SodPhe-syst.*, *Tacri-syst.*, **Tacro-syst.**, *TecSul-syst.*, *Tene-syst.*, *Tera-syst.*, *Testol-syst.*, *Til-syst.*, *Tiop-syst.*, *Tiz-syst.*, *Tram-syst.*, *TrandV-syst.*, **Tret-syst.**, *Trio-syst.*, *Valp-syst.*, **Vasc-syst.**, *Vaso-syst.*, *Vor-syst.*, *Zolm-syst.*

adults: *Leup-syst.*

ankles, and: **Ketor-syst.**, *Sib-syst.*

fingers, and: **Ketor-syst.**

lower legs, and: **Ketor-syst.**

lower legs, and: **Ketor-syst.**, **Nis-syst.**

fingers, and: **Ketor-syst.**

female patients: **Nafa-syst.**

fingers, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**, *Zolm-syst.*
 ankles, and: **Ketor-syst.**
 lower legs, and: **Ketor-syst.**
 lower legs, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**,
Zolm-syst.
 ankles, and: **Ketor-syst.**
 hands, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*
 lower legs, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*
 legs, and: *Mur-syst.*, *Rau-syst.*, *Sir-syst.*
 lower legs, and: *Antcoa-syst.*, *Clon-syst.*, *ClonC-syst.*, *Clon-syst.*, *Dof-syst.*,
Dut-syst., **Estro-syst.**, **EstroP-syst.**, *InsGla-syst.*, **Ketor-syst.**, *Levom-syst.*,
MedE-syst., *Nev-syst.*, **Vasc-syst.**, *Zolm-syst.*
 hands, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*
 ankles, and: *EnaF-syst.*, **Ketor-syst.**
 fingers and: **Ketor-syst.**
 fingers, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**, *Zolm-*
syst.
 ankles, and: **Ketor-syst.**
 mild: *Rosi-syst.*
 onchocerciasis (verminosis), patients with: *Ive-syst.*
 soles of feet: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**,
Sor-syst.
 palms of hands, and: *Hydxyu-syst.*
 tingling of hands and feet, followed by pain, redness, and swelling: *Fluoru-*
syst.
 fingers: *Allop-syst.*, **AntinfN-syst.**, *AntandN-syst.* [**Nilutamide**], *AntconD-syst.*,
AspirSC-syst., **Bleo-syst.**, *Capec-syst.*, **Cele-syst.**, *Cil-syst.*, *Cortic-inhloc.*, *Crom-*
inhloc. [*Cromolyn (inhalation)*], *DauL-syst.*, *Dihy-nassyst.*, *Dof-syst.*, *Dut-syst.*,
Eno-syst., **Epoe-syst.**, **Fluda-syst.**, **Gemc-syst.**, *Gla-syst.*, *Gold-syst.*, *HydroI-syst.*
[Ibuprofen], *Ins-syst.*, *Iri-syst.*, **Ketor-syst.**, *Nalt-syst.*, *Oxa-syst.*, *Paro-syst.*,
PenicilB-syst., *Pil-syst.*, *Ras-syst.*, *Ritu-syst.*, *Tacro-syst.*, **Tret-syst.**, *Vald-syst.*,
Vasc-syst., *Zolm-syst.*
 ankles, and: **Ketor-syst.**
 feet, and: **Ketor-syst.**
 lower legs, and: **Ketor-syst.**
 feet, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**, *Zolm-syst.*
 ankles, and: **Ketor-syst.**
 lower legs, and: **Ketor-syst.**, *Levom-syst.*
 lower legs, and: *Dut-syst.* **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**,
Zolm-syst.
 ankles, and: **Ketor-syst.**
 fingers, and: **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**
 lower legs, and: *Cil-syst.*, *Dut-syst.*, **Ketor-syst.**, **Vasc-syst.**, *Zolm-syst.*
 ankles, and: **Ketor-syst.**
 feet, and: **Ketor-syst.**
 face, and: *Vald-syst.*

Repertório - Capítulo EXTREMIDADES

feet, and: *Dut-syst.*, **Ketor-syst.**, **Vasc-syst.**, *Zolm-syst.*

ankles, and: **Ketor-syst.**

generalized edema (swelling of face, hands, lower legs or feet): *Gadov-syst.*

hands: **AbLam-syst.**, *Acamp-syst.*, *AntinfN-syst.* [Phenylbutazone], *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *ArsTr-syst.*, *Azith-syst.*, *Carbam-syst.*, *Cisap-syst.*, *Cital-syst.*, *Clofar-syst.*, *Clod-syst.*, *Dapt-syst.*, **Darb-syst.**, *Del-syst.*, **Diaz-parsyst.**, *Docet-syst.*, *Dom-syst.*, *Efal-syst.*, *EmtT-syst.*, **Exem-syst.**, *FacVIIa-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, **Ful-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gef-syst.*, **Gemt-syst.**, *GroH-syst.*, *Histr-syst.*, **Ibr-syst.**, *Ilo-inh.*, *Imiq-top.*, *InsGla-syst.*, **Len-syst.**, **MedE-syst.**, *Mem-syst.*, *Methys-syst.*, *Nev-syst.*, *OlmH-syst.*, *Opr-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Paro-syst.*, **Pegf-syst.**, **Pegv-syst.**, *Prazi-syst.*, **Pre-syst.**, **Ralo-syst.**, *Ralt-syst.*, **Ritu-syst.**, *Rosu-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *Tacro-syst.*, *Tacro-top.*, *TecSul-syst.*, *Tene-syst.*, *Thie-syst.*, *Thr-syst.*, **TosI-syst.**, *Tram-syst.*, *TrandV-syst.*, **Tret-syst.**, *Vald-syst.*, *Valp-syst.*, *Vaso-syst.*, *Ven-syst.*, *Vind-syst.*, *Vor-syst.*

feet, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*

lower legs, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*

legs, and: *Perg-syst.*

lower legs, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*

feet, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*

mild: *Rosi-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

palms of hands: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

soles of feet, and: *Hydxyu-syst.*

tingling of hands and feet, followed by pain, redness, and swelling: *Fluoru-syst.*

joints: **AbLam-syst.**, *Chond-imploc.*, *Crom-inhloc.*, *Hepar-syst.*, *Iov-syst.*, *JapV-syst.*, *Nali-syst.*, *Prazi-syst.*, *Procai-syst.*, *Quid-syst.*, *Tram-syst.*

continuing and severe: *Prota-syst.*

internal bleeding, due to: *Hepar-syst.*

painful: *Cinox-syst.*, *CorticG-syst.*

severe and continuing: *Prota-syst.*

knees (See Inflammation): **HyalSD-syst.**

legs: **Fluda-syst.**, *Gla-syst.*, *Glut-syst.*, *Lut-syst.*, *Moe-syst.*, *MoeH-syst.*, **Nef-syst.**, **Ola-syst.**, *Oxc-syst.*, *Prami-syst.*, *Ril-syst.*, **SodBeSP-syst.**, *Tene-syst.*, *Thali-syst.*, **Zole-syst.**

feet, and: *Mur-syst.*, *Rau-syst.*, *Sir-syst.*

hands, and: *Perg-syst.*

lower: **Abac-syst.**, *AbLamZid-syst.*, *Allop-syst.*, *Andro-syst.*, *Antac-orloc.*, **AntinfN-syst.** [Phenylbutazone], *AntandN-syst.* [**Nilutamide**], *Antcoa-syst.*, *AntconD-syst.*, *AnthisDAg-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Bacl-intsyst.*, **Basil-syst.**, **Bos-syst.**, *Buse-syst.*, *Capec-syst.*, *Carbam-syst.*, *CarbidL-syst.*, **Cele-syst.**, *Cetr-syst.*, *ChorioG-syst.*, *Cil-syst.*, *Cisap-syst.*, *Clad-syst.*, *Clofar-syst.*, *ColSF-syst.* [*Sargramostim*], *Cortic-inhloc.*, *Cortic-top.*, *Crom-inhloc.* [*Cromolyn (inhalation)*], *Dacli-syst.*, *Danaz-syst.*, **Darb-syst.**, *DauL-syst.*, *DecAn-syst.*, **Diaz-orsyst.**, **Diaz-parsyst.**, *Dihy-nassyst.*, *Docet-syst.*,

Repertório - Capítulo EXTREMIDADES

Dol-syst., *Dom-syst.*, *Doxaz-syst.*, *Efal-syst.*, **EpoE-syst.**, **Exem-syst.**, *FacVIIa-syst.*, *Fent-trsyst.*, *Fluorq-syst.*, **Ful-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gef-syst.*, **Gemc-syst.**, **Gemt-syst.**, *Gold-syst.*, *Gos-syst.*, *GroH-syst.*, **Guanad-syst.**, **Guane-syst.**, *Histr-syst.*, **HydroI-syst.** [Ibuprofen], **Ibr-syst.**, *Ilo-inh.*, *Imiq-top.*, *Iri-syst.*, *Ketor-syst.*, **Len-syst.**, *Let-syst.*, *Levod-syst.*, *Lit-syst.*, *LosH-syst.*, *Mann-syst.*, **MedE-syst.**, *Mem-syst.*, *Meno-syst.*, *Methox-syst.*, **Methy-syst.**, *Methys-syst.*, *Metyra-syst.*, *Metyro-syst.*, *Mica-syst.*, *Mitom-syst.*, **Myc-syst.**, *Nalt-syst.*, *Nev-syst.*, *Nico-nas.*, *Oct-syst.*, *OlmH-syst.*, *Opr-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Paro-syst.*, **Pegf-syst.**, **Pegv-syst.**, *PenicilB-syst.*, **Por-syst.**, *Prazo-syst.*, *PrazoP-syst.*, **Pre-syst.**, *Que-syst.*, *Ralt-syst.*, *Ras-syst.*, *Rise-syst.*, **Ritu-syst.**, *Rosu-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *SodBi-syst.*, *SodPhe-syst.*, *Tacri-syst.*, **Tacro-syst.**, *Tera-syst.*, *Testol-syst.*, *Til-syst.*, *Tiop-syst.*, *Tiz-syst.*, **TosI-syst.**, *Tram-syst.*, **Tret-syst.**, *Trio-syst.*, *Uro-syst.*, *Vald-syst.*, *Valp-syst.*, **Vasc-syst.**, *Vor-syst.*, *Zolm-syst.*

adults: *Leup-syst.*

ankles, and: **Ketor-syst.**

feet, and: **Ketor-syst.**, **Nis-syst.**

fingers, and: **Ketor-syst.**

fingers, and: **Ketor-syst.**

feet, and: **Ketor-syst.**

feet, and: *Antcoa-syst.*, *Clon-syst.*, *ClonC-syst.*, *Clop-syst.*, *Dut-syst.*, **Estro-syst.**, **EstroP-syst.**, *InsGla-syst.*, *Levom-syst.*, **MedE-syst.**, *Nev-syst.*, **Vasc-syst.**, *Zolm-syst.*

ankles, and: *EnaF-syst.*, **Ketor-syst.**

fingers, and: **Ketor-syst.**

fingers, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**, *Zolm-syst.*

ankles, and: **Ketor-syst.**

hands, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*

female patients: **Nafa-syst.**

fingers, and: *Cil-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**

ankles, and: **Ketor-syst.**

feet, and: **Ketor-syst.**

face, and: *Vald-syst.*

feet, and: *Dut-syst.*, **Ketor-syst.**, *Levom-syst.*, **Vasc-syst.**

ankles, and: **Ketor-syst.**

hands, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*

feet, and: *InsGla-syst.*, **MedE-syst.**, *Nev-syst.*, *Telm-syst.*

mild: *Rosi-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

raised red swellings: *CarbidEL-syst.* [*Entacapone*], *Paro-syst.*, *Vari-syst.*

limbs: *DiphtTTH-syst.*

lower limbs (swelling of legs and feet): *MetfP-syst.*, *Sol-syst.*, *Tram-syst.*

lower extremities (swelling of legs and feet): *AppSupS-syst.*, **Rof-syst.**

lymphedema (swelling of arms, legs, ankles and/or feet; yellow nails lacking a cuticle; nails loose or detached): *Exem-syst.*, *Sir-syst.*

mild edema (swelling of hands, ankles, feet, or lower legs): *Rosi-syst.*
peripheral edema (bloating or swelling of face, arms, hands, ankles, lower legs, or feet; rapid weight gain; tingling of hands or feet; unusual weight gain or loss): **Abar-syst.**, *Abcix-syst.*, *Acyc-syst.*, *Adal-syst.*, **Aldes-syst.**, *Alemt-syst.*, *Aman-syst.*, **Amlod-syst.**, **Anast-syst.**, *AngInH-syst.*, *Anid-syst.*, **AnthyGR-syst.**, *AntdepMAO-syst.*, *AntfunA-syst.* [*Itraconazole*], *AnthisDag-syst.* [Acetaminophen-containing combinations], *Aprac-oph.*, *Arip-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, **Azac-syst.**, **Bex-syst.**, **Bex-top.**, *Busu-syst.*, *Cab-syst.*, *CalcCBA-syst.* [**Felodipine**, **Nifedipine**, **Amlodipine**], *Carm-imploc.*, **Carv-syst.**, *Casp-syst.*, *Cefd-syst.*, **Cele-syst.**, **Cetux-syst.**, *Cev-syst.*, *ChorioG-syst.*, **Cil-syst.**, *ColSF-syst.* [*Sargramostim*], *ConjE-syst.*, *Cortic-inhloc.*, *CytL-int.*, *Dacli-syst.*, *Danaz-syst.*, **Darb-syst.**, *Darif-syst.*, *DauL-syst.*, *Diaz-parsyst.*, *Dihy-nassyst.*, *Docet-syst.*, *Dof-syst.*, *Dom-syst.*, *Doxaz-syst.*, *DrosE-syst.*, *Efal-syst.*, *Efav-syst.*, *EnaF-syst.*, **Eno-syst.**, **EpoE-syst.**, **Estro-syst.**, **EstroP-syst.**, **Exem-syst.**, *FacVIIa-syst.*, *Fent-trsyst.*, *Fludro-syst.*, *Fluorq-syst.*, **Ful-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gef-syst.*, **Gemt-syst.**, *Gla-syst.*, *GroH-syst.*, **Guanad-syst.**, **Guane-syst.**, *Histr-syst.*, **Ibr-syst.**, *Ilo-inh.*, *Ins-syst.*, *InsGla-syst.*, **Ketor-syst.**, **Len-syst.**, *Let-syst.*, *Levom-syst.*, **MedE-syst.**, *Mem-syst.*, **Methy-syst.**, *Methys-syst.*, *Metyra-syst.*, *Moe-syst.*, *MoeH-syst.*, **Myc-syst.**, *Nalt-syst.*, **Nef-syst.**, *Nev-syst.*, *Nico-nas.*, **Nis-syst.**, *Oct-syst.*, *Ola-syst.*, *OlmH-syst.*, *Oxa-syst.*, *Oxyb-syst.*, **Pegf-syst.**, **Pegv-syst.**, *PenicilB-syst.*, *Perg-syst.*, *Pil-syst.*, *Prami-syst.*, **Pre-syst.**, **Proge-syst.**, *Que-syst.*, **Ralo-syst.**, *Ralt-syst.*, *Rau-syst.*, *Ril-syst.*, *Rise-syst.*, **Ritu-syst.**, *Rosu-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Sum-syst.*, *Tacri-syst.*, **Tacro-syst.**, *Telm-syst.*, *Tem-syst.*, *Tene-syst.*, *Tera-syst.*, *Thie-syst.*, *Til-syst.*, **TosI-syst.**, *Tram-syst.*, *TrandV-syst.*, *Tras-syst.*, **Tret-syst.**, *Trio-syst.*, *Vald-syst.*, *Valp-syst.*, *Vor-syst.*, *Zale-syst.*, *Zolm-syst.*

adults: *Leup-syst.*

dialysis patients with end-stage renal disease: *Levoca-syst.*

female patients: **Nafa-syst.**

nerve or vessel compression, symptomatic (tingling of hands or feet): **Aldes-syst.**

onchocerciasis (verminosis), patients with: *Ive-syst.*

INFECCÃO (Ver Inflamação).

bone and joint: **Anak-syst.**

joints: *HyalSD-syst.*

bone, and: **Anak-syst.**

musculoskeletal system: *Carm-imploc.*

INFLAMAÇÃO (Ver Infecção).

arthritis (aches or pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): **Acit-syst.**, *Adal-syst.*, *Almot-syst.*, *Anthyr-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*, *Metipranolol*], *Capec-syst.*, *Carv-syst.*, **DiphtA-syst.**, *Dipy-syst.*, *DipyA-syst.*, *Don-syst.*, *Fluorq-syst.*, *Ful-syst.*, *HepatAVI-syst.*, *Hydra-syst.*, *Iba-syst.*, *Ibr-syst.*, *IbupO-syst.*, *IntA-syst.*, *Isot-syst.*, **Lym-syst.**, *MeaRV-syst.*, *MeaMRV-syst.*, *Ned-inhloc.*, *Nef-syst.*, *Olm-syst.*, *OlmH-syst.*, *Orl-orloc.*, *Ralo-syst.*

Repertório - Capítulo EXTREMIDADES

Ritu-syst., Rosu-syst., RubeM-syst., RubeV-syst., Sild-syst., **Sur-syst.**, Tini-syst., Tiz-syst., Tolc-syst., Trav-oph., **Urs-syst.**, Zale-syst., Zic-syst.

arthralgia, and: **Lym-syst.**

elevated ANA titers, associated with: CalcCBA-syst.

fluid accumulation in the knee: **Flavoc-syst.**

gouty, acute (chills; pain and swelling of joints, especially big toe, ankle, or knee; tense, hot skin over affected joints): Etham-syst., Pyraz-syst., **Sulfi-syst.**

inflammatory (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): Efal-syst.

osteoarthritis (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): Estro-syst.

aggravated: Tram-syst.

localized (difficulty in moving; muscle pain or stiffness; pain, swelling, or redness in joints): Iba-syst.

polyarticular (pain in many joints; swelling, stiffness redness, or warmth around many joints): Ritu-syst.

pyogenic (muscle or joint stiffness, tightness, or rigidity): Adal-syst.

rheumatoid (joint pain and swelling): BisSMT-syst., PegiA2b-syst.

depression.

adult patients with juvenile rheumatoid arthritis: Etan-syst.

pediatric patients with juvenile rheumatoid arthritis: Etan-syst.

septic (muscle or joint stiffness, tightness, or rigidity): Efal-syst., Etan-syst.

tuberculous (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving).

pediatric patients with juvenile rheumatoid arthritis: Etan-syst.

bone: Tret-syst.

bursitis (pain and inflammation at the joints): Atorv-syst., Nef-syst., Rise-syst., TecAr-syst.

dermatitis, allergic contact (drying and fissuring of the fingertips) (See SKIN): Anest-oph.

feet.

ulceration, erythema, and desquamation on the hands and feet with pain and inflammation: DoxorL-syst.

hands.

ulceration, erythema, and desquamation on the hands and feet with pain and inflammation: DoxorL-syst.

knees (swelling of the knees): **HyalS-syst.**

myositis (muscle tenderness and weakness): AbLamZid-syst., Atorv-syst., Atorv-syst., Clofib-syst., Fenof-syst., Gadob-syst., Gemf-syst., HMG-syst., Iri-syst., LamiZ-syst., Nia-syst., Rifab-syst., Tic-syst., Tret-syst.

polymyositis (fever; joint pain; muscle tenderness, weakness, or pain; skin rash; unusual tiredness or weakness; weight loss): AntconH-syst., Crom-inhloc., Etan-syst., HistH2-syst. [Cimetidine]

neuritis (numbness or tingling of hands, feet) (See Pain, neuralgia): Anthis-syst. [Dyproheptadine], Dexmed-syst., Emt-syst., Estro-syst., Minox-top., Ritu-syst.

Repertório - Capítulo EXTREMIDADES

brachial: *DiphTTH-syst.*

peripheral (numbness, tingling, pain, or weakness in hands or feet; burning, crawling, itching, numbness, painful, prickling, “pins and needles”, or tingling feelings; burning of face or mouth; blindness or vision changes; clumsiness or unsteadiness; weakness in hands or feet): *Allop-syst., Aminglyc-syst.* [**Streptomycin**], *Carbam-syst., Chloramp-ot., Chloramp-syst., Crom-inhloc., Daps-syst., Disu-syst., EmtT-syst., Etham-syst., Ethi-syst., Hydra-syst., Ison-syst., RifamI-syst., RifamIP-syst.*

polyneuritis (pain, numbness, or tingling of hands, arms, legs, or feet; weakness in hands or feet): *Disu-syst., MeaRV-syst., MeaMRV-syst., RubeM-syst., RubeV-syst.*

acute idiopathic (numbness; tingling sensation or weakness in both legs, moving upward to both arms, trunk, and face): *Danaz-syst., Disu-syst.*

osteomyelitis (increase in bone pain): *BcgL-syst., Etan-syst., PegiA2a-syst., Tacro-top.*

phlebitis (bluish color; changes in skin color; pain, tenderness, and swelling of foot or leg): *Anid-syst., CarbidL-syst., Casp-syst., Dant-syst., Levod-syst., Tret-syst.*

peripheral vein: **Amio-syst.**

thrombophlebitis (pain or tenderness in leg or foot; blue color in leg or foot; swelling of leg or foot; hot skin, pain, swelling, tenderness, and/or skin color changes in leg or foot): *Anast-syst., Antm-syst., Carbam-syst., Casp-syst., Cefu-syst., Cele-syst., Chym-parloc., CitAGM-mucloc., Docet-syst., IbupO-syst., Pentost-syst., Tore-syst.*

superficial: *Anid-syst.*

synovitis (joint or muscle pain or stiffness): *Adal-syst., Cele-syst., Lef-syst., Sild-syst.*

hypertrophic (joint pain and swelling): *Chond-imploc.*

tenosynovitis (joint or muscle pain or stiffness): *Atorv-syst., Lef-syst., Nef-syst., Sild-syst.*

tendinitis (pain, inflammation, or swelling in calves, shoulders, or hands): *BetBA-oph.* [*Levobetaxolol*], *Cele-syst., Cinox-syst., Fluorq-syst., Gemif-syst., Isot-syst., Levof-syst., Spa-syst., Trov-syst.*

vasculitis (pain, swelling, or redness in joints): *Antthyr-syst.*

INQUIETUDE motora (Ver Síndrome das Pernas Inquietas; MENTAL, Inquietude): *Carbam-syst., Seleg-syst.*

akathisia (inability to sit still; need to keep moving; psychomotor restlessness; involuntary movements): **Arip-syst., Bupro-syst., Cital-syst., Cloz-syst., Drop-syst., Fluox-syst., Hal-syst., Lox-syst., Moli-syst., Ola-syst., Paro-syst., PerpA-syst., Phenot-syst., Pimo-syst., Prami-syst., Risp-syst., Sertr-syst., Thiox-syst., Zip-syst.**
desire to keep moving: *Moc-syst., Seleg-syst.*

INSTABILIDADE: **AbLam-syst., Acit-syst., Aminglyc-syst., Antchsp-syst., AntfunA-syst.** [*Itraconazole*], *Anthis-syst.* [*Azatadine, Clemastine*], *AnthisD-syst., AnthisDAG-syst., AnthisDAc-syst.* [*Pseudoephedrine*], *AnthisP-syst., Antm-syst., Ataz-syst., Atorv-syst.,*

Atrop-oph., *Bacl-syst.*, **Barb-syst.**, *Bell-syst.*, **Bort-syst.**, **Carbam-syst.**, *CarbidEL-syst.*, *CarbonAI-syst.*, *ChlH-syst.*, **ChlordA-syst.**, *Cyclob-syst.*, *Emt-syst.*, *EmtT-syst.*, **Enf-syst.**, *Ethc-syst.*, *Ethi-syst.*, *Flavox-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *Gemif-syst.*, *Hom-oph.*, **Ison-syst.**, **Lami-syst.**, *Lef-syst.*, *Levof-syst.*, *Lind-top.*, *Line-syst.*, *Mal-top.*, **Mep-syst.**, *MepA-syst.*, *Methys-syst.*, *Metro-syst.*, **Mex-syst.**, *Miglu-syst.*, *Nali-syst.*, *Oxyb-syst.*, *Para-syst.*, *Podop-top.*, **Procar-syst.**, **RifamI-syst.**, **RifamIP-syst.**, *Sco-oph.*, *Ske-syst.*, *Sulfi-syst.*, **Tetr-syst.**, *Tini-syst.*, *Trop-oph.*

children: *AnthisP-syst.* **Lami-syst.**

walking, when: *Thiog-syst.*, *Tret-syst.*

ISQUEMIA.

limbs, one or more: *Hepar-syst.*

peripheral (itching of skin; numbness and tingling of face, fingers, or toes; pain in arms legs, or lower back, especially pain in calves and/or heels upon exertion; pale, bluish-colored, or cold hands or feet; weak or absent pulses in legs): *Acit-syst.*, *Dihi-nassyst.*, *Tinz-syst.*, *Tram-syst.*, *Vasc-syst.*

vasospasm-induced: **Methys-syst.**, *Vasc-syst.*

JOELHOS.

fluid accumulation in the knee: **Flavoc-syst.**

LESÕES.

sudden onset of multiple skin lesions on the arms, feet, hands, legs, palms, mouth, and/or lips: *AmlodBen-syst.*

LINFADENOPATIA (inchaço das glândulas nas axilas): *HepatAVI-syst.*, *HepatBVR-syst.*

MANCANDO, coxeando, claudicação.

claudication (pain, tension, and weakness upon walking that subsides during periods of rest): *Mem-syst.*

intermittent: *Clofib-syst.*, *Dipy-syst.*, *Trand-syst.*, *Vasc-syst.*

MARCHA, DISTÚRBIOS da (mudanças na marcha ou no equilíbrio; imperícia ou instabilidade ao caminhar) (Ver VERTIGEM; GENERALIDAES, Marcha, Distúrbios): *Acetyl-syst.*, *Aman-syst.*, **Bevac-syst.**, *CarbidEL-syst.*, *Cyp-syst.*, *Docet-syst.*, **Fel-syst.**, *Fent-trsyst.*, *Gab-syst.*, *Mem-syst.*, **Nef-syst.**, **Ola-syst.**, **Oxc-syst.**, **Pre-syst.**, *Tia-syst.*, *Tram-syst.*, *Valp-syst.*, **Zic-syst.**

clumsiness when walking: *Thiog-syst.*, *Tret-syst.*

difficulty in walking, trouble in walking: **Amio-syst.**, *Capec-syst.*, *Carm-syst.*, *Chloramb-syst.*, **Cisp-syst.**, *Flox-syst.*

staggering walk: *AntconH-syst.*, *AntdepMAO-syst.*, *Barb-syst.*, *BarbAn-syst.*, *Benzod-syst.*, *ChlH-syst.*, *Mep-syst.*, *MepA-syst.* [Meprobamate]

unsteady gait, gait instability (unsteadiness when walking): **Miglu-syst.**, *Sertr-syst.*, *Tamo-syst.*, *Thiog-syst.*, *Tret-syst.*

MEDULA ÓSSEA, DEPRESSÃO da (Ver Mielosupressão).

MIASTENIA GRAVE (perda de força ou energia; dores musculares ou fraqueza) (Ver GENERALIDADES, Imunes, Transtornos): *Adal-syst.*, **Adef-syst.**, *AntconD-syst.*, *Atorv-syst.*, **BotB-parloc.**, *Cyp-syst.*, *Fenof-syst.*, *Paro-syst.*, *Penic-syst.*, *Prami-syst.*, *Pre-syst.*, *QuinuD-syst.*, *Rise-syst.*, *Sild-syst.*, **SodO-syst.**, **Tiz-syst.**, *Tiop-syst.*, *Valp-syst.*, *Zic-syst.*
exacerbation (difficulty in breathing, chewing, swallowing, or talking; double vision; drooping eyelids; muscle weakness; severe tiredness): *Teli-syst.*

MIELOSSUPRESSÃO, depressão da medula óssea (Ver GENERALIDADES; TESTES DIAGNÓSTICOS): *Allop-syst.*, *AntinfN-syst.*, *Busu-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carm-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chloramp-syst.*, **Cisp-syst.**, *Colc-syst.*, *Cyt-syst.*, *Dac-syst.*, *Dacti-syst.*, *Docet-syst.*, *EdC-syst.*, *Epir-syst.*, *Fel-syst.*, *Fluda-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Iri-syst.*, *Lom-syst.*, *Maf-top.*, *Mech-syst.*, *Melp-syst.*, *Merc-syst.*, *Metyra-syst.*, *Mitom-syst.*, *Moe-syst.*, *Oxa-syst.*, *PacP-syst.*, *Pegas-syst.*, *Peme-syst.*, *Podof-top.*, *Procai-syst.*, *Ralt-syst.*, *Ritu-syst.*, **Sam-syst.**, *Stro-syst.*, *Teni-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Tic-syst.*, *Trimethop-syst.*, *Valg-syst.*, *Vino-syst.*, *Zid-syst.*

cumulative: *Lom-syst.*, *Mitom-syst.*

severe, and: *Fluda-syst.*

delayed: *Azat-syst.*

mild to moderate: *Altr-syst.*

prolonged hypocellularity: *Clad-syst.*

sepsis, myelosuppression-related: *Iri-syst.*

severe: *Epir-syst.*

cumulative, and: *Fluda-syst.*

thrombocytopenia, leading to: *Stro-syst.*

transient: *Aspar-syst.*

MIOCLONIA (Ver Contrações).

MIOPATIAS (Ver Músculos, Distúrbios dos).

MOTILIDADE, atividade locomotora (Ver MENTAL, Gestos).

decreased, or slowed movements: **Pimo-syst.**, *Que-syst.*, *Tacri-syst.*

apraxia, increased (inability to move): *Seleg-syst.*

dogs: *Levof-syst.*

mice: *Levof-syst.*

monkeys: *Levof-syst.*

rats: *Eno-syst.*, *Levof-syst.*

retardation, psychomotor (generalized slowing of mental and physical activity): *Mida-syst.*, *Nef-syst.*, *Oxc-syst.*, *SodO-syst.*, **Topi-syst.**

motor/coordination/extrapyrimal effects (difficulty in speaking; loss of balance control; uncontrolled movements, especially of face, neck, and back; restlessness or desire to keep moving; twisting movements of body): *Seleg-syst.*

motor and autonomic dysfunction: **Pac-syst.**

MOVIMENTOS descontrolados, involuntários, incomuns (Ver Arrepio; Cãibra; Coréia; Contrações; Dystonia; Espasmo; Estremecimento; Sacudida; Tremor): BarbAn-syst. [Codeine], CarbidEL-syst., Doxap-syst., Iopa-syst., Moc-syst., Opi-syst., Seleg-syst., Sertr-syst., Ven-syst., **Zip-syst.**

arms.

legs, and: Cloz-syst.

twisting: Ond-syst.

athetoid (abnormal body movements; chorea): Carbam-syst.

ballism (abnormal body movements; chorea): Carbam-syst.

body: **Amio-syst.**, **Arip-syst.**, BarbAn-syst. [Codeine], Benzod-syst., Busp-syst., Carbam-syst., Doxap-syst., Fluox-syst., Mida-syst., Ola-syst., Sertr-syst.

incomplete: Fluox-syst., Ola-syst.

jerky: Mida-syst.

sudden: Sertr-syst.

tic-like movements (See Twitching or tics).

twisting: Carbam-syst., CarbidEL-syst., **Hal-syst.**, Lox-syst., Meto-syst., Moc-syst., **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, Pimo-syst., **Risp-syst.**, Seleg-syst., Sertr-syst., Thie-syst., **Zip-syst.**

bradykinetic episodes (slow movement; slow reflexes): CarbidEL-syst.

chorea, choreiform movements (See Chorea).

choreoathetosis, choreoathetoid movements (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): Cital-syst.

transient (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): AntconH-syst.

contractions, muscle: TramA-syst.

disorder, movement (unusual or incomplete body or facial movements): Ola-syst.

dyskinesia: Bromo-syst., Cab-syst., Cital-syst., Fluox-syst., Fluv-syst., Mem-syst., Methylp-syst., Paro-syst., Pemo-syst., **Tiz-syst.**, Ven-syst.

increased; preexisting, exacerbated: Ropin-syst.

flapping movements.

hands, unusual or uncontrollable: AspirSC-syst., BarbAn-syst. [Aspirin], BisS-orloc., MepA-syst. [Aspirin]

elderly patients: AspirSC-syst., BarbAn-syst. [Aspirin], BisS-orloc., MepA-syst. [Aspirin]

trembling, with: Tret-syst.

jerking movement, clonic (uncontrolled jerking movement): Diett-top.
legs.

arms, and: Cloz-syst.

twisting: Ond-syst.

muscle control, problems with: Bacl-syst., Dom-syst.

myoclonus (See Twitching).

preconvulsive: Coc-mucloc.

severe: Lox-syst., Thiox-syst.

skeletal muscle, not related to onset of rigidity.

Repertório - Capítulo EXTREMIDADES

during surgery: *FentD-syst.*
slowed: *AntdepT-syst.*, *Lamo-syst.*, **Lox-syst.**
tardive dyskinesia (lip smacking or puckering; puffing of cheeks; rapid or worm-like movements of tongue; uncontrolled chewing movements; uncontrolled movements of arms and legs): *Levam-syst.*, **PerpA-syst.**, *Thie-syst.*, *Valp-syst.*, *Ven-syst.*
persistent: **Lox-syst.**
temporary: **Etom-syst.**, **Propo-syst.**
tic-like movements (See Twitching or tics).
tonic and clonic (may resemble seizures): *Daps-top.*, **Keta-syst.**
trembling, with: *BarbAn-syst.* [*Codeine*]
tremor (See Trembling; Shaking).

MÚSCULOS, DISTÚRBIOS dos ou MIOPATIAS.

fasciculations, muscle: *Gala-syst.*, *Ven-syst.*
flaccidity, skeletal muscle (no muscle tone): *IbupO-syst.* [*Oxycodone*], *Tram-syst.*
injury, muscle: *Tram-syst.*
muscle mass, loss of: *Fludro-syst.*
musculoskeletal changes or effects (bone fractures; muscle wasting and weakness; involuntary movements; paralysis of legs): *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, *Iopa-syst.*
myopathy (fever; muscular atrophy, cramps, pain, stiffness, tenderness or weakness; unusual tiredness; diffuse myalgias; marked elevations of creatine kinase (CK) in serum; malaise): *AbLamZid-syst.*, *Acit-syst.*, *Almot-syst.*, *AmincAc-syst.*, *Amio-syst.*, *Atorv-syst.*, *Efav-syst.*, *Ezet-syst.*, *Fenof-syst.*, *LamiZ-syst.*, *NiaL-syst.*, *Paro-syst.*, *Rosu-syst.*, *Zid-syst.*
neuromyopathy (increased muscle weakness): *Chloroq-syst.*, *Hydxcyc-syst.*
steroid (muscle weakness): *CorticG-syst.*, *Fludro-syst.*
toxic.
young women with anorexia nervosa, bulimia, and related eating disorders: *Ipe-orloc.*
myositis (See Inflammation).
sprain, muscle: *Flut-inhloc.*
strain, muscle (See Strains).
wasting, muscle (See Wasting).
weakness, muscle (See Weakness).

NECROSE.

aseptic.
femoral and humeral heads (decreased range of motion; joint pain; walking with a limp): *Fludro-syst.*
avascular (hip or shoulder pain): *CorticG-syst.*
bones (pain in bones): *Adal-syst.*, **Sir-syst.**
soft tissue, and (sloughing of skin, muscle and bone; following radiation therapy): *MethotNC-syst.*

Repertório - Capítulo EXTREMIDADES

soft tissue and bone (sloughing of skin, muscle and bone; following radiation therapy): *MethotNC-syst.*

NERVOS (Ver Neurológicos, Efeitos; Neuropatia; Paralisia).

lesion, nerve root (numbness; tingling; or weakness): *Iba-syst.*

NEUROLÓGICOS, EFEITOS (descoordenação; fraqueza muscular; dor, dormência, formigamento ou fraqueza em mãos ou pés; rigidez de braços ou pernas; movimentos descontrolados do corpo): *Busp-syst.*

NEUROPATIA periférica (sensações de queimação, dormência, formigamento ou dor; fraqueza nos braços, mãos, pernas ou pés; leve dormência nos dedos das mãos ou pés; instabilidade ou inabilidade motora) (Ver Dormência; Formigamento; Nervos; Neurológicos, Efeitos; Paralisia; Parestesia): **AbLam-syst.**, *Acit-syst.*, **Altr-syst.**, *AntinfN-syst.*, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Anththr-syst.*, *Ataz-syst.*, *Atorv-syst.*, *BisSMT-syst.* [*Metronidazole*], **Bort-syst.**, **CarbidL-syst.**, *CarbidEL-syst.*, *Cele-syst.*, *Colc-syst.*, *Cyclos-syst.*, **DauL-syst.**, **Did-syst.**, *DiphTT-syst.*, *Docet-syst.*, *Efav-syst.*, *Emt-syst.*, **Enf-syst.**, **Erl-syst.**, *Ethc-syst.*, *Fluda-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, *Ida-syst.*, *Infli-syst.*, *IntA-syst.*, *Iodoq-orloc.*, *LamiZ-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Mech-syst.*, *Metro-syst.*, *Metro-vag.*, *Miglu-syst.*, *Nali-syst.*, *Nev-syst.*, *Nitro-syst.*, **Peme-syst.**, *Podop-top.*, **Pre-syst.**, **Procar-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sild-syst.*, **Sir-syst.**, **Sta-syst.**, **Sur-syst.**, *Tacro-syst.*, *Testol-syst.*, *TetaT-syst.*, **Thali-syst.**, *Tic-syst.*, *Tini-syst.*, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

legs (numbness or pain in the legs): *Basil-syst.*

myelo-optic, subacute (clumsiness or unsteadiness, increased weakness, or muscle pain): *Iodoq-orloc.*

neuromyopathy (increased muscle weakness): *Chloroq-syst.*, *Hydxcyc-syst.*

paresthesias, and (tingling, burning, numbness, or pain in the hands, arms, feet, or legs; sensation of pins and needles, stabbing pain; unsteadiness, awkwardness; sensory neuropathy in a glove-and-stocking distribution; motor and autonomic dysfunction): **Lami-syst.**, *LamiZ-syst.*, **Pac-syst.**

children: Lami-syst.

mild to moderate, including hypesthesia (numbness or tingling in fingers and toes): *Vino-syst.*

polyneuropathy (pain, numbness, or tingling of hands, arms, legs, or feet; weakness in hands or feet): *AmphoB-syst.*, *DiphTT-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *RubeM-syst.*, *RubeV-syst.*

predominantly sensory (numbness, tingling, or pain in hands or feet): *AntconH-syst.* [*Phenytoin*]

sensory (burning, tingling, numbness or pain in the hands, arms, feet, or legs; sensation of pins and needles; stabbing pain): **Sor-syst.**

glove-and-stocking distribution: Pac-syst.

Repertório - Capítulo EXTREMIDADES

sensorimotor (starts with numbness and a burning sensation in the distal extremities, followed by sharp shooting pain or severe continuous burning pain): *Zalc-syst.*

severe, progressing from unstable gait and numb feet to numbness and clumsiness of hands: *Pyridox-syst.*

worsened: *Sta-syst.*

NEUROTOXICIDADE (paraparesia/quadruparesia de extremidades superiores e/ou inferiores consistentes com uma doença desmielinizante; dificuldade na marcha; torpor ou formigamento nos dedos; fraqueza): *Clad-syst., Etop-syst.*

peripheral (numbness or tingling in fingers or toes): *Carbopl-syst.*

ONDAS de CALOR (Ver Calor).

OSSOS, DISTÚRBIOS dos ou OSTEOPATIAS (deformidade óssea; diminuição da altura; dificuldade no movimento ou andando; dor de cabeça; perda de audição; dor nas costas, costelas, braços ou pernas; vermelhidão ou inchaço nos braços ou pernas): *Adal-syst., Cele-syst., Isot-syst., Teno-syst.*

adynamic bone disease (low bone turnover): *Cinac-syst.*

calcifications (See Calcifications).

density, decreased.

males who have had an orchiectomy or who have been treated with a gonadotropin-releasing hormone analog [GnRHa]: *Gos-syst.*

mineral density, loss of: *Proge-syst.*

female patients: *Nafa-syst.*

epiphyseal closure (See Epiphyseal Closure).

exostosis (See Exostosis).

fluorosis, skeletal: *SodF-syst.*

fractures (See Fractures).

musculoskeletal changes or effects (bone fractures; muscle wasting and weakness; involuntary movements; paralysis of legs): *Cortic-nas. [Dexamethasone], Cortic-ot., Iopa-syst.*

necrosis (See Necrosis).

osteoarthritis (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): *Estro-syst.*

aggravated: *Tram-syst.*

localized (difficulty in moving; muscle pain or stiffness; pain, swelling, or redness in joints): *Iba-syst.*

osteomalacia (See Osteomalacia).

osteomyelitis (See Inflammation).

osteopenia (See Osteopenia).

osteoporosis (See Osteopenia).

osteosclerosis: *SodF-syst.*

slipped capital femoral epiphysis (limp; pain in hip or knee): *Mecas-syst.*

children: *GroH-syst.*

tenderness.

continuing.

patients with Paget's disease: **Etid-syst.**

increased.

patients with Paget's disease: **Etid-syst.**

recurrent.

patients with Paget's disease: **Etid-syst.**

OSTEOMALACIA (fraturas ósseas, especialmente do fêmur): *Etid-syst.*, *SodF-syst.*
osteoporosis, with, due to phosphate depletion (bone pain; swelling of wrists or ankles): *Antac-orloc.* [*Aluminum-containing*]

OSTEOPENIA, osteoporose.

density, bone, decreased: *Leup-syst.*, *Mom-inhloc.*

males who have had an orchiectomy or who have been treated with a gonadotropin-releasing hormone analog (GnRH_a): *Gos-syst*

mineral density, loss of.

female patients: **Nafa-syst.**

osteopenia (bone pain, tenderness, or aching; loss of appetite; muscle weakness; unusual weight loss): *Barb-syst.*, *Carbam-syst.*, *Cortic-rec.*, *Isot-syst.*

osteopenic effect, weak.

dogs: *Dal-syst.*

osteomalacia, with, due to phosphate depletion (bone pain; swelling of wrists or ankles): *Antac-orloc.* [*Aluminum-containing*]

osteoporosis (pain in back, ribs, arms, or legs; decrease in height; includes vertebral compression and long bone pathologic fractures): *Cholest-orloc.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Dal-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Hepar-syst.*, *Isot-syst.*, *Nad-syst.*, *Proge-syst.*, **Sir-syst.**, *Tacro-syst.*

fracture, osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*

risk of: *Nad-syst.*

vertebral compression and long bone pathologic fractures, with: *CorticG-syst.*

OSTEOPOROSE (Ver Osteopenia).

PARALISIA (bloqueio neuromuscular; dificuldade em respirar; sonolência; cansaço incomum ou fraqueza): *Aminglyc-syst.*, *Bret-syst.*, **BotA-parloc.**, *Capr-syst.*, *Cisat-syst.*, *Doxac-syst.*, *Gadob-syst.*, *Miv-syst.*, *Neo-orloc.*, *Neu-syst.*, **Roc-syst.**

animals: *Sum-syst.*

increasing, muscle: *Antm-syst.*

legs, and: *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

block, neuromuscular (See Paralysis).

flaccid: *Dof-syst.*

fluctuations, motor: *CarbidEL-syst.*, *Levod-syst.*

“frozen knee”: *Chond-imploc.*

hemiparesis (See paraparesis).

Repertório - Capítulo EXTREMIDADES

hemiplegia (inability to move legs or arms; paralysis of one side of the body): *BronA-syst.* [*Ephedrine, Epinephrine*], **Carm-imploc.**, *Cyp-syst.*, *Ergon-syst.*, *Gadob-syst.*

legs (may indicate cauda equina syndrome, motor and sensory block): *Anest-parloc.*, *Chym-parloc.*, *Iopa-syst.*

arms, and: *Infli-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *Vari-syst.*

long-term (due to epidural or spinal hematoma): *Eno-syst.*

medullary: *Cyclope-oph.*

monoplegia: *Carm-imploc.*

motor “freezing” or blocks, transient episodes of: *CarbidL-syst.*

muscle: *Citra-syst.* [*Potassium Citrate-containing*], *MagSup-syst.*, *PyreP-top.*

flaccid: *Coc-mucloc.*

paraparesis, paresis or hemiparesis (muscle weakness or paralysis on one or both sides of the body): *Tem-syst.*

upper and/or lower extremities consistent with a demyelinating disease:
Clad-syst.

paraplegia: *Dal-syst.*, *Eno-syst.*

paresis (See paraparesis).

permanent (due to epidural or spinal hematoma): *Eno-syst.*

quadriplegia, quadraparesis, tetraplegia: *Fluorq-syst.* [*Norfloxacin*]

upper and/or lower extremities consistent with a demyelinating disease:
Clad-syst.

radial nerve palsy (weakness of wrist and fingers): *AnestBar-syst.*

sixth nerve palsy: *Enf-syst.*

PARAPARESIA, paresia ou hemiparesia (Ver Fraqueza; Paralisia).

PARESIA (Ver Fraqueza; Paralisia).

PARESTESIA periférica (sensação de queimação, formigamento, comichão, dormência, picadas, alfinetes e agulhas em mãos, pés ou dedos) (Ver Neuropatia; GENERALIDADES, Sensibilidade, parestesia): **Ampr-syst.**, *Anag-syst.*, *Anast-syst.*, *Aprac-oph.*, **Bacl-intsyst.**, *Carbam-syst.*, **Riton-syst.**

feet and hands: *ClotB-top.*

hands and feet: *ClotB-top.*

lower extremities.

vertebral metastases, patients with: *Buse-syst.*

neuropathy, peripheral, and (tingling, burning, numbness, or pain in the hands, arms, feet, or legs; sensation of pins and needles, stabbing pain; unsteadiness, awkwardness; sensory neuropathy in a glove-and-stocking distribution; motor and autonomic dysfunction): **Lami-syst.**, *LamiZ-syst.*, **Pac-syst.**

children: **Lami-syst.**

mild to moderate, including hypesthesia (numbness or tingling in fingers and toes): *Vino-syst.*

PELE (Ver PELE).

erythema of extremities.

animals: Sum-syst.

fingertips.

scaling and peeling: **Acit-syst.**, AtovaPro-syst. [Proguanil]

feet.

peeling: Docet-syst.

hands, and: Docet-syst.

redness of skin: **Clofar-syst.**

scaling: Flox-syst.

hands, and: **Clofar-syst.**, Hydxyu-syst.

soles of feet.

blistering: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

peeling, redness, and swelling: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

peeling: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Isot-syst.**, **Oxa-syst.**, **Sor-syst.**

scaling, and: **Acit-syst.**, AtovaPro-syst. [Proguanil]

redness: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Sor-syst.**

scaling and peeling: **Acit-syst.**, AtovaPro-syst. [Proguanil]

swelling of skin: **Clofar-syst.**

ulceration: **Clofar-syst.**

erythema, and desquamation on the hands and feet with pain and inflammation: *DoxorL-syst.*

hands.

palms of hands.

blistering: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Sor-syst.**

peeling, redness, and swelling: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Sor-syst.**

peeling: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Isot-syst.**, **Sor-syst.**, VitA-syst.

scaling, and: **Acit-syst.**, AtovaPro-syst. [Proguanil]

redness: **Capec-syst.**, *Docet-syst.*, **DoxorL-syst.**, **Iri-syst.**, **Sor-syst.**

scaling and peeling: **Acit-syst.**, AtovaPro-syst. [Proguanil]

peeling: Docet-syst.

feet, and: Docet-syst.

redness of skin: **Clofar-syst.**

scaling: Flox-syst.

feet, and: **Clofar-syst.**, Hydxyu-syst.

swelling of skin: **Clofar-syst.**

ulceration: **Clofar-syst.**

erythema, and desquamation on the hands and feet with pain and inflammation: *DoxorL-syst.*

PÊLOS.

Repertório - Capítulo EXTREMIDADES

hypertrichosis (increased or excessive hair growth).

arms: **Minox-syst.**

legs, and: Diaz-orsyst., Histr-syst.

PÊNFIGO (Ver Erupções).

PERDA de massa muscular: Cortic-nas., Cortic-ot., Flut-inhloc., **Sir-syst.**

peripheral: Del-syst., Fosam-syst.

weakness, and: Cortic-nas. [Dexamethasone], Cortic-ot.

PERNAS.

discomfort in lower legs: Meto-syst.

PÉS.

foot drop: Chym-parloc.

PESO, pesado.

legs: AngInH-syst.

limbs: **Miglu-syst.**, Zop-syst.

PICADAS (Ver Formigamento).

QUADRAPARESIA (Ver Fraqueza; Paralisia).

RABDOMIÓLISE (urina de cor escura; febre; câibras, espasmos, dor, rigidez ou fraqueza muscular; cansaço incomum ou fraqueza; mioglobinemias e mioglobínúria): **AbLam-syst.**, Amio-syst., Atorv-syst., BronT-syst. [Theophylline], CarbidEL-syst., Cital-syst., Clofib-syst., Colc-syst., Danaz-syst., Del-syst., Enta-syst., Ezet-syst., Fenof-syst., HMG-syst., Isot-syst., Lami-syst., LamiZ-syst., Lamo-syst., Levof-syst., Levof-syst., Los-syst., LosH-syst., Nef-syst. [Nefazodone and Lovastatin, Nefazodone and Simvastatin], Neu-syst., Nia-syst., NiaL-syst., Ola-syst., Olm-syst., Pantop-syst., Pimo-syst., Prami-syst., Que-syst., Rabe-syst., Rosu-syst., SulfoT-syst., Telm-syst., Thr-syst., Tolc-syst., Tros-syst., Ven-syst., Zic-syst.

acute renal failure, secondary to myoglobinuria, with: AmincAc-syst., NiaL-syst.

severe: AntconH-syst.

RAQUITISMO (dor ou sensibilidade óssea; perda de apetite; fraqueza muscular; perda de peso incomum): Barb-syst.

REFLEXOS.

absent (See areflexia).

areflexia: Barb-syst., BarbAn-syst. [Barbiturates], **Cisp-syst.**, Clon-parloc., Coc-mucloc., Gals-syst., Nitrop-syst., Phenot-syst., Podop-top., Zop-syst.

deep tendon: MagS-syst., Oxa-syst.

bradykinetic episodes (slow movement; slow reflexes): CarbidEL-syst.

decreased (See hyporeflexia).

Repertório - Capítulo EXTREMIDADES

dysreflexia (facial flushing; headache; increased sweating; slow heartbeat): *Bacl-intsyst.*

hyperreflexia; hyperactive reflexes (overactive reflexes; increased or excessive unconscious or jerking movements): *Almot-syst., AntconH-syst., AntdepMAO-syst., AppSupS-syst., Carbam-syst., Coc-mucloc., Dexmet-syst., Doxep-top., Ethc-syst., Ison-syst., Lar-syst., Line-syst., MethyIp-syst., Nitrop-syst., Paro-syst., Phenot-syst., RifamI-syst., RifamIP-syst., SodTh-syst., Tamo-syst., Valp-syst.*

deep tendon: *Doxap-syst.*

hyporeflexia, followed by: *Carbam-syst.*

neonates: *Nalo-syst.*

hyporeflexia; decrease in: *AntdepMAO-syst., Barb-syst., Benzod-syst., Carbam-syst., Clon-parloc., Moc-syst., Podop-top., Sild-syst., Vig-syst., Zic-syst., Zop-syst.*

deep tendon: *MagS-syst.*

increased (See hyperreflexia).

loss of (See areflexia).

overactive reflexes: *Alos-syst., Cital-syst., Fluox-syst., Fluv-syst., Ltry-syst., Sertr-syst., Ven-syst.*

reduced (See hyporeflexia).

slowed (See hyporeflexia).

tendon, deep.

hypoactive: *MagS-syst.*

loss of: *MagS-syst., Oxa-syst.*

RELAXAMENTO (Ver Hipotonia).

rapid muscle contraction and relaxation in the ankle causing abnormal movements of the foot: *Alos-syst.*

RETENÇÃO de fluído e sódio (ganho de peso rápido; inchaço dos pés ou pernas) (Ver RINS; GENERALIDADES): *Album-syst., Clon-syst., ClonC-syst., CorticG-syst., DrosEE-syst., Estra-syst., EstroPO-syst., Fludro-syst., Hydra-syst., Minox-syst., Minox-top.*

RIGIDEZ (Ver Dureza).

RUBOR da pele (Ver Calor).

RUPTURA de tendão (dor nos ossos; dor na parte inferior ou lateral das costas; articulações dolorosas e inchadas): *Cinox-syst., CorticG-syst., Fluorq-syst., Sild-syst., Spa-syst., Trov-syst.*

Achilles tendon: *Gemif-syst.*

hand: *Gemif-syst.*

shoulder: *Gemif-syst.*

SACUDIDA ou tremor (Ver Tremor; Vibração): *AmlodAt-syst. [Amlod-syst.], AppSupS-syst., Arip-syst., CarbidEL-syst., Dexmet-syst., Doxaz-syst., Enta-syst., Flec-syst., Flum-syst., Fluox-syst., Fluv-syst., Ltry-syst., Mem-syst., Mont-syst., Paro-syst., Phenot-syst., Pyridos-syst., Propa-syst., Sertr-syst., SodBeSP-syst., Toc-syst., Valp-syst., Ven-syst.*

hands: Amio-syst., Mex-syst.

fingers, and: AntdepT-syst., Ola-syst.

trembling, and.

hands: AnthisD-syst. [Promethazine], AnthisP-syst., Moli-syst., Mur-syst.

fingers, and: AntdepT-syst., CalcCBA-syst. [Flunarizine], Diazorsyst., Hal-syst., IntG-syst., Lox-syst., Metyro-syst., PerpA-syst., Phenot-syst., Pimo-syst., Que-syst., Rau-syst., Risp-syst., Tacri-syst., Thie-syst.

SANGRAMENTO (Ver Hemorragia).

SENSAÇÕES, como se, periféricas (Ver GENERALIDADES, Sensações, como se).

crawling.

legs: Meto-syst.

itching and burning feeling.

plantar site of the feet: Hepar-syst.

painful sensations (See Pain): **AbLam-syst., AntfunA-syst. [Itraconazole], Bort-syst., CarbidEL-syst., Did-syst., Docet-syst., Emt-syst., EmtT-syst., Enf-syst., Fluorq-syst. [Ciprofloxacin, Lomefloxacin, Moxifloxacin, Norfloxacin], Gemif-syst., Lef-syst., Len-syst., Levof-syst., Line-syst., Miglu-syst., Nali-syst., Nitro-syst., Tini-syst.**

hands: Dimer-syst.

pins and needles: Cele-syst., EmtT-syst., Erl-syst., FlutS-inhloc., Lami-syst., Peme-syst., Ritu-syst., Sir-syst., Sor-syst.

children: Lami-syst.

prickling sensations (See Tingling).

unusual sensations.

palms of hands: Capec-syst., Docet-syst., DoxorL-syst., Iri-syst., Oxa-syst., Sor-syst.

soles of feet: Capec-syst., Docet-syst., DoxorL-syst., Iri-syst., Oxa-syst., Sor-syst.

SENSÍVEL a, sensibilidade a (Ver GENERALIDADES, Sensibilidade).

hyperesthesias (See Hyperesthesia).

hypoesthesias (See Hypoesthesia).

pain, increased: BarbAn-syst. [Caffeine], Caff-syst.

touch, increased: BarbAn-syst. [Caffeine], Caff-syst.

SÍNDROME das PERNAS INQUIETAS (dor ou desconforto nas pernas; sensação de formigamento nas pernas) (Ver Inquietude): *Meto-syst.*

SÍNDROME de GUILLAIN-BARRÉ (dormência súbita e fraqueza nos braços e pernas; incapacidade de mover os braços e pernas) (Ver GENERALIDADES): *Enf-syst., Fluorq-syst. [Norfloxacin], Infl-i-syst.*

SÍNDROME de TOURETTE (movimentos incontrolados de cabeça, pescoço, braços e pernas; movimentos ou sons vocais incontroláveis): *Amph-syst.*, *Methylp-syst.*, *Pemo-syst.*

SÍNDROME do TÚNEL DO CARPO (queimação, dormência, dor ou formigamento em todos os dedos, excepto no dedo menor): *Danaz-syst.*, *Fluox-syst.*, *Mem-syst.*

mild and transient: *GroH-syst.*

SÍNDROME dos DEDOS ROXOS (dedos azuis ou roxos; dores nos dedos) (Ver Cianose; Fenômeno de Raynaud): *Antcoa-syst.*, *Thr-syst.*

SÍNDROME MÃO E PÉ, eritrodisestesia palmo-plantar ou eritema acral induzido por quimioterapia (formação de bolhas, descamação, vermelhidão ou inchaço das palmas das mãos ou plantas dos pés; vermelhidão, inchaço ou dor na pele; descamação da pele nas mãos e pés; dormência, dor, formigamento ou sensações incomuns nas palmas das mãos ou plantas dos pés; ulceração, eritema e descamação nas mãos e pés com dor e inflamação): **Capec-syst.**, **Clofar-syst.**, **DoxorL-syst.**, *Fluoru-syst.*, **Iri-syst.**, **Oxa-syst.**, **Sor-syst.**

severe: *Docet-syst.*

TENDÕES (LIGAMENTOS), DISTÚRBIOS dos ou TENDINOPATIAS.

contracture, tendinous (difficulty moving body parts): *Atorv-syst.*

disorder, tendon (pain; swelling): *Adal-syst.*

extension (See Extension).

flexion (See Flexed).

injury: *Infli-syst.*

rupture (See Rupture).

tendinitis (See Inflammation).

tendon effects (bone pain; lower back or side pain; painful, swollen joints): *Nali-syst.*

TETANIA (Ver Espasmos).

TREMOR, tremedeira (tremor ou agitação de mãos ou pés; tremores nas pernas, braços, mãos e pés) (Ver Sacudida): *Acyc-syst.*, *Adal-syst.*, *Alemt-syst.*, *Almot-syst.*, **Alos-syst.**, *AmlodAt-syst.* [*Amlod-syst.*], *AmlodBen-syst.*, *Amph-syst.*, *Anest-mucloc.*, *Anest-oph.*, *AntinfN-syst.*, *AntconH-syst.*, **AntdepMAO-syst.**, *Anthis-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, **AppSupS-syst.**, **Arb-syst.**, **Arip-syst.**, *ArsTr-syst.*, *Bacl-intsyst.*, *Bacl-syst.*, *BarbAn-syst.* [*Codeine*, Caffeine], **Basil-syst.**, *Benzod-syst.*, *Benzon-syst.*, **BronA-inhloc.**, **BronA-syst.** [*Albuterol*, *Isoproterenol*, *Metaproterenol*, *Terbutaline*], *BronT-syst.*, *Bupre-syst.*, **Bupro-syst.**, *Butor-nasyst.*, **Caff-syst.**, *Capec-syst.*, *Carbam-syst.*, **Carbet-syst.**, *CarbidEL-syst.*, *Cev-syst.*, *Chloramb-syst.*, *ChlordA-syst.*, *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, **Clofar-syst.**, *Cloz-syst.*, *Cyclob-syst.*, **Cyclos-syst.**, *Cys-syst.*, *Dacli-syst.*, *DauL-syst.*, *Dexmet-syst.*, *DicM-syst.*, *Diett-top.*, *Dihy-nassyst.*, *Dimer-syst.*, *Doxaz-syst.*, *Don-syst.*, *Doxap-syst.*, *Dul-syst.*, *Dyp-syst.*, *Efav-syst.*, *Enta-syst.*, *Epine-oph.*, *Ethc-syst.*, *Fel-syst.*, *Flec-syst.*, **Flum-syst.**, **Fluox-syst.**, *FlutS-inhloc.*, *Fluv-syst.*, *For-inhloc.*, **Fosc-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gala-syst.*, *Ganc-syst.*, *Gemif-syst.*, **Gla-syst.**, *Guanad-syst.*, *Guane-syst.*, *Histr-syst.*, *HydroI-syst.*, *HydroxT-oph.*, **ImipC-syst.**, *Imm-*

Repertório - Capítulo EXTREMIDADES

syst., *Ioxa-syst.*, *Ipr-inhloc.*, *IprA-inhloc.*, **Keta-syst.**, *Lamo-syst.*, **Leval-inhloc.**, *Levam-syst.*, *Levof-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lit-syst.*, *Mal-top.*, *Map-syst.*, *Mecam-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.*, *MethylB-syst.*, *Methylp-syst.*, *Mida-syst.*, *Miglu-syst.*, *Mir-syst.*, *Mis-syst.*, **Moc-syst.**, *Mod-syst.*, *Mont-syst.*, *Nali-syst.*, *Nalo-syst.*, *Nar-syst.*, *Natal-syst.*, *Ned-inhloc.*, **Nef-syst.**, *Nes-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nyl-syst.*, **Ola-syst.**, *Opi-syst.*, **Oxc-syst.**, *Oxym-nas.*, *Oxym-oph.*, *Para-syst.*, **Paro-syst.**, *Pemo-syst.*, *Perf-orloc.*, *PerpA-syst.*, *Phenot-syst.*, *Pheny-nas.*, *Pheny-oph.*, *Pil-oph.*, *Pil-syst.*, *Pimo-syst.*, *Pip-syst.*, **Pre-syst.**, *Propa-syst.*, *Pse-syst.*, *Pyridos-syst.*, **Ritod-syst.**, *Riv-syst.*, *Riz-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodO-syst.*, *Sol-syst.*, *Spa-syst.*, *SulfadP-syst.*, **Tacro-syst.**, *Tamo-syst.*, *Teli-syst.*, *Thiox-syst.*, *ThyH-syst.*, **Tia-syst.**, *Tiz-syst.*, *Toc-syst.*, **Topi-syst.**, *Tram-syst.*, *TramA-syst.*, *Traz-syst.*, *Tret-syst.*, *Trov-syst.*, **Vac-syst.**, *Valp-syst.*, *Vaso-syst.*, **Ven-syst.**, **Vig-syst.**, *VitMF-syst.*, *Yoh-syst.*, *Zale-syst.*, *Zic-syst.*, **Zip-syst.**, *Zop-syst.*

animal studies: *QuinuD-syst.*, *Sum-syst.*

mice: *Azel-nas.*

female: *Alos-syst.*

arms.

fine-muscle, in arms and hands (shakiness): *AntdepT-syst.*

hands, and: **Valp-syst.**

body: *Doxap-syst.*

exacerbation of: *Miglu-syst.*

feet: *Dacli-syst.*, *Dihy-nassyst.*

females: *Tiot-inhloc.*

fingers.

hands, and: *AntdepT-syst.*, **Ola-syst.**

flapping movement, with: *Tret-syst.*

generalized: *Valg-syst.*

hands: **Amio-syst.**, **AntconH-syst.**, **Cyclosp-syst.**, *Dacli-syst.*, *Dihy-nassyst.*, **Mex-syst.**

arms, and: **Valp-syst.**

fine-muscle, in arms and hands (shakiness): *AntdepT-syst.*

fingers, and: *AntdepT-syst.*, **Ola-syst.**

slight: **Lit-syst.**

muscle movements, uncontrollable, with: *BarbAn-syst.* [*Codeine*]

neonates: *Nalo-syst.*

whole body: *Caff-syst.*

severe: *CarbonAI-syst.*, *Lox-syst.*

shaking, and.

hands: *AnthisD-syst.* [*Promethazine*], *AnthisP-syst.*, **Moli-syst.**, **Mur-syst.**

Fingers, and: *AntdepT-syst.*, *CalcCBA-syst.* [*Flunarizine*], *Diaz-orsyst.*, **Hal-syst.**, *IntG-syst.*, *Lamo-syst.*, **Lox-syst.**, **Metyro-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, *Que-syst.*, *Rau-syst.*, **Risp-syst.**, *Tacri-syst.*, *Thie-syst.*

strongyloidiasis (verminosis), patients with: *Ive-syst.*

Repertório - Capítulo EXTREMIDADES

TROMBOSE (dormência; inchaço ou dor das mãos ou das pernas) (Ver Êmbolia): AmincAc-syst., Diaz-parsyst., Tamo-syst., Tore-syst.

deep vein (pain, redness, or swelling in arm or leg): Anid-syst., **Bevac-syst.**, Capec-syst., Cele-syst., Cloz-syst., Docet-syst., **Epoe-syst.**, Etan-syst., Fluda-syst.

legs (pain in lower legs; redness or swelling to lower leg): Adal-syst., Aspar-syst.

peripheral (tingling in lower legs, hands, or feet): Busu-syst.

thromboembolism (tingling or swelling in hands, lower legs, or feet; breathing difficulties; chest pain; fainting; tingling in arms and lower legs or feet): AmincAc-syst., Cortic-nas. [Dexamethasone], Cortic-ot.

thrombophlebitis (See Inflammation, phlebitis).

ÚLCERAS.

feet: Antcoa-syst.

legs (itching, pain, redness, or swelling on the leg, sore on leg): Etan-syst.

VARIZES (Ver Inchaço).

varicose veins, exacerbation of (dull ache or feeling of pressure or heaviness in legs; itching skin near damaged veins; swollen feet and ankles): Estro-syst., **Flavoc-syst.**

VASCULARES, DISTÚRBIOS (Ver Circulação).

VASOCONSTRICÇÃO (Ver Circulação).

CAPÍTULO UNHAS

AFROUXAMENTO ou perda das unhas: *Allop-syst.*, *AntinfN-syst.*, *Bleo-syst.*
pain, with: Docet-syst.

DESCOLORAÇÃO.

fingernails: **Bevac-syst.**, *Capec-syst.*, **Cetux-syst.**, *Docet-syst.*, *Efav-syst.*, *Glut-syst.*
black.

blue-black: *Chloroq-syst.*, *Hydxye-syst.*

blue: **Abac-syst.**, *Amio-syst.*, *AntdepMAO-syst.*, *AntinfN-syst.*
[Phenylbutazone], *BetBA-syst.*, *BronA-syst.* [Ephedrine], *Cital-syst.*, *CetiP-*
syst. [Pseudoephedrine], *Cloz-syst.*, *Coc-mucloc.*, *DorzT-oph.*, *Esm-syst.*,
Iron-syst., *Nitra-syst.*, *Paliv-syst.*, *SodBeSP-syst.*, *Tiz-syst.*

blue-black: *Chloroq-syst.*, *Hydxye-syst.*

dark: **Cycloph-syst.**, *Doxor-syst.*, *Epir-syst.*, *Hydxyu-syst.*

black patients: *Doxor-syst.*

children: *Doxor-syst.*

melanonychia (See dark).

pale fingernails: *Tiz-syst.*

purple.

bands: *Mitom-syst.*

hyperpigmentation (change in color of nails; bluish-brownish bands): *Fludro-syst.*,
Zid-syst.

toenails: **Bevac-syst.**, *Capec-syst.*, **Cetux-syst.**, *Docet-syst.*, *Efav-syst.*, *Glut-syst.*

dark: *Epir-syst.*, *Hydxyu-syst.*

melanonychia (See dark).

purple.

bands: *Mitom-syst.*

DISTROFIA das unhas (alterações nas unhas das mãos ou dos pés): *Capec-syst.*, *Isot-syst.*,
PacP-syst.

DOR.

loosening or loss of, with: *Docet-syst.*

FRACA, debilitada (Ver Frágil)

FRÁGIL ou enfraquecimento das unhas.

fingernails (cracking fingernails, fingernails break easily): *Acit-syst.*, *SelenSup-syst.*

FROUXIDÃO (Ver Afrouxamento).

INCHAÇO.

fingernails: **Cetux-syst.**

toenails: **Cetux-syst.**

INFLAMAÇÃO (Ver Paroníquia).

MELANONÍQUIA (Ver Descoloração, escura).

PARONÍQUIA (afrouxamento das unhas; vermelhidão ou dor em torno de unhas): Acit-syst., Indin-syst., Isot-syst.

RACHADA (Ver Frágil): *AntinfN-syst.*

TRANSTORNOS das unhas (descoloração e/ou inchaço das unhas das mãos ou dos pés; dor, afrouxamento ou perda de unhas): *AntinfN-syst.*, **Bevac-syst.**, **Bleo-syst.**, *Capec-syst.*, Cele-syst., **Cetux-syst.**, Docet-syst., *Efav-syst.*, Glut-syst.

discoloration (See Discoloration).

dystrophy (See Dystrophy).

swelling (See Swelling).

CAPÍTULO SONO

ADORMECER sem aviso prévio: *Prami-syst.*

BOCEJANDO: *Fluox-syst., Fluv-syst., Levom-syst., Paro-syst., Ropin-syst., Sertr-syst., Tram-syst., Ven-syst.*

increased: *Cital-syst., Dihy-nassyst., Nalo-syst.*

CONTRAÇÃO muscular durante o sono: **AntdepMAO-syst.** [Tranlycypromine]

DESPERTANDO.

last third of the night: *Benzod-syst.*

DIFICULDADE (Ver Perturbado, problemas para dormir).

INQUIETO (Ver Insônia; Perturbado): **PneC-syst.**

INSÔNIA (problemas para dormir; incapacidade para dormir): *Abac-syst., AbLam-syst., AbLamZid-syst., Acamp-syst., Acit-syst., Alemt-syst., Almot-syst., Aman-syst., AmlodBen-syst., Anag-syst., Anast-syst., AntinfN-oph., AntinfN-syst.* [Naproxen], *AntconD-syst., AntconH-syst., AnthisP-syst., Aprac-oph., Arip-syst., Ataz-syst., Atom-syst., Atorv-syst., Atova-syst., AtovaPro-syst., Azac-syst., Aztr-syst., Bacl-intsyst., Bals-syst., Basil-syst., Bell-syst., BetBA-oph.* [Betaxolol, Carteolol], *Beth-syst., Bex-syst., BisSMT-syst., Biv-syst., Bort-syst., BronA-syst., BronT-syst., Bupro-syst., Busp-syst., Busu-syst., Cab-syst., Capec-syst., CarbidL-syst., CarbidEL-syst., Carm-imploc., Carv-syst., Cefd-syst., Cele-syst., CetiP-syst.* [Pseudophedrine], *Cetux-syst., Cev-syst., Cital-syst., Clar-syst., Clon-parloc., Clop-syst., Cloz-syst., ConjE-syst., Cortic-inhloc., Cortic-rec., Dacli-syst., Daps-syst., Dapt-syst., DauL-syst., Del-syst., Den-syst., DesIP-syst., Dexmet-syst., Did-syst., Diett-top., Dihy-nassyst., Diso-syst., Dof-syst., Don-syst., DoxorL-syst., Doxyc-syst., Dul-syst., Dyp-syst., Efav-syst., Emt-syst., EmtT-syst., Enf-syst., Entec-syst., Epoe-syst., Erl-syst., Ert-syst., Esc-syst., Estro-syst., EstroP-syst., Exem-syst., Fel-syst., Fenol-syst., Fex-syst., FexP-syst., Fludro-syst., Fluorq-syst., Fluox-syst., Flut-inhloc., FlutS-inhloc., Fluv-syst., Fon-syst., For-inhloc., Ful-syst., Gab-syst., Gala-syst., Gemif-syst., Gemt-syst., Glut-syst., Gra-syst., Gri-syst., GroH-syst., HepatAVIHB-syst., HepatBVR-syst., HistH2-syst.,* [Famotidine, Nizatidine, Ranitidine], *Histr-syst., HMG-syst., HydroI-syst., Iba-syst., Ibr-syst., IbupO-syst., Ilo-inh., Ima-syst., Imiq-top., Indin-syst., IntBla-syst., Iri-syst., Isot-syst., Ketot-syst., Lami-syst., LamiZ-syst., Lamo-syst., Len-syst., Let-syst., Leval-inhloc., Levam-syst., Levod-syst., LopiR-syst., Lor-syst., Los-syst., Map-syst., Mecl-syst., Mef-syst., Melo-syst., Mem-syst., MethyIp-syst., Meto-syst., Mido-syst., Mif-syst., Moc-syst., Mod-syst., Moe-syst., Mom-inhloc., Mont-syst., Myc-syst., Nef-syst., Nes-syst., Nev-syst., Ola-syst., Olm-syst., Ols-orloc., Orl-orloc., Ose-syst., Oxa-syst., Oxc-syst., Palo-syst., Pam-syst., Pantop-syst., Pegf-syst., PegiA2a-syst., PegiA2b-syst., Pemo-syst., Perg-syst., Podof-top., Por-syst., Prami-syst., Proge-syst., Ralo-syst., Riba-syst., RibaI-syst., Rifab-syst., Ril-syst., Risp-syst., Riton-syst., Ritu-syst., Riv-syst., Riz-syst., Rosu-*

syst., Sac-syst., Saq-syst., **Seleg-syst.**, **Sertr-syst.**, **Sib-syst.**, **Sild-syst.**, **Sir-syst.**, SodO-syst., Sta-syst., Tacri-syst., **Tacro-syst.**, Tad-syst., Tams-syst., Teli-syst., Tem-syst., Teri-syst., Tia-syst., Tini-syst., Tinz-syst., **Tolc-syst.**, TramA-syst., Tras-syst., **Tret-syst.**, Trip-syst., **Valg-syst.**, **Valp-syst.**, Vard-syst., **Ven-syst.**, Vig-syst., Zic-syst., **Zid-syst.**, **Zole-syst.**, **Zon-syst.**

children: Dexmet-syst., Ketot-syst.

early morning: Rau-syst.

severe: AppSupS-syst.

PERTURBADO: Cloz-syst., Dron-syst., For-inhloc., HaeP-syst., HepatBVR-syst., Ketot-syst., Pyridos-syst., Ver-parloc.

difficulty in sleeping (See trouble sleeping).

pharmacological consequence of androgen deprivation: **Abar-syst.**

trouble sleeping: **AbLamZid-syst.**, AmlodAt-syst. [Amlod-syst.], **Amph-syst.**, AnabS-syst., Andro-syst., AntinfN-syst. [**Floctafenine**], AntandN-syst. [**Nilutamide**, Flutamide], Antchsp-syst., **AntdepMAO-syst.** [**Tranlycypromine**], AntdepT-syst. [**Protriptyline**], Antdys-syst., Anthis-syst., AnthisD-syst., AnthisDAg-syst., **AnthisDAc-syst.**, AnthisP-syst., **AppSupS-syst.**, **Arip-syst.**, **BetBA-syst.**, **BetBAT-syst.**, Brim-oph., BronA-inhloc., Buc-syst., **Butor-nasyst.**, **Caff-syst.**, CarbidEL-syst., Clad-syst., Clom-syst., ConjE-syst., **CorticG-syst.**, Crom-systorloc., Cycli-syst., Cyclob-syst., Dant-syst., DecAn-syst., Dexmet-syst., Dif-syst., Doxaz-syst., Dipheni-syst., Estra-syst., Fex-syst., FexP-syst., Fluda-syst., **Flum-syst.**, Fluorq-syst., Fol-syst., Gos-syst., Guanf-syst., HaeP-syst., HepatBVR-syst., IbupO-syst. [**Ibuprofen**], Inda-syst., **IntA1-syst.**, IntA-syst., Ketot-syst., Levof-syst., **Levom-syst.**, Lox-syst., Mem-syst., Methox-syst., Methys-syst., **Methylp-syst.**, Mex-syst., Mont-syst., Mor-syst., **Nalt-syst.**, Nico-syst., Opi-syst., Oxyb-syst., Oxym-nas., Oxym-oph., **Pentost-syst.**, Pheny-nas., **Procar-syst.**, **Pse-syst.**, Pyran-orloc., Pyridos-syst., Rima-syst., Sal-syst. [Caffeine-containing formulations], SodBeSP-syst., Spa-syst., Tram-syst., Tret-syst., Trio-syst., ThyH-syst., Valp-syst., Ver-parloc., Xyl-nas.

adults: Leup-syst.

children: AnthisP-syst.

severe: AntdepMAO-syst.

PROFUNDO.

hypersomnia (unusually deep sleep; unusually long duration of sleep): Palo-syst.

PROLONGADO (aumento da duração do sono; dormindo mais do que o habitual): **DiphtTTH-syst.**, **Risp-syst.**

SEDAÇÃO ou efeitos sedativos (sonolência; calmo e relaxado) (Ver **MENTAL**; **GENERALIDADES**): Almot-syst., Busp-syst., Capec-syst., Clon-parloc., Ketot-syst., Metyro-syst., Mis-syst., **Phenot-syst.**, Tram-syst., Zic-syst., Zip-syst.

excessive: **Drop-syst.**, Methy-syst., Opi-syst.

resedation, severe: Flum-syst.

SONAMBULISMO: SodO-syst.

SONOLÊNCIA (sono constante; cansaço extremo): *Acyc-syst.*, *Alemt-syst.*, *Allop-syst.*, *Almot-syst.*, *Alos-syst.*, *Alpha-syst.*, *Aman-syst.*, *Amif-syst.*, *Aminglut-syst.*, *Amlod-syst.*, *AmlodBen-syst.*, *Anag-syst.*, *Anast-syst.*, *Anest-mucloc.*, *Anest-parloc.*, **AntinfN-syst.**, *AntandN-syst.* [*Bicalutamide*], *Antchsp-syst.* [*Scopolamine*], **AntconD-syst.**, **AntconS-syst.**, **AntdepMAO-syst.**, **AntdepT-syst.**, *AntdiaS-syst.*, **Anthis-syst.**, **AnthisD-syst.** [**Ethanolamine derivatives**, *Propylamine (Alkylamine) derivatives*, *Loratadine*], **AnthisDag-syst.**, **AnthisDAC-syst.**, **AnthisP-syst.**, *Anthyr-syst.*, **AppSupS-syst.**, *Aprac-oph.*, *Aprep-syst.*, **Arip-syst.**, *ArsTr-syst.*, *Aspar-syst.*, **Atom-syst.**, *Atorv-syst.*, **Azel-nas.**, **Bacl-intsyst.**, **Bacl-syst.**, **Barb-syst.**, **BarbAn-syst.**, *BetBA-oph.* [*Metipranolol*, *Timolol*], **BetBA-syst.**, **Brim-oph.**, *Bromo-syst.*, *BronA-inhloc.*, **Buc-syst.**, **Bupre-syst.**, *Bupro-syst.*, *Busp-syst.*, **Butor-nasyst.**, *Cab-syst.*, *CalcCBA-syst.* [**Flunarizine**], *CalcS-syst.*, *Carbam-syst.*, *CarbidEL-syst.*, *CarbonAl-syst.*, **Carm-imploc.**, *Carv-syst.*, *Cefd-syst.*, *Cele-syst.*, **CetiP-syst.** [*Cetirizine*, *Pseudophedrine*], *Chlop-syst.*, *ChlH-syst.*, **ChlordA-syst.**, *Chloroq-syst.*, *Cisap-syst.*, **Cital-syst.**, **Clofar-syst.**, *Clon-parloc.*, **Clon-syst.**, **ClonC-syst.**, **Cloz-syst.**, **Cycli-syst.**, **Cyclob-syst.**, **Cyclos-syst.**, **CytL-int.**, **Dant-syst.**, *DauL-syst.*, *DecAn-syst.* [*Salicylamide-containing combinations*], *Desl-syst.*, *DesIP-syst.*, *Dexmed-syst.*, *DicM-syst.*, *Dif-syst.*, **Dihy-nassyst.**, *Dinopst-parloc.*, **Dipheni-syst.**, *DiphenoA-syst.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtTTPV-syst.*, **DiphtTTPVH-syst.**, *DipyA-syst.*, **Disu-syst.**, *Dom-syst.*, *Don-syst.*, *Doxaz-syst.*, **Doxep-top.**, **Dron-syst.**, **Dul-syst.**, **Efav-syst.**, **Ele-syst.**, *Enta-syst.*, *Entec-syst.*, *Ergon-syst.*, **Esc-syst.**, *Esm-syst.*, *Eso-syst.*, *EstroPO-syst.*, **Esz-syst.**, *Fel-syst.*, *Fent-syst.*, **Fent-trsyst.**, *Fex-syst.*, **Flavox-syst.**, *Fluc-syst.*, **Fluorq-syst.**, **Fluox-syst.**, **Fluv-syst.**, *Fome-syst.*, *Fro-syst.*, **Gab-syst.**, *Gadov-syst.*, *Gala-syst.*, *Gemc-syst.*, *Gemif-syst.*, *Gra-syst.*, **Guanab-syst.**, **Guanad-syst.**, **Guanf-syst.**, *Hal-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, **HydroI-syst.**, *Hydxcyc-syst.*, **Hydxyu-syst.**, **IbupO-syst.** [*Ibuprofen*], *Indin-syst.*, *IntB1b-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iopa-syst.*, *Iopr-syst.*, **Iri-syst.**, *Iron-syst.*, **IsomDA-syst.**, *Isot-syst.*, **Ketor-syst.**, *Ltry-syst.*, *LamiZ-syst.* [*Zidovudine*], **Lamo-syst.**, *Let-syst.*, **Leve-syst.**, *Levoc-oph.*, *Levof-syst.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lit-syst.*, *Lod-oph.*, *Lope-orloc.*, *Lor-syst.*, **Lox-syst.**, *Mal-top.*, **Map-syst.**, **Mecam-syst.**, *Mech-syst.*, **Mecl-syst.**, *Melo-syst.*, *Mem-syst.*, **Mep-syst.**, **MepA-syst.**, *MethotC-syst.*, **Methy-syst.**, **MethyTD-syst.**, *Methyler-syst.*, *Methylp-syst.*, **Methys-syst.**, **Meto-syst.**, **Metyra-syst.**, *Mica-syst.*, *Mido-syst.*, **Mir-syst.**, *Moc-syst.*, **Moli-syst.**, *Mont-syst.*, **Nab-syst.**, **Nali-syst.**, *Nap-oph.*, **Nar-syst.**, **Nef-syst.**, *Nes-syst.*, *Nev-syst.*, *Nicl-orloc.*, *Nico-syst.*, *Niti-syst.*, *Nitro-syst.*, **Ola-syst.**, *Ols-orloc.*, *Omepr-syst.*, *Ond-syst.*, **Opi-syst.**, **Oxc-syst.**, **Oxyb-syst.**, *Oxym-nas.*, *Palo-syst.*, **Pam-syst.**, *Pantop-syst.*, *Pap-syst.*, **Para-syst.**, **Pare-syst.**, **Paro-syst.**, *Pemo-syst.*, **Pentost-syst.**, *Pentox-syst.*, **Perg-syst.**, **PerpA-syst.**, **Phenot-syst.**, *Phenox-syst.*, **Pimo-syst.**, *Pip-syst.*, *Pli-syst.*, **PneC-syst.**, *Podop-top.*, **Pral-syst.**, **Prami-syst.**, **Prazi-syst.**, **Prazo-syst.**, **PrazoP-syst.**, **Pre-syst.**, *Primi-syst.*, *Procai-syst.*, **Procar-syst.**, **Proge-syst.**, *Propa-syst.*, *Proti-syst.*, *Pyran-orloc.*, *Pyridos-syst.*, *Quin-syst.*, *Rabe-syst.*, **Rac-syst.**, **Ram-syst.**, *Rau-syst.*, *Reso-top.*, *Resp-syst.*, **Ril-syst.**, **Risp-syst.**, **Riton-syst.**, *Ritu-syst.*, **Riz-syst.**, **Ropin-syst.**, *Ropiv-parloc.*, *Sala-top.*, *Seleg-syst.*, *Serm-syst.*, **Sertr-syst.**, **Sevo-inhsyst.**, *Sib-syst.*, *Sild-syst.*, **Sir-syst.**, **Ske-syst.**, *SodF-syst.*, **SodO-syst.**, *Sol-syst.*, *Spa-syst.*, *Sucr-orloc.*, **SulfadP-syst.**, *Sulfas-syst.*, *Sum-syst.*, *Tad-syst.*, *Tamo-syst.*, *Tams-syst.*, *TecB-syst.*, *Teli-syst.*, *Tem-syst.*, *Tera-syst.*, **Thali-syst.**, **Thiab-syst.**, **Thie-syst.**, **Tia-syst.**, *Tini-syst.*, **Tiz-**

syst., **Tolc-syst.**, **Tolt-syst.**, **Topi-syst.**, **TosI-syst.**, **Tram-syst.**, *TramA-syst.*, **Traz-syst.**, *Tret-syst.*, **Trimethob-syst.**, **Tros-syst.**, *Ure-syst.*, **Vald-syst.**, **Valp-syst.**, *ValsH-syst.*, *Van-syst.*, *Vard-syst.*, **Vasc-syst.**, **Ven-syst.**, **Vig-syst.**, **VitA-syst.**, **VitMF-syst.**, **Zalc-syst.**, *Zale-syst.*, **Zic-syst.**, **Zip-syst.**, **Zole-syst.**, **Zolm-syst.**, **Zon-syst.**, *Zop-syst.*

adults: *Aspar-syst.*

coma, profound, to: **IbupO-syst.** [Ibuprofen]

daytime: *Ethc-syst.*, *Zolp-syst.*

debilitated patients: **Benzod-syst.**

children, severe: **AnthisP-syst.**

elderly patients: **Benzod-syst.**

excessive (See severe).

female infertility, patients treated for: *FollitA-syst.*

gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies, patients pretreated with a: *FollitA-syst.*

hypercalcemia, with: *CalcS-syst.*

increasing: *GlipM-syst.*

mild: **AntconH-syst.**, *Benzon-syst.*, **BetBAT-syst.**, **Carbam-syst.**, *Dext-syst.*, **Thiox-syst.**

moderate to severe: **Metyro-syst.**

postoperative: **Fent-trsyst.** [*Alfentanil*]

prolonged: *AnestBar-syst.*, *AnestInh-syst.*, *Mida-syst.*

profound: **Zop-syst.**

re-emergent: **Flum-syst.**

residual: **Flum-syst.**

daytime drowsiness when used as a hypnotic: **Benzod-syst.**

debilitated patients: **Benzod-syst.**

elderly patients: **Benzod-syst.**

reversible: *Aspar-syst.*

severe: **AntconS-syst.**, **Antdys-syst.**, **Anthis-syst.** [Azatadine, Clemastine], **AspirSC-syst.**, **AnthisP-syst.**, **AtropB-syst.**, **BisS-orloc.**, *Cyclob-syst.*, **DecAn-syst.** [Salicylate-containing combinations], **Dif-syst.**, **Dimer-syst.**, **DiphenoA-syst.**, *DiphTT-syst.*, **HydroI-syst.** [Hydrocodone], **MagSup-syst.**, **Mesa-orloc.**, **Metyro-syst.**, **Sal-syst.**, *Tret-syst.*, *TetaT-syst.*, **Zolp-syst.**

children: **AnthisP-syst.**

young: **AcetSal-syst.**, **Sal-syst.**

strongyloidiasis (verminosis), patients with: *Ive-syst.*

unusual: *Atrop-oph.*, *Cyclope-oph.*, *Hom-oph.*, *Levam-syst.*, *Sco-oph.*, *Trop-oph.*

TRANSTORNOS do sono (insônia; sonhos terríveis; problemas para dormir) (Ver SONHOS): *Atom-syst.*, *Fex-syst.*, *FexP-syst.*, *Fluda-syst.*, *Fluorg-syst.*, *FlutS-inhloc.*, **Lami-syst.**, *Nar-syst.*, **SodO-syst.**, *Tram-syst.*

insomnia (See Insomnia).

sleeplessness (See Insomnia).

trouble sleeping (See Disturbed).

VIGÍLIA (Ver Despertando).

CAPÍTULO SONHOS

ABSURDOS (Ver Estranhos).

ANORMAIS ou incomuns (Ver SONO, Transtornos): **AbLam-syst.**, *AntinfN-syst.* [*Naproxen*], *Atom-syst.*, *Atorv-syst.*, *CarbidEL-syst.*, *Cefd-syst.*, *Cyclob-syst.*, *Don-syst.*, *Efav-syst.*, *Eme-oph.*, *Emt-syst.*, *EmtT-syst.*, *Esz-syst.*, *Fent-trsyst.*, *Fluorq-syst.* [**Gatifloxacin**, *Moxifloxacin*], *Fluox-syst.*, *Fluv-syst.*, *Levom-syst.*, *Mef-syst.*, *Melo-syst.*, *Mir-syst.*, *Mont-syst.*, **Nef-syst.**, *Nico-syst.*, *Opi-syst.*, *Paro-syst.*, *Prami-syst.*, *Ropin-syst.*, *Sertr-syst.*, *Sild-syst.*, **SodO-syst.**, **Tacro-syst.**, *Teli-syst.*, *Tram-syst.*, *Valp-syst.*, **Ven-syst.**, *Zic-syst.*, *Zolp-syst.*

ATIVIDADE de sonhos aumentada (sonhando excessivamente): *Barb-syst.*, *Mep-syst.*, *MepA-syst.*, **Risp-syst.**, **Tolc-syst.**

ESTRANHOS: *Butor-nasyst.*

MUDANÇA nos sonhos: *Almot-syst.*, **AtovaPro-syst.**

PARONÍRIA (sonhos aterrorizantes causando perturbações do sono) (Ver Pesadelos; Terríficos): *FexP-syst.*, *TramA-syst.*

PESADELOS (Ver Paroníria; Terríficos): *Almot-syst.*, **Aman-syst.**, *Antchsp-syst.*, *AntconS-syst.*, *Anthis-syst.*, *AnthisP-syst.*, *AppSupS-syst.*, *Barb-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Bupre-syst.*, *Busp-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Chlop-syst.*, *Clar-syst.*, *Clon-syst.*, *ClonC-syst.*, **Cyclos-syst.**, *HydroxT-oph.*, *Levam-syst.*, **Levod-syst.**, *Mep-syst.*, *MepA-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Methys-syst.*, *Moc-syst.*, *Opi-syst.*, **Procar-syst.**, *Rau-syst.*, *Ven-syst.*, *Zolp-syst.*

children: **AnthisP-syst.**

elderly patients: **AnthisP-syst.**

TERRÍFICOS (Ver Paroníria; Pesadelos): *Fex-syst.*

VÍVIDOS, incomumente: *BetBA-syst.*, *BetBAT-syst.*, *Busp-syst.*, *Clon-syst.*, *ClonC-syst.*, **Keta-syst.**, *Methy-syst.*, *MethyTD-syst.*, *Rau-syst.*

CAPÍTULO CALAFRIO

CALAFRIOS, arrepios: *Abac-syst.*, **AbLam-syst.**, **Abar-syst.**, *Acyc-syst.*, **Agal-syst.**, *Album-syst.*, **Aldes-syst.**, **Alef-syst.**, *Alfuz-syst.*, *Algl-syst.*, *Allop-syst.*, *Almot-syst.*, *Alpha-syst.*, *Amif-syst.*, *Aminglut-syst.*, *Amio-syst.*, **AmphoB-syst.**, **AmphoBCC-syst.**, **AmphoBLC-syst.**, **AmphoBLsC-syst.**, *AnabS-syst.*, *Anag-syst.*, *Anast-syst.*, *AntCoaC-syst.*, **AnthyGR-syst.**, *AntandN-syst.*, *AntdepMAO-syst.*, *AntfunA-syst.* [*Itraconazole*], *AnthemF-syst.*, *Anthyr-syst.* [*Propylthiouracil*], *AntvCPOv-syst.*, *Aprep-syst.*, *ArsTr-syst.*, *Ataz-syst.*, *Atom-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, **Azac-syst.**, *BcgL-mucloc.*, *BcgL-syst.*, *BetBA-oph.*, **Bevac-syst.**, **Bex-syst.**, **Bleo-syst.**, **Bort-syst.**, **BotA-parloc.**, *BronA-syst.* [*Ephedrine*], *Calcit-nassyst.*, *Calcit-syst.*, *Carbet-syst.*, *CarbidEL-syst.*, *Carbopr-syst.*, *Carv-syst.*, *Cefd-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cil-syst.*, *Cital-syst.*, *Clar-syst.*, *Coc-mucloc.*, *ColSF-syst.*, *Cortic-rec.*, *Dant-syst.*, **DauL-syst.**, **Den-syst.**, *Desm-syst.*, *DiatI-loc.*, *Diat-loc.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *DiphtTT-syst.*, *Docet-syst.*, *Dol-syst.*, *Don-syst.*, *Doxor-syst.*, *DoxorL-syst.*, **DrosE-syst.**, *Dul-syst.*, **EdC-syst.**, **Efal-syst.**, *Epir-syst.*, *Eso-syst.*, **Estro-syst.**, *EzetS-syst.*, *FatE-syst.*, *Fel-syst.*, *FentD-syst.*, *Fex-syst.*, **Fluda-syst.**, *Fluox-syst.*, *Fluv-syst.*, *Fosam-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadop-syst.*, *Gals-syst.*, *Gef-syst.*, **Gemt-syst.**, *Gla-syst.*, **GroH-syst.**, *HepatBIG-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *Hyalur-parloc.*, **Iba-syst.**, **Ibr-syst.**, *IbupO-syst.*, *Ima-syst.*, **Imiq-top.**, *Imm-syst.*, *Indin-syst.*, *IndiuS-syst.*, **Infli-syst.**, *IntA1-syst.*, **IntB1a-syst.**, **IntB1b-syst.**, *Iodip-syst.*, *Iodoq-orloc.*, *Iot-syst.*, *Ioxa-syst.*, *Iot-loc.*, *Iot-syst.*, **Ipr-inhloc.**, **Iri-syst.**, **Iron-syst.**, *JapV-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, **Lar-syst.**, *Lef-syst.*, **Len-syst.**, *Levom-syst.*, *LopiR-syst.*, *Lut-syst.*, *Lym-syst.*, *Mann-syst.*, **Mef-syst.**, **Meg-syst.**, *Melo-syst.*, *Mem-syst.*, *MeniPV-syst.*, **MeniVDC-syst.**, *Mero-syst.*, **MetfP-syst.**, **Mido-syst.**, *Mod-syst.*, *Mur-syst.*, *Nalm-syst.*, *Nalt-syst.*, *Nar-syst.*, **Nef-syst.**, **Nev-syst.**, *Nia-syst.*, **NiaL-syst.**, **Nitro-syst.**, **NoreE-syst.**, *Nyl-syst.*, *Olm-syst.*, **OlmH-syst.**, *Omeq-syst.*, *Ose-syst.*, **Oxa-syst.**, *Oxc-syst.*, **Pam-syst.**, *Paro-syst.*, *PenicilB-syst.*, *Perf-orloc.*, *Phent-syst.*, **Pil-syst.**, **Pime-top.**, *Pyrim-syst.*, *Quin-syst.*, *Rabe-syst.*, **RabiV-syst.**, *Ram-syst.*, *Risp-syst.*, *Ritu-syst.*, *Riz-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, **RosiM-syst.**, *Seleg-syst.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *SodC-parloc.*, *Tacro-syst.*, *Tacro-top.*, *Tad-syst.*, *Tamo-syst.*, *TecMer-syst.*, *TetaT-syst.*, *Thali-syst.*, *Thr-syst.*, *Teg-syst.*, *Tinz-syst.*, *Tiop-syst.*, **Tiot-inhloc.**, *Topi-syst.*, **TosI-syst.**, *Tram-syst.*, *Tras-syst.*, *Tros-syst.*, **Urs-syst.**, *Vac-syst.*, *Vald-syst.*, *Valp-syst.*, *Vals-syst.*, *Van-syst.*, *Vard-syst.*, *Vari-syst.*, **Ven-syst.**, *Vor-syst.*, *Zic-syst.*, *Zid-syst.*, **Zole-syst.**, *Zop-syst.*

continuing: *Diat-loc.*, *Ioh-loc.*, *Ioh-syst.*

fever, with: **AbLamZid-syst.**, *AntinfN-syst.* [*Etodolac*], *BarbAn-syst.* [*Aspirin*, *Barbiturates*], *Bleo-syst.*, *Cil-syst.*, *Cital-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Hepar-syst.*, *Histr-syst.*, *Ketor-syst.*, **Mur-syst.**, *Nico-inhsyst.*, *Penic-syst.*, *Procai-syst.*, *Pyrim-syst.*, *Rep-syst.*, **Ritu-syst.**, **Sta-syst.**, *SulfadP-syst.*, *Thiab-syst.*, *Trimethop-syst.*, *Uro-syst.*

children: *BronA-syst.* [*Albuterol*]

sore throat, and: *Lamo-syst.*, *Mef-syst.*

sore throat, and fever: *Lamo-syst.*, *Mef-syst.*

FRIALDADE em geral: *Anthyr-syst.*, *DiphtTT-syst.*

FRIO, sensibilidade.

increased sensitivity to cold, during recovery (shivering or trembling): **AnestBar-syst.**

REAÇÃO TÉRMICA (sensação de frio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal): **DiphtA-syst.**

RIGIDEZ (Ver Sacudidas).

SACUDIDAS, tremores rígidos (sentindo-se excepcionalmente frio; tremores com calafrios) (Ver Tremor): **Agal-syst., Amif-syst., Anid-syst., AntinfN-oph. [Diclofenac], ArsTr-syst., Atom-syst., Azac-syst., Bort-syst., Cital-syst., Clofar-syst., Dau-syst., Erl-syst., Fluv-syst., Gals-syst., Glut-syst., Ima-syst., Imm-syst., Len-syst., Lym-syst., Mica-syst., Mif-syst., Natal-syst., Oxa-syst., Pam-syst., Paro-syst., PegiA2a-syst., PegiA2b-syst., Ras-syst., Riba-syst., RibaI-syst., Sertr-syst., Thr-syst., Tram-syst., TramA-syst., Vac-syst., Ven-syst., Zole-syst.**

SENSAÇÕES, como se.

chilly sensation: **DiphtA-syst.**

feeling cold: **Amif-syst., Histr-syst., Ond-syst., Riz-syst., Vac-syst**

TREMOR e tremedeira (Ver Sacudidas; EXTREMIDADES, Tremor): **AnestInh-syst. [Methoxyflurane, Nitrous oxide], Carbopr-syst., Dinopst-parloc., Dinopne-cervag., Gadop-syst., Nalo-syst., Rem-syst., Sevo-inhsyst., Tram-syst., Tret-syst.**

CAPÍTULO FEBRE

FEBRE ou piroxia (temperatura corporal elevada) (Ver Hipertermia): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Abar-syst.**, **Acetyl-inh.**, **Acit-syst.**, **Acyc-syst.**, **Adal-syst.**, **Agal-syst.**, **Album-syst.**, **AlbMic-syst.**, **Aldes-syst.**, **Alfuz-syst.**, **Algl-syst.**, **Allop-syst.**, **Almot-syst.**, **Alpr-syst.**, **Amif-syst.**, **AminPot-syst.**, **Aminglut-syst.**, **Aminglyc-syst.** [*Gentamicyn*], **Amio-syst.**, **Amph-syst.**, **AmphoB-syst.**, **AmphoBCC-syst.**, **AmphoBLC-syst.**, **AmphoBLsC-syst.**, **Ampr-syst.**, **Anag-syst.**, **Anak-syst.**, **Anast-syst.**, **Anest-parloc.**, **AngIn-syst.**, **AngInH-syst.**, **Anid-syst.**, **AnthisP-syst.**, **AntinfN-oph.** [*Diclofenac*], **AntinfN-syst.**, **AntCoaC-syst.**, **AntandN-syst.** [*Etodolac*], **AnthyGR-syst.**, **AntandN-syst.**, **Antchsp-syst.**, **Antcoa-syst.**, **AntconH-syst.**, **AntdepMAO-syst.**, **AntdepT-syst.** [*Amoxapine*], **AnthemF-syst.**, **AnthisP-syst.**, **Anthro-syst.**, **Antthyr-syst.** [*Propylthiouracil*], **AntvCPOv-syst.**, **Ard-syst.**, **Arg-syst.**, **Arip-syst.**, **ArsTr-syst.**, **AspirSC-syst.**, **Ataz-syst.**, **Atom-syst.**, **Atorv-syst.**, **Atova-syst.**, **AtovaPro-syst.**, **Atrop-oph.**, **Azac-syst.**, **Aztr-syst.**, **BcgL-mucloc.**, **BcgL-syst.**, **Bals-syst.**, **Barb-syst.**, **BarbAn-syst.** [*Aspirin*, *Barbiturates*, *Caffeine*], **Basil-syst.**, **Bell-syst.**, **BetBA-oph.**, **Bevac-syst.**, **Bex-syst.**, **Biv-syst.**, **Bleo-syst.**, **Bort-syst.**, **BotA-parloc.**, **BronA-syst.** [*Ephedrine*], **Busp-syst.**, **Butor-nasyst.**, **Caff-syst.**, **Calcit-nassyst.**, **Cand-syst.**, **CandH-syst.**, **Capec-syst.**, **Carbam-syst.**, **CarbidEL-syst.** [*Entacapone*], **Carm-imploc.**, **Carv-syst.**, **Casp-syst.**, **Cefd-syst.**, **Cefu-syst.**, **Cele-syst.**, **Ceph-syst.** [*Cefaclor*], **Cetux-syst.**, **Ceph-syst.**, **Cev-syst.**, **Chloramb-syst.**, **Chloramp-oph.**, **Chloramp-ot.**, **Chloramp-syst.**, **ChlordA-syst.**, **CholVac-syst.**, **Chond-imploc.**, **Cid-syst.**, **Cil-syst.**, **Cital-syst.**, **Clad-syst.**, **Clofar-syst.**, **Clon-parloc.**, **Cloz-syst.**, **Coc-mucloc.**, **Colc-syst.**, **ColSF-syst.** [*Filgrastim*, *Sargramostim*], **Cortic-inhloc.**, **Cortic-nas.** [*Fluticasone*], **Cortic-rec.**, **Cyclope-oph.**, **Cys-syst.**, **Cyt-syst.**, **Dacli-syst.**, **Dacti-syst.**, **Dal-syst.**, **Danap-syst.**, **Danaz-syst.**, **Dant-syst.**, **Daps-syst.**, **Daps-top.**, **Dapt-syst.**, **Darb-syst.**, **Dau-syst.**, **DauL-syst.**, **DecAn-syst.** [*Ibuprofen-containing combinations*, *Salicylate-containing combinations*], **Def-syst.**, **Del-syst.**, **Den-syst.**, **Desm-syst.**, **Dexmet-syst.**, **DiatI-loc.**, **Diat-loc.**, **Diaz-orsyst.**, **Diaz-parsyst.**, **DicM-syst.**, **Diect-syst.**, **Dif-syst.**, **Digo-syst.**, **Dihy-nassyst.**, **Dimer-syst.**, **DiphenA-syst.**, **DiphtTTH-syst.**, **DiphtA-syst.**, **Diso-syst.**, **Docet-syst.**, **Dof-syst.**, **Dol-syst.**, **Don-syst.**, **Dorn-inhloc.**, **Doxac-syst.**, **Doxaz-syst.**, **Doxep-top.**, **Doxor-syst.**, **DoxorL-syst.**, **DrosE-syst.**, **Dul-syst.**, **EdrA-syst.**, **Efal-syst.**, **Efav-syst.**, **EmtT-syst.**, **Eno-syst.**, **Epina-oph.**, **Epir-syst.**, **Epoe-syst.**, **Epr-syst.**, **Erl-syst.**, **Ert-syst.**, **Esm-syst.**, **Eso-syst.**, **Estra-syst.**, **Estro-syst.**, **EstroP-syst.**, **Etan-syst.**, **Ethan-parloc.**, **Exem-syst.**, **Ezet-syst.**, **EzetS-syst.**, **FacVIIa-syst.**, **FatE-syst.**, **Fel-syst.**, **Fex-syst.**, **Flavox-syst.**, **Fluda-syst.**, **Fluox-syst.**, **Flutnas.**, **FlutS-inhloc.**, **Fluv-syst.**, **Fol-syst.**, **Fome-syst.**, **Fon-syst.**, **For-inhloc.**, **Ful-syst.**, **Gab-syst.**, **Gadob-syst.**, **Gadop-syst.**, **Gals-syst.**, **Gef-syst.**, **Gemc-syst.**, **Gemt-syst.**, **GlipM-syst.**, **Glut-syst.**, **GlybM-syst.**, **Gold-syst.**, **Gra-syst.**, **GroH-syst.**, **Hepar-syst.**, **HepatAVI-syst.**, **HepatAVIHB-syst.**, **HepatBVR-syst.**, **HistH2-syst.**, **Histr-syst.**, **Hom-oph.**, **HyalS-syst.**, **Hydra-syst.**, **HydroI-syst.**, **Iba-syst.**, **Ibr-syst.**, **IbupO-syst.**, **Ima-syst.**, **ImpC-syst.**, **Imiq-top.**, **Imm-syst.**, **Ina-syst.**, **Indin-syst.**, **IndiuC-syst.**, **IndiuO-syst.**, **IndiuPt-syst.**, **IndiuS-syst.**, **Infli-syst.**, **IntA1-syst.**, **IntB1a-syst.**, **IntB1b-syst.**, **Iod-top.**, **Iodoq-orloc.**, **Ioh-loc.**, **Ioh-syst.**, **Ioxa-loc.**, **Ioxi-syst.**, **Iot-loc.**, **Ipr-inhloc.**, **Iri-syst.**, **Isot-syst.**, **JapV-syst.**, **Ketor-syst.**, **Ltry-syst.**, **Lamo-syst.**, **Lans-syst.**, **Lar-syst.**, **Lat-oph.**, **Lef-syst.**, **Len-syst.**, **Levof-oph.**, **LopiR-syst.**, **Los-syst.**, **LosH-syst.**, **Lut-syst.**, **Lym-syst.**, **Mann-syst.**, **Map-syst.**,

Mef-syst., Meg-syst., Melo-syst., MeniVDC-syst., MepA-syst. [Aspirin], Mesa-orloc., Mesa-reloc., **MetfP-syst., MethodC-syst., Methy-syst., Methylp-syst., MethyTD-syst., Mica-syst., Mif-syst., Mis-syst., Mitot-syst., Mod-syst., Moli-syst., Mont-syst., Mor-syst., Mox-oph., Mur-syst., Nad-syst., Nali-syst., Nalm-syst., Nalo-syst., Nalt-syst., Nar-syst., **Natal-syst., Nef-syst., Nel-syst., Nes-syst., Nev-syst., Nia-syst., Nico-inhsyst., Nita-syst., Nitra-syst., **Nitro-syst., NoreE-syst., Nyl-syst., Oct-syst., Ofl-ot., Ola-syst., Olm-syst., **OlmH-syst., Omep-syst., **Ond-syst., Orl-orloc., Ose-syst., **Oxa-syst., Oxc-syst., Oxyb-syst., **Palif-syst., Paliv-syst., Palo-syst., **Pam-syst., Paro-syst., **Pegas-syst., Pegf-syst., **PegiA2a-syst., PegiA2b-syst., **Peme-syst., Pemi-oph., **Penic-syst., PenicilB-syst., PerpA-syst., Phenot-syst., **Pime-top., Pio-syst., Pli-syst., **Por-syst., Prami-syst., **Prazi-syst., Propo-syst., Pyrim-syst., Quid-syst., Quin-syst., RabiI-syst., **RabiV-syst., Ralo-syst., **Ralt-syst., Ras-syst., Ram-syst., **Rep-syst., Ret-syst., RhO-syst., Riba-syst., **RibaI-syst., Rifab-syst., Risp-syst., **Riton-syst., Ritu-syst., **Rof-syst., Ropin-syst., Ropiv-parloc., RubeV-syst., Sal-syst., **Sir-syst., Sco-oph., Seleg-syst., Sertr-syst., Sevo-inhsyst., **Sild-syst., Sir-syst., **SodBeSP-syst., Sor-syst., SulfadP-syst., Sulfo-syst., SulfoT-syst., **Sur-syst., Tacri-syst., Tacro-top., TecAr-syst., TecE-syst., TecMer-syst., TecSuc-syst., TecSul-syst., Tem-syst., Telm-syst., TetaT-syst., Thali-syst., Thie-syst., Thiox-syst., Thr-syst. [Anistreplase, Streptokinase, Urokinase], ThyH-syst., Tic-syst., **Til-syst., Tinz-syst., Tiop-syst., **Tiot-inhloc., Tir-syst., **Tiz-syst., Toc-syst., **Tolc-syst., Topo-syst., **TosI-syst., Tram-syst., TramA-syst., Tras-syst., **Tret-syst., Trie-syst., Trimethop-syst., Trimetr-syst., **TypVI-parsyst., TypVL-syst., **TypP-syst., Ure-syst., **Urs-syst., Vac-syst., **Valg-syst., Vald-syst., Valp-syst., Vals-syst., Van-syst., Vari-syst., Vaso-syst., Ven-syst., Ver-parloc., VitA-syst., **Vor-syst., Zalc-syst., Zale-syst., **Zic-syst., Zole-syst.**

acute febrile reaction (chills or sudden fever; fatigue; headache; malaise; muscle cramps; excessive thirst; weakness): Resp-syst., Tinz-syst.

allergic: Probe-syst., Ske-syst., Sulfi-syst.

hayfever: SodTe-syst.

between 37.7 and 39.4°C (100 and 103°F): **MeaRV-syst., MeaV-syst., **MeaMRV-syst., Vari-syst.****

between 38 and 39°C (100.4 and 102.2°F): **DiphtTTPV-syst.**

lasting up to, but no longer than, 48 hours: **DiphtTTPV-syst.**

accompanied by fretfulness, drowsiness, vomiting, and anorexia:
DiphtTTPV-syst.

between 39 and 40°C (102.2 and 104°F): DiphtTTPV-syst., DiphtTTPVH-syst.

lasting up to, but no longer than, 48 hours: DiphtTTPV-syst., DiphtTTPVH-syst.

accompanied by fretfulness, drowsiness, vomiting, and anorexia:
DiphtTTPV-syst., DiphtTTPVH-syst.

between 40 and 40.5°C (104 and 105°F): DiphtTTPV-syst., DiphtTTPVH-syst.

lasting up to, but no longer than, 48 hours: DiphtTTPV-syst., DiphtTTPVH-syst.

accompanied by fretfulness, drowsiness, vomiting, and anorexia:
DiphtTTPV-syst., DiphtTTPVH-syst.

40.5°C (105°F) or more, occurring within 48 hours: DiphtTTPV-syst., DiphtTTPVH-syst.

children: BronA-syst. [Albuterol]

chills, with: **AbLamZid-syst.**, *AntinfN-syst.* [*Etodolac*], *BarbAn-syst.* [*Aspirin, Barbiturates*], *Bleo-syst.*, *Cil-syst.*, *Cital-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Hepar-syst.*, *Histr-syst.*, *Ketor-syst.*, **Mur-syst.**, *Nico-inhsyst.*, *Penic-syst.*, *Procai-syst.*, *Pyrim-syst.*, *Rep-syst.*, **Ritu-syst.**, **Sta-syst.**, *SulfadP-syst.*, *Thiab-syst.*, *Trimethop-syst.*, *Uro-syst.*

children: *BronA-syst.* [*Albuterol*]

sore throat, and: *Lamo-syst.*, *Mef-syst.*

continuing: *Diat-loc.*, *Ioh-loc.*, *Ioh-syst.*

convulsions, with: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

decreased: *Tacro-syst.*

dialysis patients with end-stage renal disease: *Levoca-syst.*

duration (See period/duration).

high: *AnthisP-syst.*, *Arip-syst.*, *CarbidEL-syst.*, *Don-syst.*, *Fluox-syst.*, *Hal-syst.*, *Lox-syst.*, *Mem-syst.*, *Meto-syst.*, *Paro-syst.*, *Perg-syst.*, *Pimo-syst.*, *Que-syst.*, *Risp-syst.*, *Sertr-syst.*, *Thiox-syst.*, *Ven-syst.*

increased: *Tacro-syst.*

low-grade: *Yel-syst.*

lasting 1 to 2 days: *MeaMRV-syst.*

mild: *Cos-syst.*, *Phenot-syst.*

transient: **Antthyr-syst.**

neutropenic (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; sore throat): *ArsTr-syst.*, **Azac-syst.**, **Clofar-syst.**, *Docet-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Ibr-syst.*, *Iri-syst.*, **Len-syst.**, *Mica-syst.*, *PacP-syst.*, **Pegf-syst.**, *Peme-syst.*, *Ras-syst.*, **Topo-syst.**, *Tras-syst.*

higher frequency of: *DauL-syst.*

onchocerciasis (verminosis), during treatment of: **Ive-syst.**

over or equal to 37.7°C (100°F): *HepatAVI-syst.*, *HepatBVR-syst.*, *MeniPV-syst.*, **Vari-syst.**

over 39°C (over 102.2°F): *HaeC-syst.*, *HaeP-syst.*, *PneC-syst.*, *PneV-syst.*, **Poli-syst.**

over or equal to 39.2°C (102.6°F): *Resp-syst.*

over 39.4°C (103°F): *DiphtTT-syst.*, **MeaRV-syst.**, **MeaV-syst.**, **MeaMRV-syst.**, *Mum-syst.*, *RubeM-syst.*, *TetaT-syst.*, **Vari-syst.**

resolves within 48 hours: *HaeC-syst.*

pediatric patients: *Fex-syst.*, **Tacro-top.**

children: **Dimer-syst.**

juvenile rheumatoid arthritis, treated for: **Sulfas-syst.**

period/duration.

between 38 and 39°C (100.4 and 102.2°F) lasting up to, but no longer than, 48 hours: **DiphtTTPV-syst.**

accompanied by fretfulness, drowsiness, vomiting, and anorexia: **DiphtTTPV-syst.**

between 39 and 40°C (102.2 and 104°F) lasting up to, but no longer than, 48 hours: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

accompanied by fretfulness, drowsiness, vomiting, and anorexia: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

between 40 and 40.5°C (104 and 105°F) lasting up to, but no longer than, 48 hours: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

accompanied by fretfulness, drowsiness, vomiting, and anorexia: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

40.5°C (105°F) or more, occurring within 48 hours: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

over 39°C (over 102.2°F), resolves within 48 hours: *HaeC-syst.*

starting 6 to 12 hours after administration and persisting 1 or 2 days: *Influ-syst.*

up to 39°C (102.2°F) lasting up to, but no longer than, 48 hours: **DiphtTTPVH-syst.**, **HaeC-syst.**

accompanied by fretfulness, drowsiness, vomiting, and anorexia: **DiphtTTPVH-syst.**

postpartum: *Lut-syst.*

rash, and: *Del-syst.*, *Mesa-reloc.*

significant: *Phenot-syst.*

slight: *Amio-syst.*

sore throat: *Pli-syst.*

chills, and: *Lamo-syst.*, *Mef-syst.*

sudden: *Azat-syst.*, **EdC-syst.**, *Tinz-syst.*

sweating, increased, with: **Iron-syst.**

under or equal to 37.7°C (100°F): **MeaV-syst.**, *Mum-syst.*

under or equal to 38.3°C (101°F): *PneV-syst.*

under 39°C (102.2°F): **PneC-syst.**

under 39.4°C (103°F): **DiphtTT-syst.**

up to 38.9°C (102°F), delayed: *Alpha-syst.* [*Prolastin*]

up to 39°C (102.2°F): **DiphtTTPVH-syst.**, **HaeC-syst.**, **HaeP-syst.**

lasting up to, but no longer than, 48 hours: **DiphtTTPVH-syst.**, **HaeC-syst.**

accompanied by fretfulness, drowsiness, vomiting, and anorexia: **DiphtTTPVH-syst.**

transient: *Carbopr-syst.*, *Dinopst-parloc.*, **Dinopne-cervag.**, **Pam-syst.**

mild, and: **Anthyr-syst.**

HIPERPIREXIA (Ver Hipertermia).

HIPERTERMIA ou hiperpirexia (febre alta; temperatura corporal aumentada ou extremamente alta; febre ou calafrios; rubor; ritmo respiratório e batimento cardíaco aumentados) (Ver Febre; Insolação; GENERALIDADES): *Aman-syst.*, *Amph-syst.*, *Antdys-syst.*, *AnthisP-syst.*, *AppSupS-syst.*, *Aspar-syst.*, *BisSMT-syst.* [Bismuth Subsalicylate], *Bell-syst.*, *Bret-syst.*, *CarbidEL-syst.*, *Coc-mucloc.*, *Cyclob-syst.*, *Dexmet-syst.*, *DiphenA-syst.*, *Drop-syst.*, *Doxep-top.*, *Epir-syst.*, *Enta-syst.*, *Hal-syst.*, *Line-syst.*, *Methylp-syst.*, *Moli-syst.*, *Ola-syst.*, *Pemo-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Risp-syst.*, *Seleg-syst.* [MAO inhibitors], *SodC-parloc.*, *Thiox-syst.*, *VitDA-syst.*

alcoholic patients exposed to high environmental temperatures: *Antdys-syst.*

children exposed to high environmental temperatures: *Bell-syst.*

chronically ill patients exposed to high environmental temperatures: *Antdys-syst.*

geriatric patients exposed to high environmental temperatures: *Antdys-syst.*
heat stroke (hot, dry skin; inability to sweat; muscle weakness; confusion): *Hal-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Thiox-syst.*, *Zon-syst.*
malignant hyperthermic crisis: *Aldes-syst.*, *AnestInh-syst.*, *Desf-inhsyst.*, *Neu-syst.*, *Sevo-inhsyst.*
swine, genetically susceptible: *Desf-inhsyst.*
pediatric patients: *Zon-syst.*
infants: *Brim-oph.*
prolonged: *MeaMRV-syst.*
rapid rise in body temperature: **DiphtA-syst.**
severe: *Cital-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Paro-syst.*, *Sertr-syst.*
slight temperature elevation: *TetaIG-syst.*

HIPOTERMIA (sensação de frio; inaptidão, confusão, sonolência; temperatura corporal baixa; dores musculares ou fraqueza; arrepios; pulso fraco ou ausente) (Ver GENERALIDADES): *Acet-syst.*, *AcetSal-syst.*, *Alpr-syst.*, *Anest-parloc.*, *AntinfN-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Cev-syst.*, *ChIH-syst.*, *Chloramp-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Cyclob-syst.*, *Doxep-top.*, *Ethc-syst.*, *GlipM-syst.*, *IndiuS-syst.*, *Nap-oph.*, *Phenot-syst.*, *Pil-syst.*, *PolyE-loc.*, *Risp-syst.*, *Sal-syst.* [*Aspirin*, *Aspirin*, *Buffered*, *Choline Salicylate*, *Choline and Magnesium Salicylates*, *Magnesium Salicylate*, *Salsalate*, *Sodium Salicylate*], *Sevo-inhsyst.*, *SodO-syst.*, *Tret-syst.*

adults: *Sevo-inhsyst.*

pediatric patients: *Sevo-inhsyst.*

INSOLAÇÃO (pele quente e seca; incapacidade de transpirar; fraqueza muscular; confusão) (Ver Hipertermia): *Moli-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Thiox-syst.*, *Zon-syst.*

PIREXIA (Ver Febre).

REAÇÃO TÉRMICA (sensação de frio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal): **DiphtA-syst.**

REGULAÇÃO DA TEMPERATURA corporal (Hipotálamo).

disturbances of: *Ola-syst.*, *Phenot-syst.*, *Que-syst.*

central and peripheral, suppression of: *Moli-syst.*, *PerpA-syst.*, *Phenot-syst.*

SENSAÇÕES, como se.

feeling unusually warm: *Amif-syst.*, **CalcS-syst.**

hot feeling: *Butor-nasyst.*, **CalcS-syst.**, *Tram-syst.*, **Vac-syst.**

temperature change sensation: *Alemt-syst.*, *Cev-syst.*

CAPÍTULO TRANSPIRAÇÃO

ANIDROSE (Ver Suprimida).

AUMENTADA (Ver Profusa).

DESCOLORAÇÃO do suor.

dark sweat: *CarbidEL-syst.*

darkening in color of sweat: *CarbidL-syst., Levod-syst.*

reddish-orange to reddish-brown: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**

DIAFORESE (Ver Profusa).

DIMINUÍDA, oligohidrose (Ver Suprimida): **Antchsp-syst., Bell-syst., Moli-syst., Oxyb-syst., PerpA-syst., Phenot-syst., Thiox-syst.**

pediatric patients: *Zon-syst.*

ESCASSA (Ver Diminuída).

FRIA: *Aminglut-syst., Atom-syst., Atorv-syst., BronA-syst. [Ephedrine], CarbidEL-syst., Carv-syst., Dul-syst., Nico-inhsyst., Nico-nas., Nico-syst., OlmH-syst., Paro-syst., Phent-syst., Sir-syst., Tad-syst., Teg-syst., Valp-syst., Vals-syst., Vard-syst., Zic-syst.*

NOITE: *ArsTr-syst., Azac-syst., Histr-syst., Ima-syst., Len-syst., Ritu-syst., Tram-syst., Ven-syst.*

ODOR corporal: *Bet-syst., Levoca-syst.*

abnormal: *Acit-syst.*

females: **Nafa-syst.**

garlic-like: *Dimet-mucloc., SelenSup-syst.*

male: **Nafa-syst.**

strong: *Desf-inhsyst., SodPhe-syst.*

unpleasant, disagreeable, malodor: *Desf-inhsyst., Podof-top., Succ-syst.*

OLIGOHIIDROSE (Ver Diminuída).

PARTES, únicas, isoladas.

forehead and hands: **Dimer-syst.**

general perspiration, except.

axillary (sweating, not from armpits): **BotA-parloc.**

hands and forehead: **Dimer-syst.**

Repertório - Capítulo TRANSPIRAÇÃO

PROFUSA, excessiva, severa (aumento do suor; diaforese; hiperidrose): *Acet-syst.*, *AcSodCit-syst.*, *Acit-syst.*, *Alemt-syst.*, *Almot-syst.*, *Amph-syst.*, *Anest-oph.*, *Anid-syst.*, *AntinfN-syst.*, **AntdepMAO-syst.**, *AntdepT-syst.* [*Amoxapine*], *AntglaC-oph.*, *Anthi-syst.* [*Azatadine*, *Cetirizine*, **Cev-syst.**, *Chlorpheniramine*, *Cyproheptadine*, *Loratadine*], *AnthiSDAg-syst.* [Acetaminophen-containing combinations], *AnthiSDAc-syst.*, *AnthiSP-syst.*, **Antm-syst.**, *AppSupS-syst.*, *Arb-syst.*, *Arip-syst.*, *Atom-syst.*, **Azac-syst.**, *Aztr-syst.*, *BarbAn-syst.* [Acetaminophen], *BetBA-syst.* [*Metoprolol*], *Beth-syst.*, *BisS-orloc.*, *Bupre-syst.*, **Bupro-syst.**, *Buse-syst.*, *Capec-syst.*, *Carbac-oph.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *Cele-syst.*, *ChlordA-syst.*, *Cital-syst.*, *Cloz-syst.*, *Coc-mucloc.*, *Cortic-ot.*, *Cortic-rec.*, *CorticG-syst.*, *Cycloph-syst.*, *DecAn-syst.* [Acetaminophen-containing combinations, Salicylate-containing combinations], *DiatI-loc.*, *Diat-loc.*, **Dihynassyst.**, *Dinopst-parloc.*, *Dipy-syst.*, *Don-syst.*, *Doxap-syst.*, **Dul-syst.**, *Edr-syst.*, *EdrA-syst.*, **Efav-syst.**, *Enta-syst.*, *Epine-oph.*, **Esc-syst.**, *Eso-syst.*, **Exem-syst.**, *Exen-syst.*, *Flavox-syst.*, **Fluda-syst.**, *Fludro-syst.*, **Fluox-syst.**, *Fluv-syst.*, *Gala-syst.*, **Gla-syst.**, *Gold-syst.*, **GroH-syst.**, *Hal-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, *HistH2-syst.* [*Nizatidine*], *Histr-syst.*, **HydroI-syst.**, *IndiuPt-syst.*, **IntB1b-syst.**, *IntA-syst.*, *Iodip-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Iri-syst.*, **Iron-syst.**, *IsomDA-syst.*, *Ketor-syst.*, *Ltry-syst.*, **Len-syst.**, *Let-syst.*, *Levod-syst.*, *Lox-syst.*, *Mal-top.*, *Map-syst.*, *Mecas-syst.*, *Melo-syst.*, *Mem-syst.*, *MepA-syst.* [Aspirin], *MethylB-syst.*, *Methylp-syst.*, *Meto-syst.*, *Metyra-syst.*, *Moc-syst.*, *Moli-syst.*, *Nalo-syst.*, *Nap-oph.*, *Nico-syst.*, *Nitrop-syst.*, *Ola-syst.*, *Omep-syst.*, *Oxc-syst.*, *Para-syst.*, *Paro-syst.*, **PegiA2a-syst.**, **PegiA2b-syst.**, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pheny-nas.*, *Pheny-oph.*, *Phy-oph.*, **Phy-syst.**, *Pil-oph.*, *Pimo-syst.*, *Prami-syst.*, **Prazi-syst.**, *Pse-syst.*, *Pyridos-syst.*, *Que-syst.*, *Quin-syst.*, *Risp-syst.*, *Riv-syst.*, *Riz-syst.*, *Ropin-syst.*, *Seleg-syst.*, **Sertr-syst.**, *Sib-syst.*, *Sild-syst.*, *Sin-syst.*, *SodO-syst.*, *Sor-syst.*, *Tacri-syst.*, *TecAlA-syst.*, *Teli-syst.*, *Telm-syst.*, *Thiox-syst.*, *ThyrA-syst.*, **Tiz-syst.**, **Tolc-syst.**, *Topi-syst.*, *TramA-syst.*, **Tret-syst.**, **Vac-syst.**, *ValsH-syst.*, *Vaso-syst.*, **Ven-syst.**, *VitK-syst.*, *Zale-syst.*, *Zop-syst.*

cold, clammy skin, with: *Seleg-syst.*

fever, with: **Iron-syst.**, *Seleg-syst.*

SÚBITA: *AmlodBen-syst.*, **AntandN-syst.**, *Atom-syst.*, *CarbidEL-syst.*

SUPRIMIDA: *Antdys-syst.*

alcoholic patients exposed to high environmental temperatures: *Antdys-syst.*

chronically ill patients exposed to high environmental temperatures: *Antdys-syst.*

geriatric patients exposed to high environmental temperatures: *Antdys-syst.*

sweat gland activity: *Bell-syst.*, *Oxyb-syst.*

children: *Bell-syst.*

TRANSPIRAÇÃO em geral: *Acetyl-syst.*, *Alos-syst.*, **Anast-syst.**, *ArsTr-syst.*, *Atorv-syst.*, *AtropB-syst.*, **Bex-top.**, *Bleo-syst.*, *BronA-syst.*, *Busp-syst.*, **Butor-nasyst.**, **CalcS-syst.**, *Carbet-syst.*, *Cefd-syst.*, *CetiP-syst.* [Pseudoephedrine], *Cital-syst.*, *Clad-syst.*, *Clon-parloc.*, *Cycla-syst.*, *Dexmet-syst.*, *DipyA-syst.*, *DoxorL-syst.*, *EmtT-syst.*, *Ergon-syst.*, *Fenol-syst.*, **Fent-trsyst.**, *Fluorq-syst.*, *Fomi-parloc.*, *Ful-syst.*, *Gadob-syst.*, *Gadop-syst.*, *HepatAVIHB-syst.*, *HydroxT-oph.*, *IbupO-syst.*, *Insa-syst.*, *InsGla-syst.*, *InsGlu-syst.*, *InsL-syst.*, *Iot-loc.*, *Ipr-inhloc.*, **Iri-syst.**, *Isot-syst.*, *Lat-oph.*, **Levom-syst.**, *Mef-syst.*, *Methyler-*

Repertório - Capítulo TRANSPIRAÇÃO

syst., Moe-syst., MoeH-syst., Nef-syst., Nes-syst., Nia-syst., **NiaL-syst.**, Nita-syst., Ola-syst., Ose-syst., **Paro-syst.**, Pemo-syst., Phent-syst., **Pil-syst.**, Proti-syst., Ralo-syst., Reso-top., Riton-syst., **Sir-syst.**, **SodO-syst.**, SodC-parloc., Tacro-syst., Tad-syst., Teri-syst., Thall-syst., ThyH-syst., Thyr-syst., Tir-syst., Toc-syst., **TosI-syst.**, **Tram-syst.**, Vard-syst., Ven-syst., Yoh-syst., Zic-syst., Zolm-syst.

females: Tamo-syst.

ÚMIDA, pegajosa: Acetyl-inh., Busp-syst., Tram-syst.

cold skin, and: AmlodAt-syst. [Amlodipine], AntdepMAO-syst., BarbAn-syst. [Codeine], Bupre-syst., Butor-nasyst., Dihy-nassyst., Fent-syst., Fent-trsyst., FentD-syst., HydroI-syst. [Hydrocodone], IbupO-syst. [Oxycodone], Levom-syst., Opi-syst., Pare-syst., Seleg-syst., Tram-syst.

sweating, increased, with: Seleg-syst.

pale skin, and: Iron-syst.

CAPÍTULO PELE

ABRASÃO (Ver Erupções ou Lesões).

ACNE (Ver Erupções ou Lesões).

ADERÊNCIA (Ver Grudenta).

ALÉRGICA, REAÇÃO (comichão ou prurido, erupção cutânea; urticária, lacrimejamento; aumento da sensibilidade à luz solar; comichão da pele associada com inchaço dos gânglios linfáticos; febre; inchaço da face e da língua; hipertrofia de fígado e baço) (Ver Reação Cutânea): *AlbMic-syst.*, *Amph-syst.*, *Anth-top.*, *AntinfN-oph.* [*Diclofenac*], *Antchsp-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AnthisDAG-syst.*, *AnthisDAC-syst.*, *Anthyr-syst.*, *AppSupS-syst.*, *Ard-syst.*, *AtropB-syst.*, *Azel-nas.*, *BcgL-mucloc.*, *BcgL-syst.*, *Barb-syst.*, *Bell-syst.*, *Benzod-syst.*, *BetBA-oph.*, [*all except Levobunolol*], *BetBA-syst.*, *BetBAT-syst.*, *Calcit-nassyst.*, *CalcCBA-syst.*, *Carbam-syst.*, *ChlH-syst.*, *Chloramb-syst.*, *ChlordA-syst.*, *Cip-oph.*, *ClonC-syst.*, *CorticG-syst.*, *Crot-top.*, *Dal-syst.*, *Darb-syst.*, *Dau-syst.*, **DauL-syst.**, *DecAn-syst.*, **Def-syst.**, *Dipy-syst.*, *DiuL-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Doxor-syst.*, **Fluoru-top.**, *Fome-syst.*, *Glim-syst.*, *GroH-syst.*, *Hal-syst.*, *Hydra-syst.*, **Imiq-top.**, *Inda-syst.*, *IndiuO-syst.*, *Iodoh123-syst.*, *Isox-syst.*, *Lat-oph.*, *Lax-loc.*, *Lep-syst.*, *Lope-orloc.*, *Lox-syst.*, *Maf-top.*, *MeaMRV-syst.*, *MepA-syst.*, *MethyTD-syst.*, *Minox-syst.*, *Minox-top.*, *Mitox-syst.*, *Moli-syst.*, *Oxyb-syst.*, *Oxyt-syst.*, *Panc-syst.*, *Pare-syst.*, **Pegas-syst.**, *Pentosa-syst.*, **Pentost-syst.**, *PolyE-loc.*, *PrazoP-syst.*, **Rifab-syst.**, *Sild-syst.*, *TecPh-syst.*, *TecAl-syst.*, *TecMed-syst.*, *TecO-syst.*, *TecPe-syst.*, *TecPy-syst.*, *Thall-syst.*, *Thiox-syst.*, *Thr-syst.*, *ThyH-syst.*, *Tors-syst.*, *Tram-syst.*, *Traz-syst.*, *Trimethob-syst.*, *Tub-parloc.*, *VitMF-syst.*

bite, insect: *Mom-inhloc.*

contact (See Inflammation, dermatitis, contact) (skin rash or itching; sore, reddened skin): **Mech-top.**, *MeqT-top.*

delayed-type skin reaction (contact dermatitis): *MeaRV-syst.*, *Mitom-syst.*

erythema multiforme (blistering, peeling, loosening of skin; chills; cough; diarrhea; fever; itching; joint or muscle pain; red irritated eyes; sore throat; sores, ulcers, or white spots in mouth or on lips; unusual tiredness or weakness): **AbLam-syst.**, *Abac-syst.*, *Acyc-syst.*, *Allop-syst.*, *Amif-syst.*, *Amio-syst.*, *Anast-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntdiaS-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *BarbAn-syst.* [*Barbiturates*], *BronA-syst.*, *CalcCBA-syst.* [*Diltiazem, Verapamil*], *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramb-syst.*, *Cital-syst.*, *Daps-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst.*, *DiphtTTH-syst.*, *Docet-syst.*, *Efav-syst.*, *Eso-syst.*, *Estro-syst.*, *Fluorq-syst.* [*Levofloxacin*], *Gab-syst.*, *Gadop-syst.*, *Gef-syst.*, *HepatAVI-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *JapV-syst.*, *Ketot-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levof-syst.*, *LopiR-syst.*, *Mef-syst.*, *Melo-syst.*, *Mero-syst.*, *MethotNC-syst.*, *Methylp-syst.*, *Nali-syst.*, **Nev-syst.**, *Nitro-syst.*, *Omeq-syst.*, *Ose-syst.*, *Oxc-syst.*, *Pantop-syst.*, *PenicilB-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Silv-top.*, *Ske-syst.*, *Sor-syst.*, *SulfadP-syst.*, *Tamo-syst.*, **Teli-syst.**

Repertório - Capítulo PELE

Tem-syst., *Tic-syst.*, *Toc-syst.*, *Topi-syst.*, *Trimethop-syst.*, *Vac-syst.*, *Vala-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*, *Vor-syst.*

bullosa, erythema multiforme: *Cys-syst.*

generalized (skin rash or hives): *CorticG-syst.*

hypersensitivity, cutaneous (skin rash, hives, blistering, burning, itching, peeling, redness, stinging, swelling, or other sign of skin irritation): *AlcAc-top.*, *AlcSul-top.*, *Aminglyc-syst.*, *AmmMer-top.*, *AmphoB-top.*, *Antdys-syst.*, *AntfunA-vag.*, *Buten-top.*, *Capr-syst.*, *Chlop-syst.*, *Cinox-syst.*, *Clar-syst.*, *Clind-syst.*, *Clind-top.*, *Clot-top.*, *ClotB-top.*, **Colis-ot.**, *Cyclos-syst.*, **Daps-syst.**, *Eryts-syst.*, **Fluc-syst.**, *Genta-top.*, *Gri-syst.*, *Iodoq-orloc.*, *Levof-syst.*, *Linc-syst.*, *Lor-syst.*, *Lym-syst.*, *Metro-syst.*, **NeoP-top.**, **NeoPB-top.**, *Progu-syst.*, *Pyran-orloc.*, *Pyrim-syst.*, *Pyrv-orloc.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Spa-syst.*, *Spi-syst.*, *Terb-syst.*, *Thiab-syst.*, *Toln-top.*, *UndA-top.*, *Zop-syst.*

delayed: *Fluoru-top.*

dermatitis, hypersensitivity-induced (angioedema [swelling of face, lips, or eyelids]; skin rash; urticaria [hives]): *BronA-inhloc.*

severe (some cases have been fatal or have required hospitalization and/or discontinuance of therapy): *Amif-syst.*

idiosyncratic reaction (painful rash): **Mech-syst.**

mild: *MeaMRV-syst.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

pseudo-allergic reaction (itching, skin rash or hives, swelling of skin): *CholAO-syst.*

purpura, allergic (See Purpura).

retinoid reaction (erythema, peeling of skin, and stinging or burning sensation of skin): **Taz-top.**, **Tret-top.**

severe, life-threatening, including fatal cases: *Nev-syst.*

urticaria suggestive of allergic reaction: *Lax-loc.*

ALOPÉCIA (Ver Pêlos).

ANESTESIA (Ver Sensibilidade).

APERTO, pressão na pele: **Doxep-top.**, **Sun-top.**

AQUECIMENTO (Ver Calor).

ARREPIO (Ver Pêlos, ereção).

ÁSPERA.

dry, and: *Lit-syst.*

ATROFIA da pele (afinamento da pele com contusões fáceis; fraqueza ou definhamento da pele) (Ver Envelhecimento): **Acit-syst.**, *Calcip-top.*, *ClotB-top.*, *Cortic-top.*, *CorticG-syst.*, *NysT-top.*

subcutaneous tissue: *Cortic-top.*, *CorticG-syst.*, *DiphtTT-syst.*

BOLHAS, vesículas (Ver Erupções ou Lesões).

BRILHANTE: Clind-top., ClotB-top., Cyclosp-syst., Danaz-syst., **Daps-top.**, NysT-top.

CALOR, aquecimento (Ver GENERALIDADES, Calor): **AlbMic-syst.**, Antchsp-syst., BenzP-top., Beth-syst., CalcCBA-syst. [**Nicardipine**, **Niferdipine**], Caps-top., Dif-syst., DiphenA-syst., Doxap-syst., ErythBP-top., Gemt-syst., Ida-syst., Iopr-syst., **Ioxa-syst.**, Sper-vag.

flushing of skin, hot flashes (peripheral vasodilation, feeling of warmth): **Acit-syst.**, AmlodBen-syst., Atom-syst., **AlbMic-syst.**, **Alpr-syst.**, Amif-syst., **Amlod-syst.**, AmlodAt-syst. [Amlodipine], AmlodBen-syst., AmphoBLsC-syst., **AmylN-syst.**, **Anast-syst.**, Anid-syst., AntinfN-syst. [**Fenoprofen**, **Nabumetone**, **Tiaprofenic Acid**], **AntandN-syst.**, Antchsp-syst., AntvCPol-syst., AntvM.-syst., Aprep-syst., Arb-syst., ArsTr-syst., AscAc-syst., Atom-syst., Aztr-syst., Bell-syst., Beth-syst., **Bos-syst.**, **Buse-syst.**, Cab-syst., Calcit-nassyst., **Calcit-syst.**, CalcCBA-syst. [**Nicardipine**, **Niferdipine**], **CalcS-syst.**, Capec-syst., **Carbet-syst.**, CarbidL-syst., CarbidEL-syst., Casp-syst., Cefd-syst., Cele-syst., Cev-syst., **Cholec-syst.**, Cil-syst., Cisat-syst., **Clofar-syst.**, **Clom-syst.**, ColSF-syst. [**Sargramostim**], **CortO-systdia.**, Cortic-nas., Cortic-ot., **Crom-nas.**, **Def-syst.**, **Den-syst.**, Desm-syst., Dexmet-syst., Dif-syst., **Dihy-nassyst.**, Dinopne-cervag., DiphenA-syst., Dipy-syst., DipyA-syst., DipyA-syst., Dom-syst., Don-syst., Doxac-syst., Doxaz-syst., Dul-syst., Efav-syst., Ele-syst., EnaF-syst., Epir-syst., **Epop-syst.**, ErgolM-syst., Esm-syst., Eso-syst., Etop-syst., **Exem-syst.**, FatE-syst., **Fenol-syst.**, FexP-syst., Flum-syst., Fro-syst., Gemif-syst., Gla-syst., **Gos-syst.**, HepatAVIHB-syst., HepatBVR-syst., **Histr-syst.**, Hydra-syst., **Ibr-syst.**, **Ilo-inh.**, Imm-syst., IndiuPt-syst., IndiuS-syst., Iob-systthe., Iopr-syst., **Ioxa-syst.**, Iri-syst., **Iron-syst.**, Isot-syst., Lat-oph., **Let-syst.**, Levod-syst., Levom-syst., Lid-top., MagS-syst., MagSup-syst., Melo-syst., Methylp-syst., Mica-syst., **Minox-syst.**, Mitot-syst., **Miv-syst.**, Moc-syst., **Moe-syst.**, Natal-syst., **Nef-syst.**, Neu-syst. [**Atracurium**], Nia-syst., **NiaL-syst.**, **Nitra-syst.**, Nitrop-syst., Omepe-syst., Oxa-syst., Palo-syst., Paro-syst., **PegiA2b-syst.**, Pentox-syst., Pime-top., Proge-syst., Propo-syst., Prota-syst., **Proti-syst.**, Ralo-syst., Ras-syst., Rau-syst., Ret-syst., **Riz-syst.**, Ropin-syst., Ropiv-parloc., Serm-syst., Sertr-syst., **Sild-syst.**, Sin-syst., Sor-syst., **Stro-syst.**, Sum-syst., Tacri-syst., Tacro-top., Tad-syst., TecF-syst., TecO-syst., TecSe-syst., TecSuc-syst., Teg-syst., Teli-syst., Thr-syst., ThyrA-syst., Topi-syst., **Tore-syst.**, **Tram-syst.**, TramA-syst., Trep-syst., **Tret-syst.**, **Trip-syst.**, ValsH-syst., **Vard-syst.**, Yoh-syst., Zan-inhsyst.

arteriolar vasodilation (See Vasodilation).

blush area: Bell-syst.

dry, hot, flushed skin: Cyclob-syst.

females: Meno-syst.

transient: Gon-syst.

warmth, with feeling of: Sertr-syst.

redness, with: Sertr-syst.

CÂNCER, neoplasias (hiperplasias incomuns ou mudanças na pele) (Ver Tumores): Cyclosp-syst., Efal-syst., Etan-syst., Methox-syst. [**Psoralem**], Methox-top.

carcinoma, skin (persistent non-healing sore; reddish patch or irritated area; shiny bump; pink growth; white, yellow or waxy scar-like area): Adal-syst.

basal-cell (sore that will not heal; growth or bump on skin): *Pime-top.*, *Tacro-top.*

squamous cell (small, red skin lesion, growth, or bump usually on face, ears, neck, hands or arms): Imiq-top., *Pime-top.*, *Tacro-top.*

melanoma (new mole; change in size, shape or color of existing mole; mole that leaks fluid or bleeds): Adal-syst., Sir-syst.

malignant: *CarbidEL-syst.*, *Pime-top.*, *Tacro-top.*

non-melanoma: *Etan-syst.*

risk of, increased: *Trio-syst.*

sarcoma, cutaneous: *Tacro-top.*

ultraviolet A (UVA) light exposure, after: *Methox-exsyst.*

CAROTENODERMIA (Ver Descoloração, amarela).

CÁUSTICA: *Sala-top.*

CHAGA (Ver Ferida).

CICATRIZES: *AntinfN-syst.*, **Podof-top.**

keloid-like, formation of: *Chond-imploc.*

CLOASMA ou melasma (Ver Descoloração).

COCEIRA (Ver Comichão).

COMICHÃO ou prurido (queimação, formigamento e/ou dor) (Ver Dormência; Formigamento; Sensibilidade): *Abac-syst.*, **AbLam-syst.**, *Abar-syst.*, *Acamp-syst.*, *Acetyl-syst.*, **Acit-syst.**, *Acyc-syst.*, Acyc-top., *Acyc-syst.*, **Adal-syst.**, **Adap-top.**, **Agal-syst.**, *AlbMic-syst.*, *Alef-syst.*, **Alit-top.**, *Allop-syst.*, *Almot-syst.*, *Altr-syst.*, **Amif-syst.**, *Amio-syst.*, *Amph-syst.*, *Anag-syst.*, *Anast-syst.*, **Andro-syst.**, *Anest-parloc.*, *AnestBar-syst.*, **AngIn-syst.**, *Anid-syst.*, *AntinfN-oph.* [*Diclofenac*], *AntinfN-syst.*, *AntCoaC-syst.*, *AntandN-syst.*, *Antchsp-syst.* [*Glycopyrrolate*], *AntconH-syst.* [*Fosphenytoin*], *AntfunA-syst.* [*Itraconazole*], *AnthisDAg-syst.*, *AnthisDAc-syst.*, **Antthyr-syst.**, *AntvCPol-syst.*, **AntvCPOv-syst.**, *AntvM.-syst.*, *Aprep-syst.*, *Aprot-syst.*, *Ard-syst.*, *Arip-syst.*, *ArsTr-syst.*, **Aspar-syst.**, *Ataz-syst.*, *Atorv-syst.*, **AtovaPro-syst.**, **Azac-syst.**, *Azel-nas.*, *Azel-oph.*, *Bacl-intsyst.*, *BarbAn-syst.* [*Aspirin*], *Basil-syst.*, *Benzod-syst.*, *Benzon-syst.*, *BetBA-oph.*, [*all except Levobunolol*], *BetBA-syst.* [*Labetolol*], *BetBAT-syst.*, **Bex-top.**, **Bleo-syst.**, **Bort-syst.**, *Bos-syst.*, **BotA-parloc.**, *Bupre-syst.*, *Bupro-syst.*, *Busu-syst.*, *Butor-nasyst.*, *Cab-syst.*, *Calcit-nassyst.*, *CalcA-syst.*, *Cand-syst.*, *Capec-syst.*, *Carbam-syst.*, **Carbet-syst.**, *CarbidEL-syst.*, *Carbopl-syst.*, *Carm-syst.*, *Casp-syst.*, *Cefd-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cetr-syst.*, **Cetux-syst.**, *Cev-syst.*, *ChlordA-syst.*, **Chloroq-syst.**, *Chlorh-mucloc.*, *CholAO-syst.*, *Cicl-top.*, *Cil-syst.*, *Cip-oph.*, *CipD-ot.*, *Cital-syst.*, *Clad-syst.*, *Clar-syst.*, **Clofar-syst.**, **Clofaz-syst.**, **Clon-syst.**, *Clop-syst.*, **Clot-orloc.**, *CoaT-top.*, **ColSF-syst.** [*Filgrastim*, *Sargramostim*], **ConjE-syst.**, *Cortic-inhloc.*, *Cycloph-syst.*, *Cyclosp-oph.*,

*Cyp-syst., Cyt-syst., Dal-syst., Dapt-syst., Dihy-nassyst., **Darb-syst.**, Darif-syst., Dau-syst., DauL-syst., DecAn-syst., Def-syst., Desf-inhsyst., Desl-syst., DeslP-syst., Desm-syst., Dictop., Dihy-nassyst., DiphenoA-syst., DiphtTT-syst., DiphtTTH-syst., DiphtTTPV-syst., DiphtA-syst., Dipy-syst., DipyA-syst., Diso-syst., DiuP-syst., Docet-syst., Doco-top., Dom-syst., Don-syst., Dorz-oph., Doxor-syst., DoxorL-syst., Dul-syst., Dut-syst., Eco-top., Efav-syst., Eme-oph., EmtT-syst., **Enf-syst.**, Epina-oph., Epir-syst., **Erl-syst.**, Ert-syst., **Eryth-top.**, ErythBP-top., Eso-syst., **Estro-syst.**, Esz-syst., Etan-syst., Etid-syst., Etop-syst., Exem-syst., FacIX-syst., FacVIIa-syst., Fel-syst., Fenof-syst., **Fent-trsyst.**, Feru-syst., Flox-syst., Fluda-syst., Flum-syst., Fluorq-syst., **Fluoru-top.**, Fluox-syst., Flut-inhloc., Fluv-syst., Fol-syst., For-inhloc., **Fosam-syst.**, Fus-syst., Gab-syst., Gadob-syst., Gadod-syst., Gadop-syst., Gadot-syst., GalliC-syst., Gat-oph., **Gef-syst.**, Gef-syst., Gemif-syst., Glim-syst., Glut-syst., **Gold-syst.**, **Vasc-syst.**, GroH-syst., HaeP-syst., Hepar-syst., HepatAVI-syst., HepatBVR-syst., HistH2-syst., Histr-syst., **HyalS-syst.**, HyalSD-syst., Hyalur-parloc., Hydra-syst., **HydroI-syst.**, HydroxT-oph., **Hydxcy-syst.**, Hydxycy-syst., Iba-syst., **Ibr-syst.**, Ima-syst., Imig-syst., **ImipC-syst.**, Imiq-top., Imm-syst., Inda-syst., Indin-syst., IndiuO-syst., **Infli-syst.**, InsA-syst., InsD-syst., InsGla-syst., InsGlu-syst., InsL-syst., IntA1-syst., IntA-syst., Iodoh123-syst., Iri-syst., **Isot-syst.**, JapV-syst., Ketoc-top., Ketor-syst., Lami-syst., LamiZ-syst., Lamo-syst., **Lans-syst.**, Lar-syst., Lef-syst., **Len-syst.**, Lep-syst., Let-syst., Leuc-syst., Levof-syst., Lid-syst., **Lid-top.**, **LidP-top.**, Lom-syst., LopiR-syst., Maf-top., Man-syst., **Map-syst.**, MeaMRV-syst., Mech-syst., Mef-syst., Melo-syst., Mem-syst., Mep-syst., MepA-syst., **MeqT-top.**, Merc-syst., Mero-syst., Mesa-orloc., Mesa-reloc., Mesn-syst., MethotC-syst., MethotNC-syst., **Methox-syst.**, Methy-syst., MethyTD-syst., Mica-syst., Mida-syst., Minox-syst., Moc-syst., Moe-syst., Mont-syst., Mup-top., Nad-syst., Naft-top., Nali-syst., Nalm-syst., Nalt-syst., Nar-syst., **Natal-syst.**, Nate-syst., **Nef-syst.**, Nes-syst., Neu-syst., **Nev-syst.**, Nia-syst., **NiaL-syst.**, Nico-inhsyst., Nico-nas., Nico-syst., Nita-syst., Niti-syst., **Nitro-syst.**, Oct-syst., Ofl-ot., Ola-syst., Oma-syst., Omep-syst., Ond-syst., **Opi-syst.**, Opr-syst., Ose-syst., Oxa-syst., Oxc-syst., Oxyt-syst., **Palif-syst.**, Paliv-syst., Pantop-syst., Pare-syst., Paro-syst., **PegIA2a-syst.**, **PegIA2b-syst.**, Peme-syst., **Penic-syst.**, PenicilB-syst., PenteC-syst., Pentosa-syst., Pentost-syst., PerpA-syst., Phena-syst., **Podof-top.**, Podop-top., Poli-syst., **Praml-syst.**, Prazi-syst., Pre-syst., Procai-syst., Procar-syst., Pyraz-syst., Pym-syst., QuinuD-syst., Rabe-syst., Rau-syst., Rem-syst., Rep-syst., Ret-syst., **Riba-syst.**, **RibaI-syst.**, Rifab-syst., Rifax-orloc., Ril-syst., Rime-oph., Rise-syst., **Risp-syst.**, **Ritu-syst.**, Riz-syst., Roc-syst., Rosu-syst., Serta-top., Sertr-syst., Sild-syst., Silv-top., **Sir-syst.**, SodBeSP-syst., SodI123-syst., SodI131-syst., SodTe-syst., **Sor-syst.**, Sper-vag., Sta-syst., Sucr-orloc., Sulc-top., SulfadP-syst., Sulfas-syst., Sum-syst., **Sur-syst.**, **Tacro-syst.**, **Tacro-top.**, Tad-syst., Tamo-syst., TecAr-syst., TecPh-syst., TecMed-syst., TecMer-syst., TecPe-syst., TecPy-syst., TecSul-syst., Teg-syst., Teli-syst., Tem-syst., Teno-syst., Terb-top., Teri-syst., Testos-syst., Thali-syst., Thall-syst., Thiog-syst., Thr-syst., Thyr-syst., Tia-syst., Tic-syst., Tinz-syst., Tioc-top., **Tiop-syst.**, Tiot-inhloc., Tolc-syst., Topi-syst., **TosI-syst.**, **Tram-syst.**, TramA-syst., TrandV-syst., **Trep-syst.**, **Tret-syst.**, Trie-syst., Trimetha-syst., Trimethop-syst., Trimetr-syst., **Trio-syst.**, Trip-syst., Trimetr-syst., Tros-syst., Tub-parloc., Vac-syst., Vald-syst., Valp-syst., Valr-mucloc., Van-syst., Vard-syst., Vari-syst., Vasc-syst., Vaso-syst., Ven-syst., VitB12-syst., VitDA-syst., Vor-syst., Zalc-syst., Zale-syst., Zic-syst., Zole-syst., Zolm-syst.*

black patients: **Chloroq-syst.**

burning, and: Oxi-top.

with pinhead-sized red blisters: *Cortic-top*.
 exacerbation of: **Doxep-top**.
 generalized, whole body: **Opi-syst.**, *Ose-syst.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*
 females: *Tamo-syst.*
 increased, in patients with cirrhosis: *Gadob-syst.*
 lymph nodes, swollen, associated with: *AntconD-syst.*
 mild: **AzeAc-top.**, **Imiq-top.**, **Taz-top**.
 severe, to: **Taz-top**.
 transient, and: *Cetr-syst.*, *Cortic-top*.
 numbness, and: *BetBA-syst.* [*Labetolol*]
 tingling, and: *BetBA-syst.* [*Labetolol*]
 onchocerciasis (verminosis), during treatment of: **Ive-syst**.
 paresthesias, and (occurring most commonly in groin areas, but also in face, scalp, head, and neck areas, in lower back, buttocks, and abdominal areas): *AntconH-syst.* [*Fosphenytoin*]
 patients pretreated with a gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies: *FollitA-syst.*
 rash.
 pruritic (See Eruptions, rash).
 with: *Pimo-syst.*
 maculopapular or urticarial: *AngIn-syst.*, *AngInH-syst.*
 severe, mainly on the upper body and proximal arms, with decreasing intensity of the lesions on the neck and face, and progressively less on the rest of the trunk and limbs: **Del-syst**.
 scratching: **Bex-top**.
 severe: *BenzP-top.*, **Taz-top**.
 strongyloidiasis (verminosis), during treatment of: *Ive-syst.*
 sudden: **Pentost-syst**.
 sunlight, after exposure to: *AntinfN-syst.*, *Dic-top*.
 tingling, and: *BetBA-syst.* [*Labetolol*]
 numbness, and: *BetBA-syst.* [*Labetolol*]
 transient: **Calcip-top**.
 mild, and: *Cetr-syst.*, *Cortic-top*.

CONTUSÕES (Ver Erupções ou Lesões).

COURO (Ver Erupções ou Lesões).

DESCAMAÇÃO (Ver Peeling).

DESCOLORAÇÃO (alterações na cor da pele): *AmlodAt-syst.* [*Amlodipine*], *Amph-syst.*, *AntinfN-syst.*, **Bevac-syst.**, *Capec-syst.*, *Cele-syst.*, *CorticG-syst.*, *DoxorL-syst.*, *Efav-syst.*, *Emt-syst.*, *Glut-syst.*, *Lut-syst.*, *Opr-syst.*, **Pimo-syst.**, *Podof-top.*, **SodBeSP-syst.**, **Taz-top.**, *Thiox-syst.*, *Zid-syst.*

Repertório - Capítulo PELE

blue: **Abac-syst.**, *Amio-syst.*, *AntinfN-syst.* [Phenylbutazone], *AntdepMAO-syst.*, *BronA-syst.* [Ephedrine], *Cital-syst.*, *CetiP-syst.* [Pseudoephedrine], *Cloz-syst.*, *Coc-mucloc.*, *DorzT-oph.*, *Paliv-syst.*, *SodBeSP-syst.*, *Tiz-syst.*

blue-black: *Chloroq-syst.*, *Hydxye-syst.*

blue-gray: *Chloramp-ot.*, *Chloramp-syst.*

face, neck, and arms: *Amio-syst.*

patients with fair skin or with excessive sun exposure: *Amio-syst.*

brown: *Feru-syst.*, **Iron-syst.**

-gray: *Silv-top.*

red to brownish-black: **Clofaz-syst.**

chloasma (See melasma).

erythema (See red).

hyperpigmentation (darkening of skin): **AminAc-top.**, *AntinfN-syst.*, **Bleo-syst.**, *Busu-syst.*, *Calcip-top.*, *Clon-syst.*, *Cortic-top.*, **Corticot-syst.**, **Cycloph-syst.**, *Fludro-syst.*, *Fluoru-top.*, *Indin-syst.*, *Isot-syst.*, *Lom-syst.*, **Mech-top.**, *Merc-syst.*, **Methox-syst.**, *Procar-syst.*, *Risp-syst.*, *Serta-top.*, *Tetr-syst.*, *Tret-top.*, **Trio-syst.**

melanosis (tanning or blue-gray discoloration of skin; on exposed areas of the body): *PerpA-syst.*, *Phenot-syst.*

mucous membranes, and: *Tetr-syst.*

pubertal males: *AnabS-syst.*

radiation therapy, patient who has received previous: **Dacti-syst.**, *Dau-syst.*

severe: *Hydxyu-syst.*

generalized: *Hydxyu-syst.*

hypopigmentation (lightening of treated skin; white spots or lightening of treated areas of dark skin): **AminAc-top.**, *AntinfN-syst.*, **AzeAc-top.**, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Imiq-top.*, *Isot-syst.*, **MeqT-top.**, *Tret-top.*

halo: **MeqT-top.**

persistent: *MeqT-top.*

melasma or chloasma (brown, blotchy spots on exposed skin): **DrosEE-syst.**, *Estro-syst.*, *EstroPO-syst.*, *Eton-vag.*, **MedE-syst.**, *Nafa-syst.*, *NoreE-syst.*, *Proge-syst.*

persistent: *NoreE-syst.*

mottling: *Resp-syst.*

orange-yellow: **Sulfas-syst.**

pale, pallor: **Agal-syst.**, *Anest-oph.*, *AntdepT-syst.* [Amoxapine], *AnthisDAc-syst.*, *AnthisP-syst.*, *Arip-syst.*, *ArsTr-syst.*, **Azac-syst.**, *Ber-intloc.*, *CarbidEL-syst.*, *Chloramp-oph.*, *Chloramp-syst.*, *ClotB-top.*, *Cloz-syst.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *Don-syst.*, *Epine-oph.*, *Esm-syst.*, *Fluox-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Hal-syst.*, *HydroxT-oph.*, *Lans-syst.*, *Lox-syst.*, *Mem-syst.*, *MethotC-syst.*, *MethotNC-syst.*, *Meto-syst.*, *Moli-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Palo-syst.*, *Paro-syst.*, *Perg-syst.*, *PerpA-syst.*, *Pheny-nas.*, *Pheny-oph.*, *Pse-syst.*, *Que-syst.*, *Risp-syst.*, *Serm-syst.*, *Sertr-syst.*, **Sir-syst.**, *Thiox-syst.*, *Tic-syst.*, *Tiz-syst.*, **Tret-syst.**, **Vac-syst.**, *Vaso-syst.*, *Ven-syst.*

clammy, and: *Iron-syst.*

extreme: *BronA-syst.* [Epinephrine]

post-syncopal: *Pyridos-syst.*

pigmented tissues, changes in: *Trav-oph.*

pink: **Clofaz-syst.**, *Nitrop-syst.*

purplish areas: *Hepar-syst.*, *Prota-syst.*

red, redness, erythema: **AbLam-syst.**, **Adap-top.**, *Allop-syst.*, *Almot-syst.*, *AmmMer-top.*, *Amph-syst.*, *AnestBar-syst.*, *Anid-syst.*, **Anth-top.**, *AntinfN-syst.*, *AntfunA-syst.* [*Fluconazole*], *AntvCPOv-syst.*, *AscAc-syst.*, *Atorv-syst.*, **Azac-syst.**, **AzeAc-top.**, *BarbAn-syst.* [*Aspirin*], *BenzP-top.*, *BetBA-oph.* [*Betaxolol*], *Beth-syst.*, **Bleo-syst.**, *Brim-oph.*, *Buten-top.*, **Calcip-top.**, *Cetr-syst.*, *ChorioG-syst.*, *CipD-ot.*, **Clofar-syst.**, *Cefu-syst.*, *Cele-syst.*, *Cetr-syst.*, **Cholec-syst.**, *Cital-syst.*, **Clon-syst.**, **Crom-nas.**, **Dacti-syst.**, **Daps-top.**, *Dau-syst.*, *Desm-syst.*, *Diett-top.*, *DiphtTTH-syst.*, **Docet-syst.**, *Eco-top.*, *Efl-top.*, **Enf-syst.**, *Ert-syst.*, *Eryth-top.*, *ErythBP-top.*, **Estro-syst.**, *Fluorq-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fol-syst.*, *Gadop-syst.*, *Gef-syst.*, **Gemt-syst.**, *Glim-syst.*, **Gold-syst.**, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *Histr-syst.*, *Hyalur-parloc.*, **Imiq-top.**, **Iron-syst.**, *Keta-syst.*, *Ketor-syst.*, **Len-syst.**, *Levof-syst.*, *Maf-top.*, **Map-syst.**, *MeaMRV-syst.*, *Mef-syst.*, *Metro-top.*, *Mico-top.*, **Minox-syst.**, *Minox-top.*, *Mitot-syst.*, *Miv-syst.*, *Mup-top.*, *Naft-top.*, *Nali-syst.*, *Neu-syst.*, *Nia-syst.*, *Nico-syst.*, *Nitro-syst.*, *Omeq-syst.*, *Oxc-syst.*, **Palif-syst.**, *Pantop-syst.*, *Penic-syst.*, *Podop-top.*, *Prazi-syst.*, *Propo-syst.*, **Proti-syst.**, *Pyrim-syst.*, **Reso-top.**, *Ret-syst.*, **Ritod-syst.**, *Sala-top.*, *Serta-top.*, **Sild-syst.**, *Sin-syst.*, *SodTe-syst.*, *Sor-syst.*, *Sulc-top.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Sulfu-top.*, *Sum-syst.*, *TecO-syst.*, *TecSuc-syst.*, *Telm-syst.*, *Terb-syst.*, *Terb-top.*, *Teri-syst.*, *Tetr-top.*, *Thiab-syst.*, *Thr-syst.*, *Tinz-syst.*, *Tioc-top.*, *TramA-syst.*, *Trimethop-syst.*, *Vaso-syst.*

brownish.-black, to: **Clofaz-syst.**

delayed: *Mitom-syst.*

extremities (See hands and/or feet).

animal studies: *Sum-syst.*

flare-up erythema (flushing, redness of skin; unusually warm skin): *Dacti-syst.*

hands and/or feet (See extremities): *Docet-syst.*

macular erythema (skin rash or redness with burning or itching, followed by peeling): **Aldes-syst.**

males: **Andro-syst.**

mild: *Bentoq-top.*, **Imiq-top.**, **MeqT-top.**, **Taz-top.**, **Tret-top.**

severe, to: **Imiq-top.**, **MeqT-top.**, **Taz-top.**, **Tret-top.**

transient, and: *Cetr-syst.*, *Cortic-top.*

mucous membranes, and: *AntfunA-syst.* [*Fluconazole*]

multiforme, erythema (See Allergic Reactions; Eruptions or Lesions, rash).

nodosum (See spots).

-orange: *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*

to reddish-brown: **Rifab-syst.**

pinpoint red spots on skin: *AnthisP-syst.*, *Capec-syst.*, *Gemc-syst.*, *Lans-syst.*, *Oxa-syst.*, **Sir-syst.**, *Tacro-syst.*, *Tic-syst.*

postirradiation.

exacerbation of (redness of skin at place of irradiation): *Hydxyu-syst.*

Repertório - Capítulo PELE

- recall** (darkening or redness of skin at place of irradiation): Doxor-syst., DoxorL-syst., Epir-syst., Ida-syst.
- severe**: **Imiq-top.**, **MeqT-top.**, **Taz-top.**, Tram-syst., **Tret-top.**
- soft tissue** (gum redness): Doxyc-mucloc.
- soreness, with**: Nitra-syst., Trio-syst.
- overdose or overexposure to ultraviolet light, from**: Methox-syst., Methox-top.
- spots.**
- bluish-red, nodules (erythema nodosum)** (fever; pain in ankles or knees, painful, red lumps under the skin, mostly on the legs): Aldes-syst., AntinfN-syst., BcgL-mucloc., BcgL-syst., Daps-syst., Estro-syst., Fluox-syst., JapV-syst., Nev-syst., Tret-syst.
- sunlight, after exposure to**: AntinfN-syst., Dic-top.
- increased erythematous response to ultraviolet therapy** (reddening of skin): **MethotC-syst.**, MethotNC-syst.
- ultraviolet A (UVA) light exposure, after**: Methox-exsyst.
- swelling, with**: **Fluoru-top.**
- toxic**: Daps-syst.
- upper body**: Van-syst.
- violet (violet flushing of the skin)**: Hydxyu-syst.
- warmth, with feeling of**: Sertr-syst.
- violet erythema** (See red).
- yellow**: AmphoBLsC-syst., Gemc-syst., Histr-syst., Infli-syst., Lamo-syst., Lans-syst., Oxa-syst., Phena-syst., **Sir-syst.**, Tacro-syst., Tic-syst.
- carotenodermia** (yellowing of palms, hands, or soles of feet, and to a lesser extent the face): **Betcar-syst.**
- faint**: Tetr-top.
- hair roots, around**: Tetr-top.
- hyperbilirubinemia** (See ABDOMEN, Liver; GENERALITIES; DIAGNOSTIC TESTS, Liver Function Tests).
- orange-yellow**: **Sulfas-syst.**

DOR: **Alit-top.**, AminlAc-top., Caps-top., **Clofar-syst.**, **Epoe-syst.**, **Imiq-top.**, **Maf-top.**, Mup-top., **Podof-top.**, Tetr-top.

burning: AlcAc-top., AlcSul-top., **Alit-top.**, Allop-syst., AntinfN-syst., Atorv-syst., BarbAn-syst. [Aspirin], Butor-nasyst., Cefu-syst., Cele-syst., Cital-syst., Daps-top., Eco-top., Efl-top., ErythBP-top., Fent-trsyst., Fluox-syst., Fluv-syst., Gadop-syst., Gef-syst., HistH2-syst., **Imiq-top.**, Ketor-syst., Metro-top., Mico-top., Mido-syst., Mitom-syst., Mup-top., Omep-syst., Penic-syst., PenicilB-syst., **Podof-top.**, Serta-top., SodTe-syst., Sper-vag., Sulc-top., SulfadP-syst., Sulfo-vag., **Tacro-top.**, Terb-top., Tinz-syst., Tioc-top., TramA-syst., Trimethop-syst.

itching, and: Oxi-top.

with pinhead-sized red blisters: Cortic-top.

mild: **AzeAc-top.**, **Imiq-top.**, **MeqT-top.**

severe, to: **MeqT-top.**

transient, and: Cortic-top.

severe: BenzP-top., MeqT-top.

transient: Calcip-top.

mild, and: Cortic-top.

tenderness, with: Pantop-syst.

males: Andro-syst.

mild: Imiq-top.

irritation, painful: BenzP-top., ErythBP-top.

stinging: Adap-top., AlcAc-top., AlcSul-top., Clind-top., ClotB-top., Cyclosp-oph., Eco-top., Efl-top., Eryth-top., Imiq-top., Ketoc-top., Metro-top., Mitom-syst., Mup-top., Oxi-top., Podof-top., Sala-top., Sper-vag., Sulc-top., Sun-top., Terb-top.

mild: AzeAc-top., BenzP-top., CoaT-top., ErythBP-top., Imiq-top., MeqT-top.

severe, to: MeqT-top.

temporary: CarbolF-top., Cortic-top.

severe: MeqT-top.

sun, after exposure to: Dic-top.

DORMÊNCIA (Ver Comichão; Formigamento; Sensibilidade): BetBA-syst. [*Labetolol*]

itching, and: BetBA-syst. [*Labetolol*]

tingling, and: BetBA-syst. [*Labetolol*]

tingling, and: BetBA-syst. [*Labetolol*]

itching, and: BetBA-syst. [*Labetolol*]

ECZEMA (Ver Erupções ou Lesões; Inflamação).

EDEMA (Ver Inchaço).

ELASTOSIS PERFURANTE SERPIGINOSA (comichão da pele): Tiop-syst.

ENANTEMA (Ver Erupções ou Lesões).

ENDURECIMENTOS, nódulos, etc. (endurecimento ou espessamento da pele; pequena protuberância sob a pele; caroço duro) (Ver Excrescências; Nevos; Tumores; Verrugas): AmlodBen-syst., Azac-syst., Cele-syst., Enf-syst., Gla-syst., HaeC-syst., HepatBVR-syst., Imiq-top.

males: Andro-syst.

subcutaneous (bumps below the skin): AntvCPOv-syst., Etan-syst.

ENRUGADA, murcha: Tiop-syst.

ENVELHECIMENTO da pele prematuro (exposição à luz solar e/ou radiação ultravioleta) (Ver Atrofia): Methox-exsyst., Methox-syst., Methox-top.

EPIDERMÓLISE (Ver Erupções ou Lesões).

EQUIMOSE (grandes manchas lisas, azuis ou arroxeadas na pele) (Ver Hematoma; Hemorragia): *Atorv-syst.*, **Azac-syst.**, **Enf-syst.**

ERISIPELA (manchas na pele, braço ou perna em relevo, firmes, brilhantes, vermelhas) (Ver Erupções ou Lesões): *Adal-syst.*

ERITEMA (Ver Descoloração, vermelha).

ERITEMA MULTIFORME (Ver Alérgica, Reação; Erupções ou Lesões, rash).

ERITEMA NODOSO (Ver Descoloração, vermelha, mancha).

EROSÃO (Ver Erupções ou Lesões).

ERUPÇÕES ou **LESÕES**: *Aminglut-syst.*, *Aprot-syst.*, **Azac-syst.**, *Cil-syst.*, *Dacti-syst.*, *Danaz-syst.*, **PotI-syst.**, *Ske-syst.* [*Carisoprodol*], *SodI-syst.*, *Thr-syst.*, [*Streptokinase*]

abrasion (pain, redness, rash, swelling, or bleeding where the skin is rubbed off): *Gab-syst.*

acne (See FACE, Eruptions): *Atorv-syst.*, **Basil-syst.**, *Cab-syst.*, *ClotB-top.*, *ConjE-syst.*, *Cortic-nas.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, *Cyclosp-syst.*, **Dacti-syst.**, *Danaz-syst.*, *Dic-top.*, *DicM-syst.*, *Doco-top.*, **DrosEE-syst.**, *Efal-syst.*, **Efl-top.**, *Estro-syst.*, **EstroPO-syst.**, *Fludro-syst.*, **Gef-syst.**, *Lef-syst.*, *Lit-syst.*, **MedE-syst.**, *Mem-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *MethotC-syst.*, *MethotNC-syst.*, *Myc-syst.*, **Nafa-syst.**, *Nar-syst.*, *Nico-nas.*, *NysT-top.*, *Ola-syst.*, *Ols-orloc.*, *Oxc-syst.*, *Pime-top.*, *Proge-syst.*, *Rifap-syst.*, **Sir-syst.**, *Sor-syst.*, *Sun-top.*, *Tacro-top.*, *Testos-syst.*

acneiform eruptions or lesions (See acne).

female infertility, patients treated for: **FollitA-syst.**

males: **AnabS-syst.**

mild: *Andro-syst.*

rosacea (chronic acne): *Efl-top.*

worsening of: *Metyra-syst.*

atrophy (thinning of skin with easy bruising) (See Atrophy).

blemishes: *Ure-syst.*

blisters, blistering: *Abac-syst.*, **AbLam-syst.**, *Acyc-syst.*, *Amio-syst.*, *Ampr-syst.*, *Anast-syst.*, *AntinfN-syst.*, *AntinfN-syst.*, *AntfunA-syst.* [*Fluconazole*, *Itraconazole*], *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramb-syst.*, *Cil-syst.*, *Clar-syst.*, *Clop-syst.*, *Dacti-syst.*, *Del-syst.*, *Dielt-top.*, *Docet-syst.*, *Dul-syst.*, *Eso-syst.*, *Fon-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Fosam-syst.*, *Gab-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levof-syst.*, *LopiR-syst.*, *Maf-top.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, *Mico-top.*, *Nali-syst.*, *Nef-syst.*, **Nev-syst.**, *Nitro-syst.*, *Omepr-syst.*, *Ose-syst.*, *Oxc-syst.*, *Pantop-syst.*, *Paro-syst.*, *Penic-syst.*, *PenicilB-syst.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Rise-syst.*, *Ritu-syst.*, *Sertr-syst.*, *SodBeSP-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Terb-syst.*, *Thali-syst.*, *Thiab-syst.*, *Tic-syst.*, *Tinz-syst.*, *Tiop-syst.*,

Repertório - Capítulo PELE

Toc-syst., *Topi-syst.*, *Trie-syst.*, *Trimethop-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*

dermatitis, bullous (See Inflammation, dermatitis).

fluid-filled: *Fent-trsyst.*

males: **Andro-syst.**

mucous membranes, and: *AntfunA-syst.* [*Fluconazole*], *Ceph-syst.*

peeling, with: *Trio-syst.*

overdose or overexposure to ultraviolet light, from: *Methox-syst.*, *Methox-top.*

rash, associated.

bullous (See rash).

severe, associated with: *Efav-syst.*

vesicular bulla (See vesicles) (large blisters on the skin): *MeqT-top.*

boils or furuncles (See Furunculosis): *MethotC-syst.*, *MethotNC-syst.*

bruising: *AnthisP-syst.*, *Capec-syst.*, *Cetr-syst.*

easy: *Ard-syst.*

thinning of skin with easy bruising: *ClioH-top.*

mild and transient: *Cetr-syst.*

bullous eruptions (See blisters).

candidiasis (white patches with diaper rash): *Anid-syst.*

coin-shaped: *Valp-syst.*

crusty, crusting: **Alit-top.**, **AminlAc-top.**, *MeqT-top.*

dermatoses (skin disease; skin rash; hives): *Colc-syst.*, *Flavox-syst.*

linear IgA bullous (large blisters on arms, legs, hands, feet, or upper body): *Van-syst.*

severe: *AppSupS-syst.*

discharging, moist, oozing: **Alit-top.**, *AminlAc-top.*, *Antthro-syst.*, **Fluoru-top.**, *Maf-top.*

cuts or wounds (See Wounds).

drainage: **Alit-top.**

wound, increased: *Fon-syst.*

eczema, eczematoid lesions, eczematous eruptions (skin rash encrusted, scaly and oozing): *Acit-syst.*, *Allop-syst.*, *AntinfN-syst.*, *Atorv-syst.*, *Efav-syst.*, *Fenof-syst.*, *Gemif-syst.*, *Isot-syst.*, **Nitro-syst.**, *Ose-syst.*, *Paro-syst.*, *PegiA2a-syst.*, *Ril-syst.*, *Saq-syst.*, *Sor-syst.*, *Teli-syst.*, *Ver-parloc.*

exacerbation of: **Doxep-top.**

enanthera (skin rash found mostly on mucous membranes such as eyes and mouth): *Niti-syst.*

epidermolysis (blistering, peeling, loosening of skin): *Dacti-syst.*, *Imm-syst.*, *Vac-syst.*

erosion (skin sore): **AminlAc-top.**, **Imiq-top.**, **Podof-top.**, *SalA-top.*

plaque, painful (painful peeling of skin patches in the treatment of psoriasis): *MethotNC-syst.*

erythematous (See rash, erythematous).

eschar (sloughing of skin): **Alit-top.**

exanthema (skin rash): *For-inhloc.*, *Mef-syst.*

exfoliative skin disorders, including Stevens-Johnson syndrome (reddening, blistering, peeling, or loosening of skin and mucous membranes): *AntfunA-syst.* [*Fluconazole*]

exfoliative lesions: *Allop-syst.*

fissuring (deep grooves or lines in skin): *Acit-syst.*, **Alit-top.**, *Fluoru-syst.*, **Taz-top.**
drying, and, severe: **Cetux-syst.**

furuncles (See boils; Furunculosis).

hemorrhagic (pinpoint red or purple spots on skin): *Estro-syst.*

hypertrophy (See Hypertrophy).

keratocystic response (skin rash): *CoaT-top.*

laceration (tearing of skin): *Cortic-top.*, *Mom-inhloc.*, *Pime-top.*

lichen planus, atrophic (atrophy, brittle nails, darkening or redness of skin, and skin ulcers): *Hydxyu-syst.*

reaction, lichenoid or pemphigoid, persistent: *AngIn-syst.* [*Captopril*],
AngInH-syst. [*Captopril*]

life-threatening bullous drug (resembling toxic epidermal necrolysis): *Aldes-syst.*

maceration of skin (softening of the skin): *ClotB-top.*, *Cortic-top.*, *Maf-top.*

maculopapular eruptions (See rash, maculopapular).

mild: *Clar-syst.*, *Riton-syst.*

morbiliform eruptions (See rash, morbiliform): *Glim-syst.*

scarlatiniform, and: *Daps-syst.*

papules, papular.

macular, nonpruritic, diffuse: *Fent-trsyst.*

red: *BcgL-syst.*

wheal/flare (small red raised itchy bumps): **AminlAc-top.**

peeling areas of skin (See Peeling).

petechiae (pinpoint red spots on skin): *AntinfN-syst.*, **Antcoa-syst.**, *Ard-syst.*, *ArsTr-syst.*, *Atorv-syst.*, **Azac-syst.**, *Aztr-syst.*, **Clofar-syst.**, *Dihy-nassyst.*, *DiphTTH-syst.*, *Fludro-syst.*, **Gemt-syst.**, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Ibr-syst.*, *Ima-syst.*, *Lamo-syst.*, *Valp-syst.*

bleeding, petechial (See Bleeding).

livedo reticularis (purplish red, net-like, blotchy spots on skin): **Aman-syst.**,
Antcoa-syst., *Thr-syst.*

rash, petechial (See rash).

plaques: *VitK-syst.*

psoriasis, psoriasiform eruption (red, scaling, or crusted skin): *Amio-syst.*, *AngIn-syst.*, *AntinfN-syst.*, *Azith-syst.*, *Benzod-syst.*, *BetBA-oph.* [*Levobetaxolol*], *BetBA-syst.*, *BetBAT-syst.*, *Chloroq-syst.*, *Clon-syst.*, *DigitG-syst.*, *Eryts-syst.*, **Flavoc-syst.**, *Fluox-syst.*, *Gemf-syst.*, *Gold-syst.*, *Hydxy-c-syst.*, *Imiq-top.*, *IntA-syst.*, *Lit-syst.*, *PegiA2b-syst.*, *Penicil-syst.*, *Quid-syst.*, *Terb-syst.*, *Tetr-syst.*

exacerbation of: *Urs-syst.*

psoriasiform rash (See rash).

purpuric lesions: *Allop-syst.*

pustules (pus filled blister; pimple): *AminlAc-top.*, *CoaT-top.*, *Cortic-top.*

rash, pustular (See rash).

InsD-syst., InsGla-syst., InsGlu-syst., InsL-syst., IntA1-syst., IntB1a-syst., IntG-syst., IntA-syst., Iodip-syst., Iodix-syst., Iodoh123-syst., Ioh-loc., Ioh-syst., Iopa-syst., Iopr-syst., Iot-loc., Iot-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Ioxi-syst., Ipr-inhloc., IprA-inhloc., Iri-syst., Iron-syst., Isot-syst., Isox-syst., JapV-syst., Keta-syst., Ketor-syst., Ketot-syst., Lami-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lar-syst., Lat-oph., Lax-loc., Lef-syst., Len-syst., Lep-syst., Let-syst., Leuc-syst., Leval-inhloc., Levoc-oph., Levod-syst., Levom-syst., Lid-syst., Lid-top., LidP-top., Lind-top., Lit-syst., Lod-oph., Lom-syst., Lope-orloc., LopiR-syst., LosH-syst., Lox-syst., Maf-top., Man-syst., Mann-syst., Map-syst., MeaRV-syst., MeaV-syst., MeaMRV-syst., MeaMRV-syst., Mef-syst., Melo-syst., MeniVDC-syst., Mep-syst., MepA-syst., MeqT-top., Merc-syst., Mero-syst., Mesa-orloc., Mesa-reloc., Mesn-syst., Methe-syst., MethotC-syst., MethotNC-syst., MethyTD-syst., MethyIp-syst., Methys-syst., Meto-syst., Metyra-syst., Mex-syst., Mica-syst., Mico-top., Mida-syst., Mido-syst., Migli-syst., Minox-syst., Minox-top., Mir-syst., Mitom-syst., Mitox-syst., Miv-syst., Moc-syst., Moe-syst., MoeH-syst., Moli-syst., Mont-syst., Mox-oph., Mum-syst., Mup-top., Myc-syst., Nad-syst., Nali-syst., Nalt-syst., Nar-syst., Natal-syst., Nate-syst., Nef-syst., Nel-syst., Neo-orloc., Nes-syst., Neu-syst. [Pancuronium], Nev-syst., Nia-syst., NiaL-syst., Nicl-orloc., Nico-inhsyst., Nico-nas., Nico-syst., Nis-syst., Nitra-syst., Nitrop-syst., NoreE-syst., Norf-oph., Ola-syst., Olm-syst., OlmH-syst., Omeg-syst., Omep-syst., Ond-syst., Opi-syst., Opr-syst., Orl-orloc., Ose-syst., Oxa-syst., Oxc-syst., Oxi-top., Oxyb-syst., Oxyt-syst., Palif-syst., Paliv-syst., Palo-syst., Panc-syst., Pantop-syst., Para-syst., Pare-syst., Paro-syst., Pegas-syst., Pegf-syst., PegiA2a-syst., PegiA2b-syst., Peme-syst., Pemo-syst., Penic-syst., Penicil-syst., PenicilB-syst., Penta-inh., PenteC-syst., Pentosa-syst., Pentost-syst., PerpA-syst., Phenot-syst., Pli-syst., PneC-syst., Pnev-syst., Podof-top., Podop-top., Poli-syst., PolyE-loc., Prami-syst., Praml-syst., Prazi-syst., PrazoP-syst., Pre-syst., Primi-syst., Procai-syst., Procar-syst., Proge-syst., Propa-syst., Pyraz-syst., PyreP-top., Pyridos-syst., Pyrim-syst., Que-syst., Quid-syst., QuinuD-syst., Ralo-syst., Ralt-syst., Rau-syst., Rep-syst., Ret-syst., Riba-syst., RibaI-syst., Rifab-syst., Rifax-orloc., Rise-syst., Risp-syst., Ritod-syst., Riton-syst., Ritu-syst., Roc-syst., Rof-syst., Rosu-syst., RubeM-syst., RubeV-syst., Saq-syst., Sco-oph., Seleg-syst., Sertr-syst., Sib-syst., Sild-syst., Silv-top., Sin-syst., Sir-syst., SodI123-syst., SodI131-systdia., SodPhe-syst., SodTe-syst., Sor-syst., Sta-syst., Succ-syst., Sucr-orloc., Sulfas-syst., Sulfo-syst., SulfoT-syst., Sum-syst., Sun-top., Tacri-syst., Tacro-syst., Tacro-top., Tad-syst., Tamo-syst., TecPh-syst., TecAl-syst., TecAr-syst., TecB-syst., TecE-syst., TecMed-syst., TecMer-syst., TecPe-syst., TecPy-syst., TecSe-syst., TecSuc-syst., TecSul-syst., TecTet-syst., Teli-syst., Telm-syst., TelmH-syst., Tem-syst., Tene-syst., Teni-syst., Teno-syst., Terb-top., Teri-syst., TetaT-syst., Thali-syst., Thall-syst., Thie-syst., Thiog-syst., Thiox-syst., Thr-syst., ThyH-syst., Thyr-syst., ThyrA-syst., Tia-syst., Tic-syst., Til-syst., Tinz-syst., Tioc-top., Tiop-syst., Tiot-inhloc., Tiz-syst., Toc-syst., Topi-syst., Tors-syst., TosI-syst., Tram-syst., TramA-syst., Tras-syst., Traz-syst., Trep-syst., Tret-syst., Trie-syst., Trimethob-syst., Trimethop-syst., Trimetr-syst., Trop-oph., Trov-syst., Tub-parloc., TypVL-syst., Uro-syst., Urs-syst., Vala-syst., Vald-syst., Valp-syst., ValsH-syst., Van-orloc., Van-syst., Vard-syst., Vaso-syst., Ven-syst., Vinc-syst., Vind-syst., Vino-syst., VitMF-syst., Vor-

syst., *Xyl-nas.*, *Zalc-syst.*, *Zale-syst.*, *Zan-inhsyst.*, *Zic-syst.*, **Zip-syst.**, *Zolm-syst.*, *Zolp-syst.*, *Zon-syst.*, *Zop-syst.*

acneform (blemishes on the skin, pimples): *AntconD-syst.*, **Cetux-syst.**, *Hal-syst.*

allergic: *Fludro-syst.*, **MedE-syst.**

arthralgia, with: *Del-syst.*

bullous: *Atorv-syst.*, *Del-syst.*

vesiculobullous (blisters under the skin): *EmtT-syst.*, *Gef-syst.*

pediatric patients: *Tacro-top.*

children, pediatric patients: **Efav-syst.**, *Leup-syst.*

conjunctivitis, with: *Del-syst.*

diffuse, generalized: *BotA-parloc.*, *Gon-syst.*

erythema multiforme (blistering, peeling, loosening of skin; chills; cough; diarrhea; fever; itching; joint or muscle pain; red irritated eyes; sore throat; sores, ulcers, or white spots in mouth or on lips; unusual tiredness or weakness): **AbLam-syst.**, *Abac-syst.*, *Acyc-syst.*, *Allop-syst.*, *Amif-syst.*, *Amio-syst.*, *Anast-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntdiaS-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *BarbAn-syst.* [*Barbiturates*], *BronA-syst.*, *CalcCBA-syst.* [*Diltiazem*, *Verapamil*], *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramb-syst.*, *Cital-syst.*, *Daps-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst.*, *DiphtTTH-syst.*, *Docet-syst.*, *Efav-syst.*, *Eso-syst.*, *Estro-syst.*, *Fluorq-syst.* [*Levofloxacin*], *Gab-syst.*, *Gadop-syst.*, *Gef-syst.*, *HepatAVI-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *JapV-syst.*, *Ketot-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levof-syst.*, *LopiR-syst.*, *Mef-syst.*, *Melo-syst.*, *Mero-syst.*, *MethotNC-syst.*, *Methylp-syst.*, *Nali-syst.*, **Nev-syst.**, *Nitro-syst.*, *Omep-syst.*, *Ose-syst.*, *Oxc-syst.*, *Pantop-syst.*, *PenicilB-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Silv-top.*, *Ske-syst.*, *Sor-syst.*, *SulfadP-syst.*, *Tamo-syst.*, **Teli-syst.**, *Tem-syst.*, *Tic-syst.*, *Toc-syst.*, *Topi-syst.*, *Trimethop-syst.*, *Vac-syst.*, *Vala-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*, *Vor-syst.*

bullosa, erythema multiforme: *Cys-syst.*

erythematous (redness of skin; reddened skin near ulcer; skin rash near ulcer): **Acit-syst.**, *Becap-top.*, *Cev-syst.*, *Doxyc-syst.*, *Etop-syst.*, **Nitro-syst.**, *Penc-top.*

maculopapular: **Sur-syst.**

pruritic: *AntconS-syst.*

females: **Meno-syst.**

generalized: *Tamo-syst.*

fever, and: *Del-syst.*, *Mesa-reloc.*

generalized: *Rise-syst.*

females: *Tamo-syst.*

hypersensitivity reactions, with: *Nev-syst.*

licheniform: **AntconH-syst.**

pruritic: **AntconH-syst.**

macular (redness or discoloration of skin): *Van-orloc.*

maculopapular (rash with flat lesions or small raised lesions on the skin): **Abac-syst.**, *AbLamZid-syst.*, **Allop-syst.**, *Amsa-syst.*, *AngIn-syst.*, *AngInH-*

syst., **AntconH-syst.**, **Antthyr-syst.**, **Bex-top.**, **Clofar-syst.**, *Doxyc-syst.*, *EmtT-syst.*, *Etop-syst.*, *Fludro-syst.*, *Fluorq-syst.*, *Glim-syst.*, *Nafa-syst.*, *Niti-syst.*, **Nitro-syst.**, *QuinuD-syst.*, *SodBeSP-syst.*, *Vor-syst.*

erythematous: **Sur-syst.**

itching, with: *AngIn-syst.*, *AngInH-syst.*

mild to moderate: **Efav-syst.**, *Gemif-syst.*

pruritic: **AntconH-syst.**

measles-like: **Aminglut-syst.**

mild: **AbLam-syst.**, **Erl-syst.**, **Fosam-syst.**, **Gemc-syst.**

moderate, to (macular or finely granular maculopapular eruptions on the trunk and extremities): **Gemc-syst.**

itching, with (macular or finely granular maculopapular eruptions on the trunk and extremities): **Gemc-syst.**

severe, to: **Erl-syst.**, **Fosam-syst.**

life-threatening: **Fosam-syst.**

moderate: **Gemc-syst.**

mild to moderate (macular or finely granular maculopapular eruptions on the trunk and extremities): **Gemc-syst.**

itching, with (macular or finely granular maculopapular eruptions on the trunk and extremities): **Gemc-syst.**

morbilliform: *AntconD-syst.*, **AntconH-syst.**

pruritic: **AntconH-syst.**

myalgia, with: *Del-syst.*

onchocerciasis or of strongyloidiasis (verminoses), during treatment of: **Ive-syst.**

oral lesions, with: *Del-syst.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

pediatric patients being treated for juvenile rheumatoid arthritis: **Sulfas-syst.**

petechial: *Ske-syst.* [*Chlorzoxazone*]

pruritic: *Eco-top.*, *Etop-syst.*, **Gemc-syst.**, *HyalS-syst.*, *Pimo-syst.*, **Rifab-syst.**

mild to moderate: **Gemc-syst.**

urticarial, and: *Fex-syst.*, *HyalS-syst.*

psoriasisiform (skin irritation or rash, including rash that looks like psoriasis): *Acit-syst.*

purpuric: *Amsa-syst.*, *Fluorq-syst.*

pustular (spots on your skin resembling a blister or pimple): *EmtT-syst.*, *Fluorq-syst.*

red and raised: *Hal-syst.*

severe: **AbLam-syst.**, **Alit-top.**, *Cefd-syst.*, *Chloramb-syst.*, *Del-syst.*, *DipyA-syst.*, **Erl-syst.**, **Fosam-syst.**, *Paro-syst.*, *Ras-syst.*, *Tacro-top.*, *Toc-syst.*, *ValsH-syst.*, *Zan-inhsyst.*

blistering, associated with: *Efav-syst.*

desquamation, moist, associated with: *Efav-syst.*

itching, with, mainly on the upper body and proximal arms, with decreasing intensity of the lesions on the neck and face, and progressively less on the rest of the trunk and limbs: **Del-syst.**

mild to severe: **Erl-syst., Fosam-syst.**

life-threatening: **Fosam-syst.**

ulceration, associated with: *Efav-syst.*

sudden: **Pentost-syst.**

sunlight, after exposure to: *AntinfN-syst. Dic-top.*

swelling, with: *Del-syst.*

upper body: *Van-syst.*

urticarial: **Abac-syst., AbLamZid-syst., AngIn-syst., AngInH-syst., HyalS-syst., HydroI-syst.**

itching, with: *AngIn-syst., AngInH-syst.*

mild to moderate: *Gemif-syst.*

pruritic, and: *Fex-syst., HyalS-syst., HydroI-syst.*

varicella-like: *Vari-syst.*

vasculitic (redness, soreness or itching skin; fever; sores, welting or blisters): *FlutS-inhloc., Mont-syst., Ritu-syst., Zaf-syst.*

vesicular: *IntB1a-syst.*

vesiculobullous (blisters under the skin): *EmtT-syst., Gef-syst.*

pediatric patients: *Tacro-top.*

red skin lesions or eruptions (See Discoloration, red): *Abac-syst., AbLam-syst., Amif-syst., Amio-syst., Anast-syst., AntfunA-syst. [Itraconazole], Aprep-syst., Atorv-syst., AtovaPro-syst., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Clar-syst., Docet-syst., Dul-syst., Eso-syst., Fluox-syst., Fosam-syst., Gab-syst., Imm-syst., Indin-syst., LamiZ-syst., Lans-syst., Lef-syst., Melo-syst., Mem-syst., Mero-syst., Nef-syst., Nev-syst., Nitro-syst., Ose-syst., Paro-syst., PenicilB-syst., Pre-syst., Pyrim-syst., Rabe-syst., Ritu-syst., Sertr-syst., Tacro-syst., Tad-syst., Tamo-syst., Thali-syst., Topi-syst., Tros-syst., Vac-syst., Vald-syst., Vari-syst., Ven-syst.*

purple center, with a: *Abac-syst., AbLam-syst., Amio-syst., Anast-syst., AntfunA-syst. [Itraconazole], Aprep-syst., Atorv-syst., AtovaPro-syst., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Clar-syst., Docet-syst., Dul-syst., Eso-syst., Fluox-syst., Gab-syst., Imm-syst., Indin-syst., LamiZ-syst., Lans-syst., Lef-syst., Melo-syst., Mem-syst., Mero-syst., Nef-syst., Nitro-syst., Ose-syst., Paro-syst., PenicilB-syst., Pre-syst., Pyrim-syst., Rabe-syst., Ritu-syst., Sertr-syst., Tacro-syst., Tad-syst., Tamo-syst., Thali-syst., Topi-syst., Tros-syst., Vac-syst., Vald-syst., Vari-syst., Ven-syst.*

sunlight, after exposure to: *AntinfN-syst.*

scabby, scabbing (See crusty): *AminlAc-top., Imiq-top.*

scaly, scaling, exfoliation, ichthyosis (dryness and peeling of skin): **Adap-top., Amif-syst., AminlAc-top., BcgL-syst., Clind-top., Clofaz-syst., Cortic-rec., Dic-top., Docet-syst., Doxep-top., EdD-syst., Efav-syst., Eryth-top., ErythBP-top., Fluoru-top., Nitro-syst., SalA-top., Tetr-top., Toc-syst.**

hands and/or feet: *Docet-syst.*

mild to severe: **Tret-top.**

palms or soles: *AtovaPro-syst. [Proguanil]*

severe: BenzP-top., **Tret-top.**

thick, and: *PegiA2b-syst.*

scarlatiniform and morbiliform reactions: *Daps-syst.*

sloughing: *CalcS-syst.*, *HistH2-syst.*

sudden increase in the size of pre-existing in patients with soft tissue disease: *Tamo-syst.*

sudden onset of multiple skin lesions on the arms, feet, hands, legs, palms, mouth, and/or lips: *AmlodBen-syst.*

swollen eruptions: **Amif-syst.**

tearing: *AntinfN-oph.* [*Diclofenac*]

toxicodermia: *Amif-syst.*

urticaria or hives, urticarial lesions (hives or welts; itching; redness of skin; skin rash): **AbLam-syst.**, *Abar-syst.*, *Acetyl-syst.*, *Acit-syst.*, *Acyc-syst.*, **Adal-syst.**, **Agal-syst.**, *Album-syst.*, *Aldes-syst.*, *Allop-syst.*, *Amif-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Amph-syst.*, *Amsa-syst.*, *Anast-syst.*, *Anest-parloc.*, *AnestBar-syst.*, *Anid-syst.*, *AntinfN-syst.* [**Naproxen**, *Meclofenamate*], *AntCoaC-syst.*, *Antchsp-syst.* [*Glycopyrrolate*], *AntfunA-syst.* [*Itraconazole*], *Anthis-syst.* [*Desloratadine*], *AnthisDAg-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *Anththro-syst.*, *AntvCPol-syst.*, **AntvCPOv-syst.**, *AntvM.-syst.*, *AppSupS-syst.*, *Aprep-syst.*, *Ard-syst.*, *Arip-syst.*, *AspirSC-syst.*, *Ataz-syst.*, *Atom-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *AtropB-syst.*, **Azac-syst.**, *Azel-nas.*, *Aztr-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Aspirin*], *Bell-syst.*, *BetBA-oph.*, [*all except Levobunolol*], *BetBAT-syst.*, *Bleo-syst.*, *Brin-oph.*, *BronA-syst.*, *Bupro-syst.*, *Busp-syst.*, *Butor-nasyst.*, *Calcit-nassyst.*, *Calcit-syst.*, *Cand-syst.*, *Carbam-syst.*, *CarbidEL-syst.*, *Cefd-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *ChlH-syst.*, *Chloramb-syst.*, *Chlorh-mucloc.*, *CholAO-syst.*, *ChorioG-syst.*, *Cil-syst.*, *Cip-oph.*, *Clar-syst.*, *ClonC-syst.*, *ClotB-top.*, *Cortic-inhloc.*, *Cortic-nas.* [*Budesonide*, *Dexamethasone*], *CorticG-syst.*, *Crom-inhloc.*, **Crom-nas.**, *Cycloph-syst.*, *Cyp-syst.*, *Dal-syst.*, *Darb-syst.*, *DecAn-syst.*, **Def-syst.**, *Desl-syst.*, *DeslP-syst.*, *Desm-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtITPV-syst.*, *Dipi-oph.*, *DipyA-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Docet-syst.*, *Dom-syst.*, *Don-syst.*, *Dorz-oph.*, *Doxac-syst.*, *Doxaz-syst.*, *Doxyc-syst.*, *Dul-syst.*, *Dut-syst.*, *Efav-syst.*, *EmiT-syst.*, *Eno-syst.*, *EpoE-syst.*, *Etan-syst.*, *Ethan-parloc.*, *Ethc-syst.*, *Etid-syst.*, *FacIX-syst.*, *FatE-syst.*, *Fenof-syst.*, *Feru-syst.*, *Flavox-syst.*, *Fludro-syst.*, *Flum-syst.*, *Fluorq-syst.*, **Fluox-syst.**, *Flut-inhloc.*, *FlutS-inhloc.*, *FollitB-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, *GalliC-syst.*, *Gals-syst.*, *Gat-oph.*, *Gef-syst.*, *Gla-syst.*, *Glim-syst.*, *Glut-syst.*, *Guai-syst.*, *HaeC-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *HyalS-syst.*, *HyalSD-syst.*, *Hyalur-parloc.*, *HydroI-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *Ida-syst.*, **ImipC-syst.**, *Imm-syst.*, *Inda-syst.*, *Indin-syst.*, *IndiuO-syst.*, **Infli-syst.**, *InsD-syst.*, *IntA1-syst.*, *IntB1a-syst.*, *IodS-syst.*, *Iodip-syst.*, *Iodix-syst.*, *Iodoh123-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-loc.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Ioxi-syst.*, *Ipr-inhloc.*, *IprA-inhloc.*, *Irb-syst.*, *Iri-syst.*, **Iron-syst.**, *Isot-syst.*, *JapV-syst.*, *Ketot-oph.*, *Ketor-syst.*, *Lami-syst.*, *LamiZ-syst.*, *Lar-syst.*, *Lax-loc.*, *Leuc-syst.*, *Leval-inhloc.*, *Lid-top.*, *Lind-top.*, *Maf-top.*, *Man-syst.*, *Mann-syst.*, *Mech-top.*, *Mef-syst.*, *Melo-syst.*, *Mep-syst.*, *MepA-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Methylp-syst.*, *Metyro-syst.*, *Metyro-syst.*, *Mida-syst.*, *Miv-syst.*, *Moc-syst.*, *Mont-*

syst., *Nad-syst.*, *Nali-syst.*, **Natal-syst.**, *Nate-syst.*, *Nef-syst.*, *Neu-syst.*, *Nev-syst.*, *Nico-inhsyst.*, *Nico-syst.*, **Nitro-syst.**, *Ofl-ot.*, *Ola-syst.*, *Ond-syst.*, *Opi-syst.*, *Opr-syst.*, *Ose-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Oxyt-syst.*, *Paliv-syst.*, *Panc-syst.*, *Pare-syst.*, *Pegf-syst.*, *PegiA2b-syst.*, **Penic-syst.**, *Penicil-syst.*, *PenicilB-syst.*, *PenteC-syst.*, *Pentosa-syst.*, *Pime-top.*, *PneC-syst.*, *PotI-syst.*, **Praml-syst.**, *Prazi-syst.*, *PrazoP-syst.*, *Pre-syst.*, *Procar-syst.*, *QuinuD-syst.*, *Rep-syst.*, *Ret-syst.*, *Rifax-orloc.*, *Riton-syst.*, **Ritu-syst.**, *Rof-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Sal-syst.*, *Serm-syst.*, *Sertr-syst.*, *Sild-syst.*, *SodI123-syst.*, *SodI131-systdia.*, *SodTe-syst.*, *Sta-syst.*, *Sucr-orloc.*, *Sulfas-syst.*, **Sur-syst.**, *Tad-syst.*, *TecPh-syst.*, *TecMed-syst.*, *TecPe-syst.*, *TecPy-syst.*, *TecSul-syst.*, *Teli-syst.*, *Telm-syst.*, *Tene-syst.*, *Teno-syst.*, *Teri-syst.*, *Thall-syst.*, *Thiot-syst.*, *Thr-syst.*, *ThyH-syst.*, *Tic-syst.*, *Tinz-syst.*, **Tiop-syst.**, *Tiot-inhloc.*, **TosI-syst.**, *Tram-syst.*, *Tras-syst.*, *Trie-syst.*, *Trimetha-syst.*, *TypVL-syst.*, *Uro-syst.*, *ValsH-syst.*, *Van-orloc.*, *Van-syst.*, *Vaso-syst.*, *Xyl-nas.*, *Zalc-syst.*

allergic reaction, urticaria suggestive of: *Lax-loc.*

contact: *Diett-top.*

generalized: *Teri-syst.*

mild: *Dorn-inhloc.*, *Ibr-syst.*

to moderate, transient: *Dorn-inhloc.*

to severe: *Ibr-syst.*

moderate, transient: *Dorn-inhloc.*

patients who have asthma, urticaria, angioedema, and similar conditions: *Barb-syst.*

severe: *Cefd-syst.*, *Ibr-syst.*, *Paro-syst.*, *Tacro-top.*, *ValsH-syst.*, *Zan-inhsyst.*

vesicles, vesicular, vesiculation (painful, red or itchy, pus-containing blisters in hair follicles) (See blisters): *AminlAc-top.*, *Cortic-top.*, **Imiq-top.**, **Podof-top.**, *Serta-top.*, *Tram-syst.*

bullous lesions: *Allop-syst.*

welts: *HepatBVR-syst.*

xanthomas, eruptive (irregular yellow patch or lump on skin): *Isot-syst.*

ESCAMAÇÃO (Ver Peeling).

ESCORIAÇÃO (abrasão da pele; pele em carne viva) (Ver Erupções ou Lesões, abrasão; Ferida): **Alit-top.**, *AminlAc-top.*, *BetBA-oph.* [*Betaxolol*], **Imiq-top.**

ESCORRIMENTO (Ver Erupções ou Lesões, descarga; Exoneração).

ESFOLIAÇÃO (Ver Erupções ou Lesões, escamosa).

ESTRIAS (linhas púrpuro-avermelhadas em braços, face, pernas, tronco ou virilha): *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*

dark stripes on skin: **Bleo-syst.**

EXANTEMA (Ver Erupções ou Lesões, exantema).

EXCRESCÊNCIAS (Ver Endurecimentos; Nevos; Tumores; Verrugas).

papilloma (lump or growth on skin) (See Warts): Enf-syst., Pime-top.
pyogenic granuloma: Acit-syst.

EXONERAÇÃO (Ver Escorrimento): Abac-syst., **AbLam-syst.**, Acyc-syst., Amio-syst., Ampr-syst., Anast-syst., AntfunA-syst. [Fluconazole, Itraconazole], Aprep-syst., Atorv-syst., AtovaPro-syst., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Clar-syst., Docet-syst., Dul-syst., Eso-syst., Fluorq-syst., Fluox-syst., Fosam-syst., Gab-syst., Imm-syst., Indin-syst., Indin-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., Levof-syst., LopiR-syst., Mef-syst., Melo-syst., Mem-syst., Mero-syst., Nali-syst., Nef-syst., **Nev-syst.**, Nitro-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., PenicilB-syst., Pre-syst., Pyrim-syst., Rabe-syst., Ritu-syst., Sertr-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Tacro-syst., Tad-syst., Tamo-syst., Terb-syst., Thali-syst., Thiab-syst., Tic-syst., Topi-syst., Trimethop-syst., Tros-syst., Vac-syst., Vald-syst., Vari-syst., Ven-syst.

mucous membranes, and: AntfunA-syst. [Fluconazole], Ceph-syst.

stripping off of top layer of skin, with: Pantop-syst.

FERIDA ou chaga (Ver Erupções ou Lesões; Feridas; Úlceras): Allop-syst., AminlAc-top., AntinfN-syst., Atorv-syst., BarbAn-syst. [Aspirin], **Bleo-syst.**, Cefu-syst., Cele-syst., Cital-syst., **Fluoru-top.**, Fluox-syst., Fluv-syst., Gadop-syst., Gef-syst., HistH2-syst., **Imiq-top.**, Ketor-syst., Omep-syst., Penic-syst., **Podof-top.**, Serta-top., SulfadP-syst., Tinz-syst., Trimethop-syst.

burning, with: Pantop-syst.

chafing (soreness or irritation of the skin caused by friction): **Podof-top.**

males: Andro-syst.

mild: **Imiq-top.**

redness, with: Nitra-syst., Trio-syst.

overdose or overexposure to ultraviolet light, from: Methox-syst., Methox-top.

FERIDAS (Ver Erupções ou Lesões; Ferida ou chaga; Úlceras).

bleeding from cuts or wounds: **Lep-syst.**, Prota-syst., **Thr-syst.**

heavy: Hepar-syst.

surgical or postoperative: Ketor-syst.

persistent: Eno-syst.

healing, impaired, complications: **Bevac-syst.**, Cortic-nas., Cortic-ot., Cortic-rec., CorticG-syst., Dacli-syst., Dacti-syst., Fludro-syst., Sor-syst., TobD-oph.

infection (See Infection).

oozing from cuts or wounds: **Antcoa-syst.**, Danap-syst., Prota-syst.

heavy: Hepar-syst.

FINA, frágil: Cortic-ot., Cortic-rec., CorticG-syst., Fludro-syst., Isot-syst., Sor-syst.

bruising, easy, with: ClioH-top.

FORMIGAMENTO (falsa sensação de insetos rastejando sobre a pele; sensação de rastejamento) (Ver Comichão; Dormência; Picadas; Sensibilidade): Butor-nasyst., Ergon-syst., Fent-trsyst., Methyler-syst.

FOTOSENSIBILIDADE (Ver Fotossensibilidade, Reação de; Fototoxicidade; Sensibilidade à luz).

FOTOSENSIBILIDADE, REAÇÃO DE (aumento da sensibilidade da pele à luz solar; coceira, vermelhidão ou outra descoloração da pele; queimaduras graves; erupções cutâneas; formação de bolhas, vermelhidão e inchaço da pele) (Ver Fototoxicidade; Sensibilidade à luz): *Amph-syst.*, *BisSMT-syst.*, *Cele-syst.*, *Dic-top.*, *Melo-syst.*, **Por-syst.**, *Trov-syst.*, *Vard-syst.*, *Vor-syst.*

pediatric patients, severe: Cisap-syst.

resembling porphyria cutanea tarda and epidermyolysis bullosa (blistering, scarring, darkening or lightening of skin color): *AntinfN-syst.*

FOTOTOXICIDADE (bolhas; sensação de queimação na pele; coceira, erupção ou vermelhidão na pele; inchaço) (Ver Fotossensibilidade, Reação de; Sensibilidade à luz): *Fluorq-syst.*, [**Lomefloxacin, Sparfloxacin**], *Levof-syst.*, **Spa-syst.**, *Trimethop-syst.*

FRÁGIL (Ver Fina).

FRIA: BronA-syst. [Epinephrine]

clammy, and: AmlodAt-syst. [*Amlodipine*], *AntdepMAO-syst.*, *BarbAn-syst.* [Codeine], *Bupre-syst.*, *Butor-nasyst.*, *Dihy-nassyst.*, *Fent-syst.*, *Fent-trsyst.*, *FentD-syst.*, *HydroI-syst.* [Hydrocodone], *IbupO-syst.* [Oxycodone], *Levom-syst.*, *Opi-syst.*, *Pare-syst.*, *Seleg-syst.*, *Tram-syst.*

sweating, increased, with: Seleg-syst.

FURÚNCULOS (Ver Erupções ou Lesões, furúnculo; Furunculose).

FURUNCULOSE (múltiplas lesões cutâneas inflamadas e inchadas) (Ver Furúnculos): *Cortic-top.*, *Valp-syst.*

GANGRENA (feridas na pele, especialmente em coxas, seios, pênis e nádegas): *Antcoa-syst.*, *Methyler-syst.*

necrosis, hemorrhagic, with: Antcoa-syst.

GROSSA, espessa: **Bleo-syst.**, *Nitro-syst.*

lipohypertrophy (thickening of the skin): **Mecas-syst.**

scaly, and: PegiA2b-syst.

GRUDENTA (Ver TRANSPIRAÇÃO, Úmida): **Acit-syst.**, **Bex-top.**

HEMATOMA (coleção de sangue sob a pele; contusão profunda de coloração púrpura, escura; prurido, dor; vermelhidão ou inchaço) (Ver Equimose; Hemorragia; GENERALIDADES): *Anthro-syst.*, **Azac-syst.**, *Basil-syst.*, *Cev-syst.*, *Chond-imploc.*, *Danap-syst.*, *Eno-syst.*, *Fon-syst.*, *Hepar-syst.*, *Histr-syst.*, **Lep-syst.**, *Tene-syst.*, *Tinz-syst.*

spontaneous skin hematomas.

HIV-infected patients with hemophilia type A or B who are receiving protease inhibitor therapy: *Nel-syst.*

HEMORRAGIA ou sangramento (Ver Equimose; Hematoma): *AminlAc-top.*, *Efl-top.*, **Imiq-top.**, *Maf-top.*, **Podof-top.**

abnormal (purple or red spots on skin): *Fluox-syst.*

hematoma (See Hematoma).

hemorrhagic eruption (See Eruptions or Lesions).

petechial (small red spots on skin) (See Eruptions or Lesions): *Pli-syst.*

purpura (See Purpura).

subcutaneous: *Cil-syst.*, *Thr-syst.*

wounds (See Wounds).

HERPES.

simplex (burning or stinging of skin; painful cold sores or blisters on lips, nose, eyes, or genitals): **Gemt-syst.**, *IntB1a-syst.*, *Leval-inhloc.*, *Pentost-syst.*, *Pime-top.*, *Ritu-syst.*, *Sild-syst.*, **Sir-syst.**

dermatitis, herpes simplex (See Inflammation, dermatitis).

disseminated: *Isot-syst.*

zoster (painful blisters on trunk of body): **Bort-syst.**, *HepatBVR-syst.*, *IntB1a-syst.*, *Pentost-syst.*, **Sir-syst.**, *Tiot-inhloc.*, *Vari-syst.*

precipitation of (painful rash): **Mech-syst.**

HIPERTROFIA: *Acit-syst.*, **Sir-syst.**

ICTIOSE (Ver Erupções ou Lesões, escamosa).

IMPETIGO (Ver Infecção).

INCHAÇO, edema: **Alit-top.**, **AminlAc-top.**, *AminlAc-top.*, **Clofar-syst.**, *Cetr-syst.*, *CholAO-syst.*, *DiatI-loc.*, *Diat-loc.*, *Diat-syst.*, *Docet-syst.*, *ErythBP-top.*, **Imiq-top.**, *Iodip-syst.*, *Ioh-loc.*, *Ioh-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-loc.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-loc.*, *Ioxa-syst.*, *Lid-syst.*, **LidP-top.**, *Maf-top.*, **Map-syst.**, *Mup-top.*, *Tetr-top.*, *Tioc-top.*

angioedema (large hives): *Flut-inhloc.*

dry puffy skin: *Antthyr-syst.*

hands and/or feet: *Docet-syst.*

males: *Andro-syst.*

mild and transient: *Cetr-syst.*

pitting edema (swelling with pits or depressions visible on skin): **Azac-syst.**

raised red swellings: *CarbidEL-syst.* [*Entacapone*], *Paro-syst.*, *Vari-syst.*

redness, with: **Fluoru-top.**

severe: *BenzP-top.*, *Tram-syst.*

INFECÇÃO (comichão, dor, vermelhidão, inchaço, flacidez, e/ou calor na pele) (Ver Inflamação): *Acit-syst.*, *AlcAc-top.*, *AmmMer-top.*, **Isot-syst.**, **Pime-top.**, *PyreP-top.*

bacterial, secondary: *Vari-syst.*

candidiasis, dermal (skin rash; cracks in skin at the corners of mouth; soreness or redness around fingernails and toenails): Infl-syst.

dermatitis, fungal (See Inflammation, dermatitis).

herpes (See Herpes).

impetigo (bacterial skin infection; red rash with watery, yellow-colored, or pus filled blisters; thick yellow to honey-colored crusts): Pime-top., Vari-syst.

bullous (red rash with watery, yellow-colored, or pus filled blisters; thick yellow to honey-colored crusts): Tacro-top.

males: Andro-syst.

mycosis: **Mitox-syst.**

pyoderma: Cortic-top.

secondary: Cortic-top.

wound (chills; discharge from wound; pain, tenderness, and warmth at wound site; unusual tiredness or weakness): AntvCPOv-syst.

superficial: Chond-imploc.

INFLAMAÇÃO (Ver Infecção; Irritação): **Bex-top.**, **Fluoru-top.**, **Podof-top.**

cellulitis (itching, pain, redness, swelling, tenderness; warmth on skin; swollen area that feels warm and tender): **Adal-syst.**, **Anak-syst.**, AntvCPOv-syst., **Azac-syst.**, Cele-syst., **Clofar-syst.**, Cyt-syst., Dacti-syst., DiphtTTH-syst., Doxor-syst., Efal-syst., Etan-syst., **Len-syst.**, Mitom-syst., **Nitri-inhloc.**, Ras-syst., **Sir-syst.**, Tiz-syst., Tram-syst., Tret-syst., Vari-syst., Vinb-syst., Vinc-syst., Zic-syst.

dermatitis (blistering, crusting, irritation, itching, or reddening of skin; cracked, dry, scaly skin; swelling): Acit-syst., Almot-syst., AmlodAt-syst. [Amlodipine], AmlodBen-syst., AnthisP-syst., ArsTr-syst., Atom-syst., BetBA-oph., [Levobetaxolol], Brin-oph., **Calcip-top.**, **Capec-syst.**, Cele-syst., Chloramb-syst., Cip-oph., **Clofar-syst.**, Cortic-nas. [Budesonide], Doxor-syst., Eme-oph., **Fluoru-syst.**, Flut-inhloc., Gemif-syst., Iod-top., Levam-syst., Lind-top., **Natal-syst.**, Oma-syst., Ose-syst., **PegiA2a-syst.**, PenteC-syst., Pil-oph., SelenSup-syst., Tram-syst., Trie-syst., **Zole-syst.**

allergic (skin rash, hives or, itching; raised red swellings on the skin, the buttocks, legs or ankles; large, flat, blue or purplish patches in the skin; painful knees and ankles; fever; stomach pain; bloody or black, tarry stools; blood in urine): Acet-syst., Acetyl-syst., **Allop-syst.**, Antcoa-syst. [Dicumarol, Warfarin], AspirSC-syst., Bacl-syst., BarbAn-syst. [Acetaminophen, Aspirin, Barbiturates, Codeine], Bupre-syst., Chym-parloc., Cyclob-syst., Dant-syst., FentD-syst., Gold-syst., IsomDA-syst., Palo-syst., Phena-syst., Probe-syst., Rifax-orloc., Sal-syst., Ske-syst., Sulfi-syst., Sum-syst.

allergic contact dermatitis (itching and redness of skin; skin rash; hives; burning, blistering, crusting, or swelling of skin): AmphoB-top., Anest-mucloc., BenzP-top., ClotB-top., CoaT-top., Cortic-rec., Cortic-top., ErythBP-top., Fent-trsyst., Mal-top., Oxi-top., Sun-top.

males: Andro-syst.

photoallergic contact dermatitis (early appearance of redness or swelling of the skin; late appearance of rash with or without weeping)

Repertório - Capítulo PELE

blisters that become crusted, especially in sun-exposed areas of skin, and that may extend to unexposed areas): *Sun-top*.

bullous (skin blisters): *Imm-syst.*, *Vac-syst*.

vesicobullous: *Ritu-syst*.

contact (skin rash, redness, itching, or hives; burning, stinging, swelling, or tenderness; blistering, crusting, dryness, flaking, oozing of skin; scaling; soreness): *Anest-top.*, *Aprac-oph.*, *Atorv-syst.*, *BenzyB-top.*, **Bex-top.**, *Buten-top.*, *Chlorox-top.*, *Clind-top.*, **Dic-top.**, *Dorz-oph.*, *Efl-top.*, **Fluorotop.**, *Ketoc-top.*, *Lym-syst.*, *MeaRV-syst.*, *Minox-top.*, **Neo-top.**, **NeoP-top.**, *Nitrofz-top.*, *Serta-top.*, *Sild-syst*.

allergic contact dermatitis (itching and redness of skin; skin rash; hives; burning, blistering, crusting, or swelling of skin): *AmphoB-top.*, *Anest-mucloc.*, *BenzP-top.*, *ClotB-top.*, *CoaT-top.*, *Cortic-rec.*, *ErythBP-top.*, *Fent-trsyst.*, *Mal-top.*, *Oxi-top.*, *Sun-top*.

males: *Andro-syst*.

females: *Spec-syst*.

irritant contact dermatitis: *CoaT-top*.

psoriasis, patients with: *Taz-top*.

males: *Spec-syst*.

photoallergic contact dermatitis (early appearance of redness or swelling of the skin; late appearance of rash with or without weeping blisters that become crusted, especially in sun-exposed areas of skin, and that may extend to unexposed areas): *Sun-top*.

exfoliative (peeling of skin; skin redness; blisters on skin [can be fatal]; blistering, peeling, or loosening of skin and mucous membranes; possible prodrome of chills, fever with or without chills, sore throat, muscle aches or pains, and/or nausea with or without vomiting; red, thickened, scaly skin; swollen and/or painful glands; unusual bruising; may lead to alopecia and shedding of nails; cracks in the skin; loss of heat from the body; red, swollen skin; general feeling of discomfort or illness; red skin lesions, often with a purple center): *Aldes-syst.*, **Alit-top.**, *Allop-syst.*, *Amif-syst.*, *Amio-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntdiaS-syst.*, *Barb-syst.*, *BarbAn-syst*, [*Barbiturates*], **Bevac-syst.**, **Bex-syst.**, **Bex-top.**, *CalcCBA-syst*, [*Diltiazem*], *Cele-syst.*, *Crom-inhloc.*, *Cyp-syst.*, *Daps-syst.*, *Doxyc-syst.*, *EdD-syst.*, *Fent-trsyst.*, *Fluox-syst.*, *Gold-syst.*, *HistH2-syst.*, *Imiq-top.*, *Ketor-syst.*, *Melo-syst.*, *MethotNC-syst.*, *Methylp-syst.*, **Nev-syst.**, *Niti-syst.*, *Nitro-syst.*, *Opr-syst.*, *Penic-syst.*, *Penicil-syst.*, *Ril-syst.*, *Sild-syst.*, *Sor-syst.*, *Sur-syst.*, *Tad-syst.*, *Tic-syst.*, *Toc-syst.*, *Trimethop-syst.*, *Vald-syst.*, *Van-orloc*.

life-threatening: *Levam-syst*.

fungal (blistering, crusting, irritation, itching, or reddening of skin; cracked, dry, scaly skin; swelling): **Sir-syst.**, *Zip-syst*.

herpes-simplex dermatitis (blistering, crusting, irritation, itching, or reddening of skin; swelling; fever): *Pime-top*.

hypersensitivity-induced (angioedema [swelling of face, lips, or eyelids]; skin rash; urticaria [hives]): *BronA-inhloc.*, *BronT-syst.* [*Aminophylline*], *Ipr-inhloc.*

lichenoid: *Ritu-syst.*

photodermatitis, photoallergic dermatitis (early appearance of redness or swelling of the skin; late appearance of rash with or without weeping blisters that become crusted, especially in sun-exposed areas of skin, may extend to unexposed areas): *Crom-inhloc.*, *Efav-syst.*

seborrhic: **Corticot-syst.**

severe: *Topo-syst.*

animal studies: *Oxi-top.*

similar to those lesions caused by vitamin B₆ deficiency: *EdC-syst.*

vesicobullous: *Ritu-syst.*

eczema (skin rash encrusted, scaly and oozing): *Acit-syst.*, *Allop-syst.*, *AntinfN-syst.*, *Atorv-syst.*, *Efav-syst.*, *Gemif-syst.*, *Isot-syst.*, **Nitro-syst.**, *Ose-syst.*, *Paro-syst.*, *PegiA2a-syst.*, *Ril-syst.*, *Saq-syst.*, *Sor-syst.*, *Teli-syst.*, *Ver-parloc.*

folliculitis (burning, itching, and pain in hairy areas; pus in the hair follicles): *Calcip-top.*, *Cortic-rec.*, *ClotB-top.*, *CoaT-top.*, *Cortic-rec.*, *DauL-syst.*, *Efav-syst.*, *Efl-top.*, *Enf-syst.*, *Minox-top.*, *Oxi-top.*, **Pime-top.**, *Sor-syst.*, *Sun-top.*, *Tacro-top.*

inflammatory reaction, mild (burning, stinging, or tingling of skin, mild): **AzeAc-top.**

keratoses, inflammation of multiple actinic (solar): *Pentost-syst.*

vasculitis, cutaneous (redness, soreness or itching skin; fever; sores, wetting or blisters): *Adal-syst.*, *Amio-syst.*, *Cele-syst.*, *Hydra-syst.*, *Infli-syst.*, **MethotC-syst.**, *MethotNC-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

vasculitic rash (See Eruptions or Lesions, rash).

IRRITAÇÃO (Ver Inflamação; Sensibilidade): **AbLam-syst.**, *AmphoB-top.*, **Anth-top.**, *CarbolF-top.*, *Cicl-top.*, *Clind-top.*, *Crot-top.*, *Doxep-top.*, *Eco-top.*, **Eryth-top.**, **Estro-syst.**, **Gemt-syst.**, *GentiV-top.*, *Ketoc-top.*, *Lid-top.*, *Lind-top.*, **MeqT-top.**, *Metro-top.*, *Mico-top.*, *Naft-top.*, *Nys-top.*, *Oxi-top.*, *Podop-top.*, *Prazi-syst.*, *PyreP-top.*, *Pyrit-top.*, *Reso-top.*, *Riba-syst.*, *SelenS-top.*, *Sper-vag.*, *Sulfu-top.*, *Sun-top.*, *Terb-top.*, *Tetr-top.*, *Tioc-top.*

burns, and: *AmmSAr-syst.*

intertriginous areas (burning, itching, redness or other signs of irritation not present before therapy): *AmphoB-top.*

males: *Andro-syst.*

mild: **SalA-top.**

severe, to: **SalA-top.**

transient, and: *Cortic-top.*

painful: *BenzP-top.*, *ErythBP-top.*

severe: **SalA-top.**

slight (burning sensation; itching): *BenzyB-top.*

transient: **Calcip-top.**

mild, and: *Cortic-top.*

LACERAÇÃO (Ver Erupções ou Lesões).

LESÕES (Ver Erupções ou Lesões).

LÍQUEN PLANO (Ver Erupções ou Lesões).

LIVEDO RETICULAR (Ver Erupções ou Lesões, petéquia; GENERALIDADES, Hemorragia).

LÚPUS ERITEMATOSO SISTÊMICO (Ver GENERALIDADES, Lupus Eritematoso Sistêmico): **AntconH-syst.**

exacerbated (fever; muscle pain; skin rash; sore throat): *Doxyc-syst., Estro-syst.*

MELANOSE (Ver Descoloração, hiperpigmentação).

MELASMA ou cloasma (Ver Descoloração).

MILIÁRIA RUBRA (queimação e prurido na pele com bolhas vermelhas tipo cabeça de alfinete): *Cortic-top.*

MOSCHCOWITZ, DOENÇA DE (Ver Púrpura, púrpura trombocitopênica trombótica).

NECRÓLISE EPIDÉRMICA TÓXICA, Síndrome de Lyell (formação de bolhas, descamação, descolamento da pele; calafrios; tosse; febre; diarreia; prurido; câibras musculares; dor muscular; olhos vermelhos, irritados; lesões de pele vermelhas, muitas vezes com um centro roxo; erupções cutâneas; áreas de pele cruenta; dor de garganta; feridas, úlceras ou manchas brancas na boca ou lábios; cansaço incomum ou fraqueza) (Ver Necrose; Stevens-Johnson, Síndrome de): *Abac-syst., AbLam-syst., Acyc-syst., Allop-syst., Amif-syst., Amio-syst., AntinfN-syst., AntconH-syst., AntfunA-syst., Atorv-syst., BarbAn-syst. [Aspirin], BetBA-oph. [Betaxolol], Brin-oph., CandH-syst., Carbam-syst., Cefu-syst., Cele-syst., Ceph-syst., Chloramb-syst., Cital-syst., Clar-syst., Cys-syst., Daps-syst., Docet-syst., Dorz-oph., DorzT-oph., Eso-syst., Fluox-syst., Fluv-syst., Gadop-syst., Gef-syst., HistH2-syst., Ketor-syst., Lamo-syst., Lans-syst., Lat-oph., Lef-syst., Melo-syst., Mero-syst., MethotNC-syst., Nev-syst., Ofl-oph., Omep-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Penic-syst., PenicilB-syst., Pli-syst., Pyrim-syst., Rabe-syst., Ritu-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Terb-syst., Thali-syst., Tinz-syst., Topi-syst., Trimethop-syst., Vald-syst., Vor-syst., Zon-syst.*

life-threatening or fatal: *Omep-syst., Oxc-syst., Thali-syst.*

NECROSE (descoloração da pele azul-esverdeada a preta; dor, vermelhidão ou descolamento da pele) (Ver Necrólise): *CalcS-syst., Colc-syst., Dal-syst., Diat-syst., Hepar-syst., Mann-syst., MethotNC-syst., Nad-syst., Nev-syst., Silv-top., SodTe-syst., Tinz-syst., Ven-syst.*

hemorrhagic (sores on skin, especially on thighs, breasts, penis, or buttocks): *Antcoa-syst.*

gangrene, with: *Antcoa-syst.*
ischemic (break in the skin, especially associated with blue-black discoloration, swelling, or drainage of fluid): *Tinz-syst.*
requiring surgery: **Nev-syst.**
soft tissues, and: *Colc-syst.*
tissue: *Doxor-syst.*

NEVOS (Ver Endurecimentos; Excrescências; Tumores; Verrugas): *IntB1a-syst.*
growth of, increased: *GroH-syst.*

NODOSIDADES (Ver Endurecimentos).

ODOR (Ver TRANSPIRAÇÃO).

OLEOSA (Ver Brilhante).
hair: *Danaz-syst.*

PARESTESIA (Ver Sensibilidade).

PEELING, descamação, escamação: *Abac-syst., AbLam-syst., Acyc-syst., AlcSul-top., Allop-syst., Amif-syst., Amio-syst., Ampr-syst., Anast-syst., AntinfN-syst., AntfunA-syst.* [*Fluconazole, Itraconazole*], *Aprep-syst., Atorv-syst., AtovaPro-syst., AzeAc-top., BcgL-syst., BarbAn-syst.* [*Aspirin*], *BenzP-top., Calcip-top., Cefu-syst., Cele-syst., Ceph-syst., Cil-syst., Cital-syst., Clar-syst., Clind-top., Clop-syst., Clop-syst., CoaT-top., Daps-top., Docet-syst., Dul-syst., Eryth-top., ErythBP-top., Eso-syst., Fluorq-syst., Fluox-syst., Fluv-syst., Fosam-syst., Gab-syst., Gadop-syst., Gef-syst., HistH2-syst., Ketor-syst., Imm-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., Levof-syst., LopiR-syst., Mef-syst., Melo-syst., Mem-syst., Mero-syst., Nali-syst., Nef-syst., Nev-syst., Nitro-syst., Omeq-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Peme-syst., Penic-syst., PenicilB-syst., Podof-top., Pre-syst., Pym-syst., Rabe-syst., Reso-top., ResoS-top., Ritu-syst., SalA-top., SalAS-top., SalASC-top., Serta-top., Sertr-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Sulfu-top., Tacro-syst., Tad-syst., Tamo-syst., Terb-syst., Terb-top., Thali-syst., Thiab-syst., Tic-syst., Tinz-syst., Tiop-syst., Toc-syst., Topi-syst., Tret-top., Trimethop-syst., Tros-syst., Vac-syst., Vald-syst., Vari-syst., Ven-syst., VitA-syst.*

blistering, with: *Trio-syst.*

overdose or overexposure to ultraviolet light, from: *Methox-syst., Methox-top.*

mild: **Imiq-top., MeqT-top., Taz-top.**

severe, to: **MeqT-top., Taz-top.**

mucous membranes, and: *AntfunA-syst.* [*Fluconazole*], *Ceph-syst.*

rash, severe, associated with: *Efav-syst.*

severe: **MeqT-top., Taz-top.**

stripping off of top layer of skin with loosening of skin: *Pantop-syst.*

PÊLOS.

abnormalities: *Isot-syst.*

alopecia (See falls out in general).

bleaching: *Chloroq-syst.*

erection, pilomotor (piloerection, goosebumps, gooseflesh, increased pilomotor activity): *Chym-parloc.*, **Mido-syst.**, *Nalo-syst.*, *Tola-parsyst.*, *Tram-syst.*, *TramA-syst.*

animal studies: AntandN-syst. [Flutamide]

rodents: Gemif-syst.

falls out in general, alopecia (hair loss; thinning of hair): *AbLam-syst.*, **Acit-syst.**, *Acyc-syst.*, *Albd-syst.*, *AmlodAt-syst.* [Amlodipine], *Amsa-syst.*, *Anag-syst.*, *Anast-syst.*, *Andro-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AntfunA-syst.*, *Atorv-syst.*, *BetBA-oph.*, [*Betaxolol*, *Levobetaxolol*, *Timolol*], **Bevac-syst.**, **Bex-syst.**, *Bleo-syst.*, *Brin-oph.*, *Carbam-syst.*, *CarbidEL-syst.*, *Carbopl-syst.*, *Carm-syst.*, *Cele-syst.*, **Cetux-syst.**, *Colc-syst.*, **Cycloph-syst.**, *Cyp-syst.*, *Cyt-syst.*, *Dac-syst.*, **Dacti-syst.**, **Dau-syst.**, *DauL-syst.*, *Dic-top.*, *DicM-syst.*, *DiphTTH-syst.*, *Dipy-syst.*, **Docet-syst.**, *Doxaz-syst.*, **Doxor-syst.**, **DoxorL-syst.**, *DrosEE-syst.*, *Efav-syst.*, *Efl-syst.*, **Epir-syst.**, *Erl-syst.*, *EstroPO-syst.*, *Etan-syst.*, **Etop-syst.**, *Exem-syst.*, *Fluda-syst.*, **Fluoru-syst.**, *Fluox-syst.*, *FollitB-syst.*, **Gemc-syst.**, *Gold-syst.*, *Hepar-syst.*, *HistH2-syst.* [*Cimetidine*, *Famotidine*, *Ranitidine*], *Hydxyc-syst.*, *Hydxyu-syst.*, **Ida-syst.**, **Ifo-syst.**, *Indin-syst.*, *IntA1-syst.*, *IntB1a-syst.*, *IntB1b-syst.*, **Iri-syst.**, *Isot-syst.*, *Lami-syst.*, *LamiZ-syst.*, **Lef-syst.**, *Let-syst.*, *Levam-syst.*, *Leve-syst.*, *Lit-syst.*, *Lom-syst.*, *Meb-syst.*, *Mech-syst.*, **MedE-syst.**, *Mef-syst.*, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *MethotC-syst.*, *MethotNC-syst.*, *Methys-syst.*, *Metyra-syst.*, *Mitom-syst.*, **Mitox-syst.**, *Niti-syst.*, *Oct-syst.*, *Oxa-syst.*, **Pac-syst.**, **PacP-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, *Pentosa-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Procar-syst.*, *Proge-syst.*, *Pyridos-syst.*, **Ralt-syst.**, **RibaI-syst.**, *Ril-syst.*, *SelenSup-syst.*, **Sor-syst.**, **Teni-syst.**, *Thiot-syst.*, *Tiz-syst.*, **Topo-syst.**, **Tret-syst.**, **Urs-syst.**, **Valp-syst.**, *Vals-syst.*, **Vinb-syst.**, **Vinc-syst.**, *Vind-syst.*, **Vino-syst.**, *VitA-syst.*, **Zole-syst.**

increased: *Chloroq-syst.*, *ClotB-top.*, *NysT-top.*, *SelenS-top.*

partial: **IntA-syst.**, *Tamo-syst.*

reversible: *AtovaPro-syst.* [Proguanil], *Progu-syst.*

transient, temporary: *Nitro-syst.*

hypertrichosis (unusual and excessive hair growth on body and face): *AntconH-syst.*, [*Phenytoin*], *Basil-syst.*, *Cortic-rec.*, *ClotB-top.*, *Cortic-rec.*, *Cortic-top.*, *Diaz-orsyst.*, *DrosEE-syst.*, *EstroPO-syst.*, **Minox-syst.**, *NysT-top.*, *Proge-syst.*

hirsutism (hair growth stimulant): *Anth-top.*, *Bim-oph.*, *Cortic-ot.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, **Corticot-syst.**, **Cyclosp-syst.**, *Cyp-syst.*, *Estro-syst.*, *Fin-syst.*, *Fludro-syst.*, *Isot-syst.*, *Methox-syst.*, *Methox-top.*, *Metyra-syst.*, *Minox-top.*, *Nafa-syst.*, **Sir-syst.**

thinning of: *Flox-syst.*, *Tamo-syst.*

PÊNFIGO (prurido de pele; bolhas na boca seguidas na pele, tronco, couro cabeludo ou outras áreas): *AmlodBen-syst.*, **Tiop-syst.**, *Topi-syst.*

bullous pemphigoid (blistering, peeling, or loosening of skin and mucous membranes; large, hard skin blisters): *Tamo-syst.*

foliaceus (lesions on the face, neck, scalp, and/or trunk): **Penic-syst.**

paraneoplastic (blisters in the mouth; blisters on the trunk, scalp, or other areas; itching): Ritu-syst.

reaction, lichenoid or pemphigoid, persistent: *AngIn-syst.* [*Captopril*], *AngInH-syst.* [*Captopril*]

vulgaris (lesions on the face, neck, scalp, and/or trunk): **Penic-syst.**

PETÉQUIAS (Ver Erupções ou Lesões).

PICADAS (Ver Comichão; Dormência; Formigamento; Sensibilidade): *BetBA-syst.* [*Labetolol*], *Doxep-top.*, *Efl-top.*, *Fent-trsyst.*, **Podof-top.**, *Tacro-top.*, *Terb-top.*

itching, and: *BetBA-syst.* [*Labetolol*]

numbness, and: *BetBA-syst.* [*Labetolol*]

mild: **AzeAc-top.**, **MeqT-top.**, **Tret-top.**

severe, to: **MeqT-top.**

numbness, and: *BetBA-syst.* [*Labetolol*]

itching, and: *BetBA-syst.* [*Labetolol*]

severe: **MeqT-top.**

PRURIDO (Ver Comichão).

PSORÍASE (Ver Erupções ou Lesões).

PÚRPURA (manchas na pele vermelhas, azuis ou roxas, variando em tamanho de pontual a contusões grandes; pequenas manchas na pele onde o sangramento ocorreu; sangue na urina; fezes sanguinolentas ou pretas; febre; joelhos e tornozelos dolorosos; edemas vermelhos e elevados na pele, nádegas, pernas ou tornozelos; dor de estômago): *Acit-syst.*, *Alemt-syst.*, *AntinfN-syst.*, *Aztr-syst.*, *CarbidEL-syst.* [*Entacapone*], *Carv-syst.*, *Cil-syst.*, **Clop-syst.**, *Cortic-top.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *DipyA-syst.*, *Doxaz-syst.*, *Enta-syst.*, *FacVIIa-syst.*, *Fludro-syst.*, *Fon-syst.*, *Hydra-syst.*, *Ketor-syst.*, *Los-syst.*, *MeaMRV-syst.*, *Melo-syst.*, *Nad-syst.*, *Nico-nas.*, *Oxc-syst.*, *Tic-syst.*

allergic (raised red swellings on the skin, the buttocks, legs or ankles; large, flat, blue or purplish patches in the skin; painful knees and ankles; fever; stomach pain; bloody or black, tarry stools; blood in urine): *Tinz-syst.*

anaphylactoid (cough; difficulty swallowing; dizziness; fast heartbeat; hives, itching, puffiness or swelling of the eyelids or around the eyes, face, lips or tongue; shortness of breath; skin rash; tightness in chest; unusual tiredness or weakness; wheezing): *Doxyc-syst.*

Henoch-Schönlein purpura (pinpoint red or purple spots on skin; raised red swellings on the skin, the buttocks, legs or ankles; large, flat, blue or purplish patches in the skin; painful knees and ankles; fever; stomach pain; bloody or black, tarry stools; blood in urine): *CarbidEL-syst.* [*Entacapone*], *Los-syst.*, *LosH-syst.*, *Paro-syst.*, *Vari-syst.*

thrombocytopenic purpura (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; unusual tiredness or weakness; fever; skin rash): *AntinfN-syst.*, *AnthisP-syst.*, *Capec-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Fluox-syst.*, *Gold-*

syst., *Infli-syst.*, *Linc-syst.*, *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*, *Mum-syst.*, *PerpA-syst.*, *Risp-syst.*, *RubeM-syst.*, *RubeV-syst.*

idiopathic thrombocytopenic purpura (ITP) (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; unusual tiredness or weakness; fever; skin rash): *Capec-syst.*, *DiphtTTH-syst.*, *Infli-syst.*

thrombotic thrombocytopenic purpura (TTP, Moschowitz disease, or hemolytic-uremic syndrome) (change in mental status; dark or bloody urine; difficulty speaking; fever; pale color of skin; pinpoint red spots on skin; seizures; weakness; yellow eyes or skin): *Lans-syst.*, **Sir-syst.**, *Tic-syst.*

PÚRPURA DE HENOCH-SCHÖNLEIN (Ver Púrpura).

PÚRPURA TROMBOCITOPÊNICA (Ver Púrpura).

PÚSTULAS (Ver Erupções ou Lesões).

QUEIMADURAS.

irritation, and: *AmmSAr-syst.*

serious, from ultraviolet A (UVA) light or sunlight: *Methox-exsyst.*
sunburn.

exacerbation of: *Sum-syst.*

reactivation of: **MethotC-syst.**, *MethotNC-syst.*

severe: *Amph-syst.*, *AntinfN-syst.*, *Cele-syst.*

QUELÓIDE (Ver Erupções ou Lesões).

scar, keloid-like, formation of: *Chond-imploc.*

RACHADA, quebradiça: **Alit-top.**, *Doxep-top.*, *EdD-syst.*, *VitA-syst.*

RASH (Ver Erupções ou Lesões).

REAÇÃO CUTÂNEA (Ver Alérgica, Reação).

mild (skin rash or redness): **Docet-syst.**

severe (red, scaly, swollen, or peeling areas of skin; especially likely to occur on the hands and/or feet): *Docet-syst.*

ROSÁCEA (Ver Erupções ou Lesões, acne).

RUBOR da pele (Ver Calor).

SANGRAMENTO (Ver Equimose; Hematoma; Hemorragia).

SARDA: *Cyt-syst.*

SEBORRÉIA (caspa; pele oleosa; cabelo e couro cabeludo oleoso): *Atorv-syst.*, *Cicl-top.*, *Fluda-syst.*, *Isot-syst.*, *Ketoc-top.* [*Shampoo*], *Pil-syst.*, *Risp-syst.*, *Isot-syst.*, **Nafa-syst.**, *Pil-syst.*, *Risp-syst.*

dermatitis, seborrheic: **Corticot-syst.**

SECA: *AlcSul-top.*, **Aldes-syst.**, *AmlodAt-syst.* [*Amlodipine*], *AmphoB-top.*, **Antchsp-syst.**, *Atorv-syst.*, *Atrop-oph.*, **Azac-syst.**, **AzeAc-top.**, **Bell-syst.**, *BenzP-top.*, **Bevac-syst.**, **Bex-syst.**, **Calcip-top.**, **CarbolF-top.**, *Cele-syst.*, **Clind-top.**, **Clofar-syst.**, *Cortic-rec.*, *Cyp-syst.*, **Daps-top.**, *Darif-syst.*, **Dic-top.**, *Dif-syst.*, *DiphenoA-syst.*, *Doco-top.*, **Doxep-top.**, **DoxorL-syst.**, *EdrA-syst.*, **Erl-syst.**, **Eryth-top.**, *ErythBP-top.*, *Fluoru-syst.*, *FollitB-syst.*, **Gef-syst.**, **Gemt-syst.**, *HistH2-syst.* [*Famotidine*], *Hom-oph.*, *IntA-syst.*, **Isot-syst.**, *Ketoc-top.*, **Len-syst.**, **Mech-top.**, *MeqT-top.*, *Metro-top.*, *Mido-syst.*, *Mod-syst.*, *Mup-top.*, *Naft-top.*, *Nia-syst.*, *Niti-syst.*, *Ola-syst.*, *Orl-orloc.*, *PegiA2a-syst.*, **PegiA2b-syst.**, *Pentost-syst.*, **Podof-top.**, *Pyridos-syst.*, *Risp-syst.*, *Sco-oph.*, *Serta-top.*, *Sol-syst.*, **Sor-syst.**, **Sun-top.**, *Tamo-syst.*, *Teli-syst.*, *Terb-top.*, **Tetr-top.**, *Thali-syst.*, **Tiop-syst.**, *Tiz-syst.*, **Tret-syst.**, *Tros-syst.*, *Valp-syst.*, *VitA-syst.*, *Zic-syst.*

fissuring, and, severe: **Cetux-syst.**

hot, flused and dry skin: *Cyclob-syst.*

mild: **Tret-top.**

severe, to: **Tret-top.**

transient, and: *Cortic-top.*

puffy, and: *Antthyr-syst.*

rough, and: *Lit-syst.*

scaly, and: *EdD-syst.*

severe: **Tret-top.**

SENSAÇÕES, como se.

burning sensation: **Adap-top.**, *Clind-top.*, *Colc-syst.*, **Eryth-top.**, **Fluoru-top.**, **LidP-top.**, **Maf-top.**, **Naft-top.**, **Tetr-top.**

mild to severe: **Taz-top.**, **Tret-top.**

severe: **Taz-top.**, **Tret-top.**

clammy feeling: **Butor-nasyst.**

insects crawling on the skin, feeling of (See Formicating).

prickling feeling: *Butor-nasyst.*

stinging sensation: **Naft-top.**, **Tetr-top.**

mild to severe: **Taz-top.**, **Tret-top.**

severe: **Taz-top.**, **Tret-top.**

warmth sensation (See Heat).

SENSIBILIDADE, sensibilização (ardor, coceira, erupção cutânea, vermelhidão, inchaço ou outros sinais de irritação) (Ver Comichão; Dormência; Formigamento; Sensibilidade; GENERALIDADES): *Acetyl-inh.*, *Clind-top.*, *Clio-top.*, *ClioH-top.*, *Crot-top.*

anesthesia: **Anest-top.**

dysesthesia (burning, crawling, itching, numbness, prickling, “pins and needles”, stinging, or tingling feelings): **AminlAc-top.**

hyperesthesia (increased sensitivity to pain, increased sensitivity to touch, tingling in the hands and feet): **Acit-syst.**, *Dic-top.*

light, to (See photosensitivity).

pain, to, increased: Caff-syst.

paresthesia (burning or tingling skin sensation): *Alit-top.*, *Arb-syst.*, *Aztr-syst.*, **Sur-syst.**

pruritus, and: (burning; tingling; pain; or itching; occurring most commonly in groin areas, but also in face, scalp, head, and neck areas, in lower back, buttocks, and abdominal areas): *AntconH-syst.* [*Fosphenytoin*]

photosensitivity (increased ability to sunburn, increased sensitivity of skin to the sun): **Acit-syst.**, *Alit-top.*, *Almot-syst.*, ***AminlAc-top.***, *Amph-syst.*, *AngInH-syst.*, *AntdiaS-syst.*, *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Cyproheptadine*, *Loratadine*], *AnthisP-syst.*, *AtovaPro-syst.*, *BetBA-syst.* [*Metoprolol*], *BetBAT-syst.*, *BisSMT-syst.*, *CalcS-syst.*, *Capec-syst.*, *Carbam-syst.*, *Cefd-syst.*, *Cele-syst.*, *ChlordA-syst.*, *Cinox-syst.*, *Clofaz-syst.*, *ClonC-syst.*, *Cyp-syst.*, *Danaz-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Doxyc-mucloc.*, *Doxyc-syst.*, *DoxycD-syst.*, *EstroPO-syst.*, *Fel-syst.*, *Fenof-syst.*, *Fluc-syst.*, *Fluorq-syst.*, ***Fluoru-top.***, *Fluox-syst.*, *Gemif-syst.*, *Gri-syst.*, *Hal-syst.*, ***Isot-syst.***, *LosH-syst.*, *Lox-syst.*, *Map-syst.*, *MethyTD-syst.*, *Minoc-mucloc.*, *Moe-syst.*, *Nali-syst.*, *Nef-syst.*, *Niti-syst.*, *Ola-syst.*, *Paro-syst.*, *PegiA2b-syst.*, *Pentosa-syst.*, *Phenot-syst.*, *PerpA-syst.*, *Por-syst.*, *PrazoP-syst.*, *Pyrv-orloc.*, *Risp-syst.*, *Seleg-syst.*, *Sertr-syst.*, *Silv-top.*, ***SulfadP-syst.***, ***Sulfap-syst.***, ***Sulfas-syst.***, ***Sulfo-syst.***, ***SulfoT-syst.***, *Sum-syst.*, *Tacro-top.*, ***Tetr-syst.***, ***Thiox-syst.***, *Vala-syst.*, *ValsH-syst.*, ***Ver-parloc.***, *VitA-syst.*, *Zale-syst.*, *Zan-inhsyst.*

hemodialysis patients with hypercalcemia: *CalcS-syst.*

ultraviolet therapy.

increased erythematous response to ultraviolet therapy (reddening of skin): ***MethotC-syst.***, *MethotNC-syst.*

long-wave ultraviolet-A [UVA] light, particularly to (sensitivity of skin to sunlight): ***Amio-syst.***

sun, to (See photosensitivity).

touch, to, increased: Caff-syst., *Mido-syst.*

SÍNDROME DE LYELL (Ver Necrólise Epidérmica Tóxica; Síndrome de Stevens-Johnson).

STEVENS-JOHNSON, SÍNDROME DE (Ver Necrólise Epidérmica Tóxica; GENERALIDADES).

TELENGIECTASIA, veias em forma de aranha (manchas levantadas na pele, vermelho-escuras, tipo verruga): *Cortic-top.*, ***Lar-syst.***, *Methys-syst.*

TOXICIDADE: *Docet-syst.*

mucocutaneous (darkening or thickening of skin; itching of skin; skin rash or colored bumps on fingertips, elbows, or palms; skin redness or tenderness; dark stripes on skin; swelling of fingers; less frequently, changes in fingernails or toenails): ***Bleo-syst.***

Repertório - Capítulo PELE

phototoxicity (See Phototoxicity).
vasculitic (blisters on skin): *Hydxyu-syst.*

TUMORES (Ver Câncer; Endurecimentos; Excrescências; Nevos; Verrugas): *Pime-top.*, *Tacro-top.*

ÚLCERAS, ulceração da pele, feridas na pele (rachaduras da pele; vermelhidão da pele; feridas abertas na pele) (Ver Ferida ou chaga; Feridas): *Acit-syst.*, *AminlAc-top.*, *Atorv-syst.*, **Bevac-syst.**, *Capec-syst.*, **Clofar-syst.**, *ColSF-syst.* [*Filgrastim*], *Dic-top.*, **Imiq-top.**, *SalA-top.*, *Sild-syst.*, *Sir-syst.*, **Tiz-syst.**, *Tret-syst.*

delayed: *Mitom-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

rash, severe, associated with: *Efav-syst.*

ÚMIDA, pegajosa (Ver Grudenta; TRANSPIRAÇÃO, Úmida).

URTICANTE (Ver Comichão; Dor).

URTICÁRIA (Ver Erupções ou Lesões).

VASODILATAÇÃO cutânea (rubor): *Alpr-syst.*, **Iri-syst.**, *Tia-syst.*

arteriolar (unusual warmth and flushing of skin): **Iot-syst.**

infants: **Alpr-syst.**

VERMELHIDÃO (Ver Descoloração).

VERRUGAS (Ver Endurecimentos; Excrescências; Nevos; Tumores): *Acit-syst.*, *Saq-syst.*, **Tiop-syst.**

papilloma (See Excrescences).

VIRILIZAÇÃO (acne; pele e cabelos oleosos) (Ver GENITÁIA FEMININA): *Danaz-syst.*

XANTOMAS (Ver Erupções ou Lesões).

CAPÍTULO GENERALIDADES

ABSCESSO (área inchada e vermelha de infecção que contém pus) (Ver Empiema): **BcgL-syst.**, *Carm-imploc.*, *Cev-syst.*, **Darb-syst.**, *Efal-syst.*, *Infli-syst.*, **Lar-syst.**, **Sir-syst.**, *Tinz-syst.*

bacteremia, with (accumulation of pus; swollen, red, tender area of infection; fever).
pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*
sterile: *DiphTT-syst.*, *DiphTTPV-syst.*, *DiphTTPVH-syst.*, *Penta-syst.*

ACETONEMIA (Ver Cetose).

ACIDENTE VASCULAR CEREBRAL (AVC), infarto cerebral (confusão; transtornos da fala, fala lenta, incapacidade de falar, fala pastosa; cegueira temporária, visão dupla, visão borrada; incapacidade de mover os braços, pernas ou músculos faciais; fraqueza no braço e/ou perna de um lado do corpo, súbito e severo; dormência súbita ou formigamento das mãos, pés ou face; paralisia; dor de cabeça; dor torácica súbita e severa): *Acit-syst.*, *Agal-syst.*, *Aldes-syst.*, *Anag-syst.*, *Andro-syst.*, *AppSupS-syst.*, *Bleo-syst.*, *Bromo-syst.*, *Capec-syst.*, *Carv-syst.*, *Cele-syst.*, *Cil-syst.*, *Cisp-syst.*, *Clon-parloc.*, *Cyp-syst.*, *Danaz-syst.*, *Darb-syst.*, *Desm-syst.*, *Diat-syst.*, *Dof-syst.*, *DorzT-oph.*, *Doxaz-syst.*, *DrosE-syst.*, *EpoE-syst.*, *Erl-syst.*, *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Gemc-syst.*, *Imiq-top.*, *Imm-syst.*, *Indin-syst.*, **Iri-syst.**, *Isot-syst.*, *Let-syst.*, *Melo-syst.*, *Meno-syst.*, *PacP-syst.*, *Ras-syst.*, *Risp-syst.*, *Sum-syst.*, *Tad-syst.*, *Testos-syst.* [Testosterone Enanthate], *Tret-syst.*, *Vari-syst.*

anoxic brain damage: *Propo-syst.*

embolic.

women receiving postmenopausal estrogens: *ConjE-syst.*, *Estro-syst.*

hemorrhagic (confusion; double vision; impairment of speech; weakness in arms or legs): *Ret-syst.*, *Thr-syst.*

increased risk of: *ConjE-syst.*, *DecAn-syst.*, *Estro-vag.*, *Ketor-syst.*, *NoreE-syst.*

infarct, infarction, cerebral (blurred vision; confusion; numbness or tingling in face, arms, legs; headache; aphasia or dysarthria (speech disorder affecting pronunciation, reading, and writing skills); trouble walking; sensation that you or surroundings are spinning): *Carm-imploc.*, *EstroPO-syst.*, *Iov-syst.*, **Iri-syst.**, *Mem-syst.*, *Nitri-ihloc.*, *Thr-syst.*, *Vasc-syst.*

ischemia, cerebral, or ischemic attacks (sudden numbness or tingling of the hands, feet, or face; paralysis; confusion; weakness; trouble speaking, thinking or walking; slurred speech; headache, severe): *Antcoa-syst.*, *AppSupS-syst.*, *Biv-syst.*, *Diaz-parsyst.*, *EstroPO-syst.*, *Etan-syst.*, *Vasc-syst.*

transient: *Darb-syst.*, *Dipy-syst.*, *Dof-syst.*, *PacP-syst.*, *Sild-syst.*

focal (confusion; numbness of the hands): *Diaz-orsyst.*

thromboembolic (confusion; double vision; impairment of speech; weakness in arms or legs): *Thr-syst.*

thrombosis.

cerebral (confusion; numbness of hands): *Eton-vag.*, *NoreE-syst.*, *Sild-syst.*

intracranial (severe headache; inability to move arm or leg): *Aspar-syst.*
sagittal sinus (extreme exhaustion; headache): *Danaz-syst.*

ÁCIDO LÁCTICO (Ver Acidose).

ACIDOSE (falta de ar, com problemas de respiração) (Ver Alcalose): *Aldes-syst., ArsTr-syst., CarbonAI-syst., Dexmed-syst., DorzT-oph., Indo-syst., Lid-top., Mono-loc., Sevo-inhsyst., **Sir-syst.**, Thr-syst., Tret-syst.*

accumulation, lactic acid (See lactic acidosis).

hypoglycemia, with.

pediatric patients: *Cisap-syst.*

lactic acidosis (abdominal discomfort; decreased appetite; diarrhea; fast, shallow breathing; general feeling of discomfort; muscle pain or cramping; nausea; shortness of breath; sleepiness; unusual tiredness or weakness; produces an anion-gap metabolic acidosis within a few hours): **AbLam-syst.**, *Adef-syst., Ataz-syst., BronA-inhloc., Emt-syst., EmtT-syst., Entec-syst., GlipM-syst., GlybM-syst., Ison-syst., Lami-syst., LamiZ-syst., Line-syst., Metf-syst., MetfP-syst., RosiM-syst., Sta-syst., Teno-syst., Zalc-syst., Zid-syst.*

fatal, potentially: *Ataz-syst., GlipM-syst., Metf-syst., Teno-syst.*

women: *Did-syst.*

pregnant: *Did-syst.* [*Didanosine and Stavudine with other antiretroviral agents*]

hepatotoxicity, with (abdominal discomfort; nausea; decreased appetite; general feeling of discomfort; diarrhea; fast, shallow breathing; muscle pain or cramping; shortness of breath; sleepiness; unusual tiredness or weakness): *Abac-syst., AbLamZid-syst., EmtT-syst.*

women: **AbLamZid-syst.**

women: *Adef-syst.*

metabolic acidosis: *AcetSal-syst., AntinfN-syst.* [*Phenylbutazone*], *AnthisDAg-syst.* [Acetaminophen-containing combinations], *AspirSC-syst., BarbAn-syst.* [Acetaminophen, Aspirin], *BronA-syst.* [Epinephrine], *BronT-syst., Coc-mucloc., Colc-syst., DecAn-syst.* [Acetaminophen-containing combinations, Salicylate-containing combinations], *Dyp-syst., Etop-syst., Fluda-syst., For-inhloc., Ifo-syst., Iron-syst., IsomDA-syst., Ketor-syst., Maf-top., MepA-syst.* [Aspirin], *Nali-syst., Nel-syst., Nitrop-syst., Oxa-syst., Palo-syst., Para-syst., RifamI-syst., RifamIP-syst., Sal-syst., SodBeSP-syst., **SodPhe-syst.**, TramA-syst.* [Acetaminophen], *TrandV-syst.*

hyperchloremic: *Cyclosp-syst.*

ketoacidosis (continuing loss of appetite; drowsiness; flushed, dry skin; fruit-like breath odor; increased urination; unusual thirst): *Diaz-orsyst., Diaz-parsyst., Indin-syst., Nel-syst., Risp-syst., Riton-syst., Saq-syst.*

maternal: *Ritod-syst.*

pediatric patients: *Cisap-syst.*

respiratory (shortness of breath, troubled breathing) (See RESPIRATION): *CarbonAI-syst., Dexmed-syst.*

severe, compensated: *SodBeSP-syst.*

ACINESIA (ausência de movimento) (Ver EXTREMIDADES): *Cloz-syst.*, *Fluv-syst.*, *Paro-syst.*

ACROMEGALIA (interrupção da menstruação; dor nas costas; alterações na visão; transpiração excessiva; extrema fraqueza; micção frequente; dor de cabeça; aumento no tamanho de mãos e pés; sede aumentada; aumento do volume de urina, pálida, diluída; dor nas articulações; dor nas extremidades) (Ver Aumentados, órgãos; Hormônio do Crescimento; EXTREMIDADES): *GroH-syst.*, *Mecas-syst.*

ACÚMULO de ácido láctico (Ver Acidose).

ADAMS-STOKES, ATAQUES (Ver VERTIGEM; PEITO): *BronA-syst.* [*Isoproterenol*]

ADDISON, DOENÇA DE (Ver Glândulas Adrenais).

ADENOPATIA (glândulas inchadas): *Carbam-syst.*, *Etan-syst.*, *Hydra-syst.*, *Quid-syst.*, *Tiop-syst.*

lymphadenopathy (swollen, painful, or tender lymph glands in neck, armpit, or groin) (See Swelling, glands (lymphoedema)): **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, *Acyc-syst.*, *AntinfN-syst.*, *AntconD-syst.*, **AntconH-syst.**, *Anthyr-syst.*, *ArsTr-syst.*, *Atorv-syst.*, **Azac-syst.**, **Bex-top.**, *Calcit-nassyst.*, *Carbam-syst.*, *Daps-syst.*, *Dietc-syst.*, *DiphtTTH-syst.*, *Enf-syst.*, *Etan-syst.*, *Fel-syst.*, *Fluox-syst.*, **Gla-syst.**, *HepatAVI-syst.*, *HepatBVR-syst.*, *Hydra-syst.*, *Imiq-top.*, *IntB1b-syst.*, *Isot-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lamo-syst.*, *Leval-inhloc.*, **MeaRV-syst.**, *MeaV-syst.*, **MeaMRV-syst.**, *Nef-syst.*, *Oxc-syst.*, *Pil-syst.*, **RubeM-syst.**, **RubeV-syst.**, **Sir-syst.**, *Sur-syst.*, *TetaT-syst.*, *Vari-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

AGRANULOCITOSE, granulocitopenia ou neutropenia (redução de granulócitos no sangue) (febre com ou sem calafrios; tosse; dor de garganta; úlceras, feridas ou manchas brancas na boca; falta de ar; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma): *Acet-syst.*, **Adal-syst.**, *Allop-syst.*, *Aminglut-syst.*, *AmlodBen-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.*, *Antcoa-syst.* [*Anisindione*], *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepT-syst.*, *AntdiaS-syst.*, *AntfunA-syst.* [*Fluconazole*], *AnthisP-syst.*, *Anthyr-syst.*, *AppSupS-syst.* [*Diethylpropion*], *Barb-syst.*, *BarbAn-syst.* [*Acetaminophen*; *Barbiturates*], *Bell-syst.*, *Benzod-syst.*, *BetBAT-syst.*, *Brinoph.*, *CalcCBA-syst.*, *Cand-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramp-ot.*, *ChlordA-syst.*, *Chloroq-syst.*, *Cil-syst.*, *ClonC-syst.*, *Clop-syst.*, *Cloz-syst.*, *Colc-syst.*, *Dacti-syst.*, *Daps-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Did-syst.*, *Diso-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Dorz-oph.*, *DorzT-oph.*, *EnaF-syst.*, *Fel-syst.*, *Fenof-syst.*, *Fluorq-syst.* [*Norfloxacin*], *Fosc-syst.*, **Ganc-syst.**, *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hal-syst.*, *HistH2-syst.* [*Cimetidine*; *Famotidine*; *Ranitidine*], *Hydra-syst.*, *Hydxyc-syst.*, *IsomDA-syst.*, *Isot-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levam-syst.*, *Levod-syst.*, *LosH-syst.*, *Lox-syst.*, *Map-syst.*, *Melo-syst.*, *Mero-syst.*, *MethyTD-syst.*, *Meto-syst.*, *Mex-syst.*, *Miglu-syst.*, *Mir-syst.*,

Moe-syst., MoeH-syst., Nev-syst., Nitro-syst., OmeP-syst., Pam-syst., Paro-syst., Pegf-syst., Penic-syst., PerpA-syst., Phenot-syst., PrazoP-syst., Procai-syst., Propa-syst., Pyrim-syst., Quin-syst., Rabe-syst., Ritod-syst., Sertr-syst., Ske-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfi-syst., Sulfo-syst., Sulfo-vag., SulfoT-syst., Sur-syst., Thie-syst., Thiox-syst., Tic-syst., Tinz-syst., Toc-syst., Trand-syst., TrandV-syst., Valg-syst., Ven-syst., Vino-syst., Zid-syst., Zole-syst., Zon-syst.

asthma, urticaria, angioedema, and similar conditions, patients with: *Barb-syst.*

fatal: *Levam-syst., OmeP-syst., Procai-syst., Rabe-syst.*

renal function impairment, patients with: **EnaF-syst.**

reversible: *Methy-syst., MethyTD-syst.*

ALCALOSE (Ver Acidose): *Indo-syst.*

hypochloremic (dryness of mouth; increased thirst; irregular heartbeat; mood or mental changes; muscle cramps or pain; nausea or vomiting; unusual tiredness or weakness; weak pulse): **BetBAT-syst., DiuT-syst., Inda-syst., MethyTD-syst., PrazoP-syst., Tola-parsyst., Tors-syst.**

hypokalemia, and: **ClonC-syst., DiuL-syst.**

hypokalemic (irregular heartbeat; muscle cramps or pain; severe weakness of extremities and trunk): *Metyra-syst.*

metabolic (mood or mental changes; muscle pain or twitching; nervousness or restlessness; slow breathing; unpleasant taste; unusual tiredness or weakness): *AcSodCit-syst., Antac-orloc. [Calcium-containing; Sodium Bicarbonate-containing], AspirSC-syst., Citra-syst. [Potassium Citrate– and Sodium Citrate–containing], SodBi-syst., SodPhe-syst.*

patients with renal function impairment: *AcSodCit-syst., AspirSC-syst.*

respiratory: *AntinfN-syst. [Phenylbutazone], BarbAn-syst. [Aspirin], BronA-ihloc., DecAn-syst. [Salicylate-containing combinations], MepA-syst. [Aspirin], Sal-syst.*

mild: *GalliN-syst., SodBeSP-syst.*

ÁLCOOL, INTOLERÂNCIA ao (tonturas ou vertigens; sensação de fraqueza; rubor facial; sensação geral de doença): *AntandN-syst., Tacro-top.*

ALÉRGICA, REAÇÃO (sintomas anafiláticos; episódios asmáticos; tosse; dificuldade em engolir; tonturas; pulsação rápida; urticária; coceira ou inchaço das pálpebras ou ao redor dos olhos, face, lábios ou língua; falta de ar; erupções cutâneas; aperto no peito; cansaço incomum ou fraqueza; respiração ofegante) (Ver Anafilaxia): *Adal-syst., AlbMic-syst., Alpha-syst., Amif-syst., AminPot-syst., Amio-syst., Amph-syst., AntCoaC-syst., AntconD-syst., AntdepT-syst., AntfunA-syst. [Itraconazole], AntvCPOv-syst., Aprot-syst., Arb-syst., Ard-syst., Aspar-syst., Ataz-syst., Atorv-syst., Azith-syst., Bentir-syst., Busu-syst., Carbopl-syst., Carm-imploc., Carv-syst., Cefd-syst., Cele-syst., Cev-syst., Chlorh-mucloc., Chym-parloc., Cital-syst., Clar-syst., ColSF-syst. [Filgrastim, Sargramostim], Corticot-syst., Cyp-syst., Dant-syst., Darb-syst., DauL-syst., DiatI-loc., Diat-loc., Diat-syst., Diaz-orsyst., Diaz-parsyst., Digo-syst., DiphtTPV-syst., Dipi-oph., DipyA-syst., DiuP-syst., Docet-syst., Doxor-syst., DoxorL-syst., Dut-syst., Efav-syst., EmtT-syst., Epir-syst., Ergon-syst., Ert-syst., Estra-syst., Etan-syst., Ethan-parloc., Ethc-syst., Etid-syst., FacIX-syst., FacVIIa-*

syst., FatE-syst., Feru-syst., Fluorq-syst., Fol-syst., Gadod-syst., Gadop-syst., Gadot-syst., Gef-syst., Gluc-syst., Glut-syst., Hepar-syst., HyalS-syst., Hyalur-parloc., HydroI-syst., HydroxT-oph., Iba-syst., Ibr-syst., **ImipC-syst.**, IndiuC-syst., IndiuS-syst., InsA-syst., InsD-syst., InsGla-syst., InsGlu-syst., InsL-syst., IntAl-syst., Iodip-syst., Iodix-syst., Iof-syst., Ioh-loc., Ioh-syst., Iopa-syst., Iopr-syst., Iot-loc., Iot-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Ioxi-syst., Iri-syst., Iron-syst., Leuc-syst., Lid-syst., Lid-top., Maf-top., Man-syst., Mecas-syst., Mech-syst., Melo-syst., Mep-syst., Mesn-syst., Methyler-syst., Metyra-syst., Metyro-syst., Mitot-syst., Nad-syst., **Natal-syst.**, NeoP-top., NeoPH-oph., Nev-syst., Nico-inhsyst., Opi-syst., Opr-syst., Ose-syst., Oxa-syst., Peme-syst., **Penic-syst.**, Penicil-syst., PenicilB-syst., PenteC-syst., PerpA-syst., Pimo-syst., PotI-syst., **Praml-syst.**, Prazi-syst., Pre-syst., Procai-syst., Procar-syst., PyreP-top., Rad-syst., Rep-syst., Resp-syst., Ret-syst., Riton-syst., Silv-top., Sin-syst., SodTe-syst., Sta-syst., Sym-parsyst., Tacro-top., TecAl-syst., TecAlA-syst., TecE-syst., TecMer-syst., TecSul-syst., TecTet-syst., Tene-syst., Teno-syst., Thr-syst., Thyr-syst., ThyrA-syst., Tinz-syst., Tiot-inhloc., **TosI-syst.**, TramA-syst., Tras-syst., Trimetr-syst., **Urs-syst.**, ValsH-syst., Vaso-syst., Xyl-nas., Zan-inhsyst., Zolp-syst.

aggravated: Cev-syst.

albumin, to (chills; fever; hives; nausea): AnthemF-syst.

anaphylactic allergic reaction (flushing of the face or neck; swelling of eyelids, face, or lips; skin rash or itching; troubled breathing or wheezing): Alemt-syst., Nia-syst.

endotoxin-like reaction (shaking; chills; fever): Aminglyc-syst. [Gentamicin]

bovine protein, to: AnthemF-syst., FacVIIa-syst.

delayed, cell-mediated (itching, swelling, redness, tenderness, or hard lump at place of injection): MeaRV-syst., MeaV-syst., MeaMRV-syst., Mum-syst., Poli-syst., RubeM-syst., RubeV-syst., TetaT-syst.

erythema multiforme (blistering, peeling, loosening of skin; chills; cough; diarrhea; fever; itching; joint or muscle pain; red irritated eyes; sore throat; sores, ulcers, or white spots in mouth or on lips; unusual tiredness or weakness): **AbLam-syst.**, Abac-syst., Acyc-syst., Allop-syst., Amif-syst., Amio-syst., Anast-syst., AntinfN-syst., AntconD-syst., AntdiaS-syst., Atorv-syst., AtovaPro-syst., BarbAn-syst. [Barbiturates], BronA-syst., CalcCBA-syst. [Diltiazem, Verapamil], Cefu-syst., Cele-syst., Ceph-syst., Chloramb-syst., Cital-syst., Daps-syst., DecAn-syst. [Ibuprofen-containing combinations], Del-syst., DiphtTTH-syst., Docet-syst., Efav-syst., Eso-syst., Estro-syst., Fluorq-syst. [Levofloxacin], Gab-syst., Gadop-syst., Gef-syst., HepatAVI-syst., HistH2-syst., Imm-syst., Indin-syst., JapV-syst., Ketot-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., Levof-syst., LopiR-syst., Mef-syst., Melo-syst., Mero-syst., MethotNC-syst., Methylp-syst., Nali-syst., **Nev-syst.**, Nitro-syst., Omep-syst., Ose-syst., Oxc-syst., Pantop-syst., PenicilB-syst., Pyrim-syst., Rabe-syst., Silv-top., Ske-syst., Sor-syst., SulfadP-syst., Tamo-syst., **Teli-syst.**, Tem-syst., Tic-syst., Toc-syst., Topi-syst., Trimethop-syst., Vac-syst., Vala-syst., Vald-syst., Vari-syst., Ven-syst., Vor-syst.

bullosa, erythema multiforme: Cys-syst.

females: Tamo-syst.

hamster protein, to: AnthemF-syst., FacVIIa-syst.

histamine-like reaction (sneezing; stuffy nose; watery eyes): **EdC-syst.**, Hepar-syst.

histamine, serum, increased; histamine release (decreased blood pressure, fast heartbeat, increased sweating, redness or flushing of face, wheezing or troubled breathing): *Doxac-syst., Miv-syst., Opi-syst., Pare-syst.*

hypersensitivity reaction (abdominal or stomach pain; cough; diarrhea; fast heartbeat; difficult or labored breathing; tightness in chest; troubled breathing or swallowing; wheezing fever; headache; joint or muscle pain; joint stiffness or swelling nausea; numbness or tingling of face, hands, or feet; redness and soreness of eyes; skin rash; hives; itching; irritation; redness of skin; shortness of breath; sore throat; hoarseness; sores in mouth; swelling of eyelids, face, lips, hands, feet; or lower legs; vomiting; unusual feeling of discomfort or illness; unusual tiredness): **Abac-syst., AbLam-syst., AbLamZid-syst., Albd-syst., AlcAc-top., AlcSul-top., Alef-syst., Allop-syst., Aminglut-syst., Aminglyc-syst., AminsSod-syst., AmphoB-syst., Anak-syst., Antchsp-syst. [Glycopyrrolate], AntconH-syst. [Phenytoin], AntfunA-syst., AnthemF-syst., Antm-syst., AntvCPol-syst., AntvM.-syst., Azat-syst., Aztr-syst., Barb-syst., Beth-syst., Bos-syst., BronA-inhloc. [Isoetharine, Isoproterenol, and Raccpinephrine inhalation solutions containing sulfites], Capr-syst., CarbonAI-syst., Cefu-syst., Ceph-syst., Chloramp-oph., Chloramp-ot., Chloramp-syst., Cinox-syst., Clind-vag., Cortic-inhloc., DesIP-syst., Did-syst., DiphtTTH-syst., Dorz-oph., DorzT-oph., Doxyc-syst., Efal-syst., Enf-syst., Estro-syst., Etham-syst., Ezet-syst., EzetS-syst., Fex-syst., FexP-syst., Fin-syst., Flavox-syst., Fluorq-syst., Flut-nas., FlutS-inhloc., Fur-orloc., Ganc-syst., Gra-syst., Ina-syst., InsD-syst., IntB1a-syst., IntB1b-syst., Iodoq-orloc., Ison-syst., Isot-syst., Lid-top., Lot-oph., MeaMRV-syst., Meb-syst., Melp-syst., Methylp-syst., Mica-syst., Mur-syst., Nali-syst., Neu-syst., Nico-syst., Nis-syst., Nitro-syst., Norf-oph., NysT-top., Ond-syst., Pac-syst., PacP-syst., Panc-syst., PegiA2a-syst., PegiA2b-syst., Peme-syst., Penta-syst., Pime-top., Pip-syst., Quid-syst., Quin-syst., Ras-syst., Rifax-orloc., Sor-syst., Spec-syst., Sta-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-oph., Sulfo-syst., Sulfo-vag., SulfoT-syst., Tad-syst., Telm-syst., Teni-syst., TetaIG-syst., Tini-syst., TosI-syst., Trie-syst., Trif-oph., Trimetr-syst., Trov-syst., Valg-syst., VitK-syst. [Phytonadione], Xyl-nas., Zalc-syst.**

acute: **Den-syst., Fenof-syst., Paliv-syst., Vala-syst.**

angiitis or vasculitis, hypersensitivity (chills, fever, and sore throat; muscle aches, pains, or weakness; shortness of breath, troubled breathing, tightness in chest, or wheezing): *Allop-syst., Sir-syst.*

arthus-type: *TetaT-syst.*

child with a history of asthma: *Sac-syst.*

debilitated patients: *Barb-syst.*

delayed: *ArsTr-syst., Cortic-nas. [Beclomethasone, Fluticasone], Flut-inhloc.*

fatal: *Gat-oph., Gemif-syst., Mox-oph., Ofl-oph., Ofl-ot.*

geriatric patients: *Barb-syst.*

hepatitis, hypersensitivity (darkening of urine; pale stools; yellow eyes or skin): *Carbam-syst.*

hypersensitivity syndrome (dark-colored urine; fever; flu-like symptoms; skin rash; facial swelling; swollen lymph nodes; unusual tiredness or weakness; yellow eyes or skin): *Lamo-syst.*

Repertório - Capítulo GENERALIDADES

multisystemic: *AntinfN-syst.* [*Diflunisal*]
immediate (anaphylaxis, urticaria, angioedema, rash, bronchospasm, oropharyngeal edema, and shock): *AntvCPol-syst.*, *AntvM.-syst.*, *ArsTr-syst.*, *Cortic-nas.* [*Beclomethasone*, *Fluticasone*], *Flut-inhloc.*, *Ipr-inhloc.*, *Lym-syst.*
females: *Nafa-syst.*
males: *Nafa-syst.*
local: *Nico-syst.*
mild (back pain; flushing; skin rash or itching, localized; troubled breathing, mild): *Docet-syst.*
rash, with: *Nev-syst.*
severe, serious (decrease in blood pressure, sudden and severe; shortness of breath, troubled breathing, tightness in chest, or wheezing; hives, skin rash, or redness, generalized): *Docet-syst.*, *Gat-oph.*, *Gemif-syst.*, *Mox-oph.*, *Ofl-oph.*, *TecF-syst.*, *TecSe-syst.*
immediate (hives; sudden shortness of breath): *Mech-top.*
immune complex reaction, primary: *Enf-syst.*
local reactions, extensive: *MeaMRV-syst.*
mild (mild fever; nausea; vomiting): *Cos-syst.*, *Gold-syst.*
severe, to: *Gold-syst.*
transient: *TecAr-syst.*
milk allergy or intolerance, signs of (abdominal distention; diarrhea; hives; stomach cramps; vomiting; wheezing): *Infa-syst.*
mouse protein, to: *AnthemF-syst.*, *FacVIIa-syst.*
pH of vaccine, acid, reaction to (burning or stinging at injection site): **RubeM-syst.**, **RubeV-syst.**
seasonal: *Paro-syst.*
severe: *Abar-syst.*, *Desm-syst.*, *Gold-syst.*, *Teli-syst.*, *Thr-syst.*
tachycardia, supraventricular, associated with allergic reaction: *Amif-syst.*
vegetable components, allergies to some (difficulty breathing; skin rash or itching) [bulk-forming]: *Lax-loc.*
transient, mild: *TecAr-syst.*

ALIMENTOS e BEBIDAS (Ver Frutose; Glicose).

milk agg.

milk allergy or intolerance, signs of (abdominal distention; diarrhea; hives; stomach cramps; vomiting; wheezing): *Infa-syst.*

ANAFILAXIA, choque anafilático, reação tipo anafilática, reação anafilactóide (alterações na cor da pele facial; tosse; dificuldade em respirar ou engolir; tonturas; respiração rápida ou irregular; pulsação rápida; urticária [pode incluir urticária gigante]; prurido; inchaço das pálpebras ou ao redor dos olhos, cara, dentro do nariz, lábios ou língua; falta de ar; erupções cutâneas; vermelhidão da pele; aperto no peito; cansaço incomum ou fraqueza; respiração ofegante) (Ver Alérgica, Reação): **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, **Acetyl-syst.**, *Acyc-syst.*, *Adal-syst.*, *Alpha-syst.*, *Amif-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *AmphoBLC-syst.*, *Anast-syst.*, *Anest-parloc.*, *AnestBar-syst.*, *AngInH-syst.*, *AntinfN-*

syst., AntCoaC-syst., Antchsp-syst. [Glycopyrrolate], AntfunA-syst. [Itraconazole], AnthemF-syst., Anthis-syst., AnthisD-syst., AnthisDAg-syst. [Salicylate-containing combinations], **AntvCPol-syst.**, AntvCPOv-syst., AntvL-syst., **AntvM-syst.**, Aprot-syst., Arb-syst., Arip-syst., Aspar-syst., AspirSC-syst., Atorv-syst., AtovaPro-syst., **Azac-syst.**, Azith-syst., BarbAn-syst. [Aspirin], BarS-loc., Carbopl-syst., Casp-syst., Cefu-syst., Cele-syst., Ceph-syst., CetiP-syst. [Cetirizine], CholVac-syst., Chym-parloc., Cisat-syst., Cisp-syst., Cital-syst., ColSF-syst. [Filgrastim, Sargramostim], Crom-inhloc., Crom-nas., Cyclob-syst., Cycloph-syst., Cyclosp-syst., CytL-int., Dac-syst., Dacti-syst., Dal-syst., Darb-syst., DecAn-syst. [Salicylate-containing combinations, Ibuprofen-containing combinations], Desl-syst., DeslP-syst., DiatI-loc., Diat-syst., Dic-top., DicM-syst., Diett-top., Dimet-mucloc., DiphtTT-syst., DiphtTTH-syst., DiphtTTPV-syst., DiphtTTPVH-syst., **DiphtA-syst.**, DiuP-syst., Dol-syst., DoxorL-syst., Doxyc-syst., Dul-syst., Epir-syst., Ept-syst., Ert-syst., Eso-syst., Ethan-parloc., Etop-syst., FacIX-syst., FacVIIa-syst., Fel-syst., Feru-syst., Fex-syst., FexP-syst., Fluda-syst., Fluorq-syst. [Levofloxacin, Moxifloxacin, Norfloxacin], Fluox-syst., Flut-inhloc., Flut-nas., Gadob-syst., Gemc-syst., Gold-syst., Gos-syst., HaeC-syst., HaeP-syst., Hepar-syst., HepatAVI-syst., HepatAVIHB-syst., HepatBVR-syst., HistH2-syst., HyalS-syst., Imm-syst., Indin-syst., IndiuC-syst., IndiuS-syst., Infli-syst., Influ-syst., InsD-syst., IntB1a-syst., Iodip-syst., Iot-syst., Iov-syst., Ioxa-loc., Ioxa-syst., Iri-syst., Iron-syst., Ketor-syst., Lami-syst., LamiZ-syst., Lans-syst., Lep-syst., Leval-inhloc., Levof-syst., Lid-top., Lym-syst., Man-syst., MeaRV-syst., MeaV-syst., MeaMRV-syst., **MedE-syst.**, Meg-syst., Melo-syst., Melp-syst., MeniPV-syst., MeniVDC-syst., MepA-syst., Mica-syst., MoeH-syst., Mom-nas., Mont-syst., Mum-syst., Nad-syst., Nali-syst., Natal-syst., NeoPH-oph., Neu-syst., Nev-syst., **Nitro-syst.**, Ola-syst., Oma-syst., Ond-syst., Opr-syst., Ose-syst., Oxa-syst., Paliv-syst., Pam-syst., Pantop-syst., Paro-syst., Pegas-syst., Pegf-syst., Penicil-syst., PenicilB-syst., Phena-syst., Pime-top., PneV-syst., Poli-syst. PoliO-syst., Probe-syst., Proge-syst., Prota-syst., Pyrim-syst., Rabe-syst., RabiI-syst., Ras-syst., Resp-syst., Risp-syst., Riton-syst., RubeM-syst., RubeV-syst., Sal-syst., Sertr-syst., Sir-syst., Ske-syst., SodTe-syst., SulfadP-syst., Sum-syst., Tacro-syst., TecAr-syst., TecSul-syst., Teli-syst., Tem-syst., Tene-syst., TetaI-syst., TetaT-syst., Thiam-syst., Thiot-syst., Thr-syst., Thyr-syst., ThyrA-syst., Tinz-syst., Topo-syst., TramA-syst., Tras-syst., Trimethop-syst., Trimetr-syst., Trip-syst., Tros-syst., TypVI-parsyst., TypVL-syst., TypP-syst., Vala-syst., Vald-syst., Vard-syst., Vari-syst., Ven-syst., VitB12-syst., VitK-syst., Yel-syst., Zalc-syst., Zolp-syst.

adult females and males: Leup-syst.

anaphylactic shock with sudden, severe decrease in blood pressure and collapse, with: AntCoaC-syst., DecAn-syst. [Ibuprofen-containing combinations], FacIX-syst.
 asthmatic patients: AnthisDAg-syst. [Salicylate-containing combinations]

allergic reaction, anaphylactic (flushing of the face or neck; swelling of eyelids, face, or lips; skin rash or itching; troubled breathing or wheezing): Alemt-syst., Nia-syst.

bovine protein, to: AnthemF-syst., FacVIIa-syst.

fatal: Ethan-parloc., Gemif-syst., Mox-oph., Mur-syst., Ofl-ot., Prota-syst.

generalized (hives; shortness of breath; swelling of face, nasal membranes, and eyelids; tightness in chest; troubled breathing; wheezing): Carbopl-syst., CorticG-syst., Cos-syst., Dinopst-parloc., Dinopne-cervag., Fludro-syst., Gon-syst., Oxyt-syst.

hamster protein, to: AnthemF-syst., FacVIIa-syst.

immediate.

females: Nafa-syst.

males: Nafa-syst.

life-threatening (grades 3 and 4) reactions (abdominal pain, anemia, angioedema, anxiety, arthralgia, arrhythmia, asthenia, asthma, back pain, bronchiolitis obliterans, bronchospasm, chills, coagulation disorder, diarrhea, dizziness, dyspnea, fever, headache, hyperglycemia, hypertension, hypotension, hypoxia, increased cough, infection, leukopenia, lymphopenia, myalgia, nausea, neutropenia, night sweats, pain, pruritus, rhinitis, skin rash, thrombocytopenia, urticaria, and vomiting): Ritu-syst.

mouse protein, to: AnthemF-syst., FacVIIa-syst.

purpura, anaphylactoid (cough; difficulty swallowing; dizziness; fast heartbeat; hives, itching, puffiness or swelling of the eyelids or around the eyes, face, lips or tongue; shortness of breath; skin rash; tightness in chest; unusual tiredness or weakness; wheezing): Doxyc-syst.

severe, serious: Crom-systorloc., Gemif-syst., Mox-oph., Mur-syst.

life-threatening: AmlodBen-syst., AngIn-syst.

sudden, severe decrease in blood pressure: Thr-syst.

collapse, with: AntinfN-syst., AnthemF-syst., Ske-syst. [Carisoprodol]

ANALGESIA (Ver Dor, ausência).

ANEMIA (pele pálida; dificuldade respiratória aos esforços; sangramento incomum ou contusões; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma):

AbLam-syst., AbLamZid-syst., Abcix-syst., Acet-syst., Acyc-syst., **Aldes-syst.**, **Alemt-syst.**, Allop-syst., Alpr-syst., **Altr-syst.**, AmphoBLC-syst., **Amsa-syst.**, Anast-syst., Anest-parloc., AntinfN-syst., AntandN-syst., AnthisDAG-syst., Ard-syst., ArsTr-syst., AspirSC-syst., Atorv-syst., **Azac-syst.**, Aztr-syst., Benzod-syst., **Bort-syst.**, **Busu-syst.**, **Capec-syst.**, Carbet-syst., CarbidEL-syst., **Carbopl-syst.**, Carm-syst., Casp-syst., Cele-syst., **Cetux-syst.**, Cev-syst., **Cisp-syst.**, **Clofar-syst.**, Clofib-syst., Crom-inhloc., Cycloph-syst., Cyp-syst., Cys-syst., CytL-int., **Dac-syst.**, **Dacti-syst.**, Daps-syst., Dapt-syst., DauL-syst., DecAn-syst., **Den-syst.**, Dexmed-syst., Did-syst., DipyA-syst., **Docet-syst.**, **DoxorL-syst.**, EdD-syst., **Efl-syst.**, **Eno-syst.**, **Epir-syst.**, Estra-syst., Etan-syst., **Etop-syst.**, FatE-syst., Flox-syst., **Fluc-syst.**, **Fluda-syst.**, Fome-syst., **Fon-syst.**, Fosc-syst., Ful-syst., Gala-syst., GalliN-syst., Ganc-syst., **Gemc-syst.**, Gemf-syst., Gemif-syst., **Gemt-syst.**, Gold-syst., HistH2-syst. [Nizatidine], Histr-syst., **Hydxyu-syst.**, **Ibr-syst.**, IbupO-syst., **Ima-syst.**, Indin-syst., **IntB1a-syst.**, **IntA-syst.**, **Iri-syst.**, IsomDA-syst., Isot-syst., Ketor-syst., Lami-syst., **LamiZ-syst.**, Lamo-syst., Lef-syst., **Len-syst.**, **Lep-syst.**, Leup-syst., Line-syst., Lom-syst., Meg-syst., Melo-syst., Melp-syst., **Merc-syst.**, **Mero-syst.**, MetfP-syst., Methylp-syst., Metyro-syst., Mica-syst., Mif-syst., MoeH-syst., **Myc-syst.**, Nar-syst., Nef-syst., Nes-syst., Nev-syst., Nyl-syst., Omep-syst., Ose-syst., **Oxa-syst.**, **Pac-syst.**, **PacP-syst.**, **Pam-syst.**, Pegf-syst., PegiA2a-syst., **Peme-syst.**, Penta-syst., Pentosa-syst., **Pentost-syst.**, **Perg-syst.**, Pio-syst., **Por-syst.**, Probe-syst., Probu-syst., **Procar-syst.**, Rabe-syst., **Ralt-syst.**, RhO-syst., **Riba-syst.**, Rifap-syst., Rise-syst., **Ritu-syst.**, Rosi-syst., **RosiM-syst.**, Rosu-syst., Sal-syst., Sild-syst., **Sir-syst.**, Ske-syst., SodBeSP-syst., **SodPhe-syst.**, SodPho-syst., Sor-syst., Sta-syst., SulfadP-syst., Sulfi-syst., Sur-syst., **Teni-syst.**, Tinz-syst., Tiop-syst., Tiz-syst.,

Topi-syst., **Topo-syst.**, **TosI-syst.**, *TramA-syst.*, *Tras-syst.*, **Trie-syst.**, **Trimetr-syst.**, *Trip-syst.*, *Vald-syst.*, **Valg-syst.**, *Ver-parloc.*, **Vino-syst.**, *VitA-syst.*, *Vor-syst.*, *Zic-syst.*, **Zid-syst.**, **Zole-syst.**

aplastic (chest pain; chills; cough; fever; headache; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen or painful glands; tightness in chest, unusual bleeding or bruising; unusual tiredness or weakness; wheezing): **AbLam-syst.**, *Allop-syst.*, *Amio-syst.*, *AntinfN-syst.*, *Antcoa-syst.* [Phenindione], *AntconD-syst.*, *AntconS-syst.*, *AntdiaS-syst.*, *Anththr-syst.*, *Brin-oph.*, *Busu-syst.*, *Carbam-syst.*, *Carv-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chloramp-syst.*, *Chloroq-syst.*, *Colc-syst.*, **Dacti-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Etan-syst.*, *Fel-syst.*, *Fluox-syst.*, *Gold-syst.*, *HistH2-syst.*, *Hydxcy-syst.*, *Lamo-syst.*, *Lans-syst.*, *Mur-syst.*, *Nitro-syst.*, *Paro-syst.*, *PegiA2b-syst.*, *Pemo-syst.*, *Penic-syst.*, *Probe-syst.*, *Sertr-syst.*, *Ske-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfi-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tic-syst.*, *Toc-syst.*, *Vala-syst.*, *Ven-syst.*, *Zon-syst.*

aplasia, red cell: *Antcoa-syst.* [Phenindione], *Gold-syst.*, *Lamo-syst.*, **Tacro-syst.**

pure (fever and sore throat; pale skin; unusual bleeding or bruising; unusual tiredness or weakness): *Darb-syst.*, *Epo-e-syst.*

geriatric patients: **AntinfN-syst.**

dilutional: *Alpha-syst.*

gastrointestinal bleeding, associated with: *AntinfN-syst.*

hemodilution caused by fluid retention, associated with: *AntinfN-syst.*

hemolytic (abdominal, back, leg, or stomach pains; bleeding gums; chills; dark urine; difficulty breathing; fatigue; fever; general body swelling; headache; loss of appetite; nausea or vomiting; nosebleeds; pale skin; sore throat; yellowing of the eyes or skin): *Amio-syst.*, *AmlodBen-syst.*, *AmylN-syst.*, *AntinfN-syst.*, *AntdiaS-syst.*, *AnthemF-syst.*, *AnthisD-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *CetiP-syst.* [*Cetirizine*], *Cisp-syst.*, *Cital-syst.*, **Daps-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst.*, *DicM-syst.*, *Don-syst.*, *Doxyc-syst.*, *Fluda-syst.*, *Fluorq-syst.* [*Levofloxacin*], *IntA-syst.*, *Ketor-syst.*, *Lamo-syst.*, *Lans-syst.*, *Levod-syst.*, *Levof-syst.*, *MepA-syst.* [*Aspirin*], *MethylB-syst.*, *Mica-syst.*, *Moe-syst.*, *Nali-syst.*, *Nitro-syst.*, *Omep-syst.*, *Paro-syst.*, *Penic-syst.*, *PerpA-syst.*, *Phena-syst.*, *Probe-syst.*, **Procar-syst.**, *Quid-syst.*, *Quin-syst.*, *Rabe-syst.*, **RibaI-syst.**, *Sal-syst.*, *Ske-syst.*, *Sulfas-syst.*

acute: *Ampr-syst.*, *Fosam-syst.*, *Indin-syst.*

children: *VitK-syst.* [*Menadiol*, *Phytonadione*]

Coombs' positive (unusual tiredness or weakness): *Cisp-syst.*, *Procai-syst.*, *Vac-syst.*

fatal.

disseminated intravascular coagulation, with: *Maf-top.*

glucose-6-phosphate dehydrogenase (G6PD) deficiency, with: *AminsSod-syst.*, *MepA-syst.* [*Aspirin*], **Prima-syst.**

group A, B, or AB red blood cell antigens, patients with: *AnthemF-syst.*

Heinz body (back, leg, or stomach pains; loss of appetite; pale skin; unusual tiredness or weakness; fever): *Sulfas-syst.*

Repertório - Capítulo GENERALIDADES

hemolysis (abdominal pain; back pain; dark urine; decreased urination; fever; tiredness; yellow eyes or skin): *Acyc-syst.*, *Daps-syst.*, *Gadob-syst.*, *Imm-syst.*, *Ras-syst.*, *Ure-syst.*, *Vac-syst.*, *VitA-syst.*

acute, increased chance of: *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*

intravascular: *RhO-syst.*

immune hemolytic anemia (unusual tiredness or weakness; yellowing of the eyes or skin): *Ceph-syst.* [**Cefotetan**], *Fluox-syst.*, *HistH2-syst.*, *Methy-syst.*, *MethyTD-syst.*

immune-allergic hemolytic anemia: *Oxa-syst.*

renal failure, with (back, leg, or stomach pain; nausea, vomiting, or loss of appetite; unusual tiredness or weakness; fever; pale skin): *AnestBar-syst.*

microangiopathic: *Vala-syst.*

thrombocytopenia, with (sudden weakness in arms or legs; sudden, severe chest pain): *Erl-syst.*

mild, reversible.

glucose-6-phosphate dehydrogenase (G6PD)-deficient patients: *Fur-orloc.*

neonates: *VitK-syst.* [*Menadiol*, *Phytonadione*]

pediatric patients: *Cisap-syst.*

renal function impairment, patients with: **AmlodBen-syst.**

reticulocytosis, with: *Tic-syst.*

hypochromic (fatigue; headache; irritability; lightheadedness; unusual tiredness or weakness): **Bex-syst.**, *Danap-syst.*, *Eno-syst.*

hypoplastic: *AntconD-syst.*, *Gold-syst.*

iron deficiency anemia (loss of appetite; sore tongue): *AnabS-syst.*

isolated drop in hemoglobin: **Lep-syst.**

megaloblastic (unusual tiredness or weakness): **Azat-syst.**, *Barb-syst.*, *Cyt-syst.*, *DiuP-syst.*, *DiuPH-syst.* [*Triamterene and Hydrochlorothiazide combination*], *GlipM-syst.*, *Metf-syst.*, *Nitro-syst.*, *Primi-syst.*, *Pyrim-syst.*, *SulfadP-syst.*, *Trimethop-syst.*

self-limiting megaloblastic erythropoiesis (anemia, erythrocytic or platelet abnormalities): **Hydxyu-syst.**

microbleeding, associated with: *AntinfN-syst.*

myelosuppression, secondary to: **Cisp-syst.**

normochromic (See normocytic).

normocytic, normochromic: **AmphoB-syst.**

pediatric patients: *Cisap-syst.*

severe: **Clad-syst.**, *Darb-syst.*

cytopenias, with: *Darb-syst.*

sideroblastic (unusual tiredness or weakness): *ZinS-syst.*

transient (bleeding and bruising; sore throat and fever; unusual tiredness or weakness): *EdC-syst.*

ANESTESIA (Ver Inconsciência; Sedação; MENTAL, Inconsciência): **Anest-mucloc.**, **Anest-oph.**, **Anest-parloc.**, **Anest-top.**, **AnestBar-syst.**, **AnestInh-syst.**, **Antchsp-syst.**

[*Scopolamine*], *BronA-syst.* [*Epinephrine*], *Bupre-syst.*, *Coc-mucloc.*, *Desf-inhsyst.*, *Etom-syst.*, *Keta-syst.*, *Lid-top.*, *LidP-top.*, *Mida-syst.*, *Phenot-syst.*, *Rem-syst.*, *Ropiv-parloc.*, *Sevo-inhsyst.*

sedation (drowsiness; sleepiness; relaxed and calm): *AnthiP-syst.*, *Capec-syst.*, *Ketot-syst.*, *Mis-syst.*, *Phenot-syst.*, *Ropin-syst.*, *Sum-syst.*, *Tram-syst.*, *Zic-syst.*, *Zip-syst.*

excessive: *Methy-syst.*, *Opi-syst.*

sedative effects: *Metyro-syst.*

tranquilization.

animal studies: *AntandN-syst.* [*Flutamide*]

ANEURISMA (tendência a): *Fluda-syst.*

ANTICOLINÉRGICOS, EFEITOS, efeitos tipo anticolinérgicos, estimulação simpática (visão borrada; desequilíbrio ou instabilidade; confusão; constipação, especialmente em idosos, possivelmente resultando em íleo paralítico; boca, nariz e garganta seca; micção difícil; delírio ou alucinações; dor ocular devido ao agravamento do glaucoma; batimento cardíaco rápido ou irregular; ruborização ou vermelhidão da face; falta de ar ou problemas de respiração; excitação incomum ou nervosismo) (Ver Simpática, Estimulação; Sistema Nervoso Autônomo): *Aman-syst.*, **AntdepMAO-syst.**, *AntdepT-syst.*, *Anthi-syst.* [*Azatadine*, *Clemastine*], *AnthiD-syst.*, *AnthiDAg-syst.*, *AnthiDAc-syst.* [*Pseudoephedrine*], *AnthiP-syst.*, *AtropB-syst.*, *Chlop-syst.*, *ChlordA-syst.*, **Cyclob-syst.**, **Diso-syst.**, *Doxep-top.*, *Flavox-syst.*, *Lox-syst.*, *Map-syst.*, *Mecl-syst.*, *PerpA-syst.*, **Phenot-syst.**, *Ske-syst.* [*Orphenadrine*], *Thie-syst.*, *Tiot-inhloc.*

children: *AnthiP-syst.*

intolerable (fixed and dilated pupils; blurred vision; failure of heel-to-toe exam; tremors; dry skin): *Sol-syst.*

mild (blurred vision; constipation; decreased sweating; difficult or painful urination, especially in older men; drowsiness; dryness of mouth, nose, or throat; increased sensitivity of eyes to light; nausea or vomiting): **Antdys-syst.**, *Dif-syst.*, *DiphenoA-syst.*

severe (clumsiness or unsteadiness; severe drowsiness; severe dryness of mouth, nose, or throat; fast heartbeat; shortness of breath or troubled breathing; warmth, dryness, and flushing of skin): *Antdys-syst.*, *Dif-syst.*, *DiphenoA-syst.*, *Sol-syst.*, *Tros-syst.*

ANTIDIURÉTICOS, EFEITOS (diminuição da micção) (Ver Diuréticos, Efeitos; Pressão Arterial, hipertensão; RINS; URINA, Escassa): *Opi-syst.*

ARRITMIAS cardíacas, disritmias (dor no peito ou desconforto; tontura ou desmaio; batimentos cardíacos ou pulsação rápida, lenta ou irregular; anormalidades no ECG) (Ver PEITO): *Abcix-syst.*, *AcetSal-syst.*, *AcSodCit-syst.*, *Acetyl-syst.*, *Adal-syst.*, **Aden-syst.**, *Agal-syst.*, *Album-syst.*, *AlbMic-syst.*, *Almot-syst.*, **Aldes-syst.**, *Alpr-loc.*, *Alpr-syst.*, *Aman-syst.*, *Amif-syst.*, *Amlod-syst.*, *AmlodBen-syst.*, **Amph-syst.**, **AmphoB-syst.**, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *Amsa-syst.*, **AmylN-syst.**, *Anest-parloc.*, *AnestBar-syst.*, *AnestInh-syst.*, *Antinfn-syst.*, **AnthyGR-syst.**, *Antchsp-syst.* [*Glycopyrrolate*]; *Antdys-syst.*,

AntglaC-oph., *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAg-syst.* [Acetaminophen-containing combinations], *AnthisP-syst.*, *AntvCPOv-syst.*, *AppSupS-syst.*, *Aprac-oph.*, *Aprep-syst.*, **Arb-syst.**, *Arg-syst.*, *Arip-syst.*, **ArsTr-syst.**, *Atom-syst.*, *Atorv-syst.*, *Atrop-oph.*, **Azac-syst.**, *Azel-nas.*, *Barb-syst.*, *BarbAn-syst.* [Acetaminophen, *Barbiturates*, Caffeine, Codeine], *Basil-syst.*, *Bell-syst.*, *Benzod-syst.*, **Ber-intloc.**, *BetBA-oph.* [*Levobetaxolol*, *Timolol Maleate*], *BetBA-syst.*, *BetBAT-syst.*, *BisSMT-syst.* [Bismuth Subsalicylate], **Biv-syst.**, *Bos-syst.*, *Bret-syst.*, *Brim-oph.*, **BronA-inhloc.**, *BronA-inhloc.*, **BronA-syst.** [Albuterol, Ephedrine, Epinephrine, Isoproterenol, Metaproterenol, Terbutaline], *BronT-syst.*, *Bupre-syst.*, *Bupro-syst.*, *Busp-syst.*, *Busu-syst.*, *Butor-nasyst.*, *Caff-syst.*, *CalcCBA-syst.* [*Amlodipine*, *Bepridil*, *Diltiazem*, *Flunarizine*, *Verapamil*], **CalcS-syst.**, **Calf-intloc.**, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbac-oph.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carbopr-syst.*, **Carv-syst.**, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cev-syst.*, *ChlH-syst.*, *Chloramp-ot.*, *ChlordA-syst.*, *Chymparloc.*, *Cicl-top.*, **Cil-syst.**, *Cisap-syst.*, *Cisat-syst.*, *Cital-syst.*, *Clad-syst.*, *Clar-syst.*, **Clofar-syst.**, *Clofib-syst.*, **Clon-parloc.**, *Clon-syst.*, *ClonC-syst.*, **Cloz-syst.**, *Coc-mucloc.*, *Colc-syst.*, *Colf-intloc.*, *ColSF-syst.* [*Filgrastim*, *Sargramostim*], *CortO-systdia.*, *Cortic-inhloc.*, *CorticG-syst.*, *Cycla-syst.*, *Cycli-syst.*, *Cyclob-syst.*, *Cyclope-oph.*, *Cyclosp-syst.*, *Cyp-syst.*, *Dacli-syst.*, **Darb-syst.**, *DauL-syst.*, *DecAn-syst.* [Acetaminophen-containing combinations], **Def-syst.**, **Den-syst.**, *Desf-inhsyst.*, *Desl-syst.*, *DeslP-syst.*, *Desm-syst.*, **Dexmed-syst.**, *Dexmet-syst.*, *Diat-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *DicM-syst.*, *Diett-top.*, *Dif-syst.*, *DigitG-syst.*, *Dihy-nassyst.*, **Dimer-syst.**, *Dinopst-parloc.*, *Dinopne-cervag.*, *DiphenoA-syst.*, *DiphT-syst.*, *Dipi-oph.*, **Dipy-syst.**, *DipyA-syst.*, *Diso-syst.*, *Docet-syst.*, **Dof-syst.**, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxac-syst.*, *Doxap-syst.*, *Doxaz-syst.*, *Doxep-top.*, *Doxor-syst.*, *DoxorL-syst.*, *Dron-syst.*, **Drop-syst.**, *Dyp-syst.*, *Edr-syst.*, **EdrA-syst.**, *EdrA-syst.*, *Efav-syst.*, *Ele-syst.*, *EnaF-syst.*, *Epine-oph.*, **Epop-syst.**, *ErgolM-syst.*, *Ergon-syst.*, *Ert-syst.*, *Esm-syst.*, *Eso-syst.*, *Ethc-syst.*, *Etom-syst.*, *FacVIIa-syst.*, **Fenol-syst.**, *Fent-trsyst.*, **FentD-syst.**, *Flavox-syst.*, *Flec-syst.*, *Fluda-syst.*, *Flum-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *FollitB-syst.*, *Fome-syst.*, *For-inhloc.*, *Fro-syst.*, *Gadob-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gadov-syst.*, *Gala-syst.*, *GalliC-syst.*, *Geme-syst.*, **Gemt-syst.**, *Gla-syst.*, *GlipM-syst.*, *Gluc-syst.*, *Glyc-syst.*, *Gold-syst.*, *Gos-syst.*, *Gra-syst.*, *Guanab-syst.*, **Guane-syst.**, *Guanf-syst.*, *HepatBVR-syst.*, **Hist-syst.**, *HistH2-syst.*, *Histr-syst.*, *Hom-oph.*, *HyalSD-syst.*, *Hyalur-parloc.*, **Hydra-syst.**, *HydroI-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *IbupO-syst.* [Ibuprofen], *Ibut-syst.*, *Ida-syst.*, *Ilo-inh.*, *Imiq-top.*, **Imm-syst.**, *Ina-syst.*, *Indo-syst.*, *IntA1-syst.*, *IntB1b-syst.*, *Iodix-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-inhloc.*, *Iprnas.*, *IprA-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Isox-syst.*, **Ive-syst.**, **Keta-syst.**, *Ketot-syst.*, *Lamo-syst.*, *Lef-syst.*, **Leval-inhloc.**, *Levod-syst.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *Lind-top.*, *Lit-syst.*, *LopiR-syst.*, *Los-syst.*, *LosH-syst.*, *MagS-syst.*, *MagSup-syst.*, *Mal-top.*, *Mann-syst.*, *Map-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.* [Meprobamate], *Methox-exsyst.*, *Methy-syst.*, *MethyTD-syst.*, *Methyler-syst.*, **Methylp-syst.**, *Methys-syst.*, *Meto-syst.*, *Metyra-syst.*, *Mex-syst.*, *Mido-syst.*, *Mil-syst.*, **Minox-syst.**, *Minox-top.*, *Mir-syst.*, *Mis-syst.*, *Mitox-syst.*, *Miv-syst.*, *Moc-syst.*, *Mod-syst.*, *Mor-syst.*, **Mur-syst.**, *Myc-syst.*, *Nab-syst.*, **Nalm-syst.**, *Nalo-syst.*, *Nalt-syst.*, *Nap-oph.*, *Nar-syst.*, *Nef-syst.*, *Nel-syst.*, *Nes-syst.*, *Neu-syst.*, *Nia-syst.*, **NiaL-syst.** [Niacin], *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nis-syst.*, **Nitra-syst.**, *Nitrop-syst.*, *Nyl-syst.*, **Oct-syst.**, *Ofl-*

ot., *Ola-syst.*, *Olm-syst.*, *OlmH-syst.*, *Omepr-syst.*, *Ond-syst.*, *Opi-syst.*, ***Opr-syst.***, *Ose-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Oxym-nas.*, *Oxym-oph.*, *Oxyt-syst.*, *Pac-syst.*, *PacP-syst.*, *Paliv-syst.*, *Palo-syst.*, ***Pam-syst.***, *Pantop-syst.*, *Pap-syst.*, *Para-syst.*, *Pare-syst.*, *Paro-syst.*, *Pegas-syst.*, *PegiA2b-syst.*, *Pemo-syst.*, *Penta-syst.*, *PenteC-syst.*, *Pentost-syst.*, *Pentox-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, ***Phenox-syst.***, ***Phent-syst.***, *Pheny-nas.*, *Phy-oph.*, *Phy-syst.*, *Pil-oph.*, *Pil-syst.*, ***Pimo-syst.***, ***Pral-syst.***, ***Praml-syst.***, *Prazi-syst.*, *Pre-syst.*, *Procai-syst.*, ***Propo-syst.***, ***Prota-syst.***, *Pse-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quid-syst.*, *Quin-syst.*, *Ralt-syst.*, *Ras-syst.*, *Rau-syst.*, *Rem-syst.*, *Rep-syst.*, *Reso-top.*, *Resp-syst.*, *Ril-syst.*, *Risp-syst.*, *Ritu-syst.*, *Riv-syst.*, *Riz-syst.*, *Roc-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, *Sam-syst.*, *Sco-oph.*, *Seleg-syst.*, *Sertr-syst.*, ***Sevo-inhsyst.***, *Sib-syst.*, *Sild-syst.*, ***Sir-syst.***, *Ske-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodN-syst.*, *SodO-syst.*, *SodPhe-syst.*, *Sol-syst.*, *Sta-syst.*, *Sum-syst.*, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *Tad-syst.*, *TecMer-syst.*, *TecSul-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, *Tene-syst.*, *Teno-syst.*, *Tera-syst.*, *Thali-syst.*, *Thie-syst.*, *Thiox-syst.*, *Thr-syst.*, *ThyH-syst.*, *Thyr-syst.*, *ThyrA-syst.*, *Tinz-syst.*, *Tiot-inhloc.*, *Tir-syst.*, ***Tiz-syst.***, *Tola-parsyst.*, ***TosI-syst.***, *Tram-syst.*, *TramA-syst.* [Acetaminophen], *Trand-syst.*, *TrandV-syst.* [Verapamil], *Trav-oph.*, *Traz-syst.*, ***Tret-syst.***, *Trimetha-syst.*, *Trop-oph.*, *Tros-syst.*, *Ure-syst.*, *Vala-syst.*, *Valg-syst.*, *Valp-syst.*, *Vals-syst.*, *ValsH-syst.*, *Van-syst.*, *Vard-syst.*, *Vasc-syst.*, *Vaso-syst.*, *Ven-syst.*, *Vig-syst.*, *VitDA-syst.*, *VitMF-syst.*, *Vor-syst.*, *Xyl-nas.*, *Yoh-syst.*, *Zan-inhsyst.*, *Zic-syst.*, *Zip-syst.*, *Zole-syst.*, *Zolm-syst.*, *Zolp-syst.*, *Zon-syst.*

abnormalities, bigeminy and other cardiographic.

adults: *Desf-inhsyst.*

pediatric patients: *Desf-inhsyst.*

activation of the right ventricle, delayed: *Sum-syst.*

acute (chest pain; swelling of feet or lower legs): *Pentost-syst.*

lifethreatening: *Doxor-syst.*, *Epir-syst.*

adults: *Leup-syst.*

asystole (slow heartbeat): *CalcCBA-syst.* [*Amlodipine*, *Bepridil*, *Diltiazem*, *Flunarizine*, *Verapamil*], *Diso-syst.*, *FentD-syst.*, *MagSup-syst.*, *Mex-syst.*

bowel movement, after a large: *PolyE-loc.*

tachycardia progressing to bradycardia or asystole: *Bupro-syst.*

atrial (dizziness, fainting, fast, slow, or irregular heartbeat): ***Opr-syst.***, *Sertr-syst.*, *Teli-syst.*

block, heart (disease in the electrical system of the heart): *BetBA-oph.* [*Betaxolol*, *Levobetaxolol*, *Timolol*], *Dexmed-syst.*, *Dipy-syst.*, *Dof-syst.*, *Don-syst.*, *DorzT-oph.*, *Lid-syst.*, *Lid-top.*, *Que-syst.*

atrioventricular (chest pain; dizziness; fainting; pounding, slow heartbeat; troubled breathing; unusual tiredness or weakness): *ArsTr-syst.*, *Bort-syst.*, *BronA-syst.* [*Epinephrine*], *Carbam-syst.*, *Carv-syst.*, *Cev-syst.*, *Clon-parloc.*, *Dexmed-syst.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *HistH2-syst.*, *Ibut-syst.*, *Iopr-syst.*, *Mef-syst.*, *Mem-syst.*, *Pac-syst.*, *Pil-oph.*, *Pil-syst.*, *Prazi-syst.*, *Sertr-syst.*, *Sild-syst.*, *TrandV-syst.* [Verapamil]

complete: *Bort-syst.*

first degree: *Dexmed-syst.*, *Propa-syst.*

second degree: *CalcCBA-syst.* [*Diltiazem*, *Flunarizine*, *Amlodipine*, *Bepridil*, *Verapamil*], *Flec-syst.*, *Mor-syst.*, *Propa-syst.*

Repertório - Capítulo GENERALIDADES

third degree: *CalcCBA-syst.* [*Diltiazem, Flunarizine, Amlodipine, Bepridil, Verapamil*], *Flec-syst.*, *Ibut-syst.*, *Mor-syst.*

bifascicular: *Ataz-syst.*

bundle branch block: *Carv-syst.*, *Cyclob-syst.*, *Dof-syst.*, *Ibut-syst.*, *Nitro-syst.*, *Pac-syst.*, *Propa-syst.*, *Sertr-syst.*

cardiotoxicity, other arrhythmias, and congestive heart failure, including: *Cyclob-syst.*

right (shortness of breath, palpitations, fatigue, irregular fast heartbeat): *Anid-syst.*

complete: *Anag-syst.*

ectopy, ventricular (See Ectopy).

first degree: *Aden-syst.*

adults: *DigitG-syst.*

second degree: *Aden-syst.*, *Alpr-syst.*, *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Dexmed-syst.*, *Dinopst-parloc.*, *Ond-syst.*

adults: *DigitG-syst.*

sinoatrial: *Lit-syst.*

sinus node: *Lit-syst.*

tachycardia, atrial, with: *DigitG-syst.*

third-degree: *Aden-syst.*, *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Cisap-syst.*

adults: *DigitG-syst.*

Wenckebach block: *Bupre-syst.*

bradycardia, bradyarrhythmias (slow heartbeat, less than 60 beats per minute, especially less than 50 beats per minute; chest pain or discomfort; lightheadedness; dizziness or fainting; shortness of breath; irregular heartbeat; unusual tiredness; drowsiness): *Abcix-syst.*, *Agal-syst.*, *Alpr-syst.*, *Amif-syst.*, *AmincAc-syst.*, *Amlod-syst.*, *Anest-parloc.*, *AnestInh-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.*, *AntglaC-oph.*, *AnthisDac-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Antm-syst.*, *Aprep-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates, Codeine*], *Benzod-syst.*, *BetBA-oph.*, *BetBA-syst.*, *BetBAT-syst.*, **Biv-syst.**, *Bret-syst.*, *Brim-oph.*, *Bupre-syst.*, *Butor-nasyst.*, *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], **Calf-intloc.**, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carbopr-syst.*, **Carv-syst.**, *Cev-syst.*, *ChlH-syst.*, *Cisat-syst.*, *Cital-syst.*, **Clon-parloc.**, *Clon-syst.*, *ClonC-syst.*, *Coc-mucloc.*, *Colf-intloc.*, **Darb-syst.**, *DecAn-syst.*, *Desf-inhsyst.*, **Dexmed-syst.**, *Diat-syst.*, *DicM-syst.*, *Diett-top.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxac-syst.*, *Doxaz-syst.*, *Drop-syst.*, *Edr-syst.*, *EdrA-syst.*, *Epir-syst.*, *ErgolM-syst.*, *Ergon-syst.*, *Esm-syst.*, *Ethc-syst.*, *Etom-syst.*, *FacVIIa-syst.*, *Fent-trsyst.*, **FentD-syst.**, *Fluda-syst.*, *Flum-syst.*, *Fluv-syst.*, *Fome-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gadop-syst.*, *Gala-syst.*, *Gold-syst.*, *Guanab-syst.*, **Guane-syst.**, *Guanf-syst.*, *HistH2-syst.*, *HydroI-syst.* [*Hydrocodone*], *HydroxT-oph.*, *IbupO-syst.* [*Ibuprofen*], *Ibut-syst.*, *Imiq-top.*, *Indin-syst.*, *Indo-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-nas.*, *Irb-syst.*, **Iri-syst.**, *Keta-syst.*, *Leval-inhloc.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, *Lit-syst.*, *LopiR-syst.*, *MagS-syst.*, *MagSup-syst.*, *Mal-top.*, *Mef-syst.*, *Melo-*

Repertório - Capítulo GENERALIDADES

syst., Mep-syst., MepA-syst. [Meprobamate], Methy-syst., Methyler-syst., Methys-syst., Mido-syst., Mis-syst., Miv-syst., Moc-syst., Nalm-syst., Nap-oph., Nar-syst., Nef-syst., Nes-syst., Neu-syst., Nia-syst., NiaL-syst., Nico-inhsyst., Nico-nas., **Oct-syst.**, Olm-syst., Ond-syst., Opi-syst., Ose-syst., Oxa-syst., Oxyb-syst., Pac-syst., PacP-syst., Paliv-syst., Palo-syst., Para-syst., Pare-syst., PerpA-syst., Phy-oph., Phy-syst., Pil-syst., Prazi-syst., Propa-syst., **Propo-syst.**, **Prota-syst.**, Pse-syst., Pyridos-syst., Pyrim-syst., Ralt-syst., Ras-syst., Rau-syst., Rem-syst., Reso-top., Ritu-syst., Riv-syst., Riz-syst., Ropiv-parloc., Sertr-syst., **Sevo-inhsyst.**, Ske-syst. [Methocarbamol, Orphenadrine], SodBeSP-syst., SodO-syst., SodPhe-syst., Sum-syst., Sym-parsyst., Tacri-syst., Tacro-syst., TecSul-syst., Teli-syst., Telm-syst., TelmH-syst. [Telmisartan], Tir-syst., **Tiz-syst.**, Tram-syst., Trand-syst., TrandV-syst., Trav-oph., Traz-syst., Valg-syst., Vals-syst., ValsH-syst., Vasc-syst., Ven-syst., Vig-syst., Zan-inhsyst., Zole-syst., Zolp-syst., Zon-syst.

adults: Desf-inhsyst., **Sevo-inhsyst.**

pediatric patients, and: Desf-inhsyst., **Sevo-inhsyst.**

cardiovascular status, unstable, patients with: Benzod-syst.

geriatric patients: Benzod-syst.

hypercalcemia, with: CalcS-syst.

ill patients, severely: Benzod-syst.

parasympathetic (vagal) stimulation, as a result of: Cand-syst., CandH-syst.

pediatric patients: Desf-inhsyst., **Sevo-inhsyst.**

adults, and: Desf-inhsyst., **Sevo-inhsyst.**

progressive: DigitG-syst.

pulmonary reserve, limited, patients with: Benzod-syst.

resistant: GlipM-syst.

resting heart rate, slight reduction in: BetBA-oph. [Timolol Maleate]

sinus bradycardia: **Aden-syst.**, Flec-syst., Methy-syst., MethyTD-syst., Mor-syst., Seleg-syst., Tene-syst.

cardiomyopathy, hypertrophic (HCM), patients: TrandV-syst.
[Verapamil]

children: DigitG-syst.

infants: DigitG-syst.

symptomatic (dizziness): BetBA-syst.

tachycardia progressing to bradycardia or asystole: Bupro-syst.

transient (< 60 beats per minute): **Ber-intloc.**, BronA-syst. [Epinephrine]

followed by tachycardia: BronA-syst. [Epinephrine]

vagal stimulation, due to: Los-syst., LosH-syst., OlmH-syst.

cardiotoxicity, bundle branch block, and congestive heart failure, including: Cyclob-syst.

children: DigitG-syst.

congenital heart disease patients: Paliv-syst.

continuing: Pil-syst.

contractions.

atrial, premature: **Aden-syst.**

ventricular, premature (irregular heartbeat): **Aden-syst.**, Coc-mucloc., HistH2-syst. [Ranitidine], Mex-syst., Ond-syst., Oxyt-syst., Sum-syst.

increased frequency of: *Flec-syst.*

nonsustained: *Sum-syst.*

unifocal or multiform, especially bigeminy or trigeminy.

adults: *DigitG-syst.*

dissociation, atrioventricular: *AnestInh-syst.* [*Halothane*]

adults: *DigitG-syst.*

ectopy, ventricular (See Ectopy).

extrasystoles (extra heartbeats): *AmlodAt-syst.* [*Amlodipine*], *Anid-syst.*, *Capec-syst.*, *Dexmed-syst.*, **Dipy-syst.**, *Leval-inhloc.*, *Mef-syst.*, *Palo-syst.*

atrial: *Flum-syst.*

frequent: *Quid-syst.*

hypotension, associated with: *Amif-syst.*

nodal: *Flum-syst.*

supraventricular (rapid or irregular heartbeat): *Gadob-syst.*, *Ibut-syst.*, *Palo-syst.*

ventricular (extra heart beat): *Capec-syst.*, *Flum-syst.*, *Gadob-syst.*, *Histr-syst.*, *Ibut-syst.*, *Nes-syst.*, *Ola-syst.*, *Ven-syst.*

fast, rapid heartbeat (See tachycardia).

females: *Tamo-syst.*

fibrillation.

atrial (dizziness; fainting; fast, slow, or irregular heartbeat): *Adal-syst.*, *Amif-syst.*, *Anid-syst.*, *Capec-syst.*, *Cil-syst.*, *Clop-syst.*, **Dexmed-syst.**, *Dipy-syst.*, *Docet-syst.*, *Don-syst.*, *Eno-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Gadob-syst.*, *Gra-syst.*, *Imiq-top.*, *Ioxi-syst.*, *Ipr-inhloc.*, *Leval-inhloc.*, *Ond-syst.*, **Pam-syst.**, **Por-syst.**, *Propa-syst.*, *Risp-syst.*, **Sir-syst.**, *Sum-syst.*, *Telm-syst.*, *Tiot-inhloc.*, *Ven-syst.*, *Ver-parloc.*, *Zic-syst.*

ventricular: *Alpr-syst.*, *Arb-syst.*, *Biv-syst.*, *Cele-syst.*, *Cisap-syst.*, *Diat-syst.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *Ele-syst.*, *Ergon-syst.*, *Fro-syst.*, *HydroxT-oph.*, *Ibut-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-syst.*, *Methyler-syst.*, *Nes-syst.*, *Paro-syst.*, *Phenot-syst.*, *Prazi-syst.*, *Quid-syst.*, *Ritu-syst.*, *Sum-syst.*, *Ven-syst.*

adults: *DigitG-syst.*

arrest, cardiac, with: *Dof-syst.*

fatal: *BronA-syst.* [*Epinephrine*]

flutter, atrial (fast or irregular heartbeat; dizziness; fainting): *Amif-syst.*

gallop rhythm: *Epir-syst.*

S₃ gallop (See DIAGNOSTIC TESTS, Electrocardiogram): *Tras-syst.*

hypercalcemia, with: *CalcS-syst.*

hypokalemia, accentuated by: *CandH-syst.*

idioventricular rhythm: *Ibut-syst.*

accelerated: *Tene-syst.*

infants: *DigitG-syst.*

irregular heartbeat: *AmincAc-syst.*, **Amph-syst.**, *Anest-oph.*, *Anest-parloc.*, *AngInH-syst.*, *AntCoaC-syst.*, *AntdepT-syst.* [*Amoxapine*], *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAc-syst.* [*Pseudoephedrine*],

Repertório - Capítulo GENERALIDADES

Aprac-oph., BarbAn-syst. [Caffeine], BetBA-oph., BetBA-syst., BetBAT-syst., BronA-inhloc., Caff-syst., **CalcS-syst.**, Carbac-oph., Carbam-syst., CarbidEL-syst., Cev-syst., ChlH-syst., ChlordA-syst., Cil-syst., Cital-syst., Clofib-syst., Cloz-syst., Cortic-ot., Cortic-top., CorticG-syst., Cyclope-oph., **Darb-syst.**, DecAn-syst., DicM-syst., Dihy-nassyst., DipyA-syst., Dom-syst., Doxap-syst., Doxaz-syst., Doxep-top., Drop-syst., **EdrA-syst.**, Epine-oph., Ergon-syst., Etom-syst., Fent-trsyst., Flec-syst., Fluda-syst., Fludro-syst., FlutS-inhloc., For-inhloc., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gemc-syst., Gluc-syst., Glyc-syst., Gos-syst., Gra-syst., HydroI-syst., HydroxT-oph., Imiq-top., Ina-syst., IntAl-syst., Iodix-syst., Ioxa-syst., IprA-inhloc., **Iri-syst.**, IsomDA-syst., Leval-inhloc., Levod-syst., Map-syst., Mef-syst., Melo-syst., Mep-syst., Methox-exsyst., Methylp-syst., Metyra-syst., **Minox-syst.**, Minox-top., Mitox-syst., **Mur-syst.**, Myc-syst., Nalm-syst., Nalo-syst., Nar-syst., Nef-syst., Nia-syst., NiaL-syst., Nico-inhsyst., Nico-nas., Nico-syst., Nyl-syst., **Oct-syst.**, Ond-syst., **Opr-syst.**, Ose-syst., Oxyb-syst., Oxym-nas., Oxym-oph., Oxyt-syst., Paliv-syst., PegiA2b-syst., Pentox-syst., PerpA-syst., Pheny-nas., Pheny-oph., Phy-oph., Phy-syst., **Pimo-syst.**, Prazi-syst., Procai-syst., Pse-syst., Pyrim-syst., Quin-syst., Ralt-syst., Ras-syst., Rau-syst., Riz-syst., Ropin-syst., Sam-syst., Seleg-syst., SodBeSP-syst., SodPhe-syst., Tacro-syst., TecSul-syst., Thali-syst., ThyH-syst., Thyr-syst., ThyrA-syst., Tiz-syst., Ven-syst., VitDA-syst., Xyl-nas., Zan-inhsyst., Zip-syst., Zolm-syst.

adults: Leup-syst.

hyperkalemia, with: Cyclosp-syst.

lifethreatening: Metyro-syst.

maternal and fetal (fast or irregular heartbeat): **Ritod-syst.**

nodal (junctional) rhythm: AnestInh-syst. [Halothane], Cital-syst., Desf-inhsyst., Ibut-syst.

accelerated.

adults: DigitG-syst.

adults: Desf-inhsyst.

pediatric patients, and: Desf-inhsyst.

pediatric patients: Desf-inhsyst.

adults, and: Desf-inhsyst.

palpitations (See Palpitation).

pounding heartbeat: AntinfN-syst. [**Fenoprofen**, Naproxen], Anthis-syst. [Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine], AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst., Bacl-syst., BetBA-oph., Brim-oph., Busp-syst., Butor-nasyst., CarbidL-syst., CarbidEL-syst., Cyclob-syst., Epine-oph., Levod-syst., Mep-syst., Nalt-syst., Opi-syst., Oxym-nas., Oxym-oph., Pheny-nas., Pheny-oph., Pse-syst., Ropin-syst., Ske-syst., SodBeSP-syst., Xyl-nas., Zip-syst.

racing heartbeat (See tachycardia).

reversible: Clon-parloc.

severe: Pil-syst.

sinus arrhythmia (fainting, dizziness, chest pain, shortness of breath): Anid-syst., Palo-syst., Sum-syst.

sinus pause: Flec-syst., Mor-syst., Propa-syst.

skipped beats: **Aden-syst.**

slow heartbeat (See bradycardia).

supraventricular: *AnestInh-syst.*, **Arb-syst.**, *Flec-syst.*

transient: *ColSF-syst.* [*Filgrastim*, *Sargramostim*]

ventricular, and: **Arb-syst.**

tachycardia, tachyarrhythmias (fast, pounding, or irregular heartbeat or pulse, more than 200 beats per minute; lightheadedness when getting up from a lying or sitting position): **AbLam-syst.**, *Acetyl-syst.*, *Adal-syst.*, *Agal-syst.*, *Album-syst.*, *AlbMic-syst.*, *Alemt-syst.*, *Alfuz-syst.*, *Almot-syst.*, *Alpha-syst.*, *Alpr-loc.*, *Alpr-syst.*, *Aman-syst.*, *AmlodBen-syst.*, **Amph-syst.**, *AmphoBCC-syst.*, *Amsa-syst.*, **AmyIN-syst.**, *Anest-parloc.*, *AnestBar-syst.*, **AnthtyGR-syst.**, *AntinfN-syst.*, *AntCoaC-syst.*, *Antchsp-syst.* [*Glycopyrrolate*], *AntdepMAO-syst.*, *AntdepT-syst.* [*Amoxapine*], *Antdys-syst.*, *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *AntvCPOv-syst.*, *Aprot-syst.*, *Arb-syst.*, *Arip-syst.*, **ArsTr-syst.**, *Atom-syst.*, *Atrop-oph.*, *AtropB-syst.*, **Azac-syst.**, *Azel-nas.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *BarbAn-syst.* [*Caffeine*], *Bell-syst.*, *BetBA-oph.*, *BisSMT-syst.* [*Bismuth Subsalicylate*], *Bort-syst.*, *Bos-syst.*, *Brim-oph.*, **BronA-inhloc.**, **BronA-syst.** [*Ephedrine*, *Epinephrine*], *BronT-syst.*, *Bupro-syst.*, *Busp-syst.*, *Busu-syst.*, **Caff-syst.**, *CalcCBA-syst.*, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carbet-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carbopr-syst.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cev-syst.*, *ChlordA-syst.*, **Cil-syst.**, *Cital-syst.*, *Clad-syst.*, *Clar-syst.*, **Clofar-syst.**, *Clon-parloc.*, **Cloz-syst.**, *Coc-mucloc.*, *Colf-intloc.*, *ColSF-syst.*, *CortO-systdia.*, *Cortic-inhloc.*, *Cycla-syst.*, *Cycli-syst.*, *Cyclope-oph.*, *Cyclosp-syst.*, *Cyp-syst.*, *Dacli-syst.*, **Darb-syst.**, *DauL-syst.*, **Def-syst.**, **Den-syst.**, *Desl-syst.*, *DeslP-syst.*, *Desm-syst.*, *Dexmet-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *DicM-syst.*, *Dif-syst.*, **Dimer-syst.**, *Dinopst-parloc.*, *Dinopne-cervag.*, *DiphenoA-syst.*, *DiphtTT-syst.*, *Dipi-oph.*, *Dipy-syst.*, *DipyA-syst.*, *Docet-syst.*, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *Doxap-syst.*, *Doxaz-syst.*, *Doxep-top.*, *DoxorL-syst.*, *Dron-syst.*, **Drop-syst.**, *Dut-syst.*, *Dyp-syst.*, *EdrA-syst.*, *Efav-syst.*, *EmtT-syst.*, *EnaF-syst.*, *Epine-oph.*, *Epir-syst.*, **Epoe-syst.**, **Epop-syst.**, *Ert-syst.*, *Eso-syst.*, *Etan-syst.*, *Etom-syst.*, **Fenol-syst.**, *Fent-trsyst.*, *FentD-syst.*, *Flavox-syst.*, *Fluda-syst.*, *Flum-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *FollitB-syst.*, *Fome-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gadop-syst.*, *Gadot-syst.*, *Gadov-syst.*, *GalliC-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Gla-syst.*, *Gluc-syst.*, *Glut-syst.*, *Gos-syst.*, *Hal-syst.*, *HepatBVR-syst.*, **Hist-syst.**, *HistH2-syst.*, *Hom-oph.*, *HyalSD-syst.*, *Hyalur-parloc.*, **Hydra-syst.**, *Hydrol-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *IbupO-syst.*, *Imiq-top.*, **Imm-syst.**, *Indin-syst.*, *InsD-syst.*, *IntB1b-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-nas.*, *IprA-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Isox-syst.*, **Keta-syst.**, *Ketot-syst.*, *Ltry-syst.*, *Lamo-syst.*, *Lef-syst.*, **Leval-inhloc.**, *Levod-syst.*, *Lind-top.*, *Lit-syst.*, *Los-syst.*, *LosH-syst.*, *Lox-syst.*, *Mann-syst.*, *Map-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *Methyler-syst.*, **Methylp-syst.**, *Methys-syst.*, *Meto-syst.*, **Minox-syst.**, *Minox-top.*, *Mir-syst.*, *Mitox-syst.*, *Miv-syst.*, *Moc-syst.*, *Mod-syst.*, *Moli-syst.*, **Mur-syst.**, *Nab-syst.*, **Nalm-syst.**, *Nalo-syst.*, *Nalt-syst.*, **Natal-syst.**, *Neu-syst.* [*Gallamine*], *Nia-syst.*, **NiaL-syst.**, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nis-syst.*, **Nitra-syst.**, *Nyl-syst.*, *OfI-ot.*, *Ola-*

Repertório - Capítulo GENERALIDADES

syst., Olm-syst., OlmH-syst., Omep-syst., Ond-syst., Opi-syst., **Opr-syst.**, Ose-syst., Oxa-syst., Oxyb-syst., Oxym-nas., Oxym-oph., Oxyt-syst., Paliv-syst., Palo-syst., **Pam-syst.**, Pap-syst., Paro-syst., Pegas-syst., Pemo-syst., PenteC-syst., Perg-syst., PerpA-syst., Phenot-syst., Pheny-nas., Pheny-oph., Pil-syst., **Pimo-syst.**, **Pral-syst.**, **Praml-syst.**, Prazi-syst., Pre-syst., Procai-syst., Pse-syst., Pyrim-syst., Que-syst., Quin-syst., Ralt-syst., Ras-syst., Resp-syst., Ril-syst., Risp-syst., Riz-syst., Roc-syst., Ropin-syst., Sco-oph., Seleg-syst., Sertr-syst., **Sevo-inhsyst.**, Sib-syst., Sild-syst., **Sir-syst.**, Ske-syst., SodBeSP-syst., SodN-syst., SodPhe-syst., Sol-syst., Sta-syst., Sym-parsyst., Tacri-syst., Tacro-syst., Tad-syst., TecMer-syst., Teli-syst., Telm-syst., TelmH-syst., Teno-syst., Tera-syst., Thie-syst., Thiox-syst., Thr-syst., ThyH-syst., Thyr-syst., ThyrA-syst., Tinz-syst., Tiot-inhloc., Tola-parsyst., **TosI-syst.**, Tram-syst., TramA-syst., Traz-syst., **Tret-syst.**, Trimetha-syst., Trop-oph., Tros-syst., Ure-syst., Vala-syst., Valg-syst., Valp-syst., Vals-syst., ValsH-syst., Van-syst., Vard-syst., Vasc-syst., Ven-syst., Vor-syst., Xyl-nas., Yoh-syst., Zan-inhsyst., Zic-syst., Zip-syst.

adults: Desf-inhsyst., DigitG-syst., Leup-syst., Sevo-inhsyst.

pediatric patients, and: Desf-inhsyst., Sevo-inhsyst.

atrial: DigitG-syst.

block, with: DigitG-syst.

paroxymal: Docet-syst.

bradycardia, progressing to, or asystole: Bupro-syst.

transient bradycardia, followed by tachycardia: BronA-syst.
[Epinephrine]

dialysis patients with end-stage renal disease: Levoca-syst.

failure, heart, worsened leading to: **Fenol-syst.**

females: Tamo-syst.

heart rate.

increase in heart rate of 9.2 bpm, mean, relative to placebo: Desl-syst.
resting, of 100 beats per minute: Fel-syst.

hypercalcemia, with: CalcS-syst.

ischemic cardiac events, leading to: **Fenol-syst.**

junctional (nodal).

children: DigitG-syst.

infants: DigitG-syst.

malignant: Aman-syst.

maternal heart rate, small increase in: Ritod-syst.

mild: Pantop-syst.

mother and baby (maternal and fetal): **Ritod-syst.**

during use for delay of premature labor: Isox-syst.

normal sinus rhythm and then bradycardia, followed by: Dron-syst.

onchocerciasis (verminosis), patients with: **Ive-syst.**

pediatric patients: Desf-inhsyst., **Dexmet-syst.**, **Sevo-inhsyst.**

adults, and: Desf-inhsyst., Sevo-inhsyst.

reflex: Amlod-syst., Nitrop-syst., Oxyt-syst., **Phenox-syst.**, **Phent-syst.**,
Risp-syst.

sinus tachycardia: **Aden-syst.**, **Aldes-syst.**, Cital-syst., Docet-syst., Palo-syst., Paro-syst., Ven-syst.

Repertório - Capítulo GENERALIDADES

stimulation, cardiac: BronA-syst. [Ephedrine], *Hydra-syst.*

direct: *Tola-parsyst.*

supraventricular (fainting; fast, pounding, or irregular heartbeat or pulse; palpitations): *Alpr-syst., Amif-syst., Dexmed-syst., Dipy-syst., Fluda-syst., Fluorq-syst., Ilo-inh., Ipr-inhloc., Leval-inhloc., Mem-syst., Ond-syst., PacP-syst., Ritu-syst., Tiot-inhloc., Tros-syst., Ven-syst.*

allergic reactions, associated with: *Amif-syst.*

hypotension, associated with: *Amif-syst.*

systolic blood pressure and heart rate, rapid increases in: *Arb-syst.*

transient: *Vasc-syst.*

ventricular (fainting; fast, pounding, or irregular heartbeat or pulse; palpitations): *Arg-syst., Cicl-top., Cisap-syst., Clar-syst., Dexmed-syst., Dipy-syst., Diso-syst., Dof-syst., Ele-syst., Ergon-syst., Flec-syst., Fluox-syst., Fro-syst., Gala-syst., Iopa-syst., Ioxa-syst., Methyler-syst., Nes-syst., Ond-syst., Paro-syst., Quid-syst., Ritu-syst., Sertr-syst., Sum-syst., Tene-syst., Ven-syst.*

monomorphic, regular nonsustained: *Ibut-syst.*

nonsustained: *Mil-syst.*

polymorphic, sustained and nonsustained: *Ibut-syst.*

transient: *Pac-syst.*

torsades de pointes (chest pain or discomfort; irregular or slow heart rate; fainting; shortness of breath; sudden death; prolonged QT interval): *AntfunA-syst., CalcCBA-syst. [Bepridil], Cisap-syst., Cital-syst., Clar-syst., Diso-syst., Dof-syst., Eryts-syst., Fluorq-syst., Fluox-syst., Gala-syst., Levof-syst., Nel-syst., Paro-syst., Penta-syst., Propa-syst., Quid-syst., Tacro-syst., Ven-syst., Vor-syst.*

potentially fatal: *Propa-syst.*

QT prolongation, with (irregular or slow heart rate; recurrent fainting; sudden death) (See DIAGNOSTIC TESTS, Electrocardiogram): *Phenot-syst.*

worsened: *Flec-syst.*

weak heartbeat, and fast: **AmylN-syst.,** *Iron-syst., Nitra-syst.*

thrombolysis, coronary, during or following (sinus bradycardia, accelerated idioventricular rhythm, ventricular premature depolarizations, supraventricular tachycardia, ventricular tachycardia, and ventricular fibrillation): *Ret-syst.*

transient: *Iov-syst.*

trigeminy: *Ritu-syst.*

ventricular (fainting; fast, slow, pounding, or irregular heartbeat or pulse; palpitations; dizziness or fainting; seen on ECG as prolonged QT interval as well as lowered and inverted T-wave and S-T segment changes; increase in frequency of premature ventricular contractions, or a worsening or new appearance of ventricular tachycardia or ventricular fibrillation): *Aldes-syst., Almot-syst., Amsa-syst., AnestInh-syst. [Halothane], Arb-syst., Arg-syst., BronT-syst., Cital-syst., Clar-syst., Dexmed-syst., Dof-syst., Dyp-syst., Ergon-syst., Methyler-syst., Nalo-syst., Pimo-syst., Probu-syst., Sild-syst.*

extrasystoles: *Capec-syst.*

potentially fatal: *Aldes-syst.*
supraventricular, and: **Arb-syst.**
weak heartbeat and fast: **AmylN-syst.**, Iron-syst., Nitra-syst.

ARTERIOSCLEROSE (Ver Cardiovasculares, Transtornos).

ARTICULAÇÕES, TRANSTORNOS das ou **ARTROPATIAS** (dificuldade em se movimentar; dores musculares ou rigidez; dor, inchaço e vermelhidão nas articulações) (Ver EXTREMIDADES): *Adal-syst.*, *Iba-syst.*, *Nate-syst.*, *Rise-syst.*, *Teg-syst.*, *Tic-syst.*

arthralgia (See Pain).

arthritis (See Inflammation).

arthrosis (See Arthrosis).

hypertrophy, tissue (“crackling” sound when moving joint; joint “catching” or stiffness; pain when moving joint): **Chond-imploc.**

lesions or erosions of the cartilage in weight-bearing joints and other signs of arthropathy.

immature animals of various species: *Ofl-ot.*

stiffness (See Stiffness).

ASCITE (dor e inchaço no abdome): *Aldes-syst.*, *Capec-syst.*, *Dacti-syst.*, *DauL-syst.*, *Docet-syst.*, Epir-syst., **Iri-syst.**, **Sir-syst.**, *Tret-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

ASTENIA (Ver Fraqueza).

ATAXIA (tremores e marcha instável; desequilíbrio, instabilidade, tremor ou outros problemas com controle muscular ou coordenação; dificuldade em caminhar) (Ver EXTREMIDADES, Descoordenação): *Acyc-syst.*, *Agal-syst.*, Aman-syst., Aminglut-syst., *AmlodAt-syst.* [Amlodipine], AntandN-syst. [Flutamide], AntconD-syst., **AntconH-syst.**, **AntconS-syst.**, *Bacl-intsyst.*, **Benzod-syst.**, *BetBA-oph.* [*Levobunolol*], BisSMT-syst. [Metronidazole], *Capec-syst.*, *Carbam-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, *Carm-imploc.*, *Cele-syst.*, Chloramb-syst., *Cyclope-oph.*, Dext-syst., *Diett-top.*, *Don-syst.*, *DoxorL-syst.*, **Dron-syst.**, *Efav-syst.*, Ethc-syst., *Fel-syst.*, **Flum-syst.**, *Fluorq-syst.*, *Fluv-syst.*, **Gab-syst.**, *IntBla-syst.*, Isot-syst., **Lamo-syst.**, *Levam-syst.*, *Leve-syst.*, **Levod-syst.**, Lit-syst., *Mef-syst.*, *Metro-syst.*, *Metro-vag.*, *Mod-syst.*, **Nab-syst.**, **Nef-syst.**, *Nitrop-syst.*, **Oxc-syst.**, *Pip-syst.*, **Pre-syst.**, **Primi-syst.**, *Sild-syst.*, SodO-syst., SulfadP-syst., **Tacri-syst.**, *Tia-syst.*, *Tini-syst.*, **Topi-syst.**, Tore-syst., *TramA-syst.*, Tret-syst., **Valp-syst.**, *Vari-syst.*, **Vig-syst.**, **Zic-syst.**, Zid-syst., *Zolp-syst.*, **Zon-syst.**, Zop-syst.

animals: *QuinuD-syst.*, Sum-syst.

dogs: *Levof-syst.*

monkeys: *Levof-syst.*

rodents: *Gemif-syst.*

mice: *Levof-syst.*, *Mero-syst.*

female: *Alos-syst.*

rats: *Eno-syst.*, *Levof-syst.*, *Mero-syst.*

Repertório - Capítulo GENERALIDADES

cerebellar (shakiness and unsteady walk; unsteadiness, trembling, or other problems with muscle control or coordination): *HepatAVI-syst.*

debilitated patients: **Benzod-syst.**

dizziness, possibly with ataxia and/or vertigo: **Flum-syst.**

elderly patients: **Benzod-syst.**

severe: *Zale-syst.*

ATEROSCLEROSE (Ver Cardiovasculares, Transtornos).

ATIVIDADE (Ver MENTAL).

hyperactivity (restlessness; trouble sitting still): *AppSupS-syst., Flut-inhloc., Serm-syst., Tolc-syst.*

children: *Flut-inhloc.*

hypoactivity.

animal studies: *AntandN-syst.* [*Flutamide*]

inactivity.

dogs: *Spa-syst.*

mice: *Spa-syst.*

reduced: *Atom-syst.*

AUMENTADOS, órgãos, organomegalia (Ver Acromegalia): *GroH-syst., Tret-syst.*

AZOTEMIA (Ver Uremia).

BACTEREMIA (respiração rápida; calafrios; febre; dor abdominal; náuseas; diarreia) (Ver Febril, Reação; Infecção; Sepsis): **Clofar-syst., Darb-syst., Ethan-parloc.**

abcess, with (accumulation of pus; swollen, red, tender area of infection; fever).

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

BASOFILIA (Ver TESTES DIAGNÓSTICOS): *Gadob-syst.*

BILIRRUBINA (Ver ABDOME, Fígado; TESTES DIAGNÓSTICOS, Hepáticos, Testes).

hyperbilirubinemia (yellow eyes or skin): *Acyc-syst., Ataz-syst., Barb-syst. [Phenobarbital], Bevac-syst., Bex-syst., Busu-syst., Capec-syst., Casp-syst., DeslP-syst., Gadob-syst., Gemif-syst., Gemt-syst., Lar-syst., Melo-syst., Mica-syst., Nel-syst., Nev-syst., Sor-syst., Teli-syst., Tore-syst., Vor-syst., Zaf-syst., Zid-syst., Zil-syst.*

children: *VitK-syst.* [*Menadiol, Phytonadione*]

neonates: *VitK-syst.* [*Menadiol, Phytonadione*]

slow development of: *Oct-syst.*

hypobilirubinemia: *Album-syst.*

BLOQUEIO neuromuscular (Ver Paralisia).

CALCIFICAÇÕES.

ectopic (calcium deposits in tissues other than bone): *VitDA-syst.*

focal: *Isot-syst.*

metastatic: *Pho-syst.*

vascular, or other soft-tissue: *CalcA-syst.*

coronary, pulmonary, and mesenteric arteries, increased incidence of.

animals: *Isot-syst.*

CALOR, aquecimento: *AlbMic-syst.*, *Antchsp-syst.*, *BenzP-top.*, *Beth-syst.*, *CalcCBA-syst.* [*Nicardipine*, *Niferdipine*], *Caps-top.*, *Dif-syst.*, *DiphenoA-syst.*, *Doxap-syst.*, *ErythBP-top.*, *Gemt-syst.*, *Ida-syst.*, *Iopr-syst.*, *Ioxa-syst.*, *Sper-vag.*

feeling of heat; warmth, feeling of; hot, feeling (See Heat): *Anest-mucloc.*, **Butornasyst.**, *CalcCBA-syst.* [*Nicardipine*, *Niferdipine*], **CalcS-syst.**, *Casp-syst.*, *DipyA-syst.*, *Fro-syst.*, *Iov-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lod-oph.*, *Ned-inhloc.*, **Nef-syst.**, *Nia-syst.*, *Prota-syst.*, *Pyridos-syst.*, *Riz-syst.*, *SodC-parloc.*, *Sum-syst.*, *Tram-syst.*, **Vac-syst.**

flushing, hot flushes, hot flashes (feeling of warmth; redness of the face, neck, arms and occasionally upper chest; sudden sweating): **Acit-syst.**, *AmlodBen-syst.*, *Atom-syst.*, **AlbMic-syst.**, **Alpr-syst.**, *Amif-syst.*, **Amlod-syst.**, *AmlodAt-syst.* [*Amlodipine*], *AmlodBen-syst.*, *AmphoBLsC-syst.*, **AmylN-syst.**, **Anast-syst.**, *Anid-syst.*, *AntinfN-syst.* [**Fenoprofen**, **Nabumetone**, **Tiaprofenic Acid**], **AntandN-syst.**, *Antchsp-syst.*, *AntvCPol-syst.*, *AntvM.-syst.*, *Aprep-syst.*, *Arb-syst.*, *ArsTr-syst.*, *AscAc-syst.*, *Atom-syst.*, *Aztr-syst.*, *Bell-syst.*, *Beth-syst.*, **Bos-syst.**, **Buse-syst.**, *Cab-syst.*, *Calcit-nassyst.*, **Calcit-syst.**, *CalcCBA-syst.* [*Nicardipine*, *Niferdipine*], **CalcS-syst.**, *Capec-syst.*, **Carbet-syst.**, *CarbidL-syst.*, *CarbidEL-syst.*, *Casp-syst.*, *Cefd-syst.*, *Cele-syst.*, *Cev-syst.*, **Cholec-syst.**, *Cil-syst.*, *Cisat-syst.*, **Clofar-syst.**, **Clom-syst.**, *ColSF-syst.* [*Sargramostim*], **CortO-systdia.**, *Cortic-nas.*, *Cortic-ot.*, **Crom-nas.**, **Def-syst.**, **Den-syst.**, *Desm-syst.*, *Dexmet-syst.*, *Dif-syst.*, **Dihynassyst.**, *Dinopne-cervag.*, *DiphenoA-syst.*, *Dipy-syst.*, *DipyA-syst.*, *DipyA-syst.*, *Dom-syst.*, *Don-syst.*, *Doxac-syst.*, *Doxaz-syst.*, *Dul-syst.*, *Efav-syst.*, *Ele-syst.*, *EnaF-syst.*, *Epir-syst.*, **Epop-syst.**, *ErgolM-syst.*, *Esm-syst.*, *Eso-syst.*, *Etop-syst.*, **Exem-syst.**, *FatE-syst.*, **Fenol-syst.**, *FexP-syst.*, *Flum-syst.*, *Fro-syst.*, *Gemif-syst.*, *Gla-syst.*, **Gos-syst.**, *HepatAVIHB-syst.*, *HepatBVR-syst.*, **Histr-syst.**, *Hydra-syst.*, **Ibr-syst.**, **Ilo-inh.**, *Imm-syst.*, *IndiuPt-syst.*, *IndiuS-syst.*, *Iob-systthe.*, *Iopr-syst.*, **Ioxa-syst.**, *Iri-syst.*, **Iron-syst.**, *Isot-syst.*, *Lat-oph.*, **Let-syst.**, *Levod-syst.*, *Levom-syst.*, *Lid-top.*, *MagS-syst.*, *MagSup-syst.*, *Melo-syst.*, *Methylp-syst.*, *Mica-syst.*, **Minox-syst.**, *Mitot-syst.*, **Miv-syst.**, *Moc-syst.*, **Moe-syst.**, *Natal-syst.*, **Nef-syst.**, *Neu-syst.* [*Atracurium*], *Nia-syst.*, **NiaL-syst.**, **Nitra-syst.**, *Nitrop-syst.*, *Omep-syst.*, *Oxa-syst.*, *Palo-syst.*, *Paro-syst.*, **PegiA2b-syst.**, *Pentox-syst.*, *Pime-top.*, *Proge-syst.*, *Propo-syst.*, *Prota-syst.*, **Proti-syst.**, *Ralo-syst.*, *Ras-syst.*, *Rau-syst.*, *Ret-syst.*, **Riz-syst.**, *Ropin-syst.*, *Ropiv-parloc.*, *Serm-syst.*, *Sertr-syst.*, **Sild-syst.**, *Sin-syst.*, *Sor-syst.*, **Stro-syst.**, *Sum-syst.*, *Tacri-syst.*, *Tacro-top.*, *Tad-syst.*, *TecF-syst.*, *TecO-syst.*, *TecSe-syst.*, *TecSuc-syst.*, *Teg-syst.*, *Teli-syst.*, *Thr-syst.*, *ThyrA-syst.*, *Topi-syst.*, **Tore-syst.**, **Tram-syst.**, *TramA-syst.*, *Trep-syst.*, **Tret-syst.**, **Trip-syst.**, *ValsH-syst.*, **Vard-syst.**, *Yoh-syst.*, *Zan-inhsyst.*

adult females and males: **Leup-syst.**

females: *Meno-syst.*, **Nafa-syst.**, **Tamo-syst.**

adult, and males: **Leup-syst.**

pharmacological consequence of androgen deprivation: **Abar-syst.**
sensitivity to heat: Riz-syst., ThyH-syst.

CAMINHAR (Ver Marcha, Transtornos da).

clumsiness when walking: Thiog-syst.

difficult, trouble in: *Capec-syst.*, *Etop-syst.*, *Flox-syst.*, *IntG-syst.*, **Lox-syst.** **Mex-syst.**, *Vinb-syst.*, **Vinc-syst.**, Vind-syst.

shuffling: AntdepT-syst., *AnthisD-syst.* [Promethazine], *AnthisP-syst.*, **Arip-syst.**, *CalcCBA-syst.* [Flunarizine], Carbam-syst., *CarbidEL-syst.*, **Hal-syst.**, *IntG-syst.*, *Lamo-syst.*, **Lox-syst.**, *Meto-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, Que-syst., **Risp-syst.**, *Sertr-syst.*, Thie-syst., **Thiox-syst.**, **Zip-syst.**

unsteadiness when walking: Thiog-syst.

CÂNCER, malignidade (Ver Linfoma de Hodgkin; Tumores): *Oma-syst.*, *Pime-top.*

breast (clear or bloody discharge from nipple; inverted nipple; dimpling of breast skin; lump in breast or under the arm; persistent crusting or scaling of nipple; redness or swelling of breast; sore on the skin of the breast that does not heal): *DrosE-syst.*, *Estro-syst.*

invasive: *EstroPO-syst.*

carcinoma.

basal cell (small, red skin lesion, growth, or bump usually on face, ears, neck, hands or arms): *Pime-top.*, *Tacro-top.*

breast (clear or bloody discharge from nipple; inverted nipple; dimpling of breast skin; lump in breast or under the arm; persistent crusting or scaling of nipple; redness or swelling of breast; sore on the skin of the breast that does not heal): Adal-syst.

gastrointestinal (abdominal discomfort; blood in stool; change in bowel habits; difficulty swallowing or eating; lump or swelling in the abdomen; nausea; loss of appetite; unexplained weight loss; unusual tiredness or weakness; vomiting; yellow skin or eyes): Adal-syst.

hepatocellular (abdominal or stomach pain; unexplained weight loss): *AnabS-syst.*, *DrosEE-syst.*, *EstroPO-syst.*

women having a predisposing or pre-existing condition, especially those who smoke tobacco: *DrosEE-syst.*, *EstroPO-syst.*

liver: Cyp-syst.

prostatic carcinoma disease flare, transient (with a transient, sometimes severe, increase in bone or tumor pain; difficult urination; spinal compression): Gos-syst.

skin (persistent non-healing sore; reddish patch or irritated area; shiny bump; pink growth; white, yellow or waxy scar-like area): Adal-syst.

squamous cell (persistent non-healing sore; reddish patch or irritated area; shiny bump; pink growth; white, yellow or waxy scar-like area): Imiq-top., *Pime-top.*, *Tacro-top.*

urogenital (abdominal pain; abnormal vaginal bleeding or discharge; blood in urine; difficult or frequent urination; lump or swelling in abdomen): Adal-syst.

Repertório - Capítulo GENERALIDADES

cerebral metastatic disease (confusion; convulsions; dizziness; hallucinations; headache): *Hydxyu-syst.*

endometrial (change in vaginal discharge; pain or feeling of pressure in pelvis; vaginal bleeding): *ConjE-syst., DrosE-syst., Estro-syst., Estro-vag. Tamo-syst.*

gastrointestinal: *Ver-parloc.*

leukemia (bone pain): *AnabS-syst.*

central nervous system leukemia: *MethotC-syst.*

myelodysplastic syndrome: *Ibr-syst., Tem-syst.*

myeloid or myelogenous, acute (bone pain): *Docet-syst., Ibr-syst., Tem-syst.*

non-lymphocytic, acute (tiredness; weakness): *Clod-syst.*

polycythemia vera, patients with: *SodPho-syst.*

promyelocytic leukemia (APL) differentiation syndrome, acute (chest pain; chills; cough; difficult or labored breathing; fever; shortness of breath; sore throat; unusual tiredness or weakness; weight gain) (syndrome can be fatal): *ArsTr-syst.*

retinoic acid-acute promyelocytic leukemia (RA-APL) syndrome (See Retinoid Effects).

secondary (bleeding; enlarged liver, lymph nodes, and spleen; infection): *Epir-syst., TosI-syst.*

lymphoid syndromes (including lymphoid hyperplasia, pseudolymphomas, and pseudo-pseudolymphomas): *AntconH-syst. [Phenytoin]*

lymphoma (swollen glands; weight loss; general feeling of illness; black, tarry stools; yellow skin and eyes): *Adal-syst., AnthyGR-syst., Cyclosp-syst., Etan-syst., Infli-syst., Pime-top., Sir-syst., Tacro-top.*

HIV-associated lymphoma.

infections, fatal, increased, in: *Ritu-syst.*

Hodgkin: *Infli-syst.*

increase in the incidence of: *AnthyGR-syst.*

lymphoma like reaction (swollen glands; weight loss; general feeling of illness; black, tarry stools; yellow skin and eyes): **Adal-syst.**

non-Hodgkins (swollen glands weight loss general feeling of illness black, tarry stools yellow skin and eyes): *Infli-syst.*

lymphoproliferative disorder.

post-transplant lymphoproliferative disorder (PTLD) (fever; general feeling of discomfort and illness; weight loss): *Cyclosp-syst., Tacro-syst.*

increase in the incidence of: *AnthyGR-syst.*

malignancies: *Alef-syst., Etan-syst.*

secondary: *Tem-syst.*

melanoma (new mole; change in size, shape or color of existing mole; mole that leaks fluid or bleeds): *Adal-syst., Sir-syst.*

malignant: *CarbidEL-syst., Pime-top., Tacro-top.*

metastases (spread of cancer): **Pam-syst.**

calcification, metastatic: *Pho-syst.*

enlargement of metastatic cancer, rapid, in critical locations such as the brain or spinal cord: *ThyrA-syst.*

neuroblastoma: *DiphTTH-syst.*

ovarian (acid or sour stomach; belching; backache; full or bloated feeling or pressure in the stomach; heartburn; indigestion; loss of appetite; stomach discomfort, upset or pain; swelling of abdominal or stomach area): *ConjE-syst.*

skin (See SKIN): *Methox-syst.* [*Psoralem*], *Methox-top.*

non-melanoma: *Etan-syst.*

risk of, increased: *Trio-syst.*

UVA exposure, cutaneous, followed by: *Methox-exsyst.*

Waldenstrom's macroglobulinemia.

hyperviscosity syndrome in (fatigue; rash; nosebleeds; weight loss; vision changes): *Ritu-syst.*

CANSAÇO, fadiga (Ver Fraqueza; Lassitude): **Abac-syst., AbLam-syst., AbLamZid-syst., Abar-syst., Acit-syst., AlbMic-syst., Alfuz-syst., Almot-syst., Aman-syst., Amlod-syst., AmlodBen-syst., Amph-syst., Ampr-syst., AngIn-syst., Anthis-syst., AnthisP-syst., AppSupS-syst., Aprep-syst., Arb-syst., ArsTr-syst., Ataz-syst., Atom-syst., Atorv-syst., Azac-syst., Azel-nas., Azel-oph., Bals-syst., Basil-syst., Bort-syst., Bos-syst., Brim-oph., BronA-inhloc., BronA-syst.** [Albuterol, Isoproterenol, Metaproterenol, Terbutaline], **Calcit-nassyst., Capec-syst., CarbidL-syst., CarbidEL-syst., Carv-syst., Cele-syst., CetiP-syst.** [*Cetirizine*], **Cev-syst., Cisap-syst., Cital-syst., Clofar-syst., Clop-syst., Cortic-inhloc., Cyp-syst., Darb-syst., Del-syst., Desl-syst., DeslP-syst., Dihy-nassyst., Dipy-syst., Diso-syst., Docet-syst., Dol-syst., Don-syst., Dorz-oph., Doxaz-syst., Doxep-top., Dul-syst., EdC-syst., Efav-syst., EnaF-syst., Enf-syst., Enta-syst., Entec-syst., Epl-syst., Epoe-syst., Epr-syst., Erl-syst., Ert-syst., Esc-syst., Estro-syst., EstroP-syst., EstroPO-syst., Etan-syst., Exem-syst., Ezet-syst., Fam-syst., Fex-syst., Fluda-syst., Flum-syst., Flut-inhloc., FlutS-inhloc., Fluv-syst., For-inhloc., Fosam-syst., Fosc-syst., Fro-syst., Gab-syst., Gala-syst., Gemif-syst., Glut-syst., Guanad-syst., HepatAVI-syst., HepatBIG-syst., HepatBVR-syst., HistH2-syst.** [*Famotidine*], **Histr-syst., Ima-syst., Imiq-top., Imm-syst., Infli-syst., Irb-syst., Isot-syst., Lat-oph., Len-syst., Leval-inhloc., Levoc-oph., Levod-syst., Los-syst., Lut-syst., Lym-syst., Mef-syst., Melo-syst., Mem-syst., MeniPV-syst., MeniVDC-syst., Mif-syst., Moe-syst., MoeH-syst., Mom-inhloc., Mont-syst., Natal-syst., Nev-syst., Oct-syst., Olm-syst., Oma-syst., Orl-orloc., Ose-syst., Oxa-syst., Oxc-syst., Palo-syst., Pam-syst., Pegf-syst., PegiA2a-syst., PegiA2b-syst., Pegv-syst., Peme-syst., PenicilB-syst., Poli-syst., Praml-syst., Prazo-syst., PrazoP-syst., Proge-syst., Quid-syst., RabiV-syst., Ram-syst., Riba-syst., RibaI-syst., Rifap-syst., Risp-syst., Ritu-syst., Riv-syst., Riz-syst., Ropin-syst., Rosi-syst., RosiM-syst., Saq-syst., Sertr-syst., SodPhe-syst., Sol-syst., Sor-syst., Sta-syst., SulfadP-syst., Sur-syst., Teli-syst., Telm-syst., TelmH-syst., Testos-syst., Tini-syst., Tinz-syst., Tolc-syst., Tolt-syst., Topi-syst., Topo-syst., TramA-syst., Trand-syst., TrandV-syst., Tret-syst., Trimetr-syst., Trip-syst., Tros-syst., Vac-syst., Vala-syst., Vals-syst., ValsH-syst., Ven-syst., Vig-syst., Zalc-syst., Zid-syst., Zole-syst., Zon-syst.**

females: *Tamo-syst.*

malaise, with: **AbLam-syst., AbLamZid-syst.**

asthenia, and: *Flum-syst.*

muscular: *ValsH-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

CAPACIDADE VITAL FORÇADA (CVF), diminuição da: Dorn-inhloc.

CAQUEXIA (Ver Emagrecimento, caquexia).

CARDIOVASCULARES, TRANSTORNOS (desmaios; batimentos cardíacos rápidos ou lentos; pulso irregular; dificuldade respiratória [dispnéia] aos esforços) (Ver PEITO): Adal-syst., Alef-syst., BetBA-oph. [Levobetaxolol], Biv-syst., CortO-systdia., Glut-syst., Indin-syst., **Iri-syst.**, Lut-syst., **SodBeSP-syst.**

angiopathy.

microangiopathy, thrombotic (sudden weakness in arms or legs; sudden, severe chest pain): Bleo-syst. Cisp-syst.

antiangiogenesis: Len-syst., Thali-syst.

arrest, cardiac (chest pain; irregular heartbeat; heart failure; stopping of heart; no blood pressure or pulse; unconsciousness): Adal-syst., Agal-syst., Aldes-syst., Alpr-syst., Amif-syst., **Arg-syst.**, Benzod-syst., BronT-syst. [Aminophylline, Theophylline], Carv-syst., Chloroq-syst., Chym-parloc., Cisap-syst., Citra-syst. [Potassium Citrate-containing], Colc-syst., **Darb-syst.**, Dexmed-syst., Diat-syst., DigitG-syst., Dipy-syst., Dof-syst., DorzT-oph., Ergon-syst., Flec-syst., Fluox-syst., FlutS-inhloc., For-inhloc., Hydxcyc-syst., Imm-syst., Ioxa-syst., **Iri-syst.**, Leval-inhloc., Levom-syst., Lid-syst., Lid-top., MagS-syst., Melo-syst., Methyler-syst., Mida-syst., Mor-syst., **Mur-syst.**, PacP-syst., Phenot-syst., Pyridos-syst., Ras-syst., Sevo-inhsyst., Sild-syst., Toc-syst., TramA-syst. [Tramadol], Tret-syst., Vac-syst.

cardiovascular system depression leading to cardiac arrest (increased sweating, low blood pressure, pale skin, slow or irregular heartbeat): Anest-mucloc., Anest-top.

arteriolopathy: Cyclosp-syst.

arteriosclerosis: BronA-syst. [Isoproterenol]

atherosclerosis: GroH-syst.

block.

atrioventricular (chest pain; dizziness; fainting; pounding, slow heartbeat; troubled breathing; unusual tiredness or weakness): ArsTr-syst., Bort-syst., BronA-syst. [Epinephrine], Carbam-syst., Carv-syst., Cev-syst., Clon-parloc., Dexmed-syst., Dipy-syst., Diso-syst., Dof-syst., HistH2-syst., Ibut-syst., Iopr-syst., Mef-syst., Mem-syst., Pac-syst., Pil-oph., Pil-syst., Prazi-syst., Sertr-syst., Sild-syst., TrandV-syst. [Verapamil]

complete: Bort-syst.

first degree: Dexmed-syst., Propa-syst.

second degree: Flec-syst., Mor-syst., Propa-syst.

third degree: Flec-syst., Ibut-syst., Mor-syst.

bifascicular: Ataz-syst.

bundle branch block: Carv-syst., Cyclob-syst., Dof-syst., Ibut-syst., Pac-syst., Propa-syst., Sertr-syst.

cardiotoxicity, other arrhythmias, and congestive heart failure, including: Cyclob-syst.

right (shortness of breath, palpitations, fatigue, irregular fast heartbeat): Anid-syst.

complete: *Anag-syst.*

ectopy, ventricular (See Ectopy).

first degree: *Aden-syst.*

adults: *DigitG-syst.*

heart, general (disease in the electrical system of the heart): *BetBA-oph.* [*Betaxolol*, *Levobetaxolol*, *Timolol*], *Dexmed-syst.*, *Dipy-syst.*, *Dof-syst.*, *Don-syst.*, *DorzT-oph.*, *Lid-syst.*, *Lid-top.*, *Que-syst.*

second degree: *Aden-syst.*, *Alpr-syst.*, *CalcCBA-syst.* [*Amlodipine*, *Bepridil*, *Diltiazem*, *Flunarizine*, *Verapamil*], *Dexmed-syst.*, *Dinopst-parloc.*, *Ond-syst.*

adults: *DigitG-syst.*

sinoatrial: *Lit-syst.*

sinus node: *Lit-syst.*

tachycardia, atrial, with: *DigitG-syst.*

third-degree: *Aden-syst.*, *CalcCBA-syst.* [*Amlodipine*, *Bepridil*, *Diltiazem*, *Flunarizine*, *Verapamil*], *Cisap-syst.*

adults: *DigitG-syst.*

Wenckebach block: *Bupre-syst.*

calcification, vascular: *CalcA-syst.*

circulation.

failure, circulatory: *Coc-mucloc.*

peripheral, reduced (cold hands and feet): *BetBA-syst.*, *BetBAT-syst.*, *Esm-syst.*

claudication, intermittent: *Trand-syst.*, *Vasc-syst.*

collapse.

cardiac: *BotA-parloc.*

cardiorespiratory: *Bleo-syst.*, *HydroxT-oph.*

adults: *Trop-oph.*

children: *Trop-oph.*

cardiovascular, circulatory: *AntCoaC-syst.*, *AntconH-syst.*, *AntvCPol-syst.*, *AntvM.-syst.*, *AppSupS-syst.*, *Barb-syst.*, *Benzon-syst.*, *Beth-syst.*, *Capec-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Chloramp-syst.*, *DiatI-loc.*, *Gat-oph.*, *HydroxT-oph.*, *Imm-syst.*, *Iron-syst.*, *IsomDA-syst.*, **Mur-syst.**, *Neu-syst.*, *Ofl-ot.*, **Prota-syst.**, *Pyrim-syst.*, *Sevo-inhsyst.*, *SodBeSP-syst.*, *Vac-syst.*

convulsions, and: *Gala-syst.*

hypotensive: *Ioxa-syst.*

vasomotor (chest pain or discomfort; cold, clammy, pale skin; confusion; dizziness; irregular heartbeats; shortness of breath; slow heart rate; weakness): *Diat-syst.*, *HydroxT-oph.*

conduction disorders (cardiovascular effect; dizziness, faint feeling or fainting, and/or palpitations; atrioventricular [AV] block, atrioventricular junctional or ventricular bradycardia, bundle branch block, depressed myocardial contractility, QRS complex widening, QT interval prolongation, sinus bradycardia, sinoatrial [SA] block, sinus tachycardia, torsades de pointes, ventricular fibrillation, ventricular tachycardia, and asystole) (See CHEST, Conduction disorders): *Carbam-*

Repertório - Capítulo GENERALIDADES

syst., Chloroq-syst., Clon-parloc., Diso-syst., Hydxyc-syst., *Lid-syst.*, *MagS-syst.*, Mor-syst., *Quid-syst.*

children: *DigitG-syst.*

infants: *DigitG-syst.*

intra-atrial and intraventricular: Propa-syst.

delay, intraventricular: *Propa-syst.*

congestive heart failure (chest pain; decreased urine output; dilated neck veins; extreme fatigue; irregular breathing; irregular heartbeat; shortness of breath; swelling of face, fingers, feet, or lower legs; tightness in chest; troubled breathing; weight gain; wheezing): *Adal-syst.*, *Album-syst.*, *Aldes-syst.*, *Alpr-syst.*, *Aman-syst.*, *Amio-syst.*, *Anag-syst.*, *AntinfN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Barb-syst.*, *BarbAn-syst.* [Barbiturates], *BetBA-oph.* [*Betaxolol*, *Timolol*], *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, *CalcCBA-syst.*, *Carbam-syst.*, *Cele-syst.*, *Coc-mucloc.*, *CorticG-syst.*, *Corticot-syst.*, *Cyclob-syst.*, *Cycloph-syst.*, **Darb-syst.**, *Dau-syst.*, *DauL-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Diaz-orsyst.*, *Diaz-parsyst.*, *Diso-syst.*, *Docet-syst.*, *Doxor-syst.*, *Epir-syst.*, *Etan-syst.*, *Flec-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Ibut-syst.*, *Ida-syst.*, *Ilo-inh.*, *Infli-syst.*, *IntB1a-syst.*, *Mitox-syst.*, *Mor-syst.*, *Pentost-syst.*, *Phenot-syst.*, **Pio-syst.**, *Propa-syst.*, *Ralt-syst.*, *Rosi-syst.*, *RosiM-syst.*, **Sir-syst.**, *Telm-syst.*, *Tras-syst.*, *Zalc-syst.*

cardiotoxicity and bundle branch block or other arrhythmias, including: *Cyclob-syst.*

compromised cardiovascular function, patients with: *Album-syst.*

delayed (manifested by ascites, gallop rhythm, hepatomegaly, pleural effusion, pulmonary edema, and tachycardia): *Epir-syst.*

exacerbation of: *AntinfN-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Diso-syst.*, Mor-syst., *Propa-syst.*

hypotension, with (dizziness, lightheadedness, or fainting): *Diso-syst.*

new-onset: *Etan-syst.*

severe: *Cycloph-syst.*, *Diat-syst.*

multiple contrast studies within 72 hours, patients who have had: *Diat-syst.*, *Iot-syst.*

large volumes of contrast agent, patients receiving: *Diat-syst.*, *Iot-syst.*

elevated uric acid levels, patients with: *Diat-syst.*, *Iot-syst.*

fatal: *Cycloph-syst.*

susceptible individuals: *CorticG-syst.*, *Diaz-parsyst.*

worsening (See exacerbation of).

coronary artery disorder (arm, back or jaw pain; chest pain or discomfort; chest tightness or heaviness; fast or irregular heartbeat; shortness of breath; sweating; nausea): *Adal-syst.*, *Alef-syst.*, *Cele-syst.*

vasospasm, coronary artery (See CHEST, Angina Pectoris).

damage, vascular: *Colc-syst.*

death, cardiovascular, increased: *Glim-syst.*, *GlipM-syst.*

depression, cardiovascular system, or circulatory depression (increased sweating, low blood pressure, pale skin, slow or irregular heartbeat): *Anest-mucloc.*, *Anest-parloc.*, *Anest-top.*, *AnestBar-syst.*, *AnestInh-syst.*, *BetBA-oph.*, *Coc-mucloc.*, *Desf-*

Repertório - Capítulo GENERALIDADES

inhsyst., *FentD-syst.*, *LidP-top.*, *Mida-syst.*, *Neu-syst.*, *Propo-syst.*, *Ropiv-parloc.*, *Sevo-inhsyst.*

arrest, cardiac, leading to: *Anest-mucloc.*, *Anest-top.*, *FentD-syst.*

discoloration, vein: *Palo-syst.*

disease, cardiovascular, danger of: *Gemf-syst.*

dissociation, atrioventricular: *AnestInh-syst.* [*Halothane*]

adults: *DigitG-syst.*

distention, vein: *Palo-syst.*

disturbance, instability, reactions, hemodynamic: **Mur-syst.**, *TecAlA-syst.*

cardiac hemodynamics, alterations in: *Iopa-syst.*, *Iov-syst.*

minimal: *Doxac-syst.*

failure, heart (chest pain; decreased urine output; dilated neck veins; extreme fatigue; irregular breathing; irregular heartbeat; shortness of breath; swelling of face, fingers, feet, or lower legs; tightness in chest; troubled breathing; weight gain; wheezing): *AmlodAt-syst.*, [*Amlodipine*], *BetBA-oph.*, *Coc-mucloc.*, *Cyp-syst.*, *Docet-syst.*, *DorzT-oph.*, *DoxorL-syst.*, *Eno-syst.*, *Gemc-syst.*, *Imiq-top.*, *Lep-syst.*, *Melo-syst.*, **Mur-syst.**, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Pam-syst.*, **Por-syst.**, *Ras-syst.*, *RosiM-syst.*, *Tore-syst.*, *Tras-syst.*, *Tret-syst.*

failure, cardiovascular: *VitDA-syst.*

hypoperfusion: *TrandV-syst.*

infarction, acute myocardial; heart attack; injury, myocardial; infarction, coronary (pain, discomfort or pressure in the chest and/or the jaw, neck, back, or arms; crushing chest pain; unexplained shortness of breath; sweating; cool, pale skin; anxiety; cold sweating; dizziness, lightheadedness, or fainting; increased heart rate; nausea or vomiting; shortness of breath; ST segment elevation in electrocardiogram; decreased cardiac contractility, creatine kinase elevation, hemorrhages and microinfarctions in the myocardium): *Acit-syst.*, *Adal-syst.*, *Aldes-syst.*, *Alef-syst.*, *Almot-syst.*, *Amif-syst.*, *Anag-syst.*, **AntCoaC-syst.**, *BisSMT-syst.*, *Bleo-syst.*, *Bromo-syst.*, *BronA-syst.* [*Epinephrine*], *Cand-syst.*, *CandH-syst.*, *CarbidEL-syst.*, *Cele-syst.*, *Cisp-syst.*, *Colc-syst.*, *Cortic-nas.* [*Dexamethasone*], *Cyp-syst.*, *Darb-syst.*, *Desf-inhsyst.*, *Desm-syst.*, *Diat-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *Dihynassyst.*, *Dipy-syst.*, *Docet-syst.*, *Dof-syst.*, *DorzT-oph.*, *Doxaz-syst.*, *DrosE-syst.*, *DrosEE-syst.*, *Ele-syst.*, *Epl-syst.*, *Epoe-syst.*, *Ergon-syst.*, *Erl-syst.*, *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Eton-vag.*, **FacIX-syst.**, *Fro-syst.*, *Gadop-syst.*, *Gemc-syst.*, *HydroxT-oph.*, *Imiq-top.*, *Indin-syst.*, **Iri-syst.**, *Let-syst.*, *Melo-syst.*, *Methyler-syst.*, *Mif-syst.*, *Mitox-syst.*, *Mor-syst.*, **Mur-syst.**, *NoreE-syst.*, *PegiA2b-syst.*, *Pentost-syst.*, *Perg-syst.*, *Phent-syst.*, *Pil-syst.*, *Ras-syst.*, *Rep-syst.*, *Ritu-syst.*, *Sild-syst.*, *Sor-syst.*, *Tad-syst.*, *Telm-syst.*, *Thr-syst.*, *Tore-syst.*, *Tram-syst.*, *Tret-syst.*, *Vard-syst.*, *Vasc-syst.*, *Vaso-syst.*

fatal: *Pac-syst.*

patient with previous infarction: *Vino-syst.*

hypotension.

after: *Amif-syst.*

during: *Amif-syst.*

increased risk of: *ConjE-syst.*, *Estro-vag.*, *MedE-syst.*

ischemia, myocardial; ischemia, coronary (See Angina pectoris, ischemia): Aldes-syst., Arb-syst., Carv-syst., Coc-mucloc., Desf-inhsyst., Diaz-orsyst., Diaz-parsyst., Dihy-nassyst., Erl-syst., EstroPO-syst., Etan-syst., Fluoru-syst., Gadob-syst., **Iri-syst.**, Let-syst., Palo-syst., Rosi-syst., Sild-syst., Sor-syst., Vard-syst.

adults: Desf-inhsyst.

pediatric patients, and: Desf-inhsyst.

hypotension.

after: Amif-syst.

during: Amif-syst.

pediatric patients: Desf-inhsyst.

adults, and: Desf-inhsyst.

transient (chest pain): Almot-syst., Ele-syst., Fro-syst.

males: Gos-syst.

adults: Leup-syst.

nodal (junctional) rhythm: AnestInh-syst. [Halothane], Cital-syst., Desf-inhsyst., Ibut-syst.

accelerated.

adults: DigitG-syst.

adults: Desf-inhsyst.

pediatric patients, and: Desf-inhsyst.

pediatric patients: Desf-inhsyst.

adults, and: Desf-inhsyst.

occlusion, arterial, necessitating limb amputation: Meno-syst.

output, cardiac, decreased: Agal-syst.

peripheral vascular disorder (changes in skin color; cold hands and feet; pain, redness, or swelling in arm or leg): Carv-syst., Clofib-syst., Glut-syst., IntB1b-syst., **Iri-syst.**, Mero-syst., **Sir-syst.**, **SodBeSP-syst.**, Ver-parloc.

mild and lasting 1 hour or less (cold fingers or toes, itching of skin, numbness or tingling of fingers or toes, weakness in the legs occurring without other signs and symptoms of ischemia): **Vasc-syst.**

permeability, vascular, marked increase in: Meno-syst., Uro-syst.

phlebosclerosis (pain or tenderness over affected vein): Fome-syst.

Raynaud's Disease (See Raynaud's Disease).

resistance, vascular, peripheral.

decreased (See Hypotension): Sevo-inhsyst.

loss of (See Hypotension): AnestBar-syst.

shock, cardiogenic (See Shock).

systolic dysfunction, left ventricular (chest pain; decreased urine output; dilated neck veins; extreme fatigue; irregular breathing; irregular heartbeat; shortness of breath; swelling of face, fingers, feet, or lower legs; tightness in chest; troubled breathing; weight gain; wheezing): **Clofar-syst.**

thrombotic events, cardiovascular (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden

vision changes; stroke; serious potential life-threatening gastrointestinal [GI] bleeding): *Melo-syst.*

toxicity, cardiovascular (See Toxicity).

ulcerations, vasculitic (bleeding under skin; crater-like lesions; fever; weight loss; fatigue): *Hydxyu-syst.*

vasoconstriction, vasopressor vasospasm (bluish color; changes in skin color; pain; tenderness; swelling of foot or leg): *Ber-intloc.*, *Coc-mucloc.*, *Fus-syst.*, **LidP-top.**, *Mido-syst.*, *Sym-parsyst.*

coronary artery: *Ele-syst.*

peripheral (pale, cool, or blotchy skin on arms or legs; weak or absent pulse in arms or legs): *BetBA-syst.* [except Labetalol], *BetBAT-syst.*, BronA-inhloc.[Epinephrine], BronA-syst. [Epinephrine], *Carbopr-syst.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Ergon-syst.*, *Esm-syst.*, *Methyler-syst.*

ischemia, peripheral, vasospasm-induced: **Methys-syst.**

severe: *Carbopl-syst.*, *Ergon-syst.*, *Methyler-syst.*

vasodilation (feeling of warmth or heat; flushing or redness of skin, especially on face and neck; headache; feeling faint, dizzy, or light-headedness; sweating) (See Heat, hot flashes): *Acetyl-syst.*, *Almot-syst.*, *Anag-syst.*, *Anthro-syst.*, *Atorv-syst.*, *Bos-syst.*, *Brim-oph.*, *Busu-syst.*, **Butor-nasyst.**, *CalcCBA-syst.*, *Cil-syst.*, **ConjE-syst.**, *Cycla-syst.*, *Cyclope-oph.*, **Den-syst.**, *Diaz-parsyst.*, *DipyA-syst.*, *Docet-syst.*, *Don-syst.*, *Etan-syst.*, *Feru-syst.*, *Fluorq-syst.*, *Fluox-syst.*, **Ful-syst.**, *Gab-syst.*, *Gadob-syst.*, *Gadod-syst.*, *Gadop-syst.*, *Gadot-syst.*, **Gadov-syst.**, *Gla-syst.*, *Hydra-syst.*, *IbupO-syst.*, *IntBla-syst.*, **Iri-syst.**, *Lans-syst.*, *Levof-syst.*, **LidP-top.**, *Minox-syst.*, *Minox-top.*, *Mod-syst.*, *Nalm-syst.*, *Nef-syst.*, *Nitra-syst.* [*Isosorbide*, *Dinitrate*, *Nitroglycerin*], *Nitrop-syst.*, *Nyl-syst.*, *Oxyb-syst.*, *Pantop-syst.*, *Pap-syst.*, *Paro-syst.*, *Perf-orloc.*, **Pil-syst.**, *Praml-syst.*, *Prazo-syst.*, *Riton-syst.*, *Rosu-syst.*, *Sib-syst.*, *Sild-syst.*, **Sir-syst.**, *Sum-syst.*, *Tia-syst.*, **TosI-syst.**, *Tram-syst.*, *Trand-syst.*, *Trep-syst.*, *Valp-syst.*, *Vals-syst.*, *Vor-syst.*, *Zic-syst.*

arteriolar (feeling of warmth and flushing of skin): **Diat-syst.**, **Iodip-syst.**, **Iopa-syst.**, **Iot-syst.**

cerebral: *CalcCBA-syst.*

excessive: **SodN-syst.**

heart: *CalcCBA-syst.*

peripheral (flushing): *AmlodAt-syst.* [Amlodipine], *Anest-parloc.*

pulmonary: **Bos-syst.**

systemic, and: *Epop-syst.*

systemic and pulmonary: *Epop-syst.*

CARTILAGENS, TRANSTORNOS das.

hypertrophic cartilage diseases: *Chond-imploc.*

CETOSE (náusea; dor de estômago; vômitos): *Adal-syst.*

hyperglycemia, ketotic (when given to an infant born to an insulin-dependent diabetic patient): *Alpr-syst.*

CHOQUE, síndrome do choque, estado do tipo choque (apnéia, colapso circulatório, parada respiratória e morte): *Alpr-syst.*, **Antcoa-syst.**, *AntglaC-oph.*, *AntvCPol-syst.*, *AntvM.-syst.*, *Barb-syst.*, *BarbAn-syst.*, *Beth-syst.*, *Bupre-syst.*, *Carbam-syst.*, *Cev-syst.*, *Chym-parloc.*, *Colc-syst.*, *Corticot-syst.*, *Diat-loc.*, *Diat-syst.*, *DiphtTTH-syst.*, *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*, *Ergon-syst.*, *Etom-syst.*, *Fome-syst.*, *Guane-syst.*, *Hal-syst.*, *Iot-syst.*, *Ioxa-syst.*, *Levom-syst.*, *Lid-top.*, *Melo-syst.*, *Mero-syst.*, *Methyler-syst.*, *Mica-syst.*, *Neu-syst.*, *Ond-syst.*, *Phenot-syst.*, *Phent-syst.*, *Pil-oph.*, *Pil-syst.*, *Sild-syst.*, *Sur-syst.*, *Tacri-syst.*, *Vasc-syst.*

anaphylactic shock (See Anaphylaxis).

azotemic patients: *Iopa-syst.*

cardiogenic, cardiovascular: *Carv-syst.*, **Prota-syst.**, *Ritu-syst.*

debilitated patients: *Iopa-syst.*

dehydrated patients: *Iopa-syst.*

failure, circulatory, with: *Aprot-syst.*

geriatric patients: *Iopa-syst.*

hypovolemic: *EstroPO-syst.*

septic, fatal: *Mif-syst.*

severe, profound: *Hydra-syst.*

hypotension, with: **Mur-syst.**

toxic shock syndrome (dizziness; fever; lightheadedness; chills; sunburn-like rash that is followed by peeling of the skin; muscle aches; hypotension; unusual redness of the mucous membranes inside of the mouth, nose, throat, vagina, or conjunctivae; confusion): *Spec-syst.*

CIANETO, TOXICIDADE por (ausência de reflexos; coma; bulhas cardíacas abafadas; hipotensão; pulso imperceptível; acidose metabólica; cor-de-rosa, respiração muito superficial; pupilas amplamente dilatadas): *Nitrop-syst.*

CIANOSE (lábios, mãos, dedos e unhas de cor azulada) (Ver Raynaud, Doença de): *AmylN-syst.*, *AntvCPol-syst.*, *AntvM.-syst.*, **Calf-intloc.**, *Cital-syst.*, *DiphtTTH-syst.*, *FatE-syst.*, *Hepar-syst.*, *Imm-syst.*, *Niti-syst.*, *Nitra-syst.*, *Nitro-syst.*, **Paliv-syst.**, *Palo-syst.*, *Ras-syst.*, *SodN-syst.*, *Sulfas-syst.*, *TecAlA-syst.*, *Thr-syst.*, *Vac-syst.*, *Vasc-syst.*, *VitK-syst.*

animal studies: *Sum-syst.*

rats: *Eno-syst.*

acute episodes: *Resp-syst.*

ashen gray: *Coc-mucloc.*

peripheral (bluish color of fingernails, lips, skin, palms, or nail beds) (See EXTREMITIES, Cyanosis, peripheral): *AmylN-syst.*, *BetBAT-syst.*, *Niti-syst.*, *Nitra-syst.*, *Nitro-syst.*, *Palo-syst.*, *Ras-syst.*, *SodN-syst.*, *Sulfas-syst.*, *TecAlA-syst.*, *Thr-syst.*, *Vac-syst.*, *Vasc-syst.*

CICATRIZAÇÃO (Ver Cura, resposta de).

CINCHONISMO (dor abdominal; confusão; visão borrada e/ou dupla; delírio; diarreia; percepção de cor perturbada; tonturas ou vertigens; dor de cabeça; náuseas e vômitos; ruídos, zunido ou zumbido nos ouvidos; intolerância visual à luz): *Quid-syst.*, *Quin-syst.*

CITOPENIAS (Ver Policitemia).

- [anemia](#) (See Anemia).
- [granulocytopenia](#) (See Agranulocytosis).
- [leukopenia](#) (See Leukopenia).
- [lymphopenia](#) (See Lymphopenia).
- [neutropenia](#) (See Neutropenia).
- [pancytopenia](#) (See Pancytopenia).
- [reticulocytopenia](#) (See Reticulocytopenia).
- [thrombocytopenia](#) (See Thrombocytopenia).

COAGULAÇÃO, hemostasia (Ver Hemorragia; TESTES DIAGNÓSTICOS, Discrasias Sanguíneas; TESTES DIAGNÓSTICOS, Coagulação, Testes): *AmincAc-syst.*, *Aprot-syst.*, *Carbet-syst.*, *Carbopl-syst.*, *Desm-syst.*, *Imm-syst.*, *Oct-syst.*, *RhO-syst.*, *Trane-syst.*, *Valp-syst.*, *VitK-syst.* [*Phytonadione*]

- [afibrinogenemia](#): *Oxyt-syst.*
 - [infant, after birth](#): *Valp-syst.*
- [anticoagulation, excessive, without bleeding](#): *Arg-syst.*
 - [bleeding, with](#) (bleeding from gums when brushing teeth; heavy bleeding or oozing from cuts or wounds; unexplained bruising or purplish areas on skin; unexplained nosebleeds; unusually heavy or unexpected menstrual bleeding): *Arg-syst.*
- [coagulopathy](#) (unusual bleeding or bruising): *Anid-syst.*
 - [pediatric patients with juvenile rheumatoid arthritis](#): *Etan-syst.*
- [defects or disorders, coagulation](#) (unexplained bleeding or bruising) (See Thromboembolism): *AntvCPOv-syst.*, *Capec-syst.*, *Colc-syst.*, *IsomDA-syst.*, *Ritu-syst.*, *TramA-syst.* [*Acetaminophen*], *Valp-syst.*
 - [hemophilia](#) (See Hemophilia).
 - [platelet disorder or dysfunction](#) (unusual bleeding or bruising) (See Hemorrhage): *Penicil-syst.*, *PenicilB-syst.*
 - [aggregation inhibited](#) (See Hemorrhage): *Valp-syst.*
 - [qualitative](#) (unusual bruising or bleeding; black or tarry stools): *Fel-syst.*

[disseminated intravascular coagulation \(DIC\)](#) (cyanosis [bluish coloring], especially of the hands and feet; bruising at the injection site; persistent bleeding or oozing from puncture sites or mucous membranes [bowel, mouth, nose, or urinary bladder]): *Acyc-syst.*, *Alpr-syst.*, *AntinfN-syst.* [*Indomethacin*], *AntCoaC-syst.*, *AntconH-syst.*, *ArsTr-syst.*, *Bort-syst.*, *Cital-syst.*, *Colc-syst.*, *Ethan-parloc.*, *FacIX-syst.*, *FacVIIa-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fome-syst.*, *Gemt-syst.*, *Indo-syst.*, *IsomDA-syst.*, *Lamo-syst.*, *Paro-syst.*, *Quin-syst.*, *Sertr-syst.*, *SodBeSP-syst.*, *TramA-syst.* [*Acetaminophen*], *Tret-syst.*, *Ure-parloc.*

[anemia, hemolytic, fatal, with](#): *Maf-top.*

[discrasias, blood](#) (fever and sore throat; unusual bruising or bleeding; unusual tiredness or weakness; pale skin): *Adal-syst.*, *AntinfN-syst.* [*Phenylbutazone*], *AntdepT-syst.*, *Anthis-syst.* [*Azatadine*, *Brompheniramine*, *Cyproheptadine*, *Dexchlorpheniramine*], *AnthisD-syst.*, *AnthisDAG-syst.*, *AnthisDAc-syst.*, *AnthisP-*

Repertório - Capítulo GENERALIDADES

syst., Brin-oph., CandH-syst., Carbam-syst., CarbonAI-syst., Chloramp-oph., Chloramp-ot., Chloramp-syst., Daps-syst., DecAn-syst. [Acetaminophen-containing combinations], Dorz-oph., DorzT-oph., Ison-syst., Levam-syst., Maf-top., MepA-syst., Sulfap-syst. [Meprobamate], Pimo-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Silv-top., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., **Tacro-syst.**, Thiox-syst., Toc-syst., Trimethob-syst., Zon-syst.
fibrinolytic activity, compensatory increase in: Aspar-syst.
hypercoagulability: FatE-syst.
hypocoagulability (bleeding from cuts or scratches that lasts longer than usual): AntinfN-syst.
increase of: **Mann-syst.**
suppression of clotting factors (unusual bleeding): AnabS-syst.
time, coagulation, increased: Sertr-syst.

COAGULAÇÃO INTRAVASCULAR DISSEMINADA (CIVD) (Ver Coagulação).

COBRE, DEFICIÊNCIA de, zinco-induzida: ZinS-syst.

COLAPSO: Diett-top., DiphtTTH-syst., DiphtTTPV-syst., DiphtTTPVH-syst., Palo-syst., Sur-syst.

COLESTEROL (Ver Lipidêmicos, Transtornos; TESTES DIAGNÓSTICOS).

concentration, increase in total: Efav-syst.
excretion into the bile, increased: Fenof-syst.

CÓLICAS musculares, câimbras (contrações músculo-esqueléticas localizadas, dolorosas, involuntárias, de início súbito e de curta duração; dor de estômago) (Ver Espasmos; EXTREMITIES, Contraturas, Cólicas, Espasmos): Acyc-syst., Adal-syst., AmlodBen-syst., AnabS-syst., AngInH-syst., Antdys-syst., Antm-syst., **Azac-syst.**, Bals-syst., **Bort-syst.**, BronA-inhloc., BronA-syst., Busp-syst., Carv-syst., ChlordA-syst., Cisp-syst., Clop-syst., Cortic-ot., Cortic-top., CorticG-syst., DecAn-syst. [Ibuprofen-containing combinations], DicM-syst., Diett-top., DiuP-syst., Doxaz-syst., Dul-syst., Edr-syst., EdrA-syst., Estro-syst., Fel-syst., Fludro-syst., FlutS-inhloc., For-inhloc., Gluc-syst., HistH2-syst., **Ilo-inh.**, **Ima-syst.**, Ketor-syst., Lamo-syst., Lind-top., Los-syst., Mef-syst., Methylp-syst., **Miglu-syst.**, Omeq-syst., Para-syst., Pyridos-syst., Pyrim-syst., QuinuD-syst., **Ralo-syst.**, Ropin-syst., Seleg-syst., SodO-syst., SodTh-syst., SulfadP-syst., Sum-syst., Tacro-syst., Teli-syst., Telm-syst., Tini-syst., Tinz-syst., Tolc-syst., Tram-syst., Trimethob-syst., ValsH-syst., Zolp-syst.

abdominal, and: Zale-syst.

children: BronA-syst. [Albuterol]

calf: HyalSD-syst.

legs: Aminglyc-syst. [Gentamicin], Anag-syst., AntinfN-syst. [**Fenoprofen**, **Tolmetin**], Atorv-syst., Carbam-syst., Cele-syst., Cev-syst., Chym-parloc., ConjE-syst., Cyclosp-syst., Def-syst., Dipy-syst., Dom-syst., **Don-syst.**, Estro-syst., Gemif-syst., Imm-syst., **IntA-syst.**, **Iopa-syst.**, **Iron-syst.**, **Leval-inhloc.**, Mido-syst., **Miglu-syst.**, Nes-syst., Rise-syst., **Sir-syst.**, Teri-syst., ThyH-syst., Valp-syst., Zic-syst.

night: *Bromo-syst.*

COLINÉRGICOS, EFEITOS, crise ou síndrome colinérgica, estimulação parassimpática (dor de cabeça; salivação ou transpiração aumentada; náuseas ou vômitos; vermelhidão ou rubor da pele ou sensação de calor; dor ou desconforto gástrico) (Ver Parassimpática, Estimulação; Sistema Nervoso Autônomo): *Beth-syst.*

cholinergic effect, cholinergic crisis, cholinergic syndrome (excess of Acetylcholine) (abdominal cramping, rhinitis, increased salivation, miosis, lacrimation, flushing and diaphoresis): Antm-syst., **BetBA-syst.** [*Acebutolol, Atenolol, Betaxolol, Carteolol, Labetalol, Metoprolol, Nadolol, Oxprenolol, Penbutolol, Pindolol, Propranolol, Sotalol, Timolol*], *Iri-syst., Phent-syst., Pyridos-syst., Riv-syst., Tacri-syst.*

COMA (Ver Inconsciência).

COMPLEXO DE SINTOMAS (temperatura elevada, rigidez muscular e alteração de consciência, assemelhando-se à síndrome neuroléptica maligna; elevada creatina quinase [CK]) (Ver Síndrome Neuroléptica Maligna): *Tolc-syst.*

CONTRAÇÕES musculares (Ver Cólicas; EXTREMIDADES): *AntdepT-syst., SodO-syst.*

CONTRAÇÕES musculares ou tiques (movimentos espasmódicos repentinos do corpo) (Ver Síndrome de Tourette; EXTREMIDADES, Contrações): *Acamp-syst., Alos-syst., Aminglyc-syst., AmlodAt-syst.* [*Amlodipine*], *Amph-syst., Anest-oph., AnestBar-syst.* [*Methohexital, Thiopental*], *AntinfN-syst., AntconH-syst., AntdepT-syst., Antm-syst., Arip-syst., BarbAn-syst.* [*Caffeine*], *BronA-inhloc., Caff-syst., Carbam-syst., CarbidL-syst., Cital-syst., Clod-syst., Cyclob-syst., Cyclos-syst., Dapt-syst., Del-syst., Dexmet-syst., Edr-syst., EdrA-syst., EmtT-syst., Fluv-syst., Fosc-syst., Gab-syst., Hal-syst., Histr-syst., Lamo-syst., Lid-syst., Lid-top., LidP-top., Mem-syst., Mep-syst., MepA-syst., Methylp-syst., Meto-syst., Mica-syst., Mitot-syst., Moli-syst., Nef-syst., Nitrop-syst., Ola-syst., Paro-syst., Pemo-syst., PerpA-syst., Phenot-syst., Phy-syst., Pre-syst., Procar-syst., Pyridos-syst., Risp-syst., Ropiv-parloc., Seleg-syst., Sertr-syst., Tacro-top., Thie-syst., Thr-syst., Tram-syst., Valp-syst., Ven-syst., Vind-syst., Zic-syst.*

fasciculations (twitches of the muscle visible under the skin): *Oxa-syst.*

myoclonus, myoclonia (muscle twitching or jerking; rhythmic movement of muscles): *AntdepMAO-syst., Chloramb-syst., Cital-syst., Fluv-syst., Nalm-syst., Ola-syst., Paro-syst., Pre-syst., SodBeSP-syst., SodO-syst., Sum-syst., Ven-syst., Zic-syst.*

jerks, myoclonic (sudden jerky movements of body): *Seleg-syst.*

postoperative: *Propo-syst.*

opisthotonus, with: *Propo-syst.*

sleep, during: *AntdepMAO-syst.* [*Tranlycypromine*]

slight: *Lit-syst., Ola-syst.*

small muscles, generalized: *Coc-mucloc.*

spasms, weakness, and: *Pyran-orloc.*

CONTUSÕES (Ver Injúrias).

CONVULSÕES (Ver Cólicas; Epilepsia; Espasmos): **AbLam-syst.**, *Acamp-syst.*, *AcetSal-syst.*, *Acyc-syst.*, *Aldes-syst.*, *Alpr-syst.*, **Altr-syst.**, **Aman-syst.**, *Amif-syst.*, **Aminglyc-syst.**, *Aminglyc-syst.* [*Gentamicin*], **AmphoB-syst.**, **Amsa-syst.**, *Anest-mucloc.*, *Anest-oph.*, **Anest-parloc.**, *AnestInh-syst.* [*Enflurane*], *Anid-syst.*, *AntinfN-syst.* [*Phenylbutazone*], *Antchsp-syst.*, *AntconH-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.* [*Amoxapine*], **AntdiaS-syst.** [*Chlorpropamide*, *Tolbutamide*], *Antdys-syst.*, *AntfunA-syst.*, **Anthi-syst.**, *AnthiD-syst.*, *AnthiDAg-syst.*, *AnthiDAc-syst.* [*Pseudoephedrine*], *AnthiP-syst.*, *Antm-syst.*, *AppSupS-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *AtovaPro-syst.*, *Aztr-syst.*, **Bacl-intsyst.**, *Bacl-syst.*, **BarbAn-syst.** [*Codeine*], *Bell-syst.*, *Benzon-syst.*, *BenzyB-top.*, *BetBA-syst.*, *BetBAT-syst.*, **Beth-syst.**, *BisSMT-syst.*, *Bromo-syst.*, *BronA-inhloc.*, *BronA-syst.* [*Albuterol*, *Isoproterenol*, *Metaproterenol*, *Terbutaline*], *BronT-syst.*, *Bupre-syst.*, *Bupro-syst.*, *Busu-syst.*, *Butor-nasyst.*, *Caff-syst.*, *Carbam-syst.*, **Carm-imploc.**, *Carv-syst.*, **Cefu-syst.**, *Ceph-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *ChlH-syst.*, *Chloramb-syst.*, *ChlordA-syst.*, *Chloroq-syst.*, *Chym-parloc.*, **Cinac-syst.**, *Cinox-syst.*, *Cisap-syst.*, **Cisp-syst.**, *Cital-syst.*, *Clod-syst.*, *Clon-parloc.*, *Coc-mucloc.*, *Colc-syst.*, **Cortic-nas.** [*Dexamethasone*], **Cortic-ot.**, *CorticG-syst.*, *Cyclob-syst.*, *Cyclope-oph.*, **Cyclos-syst.**, **Cyclosp-syst.**, *Cys-syst.*, **Dapt-syst.**, **Dant-syst.**, **Darb-syst.**, *DecAn-syst.* [*Acetaminophen-containing combinations*, *Salicylate-containing combinations*], **Def-syst.**, *Del-syst.*, **Diat-syst.**, **DicM-syst.**, *Did-syst.*, *Diett-top.*, *Dihy-nassyst.*, *Dimer-syst.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*, **DipyA-syst.**, *Docet-syst.*, *Don-syst.*, *Doxap-syst.*, *Doxep-top.*, *Dron-syst.*, *Dyp-syst.*, *Efav-syst.*, *Efl-syst.*, *EmtT-syst.*, **Epo-e-syst.**, *Ergon-syst.*, *Ert-syst.*, *Esm-syst.*, *Etan-syst.*, *Fent-syst.*, *Fent-trsyst.*, *FentD-syst.* [*Fentanyl*, *Sufentanil*], *Fluda-syst.*, **Fludro-syst.**, **Flum-syst.**, *Fluorq-syst.* [*Ciprofloxacin*], *Fluox-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, **Fome-syst.**, *For-inhloc.*, **Fosc-syst.**, *Gadob-syst.*, **Gadod-syst.**, **Gadop-syst.**, *Gold-syst.*, *HaeC-syst.*, *HaeP-syst.*, *Hal-syst.*, *HepatAVI-syst.*, **Hist-syst.**, *Hydxcy-syst.*, *Hydxyu-syst.*, *IbupO-syst.* [*Ibuprofen*], *Ifo-syst.*, **ImipC-syst.**, *Imiq-top.*, *Imm-syst.*, *Infli-syst.*, **IntB1a-syst.**, **IntB1b-syst.**, *Iopa-syst.*, **Lot-syst.**, **Loxa-syst.**, *Iron-syst.*, *IsomDA-syst.*, *Ison-syst.*, *Isot-syst.*, *Ive-syst.*, *Ketor-syst.*, *Ketot-syst.*, *LamiZ-syst.*, *Lans-syst.*, *Leuc-syst.*, *Leval-inhloc.*, *Levam-syst.*, *Levoca-syst.*, *Levod-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lind-top.*, *Lit-syst.*, *Lox-syst.*, *Mal-top.*, **Map-syst.**, *Mecam-syst.*, **Mecas-syst.**, *Mecl-syst.*, *Mef-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.* [*Aspirin*], **MethotC-syst.**, *Methyler-syst.*, *Methylp-syst.*, **Methys-syst.**, *Meto-syst.*, **Metro-syst.**, *Metro-vag.*, *Mex-syst.*, *Mica-syst.*, *Mir-syst.*, *Mis-syst.*, **Mitox-syst.**, *Moc-syst.*, *Moli-syst.*, *Mont-syst.*, **Mur-syst.**, *Nab-syst.*, *Nali-syst.*, **Nar-syst.**, *Nef-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Niti-syst.*, *Nitra-syst.*, *Nitri-inhloc.*, *Omepe-syst.*, **Opi-syst.**, *Ose-syst.*, *Oxyt-syst.*, *Palo-syst.*, **Pegas-syst.**, *Pemo-syst.*, *Penicil-syst.*, *PenicilB-syst.*, **Pentost-syst.**, *Pentox-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Phy-syst.*, *Pimo-syst.*, *Pip-syst.*, *PneC-syst.*, *Podop-top.*, *Prazi-syst.*, **Procar-syst.**, *Propa-syst.*, *Pse-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quid-syst.*, *Quin-syst.*, *Rabe-syst.*, **Ras-syst.**, *RifamI-syst.*, *RifamIP-syst.*, *Ril-syst.*, *Risp-syst.*, *Riton-syst.*, *Riv-syst.*, *Ropiv-parloc.*, *Sal-syst.*, *Seleg-syst.* [*MAO inhibitors*], **Sertr-syst.**, *Sevo-inhsyst.*, *Sib-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, **SodBeSP-syst.**, *SodC-parloc.*, *SulfadP-syst.*, *Sulfas-syst.*, *Sulfi-syst.*, *SulfoT-syst.*, *Sum-syst.*, *Sur-syst.*, *Tacri-syst.*, **Tacro-syst.**, *Tacro-top.*, *TecB-syst.*, **TecMer-syst.**, *TecSul-syst.*, **Tem-syst.**, *TetaT-syst.*, *Thali-syst.*, *Thiab-syst.*, **Thie-syst.**, *Thiox-syst.*, **Thr-syst.**, *Tic-syst.*, *Tini-syst.*, **Tiz-syst.**, *Toc-syst.*, **Tram-syst.**, *TramA-syst.* [*Tramadol*], *TrandV-syst.*, **Tret-syst.**, *Trimethob-syst.*, *Trov-syst.*, *Vac-syst.*, *Vala-syst.*, **Valg-syst.**, *ValsH-syst.*, *Vari-syst.*,

Repertório - Capítulo GENERALIDADES

Vasc-syst., *Ven-syst.*, *Vind-syst.*, VitA-syst., *Zalc-syst.*, *Zale-syst.*, *Zan-inhsyst.*, *Zid-syst.*, *Zip-syst.*, *Zop-syst.*

AIDS patients: *Trimetr-syst.*

animal studies: *Sum-syst.*

mice: *Azel-nas.*, *Levof-syst.*

monkeys: *Levof-syst.*

rats: *Levof-syst.*

children: *AntinfN-syst.* [*Phenylbutazone*], *AnthisP-syst.*, *Ketot-syst.*

small: *Carbam-syst.*

CNS excitation leading to convulsions: *AnestInh-syst.* [*Enflurane*]
clonic.

rodents: *Gemif-syst.*

tonic-clonic (See tonic-clonic).

collapse, and: *Gala-syst.*

control, seizure.

loss of: *Valp-syst.*

worsening of: *Lamo-syst.*

disorder, convulsive: *DiphtTTH-syst.*

dogs: *Levof-syst.*

exacerbated, increased frequency, worsening of: *Aman-syst.*, *Corticot-syst.*

female mice: *Alos-syst.*

fever, with: *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*

non-febrile: *Vari-syst.*

grand mal seizure (total body jerking; loss of bladder control; loss of consciousness): *Cital-syst.*, *Darb-syst.*, *LamiZ-syst.* [*Zidovudine*], *Mem-syst.*, *Nef-syst.*, *Thali-syst.*, *Zic-syst.*

hypoglycemia, severe, due to: *AntdiaS-syst.*

hypotension, associated with: *Amif-syst.*

increased: *Lamo-syst.*, **Vig-syst.**

infants: **Ioxa-syst.**

local: *Darb-syst.*

patients with pre-existing contributing factors, including a prior history of seizures or CNS abnormality and concurrent administration of medications with seizure potential: *Mero-syst.*

preconvulsive movements: *Coc-mucloc.*

pregnancy, during (eclampsia) (seizure or coma late in pregnancy): *Paro-syst.*

tonic-clonic: *Caff-syst.*, *Coc-mucloc.*, *Probe-syst.*, *SodO-syst.*

CRESCIMENTO, TRANSTORNOS do (Ver Hormônio do Crescimento).

arrested growth, children: *VitDA-syst.*

inhibition, children: *Cortic-inhloc.*, *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, *Cortic-rec.*, *CorticG-syst.*, *Fludro-syst.*

retardation: *Dacti-syst.*

velocity reduction in children/adolescents: *Flut-inhloc.*

CRIOGLOBULINEMIA.

viscosity increases even further in patients with high normal serum viscosity in conditions such as cryoglobulinemia, hypercholesterolemia, or hypergammaglobulinemia: *Imm-syst.*

CROHN, DOENÇA DE, agravada (diarréia; febre; sangramento retal; dor de estômago; perda de peso): *Glut-syst.*

CURA, resposta de.

abnormal (fascial dehiscence and anastomotic disruption, including wound, vascular, airway, ureteral, biliary following transplant surgery): *Adal-syst., Sir-syst.*

delayed: **Isot-syst.**

adolescents: *Isot-syst.*

exaggerated: **Isot-syst.**

sports, when participating in: *Isot-syst.*

surgical site (cerebrospinal fluid [CSF] leaks, subdural fluid accumulation, subgaleal effusions, wound breakdown, and wound effusions): **Carm-imploc.**

wound complications; delayed, impaired, or slow healing: **Bevac-syst., Cortic-nas., Cortic-ot., Cortic-rec., CorticG-syst., Dacli-syst., Dacti-syst., Fludro-syst., Sor-syst., TobD-oph.**

CUSHING, SÍNDROME DE, Doença de Cushing, estado cushingóide (dor nas costas, visão borrada, fraturas ósseas; diabetes mellitus [aumento da sede, fome ou micção]; aumento da sede, aumento da frequência urinária; irritabilidade; irregularidade menstrual; depressão mental; crescimento adicional dos pelos faciais no sexo feminino; plenitude ou arredondamento da face, pescoço e tronco; pressão arterial alta; impotência em homens [incomum diminuição do desejo ou habilidade sexual em homens]; atrofia muscular e fraqueza, cansaço ou fraqueza; retardo da velocidade de crescimento em crianças ou adolescentes) (Ver FACE, Cushingóide, Estado; RINS, Adrenal, Glândulas; RINS, Cushing, Síndrome de): *Ampr-syst., ClotB-top., Cortic-nas., Cortic-ot., Cortic-rec., Cortic-top., CorticG-syst., Del-syst., Flut-inhloc., Proge-syst., Sir-syst.*

cushingoid appearance: *Del-syst., Fosam-syst.*

cushingoid state, development of (increased fat deposits on face, neck, and trunk): *Fludro-syst.*

DEPLEÇÃO de proteínas (fraqueza muscular): *Cortic-top.*

DEPÓSITOS DE CRISTAIS em vários tecidos (incluindo mucosa intestinal, fígado, baço e linfonodos mesentéricos) (Ver RINS, Cálculos; ABDOME, Vesícula Biliar, pedras): *Clofaz-syst.*

DESCARGAS, exoneração, exsudação: *Anthro-syst.*

cuts and wounds: *Prota-syst.*

DESCOLORAÇÃO.

paleeness: *Anest-oph., Pheny-nas., Pheny-oph., Pse-syst., Serm-syst.*

red-orange.

Repertório - Capítulo GENERALIDADES

mucous membranes: Rifam-syst., RifamI-syst., RifamIP-syst.
sclerosed vein segment, permanent: *SodTe-syst.*

DESCOORDENAÇÃO (ausência ou dificuldade na coordenação) (Ver Ataxia; EXTREMIDADES, Descoordenação): **Aman-syst.**, *AntdepMAO-syst.*, *AnthisP-syst.*, *Atorv-syst.*, *Busp-syst.*, *Cital-syst.*, *Fluorq-syst.*, *Fluv-syst.*, *Gab-syst.*, *Ltry-syst.*, **Lamo-syst.**, *Line-syst.*, *Lit-syst.*, *Nef-syst.*, **Pre-syst.**, *Ril-syst.*, *Sertr-syst.*, *Ven-syst.*, *Zic-syst.*

ataxia (See Ataxia).

coordination.

abnormal, or problems with (awkwardness; trembling or shaking of arms, legs, hands, or feet; trouble in walking; clumsiness or unsteadiness; poor coordination): *Almot-syst.*, *Anthis-syst.*, *Aprac-oph.*, *Capec-syst.*, *Fent-syst.*, *Fent-trsyst.*, *Gold-syst.*, **Lamo-syst.**, *Oxc-syst.*, **Vig-syst.**

impaired (difficulty with coordination): *Efav-syst.*, *Ven-syst.*, **Zop-syst.**

loss of: *Nar-syst.*

sudden: *Isot-syst.*

muscle, loss of: *Tem-syst.*, *Traz-syst.*

flapping movements of the hands, uncontrollable: *AspirSC-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Sal-syst.*

elderly patients: *AspirSC-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Sal-syst.*

hypotaxia (confusion; dizziness; fast heartbeat; shortness of breath; weakness): *Tret-syst.*

motor coordination, decreased: *Dron-syst.*

motor/coordination/extrapyramidal effects (difficulty in speaking; loss of balance control; uncontrolled movements, especially of face, neck, and back; restlessness or desire to keep moving; twisting movements of body): *Seleg-syst.*

DESIDRATAÇÃO (confusão; diminuição da urina; tontura; boca seca; desmaio; aumento da frequência cardíaca; respiração acelerada; olhos encovados; sede; cansaço ou fraqueza; pele enrugada): **Adal-syst.**, **Aprep-syst.**, *BarbAn-syst.* [Caffeine], *Bleo-syst.*, **Bort-syst.**, *Caff-syst.*, *CandH-syst.*, *Capec-syst.*, *Cetux-syst.*, *Cys-syst.*, *Darb-syst.*, *Diat-syst.*, *Docet-syst.*, *Don-syst.*, **EnterNF-syst.**, *Fluda-syst.*, *Gala-syst.*, *Glut-syst.*, *Hal-syst.*, **InfA-syst.**, *Iot-syst.*, *Iri-syst.*, *LosH-syst.*, *Melo-syst.*, *MoeH-syst.*, *Niti-syst.*, *OlmH-syst.*, *Opr-syst.*, **Oxa-syst.**, **Peme-syst.**, *Ras-syst.*, *Riton-syst.*, *Sac-syst.*, **Sir-syst.**, *Sor-syst.*, *Sum-syst.*, *TelmH-syst.* [Hydrochlorothiazide], **TosI-syst.**, *Ure-parloc.*, *Zic-syst.*, **Zole-syst.**

diuresis, excessive (electrolyte depletion, dehydration): *ValsH-syst.*

exacerbated: *Iov-syst.*, *Ioxa-syst.*

geriatric, azotemic, and dehydrated or debilitated patients: *Iov-syst.*

profound: *Colc-syst.*

severe: *Glyc-syst.*

fatal: *Glyc-syst.*

tissue: *Mann-syst.*

DESMAIO, síncope (Ver VERTIGEM): *Abar-syst.*, *Alpr-loc.*, *Aman-syst.*, **Amif-syst.**, *AmylN-syst.*, *Antcoa-syst.*, *AnthisP-syst.*, *AscAc-syst.*, *BetBA-syst.*, *BetBAT-syst.*, *Bleo-*

Repertório - Capítulo GENERALIDADES

syst., Bromo-syst., Bupro-syst., Butor-nasyst., CarbidEL-syst., Cital-syst., Clofar-syst., Clon-syst., ClonC-syst., **Cloz-syst.**, ColSF-syst. [Sargramostim], **Darb-syst.**, Dinopst-parloc., Dom-syst., Drop-syst., Dul-syst., ErgolM-syst., Ert-syst., Esm-syst., **Fent-syst.**, Fent-trsyst., FentD-syst., Fluda-syst., Fludro-syst., For-inhloc., Gadob-syst., Gadop-syst., Gadov-syst., Gef-syst., Gold-syst., Gra-syst., **Guanad-syst.**, **Guane-syst.**, Guanf-syst., Hal-syst., HydroxT-oph., Imiq-top., Imm-syst., Indin-syst., Iodoh123-syst., Iodoh131-syst., **Iri-syst.**, Ketor-syst., Leval-inhloc., Lid-syst., Lit-syst., **Lox-syst.**, Melo-syst., Moc-syst., Mod-syst., **Mur-syst.**, **Nef-syst.**, Nev-syst., Nia-syst., NiaL-syst. [Niacin], Nico-syst., Nitra-syst., Ond-syst., Opr-syst., Ose-syst., Oxyb-syst., **Pam-syst.**, Peme-syst., Pentox-syst., **Pimo-syst.**, **Prami-syst.**, Prazi-syst., Procai-syst., Procar-syst., Pyrim-syst., Que-syst., Quin-syst., Ralt-syst., Ras-syst., Rau-syst., **Ropin-syst.**, Seleg-syst. [MAO inhibitors], Ske-syst., SodF-syst., SodN-syst., Tacro-syst., Tams-syst., **Thiox-syst.**, Thyr-syst., ThyrA-syst., Trimetr-syst., Ure-syst., Van-syst., Ven-syst., VitMF-syst., Zan-inhsyst., Zip-syst.

congenital heart disease patients: Paliv-syst.

feeling faint, of faintness: Antchsp-syst., Barb-syst., BetBA-oph., Beth-syst., **CarbidL-syst.**, **Diso-syst.**, Dron-syst., Epine-oph., Gold-syst., **Levod-syst.**, Mida-syst., **Opi-syst.**, **Pare-syst.**, Quid-syst., **Seleg-syst.**

when getting up from a lying or sitting position: Dron-syst., Levom-syst., Zip-syst.

postpartum patients: Bromo-syst.

sudden: Bret-syst., Doxaz-syst., **Prazo-syst.**, **PrazoP-syst.**, Tera-syst.

vasovagal reflex: Tir-syst.

weakness, syncopal: Pyridos-syst.

when getting up from a lying or sitting position: Atom-syst., Atorv-syst., Cab-syst., CarbidEL-syst., Carv-syst., Cital-syst., Clon-syst., ClonC-syst., Dul-syst., **Guanad-syst.**, **Guane-syst.**, Moc-syst., Ola-syst., OlmH-syst., Paro-syst., **Pimo-syst.**, **Prami-syst.**, Que-syst., **Ropin-syst.**, **Sir-syst.**, Tad-syst., Tams-syst., Teg-syst., Valp-syst., Vals-syst., Vard-syst., Zic-syst.

suddenly: Mir-syst.

DESMIELINIZANTES, TRANSTORNOS (Ver Imune, Transtornos; EXTREMIDADES).

axonal degeneration without demyelination, affecting mainly sensory fibers in the central nervous system, progressive: Fluda-syst.

demyelination (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): MethotC-syst.

degeneration of both sensory and motor nerves, and: Nitro-syst.

Guillain-Barré syndrome (See Guillain-Barré syndrome).

lower limbs: **Thali-syst.**

multiple sclerosis (See Immune Disorders).

myelitis, transverse: Etan-syst.

acute: Chym-parloc.

neurotoxicity (paraparesis/quadruparesis of upper and/or lower extremities consistent with a demyelinating disease): Clad-syst.

DIABETES (pele seca ou comichão; poliúria, polidipsia, polifagia; fadiga; perda de peso inexplicável) (Ver Hipoglicemia; TESTES DIAGNÓSTICOS, Hiperglicemia): Fludro-syst., Indin-syst., Nel-syst., Riton-syst., Saq-syst., Tacro-syst.

aggravation of: Ose-syst.

blood glucose concentrations, rapidly declining (anxiety; blurred vision; chills; cold sweats; coma; confusion; cool pale skin; depression; dizziness; fast heartbeat; headache; increased hunger; nausea; nervousness; nightmares; seizures; shakiness; slurred speech; unusual tiredness or weakness): Exen-syst.

coma, diabetic: Ola-syst.

glucose tolerance, decreased: Cortic-rec., Estro-syst.

mildly: EstroPO-syst.

hyperglycemia (abdominal pain; drowsiness; blurred vision; dry mouth; fatigue; flushed, dry skin; fruit-like breath odor; increased hunger; loss of appetite; stomachache; increased thirst; increased urination [frequency and volume]; ketones in urine; nausea; sweating; tiredness; troubled breathing [rapid and deep]; unconsciousness; unexplained weight loss; vomiting) (See Hypoglycemia; DIAGNOSTIC TESTS): AbLam-syst., AcetSal-syst., **Ampr-syst.**, Anid-syst., AntinfN-syst. [Naproxen], AntfunA-syst. [Itraconazole], AnthisDAg-syst. [Salicylate-containing combinations], ArsTr-syst., Aspar-syst., AspirSC-syst., Ataz-syst., Atorv-syst., BarbAn-syst. [Aspirin], BronA-inhloc., BronA-syst. [Albuterol, Isoproterenol, Metaproterenol, and Terbutaline], BronT-syst., Carm-imploc., Carv-syst., Cefd-syst., Cele-syst., Cloz-syst., Cortic-inhloc., Cortic-top., Corticot-syst., Cycloph-syst., Dacli-syst., DecAn-syst. [Salicylate-containing combinations], **Diaz-orsyst.**, Diaz-parsyst., DoxorL-syst., Dyp-syst., **EnterNF-syst.**, Estro-syst., **Fluda-syst.**, Fludro-syst., Fluorq-syst., Flut-inhloc., FlutS-inhloc., For-inhloc., Gab-syst., Gadob-syst., Gadov-syst., Gemif-syst., **Gemt-syst.**, Gluc-syst., GroH-syst., Indin-syst., Ison-syst., Lami-syst., LamiZ-syst., LopiR-syst., MepA-syst. [Aspirin], Mod-syst., Nel-syst., Nia-syst., NiaL-syst., **Nitri-inhloc.**, **Oct-syst.**, Olm-syst., OlmH-syst., Palo-syst., Pantop-syst., **Pegas-syst.**, **Penta-syst.**, **Proge-syst.**, RifamI-syst., RifamIP-syst., Risp-syst., Riton-syst., **Ritu-syst.**, Rosi-syst., Sal-syst., Saq-syst., Sertr-syst., Sild-syst., **SodBeSP-syst.**, **Tacro-syst.**, Tiot-inhloc., TrandV-syst.

adult patients, protease inhibitor-experienced: Fosam-syst.

children: AnthisDAg-syst. [Salicylate-containing combinations]; AspirSC-syst., BarbAn-syst. [Aspirin], Cisap-syst.

exacerbation of: Ataz-syst.

fatal: Nia-syst.

ketotic (when given to an infant born to an insulin-dependent diabetic patient): Alpr-syst.

maternal: **Ritod-syst.**

neonates: **Caff-syst.**

pediatric (See children).

insipidus, nephrogenic (frequent urination; increased thirst): Lit-syst., Tetr-syst. [Demeclocycline]

insulin.

release, sudden initial: Stre-syst.

requirements, increased (patients taking insulin for diabetes may need to increase the amount they take): *Fludro-syst.*

shock, with hypoglycemia: *Stre-syst.*

ketoacidosis (continuing loss of appetite; drowsiness; flushed, dry skin; fruit-like breath odor; increased urination; unusual thirst): *Diaz-orsyst., Diaz-parsyst., Indin-syst., Nel-syst., Risp-syst., Riton-syst., Saq-syst.*

maternal: *Ritod-syst.*

mellitus (dry or itchy skin; fatigue; increased hunger; increased thirst; increased urination; unexplained weight loss): *Ampr-syst., Ataz-syst., Carv-syst., Cele-syst., Cortic-ot., CorticG-syst., Cyp-syst., DoxorL-syst., Flut-inhloc., GroH-syst., Indin-syst., LopiR-syst., Penta-syst., Rosu-syst., Sir-syst.*

aggravated, exacerbation of: *Ataz-syst., Indin-syst., Pio-syst., Risp-syst.*

latent diabetes mellitus manifestations (blurred vision; dry mouth; fatigue; flushed, dry skin; fruit-like breath odor; increased hunger; increased thirst; increased urination; loss of consciousness; nausea; stomachache; sweating; troubled breathing; unexplained weight loss; vomiting): *Fludro-syst.*

type 1 (blurred vision, dry mouth, fatigue, flushed, dry skin, fruit-like breath odor, increased hunger, increased thirst, increased urination, loss of consciousness, nausea, stomach ache, sweating, troubled breathing, unexplained weight loss, vomiting).

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

tolerance to carbohydrates, reduced (abdominal pain; blurred vision; dry mouth; fatigue; flushed, dry skin; fruit-like breath odor; increased hunger; increased thirst; increased urination; nausea; sweating; troubled breathing; unexplained weight loss; vomiting): *Eton-vag., Fludro-syst., MedE-syst., NoreE-syst.*

DIÓXIDO DE CARBONO, TENSÃO DE, aumentada: **Ber-intloc.**

DISAUTONOMIA, disfunção autonômica, hipotensão postural (micção dolorosa ou difícil; tontura ou vertigem, especialmente quando se levanta de uma posição deitada ou sentada; batimento cardíaco rápido) (Ver Sistema Nervoso Autônomo): *Bort-syst., CarbidL-syst., Hal-syst., Moli-syst.*

DISCINESIA (Ver Movimentos, descontrolados).

DISCRASIAS SANGUÍNEAS (Ver Coagulação; Hemorragia).

DISMETRIA (controle deficiente dos movimentos corporais, por exemplo, na marcha): *Carbam-syst.*

DISTONIA (espasmos dos músculos da língua, face, pescoço e costas; movimentos de torção do corpo ou outros incomuns e súbitos; incapacidade de mover os olhos): *CarbidL-syst., Drop-syst., Fluv-syst., Gadov-syst., Paro-syst., Sum-syst.*

DIURÉTICOS, EFEITOS (Ver Antidiuréticos, Efeitos; RINS): *Antthro-syst.*

excessive: *Dom-syst., Ure-syst.*

DOENÇA DO SORO, reações do tipo doença do soro (sensação de mal estar; febre com ou sem calafrios; dor, câibras ou fraqueza muscular; inflamação e dor nas articulações; urticária, comichão e/ou erupções cutâneas; falta de ar, respiração agitada, aperto no peito, e/ou sibilâncias; glândulas inchadas e/ou dolorosos) (Ver Alérgica, Reação): *AntinfN-syst.*, *AntconH-syst.*, **AntvCPol-syst.**, *AntvCPOv-syst.*, *AntvL-syst.*, **AntvM-syst.**, *Ceph-syst.* [**Cefactor**], *Crom-inhloc.*, **DiphtA-syst.**, *Doxyc-syst.*, *Fluox-syst.*, *HaeP-syst.*, *HepatBVR-syst.*, *HistH2-syst.* [*Nizatidine*], *Penicil-syst.*, *PenicilB-syst.*, *Ritu-syst.*, *Sertr-syst.*, **Sulfas-syst.**, *Tic-syst.*

late (pruritus; skin rash; urticaria): *AntvCPOv-syst.*

DOENÇA DOS LEGIONÁRIOS: *Efal-syst.*

DOPAMINA, aumento dos níveis de (Ver MENTAL, Psicóticas, Reações; MENTAL; Esquizofrenia; TESTES DIAGNÓSTICOS): **Bromo-oph.**, *Cab-syst.*

DOR em geral: **Abar-syst.**, *Acamp-syst.*, *Acyc-syst.*, **Agal-syst.**, *Alfuz-syst.*, **Anag-syst.**, **Anast-syst.**, *AntinfN-oph.* [*Diclofenac*; *Suprofen*], **AnthyGR-syst.**, *Arb-syst.*, *Ataz-syst.*, **Azac-syst.**, **Bevac-syst.**, **Bex-top.**, *BisSMT-syst.*, **Biv-syst.**, **BotB-parloc.**, *Busu-syst.*, *Capec-syst.*, *Carbet-syst.*, *Carm-imploc.*, **Carv-syst.**, *Cefd-syst.*, *Cev-syst.*, *Cil-syst.*, **Clofar-syst.**, **Clop-syst.**, **ConjE-syst.**, *Darif-syst.*, *Dexmed-syst.*, *Docet-syst.*, *Dol-syst.*, *Don-syst.*, **DoxorL-syst.**, *EmiT-syst.*, **Estro-syst.**, **Esz-syst.**, **Exem-syst.**, *Fel-syst.*, **Fluda-syst.**, *Fluorq-syst.*, *Fon-syst.*, *Fosf-syst.*, **Ful-syst.**, *Gadob-syst.*, **Gals-syst.**, *Gemif-syst.*, **Gemt-syst.**, *Gla-syst.*, *Glut-syst.*, *HistH2-syst.* [*Nizatidine*], *Histr-syst.*, **Ibr-syst.**, *Infli-syst.*, **IntB1a-syst.**, *IntB1b-syst.*, *Iot-syst.*, **Iri-syst.**, *Lamo-syst.*, **Len-syst.**, **Leve-syst.**, *LopiR-syst.*, **Lut-syst.**, *Mem-syst.*, **Mero-syst.**, *Minoc-mucloc.*, *Mom-inhloc.*, *Nalo-syst.*, *Nico-inhsyst.*, *Olm-syst.*, *Olo-oph.*, **Oma-syst.**, *Omeg-syst.*, *Omep-syst.*, *Oxi-top.*, **Palif-syst.**, **Pam-syst.**, *Pantop-syst.*, **PegiA2a-syst.**, **Pegv-syst.**, **Pentost-syst.**, *Pre-syst.*, *QuinuD-syst.*, *Riton-syst.*, **Ritu-syst.**, *Ropin-syst.*, *Ropiv-parloc.*, *Rosu-syst.*, **SodO-syst.**, *Tad-syst.*, **Tal-intloc.**, *TecF-syst.*, *TelmH-syst.*, **Teri-syst.**, *Tia-syst.*, **TosI-syst.**, *Tram-syst.*, **Tras-syst.**, *Tub-parloc.*, **Vac-syst.**, *Vard-syst.*, **Zic-syst.**

absence, **analgesia**: *Acet-syst.*, *AcetSal-syst.*, *AcSodCit-syst.*, *AntinfN-syst.*, *AspirSC-syst.*, *BarbAn-syst.*, *Bupre-syst.*, *Butor-nasyst.*, *Caff-syst.*, *Caps-top.*, *Cele-syst.*, *Clon-parloc.*, *Fent-syst.*, *Fent-trsyst.*, *FentD-syst.*, *HyalS-syst.*, *HyalSD-syst.*, *HydroI-syst.*, *IbupO-syst.*, *Ketor-syst.*, *MepA-syst.*, *Opi-syst.* [*Anileridine*, *Butorphanol*, *Codeine*, *Hydrocodone*, *Hydromorphone*, *Levorphanol*, *Meperidine*, *Methadone*, *Morphine*, *Nalbuphine*, *Opium*, *Oxycodone*, *Oxymorphone*, *Pentazocine*, *Propoxyphene*], *OpiAc-syst.*, *OpiAs-syst.*, *OrpA-syst.*, *Phenot-syst.*, *Propo-syst.*, *Rem-syst.*, *Rof-syst.*, *Sal-syst.* [*Aspirin*, *Aspirin*, *Buffered*, *Choline Salicylate*, *Choline and Magnesium Salicylates*, *Magnesium Salicylate*, *Salsalate*, *Sodium Salicylate*], *Tram-syst.*, *TramA-syst.*, *Zic-syst.*

body: **Abar-syst.**, *Alfuz-syst.*, *ArsTr-syst.*, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, *CarbidEL-syst.*, *Cital-syst.*, **DrosE-syst.**, *EzetS-syst.*, *Fex-syst.*, *Gals-syst.*, **GroH-syst.**, **Iba-syst.**, *Ima-syst.*, **Imiq-top.**, **Ipr-inhloc.**, **Lar-syst.**, **Len-syst.**, *Leval-inhloc.*, *Lut-syst.*, **MetfP-syst.**, **NoreE-syst.**, *Olm-syst.*, *Omep-syst.*, **Oxa-**

syst., Pam-syst., Pime-top., Ram-syst., Risp-syst., RosiM-syst., Seleg-syst., Sir-syst., Til-syst., Tiot-inhloc., Tram-syst., Urs-syst., Zole-syst.

pediatric females and males: Leup-syst.

bone (See osteodynia).

burning: Acyc-top., Andro-syst., Anest-mucloc., SodTe-syst., Sum-syst.

slight: BcgL-mucloc.

diffuse (pain all over body): **Docet-syst., Etan-syst., NiaL-syst.**

females: Meno-syst., Tamo-syst.

generalized (See diffuse).

glands: Adal-syst., AntinfN-syst., Infli-syst.

joints, arthralgia (pain, swelling, or redness in joints; muscle pain or stiffness;

difficulty in moving): **Abac-syst., AbLam-syst., AbLamZid-syst., Acit-syst.,**

Adal-syst., Aldes-syst., Alef-syst., Allop-syst., Almot-syst., Amio-syst., AmlodAt-

syst. [Atorvastatin], Anag-syst., Anast-syst., AngIn-syst., AngInH-syst., AntfunA-

syst. [Itraconazole], Anthyr-syst., Aprep-syst., ArsTr-syst., Aspar-syst., Ataz-syst.,

Azac-syst.; Azat-syst., Bals-syst., Barb-syst., BarbAn-syst. [Barbiturates], Basil-

syst., BetBA-syst., BetBAT-syst., Betcar-syst., Bort-syst., BotB-parloc., Cab-syst.,

Calcit-nassyst., Capec-syst., Carbam-syst., Carv-syst., Cefd-syst., Cefu-syst., Ceph-

syst. [Cefaclor], Cev-syst., Cil-syst., Cital-syst., Clad-syst., Clar-syst., Clofar-syst.,

Clop-syst., ColSF-syst. [Filgrastim, Sargramostim], Crom-inhloc., Dacli-syst.,

Danaz-syst., Dapt-syst., Darb-syst., Darif-syst., DauL-syst., Del-syst., Den-syst.,

Diat-syst., Dic-top., Dietc-syst., DiphIT-syst., DiphITH-syst., DipyA-syst.,

Docet-syst., DoxycD-syst., Dul-syst., Efal-syst., Efav-syst., Emt-syst., EmtT-syst.,

Epr-syst., Eso-syst., Exem-syst., Ezet-syst., Fluda-syst., Fluorq-syst., Fluox-syst.,

Flut-inhloc., Fosam-syst., Gab-syst., Gadov-syst., Gals-syst., Gemif-syst., Gemt-

syst., Gla-syst., Glut-syst., Gold-syst., GroH-syst., HaeP-syst., Hepar-syst.,

HepatAVI-syst., HepatAVIHB-syst., HepatBIG-syst., HepatBVR-syst., HistH2-syst.

[Cimetidine; Famotidine; Ranitidine], Histr-syst., Hydra-syst., Iba-syst., Ibr-syst.,

Ima-syst., Imm-syst., Indin-syst., IndiuPt-syst., IndiuS-syst., Infli-syst., IntB1a-

syst., IodS-syst., Iot-syst., Iov-syst., Ioxa-syst., Isot-syst., Lami-syst., LamiZ-syst.,

Lans-syst., Lat-oph., Lef-syst., Len-syst., Let-syst., Levam-syst., Levom-syst.,

LopiR-syst., Lym-syst., MeaRV-syst., MeaMRV-syst., Mecas-syst., Mef-syst., Meg-

syst., Melo-syst., Mem-syst., MeniVDC-syst., Mero-syst., Mesa-orloc., Mesa-reloc.,

Methy-syst., MethyTD-syst., Methylp-syst., Moc-syst., Mom-inhloc., Mom-nas.,

Mont-syst., Mur-syst., Nali-syst., Nalt-syst., Nar-syst., Natal-syst., Nef-syst., Nev-

syst., Nico-nas., Nico-syst., Nitro-syst., Oct-syst., Ola-syst., Olm-syst., OlmH-syst.,

Oma-syst., Ose-syst., Oxa-syst., Oxc-syst., Pac-syst., PacP-syst., Palif-syst., Palo-

syst., Pam-syst., Pantop-syst., Paro-syst., Pegas-syst., Pegf-syst., PegiA2a-syst.,

PegiA2b-syst., Peme-syst., Penic-syst., PenicilB-syst., Pentost-syst., Phenot-syst.,

Pime-top., PneV-syst., PotI-syst., Prami-syst., Praml-syst., Prazi-syst., Pre-syst.,

Procai-syst., Procar-syst., Propa-syst., Pyraz-syst., Pyrim-syst., Quid-syst.,

QuinuD-syst., Rabe-syst., RabiV-syst., Ralo-syst., Ram-syst., Rep-syst., RibaI-

syst., Rifab-syst., RifamIP-syst., Rifap-syst., Rise-syst., Risp-syst., Riton-syst.,

Ritu-syst., Riz-syst., Ropin-syst., RosiM-syst., Rosu-syst., RubeM-syst., RubeV-syst.,

Sertr-syst., Sir-syst., SodI-syst., SodTh-syst., Sor-syst., Sta-syst., SulfadP-syst.,

Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Tacro-syst., Tacro-top., Tad-syst.,

Repertório - Capítulo GENERALIDADES

Tamo-syst., Tera-syst., Terb-syst., **Teri-syst.**, Thiab-syst., Til-syst., Tini-syst., Tiop-syst., Topi-syst., **TosI-syst.**, Tram-syst., TrandV-syst., Trie-syst., Trimethop-syst., Tros-syst., TypVI-parsyst., Vac-syst., Vala-syst., Vald-syst., Valp-syst., Vals-syst., Vard-syst., Vari-syst., Ven-syst., Ver-parloc., **Vig-syst.**, Vino-syst., VitA-syst., Zalc-syst., Zan-inhsyst., Zic-syst., Zip-syst., **Zole-syst.**

arthritis, and: **Lym-syst.**

continuing: Gos-syst.

adults: Leup-syst.

severe, and: Prota-syst.

female patients: Nafa-syst.

incapacitating: Iba-syst.

bone, muscle, and: Iba-syst.

increased (exacerbation of existing pain): CorticG-syst., **Diat-syst.**, **Iot-syst.**, Iov-syst., **Ioxa-syst.**

internal bleeding, due to: Hepar-syst.

myalgia, and: Ols-orloc.

onchocerciasis (verminosis), patients with: **Ive-syst.**

rash, skin, with: Del-syst.

severe: Iba-syst.

bone, muscle, and: Iba-syst.

continuing, and: Prota-syst.

stiffness, with: Anast-syst.

swollen: Cinox-syst., CorticG-syst.

localized: **Del-syst.**, SodTe-syst.

inflammation, and necrosis, with: Oxa-syst.

mild: **Acyc-top.**

muscles, myalgia (muscle pain) (joint pain; swollen joints, muscle aching or cramping; muscle pains or stiffness; difficulty in moving; proximal muscle weakness, spontaneous activity in the electromyogram, and elevated creatine kinase values): **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, **Acit-syst.**, Acyc-syst., **Agal-syst.**, Aldes-syst., Alef-syst., Alemt-syst., Alend-syst., Allop-syst., Almot-syst., Aminglut-syst., Amio-syst., Anag-syst., Anast-syst., AngInH-syst., AntinfN-syst. [**Fenoprofen**, **Tolmetin**, **Naproxen**], Antcoa-syst., **AntconH-syst.**, AntfunA-syst. [**Itraconazole**], Anthis-syst. [**Desloratadine**], Antthyr-syst., AntvCPOv-syst., Aprac-oph., Aprep-syst., Arip-syst., ArsTr-syst., Atom-syst., **AtovaPro-syst.**, **Azac-syst.**, Azel-nas., Aztr-syst., Bals-syst., Barb-syst., BarbAn-syst. [**Barbiturates**], Basil-syst., BetBA-oph. [**Levobetaxolol**, **Metipranolol**], **Bevac-syst.**, **Bort-syst.**, Brim-oph., **Bupro-syst.**, Busp-syst., Cab-syst., Calcit-nassyst., Capec-syst., Carbam-syst., Carv-syst., Cefd-syst., Cefu-syst., Cele-syst., Ceph-syst., Cev-syst., **Cil-syst.**, **Cinac-syst.**, Cital-syst., Clad-syst., Clar-syst., **Clofar-syst.**, Colc-syst., Colesev-orloc., **ColSF-syst.** [**Filgrastim**, **Sargramostim**], Cortic-nas. [**Beclomethasone**], Cortic-ot., Cortic-top., CorticG-syst., Crom-inhloc., Crom-systorloc., Cyt-syst., Dacli-syst., Dacti-syst., Danaz-syst., **Darb-syst.**, DauL-syst., DecAn-syst. [**Ibuprofen-containing combinations**], Del-syst., **Den-syst.**, Desf-inhsyst., Desl-syst., Dic-top., DicM-syst., DiphtTT-syst., **DiphtA-syst.**, Dipy-syst., DipyA-syst., Docet-syst., Doxaz-syst., DoxorL-syst., Doxyc-mucloc., Dul-syst., **Efal-syst.**, Efav-syst., Emt-syst., EmtT-syst.,

Enf-syst., Erl-syst., Eso-syst., EstroP-syst., Ezet-syst., EzetS-syst., Fenof-syst., Fex-syst., Fluda-syst., Fludro-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., Fosam-syst., Ful-syst., Gab-syst., Gadob-syst., Gemif-syst., GlipM-syst., Gluc-syst., Glut-syst., GroH-syst., Guanad-syst., Guane-syst., HepatAVI-syst., HepatAVIHB-syst., HepatBIG-syst., HistH2-syst., Histr-syst., HMG-syst., HyalSD-syst., Hydra-syst., Iba-syst., Ibr-syst., Ima-syst., Imm-syst., Indin-syst., Infl-syst., IntA1-syst., IntB1a-syst., IntB1b-syst., Iron-syst., JapV-syst., Ketor-syst., Lami-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lat-oph., Lef-syst., Len-syst., Leval-inhloc., Levam-syst., Levom-syst., LopiR-syst., Los-syst., Lym-syst., Mef-syst., Meg-syst., Melo-syst., Mem-syst., Mero-syst., Mir-syst., Mitot-syst., Moc-syst., Moe-syst., Mom-inhloc., Mom-nas., Mont-syst., Mur-syst., Nalt-syst., Nar-syst., Nev-syst., Nia-syst., NiaL-syst., Nico-nas., Nico-syst., Nitro-syst., Olm-syst., Omep-syst., Orlorloc., Ose-syst., Oxc-syst., Pac-syst., PacP-syst., Pantop-syst., Paro-syst., Pegas-syst., Pegf-syst., PegiA2a-syst., Peme-syst., PenicilB-syst., Pentost-syst., Pio-syst., Pnev-syst., Prami-syst., Pre-syst., Procar-syst., Pyridos-syst., Pyrim-syst., Quid-syst., Quin-syst., QuinuD-syst., Rabe-syst., RabiV-syst., Ralo-syst., Ram-syst., Riba-syst., RibaI-syst., Rifab-syst., Ril-syst., Rise-syst., Riton-syst., Ritu-syst., Riz-syst., Ropin-syst., Rosu-syst., Sertr-syst., Sild-syst., Sir-syst., Sor-syst., Sta-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Sum-syst., Tacri-syst., Tacro-syst., Tacro-top., Tad-syst., Tamo-syst., Telm-syst., Tem-syst., Terb-syst., Thiab-syst., Tia-syst., Tini-syst., Tiop-syst., Tiot-inhloc., Topi-syst., TosI-syst., Tram-syst., Trand-syst., Traz-syst., Tret-syst., Trimethop-syst., Tros-syst., TypVI-parsyst., TypP-syst., Vac-syst., Vald-syst., Valp-syst., ValsH-syst., Vard-syst., Vari-syst., Vasc-syst., Ven-syst., Vino-syst., VitA-syst., VitDA-syst., Yel-syst., Zalc-syst., Zale-syst., Zic-syst., Zid-syst., Zip-syst., Zole-syst., Zolm-syst.

arthralgia, and: *Ols-orloc.*

children: *BronA-syst. [Albuterol]*

continuing: *Gos-syst.*

adults: *Leup-syst.*

female patients: *Nafa-syst.*

incapacitating: *Iba-syst.*

joint, bone, and: *Iba-syst.*

mild: *Ret-syst., Thr-syst.*

musculoskeletal: *AbLamZid-syst., AmlodBen-syst., Amsa-syst., Epop-syst., GlipM-syst., Ima-syst., Irb-syst., Lami-syst., Mom-inhloc., Mom-nas., PegiA2b-syst., RibaI-syst., Urs-syst., Vind-syst., Zid-syst.*

females: *Tamo-syst.*

onchocerciasis (verminosis), patients with: *Ive-syst.*

rash, skin, with: *Del-syst.*

severe: *Iba-syst.*

joint, bone, and: *Iba-syst.*

starting 6 to 12 hours after administration and persisting 1 or 2 days: *Influ-syst.*

stiffness, and: *Neu-syst. [Succinylcholine]*

uncomplicated: *Atorv-syst.*

neuralgia: *Cele-syst.*, *Dexmed-syst.*, *Efav-syst.*, *Esz-syst.*, *Nef-syst.*, *Rosu-syst.*, *Sild-syst.*, *Zic-syst.*

osteodynia (bone pain): **Acit-syst.**, **Adal-syst.**, **Agal-syst.**, *Alemt-syst.*, **Anast-syst.**, *ArsTr-syst.*, **Bort-syst.**, *Buse-syst.*, *Capec-syst.*, *Carbam-syst.*, *Cev-syst.*, *Cil-syst.*, *Cinox-syst.*, *CorticG-syst.*, *Cyt-syst.*, **Erl-syst.**, *Exem-syst.*, *Fro-syst.*, **Ful-syst.**, *GroH-syst.*, *Histr-syst.*, *Infli-syst.*, **Let-syst.**, *Nali-syst.* *Nar-syst.*, *Olm-syst.*, **Pam-syst.**, **Pegf-syst.**, *Rise-syst.*, *SodF-syst.*, *Sor-syst.*, *Tiot-inhloc.*, **Tret-syst.**, **Trip-syst.**, *Vinb-syst.*, *VitDA-syst.*, *VitMF-syst.*, **Zole-syst.**

continuing: *Gos-syst.*

adults: *Leup-syst.*

patients with Paget's disease: **Etid-syst.**

females: **Tamo-syst.**

flare reaction (increase in bone pain, transient): *Sam-syst.*, **Stro-syst.**

incapacitating: *Iba-syst.*

joint, muscle, and: *Iba-syst.*

increased.

patients with Paget's disease: **Etid-syst.**

transient: *Testos-syst.*

patients pretreated with testosterone: *SodPho-syst.*

medullary: *ColSF-syst.* [*Filgrastim*, *Sargramostim*], **Pegf-syst.**

musculoskeletal: **AbLamZid-syst.**, *AmlodBen-syst.*, *Amsa-syst.*, **Epop-syst.**, **GlipM-syst.**, *Ima-syst.*, *Irb-syst.*, **Lami-syst.**, **Mom-inhloc.**, **Mom-nas.**, **PegiA2b-syst.**, **RibaI-syst.**, **Urs-syst.**, *Vind-syst.*, *Zid-syst.*

females: *Tamo-syst.*

recurrent.

patients with Paget's disease: **Etid-syst.**

severe: *Iba-syst.*

joint, muscle, and: *Iba-syst.*

transient increase in: *Testos-syst.*

patients pretreated with testosterone: *SodPho-syst.*

postoperative: *Cev-syst.*, *Chond-imploc.*, *Mom-inhloc.*, **Nalm-syst.**, *Rem-syst.*

skeletal (See osteodynia).

side of the body, one.

anxiety, nausea, tiredness, with: *HyalSD-syst.*

soreness: *Hydxyu-syst.*

muscle: *Flut-inhloc.*

stabbing: *Cele-syst.*, **Erl-syst.**, *FlutS-inhloc.*, **Lami-syst.**, **Peme-syst.**, **Pre-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**

children: **Lami-syst.**

stinging: **Acyc-top.**, *Anest-mucloc.*

tenderness: *Anest-mucloc.*

tendons: *Gemif-syst.*, *Spa-syst.*, *Trov-syst.*

tumor: *Tamo-syst.*

containing tissues: *Vinb-syst.*

site of: *Ibr-syst.*

DORMÊNCIA: *Aminglyc-syst.*, *CarbidEL-syst.*, *Cortic-inhloc.*, *Efl-top.*, *Iot-syst.*, *Ofl-ot.*, *Sin-syst.*, *Vasc-syst.*

DROGADICÇÃO, síndrome da dependência: *Pyridox-syst.*, *Tram-syst.*, *TramA-syst.*
relapse: *PegiA2b-syst.*

EDEMA (Ver Inchaço).

ELETROLÍTICOS, DISTÚRBIOS, anormalidades ou flutuações (confusão; batimentos cardíacos irregulares; dores musculares ou cólicas; dormência, formigamento, dor ou fraqueza nas mãos ou pés; convulsões, tremores; cansaço ou fraqueza; fraqueza e sensação de peso das pernas) (Ver TESTES DIAGNÓSTICOS): *Antac-orloc.*, *CandH-syst.*, *CharA-orloc.*, *DorzT-oph.*, *Inda-syst.*, *Lax-loc.*, *LosH-syst.*, *MethyTD-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pyridos-syst.*, *Risp-syst.*, *SodC-parloc.*, *SodF-syst.*, *Ure-parloc.*, *Ure-syst.*, *VitMF-syst.*

depletion: *LosH-syst.*, *OlmH-syst.*

fluid imbalance: *Nar-syst.*, *Tret-syst.*

fluid and electrolyte: *Colc-syst.*, *Cortic-nas.*, *Cortic-ot.*, *Mann-syst.*, *ValsH-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

salt and water balance, abnormal: *Etom-syst.*

hypercalcemia (abdominal pain; confusion; constipation; depression; dry mouth; headache; incoherent speech; increased urination; loss of appetite; metallic taste; muscle weakness; nausea; thirst; unusual tiredness; vomiting; weight loss): *AcSodCit-syst.*, *Andro-syst.*, *Anid-syst.*, *BronA-inhloc.*, *CalcS-syst.*, *Casp-syst.*, *DrosE-syst.*, *EdC-syst.*, *Estro-syst.*, *Fluda-syst.*, *Histr-syst.*, *Let-syst.*, *Levoc-oph.*, *Tamo-syst.*, **Teri-syst.**, *Tore-syst.*, *VitDA-syst.*

females: *AnabS-syst.*

mild: *CalcA-syst.*

milk-alkali syndrome, associated with: *Antac-orloc.*, *AspirSC-syst.*, *SodBi-syst.*

severe: *Calcip-top.*, *CalcA-syst.*

hyperchloremia: *SodPhe-syst.*

hyperkalemia (confusion, irregular heartbeat, numbness or tingling in hands, feet, or lips, difficult breathing, or weakness or heaviness of legs): *Alpr-syst.*, *AmlodBen-syst.*, *AntinfN-syst.*, **AnthyGR-syst.**, *ArsTr-syst.*, *Cand-syst.*, *Carv-syst.*, *Citra-syst.* [*Potassium citrate-containing*], *Cyclosp-syst.*, *Dexmed-syst.*, **DiuP-syst.**, **DiuPH-syst.**, *EnaF-syst.*, **EnterNF-syst.**, *Epl-syst.*, **Epoe-syst.**, *Gadob-syst.*, *Irb-syst.*, *Los-syst.*, *LosH-syst.*, *Moe-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pho-syst.*, **PotS-syst.**, **Sir-syst.**, **Tacro-syst.**, *Teli-syst.*, *Telm-syst.*, *Trand-syst.*, *TrandV-syst.*, *Vals-syst.*

occasional: *Mann-syst.*

severe: *Clofib-syst.*

hypermagnesemia (deep tendon reflexes present, but possibly hypoactive; prolonged PQ interval; widened QRS interval on ECG; loss of deep tendon reflexes; respiratory paralysis; altered cardiac conduction; cardiac arrest; bradycardia; diplopia; flushing; headache; hypotension; nausea; shortness of breath; slurred

speech; vomiting; weakness): *Antac-orloc.*, *CitAGM-mucloc.*, *MagS-syst.*, **MagSup-syst.**

hypernatremia (confusion; tiredness or weakness; convulsions; decrease in amount of urine or in frequency of urination; fast heartbeat; headache or dizziness; increased thirst): *Anid-syst.*, *CarboE-syst.*, *Citra-syst.* [*Sodium citrate-containing*], *Corticot-syst.*, *Omep-syst.*, *Pho-syst.*, *Sild-syst.*, *SodBeSP-syst.*, *SodC-parloc.*, *SodPhe-syst.*

hyperphosphatemia (convulsions; respiratory distress; unusual tiredness or weakness): *EnterNF-syst.*, *Fluda-syst.*, *Pho-syst.*, *SodPhe-syst.*

hypocalcemia (abdominal cramps; confusion; convulsions; difficulty in breathing; irregular heartbeats; mood or mental changes; muscle cramps in hands, arms, feet, legs, or face; numbness and tingling around the mouth, fingertips, or feet; shortness of breath; tremor): *Acamp-syst.*, **Alpr-syst.**, *Amif-syst.*, *ArsTr-syst.*, *Carbam-syst.*, **Chloroq-syst.**, *Cinac-syst.*, **Clod-syst.**, *Colc-syst.*, *Corticot-syst.*, *Dacti-syst.*, *Def-syst.*, *DiuL-syst.*, *EdD-syst.*, *Estro-syst.*, **Etid-syst.**, *Gadob-syst.*, *Gadov-syst.*, **GalliN-syst.**, **Hydxcy-syst.**, *Iba-syst.*, *Mica-syst.*, *Omep-syst.*, **Pam-syst.**, **Pli-syst.**, *Rise-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodPol-loc.*, *Trimetr-syst.*, *VitMF-syst.*, **Zole-syst.**

hypochloremia (decreased urine output; drowsiness; dryness of mouth; fast heart rate; muscle pains or cramps; muscular fatigue; nausea or vomiting; thirst; weakness): *CandH-syst.*, *MoeH-syst.*, *TelmH-syst.* [*Hydrochlorothiazide*]

hypokalemia (dryness of mouth; increased thirst; irregular heartbeat; muscle cramps or pain; nausea or vomiting; unusual tiredness or weakness; weak pulse): *AcetSal-syst.*, *Aldes-syst.*, *Alpr-syst.*, **AmphoB-syst.**, **AmphoBLsC-syst.**, *Anid-syst.*, *AntfunA-syst.*, *AnthisDAg-syst.* [*Salicylate-containing combinations*], *Antm-syst.*, **ArsTr-syst.**, *AspirSC-syst.*, *Azac-syst.*, *BarbAn-syst.* [*Aspirin*], **BetBAT-syst.**, **Bevac-syst.**, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.*, **CalcS-syst.**, *CandH-syst.*, *Capec-syst.*, *Capr-syst.*, *CarbonAI-syst.*, *Carm-imploc.*, *Casp-syst.*, *Cele-syst.*, *Colc-syst.*, *Cortic-rec.*, *Corticot-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *Digo-syst.*, *DiuPH-syst.*, **DiuT-syst.**, *Dyp-syst.*, *EdD-syst.*, **EnterNF-syst.**, *Fludro-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fon-syst.*, *For-inhloc.*, *Gala-syst.*, **Gemt-syst.**, *IbupO-syst.*, *Ima-syst.*, *Inda-syst.*, *Insa-syst.*, *Insl-syst.*, **Len-syst.**, *Leval-inhloc.*, *LosH-syst.*, *MepA-syst.* [*Aspirin*], *MethyTD-syst.*, *Mica-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Omep-syst.*, *Oxa-syst.*, **Pam-syst.**, **PrazoP-syst.**, *Que-syst.*, *Ril-syst.*, *Sal-syst.*, **Sir-syst.**, **SodBeSP-syst.**, *SodBi-syst.*, *SodPhe-syst.*, *SodPol-loc.*, *Sym-parsyst.* [*Dobutamine, Epinephrine*], *Teli-syst.*, *TelmH-syst.*, *Tors-syst.*, *Vor-syst.*, *Zic-syst.*, **Zole-syst.**

hypochloremic alkalosis, and: **ClonC-syst.**, *DiuL-syst.*

hypokalemic syndrome (irregular heartbeat; loss of appetite; muscle cramps or pain; nausea; severe weakness of extremities and trunk; vomiting; unusual tiredness or weakness): *Cortic-ot.*, *Cortic-top.*, *CorticG-syst.*, *Fludro-syst.*, *Gluc-syst.*

hypomagnesemia (drowsiness; loss of appetite; mood or mental changes; muscle spasms; [tetany] or twitching; seizures; nausea or vomiting; trembling; unusual tiredness or weakness): *Anid-syst.*, *ArsTr-syst.*, **CalcS-syst.**, *Capec-syst.*, *CellSP-*

syst., Cyclosp-syst., Edd-syst., **Gemt-syst.**, **Len-syst.**, Mica-syst., **Pam-syst.**, **Tacro-syst.**, Vor-syst., **Zole-syst.**

hyponatremia, water intoxication (confusion; mental or physical sluggishness): AcetSal-syst., AnthisDAg-syst. [Salicylate-containing combinations], AspirSC-syst., BarbAn-syst. [Aspirin], **BetBAT-syst.**, *Bevac-syst.*, *Cand-syst.*, CandH-syst., *Carbam-syst.*, *Carm-imploc.*, *Carv-syst.*, *Cele-syst.*, *Cital-syst.*, **ClonC-syst.**, Colc-syst., DecAn-syst. [Salicylate-containing combinations], *Desm-syst.*, DiuL-syst., DiuP-syst., DiuPH-syst., **DiuT-syst.**, *Don-syst.*, *Dul-syst.*, *Esc-syst.*, *Fluox-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Glim-syst.*, *Inda-syst.*, *Los-syst.*, *LosH-syst.*, MepA-syst. [Aspirin], MethyTD-syst., MoeH-syst., *Nef-syst.*, *Ola-syst.*, Oxc-syst., *Oxyt-syst.*, *Paro-syst.*, **PrazoP-syst.**, *Ril-syst.*, *Sal-syst.*, Sertr-syst., *Sor-syst.*, *TelmH-syst.* [Hydrochlorothiazide], *Tic-syst.*, Tors-syst., Trimetr-syst., *Vaso-syst.*

dilutional: AntdiaS-syst. [*Chlorpropamide*, *Tolbutamide*], *Mann-syst.*

hypophosphatemia (bone pain; convulsions; loss of appetite; trouble breathing; unusual tiredness or weakness): **Anid-syst.**, BronA-inhloc., *Cid-syst.*, *CitAGM-mucloc.*, Colc-syst., Corticot-syst., *EmtT-syst.*, **EnterNF-syst.**, **GalliN-syst.**, *Iba-syst.*, **Lant-orloc.**, Mica-syst., **Pam-syst.**, *Seve-orloc.*, **Sir-syst.**, **SodPhe-syst.**, *Sor-syst.*, *Teno-syst.*, **Zole-syst.**

EMAGRECIMENTO, marasmo.

cachexia (general physical wasting or malnutrition associated with severe illness): *Capec-syst.*

poor nutrition and hygiene: BronA-syst. [Ephedrine]

EMBOLISMO, êmbolos, embolização (dor de cabeça severa, de início súbito; perda da coordenação; dores no peito, virilha e pernas, especialmente nas panturrilhas das pernas; falta de ar de início súbito, sem razão aparente; fala arrastada de início súbito, mudanças súbitas na visão) (Ver Trombose, Trombóticos, Eventos): **Peme-syst.**

amniotic fluid (anxiety; burning pain in lower abdomen; chest pain, severe; chills; coughing; convulsions; feeling of heat; feeling of warmth in lips and tongue; headache, severe; nervousness; numbness of the fingertips; pain in lower back, pelvis, or stomach; ringing in the ears; shortness of breath; sudden thirst or salty taste; sweating): *SodC-parloc.*

atheroemboli, systemic: *Antcoa-syst.*

cholesterol: Ret-syst., Tene-syst., Thr-syst.

microemboli: *Antcoa-syst.*

lipid emboli: *Antcoa-syst.*

pulmonary (shortness of breath or troubled breathing; pain in chest; anxiety; cough; fainting; fast heartbeat; dizziness or lightheadedness; burning pain in lower abdomen; chills; convulsions; coughing; feeling of heat; feeling of warmth in lips and tongue; headache; nervousness; numbness of the fingertips; pain in lower back, pelvis, or stomach; ringing in the ears; shortness of breath; sudden thirst or salty taste; sweating) (See CHEST, Embolism): *Capec-syst.*, *Cele-syst.*, Cetux-syst., *Chym-parloc.*, *Clofib-syst.*, *Cloz-syst.*, Cyp-syst., Darb-syst., Den-syst., *Docet-syst.*, *DrosE-syst.*, *DrosEE-syst.*, Eno-syst., Epoe-syst., *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Eton-vag.*, **FacIX-syst.**, *Fluox-syst.*, *Gadob-syst.*, *Ibr-syst.*, *Imm-syst.*, **Iri-**

syst., *Len-syst.*, *Let-syst.*, *Meno-syst.*, *NoreE-syst.*, *PacP-syst.*, *Risp-syst.*, *SodC-parloc.*, *SodTe-syst.*, *Tal-intloc.*, *Tamo-syst.*, *Tinz-syst.*, *Tore-syst.*

increased risk of: *ConjE-syst.*, *Estro-vag.*, *MedE-syst.*

males: *Gos-syst.*

adult: *Leup-syst.*

thromboembolism, pulmonary (pain in chest, groin, or legs, especially the calves; difficulty breathing; severe, sudden headache; slurred speech; sudden, unexplained shortness of breath; sudden loss of coordination; sudden, severe weakness or numbness in arm or leg; vision changes): *PacP-syst.*

thromboembolism (See Thromboembolism).

EMPIEMA (febre; falta de ar ou respiração agitada) (Ver Abscesso): *Tal-intloc.*

ENCEFALOPÁTICOS, TRANSTORNOS (coma; confusão; alucinações; convulsões; tremores) (Ver CABEÇA, Encefalopatia): *Acyc-syst.*, *DecAn-syst.* [Salicylate-containing combinations]

encephalopathy (agitation; back pain; blurred vision; coma; confusion; dizziness; drowsiness; fever; hallucinations; headache; irritability; mood or mental changes; seizures; stiff neck; unusual tiredness or weakness; vomiting): *Acyc-syst.*, *Bort-syst.*, *Capec-syst.*, *Cyclosp-syst.*, *Cyp-syst.*, *CytL-int.*, *DiphtTT-syst.*, *DiphtTTH-syst.*, *DiphtTTPV-syst.*, *DiphtTTPVH-syst.*, *Disu-syst.*, *Fluorq-syst.* [*Levofloxacin*], *HepatAVI-syst.*, *Ibr-syst.*, **Ifo-syst.**, *Levof-syst.*, *MeaMRV-syst.*, *Mef-syst.*, *MethotC-syst.*, *Metro-syst.*, *Mur-syst.*, *Niti-syst.*, *SodBeSP-syst.*, *Tret-syst.*

encephalomyelopathy: *Carm-syst.*

hepatic encephalopathy (with mental changes, confusion, agitation, or stupor) (See ABDOMEN): *AcetSal-syst.*, *AcSodCit-syst.*, *AnthisDAg-syst.* [Acetaminophen-containing combinations], *BarbAn-syst.* [Acetaminophen], *DecAn-syst.* [Acetaminophen-containing combinations], *IsomDA-syst.*, *TramA-syst.* [Acetaminophen]

hyperammonemic.

urea cycle disorders, patients with: *Valp-syst.*

hypertensive encephalopathy (agitation; back pain; blurred vision; coma; confusion; dizziness; drowsiness; fever; hallucinations; headache; irritability; mood or mental changes; seizures; stiff neck; unusual tiredness or weakness; vomiting): *Adal-syst.*, *EpoE-syst.*

hypoxic: *Mida-syst.*

leukoencephalopathy (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): *Tacro-syst.*

progressive multifocal (PML) (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): *Natal-syst.*

loiasis (verminosis), very heavily infected patients with: *Dietc-syst.*

malignant: *Coc-mucloc.*

ENERGIA aumentada: *Metyro-syst.*, **Vac-syst.**

ENTORSES.

joints: *Daps-top.*, *Tram-syst.*

muscle: *Flut-inhloc.*

EOSINOFILIA (sangue no escarro; dor torácica; calafrios, febre, mal estar geral; aumento da produção de escarro; aumento da sudorese; falta de ar) (Ver TESTES DIAGNÓSTICOS): **Aldes-syst.**, *Allop-syst.*, *Aminglut-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.* [*Piroxicam*], *Antcoa-syst.* [*Phenindione*], *AntconD-syst.*, **AntconH-syst.**, *AntconS-syst.*, *AntdiaS-syst.*, *Carbam-syst.*, **Cefu-syst.**, **Ceph-syst.**, *Cloz-syst.*, *Cortic-inhloc.*, *Crom-inhloc.*, *Danaz-syst.*, *Doxyc-syst.*, *Fluorq-syst.* [*Levofloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Gold-syst.*, *HistH2-syst.*, *IodS-syst.*, *Ketor-syst.*, *Lamo-syst.*, *Levof-syst.*, *Maf-top.*, *Metyro-syst.*, *Mod-syst.*, *Mont-syst.*, *Nitro-syst.*, *Nali-syst.*, *Nev-syst.*, *Nitro-syst.*, *PerpA-syst.*, *PotI-syst.*, **Probu-syst.**, *Pyrim-syst.*, *Ske-syst.*, *SodI-syst.*, *Teli-syst.*, *Tic-syst.*, *Tiop-syst.*, *Ven-syst.*, *Zaf-syst.*

effusion and infiltrates on the chest x-ray, and showed: *JapV-syst.*

pulmonary (chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Pyrim-syst.*, *Ven-syst.*

renal failure, with: *Riton-syst.*

systemic eosinophilic conditions (e.g., **Churg-Strauss syndrome**) (cardiac complications; neuropathy [numbness and weakness of hands and feet]; vasculitic rash [skin rash]; worsening asthma [shortness of breath, troubled breathing, wheezing]): *Flut-inhloc.*, *Zaf-syst.*

transient: *TecAr-syst.*

EPIFISÁRIO, FECHAMENTO, prematuro (ausência ou diminuição do crescimento normal em jovens): *AnabS-syst.*, *Isot-syst.*, *VitA-syst.*

EPILEPSIA, estado de mal epilético (convulsões epiléticas incontroláveis) (Ver Convulsões; Espasmos): *Aman-syst.*, *Coc-mucloc.*

exacerbation of (convulsions; muscle spasm or jerking of all extremities; sudden loss of consciousness; loss of bladder control): *Estro-syst.*

EQUILÍBRIO prejudicado (Ver VERTIGEM): *Capec-syst.*

loss of: **Mef-syst.**

control, loss of: *Meto-syst.*, *Moc-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Pimo-syst.**, *Que-syst.*, **Risp-syst.**, *Seleg-syst.*, *Sertr-syst.*, *Thie-syst.*, **Thiox-syst.**, *Tolc-syst.*

EQUIMOSE (Ver Hematoma; Hemorragia; Injúrias).

ERGOTISMO (vasoconstrição arterial intensa): *Vasc-syst.*

ERITROCITOSE (Ver Policitemia).

ERUPÇÕES.

bullae formation involving the eyes or other organ systems, with Stevens-Johnson syndrome: Tic-syst.

ESCARRO, catarro, aumento na produção (Ver Muco; GARGANTA; PEITO): *AntvCPOv-syst., Clofaz-syst., For-inhloc.*

ESCLEROSE MÚLTIPLA (Ver Imune, Transtornos).

ESCORBUTO: *AscAc-syst.*

ESPASMOS musculares (Ver Cólicas musculares, câimbras; Convulsões; Epilepsia): *AnthisD-syst.* [Promethazine], *Benzod-syst.*, *BenzyB-top.*, *BronA-syst.* [Ephedrine], *Busp-syst.*, *Estro-syst.*, *Gadov-syst.*, *IntB1a-syst.*, *Miv-syst.*, *Nar-syst.*, **Phenot-syst.**, *Pimo-syst.*, *Riz-syst.*, *Ropin-syst.*, *Telm-syst.*, **Thiox-syst.**, **Tram-syst.**

tetany (abdominal cramps; confusion; convulsions; difficulty in breathing; irregular heartbeats; mood or mental changes; muscle cramps in hands, arms, feet, legs, or face; numbness and tingling around the mouth, fingertips, or feet; shortness of breath; tremor): **Sir-syst.**, *SodF-syst.*, *VitMF-syst.*

hypocalcemic (convulsions, muscle cramps, numbness, tingling, pain, or weakness in hands or feet; shortness of breath, tremor or troubled breathing): *EdD-syst.*, *Pho-syst.*

ESTRÓGENO.

hypoestrogenemia (flushing or redness of skin; mood or mental changes; nervousness; sweating; dyspareunia; reduced breast size; vaginal dryness; oily skin): *Clom-syst.*, *Danaz-syst.*

females: Leup-syst.

endometriosis, treated for: Nafa-syst.

ESTUPOR (Ver Inconsciência).

EXAUSTÃO excessiva (Ver Fraqueza).

extreme: Nico-inhsyst., Nico-nas., Nico-syst.

EXOSTOSE (proliferação ou aumento ósseo) (Ver Hiperostose; Ossos, Transtornos dos): *Alend-syst.*, *Calcit-nassyst.*, *Calcit-syst.*, *Clod-syst.*, *Etid-syst.*, *Iba-syst.*, *Pam-syst.*, *Pli-syst.*, *Rise-syst.*, *Til-syst.*, *Zole-syst.*

EXTRAPIRAMIDAIS, EFEITOS (dificuldade na fala; babando; perda do controle do equilíbrio; agitação; espasmos musculares, principalmente do pescoço e das costas; tremor, convulsão, ou rigidez muscular; espasmos musculares, principalmente em pescoço e costas; na marcha, embaralhamento dos pés; rigidez dos membros; movimentos de torção do corpo; movimentos descontrolados, principalmente na face, pescoço e costas; movimentos faciais e posturas repentinas e incomuns): *AnthisD-syst.* [Promethazine], *AnthisP-syst.*, **Arip-syst.**, *Carbam-syst.*, *CarbidEL-syst.*, *Cital-syst.*, *Diaz-orsyst.*, *Dom-syst.*, *Lit-syst.*,

Metyro-syst., Moc-syst., Ond-syst., Paro-syst., Pimo-syst., Seleg-syst., Sertr-syst., Zip-syst.

dystonic (uncontrolled movements of body, including the eyes; difficulty in speaking or swallowing; loss of balance control; mask-like face; shuffling walk; stiffness of arms or legs; trembling and shaking of hands and fingers): *Benzod-syst., Hal-syst., Lox-syst., Meto-syst., Moli-syst., Ola-syst., PerpA-syst., Phenot-syst., Pimo-syst., Risp-syst., Sertr-syst., Thie-syst.*
parkinsonian (loss of balance control, mask-like face, shuffling walk, stiffness of arms or legs, trembling and shaking of hands and fingers, trouble in speaking or swallowing) (See Parkinson's Syndrome): *CalcCBA-syst. [Flunarizine], Hal-syst., Lox-syst., Meto-syst., Moli-syst., Ola-syst., PerpA-syst., Phenot-syst., Pimo-syst., Que-syst., Risp-syst., Tacri-syst., Thie-syst., Thiox-syst.*

FADIGA (Ver Cansaço).

FALÊNCIA dos órgãos.

heart (See Cardiovascular Disorders).

hepatic, liver (headache; stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools yellow eyes or skin) (See ABDOMEN, Liver) : **Abac-syst., AbLamZid-syst., Adef-syst., Aldes-syst., AntfunA-syst. [Itraconazole], AnthisDAg-syst., Capec-syst., Cele-syst., Clar-syst., Cyp-syst., Del-syst., Efav-syst., Fluda-syst., Fluox-syst., Indin-syst., IntB1a-syst., Iron-syst., Lef-syst., Melo-syst., Mem-syst., Niti-syst., Rosi-syst., Sertr-syst., Sta-syst., Terb-syst., Tiz-syst., Topi-syst., Trov-syst., Valp-syst. [Valproic Acid, Divalproex], Ven-syst., Zalc-syst.**

acute (continuing headache; continuing stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools; yellow eyes or skin): *Atom-syst., Fel-syst., Infl-i-syst., Pemo-syst.*

cholestasis, including (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Ceph-syst.*

during pregnancy, resulting in the death of a newborn: *Valp-syst.*

hepatitis, with (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin; including cholestatic hepatitis, infectious hepatitis, hepatic failure, and/or LFT abnormalities with clinical symptoms): **Nev-syst.**

necrosis, with: *Nef-syst.*

overt: *BarbAn-syst. [Acetaminophen], DecAn-syst. [Acetaminophen-containing combinations], IsomDA-syst.*

severe (headache; stomach pain; continuing vomiting; dark-colored urine; general feeling of tiredness or weakness; light-colored stools; yellow eyes or skin): *Alef-syst.*

multiple organ, multi-system organ (anuria, an increase in lactate dehydrogenase, and lactic acidosis; chills; confusion; dizziness; lightheadedness; fainting; fast heartbeat; fever; rapid, shallow breathing) (See Sepsis): *Colc-syst., Epir-syst.,*

Fluorq-syst. [*Levofloxacin*], *Fome-syst.*, *Lamo-syst.*, *Lep-syst.*, *Levof-syst.*, *Tolc-syst.*

multiorgan hypersensitivity disorders (skin rash; fever; eosinophilia [fever]; arthralgia [joint pain]; lymphadenopathy; hepatitis, liver function test abnormalities; hematological abnormalities [e.g., eosinophilia, thrombocytopenia, neutropenia]; pruritus; nephritis, oliguria; hepato-renal syndrome; arthralgia and asthenia): *Oxc-syst.*

renal, kidney (lower back/side pain; increased or decreased frequency/amount of urine, sudden; decrease in urine-concentrating ability; bloody urine; cloudy urine; increased or continuing thirst; loss of appetite; nausea; vomiting; unusual tiredness or weakness; swelling of face, fingers, feet, and/or lower legs; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; rapid weight gain; increased blood pressure; weight gain; free water clearance; urine osmolality; glomerular filtration rate; creatinine clearance; and excretion of sodium, potassium, and chloride; increases in blood urea nitrogen [BUN], blood creatinine, and serum potassium; dilutional hyponatremia) (See KIDNEYS, Failure): **Abac-syst.**, *AbLamZid-syst.*, *Acamp-syst.*, *Acet-syst.*, *Acyc-syst.*, *Adef-syst.*, *Aldes-syst.*, *Allop-syst.*, *Aman-syst.*, *AmincAc-syst.*, **AmphoB-syst.**, *AmphoBLC-syst.*, *Antcoa-syst.*, *AntconH-syst.*, *AntinfN-syst.*, *ArsTr-syst.*, *Aspar-syst.*, *AspirSC-syst.* [*Aspirin*], *Atorv-syst.*, *Azac-syst.*, *Barb-syst.*; *BarbAn-syst.* [Acetaminophen; Barbiturates]; *Biv-syst.*, *Bleo-syst.*, *Bret-syst.*, *BronA-syst.* [Epinephrine]; *Cand-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carm-syst.*, *Carv-syst.*, *Cele-syst.*, *Ceph-syst.*, *Cetux-syst.*, *ChlH-syst.*, *CholAO-syst.*, *Cid-syst.*, *Cital-syst.*, *Clad-syst.*, *Clod-syst.*, *Cyp-syst.*, *Dapt-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst.*, *Den-syst.*, *Diat-syst.*, *DicM-syst.*, *Docet-syst.*, *EmtT-syst.*, *Enf-syst.*, *Ethan-parloc.*, *Fluda-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fosc-syst.*, **Gemt-syst.**, *Histr-syst.*, *Hydxyu-syst.*, *Ibut-syst.*, *Ilo-inh.*, *Indin-syst.*, **Indo-syst.**, *Iot-syst.*, *Ioxa-syst.*, *Iri-syst.*, *IsomDA-syst.*, *JapV-syst.*, *Ketor-syst.*, *MagS-syst.*, *Mann-syst.*, *Melo-syst.*, *Mem-syst.*, **MethotC-syst.**, *Mica-syst.*, *Mitox-syst.*, *Mur-syst.*, *Ola-syst.*, *Opr-syst.*, *Paro-syst.*, *Peme-syst.*, *Penta-inh.*, *Phena-syst.*, *Podop-top.*, *Ras-syst.*, *RhO-syst.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Riton-syst.*, *Ritu-syst.*, *Sal-syst.*, *Sertr-syst.*, *Silv-top.*, *Sulfi-syst.*, *Sum-syst.*, *Tacro-syst.*, *Tacro-top.*, *Teni-syst.*, *Teno-syst.*, *Thali-syst.*, *Thr-syst.*, *Tic-syst.*, **Tola-parsyst.**, **Tret-syst.**, *Trip-syst.*, *Vala-syst.*, *Vald-syst.*, *Valg-syst.*, *Vals-syst.*, *Van-orloc.*, *Van-syst.*, *Ven-syst.*, *VitDA-syst.*, *Vor-syst.*, *Zic-syst.*, *Zole-syst.*

FEBRIL, REAÇÃO, SISTÊMICA (calafrios ou febre repentina; fadiga; cefaléia; aumento da sede; perda de apetite; mal-estar) (Ver Bacteremia; Infecção; Sepsis): *Digo-syst.*, **EdC-syst.**, *EdD-syst.*

FERIDAS.

bleeding from cuts or wounds: **Lep-syst.**, *Prota-syst.*

heavy: *Hepar-syst.*

healing, impaired, complications: **Bevac-syst.**, *Cortic-nas.*, *Cortic-ot.*, *Cortic-rec.*, *CorticG-syst.*, *Dacli-syst.*, *Dacti-syst.*, *Fludro-syst.*, *Sor-syst.*, *TobD-oph.*

infection (See Infection).

oozing from cuts or wounds: **Antcoa-syst.**, *Danap-syst.*, *Prota-syst.*

heavy: *Hepar-syst.*

FERTILIDADE.

fertility adjunct: *Bromo-syst., Lut-syst., Meno-syst., Proge-syst.* [*Progesterone* (vaginal)], *Lut-syst., Meno-syst. Proge-syst.* [*Progesterone*]

FIBROSE (dor torácica; micção difícil ou dolorosa; febre; grande aumento ou diminuição da quantidade de urina; câibras nas pernas; perda de apetite; dor na virilha ou nas regiões inferior ou lateral das costas; falta de ar ou dificuldade em respirar; inchaço das mãos, tornozelos, pés ou pernas; sensação de aperto no peito; perda de peso): *AntinfN-oph.* [*Flurbiprofen*], *Capec-syst., Methys-syst.*

FORMIGAMENTO: *Aminglyc-syst., CalcS-syst., Iot-syst., Ofl-ot., Oxi-top., Proti-syst.*

FRAQUEZA, astenia (falta ou perda de resistência) (Ver Cansaço; Exaustão; Lassitude): *AbLam-syst., Acamp-syst., Acyc-syst., AlbMic-syst., Aldes-syst., Alemt-syst., Almot-syst., Altr-syst., Aman-syst., AmlodBen-syst., Amph-syst., Amsa-syst., Anag-syst., Anast-syst., Andro-syst., AntinfN-oph., AnthyGR-syst., AntandN-syst.* [*Flutamide*], *Antcoa-syst., AntdepMAO-syst., AntdepT-syst., AnthisDAc-syst., Antm-syst., Anththy-syst.* [*Propylthiouracil*], *Aprac-oph., Aprep-syst., Arip-syst., ArsTr-syst., AtovaPro-syst., Azac-syst., Bacl-intsyst., Bacl-syst., Basil-syst., Bentir-syst., Bevac-syst., Bex-syst., Bex-top., Bim-oph., BisSMT-syst., Bort-syst., BotB-parloc., Busu-syst., Cab-syst., Calcit-syst., CalcS-syst., Capec-syst., Carbam-syst., CarbidL-syst., CarbidEL-syst., Carbopl-syst., Carm-imploc., Carv-syst., Cefd-syst., Cele-syst., CetiP-syst.* [*Pseudoephedrine*], *Cetux-syst., Cid-syst., Cinac-syst., Cital-syst., Clad-syst., Clon-parloc., Clop-syst., ColSF-syst.* [*Sargramostim*], *ConjE-syst., Cortic-ot., Cycla-syst., Cyclope-oph., Cyt-syst., CytL-int., Dacli-syst., Darb-syst., Darif-syst., Del-syst., Den-syst., Dic-top., DigitG-syst., Dihy-nassyst., Dimer-syst., DiphtTTH-syst., Dipv-syst., DipvA-syst., Dir-syst., Docet-syst., Dom-syst., Dorz-oph., Doxaz-syst., DoxorL-syst., Dron-syst., Dul-syst., Efal-syst., Efav-syst., Ele-syst., Eme-oph., Emt-syst., EmtT-syst., Enf-syst., Enta-syst., Epoe-syst., Epop-syst., Ert-syst., Etan-syst., Estro-syst., Etop-syst., Exem-syst., Exen-syst., Fel-syst., Fenof-syst., Fent-syst., Fent-trsyst., Fluda-syst., Fluorq-syst., Fluoru-syst., Fluox-syst., Flut-inhloc., Fluv-syst., Fomi-parloc., Fosf-syst., Ful-syst., Gab-syst., Gadob-syst., Gadop-syst., Gadov-syst., Gala-syst., Gef-syst., Gemc-syst., Gemif-syst., Gemt-syst., Gla-syst., Gold-syst., Gra-syst., Guanab-syst., HepatAVI-syst., HepatAVIHB-syst., HistH2-syst.* [*Famotidine; Nizatidine*], *Histr-syst., Hom-oph., HydroI-syst., Iba-syst., Ibr-syst., IbupO-syst., Ima-syst., Indin-syst., IntB1a-syst., IntB1b-syst., Iri-syst., Iron-syst., Isot-syst., Ive-syst., Lami-syst., LamiZ-syst., Lamo-syst., Lans-syst., Len-syst., Let-syst., Leve-syst., Levod-syst., Levom-syst., Lid-top., LopiR-syst., MagS-syst., Map-syst., Mecam-syst., Mech-syst., MedE-syst., Mef-syst., Merc-syst., Methy-syst., MethyTD-syst., Mido-syst., Mif-syst., Miglu-syst., Mir-syst., Mitox-syst., Mont-syst., Mur-syst., Myc-syst., Nab-syst., Nali-syst., Nalo-syst., Nap-oph., Nef-syst., NiaL-syst., Nico-inhsyst., Nico-nas., Nico-syst., Nitra-syst., Ola-syst., Olo-oph., Omepe-syst., Ose-syst., Oxym-nas., PacP-syst., Palo-syst., Pam-syst., Pantop-syst., Paro-syst., PegiA2a-syst., Pentost-syst., Perg-syst., PerpA-syst., Phenox-syst., Phent-syst., Pil-syst., Pimo-syst., Pnev-syst., Por-syst., Prami-syst., Prazi-syst., Pre-syst., Prota-syst., Pse-syst., Que-syst., Rabe-syst., Ralt-syst., Rau-syst., Riba-*

syst., RibaI-syst., Rifab-syst., Rise-syst., Risp-syst., Riton-syst., Ritu-syst., Riv-syst., Riz-syst., Rof-syst., Ropin-syst., Rosu-syst., Saq-syst., Sco-oph., Sertr-syst., Sild-syst., Sir-syst., Ske-syst. [*Orphenadrine*], **SodF-syst., SodO-syst., Sor-syst., Sum-syst., Tacro-syst., Tad-syst., Tamo-syst., Tams-syst., Teli-syst., Telm-syst., Teno-syst., Tera-syst., Teri-syst., Thyra-syst., Tia-syst., Tic-syst., Tini-syst., Tinz-syst., Tiop-syst., Tiz-syst., Topi-syst., Topo-syst., TosI-syst., Tram-syst., TramA-syst., Trand-syst., Tras-syst., Trie-syst., Ure-parloc., Vac-syst., Valp-syst., ValsH-syst., Van-syst., Vard-syst., Vasc-syst., Ven-syst., Ver-parloc., Vinb-syst., Vinc-syst., Vind-syst., Vino-syst., VitMF-syst., Zale-syst., Zic-syst., Zid-syst., Zil-syst., Zip-syst., Zole-syst., Zolm-syst., Zop-syst.**

animal studies: AntandN-syst. [*Flutamide*]

children: CorticA-ot.

dialysis patients with end-stage renal disease: *Levoca-syst.*

exhaustion, extreme (See Exhaustion; MIND, Prostration of mind): Nico-inhsyst., Nico-nas., Nico-syst.

extreme, severe: Aminglut-syst., Barb-syst., **Butor-nasyst.,** ChlH-syst., *Chloramb-syst.,* FentD-syst., Mecas-syst., MepA-syst. [*Meprobamate*], **Opr-syst.,** Para-syst.

fatigue and malaise, with: *Flum-syst.*

females: *Nafa-syst., Tamo-syst.*

generalized: *Tia-syst.*

hypercalcemia, with: *CalcS-syst.*

prostration: Pyran-orloc., *Sur-syst.*

baboons: Clop-syst.

dogs: Levof-syst.

mice: Levof-syst.

monkeys: Levof-syst.

rats: Levof-syst.

motor.

peripheral: *Daps-syst.*

severe (shakiness and unsteady walk; unsteadiness. trembling, or other problems with muscle control or coordination; respiratory failure): *Sta-syst.*

muscular, muscle weakness: **AbLam-syst.,** *Almot-syst., Amio-syst., AmlodAt-syst.* [*Amlodipine*], *Antac-orloc.* [*Aluminum-containing; Magaldrate*], *AntinfN-syst.* [*Tolmetin*], *AntglaC-oph., ArsTr-syst.,* **Bacl-syst.,** *Benzod-syst., Brim-oph., Busp-syst., Capec-syst., Carv-syst.,* Cortic-nas., *Cortic-ot., Cortic-rec., CorticG-syst., Cyclob-syst.,* **Dant-syst.,** *Dihy-nassyst., Diso-syst., Doxaz-syst., Edr-syst., EdrA-syst., Fludro-syst.,* Gala-syst., *HepatBVR-syst., IndiuC-syst., LamiZ-syst., Lamo-syst., Levom-syst., Lit-syst., Mef-syst., Oxc-syst., Phy-oph., Pip-syst.,* Podop-top., **Pral-syst., Quin-syst.,** *Ske-syst., Thali-syst., Tia-syst.*

aching, and: Ipe-orloc.

increasing (especially in the arms, neck, shoulders, and tongue): Antm-syst., Don-syst., Tacri-syst.

mice: Azel-nas.

hypotonia (decreased muscle tone; unusual weak feeling; loss of strength or energy; muscle pain or weakness) (See EXTREMITIES, Hypotonia): **Bacl-intsyst.,** *Carv-syst., DiphtTTH-syst., Paliv-syst.,* **Sir-syst.,** *Vig-syst.,* Zale-syst., **Zop-syst.**

antimyotonic (muscle relaxation): **Quin-syst.**

hypotonic-hyporesponsive episodes (collapse or shock-like state):

DiphTTH-syst., DiphTTPV-syst., DiphTTPVH-syst., PnC-syst.

infants: *Brim-oph.*

mice: *Azel-nas.*

relaxant, skeletal muscle; muscular relaxation: *AntconH-syst., Antm-syst., Bacl-intsyst., Benzod-syst. [Diazepam, Lorazepam], Cyclob-syst., OrpA-syst., Ske-syst., [Carisoprodol, Chlorphenesin, Chlorzoxazone, Metaxalone, Methocarbamol, Orphenadrine Citrate]*

prolongued: *PenicilB-syst. [Piperacillin and Tazobactam combination]*

respiration, not affecting muscles of: **Dant-syst.**

severe: *CarbonAI-syst.*

spasms, twitches, and: *Pyran-orloc.*

tenseness, with: *CetiP-syst. [Pseudoephedrine]*

wasting, and: *Cortic-nas. [Dexamethasone], Cortic-ot.*

restlessness, with: *EdrA-syst.*

severe (See extreme).

sudden: *Metyra-syst.*

syncopal: *Pyridos-syst.*

temporary.

vertebral metastases, patients with: *Buse-syst.*

tiredness, unusual: **Abac-syst., AbLam-syst., AbLamZid-syst., Abar-syst., Acamp-syst., Acyc-syst., Adal-syst., Aldes-syst., Alfuz-syst., Amio-syst., AmincAc-syst., Amph-syst., AmylN-syst., Anast-syst., Anest-oph., AngInH-syst., Antchsp-syst., AntconD-syst., AntconH-syst., AntconS-syst., AntdepT-syst. [Amoxapine], AntfunA-syst. [Itraconazole], AnthisP-syst., Antm-syst., Anthyr-syst., Aprep-syst., Arip-syst., ArsTr-syst., Aspar-syst., Atorv-syst., AtovaPro-syst., Atrop-oph., AtropB-syst., Azac-syst., BarbAn-syst. [Barbiturates], Bell-syst., Benzod-syst., BetBA-oph., BetBA-syst., BetBAT-syst., Bevac-syst., Bort-syst., BotA-parloc., Brim-oph., Bromo-syst., Bupre-syst., Busp-syst., CalcCBA-syst., CalcS-syst., Capec-syst., Carbam-syst., CarbidL-syst., CarbidEL-syst., CarbonAI-syst., Cefu-syst., Cele-syst., Ceph-syst., Chloramp-oph., Chloramp-syst., ChlordA-syst., ChorioG-syst., Cil-syst., Cisp-syst., Cital-syst., Clad-syst., Clar-syst., Clod-syst., Clom-syst., Clon-syst., ClonC-syst., Cloz-syst., ConjE-syst., Cortic-ot., Cortic-rec. [Tixocortol], Cortic-top., CorticG-syst., Cyclob-syst., Cyclope-oph., Cycloph-syst., Cyt-syst., Dant-syst., Dapt-syst., Del-syst., Dif-syst., Dipheni-syst., Disu-syst., Docet-syst., Don-syst., Doxaz-syst., DrosE-syst., Dul-syst., Dut-syst., Edr-syst., EdrA-syst., EmtT-syst., Esm-syst., Eso-syst., EstroPO-syst., Etan-syst., Ethc-syst., Etop-syst., EzetS-syst., Fent-syst., Fex-syst., Flec-syst., Fluox-syst., FollitA-syst., Fosam-syst., Gab-syst., Gadop-syst., Gals-syst., Gemc-syst., Gemf-syst., Glim-syst., Glut-syst., Gra-syst., Gri-syst., GroH-syst., Guane-syst., Guanf-syst., Hal-syst., Histr-syst., Hom-oph., Hyalur-parloc., HydroxT-oph., Iba-syst., Ibr-syst., IbufO-syst. [Ibuprofen], Ifo-syst., Ima-syst., Imiq-top., Imm-syst., Indin-syst., Infl-i-syst., InsD-syst., IntG-syst., IntA-syst., Iopa-syst., Iot-syst., Ioxa-syst., Ipe-orloc., Ipr-inhloc.,**

Iri-syst., *Iron-syst.*, **Ison-syst.**, *Ketor-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, **Lar-syst.**, *Lef-syst.*, **Len-syst.**, *Let-syst.*, *Levam-syst.*, *Levod-syst.*, *Lom-syst.*, *LopiR-syst.*, *Lox-syst.*, *Lut-syst.*, **Map-syst.**, **Mecam-syst.**, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.*, *Mero-syst.*, **Mesa-orloc.**, **MetfP-syst.**, *MethotC-syst.*, **Meto-syst.**, *Mex-syst.*, *Mica-syst.*, *Mitom-syst.*, *Moc-syst.*, *Moli-syst.*, *Mor-syst.*, **Nalt-syst.**, *Nar-syst.*, **Natal-syst.**, *Nef-syst.*, **Nev-syst.**, *Nia-syst.*, *Nitra-syst.*, *Nitro-syst.*, **NoreE-syst.**, *Olm-syst.*, *OmeP-syst.*, *Ond-syst.*, **Opi-syst.**, *Opr-syst.*, *Ose-syst.*, **Oxa-syst.**, *Oxc-syst.*, *Oxyb-syst.*, **Pam-syst.**, *Pantop-syst.*, **Pare-syst.**, *Paro-syst.*, *PegiA2b-syst.*, *PenicilB-syst.*, *PenteC-syst.*, **Pentost-syst.**, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Phenox-syst.*, *Phy-oph.*, *Phy-syst.*, **Pime-top.**, *Pli-syst.*, **PoliO-syst.**, **Praml-syst.**, *Pre-syst.*, **Procar-syst.**, **Proge-syst.**, *Propa-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quin-syst.*, *Rabe-syst.*, *Ram-syst.*, *Ras-syst.*, *Rima-syst.*, *Risp-syst.*, *Ritu-syst.*, **RosiM-syst.**, *Sco-oph.*, *Seleg-syst.*, *SelenSup-syst.*, **Sertr-syst.**, **Sir-syst.**, *SodN-syst.*, *Sta-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, **SulfoT-syst.**, *Tacro-syst.*, *Tacro-top.*, *Tad-syst.*, *Tamo-syst.*, *Teli-syst.*, **Tem-syst.**, *Teno-syst.*, *Terb-syst.*, *Thali-syst.*, *Thiox-syst.*, *Thr-syst.*, *Tinz-syst.*, *Tiop-syst.*, **Tiot-inhloc.**, *Topi-syst.*, **Tosl-syst.**, *Tram-syst.*, *Traz-syst.*, *Tret-syst.*, *Trop-oph.*, *Tros-syst.*, **Urs-syst.**, *Vac-syst.*, *Vald-syst.*, *Valg-syst.*, *Vari-syst.*, *Ven-syst.*, *Vind-syst.*, *VitA-syst.*, *VitDA-syst.*, *VitE-syst.*, **Zole-syst.**, *Zolp-syst.*, **Zon-syst.**

adults: *Aspar-syst.*

children, young: *AcetSal-syst.*, *AspirSC-syst.*

severe: *AnthisDAg-syst.* [Salicylate-containing combinations], *DecAn-syst.* [Salicylate-containing combinations], *MepA-syst.* [Aspirin], *Sal-syst.*

hypercalcemia, with: *CalcS-syst.*

infants, cyanotic, during angiocardigraphy: **Ioxa-syst.**

mild: **AntdepT-syst.**, **PerpA-syst.**

severe, to: **PerpA-syst.**

pain in one side of the body, anxiety, nausea, with: *HyalSD-syst.*

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa)

undergoing artificial reproductive technologies (ART): **FollitA-syst.**

reversible: *Aspar-syst.*

severe: *Lox-syst.*, **PerpA-syst.**, *Thiox-syst.*

children: *AnthisDAg-syst.* [Salicylate-containing combinations], *DecAn-syst.* [Salicylate-containing combinations], *MepA-syst.* [Aspirin]

tiredness, with: **AntdepMAO-syst.**

unusual: *Abac-syst.*, **AbLam-syst.**, *AbLamZid-syst.*, **Abar-syst.**, *Acamp-syst.*, *Acyc-syst.*, **Adal-syst.**, *Alfuz-syst.*, *Amio-syst.*, *AmincAc-syst.*, *Amph-syst.*, *AmylN-syst.*, *Anast-syst.*, *Anest-oph.*, **AntinfN-syst.**, *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepT-syst.* [Amoxapine], *AntfunA-syst.* [Itraconazole], *AnthisP-syst.*, *Antm-syst.*, *Anthyr-syst.*, *Aprep-syst.*, *ArsTr-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Atrop-oph.*, *AtropB-syst.*, **Azac-syst.**, *BarbAn-syst.* [Barbiturates], *Bell-syst.*, *Benzod-syst.*, *BetBA-oph.*, **BetBA-syst.**, **BetBAT-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, *Bupre-syst.*, *Busp-syst.*, *CalcCBA-syst.*, *CalcS-syst.*, *Capec-syst.*, *Carbam-syst.*,

CarbidL-syst., CarbidEL-syst., CarbonAI-syst., Cefu-syst., Cele-syst., Ceph-syst., Chloramp-oph., Chloramp-syst., ChlordA-syst., Cil-syst., Cisp-syst., Cital-syst., Clar-syst., Clod-syst., Clon-syst., ClonC-syst., Cloz-syst., Cortic-ot., Cortic-rec. [Tixocortol], Cortic-top., CorticG-syst., Cycloph-syst., Dapt-syst., Del-syst., Dif-syst., Dipheni-syst., Docet-syst., DrosE-syst., Dul-syst., Dut-syst., Edr-syst., EdrA-syst., EmtT-syst., Eso-syst., EstroPO-syst., Etan-syst., Ethc-syst., EzetS-syst., Fent-syst., Fex-syst., Flec-syst., Fluox-syst., FollitA-syst., Fosam-syst., Gab-syst., Gals-syst., Gemc-syst., Glim-syst., Glut-syst., Gra-syst., GroH-syst., Guane-syst., Guanf-syst., Hal-syst., Hyalur-parloc., HydroxT-oph., Iba-syst., Ibr-syst., IbupO-syst. [Ibuprofen], Ima-syst., Imiq-top., Imm-syst., Indin-syst., IndiuPt-syst., Infl-syst., InsD-syst., Iopa-syst., Iot-syst., Ioxa-syst., Ipe-orloc., Ipr-inhloc., Iri-syst., Iron-syst., Ison-syst., Ketor-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lar-syst., Lef-syst., Len-syst., Levod-syst., LopiR-syst., Lox-syst., Lut-syst., Mal-top., Mef-syst., Melo-syst., Mem-syst., Mep-syst., Mero-syst., Mesa-orloc., MetfP-syst., MethotC-syst., Meto-syst., Mex-syst., Mica-syst., Mitom-syst., Moc-syst., Mor-syst., Natal-syst., Nef-syst., Nev-syst., Nia-syst., Nitro-syst., NoreE-syst., Oct-syst., Olm-syst., Omep-syst., Ond-syst., Opi-syst., Opr-syst., Ose-syst., Oxa-syst., Oxc-syst., Oxyb-syst., Pam-syst., Pantop-syst., Pare-syst., Paro-syst., PegiA2b-syst., PenicilB-syst., PenteC-syst., Perg-syst., PerpA-syst., Phenot-syst., Phenox-syst., Phy-oph., Phy-syst., Pime-top., Pli-syst., Praml-syst., Pre-syst., Procar-syst., Proge-syst., Propa-syst., Pyridos-syst., Pyrim-syst., Que-syst., Quin-syst., Rabe-syst., Ram-syst., Ras-syst., Risp-syst., Ritu-syst., RosiM-syst., Seleg-syst., SelenSup-syst., Sertr-syst., Sir-syst., SodN-syst., Sta-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Tacro-syst., Tacro-top., Tad-syst., Tamo-syst., Teli-syst., Tem-syst., Teno-syst., Terb-syst., TetaT-syst., Thr-syst., Tinz-syst., Tiop-syst., Tiot-inhloc., Topi-syst., TosI-syst., Tram-syst., Traz-syst., Tret-syst., Trop-oph., Tros-syst., Urs-syst., Vac-syst., Vald-syst., Valg-syst., Vari-syst., Ven-syst., Vind-syst., VitDA-syst., VitE-syst., Zole-syst., Zolp-syst.

infants, cyanotic, during angiocardiography: **Ioxa-syst.**

mild: **AntdepT-syst., PerpA-syst.**

severe, to: **PerpA-syst.**

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa)

undergoing artificial reproductive technologies (ART): **FollitA-syst.**

severe: **Lox-syst., PerpA-syst., Thiox-syst.**

FRATURAS espontâneas dos ossos (dor ou inchaço dos braços, pernas, costas ou costelas, sem qualquer injúria prévia) (Ver EXTREMIDADES): *Cortic-nas. [Dexamethasone], Cortic-ot., Cortic-rec., Flut-inhloc., Gab-syst., Let-syst., Mem-syst., Sir-syst.*

adolescents: *Isot-syst.*

compression, vertebral, and long bone pathologic fractures, includes: *CorticG-syst.*

humerus: *Ose-syst.*

long bones, pathologic: *Fludro-syst.*

non spontaneous (pain or swelling in arms or legs without any injury): *Adal-syst.*

osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*

Repertório - Capítulo GENERALIDADES

pathological (unexplained broken bone, pain or swelling in arms or legs without any injury): *Exem-syst.*, *Niti-syst.*, *Rosu-syst.*

long bones: *Fludro-syst.*

spontaneous (fractures in arms or legs without any injury): *Fludro-syst.*

sports, when participating in: *Isot-syst.*

FRIO, sensibilidade ao.

increased sensitivity to cold, during recovery (shivering or trembling): **AnestBar-syst.**

FRIO em geral (sintomas de resfriado ou gripe) (Ver Influenza): *Dof-syst.*, *DorzT-oph.*, *Irb-syst.*, *Lans-syst.*, *Lat-oph.*, **Mom-inhloc.**, **Mom-nas.**

intolerance to cold: *Antcoa-syst.*

FRUTOSE, intolerância à (desmaios; inchaço da face, braços e pernas; hemorragias; vômitos; perda de peso; olhos e pele amarelos): *FrucDP-orloc.*

GANGRENA (aparência seca e enrugada da pele nas mãos, pernas e pés) (Ver Necrose): *Aldes-syst.*, *Ergon-syst.*, *Hydxyu-syst.*, *Vasc-syst.*

hemorrhagic.

skin and other tissues (sores on skin, especially on thighs, breasts, penis, or buttocks): *Antcoa-syst.*

necrosis, with: *Antcoa-syst.*

local: *Vaso-syst.*

peripheral (dry, shriveled appearance of skin on hands, lower legs, or feet; cold, pale or a bluish color skin of the fingers or toes; itching skin; numbness or tingling of the fingers or toes; pain in the fingers or toes): *Aldes-syst.*, *Cele-syst.*, *Ergon-syst.*, *Hydxyu-syst.*

GLÂNDULAS ADRENAIS (Ver RINS, Addison, Doença de; RINS, Cushing, Síndrome de).

aldosterone antagonist, aldosterone synthesis, suppressed (hypoaldosteronism, adrenal cortical insufficiency, inhibition of renal function, hyperkalemia, and metabolic acidosis): **DiuP-syst.**, *Hepar-syst.*

Catechol-O-Methyl Transferase (COMT) enzyme, inhibition of the (prevention metabolism of endogenous and exogenous catechols): *Enta-syst.*

enlarged and/or hemorrhagic, increase in.

female rats: *Bacl-syst.*

failure: *Etom-syst.*

hemorrhage (abdominal or stomach pain; apprehension; diarrhea; dizziness or fainting; headache; loss of appetite; nausea with or without vomiting; nervousness; weakness) resulting in acute adrenal insufficiency): **Antcoa-syst.**, *Hepar-syst.*

hypoadrenalism, adrenal insufficiency (unusual tiredness or weakness; feeling faint; loss of appetite; nausea or vomiting; diarrhea; increased skin pigmentation) (See *Addison's disease*): *Aminglut-syst.*, *AntfunA-syst.*, *ClotB-top.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Proge-syst.*

Repertório - Capítulo GENERALIDADES

acute (including symptoms such as nervousness, confusion, or sudden weakness): *Cortic-rec.*, *CorticG-syst.*, *Metyra-syst.*

life-threatening: *CorticG-syst.*

adrenocortical (darkening of skin; diarrhea; dizziness; drowsiness; loss of appetite; mental depression; nausea and vomiting; skin rash; unusual tiredness): **Mitot-syst.**

children: *Cortic-oph.*

relative: **Sur-syst.**

hypothalamic-pituitary-adrenal (HPA) function, suppression of: *Cortic-inhloc.*, *Cortic-nas.*, *Cortic-top.*, *Flut-nas.*

stimulation, beta-adrenergic: *Ritod-syst.*

suppression: *ClotB-top.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Flut-inhloc.*, *Mom-inhloc.*, *Proge-syst.*

children: *Cortic-oph.*

risk of: *NysT-top.*

unresponsiveness, adrenocortical and pituitary, secondary (particularly in times of stress): *Fludro-syst.*

GLICOSE, INTOLERÂNCIA a.

decreased (See Diabetes, Hyperglycemia, Hypoglycemia): *Cortic-rec.*, *Estro-syst.*

mild: *Stre-syst.*

moderate, to: *Stre-syst.*

moderate: *Stre-syst.*

GÔNADAS, TRANSTORNOS das.

hypogonadism: *Leup-syst.*

GONADOTROFINA, INIBIÇÃO da: *Danaz-syst.*, *Nafa-syst.*

females: *EstroPO-syst.*

GORDURA.

accumulation/redistribution in body (lipodystrophy) (breast enlargement; buffalo hump; central obesity; facial wasting; peripheral wasting) (See Obesity): *Abac-syst.*, *AbLam-syst.*, *Ataz-syst.*, *Del-syst.*, *Efav-syst.*, *Emt-syst.*, *EmtT-syst.*, *Fosam-syst.*, *Indin-syst.*, *Lami-syst.*, *LamiZ-syst.*, *LopiR-syst.*, **Nel-syst.**, *Nev-syst.*, *Riton-syst.*, *Saq-syst.*, *Sta-syst.*, *Teno-syst.*

atrophy, subcutaneous: *Fludro-syst.*

lipodystrophy (depression of the skin; indentation of the skin): *InsA-syst.*, *InsD-syst.*, *InsGlu-syst.*

malabsorption (stools that float, foul smelling and fatty in appearance): *Oct-syst.*

GOTA ou hiperuricemia (dor nas articulações do joelho, tornozelo ou hálux; dor, inchaço ou rigidez nas articulações; dor na região inferior ou lateral das costas) (Ver EXTREMIDADES): *AngInH-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*], *BetBAT-syst.*, *Cand-syst.*, *Carv-syst.*, *ClonC-syst.*, *ClonP-syst.*, *DiuL-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Imiq-top.*, *MethyTD-syst.*, *Nef-syst.*, *PrazoP-syst.*, *Sild-syst.*, *ValsH-syst.*

hyperuricemia (joint pain, stiffness, or swelling; lower back, side, or stomach pain; swelling of feet or lower legs) (See DIAGNOSTIC TESTS): *AngInH-syst.*, *Aspar-syst.*, *BetBAT-syst.*, *Busu-syst.*, *Cand-syst.*, *Carv-syst.*, *Chloramb-syst.*, **Cisp-syst.**, *ClonC-syst.*, **Cycloph-syst.**, *Cyt-syst.*, *Dacti-syst.*, *Dau-syst.*, *Did-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Doxor-syst.*, *Epir-syst.*, *Fluda-syst.*, *Fluorq-syst.*, *HistH2-syst.* [Nizatidine]; *Hydxyu-syst.*, *Ida-syst.*, *Mech-syst.*, *Melp-syst.*, *Merc-syst.*, *MethyTD-syst.*, *Moly-syst.*, *Nia-syst.*, *Olm-syst.*, *OlmH-syst.*, *Panc-syst.*, *PrazoP-syst.*, *RifamIP-syst.*, **Rifap-syst.**, *Sild-syst.*, *SodPhe-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Vinb-syst.*, **Vinc-syst.**

secondary (severe pain or inflammation in feet, knees, hands, or elbows): *EdC-syst.*, *EdD-syst.*

GRANULOCITOPENIA (Ver Agranulocitose).

GRANULOMATOSE DE WEGENER (Ver Inflamação, angeíte).

GRANULOPOIESE (Ver TESTES DIAGNÓSTICOS): *Lit-syst.*

GRIPE, síndrome gripal (Ver Influenza).

HEMATOMA (coleção de sangue sob a pele, profunda; contusão roxo-escura; coceira, dor, vermelhidão ou inchaço) (Ver Hemorragia; Injúrias; PELE): *Anthro-syst.*, **Azac-syst.**, *Basil-syst.*, *Cev-syst.*, *Chond-imploc.*, *Danap-syst.*, *Eno-syst.*, *Fon-syst.*, *Hepar-syst.*, *Histr-syst.*, **Lep-syst.**, *Tene-syst.*, *Tinz-syst.*

intraspinal, during concurrent use of low molecular weight heparin and epidural or spinal anesthesia: *Nad-syst.*

HEMATOPOIESE.

impaired (unusual or decreased blood cell production): *Paro-syst.*

stimulant, hematopoietic (See Polycythemia): *ColSF-syst.*, *Opr-syst.*, *Pegf-syst.*

HEMIPLEGIA (Ver Paralisia).

HEMOFILIA, aumento de sangramento espontâneo (Ver Coagulação; Hemorragia): *Indin-syst.*

HEMÓLISE (Ver Anemia, hemolítica; Síndrome Hemolítica-Urêmica; TESTES DIAGNÓSTICOS, Hemograma, células sanguíneas vermelhas).

HEMORRAGIA, sangramento (sangramento das gengivas; tosse com sangue; dificuldade em respirar ou engolir; tontura; cefaléia; aumento do fluxo menstrual ou sangramento vaginal; sangramento nasal; paralisia; sangramento prolongado em cortes; urina vermelha ou marrom escura; fezes vermelhas ou pretas; falta de ar) (Ver Coagulação): *AnthisP-syst.*, *Acit-syst.*, *Alpr-syst.*, *Capec-syst.*, *Anag-syst.*, *Antcoa-syst.*, *Anthro-syst.*, *Ard-syst.*, *Arg-syst.*, *ArsTr-syst.*, *Aspar-syst.*, *AspirSC-syst.*, *Azat-syst.*, *Biv-syst.*, *Capec-syst.*, *Ceph-syst.*, *Chloramp-oph.*, *Chloramp-syst.*, *CholAO-syst.* [*Iopanoic acid*], *Cil-syst.*, *Cital-syst.*, *Clop-*

syst., *Dal-syst.*, *Danap-syst.*, *Desf-inhsyst.*, *Diaz-parsyst.*, *Dipy-syst.*, *DipyA-syst.*, *Drot-syst.*, *Eno-syst.*, *Ept-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fon-syst.*, *Gef-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Hepar-syst.*, *Ibr-syst.*, **Ima-syst.**, *IntB1b-syst.*, *Iri-syst.*, **Lep-syst.**, *Mero-syst.*, *Nad-syst.*, *Oxa-syst.*, *PacP-syst.*, *Paro-syst.*, *Pli-syst.*, *Por-syst.*, *Quid-syst.*, *Ras-syst.*, **Ret-syst.**, *Sal-syst.* [*Aspirin Tablets*, *Aspirin Tablets (Chewable)*, *Aspirin Delayed-release Tablets*, *Aspirin, Buffered*], *Sertr-syst.*, *Sib-syst.*, **Sir-syst.**, **Sor-syst.**, *Tacro-syst.*, **Tene-syst.**, *Thr-syst.*, *Tic-syst.*, *Tinz-syst.*, *Tir-syst.*, **Tret-syst.**, *Valg-syst.*, *Valp-syst.*, *Ven-syst.*

access: **Darb-syst.**

adrenal, resulting in acute adrenal insufficiency (abdominal or stomach pain; apprehension; diarrhea; dizziness or fainting; headache; loss of appetite; nausea with or without vomiting; nervousness; weakness): **Antcoa-syst.**, *Hepar-syst.*

anticoagulation, excessive, with bleeding: **Arg-syst.**

capillary, increased: *Ure-syst.*

central nervous system: *Chym-parloc.*, *Coc-mucloc.*

coagulation disorders (See Coagulation).

clotting factors.

decrease in (unusual bleeding or bruising): **Aspar-syst.**

factor VIII, inhibitor antibodies, which neutralize the procoagulant activity of: *AnthemF-syst.*

suppression of clotting factors (unusual bleeding): *AnabS-syst.*

damage to the reticuloendothelial system with hemorrhagic tendencies: *EdD-syst.*

diathesis, hemorrhagic: *Pli-syst.*

episode, bleeding: *Docet-syst.*

excessive: *SodC-parloc.*

fatal: **Antcoa-syst.**, *Aspar-syst.*, *Ept-syst.*, *Por-syst.*

hemophilia (See Hemophilia).

increased: *Mont-syst.*, *Tiop-syst.*

HIV-infected patients with hemophilia type A or B who are receiving protease inhibitor therapy: *Nel-syst.*

internal (abdominal pain or swelling; back pain or backaches; blood in urine; bloody or black, tarry stools; constipation caused by hemorrhage-induced paralytic ileus or intestinal obstruction; coughing up blood; dizziness; headaches; severe or continuing joint pain, stiffness, or swelling; vomiting of blood or material that looks like coffee grounds): **Ret-syst.**

livedo reticularis (purplish red, net-like, blotchy spots on skin): **Aman-syst.**, *Antcoa-syst.*, *Thr-syst.*

local: *Natal-syst.*

major (intracranial hemorrhage or a decrease in hemoglobin concentration by more than 5gr/dL; retroperitoneal; gastrointestinal; genitourinary): **Abcix-syst.**

mucous membranes, persistent: *Eno-syst.*

permeability, vascular, marked increase in: *Meno-syst.*, *Uro-syst.*

persistent: *Danap-syst.*

post-operative: *Fon-syst.*

spinal (confusion; dizziness; headache, continuing or severe; nausea and vomiting; paralysis; paresthesias; weakness): **Antcoa-syst.**

subcutaneous (See Hematoma; Injuries): *Cil-syst.*

superficially: **Ret-syst.**

tendencies, increased.

vitamin K-deficient patients: VitE-syst.

time, increased: *Acit-syst.*

thrombocytopenic, while (bleeding gums; coughing up blood; difficulty in breathing or swallowing; dizziness; headache; increased menstrual flow or vaginal bleeding; nosebleeds; paralysis; prolonged bleeding from cuts; red or dark brown urine; red or black, tarry stools; shortness of breath): **Ibr-syst., TosI-syst.**

grade 3 thrombocytopenia, associated with: Peme-syst.

tumor hemorrhage (gist only): *Ima-syst.*

wounds and cuts: **Lep-syst.,** Prota-syst., **Thr-syst.**

heavy: *Hepar-syst.*

surgical or postoperative: *Ketor-syst.*

persistent: *Eno-syst.*

HEPÁTICOS, TRANSTORNOS (urina escura; fezes esbranquiçadas; perda de apetite; náuseas e vômitos; cansaço; pele ou olhos amarelos; febre, com ou sem calafrios; dor de estômago) (Ver Hepatite; Síndrome Hepática fulminante; Vesícula Biliar; ABDOME, Vesícula Biliar, Fígado): *Histr-syst.*

cholestasis (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin) (See Gall Bladder): *Anid-syst., AntdiaS-syst., Anthis-syst., AnthisD-syst., Azat-syst., Ceph-syst. [Cetirizine], Cyclob-syst., Eryts-syst., Infl-syst., Lef-syst., Merc-syst., Methy-syst., MethyTD-syst., Nali-syst., Nia-syst., Tamo-syst., Tram-syst.*

function, hepatic, abnormal (abdominal or stomach pain; chills; light-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Acit AcetSal-syst., AcSodCit-syst., Acit-syst., Albd-syst., AnabS-syst., AntinfN-syst. [Naproxen], Anthis-syst., Atorv-syst., Azat-syst., BarbAn-syst. [Acetaminophen], Benzod-syst., Bos-syst., Cand-syst., Casp-syst., Cil-syst., Clar-syst., Danaz-syst., Did-syst., Dipy-syst., DiuL-syst., EstroP-syst., Fluv-syst., Glut-syst., Indin-syst., Lep-syst., Melo-syst., MethyIp-syst., Niti-syst., Pemo-syst., PenicilB-syst., TramA-syst., Vac-syst., Valg-syst., Valp-syst.*

hepatitis (See Hepatitis).

hepatotoxicity (abdominal fullness; dark urine; fever; general ill feeling; generalized itching; loss of appetite; unusual fatigue; yellow eyes or skin) (See ABDOMEN, Liver): *AbLamZid-syst., Acet-syst., AcSodCit-syst., Aldes-syst., Allop-syst., Altr-syst., AmlodBen-syst., Amsa-syst., AnabS-syst., AnestInh-syst. [Enflurane, Halothane, Isoflurane, Methoxyflurane], AngIn-syst. [Captopril, Enalapril, Lisinopril], Antcoa-syst., AntfunA-syst., AnthisDag-syst., AspirSC-syst., Azat-syst., Bals-syst., BarbAn-syst. [Acetaminophen], BetBA-syst. [Acebutolol, Bisoprolol, or Labetalol], BetBAT-syst., Bleo-syst., Carm-syst., Chloramb-syst., Clar-syst., Clom-syst., Cop-syst., Cyclosp-syst., Cyt-syst., Dac-syst., Dacti-syst., Dant-syst., DecAn-syst. [Acetaminophen-containing combinations], Doxyc-syst., Emt-syst., EmtT-syst.,*

Repertório - Capítulo GENERALIDADES

EnaF-syst., *Eryts-syst.*, *Etop-syst.*, *Fenof-syst.*, *Flox-syst.*, *Fluorq-syst.*, *Gold-syst.*, *Hydra-syst.*, *Ifo-syst.*, *Ina-syst.*, *IntA-syst.*, *IsomDA-syst.*, *LamiZ-syst.*, *Lans-syst.*, **Lef-syst.**, *Levam-syst.*, *Lom-syst.*, *Mech-syst.*, **Meg-syst.**, **Merc-syst.**, *Meto-syst.*, *Moe-syst.*, *MoeH-syst.*, *Nev-syst.*, *Nia-syst.*, *Nitro-syst.*, *Opi-syst.*, *Penicil-syst.*, *Phena-syst.*, *Pli-syst.*, *Podop-top.*, **Procar-syst.**, *Pyraz-syst.*, *Sal-syst.*, *Sir-syst.*, *Ske-syst.*, *Sta-syst.*, *Stre-syst.*, **Tacri-syst.**, *Tacro-syst.*, *Tamo-syst.*, *Teno-syst.*, *Tetr-syst.*, *Thiog-syst.*, *Thiog-syst.*, **Tiz-syst.**, **Tore-syst.**, *Trand-syst.*, *TrandV-syst.*, **Trimetr-syst.**, *Trov-syst.*, *Valp-syst.*, *VitA-syst.*, *Zalc-syst.*, *Zid-syst.*

ACE inhibitor associated (syndrome of cholestatic jaundice, fulminant hepatic necrosis, and death): *TrandV-syst.*

fatal: *Teno-syst.*

lactic acidosis, including (abdominal discomfort; nausea; decreased appetite; general feeling of discomfort; diarrhea; fast, shallow breathing; muscle pain or cramping; shortness of breath; sleepiness; unusual tiredness or weakness) (See Acidosis, lactic): *Abac-syst.*, *AbLamZid-syst.*, *EmtT-syst.*, *Teno-syst.*

fatal: *Teno-syst.*

women: **AbLamZid-syst.**

peliosis hepatis (dark-colored urine; fever; hives; light-colored stools; loss of appetite, continuing; nausea; purple- or red-colored spots on body or inside the mouth or nose; sore throat; vomiting): *AnabS-syst.*, *Andro-syst.*, *Danaz-syst.*, *Thiog-syst.*

steatosis, hepatic (dark urine; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin) (See ABDOMEN, Liver): *Abac-syst.*, **AbLam-syst.**, *Alef-syst.*, *LamiZ-syst.*, *Sta-syst.*, *Tamo-syst.*, *Ven-syst.*

women, pregnant: *Did-syst.*

veno-occlusive disease, hepatic (stomach pain; swelling of feet or lower legs; bloated abdomen; pain and fullness in right upper abdomen; weight gain; yellow eyes and skin) (potentially fatal): *Azat-syst.*, *Busu-syst.*, *Oxa-syst.*, *Thiog-syst.*

HEPATITE (perda de apetite; cansaço; pele ou olhos amarelos; perda de peso; febre; erupção cutânea ou comichão; náuseas ou vômitos; urina escura; dor no abdome e nas articulações) (Ver Hepáticos, Transtornos; Síndrome Hepática fulminante; ABDOME, Fígado): *Acet-syst.*, *Acit-syst.*, *Alef-syst.*, *AminsSod-syst.*, *Amio-syst.*, *AntandN-syst.*, *AntconD-syst.*, *AntconH-syst.*, *AntdepMAO-syst.*, *AntdiaS-syst.*, *AntfunA-syst.* [*Itraconazole*], *Anthis-syst.*, *AnthisD-syst.*, *AnthisDAG-syst.* [*Acetaminophen-containing combinations*], *Azat-syst.*, *Aztr-syst.*, *Bell-syst.*, *Bort-syst.*, *Cand-syst.*, *Capec-syst.*, *Cele-syst.*, *CetiP-syst.* [*Cetirizine*], *Clofaz-syst.*, *Cloz-syst.*, *ConjE-syst.*, *Cyclob-syst.*, *Cycloph-syst.*, *Dacti-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*, *Ibuprofen-containing combinations*], *DeslP-syst.*, *DicM-syst.*, *Did-syst.*, *Dipy-syst.*, *Disu-syst.*, *Docet-syst.*, *Don-syst.*, *Doxaz-syst.*, *DrosEE-syst.*, *Dul-syst.*, *Efal-syst.*, *Efav-syst.*, *Estro-syst.*, *EstroPO-syst.*, *Ethi-syst.*, *Ezet-syst.*, **Fluc-syst.**, *Gri-syst.*, *HepatAVI-syst.*, *HistH2-syst.*, *Indin-syst.*, *Infli-syst.*, *IsomDA-syst.*, **Ison-syst.**, *Isot-syst.*, *JapV-syst.*, *Ketor-syst.*, *Ketot-syst.*, *Lef-syst.*, *Levom-syst.*, *Los-syst.*, *LosH-syst.*, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Methy-syst.*, *MethyTD-syst.*, *Moli-syst.*, *Nitro-syst.*, *Ols-orloc.*, *Ose-syst.*, *Para-syst.*, *Pio-syst.*, *Quid-syst.*, *Rabe-syst.*, *Rifam-syst.*, **RifamI-syst.**, **RifamIP-syst.**, *Rifap-syst.*, *Ritod-syst.*, *RosiM-syst.*, *Sertr-syst.*, *Sta-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*,

Sur-syst., *Tamo-syst.*, **Teli-syst.**, *Terb-syst.*, *Tic-syst.*, *Topi-syst.*, *Tret-syst.*, *Valg-syst.*, *Vals-syst.*, *Zaf-syst.*

acute: *Oct-syst.*

autoimmune (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): *IntB1a-syst.*

chemical (elevated hepatic enzymes, nausea and vomiting): *Flox-syst.*

cholestatic (abdominal or stomach pain; chills; clay-colored stools; dark urine; diarrhea; dizziness; fever; headache; itching; loss of appetite; nausea; rash; unpleasant breath odor; unusual tiredness or weakness; vomiting of blood; yellow eyes or skin): *Amio-syst.*, *AntinfN-syst.*, *Capec-syst.*, *Clar-syst.*, *Doxaz-syst.*, *Gold-syst.*, *Mont-syst.*, *PenicilB-syst.*, *Spi-syst.*, *SulfoT-syst.*, *Tinz-syst.*

fulminant: *Nev-syst.*

hepatocellular and chronic active: *Fenof-syst.*

chronic active: *Nitro-syst.*

hepatocellular and cholestatic: *Fenof-syst.*

failure, hepatic, and: **Nev-syst.**

fulminant (chills; fever; itching of the skin; nausea; yellow eyes or skin; stomach pain; unusual tiredness): *DicM-syst.*

cholestatic: *Nev-syst.*

granulomatous: *Allop-syst.*

hepatic failure, with (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin; including cholestatic hepatitis, infectious hepatitis, hepatic failure, and/or LFT abnormalities with clinical symptoms): **Nev-syst.**

hepatic syndrome (See Hepatic syndrome).

hepatitis B.

exacerbation (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): **AbLam-syst.**

hepatitis prodromal symptoms (loss of appetite; nausea; unusual tiredness or weakness; vomiting; fatigue, malaise, anorexia, nausea, jaundice, liver tenderness or hepatomegaly, with or without initially abnormal serum transaminase levels): **Ison-syst.**, *Nev-syst.*, *Rifam-syst.*, **RifamI-syst.**, **RifamIP-syst.**

hepatocellular hepatitis: *Clar-syst.*

chronic active, and cholestatic: *Fenof-syst.*

hypersensitivity hepatitis (darkening of urine; pale stools; yellow eyes or skin): *Carbam-syst.*

idiopathic: *Efal-syst.*

injury, hepatocellular, and: *Methy-syst.*, *MethyTD-syst.*

liver function test abnormalities, with: *Vala-syst.*

jaundice, with: **Teli-syst.**, *Zil-syst.*

overt: *Dant-syst.*

toxic (loss of appetite, nausea, vomiting, yellow eyes or skin, swelling in upper abdominal area): *AntinfN-syst.*, *Gold-syst.*, *Methox-syst.*, *Thiog-syst.*

women having a predisposing or pre-existing condition, especially those who smoke tobacco: *DrosEE-syst.*, *EstroPO-syst.*

HERPES.

herpes simplex (burning or stinging of skin; painful cold sores or blisters on lips, nose, eyes, or genitals): *Acit-syst.*, *Alemt-syst.*, *AnthyGR-syst.*, **Azac-syst.**, *Cele-syst.*, **Clofar-syst.**, *Efl-top.*, **Enf-syst.**, *Estro-syst.*, **Gemt-syst.**, *Isot-syst.*, *Leval-inhloc.*, *Pentost-syst.*, *Pime-top.*, *Ritu-syst.*, *Sild-syst.*, **Sir-syst.**

disseminated: *Isot-syst.*

herpes zoster (painful blisters on trunk of body): *Adal-syst.*, *Cele-syst.*, *HepatBVR-syst.*, *Pentost-syst.*, **Sir-syst.**

precipitation of (painful rash): **Mech-syst.**

HIPERAMONEMIA (aumento na frequência das convulsões; perda de apetite; náuseas ou vômitos contínuos; inchaço da face; cansaço e fraqueza; pele ou olhos amarelos) (Ver TESTES DIAGNÓSTICOS): **Aspar-syst.**, *Rabe-syst.*, *Valp-syst.*

HIPERATIVIDADE (Ver Atividade).

HIPERCALCEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *AcSodCit-syst.*, *Andro-syst.*, **Anid-syst.**, *BronA-inhloc.*, *CalcS-syst.*, *Casp-syst.*, *DrosE-syst.*, *EdC-syst.*, *Estro-syst.*, *Fluda-syst.*, *Histr-syst.*, *Let-syst.*, *Levoc-oph.*, *Tamo-syst.*, **Teri-syst.**, *Tore-syst.*, *VitDA-syst.*

hypercalcemic syndrome, acute (drowsiness; continuing nausea and vomiting; weakness): *CalcS-syst.*

tumor flare (bone pain; diffuse musculoskeletal pain and erythema with increased size of tumor lesions): *Tore-syst.*

HIPERCALEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Alpr-syst.*, *AmlodBen-syst.*, *AntinfN-syst.*, **AnthyGR-syst.**, *ArsTr-syst.*, *Cand-syst.*, *Carv-syst.*, *Citra-syst.* [*Potassium citrate-containing*], *Cyclosp-syst.*, *Dexmed-syst.*, **DiuP-syst.**, **DiuPH-syst.**, *EnaF-syst.*, **EnterNF-syst.**, *Epl-syst.*, **Epoe-syst.**, *Gadob-syst.*, *Irb-syst.*, *Los-syst.*, *LosH-syst.*, *Moe-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pho-syst.*, **PotS-syst.**, **Sir-syst.**, **Tacro-syst.**, *Teli-syst.*, *Telm-syst.*, *Trand-syst.*, *TrandV-syst.*, *Vals-syst.*

occasional: *Mann-syst.*

severe: *Clofib-syst.*

HIPERCAPNIA (dor de cabeça; agitação; tremores; sonolência, lentidão para responder, fala arrastada, perda de consciência) (Ver TESTES DIAGNÓSTICOS): *Alpr-syst.*, *Ber-intloc.*, *Dexmed-syst.*, *SodBeSP-syst.*

HIPERCINESIA (aumento nos movimentos do corpo) (Ver EXTREMIDADES, Movimentos Descontrolados): *Aman-syst.*, *Atorv-syst.*, *Fluv-syst.*, *IbupO-syst.*, *IntB1b-syst.*, *Mir-syst.*, *Mont-syst.*, *Niti-syst.*, *Pil-syst.*, *Risp-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Tolc-syst.*, **Vig-syst.**

HIPERCOLESTEROLEMIA (Ver Lipidêmicos, Transtornos; TESTES DIAGNÓSTICOS).

HIPERCORTICISMO (aumento de depósitos de gordura na face, pescoço e tronco; visão turva; fraturas ósseas; crescimento de pêlos faciais em excesso nas mulheres; plenitude ou arredondamento do rosto, pescoço e tronco; hipertensão arterial; aumento da sede e micção; impotência em homens; amenorréia em mulheres, perda de massa muscular ou fraqueza) (Ver FACE, Cushingóide, Estado; RINS, Adrenal, Glândulas; RINS, Cushing, Síndrome de): ClotB-top., *Cortic-inhloc.*, *Cortic-nas.*, Cortic-top., Flut-inhloc., FlutS-inhloc., *Mom-inhloc.*

HIPEREMIA (aumento do fluxo sanguíneo para uma área do corpo) (Ver Calor): *Alpr-syst.*, *Epina-oph.*

HIPERESTESIA (Ver Sensibilidade).

HIPERFOSFATEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *EnterNF-syst.*, *Fluda-syst.*, *Pho-syst.*, *SodPhe-syst.*

HIPERGAMAGLOBULINEMIA.

viscosity increases even further in patients with high normal serum viscosity in conditions such as cryoglobulinemia, hypercholesterolemia, or hypergammaglobulinemia: *Imm-syst.*

HIPERGLICEMIA (Ver Diabetes; TESTES DIAGNÓSTICOS).

HIPERLIPEMIA (Ver Hiperlipidemia).

HIPERLIPIDEMIA (Ver Lipidêmicos, Transtornos).

HIPERMAGNESEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Antac-orloc.*, *CitAGM-mucloc.*, *MagS-syst.*, ***MagSup-syst.***

HIPERNATREMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Anid-syst.*, *CarboE-syst.*, *Citra-syst.* [*Sodium citrate-containing*], *Corticot-syst.*, *Omep-syst.*, *Pho-syst.*, *Sild-syst.*, *SodBeSP-syst.*, *SodC-parloc.*, *SodPhe-syst.*

HIPEROSMOLARIDADE (Ver Osmolaridade, alterações).

HIPEROSMÓTICOS, EFEITOS (efeitos laxativos ou diarreia; náusea ou vômito): *Diat-syst.*

HIPEROSTOSE (Ver Exostose).

cortical: *Alpr-syst.*

skeletal (back pain; bone or joint pain; difficulty in moving; stiff, painful muscles):
Isot-syst.

HIPERTENSÃO (Ver Pressão Arterial).

HIPERTERMIA (aumento da temperatura corporal ou temperatura corporal extremamente elevada; febre ou calafrios; rubor; aumento da taxa de respiração; batimento cardíaco rápido) (Ver Febre; Hipertermia; Temperatura, Regulação da; Térmica, Reação; FEBRE): Aman-syst., *Amph-syst.*, *Antdys-syst.*, *AnthisP-syst.*, AppSupS-syst., *Aspar-syst.*, BisSMT-syst. [Bismuth Subsalicylate], *Bell-syst.*, *Bret-syst.*, *CarbidEL-syst.*, Coc-mucloc., Cyclob-syst., Dexmet-syst., *DiphenoA-syst.*, *Drop-syst.*, Doxep-top., Epir-syst., *Enta-syst.*, *Hal-syst.*, *Line-syst.*, *Methylp-syst.*, *Moli-syst.*, *Ola-syst.*, Pemo-syst., *PerpA-syst.*, *Phenot-syst.*, *Risp-syst.*, Seleg-syst. [MAO inhibitors], *SodC-parloc.*, *Thiox-syst.*, VitDA-syst.

alcoholic patients exposed to high environmental temperatures: *Antdys-syst.*

children exposed to high environmental temperatures: *Bell-syst.*

chronically ill patients exposed to high environmental temperatures: *Antdys-syst.*

geriatric patients exposed to high environmental temperatures: *Antdys-syst.*

heat stroke (hot, dry skin; inability to sweat; muscle weakness; confusion): *Hal-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Thiox-syst.*, *Zon-syst.*

infants: *Brim-oph.*

malignant, malignant hyperthermic crisis: *Aldes-syst.*, *AnestInh-syst.*, *Desf-inhsyst.*, *Neu-syst.*, *Sevo-inhsyst.*

swine, genetically susceptible: *Desf-inhsyst.*

pediatric patients: *Zon-syst.*

infants: *Brim-oph.*

prolonged: *MeaMRV-syst.*

rapid rise in body temperature: **DiphtA-syst.**

severe: *Cital-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Paro-syst.*, *Sertr-syst.*

slight temperature elevation: *TetaIG-syst.*

HIPERTIROIDISMO (Ver Tireóide, Transtornos da).

HIPERTONIA (Ver Rigidez).

HIPERTRIGLICERIDEMIA (Ver Lipidêmicos, Transtornos).

HIPERVOLEMIA, expansão do volume sanguíneo (visão turva; tosse; tontura; batimento cardíaco rápido ou lento; cefaléia; respiração rápida, dificuldade em respirar; inchaço das pernas ou braços; ganho de peso) (Ver Retenção, fluido): ***Album-syst.***, *Carv-syst.*, ***Sir-syst.***

fluid overload (decrease in amount of urine; noisy, rattling breathing; shortness of breath; swelling of fingers, hands, feet, or lower legs; troubled breathing at rest; weight gain): *Carv-syst.*, ***Darb-syst.***, ***Pam-syst.***

retention, salt and water (See Retention, fluid).

HIPOADRENALISMO (Ver Adrenal, Glândulas).

HIPOALBUMINEMIA (Ver TESTES DIAGNÓSTICOS, Proteínas): *Aldes-syst.*, *Aspar-syst.*, *SodPhe-syst.*

HIPOATIVIDADE (Ver Atividade).

HIPOCALCEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Acamp-syst.*, **Alpr-syst.**, *Amif-syst.*, *ArsTr-syst.*, *Carbam-syst.*, **Chloroq-syst.**, *Cinac-syst.*, **Clod-syst.**, *Colc-syst.*, *Corticot-syst.*, *Dacti-syst.*, *Def-syst.*, *DiuL-syst.*, *EdD-syst.*, *Estro-syst.*, **Etid-syst.**, *Gadob-syst.*, *Gadov-syst.*, **GalliN-syst.**, *Hydxc-syst.*, *Iba-syst.*, *Mica-syst.*, *Omep-syst.*, **Pam-syst.**, **Pli-syst.**, *Rise-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodPol-loc.*, *Trimetr-syst.*, *VitMF-syst.*, **Zole-syst.**

HIPOCALCIÚRIA (Ver TESTES DIAGNÓSTICOS, Urina, Testes): **Pli-syst.**

HIPOCALEMIA (convulsões; diminuição da urina; boca seca; batimento cardíaco irregular; aumento da sede; perda de apetite; alterações do humor; dores musculares ou câibras; náuseas ou vômitos; dormência ou formigamento nas mãos, pés ou lábios; falta de ar; cansaço ou fraqueza) (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *AcetSal-syst.*, *Aldes-syst.*, *Alpr-syst.*, **AmphoB-syst.**, **AmphoBLsC-syst.**, *Anid-syst.*, *AntfunA-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations], *Antm-syst.*, **ArsTr-syst.**, *AspirSC-syst.*, *Azac-syst.*, *BarbAn-syst.* [Aspirin], **BetBAT-syst.**, **Bevac-syst.**, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.*, **CalcS-syst.**, *CandH-syst.*, *Capec-syst.*, *Capr-syst.*, *CarbonAI-syst.*, *Carm-imploc.*, *Casp-syst.*, *Cele-syst.*, *Colc-syst.*, *Cortic-rec.*, *Corticot-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Digo-syst.*, *DiuPH-syst.*, **DiuT-syst.**, *Dyp-syst.*, *EdD-syst.*, **EnterNF-syst.**, *Fludro-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fon-syst.*, *For-inhloc.*, *Gala-syst.*, **Gemt-syst.**, *IbupO-syst.*, *Ima-syst.*, *Inda-syst.*, *InsA-syst.*, *InsL-syst.*, **Len-syst.**, *Leval-inhloc.*, *LosH-syst.*, *MepA-syst.* [Aspirin], *MethyTD-syst.*, *Mica-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Omep-syst.*, *Oxa-syst.*, **Pam-syst.**, **PrazoP-syst.**, *Que-syst.*, *Ril-syst.*, *Sal-syst.*, **Sir-syst.**, **SodBeSP-syst.**, *SodBi-syst.*, *SodPhe-syst.*, *SodPol-loc.*, *Sym-parsyst.* [*Dobutamine*, *Epinephrine*], *Teli-syst.*, *TelmH-syst.*, *Tors-syst.*, *Vor-syst.*, *Zic-syst.*, **Zole-syst.**

hypochloremic alkalosis, and: **ClonC-syst.**, *DiuL-syst.*

hypokalemic syndrome (irregular heartbeat; loss of appetite; muscle cramps or pain; nausea; severe weakness of extremities and trunk; vomiting; unusual tiredness or weakness): *Cortic-ot.*, *Cortic-top.*, *CorticG-syst.*, *Fludro-syst.*, *Gluc-syst.*

HIPOCINESIA (diminuição nos movimentos corporais) (Ver Acinesia): **CarbidEL-syst.** [**Entacapone**], *Cloz-syst.*, *Dic-top.*, *Fluv-syst.*, *Mir-syst.*, *Pantop-syst.*, *Paro-syst.*, *Valp-syst.*

HIPOCLOREMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *CandH-syst.*, *MoeH-syst.*, *TelmH-syst.* [Hydrochlorothiazide]

HIPOESTROGENEMIA (rubor ou vermelhidão da pele; alterações mentais ou de humor, nervosismo; sudorese): *Danaz-syst.*

HIPOFOSFATEMIA (dor óssea; convulsões; perda de apetite; dificuldade para respirar; cansaço ou fraqueza) (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Anid-syst.*, *BronA-inhloc.*, *Cid-syst.*, *CitAGM-mucloc.*, *Colc-syst.*, *Corticot-syst.*, *EmtT-syst.*, ***EnterNF-syst.***, ***GalliN-syst.***, *Iba-syst.*, ***Lant-orloc.***, *Mica-syst.*, ***Pam-syst.***, ***Seve-orloc.***, ***Sir-syst.***, ***SodPhe-syst.***, *Sor-syst.*, *Teno-syst.*, ***Zole-syst.***

HIPOGLICEMIA, reação hipoglicêmica (ansiedade; mudança de comportamento similar à embriaguez; confusão; visão turva; calafrios, sudorese fria; pele fria e pálida; dificuldade de concentração; tonturas ou vertigens; sonolência; fome excessiva; taquicardia; dor de cabeça; irritabilidade ou comportamento anormal; nervosismo; náuseas; pesadelos, sono agitado; convulsões; tremores; fala arrastada; formigamento nas mãos, pés, lábios ou língua; cansaço ou fraqueza; andar cambaleante) (Ver Diabetes; TESTES DIAGNÓSTICOS): *AcetSal-syst.*, *Alpr-syst.*, *AminPot-syst.*, *Aminglut-syst.*, *AntinfN-syst.* [*Naproxen*], ***AntdiaS-syst.***, *AnthisDAg-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *BarbAn-syst.* [*Acetaminophen*, *Aspirin*], *BetBAT-syst.*, *Carv-syst.*, *Cele-syst.*, *Cital-syst.*, *Clar-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*, *Salicylate-containing combinations*], *Diso-syst.*, *Ethi-syst.*, ***Exen-syst.***, *Fluox-syst.*, *Gadob-syst.*, *Gadov-syst.*, ***Glim-syst.***, ***GlipM-syst.***, ***GlybM-syst.***, *GroH-syst.*, *Indo-syst.*, ***InsA-syst.***, ***InsD-syst.***, ***InsGla-syst.***, ***InsGlu-syst.***, ***InsL-syst.***, *Iron-syst.*, *IsomDA-syst.*, ***Mecas-syst.***, *Mem-syst.*, *MepA-syst.* [*Aspirin*], *Mero-syst.*, ***Metf-syst.***, ***MetfP-syst.***, ***Migli-syst.***, ***Nate-syst.***, *Niti-syst.*, *Oct-syst.*, *Pegas-syst.*, ***Penta-syst.***, *Phent-syst.*, *Pio-syst.*, *Praml-syst.*, *Pre-syst.*, *Quin-syst.*, ***Rep-syst.***, *Rosi-syst.*, *RosiM-syst.*, *Sal-syst.*, *Sild-syst.*, *Stre-syst.*, *TramA-syst.* [*Acetaminophen*]

children: *AspirSC-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *Sal-syst.*

acidosis, with: *Cisap-syst.*

insulin shock, with: *Stre-syst.*

mild: ***Ins-syst.***, *Penta-inh.*

severe, to: ***Ins-syst.***

neonates: ***Caff-syst.***

nocturnal: *AntdiaS-syst.*, ***Ins-syst.***, *InsL-syst.*

rapidly declining blood glucose concentrations (anxiety; blurred vision; chills; cold sweats; coma; confusion; cool pale skin; depression; dizziness; fast heartbeat; headache; increased hunger; nausea; nervousness; nightmares; seizures; shakiness; slurred speech; unusual tiredness or weakness): *Exen-syst.*

severe: *AntdiaS-syst.*, ***Ins-syst.***

HIPOGONADISMO (Ver Gônadas, Transtornos): *Leup-syst.*

HIPOLIPIDEMIA (Ver Lipidêmicos, Transtornos).

HIPOMAGNESEMIA (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *Anid-syst.*, *ArsTr-syst.*, ***CalcS-syst.***, *Capec-syst.*, *CellSP-syst.*, *Cyclosp-syst.*, *EdD-syst.*, ***Gemt-syst.***, ***Len-syst.***, *Mica-syst.*, ***Pam-syst.***, ***Tacro-syst.***, *Vor-syst.*, ***Zole-syst.***

HIPONATREMIA, intoxicação hídrica (Ver Eletrolíticos, Distúrbios; TESTES DIAGNÓSTICOS, Eletrolíticos, Distúrbios): *AcetSal-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations], *AspirSC-syst.*, *BarbAn-syst.* [Aspirin], **BetBAT-syst.**, *Bevac-syst.*, *Cand-syst.*, *CandH-syst.*, *Carbam-syst.*, *Carm-imploc.*, *Carv-syst.*, *Cele-syst.*, *Cital-syst.*, **ClonC-syst.**, *Colc-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Desm-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, **DiuT-syst.**, *Don-syst.*, *Dul-syst.*, *Esc-syst.*, *Fluox-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Glim-syst.*, *Inda-syst.*, *Los-syst.*, *LosH-syst.*, *MepA-syst.* [Aspirin], *MethyTD-syst.*, *MoeH-syst.*, *Nef-syst.*, *Ola-syst.*, *Oxc-syst.*, *Oxyt-syst.*, *Paro-syst.*, **PrazoP-syst.**, *Ril-syst.*, *Sal-syst.*, *Sertr-syst.*, *Sor-syst.*, *TelmH-syst.* [Hydrochlorothiazide], *Tic-syst.*, *Tors-syst.*, *Trimetr-syst.*, *Vaso-syst.*

dilutional: *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *Mann-syst.*

HIPOOSMOLARIDADE (Ver Osmolaridade, alterações).

HIPOPARATIROIDISMO (diminuição na secreção do hormônio da paratireóide): *Cinac-syst.*

HIPOPROTEINEMIA (dor abdominal; diarreia; gordura nas fezes) (Ver TESTES DIAGNÓSTICOS, Proteínas): *Gadob-syst.*, *Pegas-syst.*

HIPOPROTROMBINEMIA (sangramentos ou equimoses incomuns) (Ver Coagulação; TESTES DIAGNÓSTICOS, Coagulação, Testes): *AntinfN-syst.*, *Antthyr-syst.* [*Propylthiouracil*], *Ceph-syst.*, *Quin-syst.*

HIPOTÁLAMO.

suppression, hypothalamic-pituitary: *Corticot-syst.*

hypothalamic-pituitary-adrenal (HPA) function, suppression of: *Cortic-inhloc.*, *Cortic-nas.*, *Cortic-top.*, *Flut-nas.*

HIPOTENSÃO (Ver Pressão Arterial).

HIPOTERMIA (sensação de frio; instabilidade, confusão, sonolência; temperatura corporal baixa; dores musculares ou fraqueza; tremores; pulso fraco) (Ver FEBRE): *Acet-syst.*, *AcetSal-syst.*, *Alpr-syst.*, *Anest-parloc.*, *AntinfN-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Cev-syst.*, *ChIH-syst.*, *Chloramp-syst.*, *Clon-parloc.*, *Clon-syst.*, *ClonC-syst.*, *Cyclob-syst.*, *Doxep-top.*, *Ethc-syst.*, *GlipM-syst.*, *IndiuS-syst.*, *Nap-oph.*, *Phenot-syst.*, *Pil-syst.*, *PolyE-loc.*, *Risp-syst.*, *Sal-syst.* [*Aspirin*, *Aspirin*, *Buffered*, *Choline Salicylate*, *Choline and Magnesium Salicylates*, *Magnesium Salicylate*, *Salsalate*, *Sodium Salicylate*], *Sevo-inhsyst.*, *SodO-syst.*, *Tret-syst.*

adults: *Sevo-inhsyst.*

pediatric patients: *Sevo-inhsyst.*

HIPOTIROIDISMO (Ver Tireóide, Transtornos da).

HIPOTONIA, hipotonicidade (Ver Fraqueza, muscular; EXTREMIDADES, Hipotonia).

HIPOVOLEMIA (visão turva; confusão; tonturas ou desmaios quando muda, de súbito, da posição deitada para a sentada; sudorese; cansaço ou fraqueza): *Carv-syst.*, *Colc-syst.*, *Ketor-syst.*, *Mann-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*
shock, hypovolemic (See Shock).

HIPÓXIA, hipoxemia (confusão; tontura; batimento cardíaco acelerado; falta de ar; fraqueza; pele ou lábios azulados) (Ver RESPIRAÇÃO; TESTES DIAGNÓSTICOS): *Amif-syst.*, *Amio-syst.*, **AmphoBCC-syst.**, *AnestInh-syst.*, *ArsTr-syst.*, *BronT-syst.* [Theophylline], *Colc-syst.*, *Colf-intloc.*, *Desf-inhsyst.*, **Dexmed-syst.**, *Fluda-syst.*, **Gemt-syst.**, *IbupO-syst.*, *Imm-syst.*, *Lid-top.*, *Miv-syst.*, **Mur-syst.**, *Pegf-syst.*, *Rem-syst.*, *Sevo-inhsyst.*, **Sir-syst.**, *Thr-syst.*, *Vac-syst.*

adult and pediatric patients: *Desf-inhsyst.*
anoxia.

brain damage: *Propo-syst.*

encephalopathy, hypoxic: *Mida-syst.*

hypotension, associated with: *Amif-syst.*

respiratory insufficiency, and, requiring supplemental oxygen or ventilatory support: *Tras-syst.*

HISTOPLASMOSE: *Infli-syst.*

HORMONAIS ou **ENDÓCRINOS, TRANSTORNOS.**

antiandrogenic or endocrine effect (breast tenderness in females, deepening of voice in females, enlargement of breasts in males, inability to have or keep an erection, increased hair growth in females, irregular menstrual periods, sweating): *DiuP-syst.*, *DiuPH-syst.*

adult females (deepening of voice; increased hair growth): *Leup-syst.*

HORMÔNIO DO CRESCIMENTO, SUPRESSÃO do (acromegalia) (Ver Crescimento, Transtornos do): **Bromo-syst.**, *Mom-inhloc.*, **Oct-syst.**

ICTERÍCIA (plenitude abdominal; dor abdominal por gases; febre recorrente; calafrios; fezes cor de barro; perda de apetite; náuseas; dor de estômago ou abdominal; cansaço incomum ou fraqueza; pele ou olhos amarelos) (Ver ABDOME): *Acarb-syst.*, *Acit-syst.*, *AminsSod-syst.*, *Amlod-syst.*, *Amsa-syst.*, **AngIn-syst.**, *AntinfN-syst.* [Phenylbutazone], *AntandN-syst.*, *AntconD-syst.*, *Antdys-syst.* [Phenothiazine], *AnthisP-syst.*, **Ataz-syst.**, *Bals-syst.*, *Bell-syst.*, *Cele-syst.*, *Cil-syst.*, **Clofar-syst.**, *Clofaz-syst.*, *Cloz-syst.*, *Cop-syst.*, *Daps-syst.*, *DicM-syst.*, *DiphtTTH-syst.*, *DipyA-syst.*, *Doxaz-syst.*, *DoxorL-syst.*, *Dul-syst.*, *Eryts-syst.*, *Ethi-syst.*, *FatE-syst.*, **Fluc-syst.**, *Fluorq-syst.*, *Fus-syst.*, *Gab-syst.*, *HepatAVI-syst.*, *HistH2-syst.*, *Indin-syst.*, *Infli-syst.*, *Irb-syst.*, **Iri-syst.**, *Lef-syst.*, *Melo-syst.*, *Mitox-syst.*, *Nel-syst.*, *Nev-syst.*, *Pantop-syst.*, *Por-syst.*, *Rabe-syst.*, *Ril-syst.*, *Risp-syst.*, *RosiM-syst.*, *Rosu-syst.*, *Sertr-syst.*, *Sur-syst.*, *Tacri-syst.*, **Tiop-syst.**, *Tolc-syst.*, *Valp-syst.*, *ValsH-syst.*, *Vor-syst.*, *ZinS-syst.*

cholestatic (darkening of urine, pale stools, yellow eyes or skin): *Allop-syst.*, *Aminglut-syst.*, *AmlodBen-syst.*, *Andro-syst.*, *AntandN-syst.*, *AntconH-syst.*,

Repertório - Capítulo GENERALIDADES

AntdepT-syst., *AntdiaS-syst.*, *Antthyr-syst.* [*Methimazole*], *CarbonAI-syst.*, *ChlordA-syst.*, *Danaz-syst.*, *Diso-syst.*, **DrosEE-syst.**, *EnaF-syst.*, *Estro-syst.*, *Ethc-syst.*, *Eton-vag.*, *Fluox-syst.*, *Ketor-syst.*, *Map-syst.*, **MedE-syst.**, *Moli-syst.*, *Nali-syst.*, *Nitro-syst.*, *NoreE-syst.*, *Penic-syst.*, *Penicil-syst.* [*Flucloxacillin*], *PerpA-syst.*, *Phenot-syst.*, *Thie-syst.*, *Tic-syst.*, *Vor-syst.*

hepatitis, with: **Teli-syst.**, *Zil-syst.*

hepatocellular: *Tic-syst.*

neonates: *VitK-syst.* [*Menadiol*, *Phytonadione*]

obstructive: *Hal-syst.*, *Lox-syst.*, *Pimo-syst.*, *Thiox-syst.*

pseudojaundice (yellow skin): *Rifab-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

toxic (loss of appetite, nausea, vomiting, yellow eyes or skin, swelling in upper abdominal area): *AntinfN-syst.*

transient: *ChlH-syst.*

IDIOSSINCRASIA, reação idiossincrática (confusão; desmaio; febre e arrepios; erupções cutâneas ou comichão; respiração ofegante; agitação; ataxia; desorientação; tonturas; euforia; extrema fraqueza; distúrbios da fala; perda temporária da visão ou outros distúrbios de visão; quadriplegia transitória): *Anest-mucloc.*, *Anest-top.*, *Bleo-syst.*, *Dant-syst.*, *Phenol-syst.*, *Ske-syst.* [*Carisoprodol*], *Sur-syst.*, *TecAlA-syst.*

IMPETIGO (Ver Infecção).

IMUNDICE, sujeira.

poor nutrition and hygiene: *BronA-syst.* [*Ephedrine*]

IMUNES, TRANSTORNOS (Ver Imunidade; Inflamação, vasculites; TESTES DIAGNÓSTICOS, Imunoglobulinas).

autoimmune disorders (vasculitis, arthritis, hemolytic anemia, and erythematous syndrome): *IntA-syst.*

factor VIII, inhibitor antibodies, which neutralize the procoagulant activity of: *AnthemF-syst.*

function, immune, downmodulation of (caused by the foreign proteins and alloantigens contained in the intermediate-purity concentrates, primarily by inhibiting phagocytic function of monocytes and macrophages and by inhibiting secretion of interleukin): *AnthemF-syst.*

hepatitis, autoimmune (dark urine; general tiredness and weakness; light-colored stools; nausea and vomiting; upper right abdominal pain; yellow eyes and skin): *IntBlA-syst.*

immune complex reaction (hives or skin rash, sometimes accompanied by arthralgia, arthritis, angioedema, nausea, vomiting, fever, or malaise): *RabiV-syst.*

primary: *Enf-syst.*

immune reconstitution syndrome: *Efav-syst.*

immunodeficiency, congenital, with sepsis: *DiphtTTH-syst.*

immunogenicity (body produces substance that can bind to drug making it less effective or cause side effects): **Agal-syst.**, **Cetux-syst.**, *Darb-syst.*, *EpoE-syst.*,

Repertório - Capítulo GENERALIDADES

Exen-syst., Gals-syst., Ibr-syst., Lar-syst., Natal-syst., Oma-syst., Palif-syst., Pegv-syst., Ras-syst.

potential for: *Pegf-syst.*

immunosuppression: *Alef-syst., AnthyGR-syst., Aspar-syst., Azat-syst., Basil-syst., Chloramb-syst., CorticG-syst.* [*Betamethasone, Cortisone, Dexamethasone, Hydrocortisone, Methylprednisolone, Prednisolone, Prednisone, Triamcinolone*], *Cycloph-syst., Cyclosp-syst., Dacli-syst., Efal-syst., Lom-syst., Mech-syst., Merc-syst., Mur-syst., Myc-syst., NeoPH-oph., Procar-syst., Sir-syst., Tacro-syst., Thiog-syst.*

over-immunosuppression: *AnthyGR-syst.*

progressive (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination): *Lamo-syst.*

lymphoproliferative disorder.

post-transplant lymphoproliferative disorder (PTLD) (fever; general feeling of discomfort and illness; weight loss): *Cyclosp-syst., Tacro-syst.*

increase in the incidence of: *AnthyGR-syst.*

multiple sclerosis (blurred vision; difficulty controlling your bladder or bowels; difficulty walking; feeling sad or depressed; forgetful; muscle cramps; numbness or tingling in your arms, legs, or face; slurred speech or problems swallowing; unusual tiredness or weakness): *Adal-syst., Etan-syst., HepatAVI-syst.*

aggravation: *Imiq-top.*

Lhermitte's sign (multiple sclerosis): *Cisp-syst.*

myasthenia gravis, myasthenia gravis-like syndrome (loss of strength or energy; muscle pain or severe weakness, including drooping eyelids; double vision; difficulty in chewing, swallowing, talking, and breathing; severe tiredness) (See EXTREMITIES, Myasthenia): *Adal-syst., Adef-syst., AntconD-syst., Atorv-syst., BotB-parloc., Cyp-syst., Fenof-syst., Paro-syst., Penic-syst., Prami-syst., Pre-syst., QuinuD-syst., Rise-syst., Sild-syst., SodO-syst., Tiop-syst., Tiz-syst., Valp-syst., Zic-syst.*

exacerbation (difficulty in breathing, chewing, swallowing, or talking; double vision; drooping eyelids; muscle weakness; severe tiredness): *Teli-syst.*

IMUNIDADE (Ver Imunes, Transtornos; TESTES DIAGNÓSTICOS, Imunoglobulinas).

antibody formation: *Gemt-syst., Imig-syst.*

autoimmune: *Infli-syst.*

growth hormone-releasing hormone, development of antibodies to: *Serm-syst.*

human antichimeric antibody (HACA) development: *Infli-syst., Ritu-syst.*

immune response: *Gemt-syst.*

neutralizing antibodies, development of: *ColSF-syst.* [*Sargramostim*], *IntG-syst.* [*Interferon Gamma-4a*], *Mur-syst.*

positive binding antibodies, development of: *IntA1-syst.*

INCHAÇO, edema (inchaço do rosto, dedos, tornozelos, pés ou pernas; ganho de peso): *AcSodCit-syst., Acit-syst., Agal-syst., Aldes-syst., Alpr-syst., AnabS-syst., Andro-syst.,*

Anest-mucloc., **AntinfN-syst.**, Anthis-syst., ArsTr-syst., AspirSC-syst., **Azac-syst.**, **Basil-syst.**, **Bex-top.**, **Bort-syst.**, Bos-syst., CarbidL-syst., CarbidEL-syst., Cisap-syst., **Clofar-syst.**, ClotB-top., Cortic-inhloc., Cortic-top., DauL-syst., Del-syst., Desl-syst., DeslP-syst., **Diaz-orsyst.**, DiphtTTH-syst., Dof-syst., DoxorL-syst., **Epoe-syst.**, **Erl-syst.**, Ert-syst., **Estro-syst.**, Etid-syst., Eton-vag., Fent-trsyst., Fluox-syst., **Fon-syst.**, Gla-syst., HepatAVI-syst., Histr-syst., Hyalur-parloc., **Hydra-syst.**, IbupO-syst., **Ima-syst.**, **Imiq-top.**, Infli-syst., InsD-syst., Iodix-syst., **Iri-syst.**, Isot-syst., Ive-syst., **Ketor-syst.**, **Len-syst.**, Levod-syst., Levom-syst., Maf-top., Mann-syst., **MedE-syst.**, Mef-syst., Methox-syst., Metyra-syst., Mir-syst., Mod-syst., Mont-syst., **Nafa-syst.**, Nalt-syst., Neu-syst., Nia-syst., **NiaL-syst.**, Nico-syst., NoreE-syst., Ola-syst., **Oxa-syst.**, **PacP-syst.**, **Palif-syst.**, Pam-syst., PenicilB-syst., Pil-syst., Pio-syst., **Por-syst.**, Prami-syst., **Pre-syst.**, RosiM-syst., Sib-syst., SodPhe-syst., Telm-syst., Til-syst., Tiot-inhloc., Tir-syst., Topi-syst., TrandV-syst., **Trep-syst.**, Trio-syst., Valp-syst., Ven-syst., Zic-syst.

angioedema, angioneurotic, angioneuropathic edema (large, hive-like swelling on face, eyelids, lips, mouth, tongue, throat, hands, legs, feet, sex organs; sudden trouble in swallowing or breathing; hoarseness): Acetyl-syst., Acyc-syst., Aldes-syst., Amio-syst., AmlodBen-syst., Anast-syst., Anest-mucloc., Anest-top., AngIn-syst., AngInH-syst., Anid-syst., AntfunA-syst., AnthisP-syst., AntvCPOv-syst., Arip-syst., Atom-syst., Atorv-syst., AtovaPro-syst., Azith-syst., BarbAn-syst. [Barbiturates, Codeine], BronA-syst., CarbidEL-syst., Cefu-syst., Cele-syst., Ceph-syst. [Cefuroxime], Chloramb-syst., ChorioG-syst., Chym-parloc., Cital-syst., Colc-syst., CorticG-syst., Crom-inhloc., DiphtTTH-syst., Dof-syst., Doxyc-syst., Dul-syst., EnaF-syst., Ezet-syst., Flut-inhloc., HepatAVI-syst., HistH2-syst., Lamo-syst., Lid-top., MepA-syst. [Aspirin], Nev-syst., **Nitro-syst.**, Ofl-ot., Oxa-syst., PotI-syst., Rabil-syst., Riton-syst., Sal-syst., Tamo-syst., Teli-syst., Telm-syst., TelmH-syst., Tene-syst., TetaIG-syst., Tic-syst., Tini-syst., Tinz-syst., **TosI-syst.**, Trand-syst., TrandV-syst., Tras-syst., Trip-syst., Vald-syst., Vals-syst.

centralized edema: **Darb-syst.**, Eno-syst.

dependent edema (swelling of ankles, feet, and lower legs): AmlodBen-syst.

females: Tamo-syst.

generalized: **Carv-syst.**, Cil-syst., Gadov-syst., Gemc-syst., GroH-syst., IntB1b-syst., **Sir-syst.**

glands, lymph nodes (lymphoedema): **Adal-syst.**, AntinfN-syst., Capec-syst., Cefd-syst., **DiphtA-syst.**, Docet-syst., Infli-syst., IodS-syst., Lamo-syst., Paro-syst., **Penic-syst.**, PotI-syst., Sir-syst., SodI-syst., Tacro-top., Tiop-syst., Trie-syst., Zan-inhsyst.

armpits, in: HepatAVI-syst., HepatBVR-syst.

joints: **AbLam-syst.**, Chond-imploc., Crom-inhloc., Hepar-syst., Iov-syst., JapV-syst., Nali-syst., Prazi-syst., Procai-syst., Quid-syst., Tram-syst.

continuing and severe: Prota-syst.

internal bleeding, due to: Hepar-syst.

painful: Cinox-syst., CorticG-syst.

severe and continuing: Prota-syst.

local: MeaMRV-syst., **Taz-top.**

peripheral edema (bloating or swelling of face, arms, hands, ankles, lower legs, or feet; rapid weight gain; tingling of hands or feet; unusual weight gain or loss) (See EXTREMITIES, Swelling): **Abar-syst.**, Abcix-syst., Acyc-syst., Adal-syst., Aldes-

syst., *Alemt-syst.*, *Aman-syst.*, **Amlod-syst.**, **Anast-syst.**, *AngInH-syst.*, *Anid-syst.*, **AnthyGR-syst.**, *AntdepMAO-syst.*, *AntfunA-syst.* [*Itraconazole*], *AnthisDAg-syst.* [*Acetaminophen-containing combinations*], *Aprac-oph.*, *Arip-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, **Azac-syst.**, **Bex-syst.**, **Bex-top.**, *Busu-syst.*, *Cab-syst.*, *CalcCBA-syst.* [**Felodipine**, **Nifedipine**, **Amlodipine**], *Carm-imploc.*, **Carv-syst.**, *Casp-syst.*, *Cefd-syst.*, **Cele-syst.**, **Cetux-syst.**, *Cev-syst.*, *ChorioG-syst.*, **Cil-syst.**, *ColSF-syst.* [*Sargramostim*], *ConjE-syst.*, *Cortic-inhloc.*, *CytL-int.*, *Dacli-syst.*, *Danaz-syst.*, **Darb-syst.**, *Darif-syst.*, *DauL-syst.*, *Diaz-parsyst.*, *Dihy-nassyst.*, *Docet-syst.*, *Dof-syst.*, *Dom-syst.*, *Doxaz-syst.*, *DrosE-syst.*, *Efal-syst.*, *Efav-syst.*, *EnaF-syst.*, **Eno-syst.**, **Epoe-syst.**, **Estro-syst.**, **EstroP-syst.**, **Exem-syst.**, *FacVIIa-syst.*, *Fent-trsyst.*, *Fludro-syst.*, *Fluorq-syst.*, **Ful-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gef-syst.*, **Gemt-syst.**, *Gla-syst.*, *GroH-syst.*, **Guanad-syst.**, **Guane-syst.**, *Histr-syst.*, **Ibr-syst.**, *Ilo-inh.*, *Ins-syst.*, *InsGla-syst.*, **Ketor-syst.**, **Len-syst.**, *Let-syst.*, *Levom-syst.*, **MedE-syst.**, *Mem-syst.*, **Methy-syst.**, *Methys-syst.*, *Metyra-syst.*, *Moe-syst.*, *MoeH-syst.*, **Myc-syst.**, *Nalt-syst.*, **Nef-syst.**, *Nev-syst.*, *Nico-nas.*, **Nis-syst.**, *Oct-syst.*, *Ola-syst.*, *OlmH-syst.*, *Oxa-syst.*, *Oxyb-syst.*, **Pegf-syst.**, **Pegv-syst.**, *PenicilB-syst.*, *Perg-syst.*, *Pil-syst.*, *Prami-syst.*, **Pre-syst.**, **Proge-syst.**, *Que-syst.*, **Ralo-syst.**, *Ralt-syst.*, *Rau-syst.*, *Ril-syst.*, *Rise-syst.*, **Ritu-syst.**, *Rosu-syst.*, *Seleg-syst.*, *Sild-syst.*, **Sir-syst.**, *Sum-syst.*, *Tacri-syst.*, **Tacro-syst.**, *Telm-syst.*, *Tem-syst.*, *Tene-syst.*, *Tera-syst.*, *Thie-syst.*, *Til-syst.*, **TosI-syst.**, *Tram-syst.*, *TrandV-syst.*, *Tras-syst.*, **Tret-syst.**, *Trio-syst.*, *Vald-syst.*, *Valp-syst.*, *Vor-syst.*, *Zale-syst.*, *Zolm-syst.*

adults: *Leup-syst.*

dialysis patients with end-stage renal disease: *Levoca-syst.*

female patients: **Nafa-syst.**

nerve or vessel compression, symptomatic (tingling of hands or feet): **Aldes-syst.**

onchocerciasis (verminosis), patients with: *Ive-syst.*

pitting (swelling with pits or depressions visible on skin): **Azac-syst.**

rash, skin, with: *Del-syst.*

severe: *Rosi-syst.*

ultraviolet light, overexposure to: **Methox-syst.**

INCONSCIÊNCIA, coma, estupor (Ver MENTAL): *Abar-syst.*, *Acamp-syst.*, *Aden-syst.*, **Alos-syst.**, **Amif-syst.**, *Arip-syst.*, *BarbAn-syst.* [*Codeine*], *Bupro-syst.*, *Busp-syst.*, *Butornasyst.*, *Capec-syst.*, *Cital-syst.*, *Clod-syst.*, *Coc-mucloc.*, *Dapt-syst.*, *Del-syst.*, *Diso-syst.*, *EmlT-syst.*, *Epop-syst.*, *Ergon-syst.*, *Ert-syst.*, *Fent-trsyst.*, *Fluv-syst.*, *Gat-oph.*, *Gef-syst.*, *Imm-syst.*, *Ioxa-syst.*, *Levom-syst.*, *Lid-top.*, *LidP-top.*, *Mem-syst.*, *Methyler-syst.*, *Mica-syst.*, *Nev-syst.*, *Nitrop-syst.*, *Ofl-ot.*, *Opi-syst.*, *Pare-syst.*, *Peme-syst.*, *Pyridos-syst.*, *Sertr-syst.*, *Tacro-top.*, *Thr-syst.*, *Trimetr-syst.*, *Vac-syst.*, *Vasc-syst.*, *Vig-syst.*, *Zolp-syst.*

anesthesia (See Anesthesia).

coma (change in consciousness, loss of consciousness): *AcetSal-syst.*, *Acyc-syst.*, *Aldes-syst.*, *Aman-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *AnthisDAg-syst.* [*Acetaminophen-containing combinations*], *AppSupS-syst.*, *ArsTr-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Benzod-syst.*, *Carm-imploc.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Chloroq-syst.*, *Chym-parloc.*, *Cital-syst.*, *CitAGM-mucloc.*, *Clon-parloc.*, *Cloz-syst.*, *Cop-*

syst., Cyclope-oph., *DecAn-syst.* [*Acetaminophen-containing combinations*], *Dexmet-syst.*, *Dext-syst.*, *Diaz-parsyst.*, *Diett-top.*, *Dif-syst.*, *DiphenoA-syst.*, *Doxep-top.*, *Esz-syst.*, *Exen-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Glyc-syst.*, *Hal-syst.*, *Hydxy-c-syst.*, *IbupO-syst.* [*Oxycodone*], *Ifo-syst.*, *Imm-syst.*, *IsomDA-syst.*, *Ketot-syst.*, *Lamo-syst.*, *Leve-syst.*, *Lox-syst.*, *MagSup-syst.*, *Map-syst.*, *Mecl-syst.*, *Mor-syst.*, *Nab-syst.*, *Nitrop-syst.*, *Paro-syst.*, *Pegas-syst.*, **Pentost-syst.**, *Phenot-syst.*, *Pimo-syst.*, *Quid-syst.*, *Rabe-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Sertr-syst.*, *SodBeSP-syst.*, *SodN-syst.*, *SodO-syst.*, *Thie-syst.*, *Thiox-syst.*, *Tini-syst.*, *Tiz-syst.*, *Tram-syst.*, *Tret-syst.*, *Vac-syst.*, *Vala-syst.*, *Ven-syst.*, *Vig-syst.*, *Zale-syst.*, *Zon-syst.*, *Zop-syst.*

diabetic: *Ola-syst.*

drowsiness to profound coma: *IbupO-syst.* [*Ibuprofen*]

hyperosmolar (confusion): *Diaz-parsyst.*

nonketotic: *Glyc-syst.*

fatal: *Glyc-syst.*

hepatic (change in consciousness; loss of consciousness): *Azac-syst.*

prolongued: *Ethc-syst.*

rats: *Eno-syst.*

seizures, after: *Pemo-syst.*

very young, in the: *Atrop-oph.*

during a few minutes: *Diat-syst.*

grogginess: *Ropin-syst.*

lethargy (See MIND).

stupor (decreased awareness or responsiveness): *Acamp-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *Carbam-syst.*, *Carm-imploc.*, *Cital-syst.*, *Clod-syst.*, *Dapt-syst.*, *Del-syst.*, *Doxep-top.*, *Fent-trsyst.*, *Gadob-syst.*, *Gadop-syst.*, *IbupO-syst.* [*Oxycodone*], *Lit-syst.*, *Mem-syst.*, *Paro-syst.*, *Pegas-syst.*, *Phenot-syst.*, *Sertr-syst.*, *Tacro-top.*, *Thr-syst.*, *Tiz-syst.*, *Tram-syst.*, *TramA-syst.*, *Vasc-syst.*, *Ven-syst.*, *Vind-syst.*, *Zic-syst.*

grogginess: *Ropin-syst.*

sudden: *BenzyB-top.*

transient: *Docet-syst.*

INFARTO.

cerebral (See Cerebrovascular Accident; HEAD).

myocardial (See Cardiovascular Disorders; CHEST).

INFECCÃO (febre ou calafrios; tosse ou rouquidão; dor na parte inferior ou no lado das costas; urinar doloroso ou difícil) (Ver Bacteremia; Febril, Reação; Inflamação; Influenza; Sepsis): **Adal-syst.**, **Aldes-syst.**, *Amph-syst.*, **Atorv-syst.**, **Azat-syst.**, **Basil-syst.**, *BetBA-oph.* [*Levobetaxolol*], **Bex-top.**, *Bim-oph.*, *Biv-syst.*, **BotA-parloc.**, *BotB-parloc.*, **Busu-syst.**, *Capec-syst.*, *Carbam-syst.*, *Carm-imploc.*, **Carm-syst.**, **Cetux-syst.**, **Chloramb-syst.**, **Cil-syst.**, **Clad-syst.**, *Clar-syst.*, **Clofar-syst.**, **ConjE-syst.**, *Cyclosp-syst.*, **Cyt-syst.**, **Dacti-syst.**, **Dau-syst.**, **Den-syst.**, *Dexmed-syst.*, *Dic-top.*, *Docet-syst.*, **Doxor-syst.**, *DoxorL-syst.*, **Epir-syst.**, **Erl-syst.**, **Estro-syst.**, **Esz-syst.**, **Etan-syst.**, *Exem-syst.*, *Fenof-syst.*, *Flox-syst.*, **Fluda-syst.**, **Fluoru-syst.**, **Gab-syst.**, *Gadob-syst.*, *Histr-syst.*, *Gemc-syst.*, **Gemt-syst.**,

Gla-syst., **Glut-syst.**, Gon-syst., HistH2-syst. [Nizatidine], Iba-syst., **Ibr-syst.**, IbupO-syst., Ifo-syst., **IntB1a-syst.**, **Iri-syst.**, Lamo-syst., Lep-syst., Leve-syst., **Lom-syst.**, **Mech-syst.**, **Merc-syst.**, **Minoc-mucloc.**, **Mitox-syst.**, Mom-inhloc., Mox-oph., **Myc-syst.**, Nef-syst., **NiaL-syst.**, Nita-syst., Niti-syst., **Nitri-inhloc.**, Omeg-syst., Oxc-syst., **PacP-syst.**, Pantop-syst., **Paro-syst.**, **Pegv-syst.**, **Peme-syst.**, **Pentost-syst.**, **Pre-syst.**, **Procar-syst.**, Ras-syst., **Rise-syst.**, **Ritu-syst.**, Rosu-syst., **SodBeSP-syst.**, **SodO-syst.**, Sor-syst., Stre-syst., **Tacro-syst.**, Tem-syst., Testos-syst., **Thiog-syst.**, **Thiot-syst.**, Tiot-inhloc., **Tiz-syst.**, **TosI-syst.**, **Tras-syst.**, Trav-oph., Valg-syst., **Valp-syst.**, Zic-syst.

aggravation of: Cortic-top., Fludro-syst.

access infection (fever or chills, cough or hoarseness, lower back or side pain, painful or difficult urination): Cinac-syst., **Darb-syst.**

Bacillus Calmette-Guérin (BCG), disseminated (fever; cough): BcgL-syst.

liver involvement, with: BcgL-mucloc.

lung involvement, with: BcgL-mucloc.

bacterial: Alemt-syst., CarbidEL-syst. [Entacapone], Cele-syst., Glut-syst., **MethodC-syst.**, MethotNC-syst., PegiA2a-syst., Pime-top., Riba-syst., Ritu-syst.

fatal, can be: Alemt-syst., Infli-syst.

overgrowth: TobD-oph.

soft tissue, second bacterial: Vari-syst.

systemic: Mif-syst.

bone and joint: **Anak-syst.**

body as a whole: **Ralo-syst.**

central nervous system: Ethan-parloc.

chickenpox (skin rash on face, scalp, or stomach): Pime-top.

cytomegalovirus infection (chills; cough or hoarseness; fever; cold; flu-like symptoms): **AnthyGR-syst.**

decreased: ColSF-syst.

fatal, increased, in HIV-associated lymphoma (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination): Ritu-syst.

females: Tamo-syst.

fungal: Adal-syst., Alemt-syst., Capec-syst., Cefd-syst., Cele-syst., Cev-syst., Dapt-syst., **Estro-syst.**, **Imiq-top.**, Ritu-syst.

candidiasis (itching in genital or other skin areas; scaling; white patches in the mouth or throat or on the tongue; white patches with diaper rash): Capec-syst., Cele-syst., Cev-syst., CitAGM-mucloc., **Pam-syst.**, **Zole-syst.**

overgrowth, candida: Tini-syst.

eschar.

below (intense itching of burn wounds): Silv-top.

in (intense itching of burn wounds): Silv-top.

moniliasis (See candidiasis).

fatal, can be: Alemt-syst., Infli-syst.

invasive: Infli-syst.

overgrowth (itching of the rectal or genital areas; sore mouth or tongue): Doxyc-mucloc., DoxycD-syst., Ofl-oph., Rifam-syst., RifamI-syst., RifamIP-syst., Tetr-syst., Tob-oph., TobD-oph.

candida: Tini-syst.

Tinea cruris (itching in genital or other skin areas; scaling): **Imiq-top.**
Yersinia enterocolitica, susceptibility of patients to, enhanced: *Def-syst.*
yeast: *Cortic-inhloc.*
fungemia (infection of blood): *Anid-syst.*
HIV infection.
hyperviscosity syndrome in children with HIV infection who have high pretreatment levels of serum immunoglobulins: *Imm-syst.*
herpes (See Herpes).
higher risk of: *Cortic-inhloc.*
impetigo (bacterial skin infection): *Pime-top.*
joint: *HyalSD-syst.*
bone, and: **Anak-syst.**
Legionnaire's Disease (See Legionnaire's Disease).
leukemia, acute promyelocytic, patients with: **Tret-syst.**
leukopenic (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; sore throat): *Anast-syst.*, *Ifo-syst.*, **Pac-syst.**
life-threatening: **Pentost-syst.**
listeriosis: *Infli-syst.*
local: *Valg-syst.*
masking of: *Fludro-syst.*
mild: *Zaf-syst.*
moderate, to: *Zaf-syst.*
moderate: *Zaf-syst.*
molluscum contagiosum (itchy, raised, round, smooth, skin-colored bumps found on just one area of the body; oozing, thick, white fluid): *Pime-top.*
mononucleosis-like syndrome, infectious (fever; headache; skin rash; sore throat; unusual tiredness or weakness): *AminsSod-syst.*
mucormycosis.
hemodialysis, patients undergoing: *Def-syst.*
musculoskeletal system: *Carm-imploc.*
mycobacterial (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination): *Sir-syst.*
atypical: *Myc-syst.*
neutropenic: **Iri-syst.**, **Melp-syst.**, **Pac-syst.**
grade 3 or 4: **Peme-syst.**
opportunistic: *Infli-syst.*, *Lef-syst.*, *Tem-syst.*
higher frequency of: *DauL-syst.*
overgrowth of nonsusceptible organisms: *Doxyc-mucloc.*, *Ofl-oph.*, *Tob-oph.*, *TobD-oph.*
bacterial: *TobD-oph.*
fungal (itching of the rectal or genital areas; sore mouth or tongue): *Doxyc-mucloc.*, *DoxycD-syst.*, *Ofl-oph.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Tetr-syst.*, *Tob-oph.*, *TobD-oph.*
postoperative: *Propo-syst.*
risk of: *Ganc-impoph.*
protozoal: *Alemt-syst.*

fatal, can be: *Alemt-syst., Infl-syst.*
 resistance to, lower: *CorticG-syst.*
 respiratory (See CHEST, Infection; RESPIRATION, Infection): *Alpr-loc., Carm-imploc., Gab-syst., Ketot-syst., Lef-syst., PacP-syst., Zip-syst.*
 lower respiratory tract infection (cough; troubled breathing; tightness in chest; wheezing): *Orl-orloc.*
 mild to moderate: *Zaf-syst.*
 upper respiratory tract infection [URTI] (ear congestion or pain; nasal congestion or stuffy nose; chest pain; chills; cough; fever; sneezing; sore throat; body aches or pain; head congestion; headache; loss of voice, hoarseness or other voice changes; runny nose; unusual tiredness or weakness; difficulty in breathing; greenish-yellow mucus; flu-like or cold-like symptoms) (See Influenza): *Abar-syst., Adal-syst., Alfuz-syst., Anak-syst., AntandN-syst., ArsTr-syst., AtovaPro-syst., Azac-syst., Bevac-syst., Bort-syst., BotA-parloc., Butor-nasyst., Calcit-nassyst., Cand-syst., CandH-syst., CarbidEL-syst., Cele-syst., Cital-syst., Clop-syst., Coc-mucloc., Daps-top., Darb-syst., Del-syst., Desm-syst., Dihy-nassyst., DiphtTTH-syst., Dof-syst., Don-syst., DorzT-oph., Doxaz-syst., DroSE-syst., Epoe-syst., Epr-syst., Estro-syst., EstroP-syst., Eton-vag., Exem-syst., Ezet-syst., EzetS-syst., Fel-syst., Fex-syst., FexP-syst., Flut-inhloc., FlutS-inhloc., FollitA-syst., For-inhloc., Gals-syst., GlipM-syst., GlybM-syst., GroH-syst., HepatAVI-syst., HepatAVIHB-syst., Iba-syst., Ima-syst., Imiq-top., Infl-syst., IntB1a-syst., Ipr-inhloc., Irb-syst., Lans-syst., Lar-syst., Lat-oph., Len-syst., Los-syst., LosH-syst., Lut-syst., Lym-syst., Mem-syst., MetfP-syst., Mitox-syst., Mom-inhloc., Mom-nas., Natal-syst., Nate-syst., NoreE-syst., Olm-syst., OlmH-syst., Oma-syst., Omep-syst., Orl-orloc., Oxa-syst., Oxc-syst., Paliv-syst., Pam-syst., Pantop-syst., Pime-top., Pio-syst., Ram-syst., Rep-syst., Risp-syst., Rof-syst., Ropin-syst., Rosi-syst., RosiM-syst., Sir-syst., Telm-syst., TelmH-syst., Til-syst., Tiot-inhloc., Tiz-syst., Tolc-syst., Tram-syst., Urs-syst., Vald-syst., Vals-syst., Zole-syst.*
 patients treated for female infertility: **FollitA-syst.**
 patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART): **FollitA-syst.**
 viral: *FlutS-inhloc.*
 secondary: *ClotB-top., Cortic-rec., TobD-oph.*
 wound: *Mup-top.*
 serious: *Adal-syst., Alef-syst.*
 severe: *AnthyGR-syst., Ibr-syst.*
 soft tissue: *Cele-syst.*
 second bacterial: *Vari-syst.*
 staphylococcal: **Clofar-syst.**
 superinfection (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination): *Ceph-syst.*
 systemic: *Valg-syst.*
 bacterial: *Mif-syst.*

Repertório - Capítulo GENERALIDADES

tuberculosis (chest pain; cough; coughing or spitting up blood; difficulty in breathing; sore throat; muscle aches; night sweats; sudden high fever or low-grade fever for months; unusual tiredness): *Etan-syst., Myc-syst.*

varicella (skin rash on face, scalp, or stomach): *Etan-syst.*

viral (chills; cough or hoarseness; fever; cold flu-like symptoms): *Alemt-syst., Amph-syst., Capec-syst., Cele-syst., Cortic-inhloc., Esz-syst., Ezet-syst., Fex-syst., For-inhloc., Gab-syst., Gemif-syst., Glut-syst., Imiq-top., Let-syst., Leval-inhloc., Mif-syst., Mom-nas., Oma-syst., Oxc-syst., PegiA2b-syst., Pime-top., Ritu-syst., Ropin-syst., RosiM-syst., SodO-syst., Tram-syst., Vals-syst., ValsH-syst., Zic-syst.*

Epstein-Barr virus (black, tarry stools; chest pain; chills; cough; difficult urination; fever; muscle pain; pale skin; shortness of breath; skin rash; sore throat; trouble breathing; tightness in chest; unusual bleeding or bruising; unusual tiredness or weakness; wheezing): *Sir-syst.*

exacerbated: *Ritu-syst.*

fatal, can be: *Alemt-syst., Infl-syst.*

reactivated: *Ritu-syst.*

up to 1 year after discontinuation: *Ritu-syst.*

wound (chills; discharge from wound; pain, tenderness, and warmth at wound site; unusual tiredness or weakness): *AntvCPOv-syst., Dacli-syst., Etan-syst.*

post-operative: *Fon-syst.*

secondary: *Mup-top.*

superficial: *Chond-imploc.*

INFLAMAÇÃO (vermelhidão, sensação de calor) (Ver Bacteremia; Febril, Reação; Infecção; Irritação; Sepsis): *Histr-syst.*

adenitis (See lymphadenitis).

angiitis, vasculitis (muscle pain, cramps, and/or weakness; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; skin rash; spitting blood; unusual tiredness or weakness) (See phlebitis; Imunes, Transtornos): *AntinfN-syst., Antcoa-syst., Antthyr-syst. [Propylthiouracil], Cele-syst., ColSF-syst. [Filgrastim, Sargramostim], HistH2-syst., Indin-syst., IntB1b-syst., IntA-syst., Isot-syst., LamiZ-syst., Lamo-syst., Los-syst., LosH-syst., Melo-syst., Sertr-syst., Teli-syst., Tic-syst., Tret-syst., Van-orloc.*

beagle dogs: *AntandN-syst. [Flutamide]*

Churg-Strauss syndrome (systemic eosinophilic vasculitis, which may present as generalized, flu-like symptoms [fever, muscle aches or pains, and weight loss], eosinophilia, vasculitic rash, worsening pulmonary symptoms, cardiac complications, or neuropathy): *Mont-syst., Zaf-syst.*

cutaneous and systemic (severe abdominal pain; redness, soreness or itching skin; fever; sores, welting or blisters): *Infl-syst.*

eosinophylic, systemic: *Zaf-syst.*

generalized, systemic: *Allop-syst., Ritu-syst.*

hypersensitivity angiitis or vasculitis (chills, fever, and sore throat; muscle aches, pains, or weakness; shortness of breath, troubled breathing, tightness in chest, or wheezing): *Allop-syst., Sir-syst.*

lymphangiitis: *Fome-syst., Gadop-syst.*

Repertório - Capítulo GENERALIDADES

necrotizing (chills; coughing; coughing up blood; headache; loss of appetite; pain in joints or muscles; shortness of breath; skin rash; unusual tiredness; unusual weight loss): *Cortic-rec.*, *Fludro-syst.*

periarteritic: *Crom-inhloc.*

polyarteritis: *AntconH-syst.*

symptoms simulating: *Antcoa-syst.*

rash, with: *Ritu-syst.*

recurrent, severe: *Melp-syst.*

severe, recurrent: *Melp-syst.*

systemic and cutaneous (severe abdominal pain; redness, soreness or itching skin; fever; sores, welting or blisters): *Infli-syst.*

ulcerations, vasculitic (bleeding under skin; crater-like lesions; fever; weight loss; fatigue): *Hydxyu-syst.*

vasculitic syndrome (redness, soreness or itching skin; fever; sores, welting or blisters): *Paro-syst.*

Wegener's granulomatosis (bloody or cloudy urine; cough or bloody cough; ear pain; loss or change in hearing; nose bleeds; pain or tenderness around eyes and cheekbones; stuffy or runny nose; swelling of face, feet, or lower legs; trouble breathing; unusual weight gain): *Isot-syst.*

arachnoiditis, chemical (back pain; cerebrospinal fluid [CSF] pleocytosis; fever; headache; nausea; neck pain or rigidity; vomiting) (See DIAGNOSTIC TESTS, cerebrospinal fluid): **CytL-int.**, *MethotC-syst.*

arthritis (aches or pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): **Acit-syst.**, *Adal-syst.*, *Almot-syst.*, *Anthyr-syst.*, *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*, *Metipranolol*], *Capec-syst.*, *Carv-syst.*, **DiphtA-syst.**, *Dipy-syst.*, *DipyA-syst.*, *Don-syst.*, *Fluorq-syst.*, *Ful-syst.*, *HepatAVI-syst.*, *Hydra-syst.*, *Iba-syst.*, *Ibr-syst.*, *IbupO-syst.*, *IntA-syst.*, *Isot-syst.*, **Lym-syst.**, *MeaRV-syst.*, *MeaMRV-syst.*, *Ned-inhloc.*, *Nef-syst.*, *Olm-syst.*, *OlmH-syst.*, *Orl-orloc.*, *Ralo-syst.*, *Ritu-syst.*, *Rosu-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sild-syst.*, **Sur-syst.**, *Tini-syst.*, *Tiz-syst.*, *Tolc-syst.*, *Trav-oph.*, **Urs-syst.**, *Zale-syst.*, *Zic-syst.*

arthralgia, and: **Lym-syst.**

elevated ANA titers, associated with: *CalcCBA-syst.*

gouty, acute (chills; pain and swelling of joints, especially big toe, ankle, or knee; tense, hot skin over affected joints): *Etham-syst.*, *Pyraz-syst.*, **Sulfi-syst.**

inflammatory (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): *Efal-syst.*

osteoarthritis (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): *Estro-syst.*

aggravated: *Tram-syst.*

localized (difficulty in moving; muscle pain or stiffness; pain, swelling, or redness in joints): *Iba-syst.*

polyarticular (pain in many joints; swelling, stiffness redness, or warmth around many joints): *Ritu-syst.*

pyogenic (muscle or joint stiffness, tightness, or rigidity): *Adal-syst.*

rheumatoid (joint pain and swelling): *BisSMT-syst.*, *PegiA2b-syst.*

depression, with.

adult patients with juvenile rheumatoid arthritis: *Etan-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

septic (muscle or joint stiffness, tightness, or rigidity): *Efal-syst.*, *Etan-syst.*

tuberculous (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving).

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

bone (See osteomyelitis).

bursitis (pain and inflammation at the joints): *Atorv-syst.*, *Nef-syst.*, *Rise-syst.*, *TecAr-syst.*

encephalitis (confusion; irritability; headache; seizures; stiff neck; vomiting): *Gold-syst.*, *HepatAVI-syst.*, *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*, *RubeM-syst.*, *RubeV-syst.*

meningoencephalitis: *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*, *RubeM-syst.*, *RubeV-syst.*

panencephalitis, subacute sclerosing (SSPE).

children who do not have a history of natural measles infection: *MeaV-syst.*, *MeaMRV-syst.*

gliosis (decreased vision or other change in vision): *Ganc-impoph.*

granulomatous: *BcgL-mucloc.*

hepatitis (See Hepatitis).

inflammatory response.

indolent or residual opportunistic infections, to (such as *Mycobacterium avium* infection, cytomegalovirus, *Pneumocystis carinii* pneumonia, or tuberculosis): *Efav-syst.*

local, in or around region of illumination: *Por-syst.*

keratoses, multiple actinic (solar), of: *Pentost-syst.*

lymphadenitis (inflammation of one or more lymph nodes): **BcgL-syst.**, *PneV-syst.*

granulomatous: *Pime-top.*

meningitis (confusion; fever; headache; stiff neck) (See HEAD, Inflammation): *Carm-imploc.*, *Clon-parloc.*, *Ethan-parloc.*, *HydroI-syst.* [*Ibuprofen*], *Myc-syst.*, *Zic-syst.*

arachnoiditis (inflammation of the meninges and subarachnoid space).

chemical (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness; cerebrospinal fluid (CSF) pleocytosis; nausea; neck pain or rigidity; vomiting): **CytL-int.**, *MethotC-syst.*

aseptic (fever; headache; nausea; stiff neck or back; vomiting): *AntinfN-syst.*, *Carbam-syst.*, *Cele-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Efal-syst.*, *Imm-syst.*, *IndiuP-syst.*, *Ketor-syst.*, *Phena-syst.*, *SulfoT-syst.*, *Vac-syst.*, *Trimethop-syst.*

aseptic meningitis syndrome (AMS) (fever; headache; stiff neck; unusual sensitivity of eyes to light; and seizures): *Mur-syst.*, *Resp-syst.*, *SulfoT-syst.*, *Vac-syst.*

meningoencephalitis: *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*, *Mum-syst.*, *RubeM-syst.*, *RubeV-syst.*

mucositis (irritation of mouth; swelling or inflammation of the mouth; sores, ulcers, or white spots on lips, tongue, or inside mouth; cracked lips; diarrhea; difficulty in swallowing): *Alemt-syst.*, **Amsa-syst.**, *Busu-syst.*, *Carbopl-syst.*, **Clofar-syst.**, *DauL-syst.*, *Doxor-syst.*, *DoxorL-syst.*, **Epir-syst.**, *Fluda-syst.*, **Gemt-syst.**, **Ida-syst.**, **Iri-syst.**, *Melp-syst.*, **Mitox-syst.**, *Oxa-syst.*, *Pac-syst.*, **PacP-syst.**, **Pegf-syst.**, *Peme-syst.*, **Ras-syst.**, *Sor-syst.*, **Teni-syst.**, **Tret-syst.**, **Zole-syst.**

contact (inflammation of mucous membranes): *Amlex-mucloc.*

decreased: *ColSF-syst.*

grade 4: *Epir-syst.*

resulting in edema, exudates, and airway obstruction (shortness of breath or troubled breathing): **Por-syst.**

myelitis: *HepatAVI-syst.*, *HepatBVR-syst.*

poliomyelitis, paralytic, vaccine-associated (VAPP): *Poli-syst.*, *PoliO-syst.*

transverse (back pain, sudden and severe; muscle weakness, sudden and progressing): *Infli-syst.*

acute: *Chym-parloc.*

myositis (muscle tenderness and weakness): *AbLamZid-syst.*, *Atorv-syst.*, *Atorv-syst.*, *Clofib-syst.*, *Fenof-syst.*, *Gadob-syst.*, *Gemf-syst.*, *HMG-syst.*, *Iri-syst.*, *LamiZ-syst.*, *Nia-syst.*, *Rifab-syst.*, *Tic-syst.*, *Tret-syst.*

polymyositis (fever; joint pain; muscle tenderness, weakness, or pain; skin rash; unusual tiredness or weakness; weight loss): *AntconH-syst.*, *Crom-inhloc.*, *Etan-syst.*, *HistH2-syst.* [*Cimetidine*]

neuritis (burning; prickly sensations; tingling): *Anthis-syst.* [*Dyproheptadine*], *Dexmed-syst.*, *Emt-syst.*, *Estro-syst.*, *Minox-top.*, *Ritu-syst.*

brachial: *DiphtTTH-syst.*

peripheral (numbness, tingling, pain, or weakness in hands or feet; burning, crawling, itching, numbness, painful, prickling, “pins and needles”, or tingling feelings; burning of face or mouth; blindness or vision changes; clumsiness or unsteadiness; weakness in hands or feet): *Allop-syst.*, **Aminglyc-syst.** [**Streptomycin**], *Carbam-syst.*, *Chloramp-ot.*, *Chloramp-syst.*, *Crom-inhloc.*, *Daps-syst.*, *Disu-syst.*, *EmtT-syst.*, *Etham-syst.*, *Ethi-syst.*, *Hydra-syst.*, **Ison-syst.**, **RifamI-syst.**, **RifamIP-syst.**

polyneuritis (pain, numbness, or tingling of hands, arms, legs, or feet; weakness in hands or feet): *Disu-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *RubeM-syst.*, *RubeV-syst.*

acute idiopathic (numbness; tingling sensation or weakness in both legs, moving upward to both arms, trunk, and face): *Danaz-syst.*, *Disu-syst.*

osteomyelitis (increase in bone pain): *BcgL-syst.*, *Etan-syst.*, *PegiA2a-syst.*, *Riba-syst.*, *Tret-syst.*

pain, local, and necrosis, with: *Oxa-syst.*

phlebitis (bluish color; changes in skin color; pain, tenderness, and swelling of foot or leg) (See angiitis): **Acyc-syst.**, *Amsa-syst.*, *Anid-syst.*, *Atorv-syst.*, *Benzod-syst.*, *Capec-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, **Carm-syst.**, **Casp-syst.**, *Clad-syst.*,

Repertório - Capítulo GENERALIDADES

Dacti-syst., *Dant-syst.*, *Epir-syst.*, *Ert-syst.*, *Fluda-syst.*, *Fluorq-syst.* [*Ciprofloxacín*, *Gatifloxacín*, *Ofloxacín*], *Fome-syst.*, *Fosc-syst.*, *Ganc-syst.*, *Ifo-syst.*, *Mica-syst.*, *Mida-syst.*, *Mitox-syst.*, *Miv-syst.*, *Penta-syst.*, *Ril-syst.*, *Trov-syst.*

chemical: *Etop-syst.*, *Ure-syst.*

females: *Tamo-syst.*

mild: *Gon-syst.*

peripheral vein: **Amio-syst.**

thrombophlebitis (pain or tenderness in leg or foot; blue color in leg or foot; swelling of leg or foot): **AmphoB-syst.**, *Anast-syst.*, *AnestBar-syst.*, *Antm-syst.* [*Pyridostigmine*], **Azith-syst.**, *Aztr-syst.*, *Barb-syst.*, *Capec-syst.*, *Carbam-syst.*, **Casp-syst.**, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chym-parloc.*, *CitAGM-mucloc.*, *Clofib-syst.*, *ColSF-syst.* [*Sargramostim*], *Cortic-ot.*, *Cortic-rec.*, *Cyt-syst.*, **Darb-syst.**, *Den-syst.*, *Docet-syst.*, *DrosEE-syst.*, **EdC-syst.**, **EdD-syst.**, *Efav-syst.*, *Epir-syst.*, *Ergon-syst.*, *Ert-syst.*, *Estro-syst.*, *Etan-syst.*, *Eton-vag.*, **FatE-syst.**, *Fludro-syst.*, *Fus-syst.*, *Gadov-syst.*, *IbupO-syst.*, **Iri-syst.**, *Mann-syst.*, *Mech-syst.*, *Mero-syst.*, *Methyler-syst.*, *Metro-syst.*, *Mitom-syst.*, *NoreE-syst.*, *Para-syst.*, *PenicilB-syst.*, *Pentost-syst.*, *QuinuD-syst.*, *Ras-syst.*, **Sir-syst.**, *Ske-syst.* [*Methocarbamol*, *Orphenadrine*], *SulfoT-syst.*, *Tore-syst.*, *Van-syst.*

adult males: *Leup-syst.*

venous: *Meno-syst.*

deep vein (changes in skin color; pain; tenderness; swelling of foot or leg): *Gadop-syst.*, **Iri-syst.**, *Ven-syst.*

embolism, with: *NoreE-syst.*

increased risk of: *MedE-syst.*

susceptible patients: *VitE-syst.*

males (pains in groin or legs, especially calves of legs): *Gos-syst.*

adult: *Leup-syst.*

migratory (changes in skin color; pain, tenderness, swelling of foot or leg): *EpoE-syst.*

parotitis (swelling of glands in neck): **MeaRV-syst.**, **MeaMRV-syst.**

pneumocystosis, extrapulmonary (most frequent sites include the spleen, liver, lymph nodes, and eyes): *Penta-inh.*

serositis.

polyserositis (abdominal pain; chest pain; fever; shortness of breath): *Bevac-syst.*, *Prazi-syst.*

synovitis (joint or muscle pain or stiffness): *Adal-syst.*, *Cele-syst.*, *Lef-syst.*, *Sild-syst.*

hypertrophic (joint pain and swelling): *Chond-imploc.*

tenosynovitis (joint or muscle pain or stiffness): *Atorv-syst.*, *Lef-syst.*, *Nef-syst.*, *Sild-syst.*

tendinitis (pain, inflammation, or swelling in calves, shoulders, or hands): *BetBA-oph.* [*Levobetaxolol*], *Cele-syst.*, *Cinox-syst.*, *Fluorq-syst.*, *Gemif-syst.*, *Isot-syst.*, *Levof-syst.*, *Spa-syst.*, *Trov-syst.*

triple response (erythema from capillary dilatation, wheal due to local edema from increased capillary permeability, and a flare from a neuronal reflex mechanism producing a surrounding area of arteriolar vasodilatation): *Hist-syst.*

upper respiratory: FlutS-inhloc.

vasculitis (See angiitis, phlebitis).

INFLUENZA, gripe ou sintomas gripais (calafrios; tosse; diarreia; febre; sensação geral de desconforto ou mal-estar; dor de cabeça; dor nas articulações; perda de apetite; dores musculares; náuseas ou vômitos; coriza; arrepio; dor de garganta; transpiração; problemas para dormir; cansaço incomum ou fraqueza) (Ver Infecção; Inflamação; Sinusite; NARIZ, Nasofaringite, Rinite): **Adal-syst.**, *Alpha-syst.*, **Anak-syst.**, *Anast-syst.*, *AntandN-syst.*, *Atom-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Azel-oph.*, **BcgL-mucloc.**, *Bals-syst.*, **Bex-syst.**, **BotA-parloc.**, **BotB-parloc.**, *Brim-oph.*, *Cab-syst.*, *Calcit-nassyst.*, *CandH-syst.*, *Capec-syst.*, *Carv-syst.*, *Cele-syst.*, *Cev-syst.*, *Clofib-syst.*, **Clop-syst.**, **ConjE-syst.**, **Cortic-inhloc.**, *Cortic-nas.* [*Fluticasone*], *Dac-syst.*, *Daps-top.*, **Darb-syst.**, *Darif-syst.*, **Del-syst.**, **Den-syst.**, **Dic-top.**, *Dof-syst.*, *DorzT-oph.*, *DoxorL-syst.*, **Doxyc-mucloc.**, **DrosE-syst.**, **Efal-syst.**, *Enf-syst.*, **Epina-oph.**, *Epl-syst.*, **Epop-syst.**, *Esc-syst.*, **Estro-syst.**, **EstroP-syst.**, *Etan-syst.*, **Exem-syst.**, *EzetS-syst.*, *Fenof-syst.*, *Fex-syst.*, **Flut-inhloc.**, *Flut-nas.*, *FollitB-syst.*, **Ful-syst.**, **Gemc-syst.**, *Gla-syst.*, *Glut-syst.*, **GroH-syst.**, *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Iba-syst.*, **Ilo-inh.**, *Ima-syst.*, *Imiq-top.*, **IntA1-syst.**, **IntB1a-syst.**, **IntB1b-syst.**, **IntG-syst.**, **IntA-syst.**, *Irb-syst.*, *Lans-syst.*, *Lat-oph.*, **Mom-inhloc.**, **Mom-nas.**, *Ipr-inhloc.*, *Ketot-oph.*, *Ketot-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lat-oph.*, **Leval-inhloc.**, *Levam-syst.*, *Levom-syst.*, *Lym-syst.*, *Mem-syst.*, *Minoc-mucloc.*, *Mir-syst.*, *Mod-syst.*, *Mom-inhloc.*, *Nate-syst.*, **NiaL-syst.**, *Nico-inhsyst.*, *Oct-syst.*, *Ola-syst.*, *Olm-syst.*, **Olo-oph.**, *Omeg-syst.*, **Orl-orloc.**, *Palo-syst.*, **Pam-syst.**, *Pantop-syst.*, **PegIA2b-syst.**, **Pegv-syst.**, **Pemi-oph.**, *Pentost-syst.*, **Perg-syst.**, **Pil-syst.**, **Pime-top.**, *Pre-syst.*, *Que-syst.*, **Ralo-syst.**, **Ralt-syst.**, *Ram-syst.*, **Riba-syst.**, **RibaI-syst.**, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Rise-syst.*, *Rof-syst.*, *Rosu-syst.*, *Sib-syst.*, **Sir-syst.**, **SodO-syst.**, *Sol-syst.*, *Sor-syst.*, **Tacro-top.**, *TelmH-syst.*, *ThyrA-syst.*, **Tia-syst.**, *Til-syst.*, *Tiz-syst.*, *Tolc-syst.*, **Tolt-syst.**, **Tram-syst.**, *Trav-oph.*, **Uno-oph.**, **Urs-syst.**, *Vald-syst.*, **Valp-syst.**, *Vard-syst.*, *Ver-parloc.*, *Zaf-syst.*, *Zic-syst.*, *Zon-syst.*

females: *Meno-syst.*

head cold: *PotI-syst.*

mild (bone or joint pain; muscle aches; chills; shivering; sweating): **Epoe-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa)

undergoing artificial reproductive technologies (ART): FollitA-syst.

stuffy head: *Doxyx-mucloc.*

respiratory infection (See Infection; Inflammation; RESPIRATION, Infection; CHEST, Infection, Inflammation) (flu-like symptoms; cough; fever; sneezing; sore throat): *Alpr-loc.*, *Carm-imploc.*, *Ketot-syst.*, **Lef-syst.**, **PacP-syst.**, *Zip-syst.*

lower respiratory tract infection (cough; troubled breathing; tightness in chest; wheezing): *Orl-orloc.*

mild to moderate: *Zaf-syst.*

upper respiratory tract infection [URTI] (ear congestion or pain; nasal congestion or stuffy nose; chest pain; chills; cough; fever; sneezing; sore throat; body aches or pain; head congestion; headache; loss of voice,

hoarseness or other voice changes; runny nose; unusual tiredness or weakness; difficulty in breathing; greenish-yellow mucus; flu-like or cold-like symptoms): **Abar-syst.**, **Alfuz-syst.**, **Anak-syst.**, **AntandN-syst.**, **ArsTr-syst.**, **AtovaPro-syst.**, **Azac-syst.**, **Bevac-syst.**, **Bort-syst.**, **BotA-parloc.**, **Butor-nasyst.**, **Cand-syst.**, **CandH-syst.**, **CarbidEL-syst.**, **Cele-syst.**, **Cital-syst.**, **Clop-syst.**, **Coc-mucloc.**, **Daps-top.**, **Darb-syst.**, **Del-syst.**, **Desm-syst.**, **Dihy-nassyst.**, **DiphtTTH-syst.**, **Dof-syst.**, **Don-syst.**, **DorzT-oph.**, **Doxaz-syst.**, **DrosE-syst.**, **Epoe-syst.**, **Epr-syst.**, **Estro-syst.**, **EstroP-syst.**, **Etonvag.**, **Exem-syst.**, **Ezet-syst.**, **EzetS-syst.**, **Fel-syst.**, **Fex-syst.**, **FexP-syst.**, **Flut-inhloc.**, **FlutS-inhloc.**, **FollitA-syst.**, **For-inhloc.**, **Gals-syst.**, **GlipM-syst.**, **GlybM-syst.**, **GroH-syst.**, **HepatAVI-syst.**, **HepatAVIHB-syst.**, **Iba-syst.**, **Ima-syst.**, **Imiq-top.**, **Infli-syst.**, **IntBla-syst.**, **Ipr-inhloc.**, **Irb-syst.**, **Lans-syst.**, **Lar-syst.**, **Lat-oph.**, **Len-syst.**, **Los-syst.**, **LosH-syst.**, **Lut-syst.**, **Lym-syst.**, **Mem-syst.**, **MetfP-syst.**, **Mitox-syst.**, **Mom-inhloc.**, **Mom-nas.**, **Natal-syst.**, **Nate-syst.**, **NoreE-syst.**, **Olm-syst.**, **OlmH-syst.**, **Oma-syst.**, **OmeP-syst.**, **Orl-orloc.**, **Oxa-syst.**, **Oxc-syst.**, **Paliv-syst.**, **Pam-syst.**, **Pantop-syst.**, **Pime-top.**, **Pio-syst.**, **Ram-syst.**, **Rep-syst.**, **Risp-syst.**, **Rof-syst.**, **Ropin-syst.**, **Rosi-syst.**, **RosiM-syst.**, **Sir-syst.**, **Telm-syst.**, **TelmH-syst.**, **Til-syst.**, **Tiot-inhloc.**, **Tiz-syst.**, **Tolc-syst.**, **Tram-syst.**, **Urs-syst.**, **Vald-syst.**, **Vals-syst.**, **Zole-syst.**

patients treated for female infertility: **FollitA-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist (GnRHa) undergoing artificial reproductive technologies (ART):

FollitA-syst.

viral (flu-like symptoms): **FlutS-inhloc.**

INJÚRIAS acidentais (incluindo golpes, contusões, equimoses, quedas) (Ver Hematoma; Hemorragia): **Acamp-syst.**, **Amph-syst.**, **AntinfN-syst.** [*Naproxen*], **Antcoa-syst.**, **AntvCPOv-syst.**, **Arip-syst.**, **ArsTr-syst.**, **Atorv-syst.**, **Azac-syst.**, **Betcar-syst.**, **Carbam-syst.**, **Cele-syst.**, **Cev-syst.**, **Chloramp-oph.**, **Chloramp-syst.**, **CholAO-syst.** [*Iopanoic acid*], **Clofar-syst.**, **Cortic-inhloc.**, **Cortic-rec.**, **Cortic-top.**, **CorticG-syst.**, **Danap-syst.**, **Darif-syst.**, **Diaz-parsyst.**, **DicM-syst.**, **DipyA-syst.**, **Dof-syst.**, **Don-syst.**, **DrosE-syst.**, **Drot-syst.**, **Eno-syst.**, **Estro-syst.**, **Esz-syst.**, **Fludro-syst.**, **Flut-inhloc.**, **Ful-syst.**, **Gab-syst.**, **Gemc-syst.**, **Gemt-syst.**, **Gla-syst.**, **Hepar-syst.**, **HepatBVR-syst.**, **Histr-syst.**, **HyalS-syst.**, **Ibr-syst.**, **IbupO-syst.**, **Ima-syst.**, **Infli-syst.**, **Iri-syst.**, **Isot-syst.**, **Lamo-syst.**, **Len-syst.**, **Leval-inhloc.**, **Mecas-syst.**, **Mero-syst.**, **Mom-inhloc.**, **Mont-syst.**, **Nad-syst.**, **Nef-syst.**, **Ola-syst.**, **Oxa-syst.**, **Oxc-syst.**, **Pegv-syst.**, **Pentosa-syst.**, **Pli-syst.**, **Pre-syst.**, **Prota-syst.**, **Quin-syst.**, **Rosi-syst.**, **RosiM-syst.**, **Rosu-syst.**, **Sir-syst.**, **Ske-syst.** [*Chlorzoxazone*], **SodPhe-syst.**, **Tacro-syst.**, **Tia-syst.**, **Tiop-syst.**, **Tram-syst.**, **Vald-syst.**, **Valp-syst.**, **Zic-syst.**, **Zolm-syst.**, **Zon-syst.**

frequent: **Oxc-syst.**

inflicted: **Praml-syst.**

localized: **Teri-syst.**

muscle: **Tram-syst.**

neurologic: **Eno-syst.**

soft tissue damage in the exposed area: **Dacti-syst.**

INTOXICAÇÃO HÍDRICA (Ver Hiponatremia).

IODISMO (queimação da boca ou garganta; irritação gástrica; aumento da salivação; gosto metálico; dor de cabeça severa; dor em dentes e gengivas): **IodS-syst.**, **PotI-syst.**, **SodI-syst.**

IRRITAÇÃO (Ver Inflamação).

contact (chest or throat pain, especially when swallowing; stools containing fresh or digested blood): **Iron-syst.**

meningeal (stiffness of neck) (See Inflammation, meningitis): **Iopa-syst.**

ISQUEMIA, ataques isquêmicos (dor ou desconforto no peito; batimentos cardíacos irregulares; náuseas ou vômitos; dores nos ombros, braços, mandíbula ou pescoço; transpiração) (Ver Cardiovasculares, Transtornos): **Imiq-top.**, **Iri-syst.**, **Risp-syst.**, **Tret-syst.**
myocardial (See Cardiovascular Disorders, infarction).

peripheral (abdominal pain; chest pain; itching of skin; numbness and tingling of fingers, toes, or face; pain in arms, legs, or lower back; pale or cold hands or feet; weakness in legs) (See Neuropathy): **Acit-syst.**, **Dihy-nassyst.**, **Tinz-syst.**, **Tram-syst.**, **Vasc-syst.**

vasospasm-induced: Methys-syst., **Vasc-syst.**

transient (headache, numbness or tingling in arms or legs, trouble speaking): **IntA-syst.**, **PacP-syst.**, **PegiA2b-syst.**, **Sild-syst.**

LACTAÇÃO (Ver Prolactinemia; GENITÁLIA FEMININA, Lactação; PEITO, Leite, lactação).

lactation inhibitor: Bromo-syst., **Cab-syst.**

LASSITUDE (sensação de fraqueza incomum; perda de força ou energia; dores musculares) (Ver Cansaço; Fraqueza): **AnthisP-syst.**, **Fluv-syst.**, **Levom-syst.**, **Phenox-syst.**, **Rau-syst.**, **Risp-syst.**

LESÕES.

mucous membrane: Abac-syst., **AbLamZid-syst.**

nerve root (numbness; tingling; or weakness): **Iba-syst.**

LEUCEMIA (Ver Câncer).

LEUCOCITOSE (calafrios; tosse; dor ocular; febre; sensação de mal-estar geral; dor de cabeça; dor de garganta; cansaço incomum; 9.500 a 26.000 células por milímetro cúbico) (Ver TESTES DIAGNÓSTICOS, Hemograma): **Abcix-syst.**, **Acyc-syst.**, **Allop-syst.**, **Alpha-syst.**, **Antcoa-syst.** [Phenindione], **Aztr-syst.**, **BronA-inhloc.**, **Carbam-syst.**, **CarbidL-syst.**, **Carm-imploc.**, **Dexmed-syst.**, **Fluox-syst.**, **Gadob-syst.**, **Hal-syst.**, **Iron-syst.**, **Lit-syst.**, **Lox-syst.**, **Moli-syst.**, **OmeP-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Sir-syst.**, **SodPhe-syst.**, **Tiz-syst.**

acute: Exem-syst.

cerebrospinal fluid, in: **Mur-syst.**

excessive (See hyperleukocytosis).

hyperleukocytosis (chills; cough; eye pain; general feeling of illness; headache; sore throat; unusual tiredness): **ArsTr-syst.**, ColSF-syst. [*Filgrastim*, *Sargramostim*]

neonates: Caff-syst.

LEUCOPENIA (calafrios, febre ou dor de garganta) (Ver TESTES DIAGNÓSTICOS, Hemograma): *Acyc-syst.*, Adal-syst., **Aldes-syst.**, *Allop-syst.*, **Altr-syst.**, *Aman-syst.*, AminPot-syst., *Aminglut-syst.*, AmphoB-syst., AmphoBLC-syst., **Amsa-syst.**, Anast-syst., *AnestInh-syst.* [*Nitrous Oxide*], *Anid-syst.*, *AntinfN-syst.* [*Piroxicam*], **AnthyGR-syst.**, AntandN-syst., Antcoa-syst., *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepMAO-syst.*, *AntdiaS-syst.*, *AnthisP-syst.*, **Anthyr-syst.**, AppSupS-syst. [*Diethylpropion*], *Aspar-syst.*, **Azac-syst.**, *BcgL-mucloc.*, *Benzod-syst.*, *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, **Bex-syst.**, **Bex-top.**, **Busu-syst.** *Cand-syst.*, Capec-syst., *Carbam-syst.*, *CarbidEL-syst.*, **Carbopl-syst.**, **Carm-syst.**, *Cefd-syst.*, *Cefu-syst.*, Cele-syst., *Ceph-syst.*, Cetux-syst., **Chloramb-syst.**, *Cil-syst.*, **Cisp-syst.**, *Clar-syst.*, **Clofar-syst.**, *Clofib-syst.*, *Colc-syst.*, **Cycloph-syst.**, Cyp-syst., *Cys-syst.*, **Cyt-syst.**, **Dac-syst.**, **Dacti-syst.**, **Dau-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Den-syst.*, *Dexr-syst.*, DicM-syst., *Did-syst.*, *DiuL-syst.*, **Docet-syst.**, *Doxaz-syst.*, **Doxor-syst.**, **DoxorL-syst.**, **Efl-syst.**, **Epir-syst.**, *Estra-syst.*, *Etan-syst.*, **Etop-syst.**, *Fel-syst.*, *Flavox-syst.*, *Flox-syst.*, **Fluc-syst.**, **Fluda-syst.**, *Fluorq-syst.*, **Fluoru-syst.**, Fosc-syst., *Ful-syst.*, *Fur-orloc.*, Gab-syst., *Gadob-syst.*, **Gemc-syst.**, *Gemf-syst.*, *Gemif-syst.*, Gold-syst., *Gri-syst.*, *HistH2-syst.*, *Hydra-syst.*, **Hydxyu-syst.**, **Ida-syst.**, **Ifo-syst.**, *Imm-syst.*, *Infli-syst.*, **IntA1-syst.**, IntB1a-syst., **IntG-syst.**, **IntA-syst.**, *Iob-systthe.*, **Iri-syst.**, *Ketor-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, **Len-syst.**, Levam-syst., *Leve-syst.*, Line-syst., **Lom-syst.**, **Mech-syst.**, *Meg-syst.*, Melo-syst., *Mep-syst.*, **Merc-syst.**, *Mero-syst.*, *Mesa-reloc.*, **MethotC-syst.**, MethotNC-syst., *Methylp-syst.*, Methys-syst., *Metro-syst.*, *Mex-syst.*, Mica-syst., *Miglu-syst.*, **Mitom-syst.**, **Mitox-syst.**, Mono-loc., **Myc-syst.**, *Nali-syst.*, *Ned-inhloc.*, *Nef-syst.*, Niti-syst., Nitro-syst., **Oxa-syst.**, **Pac-syst.**, **Pam-syst.**, *Pegas-syst.*, *Pegf-syst.*, **Peme-syst.**, Penic-syst., *Penicil-syst.*, *PenicilB-syst.*, **Penta-syst.**, *Pentosa-syst.*, **Pentost-syst.**, *PerpA-syst.*, *Phenot-syst.*, *Pil-syst.*, *Pli-syst.*, *Podop-top.*, *Prima-syst.*, *Probe-syst.*, *Procai-syst.*, **Procar-syst.**, Pyrim-syst., Que-syst., Quin-syst., *Rabe-syst.*, **Ralt-syst.**, *Rep-syst.*, *Rifab-syst.*, Rifap-syst., *Ritod-syst.*, **Ritu-syst.**, **Sam-syst.**, *Sertr-syst.*, *Sild-syst.*, *Silv-top.*, **Sir-syst.**, *Ske-syst.*, *SodI131-systthe.*, SodPhe-syst., *SodPho-syst.*, *Sor-syst.*, *Sta-syst.*, *Stre-syst.*, *Stro-syst.*, SulfadP-syst., *Sulfi-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, Tem-syst., **Teni-syst.**, Thie-syst., **Thiog-syst.**, **Thiot-syst.**, *Tini-syst.*, Tiop-syst., Tiz-syst., Toc-syst., Topi-syst., **Topo-syst.**, *Tore-syst.*, *Tras-syst.*, *Trimethop-syst.*, Urs-syst., *Vac-syst.*, *Valg-syst.*, *Valr-mucloc.*, **Vinb-syst.**, *Vinc-syst.*, **Vind-syst.**, **Vino-syst.**, *Vor-syst.*, *Zalc-syst.*, **Zid-syst.**, *ZinS-syst.*, *Zolm-syst.*

bone pain, following treatment of: **SodPho-syst.**

infection, with (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; sore throat): Anast-syst., Ifo-syst., **Pac-syst.**

reversible: *Methy-syst.*, *MethyTD-syst.*

LINFOCITOSE (Ver TESTES DIAGNÓSTICOS, Hemograma): **Aldes-syst.**

LINFOMA DE HODGKIN (gânglios aumentados; perda de peso; mal-estar geral; fezes pretas; pele e olhos amarelos) (Ver Câncer): *Infli-syst.*

LINFOPENIA, linfocitopenia (febre ou calafrios; tosse ou rouquidão; dor na parte inferior ou no lado das costas; urinar doloroso ou difícil) (Ver TESTES DIAGNÓSTICOS, Hemograma): **Alef-syst.**, **Capec-syst.**, **Chloramb-syst.**, **Exem-syst.**, **Mica-syst.**, **Pam-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **Riba-syst.**, **Ritu-syst.**, **Sor-syst.**

LIPIDÊMICOS, TRANSTORNOS (Ver TESTES DIAGNÓSTICOS, Lipídios).

hypercholesterolemia (large amount of cholesterol in the blood) (See DIAGNOSTIC TESTS, Lipids): **Adal-syst.**, **Ampr-syst.**, **AntfunA-syst.**, **BetBA-oph.** [**Levobetaxolol**], **Bex-syst.**, **Brim-oph.**, **Carv-syst.**, **Cele-syst.**, **Epl-syst.**, **Histr-syst.**, **Iba-syst.**, **Imiq-top.**, **Let-syst.**, **Olm-syst.**, **Sir-syst.**, **Tiot-inhloc.**, **Trav-oph.**

viscosity increases even further in patients with high normal serum viscosity in conditions such as cryoglobulinemia, hypercholesterolemia, or hypergammaglobulinemia: **Imm-syst.**

hyperlipidemia (large amount of fat in the blood) (See DIAGNOSTIC TESTS, Lipids): **Adal-syst.**, **BetBA-oph.** [**Levobetaxolol**], **Bex-syst.**, **Bex-top.**, **FatE-syst.**, **Mem-syst.**, **Olm-syst.**, **Sir-syst.**, **Tacro-syst.**

hypertriglyceridemia (large amount of triglyceride in the blood) (See DIAGNOSTIC TESTS, Lipids): **Ampr-syst.**, **AntfunA-syst.**, **Capec-syst.**, **Efav-syst.**, **Epl-syst.**, **Fosam-syst.**, **Isot-syst.**, **Olm-syst.**, **Riton-syst.**

hypolipidemia, **hypolipidemic effect**: **AmlodAt-syst.** [**Atorvastatin**], **Atorv-syst.**, **Cholest-orloc.**, **Ezet-syst.**, **EzetS-syst.**, **Fenof-syst.**, **Nia-syst.**, **NiaL-syst.**, **Rosu-syst.**

LIPODISTROFIA (Ver Gordura).

LÍQUIDO CEFALORRAQUIDIANO (líquor).

abnormal: **Zic-syst.**

glucose concentrations in cerebrospinal fluid, reduced: **Mur-syst.**

leukocytosis in cerebrospinal fluid: **Mur-syst.**

pleocytosis, cerebrospinal fluid (CSF) (blurred vision; fever): **Levam-syst.**, **Resp-syst.**

granulocytic: **Resp-syst.**

pressure, increased (back pain; blurred vision; confusion; convulsions; dizziness; drowsiness; fever; headache; unusual tiredness or weakness): **MethotC-syst.**

protein in cerebrospinal fluid, elevated: **Mur-syst.**

LIVEDO RETICULAR (Ver Hemorragia; PELE, Erupções ou Lesões, petéquias).

LÚPUS ERITEMATOSO SISTÊMICO (erupções cutâneas, urticária ou comichão; febre; dor de garganta; gânglios inchados ou dolorosos; dor no osso ou nas articulações; cansaço incomum ou fraqueza): **Adal-syst.**, **AntconH-syst.**, **Anthyr-syst.** [**Propylthiouracil**], **Infli-syst.**, **Lamo-syst.**, **Ritu-syst.**, **Sertr-syst.**

discoid lupus erythromatosis (coin-shaped lesions on skin; loss of hair): **Valp-syst.**

exacerbation of (fever; muscle pain; skin rash; sore throat): **Doxyc-syst.**, **Estro-syst.**

manifestations including rash consistent with subacute or discoid lupus, with (fever or chills, general feeling of discomfort or illness or weakness): **Etan-syst.**

systemic lupus erythematosus [SLE]-like syndrome (bloody or cloudy urine; chest pain; fever with or without chills; shortness of breath, troubled breathing, tightness in chest, and/or wheezing; skin rash, hives, and/or itching; sudden decrease in amount of urine; swelling of face, fingers, feet, and/or lower legs; swollen and/or painful glands; unusual weakness; rapid weight gain): *AntinfN-syst.*, *AntconD-syst.*, **AntconH-syst.**, **AntconS-syst.**, *BetBA-oph.* [*Timolol*], *Carbam-syst.*, *Hydra-syst.*, *Methy-syst.*, *MethyTD-syst.*, *PegiA2b-syst.*, *Penic-syst.*, *Phenot-syst.*, *Procai-syst.*, *Quid-syst.*, *Sulfas-syst.*, *Tic-syst.*, *Tiop-syst.*, *Trie-syst.*

MACROCITOSE (Ver TESTES DIAGNÓSTICOS).

erythroid, prolonged (See Polycytemia): *Clad-syst.*

MACROGLOBULINEMIA (fadiga; erupção cutânea; hemorragias nasais; perda de peso; alterações da visão) (Ver TESTES DIAGNÓSTICOS): *Ritu-syst.*

Waldenstrom's macroglobulinemia (See Cancer).

MAGNÉSIO, acúmulo de, na presença de deficiência da função renal (vertigens ou tonturas) (Ver Hiper magnesemia; TESTES DIAGNÓSTICOS, Hiper magnesemia): *Lax-loc.*

MALFORMAÇÕES congênicas: **Abac-syst.**, **AbLam-syst.**, **AbLamZid-syst.**, *Acit-syst.*, **Aldes-syst.**, *Alemt-syst.*, *Almot-syst.*, *Ampr-syst.*, *Anag-syst.*, *AntinfN-syst.*, [*Naproxen*], **AnthyGR-syst.**, *Anthyr-syst.* [*Propylthiouracil*], *Aprac-oph.*, *Atorv-syst.*, **Azac-syst.**, *BisSMT-syst.*, **Bort-syst.**, *BronA-syst.* [*Albuterol*, *Isoproterenol*, *Metaproterenol*, and *Terbutaline*], *Bupre-syst.*, **CarbidL-syst.**, *CarbidEL-syst.*, **CarbonAI-syst.**, *Carv-syst.*, *Cev-syst.*, **CholVac-syst.**, *Clad-syst.*, *ColSF-syst.*, *Cortic-inhloc.*, *Cortic-nas.* [*Dexamethasone*], *Cyclob-syst.*, *Cyt-syst.*, **Dacti-syst.**, *Danaz-syst.*, **Dant-syst.**, *Daps-syst.*, **Dietc-syst.**, *DiphtTT-syst.*, *DiphtTTH-syst.*, **DiphtA-syst.**, *Dipy-syst.*, *Doxaz-syst.*, **EdC-syst.**, *Efav-syst.*, **Fluda-syst.**, *Fluorq-syst.*, **Flut-inhloc.**, *FlutS-inhloc.*, *Fluv-syst.*, *Fol-syst.*, *For-inhloc.*, *Gadob-syst.*, *Gals-syst.*, *GlipM-syst.*, *HepatAVI-syst.*, **HepatBIG-syst.**, *HepatBVR-syst.*, *HistH2-syst.*, *Histr-syst.*, *Hydra-syst.*, **Imm-syst.**, *Indin-syst.*, *Infli-syst.*, *IntB1a-syst.*, **IntB1b-syst.**, *Iron-syst.*, *Isot-syst.*, *JapV-syst.*, **Lami-syst.**, *Lamo-syst.*, *Lef-syst.*, *Leval-inhloc.*, **Levod-syst.**, **Levom-syst.**, *MeaRV-syst.*, *MeaMRV-syst.*, *Mef-syst.*, **Meg-syst.**, *Melo-syst.*, *Mem-syst.*, *MeniPV-syst.*, **MeniVDC-syst.**, *Methy-syst.*, *MethyTD-syst.*, *Moc-syst.*, **Mur-syst.**, *Nali-syst.*, **Nar-syst.**, *Nev-syst.*, *Nita-syst.*, *Nitro-syst.*, *Omepr-syst.*, *Opi-syst.*, *Oxc-syst.*, **Pam-syst.**, **Pegas-syst.**, **PegiA2b-syst.**, *Penic-syst.*, *PenicilB-syst.*, *PneV-syst.*, *Prami-syst.*, **Prazi-syst.**, **Prazo-syst.**, *Quid-syst.*, *Rabe-syst.*, **RabiV-syst.**, *Ril-syst.*, *Riton-syst.*, *Ritu-syst.*, *Riv-syst.*, *Ropin-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sertr-syst.*, **Sir-syst.**, *Sulfas-syst.*, *Sum-syst.*, **Sur-syst.**, *Tacri-syst.*, *Tic-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tiop-syst.*, *Tram-syst.*, **Tret-syst.**, *Trie-syst.*, *Trimethop-syst.*, **TypVI-parsyst.**, **TypP-syst.**, *Valp-syst.*, *Ven-syst.*, *Vind-syst.*, *VitA-syst.*, *Zale-syst.*, *Zic-syst.*, **Zid-syst.**, *Zolp-syst.*

compatible and incompatible with life (eg, craniofacial defects, cardiovascular malformations and anomalies involving various body systems): *Valp-syst.*

continuing: *Antac-orloc.* [*Aluminum-containing*; *Magaldrate*]

fatigue, with: **AbLam-syst.**, **AbLamZid-syst.**

asthenia, and: *Flum-syst.*

females: *Meno-syst.*

neural tube defects in the fetus: *Valp-syst.*

serum transaminase levels, abnormal, initially, with: *Nev-syst.*

starting 6 to 12 hours after administration and persisting 1 or 2 days: *Influ-syst.*

sudden: *Azat-syst.*

MARCHA, DISTÚRBIOS da (mudanças na marcha e no equilíbrio; instabilidade ou imperícia ao caminhar) (Ver VERTIGEM; EXTREMIDADES, Marcha, Distúrbios): *Acetyl-syst.*, *Aman-syst.*, **Bevac-syst.**, *CarbidEL-syst.*, *Cyp-syst.*, *Docet-syst.*, **Fel-syst.**, *Fent-trsyst.*, *Gab-syst.*, *Mem-syst.*, **Nef-syst.**, **Ola-syst.**, **Oxc-syst.**, **Pre-syst.**, *Tia-syst.*, *Tram-syst.*, *Valp-syst.*, **Zic-syst.**

clumsiness when walking: *Thiog-syst.*, *Tret-syst.*

difficulty in walking, trouble in walking: **Amio-syst.**, *Capec-syst.*, *Carm-syst.*, *Chloramb-syst.*, **Cisp-syst.**, *Flox-syst.*

staggering walk: *AntconH-syst.*, *AntdepMAO-syst.*, *Barb-syst.*, *BarbAn-syst.*, *Benzod-syst.*, *ChIH-syst.*, *Mep-syst.*, *MepA-syst.* [Meproamate]

unsteady gait, gait instability (unsteadiness when walking): **Miglu-syst.**, *Sertr-syst.*, *Tamo-syst.*, *Thiog-syst.*, *Tret-syst.*

MASCULINIZAÇÃO, virilismo, virilização, efeitos androgênicos em fêmeas (acne ou pele oleosa; diminuição do tamanho da mama; amento do clitóris; rouquidão ou engrossamento da voz; irregularidades menstruais; crescimento anormal e excessivo de pêlos; calvície de padrão masculina) (Ver Masculinizadas): **AnabS-syst.**, **Andro-syst.**, *Danaz-syst.*, *Gos-syst.*

hirsutism, with (deepening of voice; increased hair growth; irregular menstrual periods): *Aminglut-syst.*

prepubertal males (acne; enlarging penis; increased frequency of erections; unnatural hair growth): **AnabS-syst.**, **Andro-syst.**

MASCULINIZADAS (mulheres com hábitos e características masculinas) (Ver Masculinização): **Andro-syst.**, *Testos-syst.*

MASSA MUSCULAR, PERDA de: *Cortic-nas.*, *Cortic-ot.*, *Flut-inhloc.*, **Sir-syst.**

peripheral: *Del-syst.*, *Fosam-syst.*

weakness, and: *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*

MAZZOTTI, REAÇÃO DE (febre; taquicardia; hipotensão; adenite com uma resposta inflamatória ocular, normalmente como resultado da morte de microfilárias) (em pacientes infectados fortemente com oncocercose): *Diets-syst.*

MEDULA ÓSSEA (Ver Mielossupressão).

abnormalities of bone marrow function: *Dacti-syst.*

damage, possibly irreversible: *Chloramb-syst.*

depression (See Myelosuppression).

failure (chest pain; chills; cough or hoarseness; fever; lower back or side pain; painful or difficult urination; shortness of breath; sores, ulcers, or white spots on lips)

or in mouth; swollen glands; unusual bleeding or bruising; unusual tiredness or weakness): **Busu-syst.**

fibrosis: *Fluda-syst.*

hypoplasia/aplasia (chest pain; chills; cough or hoarseness; fever; lower back or side pain; painful or difficult urination; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen glands; unusual bleeding or bruising; unusual tiredness or weakness): *Busu-syst., Paro-syst., Ritu-syst., Vino-syst.*

myelodysplasia, myelodysplastic syndrome: *Ibr-syst., Tem-syst., TosI-syst.*
suppression (See Myelosuppression).

MEGALOBLASTOSE (Ver Anemia, megaloblástica).

MEMBRANAS MUCOSAS.

bleeding, persistent: *Eno-syst.*

blistering: *Ampr-syst., AntfunA-syst. [Fluconazole], Ceph-syst., Nali-syst., Nitro-syst., PenicilB-syst., Tic-syst., Trimethop-syst.*

discoloration (See Discoloration).

disorder, mucous membrane (changes in the lining of the mouth or nose): **DoxorL-syst., Minoc-mucloc.**

dryness: *Dexmet-syst., MethyIp-syst., Thiab-syst.*

irritation: *Podop-top.*

lesions (See Lesions).

loosening: *Ampr-syst., AntfunA-syst. [Fluconazole], Ceph-syst., Nali-syst., Nitro-syst., PenicilB-syst., Tic-syst., Trimethop-syst.*

mucocutaneous reactions, severe (paraneoplastic pemphigus; Stevens-Johnson syndrome; lichenoid dermatitis; vesiculobullous dermatitis; toxic epidermal necrolysis): *Ritu-syst.*

oozing: *Danap-syst.*

persistent: *Eno-syst.*

peeling: *Ampr-syst., AntfunA-syst. [Fluconazole], Ceph-syst., Nali-syst., Nitro-syst., PenicilB-syst., Tic-syst., Trimethop-syst.*

pigmentation (See Discoloration): *Tetr-syst.*

reddening: *AntfunA-syst. [Fluconazole]*

MENINGITE (Ver Inflamação; CABEÇA, Inflamação; COSTAS, Inflamação).

METAHEMOGLOBINEMIA (dificuldade em respirar no esforço; tontura; dor de cabeça; cansaço; fraqueza) (Ver TESTES DIAGNÓSTICOS): *Anest-mucloc., Anest-parloc., Anest-top., AntandN-syst., Daps-syst., IsomDA-syst., LidP-top., Nitra-syst., Nitri-ihloc., Nitro-syst., Phena-syst., Prima-syst., Ras-syst., Reso-top., SulfoT-syst., Trimethop-syst.*

neonates, premature and full-term: *Meto-syst.*

pediatric patients: *Cisap-syst.*

MIASTENIA GRAVE (Ver Imune, Transtornos).

Repertório - Capítulo GENERALIDADES

MIELOSSUPRESSÃO, depressão (hipoplasia) da medula óssea (Ver Medula Óssea; EXTREMIDADES; TESTES DIAGNÓSTICOS): *Allop-syst.*, *AntinfN-syst.*, *Busu-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carm-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chloramp-syst.*, **Cisp-syst.**, *Colc-syst.*, *Cyt-syst.*, *Dac-syst.*, *Dacti-syst.*, *Docet-syst.*, *EdC-syst.*, *Epir-syst.*, *Fel-syst.*, *Fluda-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Iri-syst.*, *Lom-syst.*, *Maf-top.*, *Mech-syst.*, *Melp-syst.*, *Merc-syst.*, *Metyra-syst.*, *Mitom-syst.*, *Moe-syst.*, *Oxa-syst.*, *PacP-syst.*, *Pegas-syst.*, *Peme-syst.*, *Podof-top.*, *Procai-syst.*, *Ralt-syst.*, *Ritu-syst.*, **Sam-syst.**, *Stro-syst.*, *Teni-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Tic-syst.*, *Trimethop-syst.*, *Valg-syst.*, *Vino-syst.*, *Zid-syst.*

cumulative: *Lom-syst.*, *Mitom-syst.*

severe, and: *Fluda-syst.*

delayed: *Azat-syst.*

mild to moderate: *Altr-syst.*

prolonged hypocellularity: *Clad-syst.*

sepsis, myelosuppression-related: *Iri-syst.*

severe: *Epir-syst.*

cumulative, and: *Fluda-syst.*

thrombocytopenia, leading to: *Stro-syst.*

transient: *Aspar-syst.*

MIOCLONIA (Ver Contrações).

MIOPATIA (Ver Musculares, Transtornos ou Miopatias).

MOLUSCO CONTAGIOSO (Ver Infecção).

MORTE: *Abac-syst.*, *AbLamZid-syst.*, *Alemt-syst.*, *Allop-syst.*, *Alos-syst.*, *Amio-syst.*, *AmlodBen-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.* [Phenylbutazone], *Antcoa-syst.*, *AntconD-syst.*, *AntconH-syst.*, *AntdepMAO-syst.*, *AntdiaS-syst.*, *AntfunA-syst.*, *AnthisP-syst.*, *Anthyr-syst.*, *AppSupS-syst.*, *Arb-syst.*, *ArsTr-syst.*, *Aspar-syst.*, *Ataz-syst.*, *Atom-syst.*, *Atrop-oph.*, *Azat-syst.*, *BcgL-mucloc.*, *Bacl-intsyst.*, *Barb-syst.*, *BarbAn-syst.* [Barbiturates], *Benzod-syst.*, *Benzon-syst.*, *BetBA-syst.* [Labetalol], *Bleo-syst.*, *BotB-parloc.*, *Bromo-syst.*, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.*, *Bupro-syst.*, *Busu-syst.*, *Carm-syst.*, *Cefu-syst.*, *Cele-syst.*, *Chloramb-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chym-parloc.*, *Cisap-syst.*, *Cisp-syst.*, *Cital-syst.*, *Clad-syst.*, *Clofaz-syst.*, *Clofib-syst.*, *Clon-parloc.*, *Cloz-syst.*, *Coc-mucloc.*, *Colc-syst.*, *ColSF-syst.*, *Cyclope-oph.*, *Cycloph-syst.*, *Cyclosp-syst.*, *Dac-syst.*, *Dacti-syst.*, *Danaz-syst.*, *Daps-syst.*, *Dau-syst.*, *Diat-syst.*, *Did-syst.*, *DiphtTTH-syst.*, *Diso-syst.*, *Disu-syst.*, *Docet-syst.*, *Don-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Doxor-syst.*, *Drot-syst.*, *Emt-syst.*, *EmtT-syst.*, *EnaF-syst.*, *Epir-syst.*, *Epop-syst.*, *EstroPO-syst.*, *Ethan-parloc.*, *Etop-syst.*, *Flec-syst.*, *Fluda-syst.*, *Fluv-syst.*, *Gab-syst.*, *Gemf-syst.*, *Hepar-syst.*, *Hydxcyc-syst.*, *IbupO-syst.* [Oxycodone], *Ida-syst.*, *Ifo-syst.*, *Ima-syst.*, *Imm-syst.*, *Indin-syst.*, *Iot-syst.*, *JapV-syst.*, *Lami-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Levom-syst.*, *Lind-top.*, *Mex-syst.*, *Meno-syst.*, *Mida-syst.*, *Mor-syst.*, *Nef-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Pegas-syst.*, *Pemo-syst.*, **Pentost-syst.**, *Phenot-syst.*, *Phent-syst.*, *Pil-syst.*, *Podop-top.*, *Procai-syst.*, *Propo-syst.*, *PyreP-top.* [Pyrethrins], *Rifam-syst.*, *Riton-syst.*, *Seleg-syst.*, *Sertr-syst.* [combination with other drugs and/or alcohol], *SodBeSP-syst.*, *SodF-syst.*, *SodO-syst.*, *SodTh-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*,

Repertório - Capítulo GENERALIDADES

SulfoT-syst., *Sum-syst.*, *Tacri-syst.*, *Tiz-syst.*, *Toc-syst.*, *Tolc-syst.*, **TosI-syst.**, *Tram-syst.*, *TramA-syst.* [Tramadol], *Vino-syst.*, *VitA-syst.*, *VitMF-syst.*, *Zalc-syst.*

animal studies: *Oxi-top.*

baboons: *Clop-syst.*

beagle dogs: *AntandN-syst.* [Nilutamide], *Azel-nas.*

rodents: *Levof-syst.*

mice: *Azel-nas.*, *Clop-syst.*, *Desl-syst.*, *Gemif-syst.*, *Mero-syst.*, *NiaL-syst.* [Lovastatin]

rats: *Clop-syst.*, *Desl-syst.*, *Eno-syst.*, *Gemif-syst.*, *Mero-syst.*, *Tacro-syst.*

cardiac, sudden: *Sild-syst.*, *Tad-syst.*

cardiovascular mortality, increased: *Rep-syst.*

cardiovascular disease, patients with: *Iot-syst.*

excessive mortality: *Mor-syst.*

maternal, small increase in: *Ritod-syst.*

risk of, increased: *NoreE-syst.*

septicemia-induced: *SodC-parloc.*

sudden (no pulse; no blood pressure; no breathing): *CorticG-syst.*, *Drop-syst.*, *Fluox-syst.*, *Hal-syst.*, **Iri-syst.**, *Leval-inhloc.*, *Mem-syst.*, *Opr-syst.*, *Pimo-syst.*, *Rabe-syst.*, *Risp-syst.*, *Thiox-syst.*

toxicity, fatal: *Aldes-syst.*

toxic reactions, increased risk of severe, possibly fatal.

60 years of age and older patients: *AntinfN-syst.* [Phenylbutazone]

women, young, with anorexia nervosa, bulimia, and related eating disorders: *Ipe-orloc.*

MOVIMENTO, motilidade, atividade locomotora (Ver **MENTAL**, Gestos; **EXTREMIDADES**, Movimento).

decreased, or slowed movements: **Pimo-syst.**, *Que-syst.*, *Tacri-syst.*

apraxia, increased (inability to move): *Seleg-syst.*

dogs: *Levof-syst.*

mice: *Levof-syst.*

monkeys: *Levof-syst.*

rats: *Eno-syst.*, *Levof-syst.*

retardation, psychomotor (generalized slowing of mental and physical activity): *Mida-syst.*, *Nef-syst.*, *Oxc-syst.*, *SodO-syst.*, **Topi-syst.**

motor/coordination/extrapyramidal effects (difficulty in speaking; loss of balance control; uncontrolled movements, especially of face, neck, and back; restlessness or desire to keep moving; twisting movements of body): *Seleg-syst.*

motor and autonomic dysfunction: **Pac-syst.**

MOVIMENTOS descontrolados, involuntários, incomuns (Ver **Hipercinesia**; **EXTREMIDADES**, Movimentos descontrolados): *BarbAn-syst.* [Codeine], *CarbidEL-syst.*, *Doxap-syst.*, *Iopa-syst.*, *Moc-syst.*, *Opi-syst.*, *Seleg-syst.*, *Sertr-syst.*, *Ven-syst.*, **Zip-syst.**

athetoid (abnormal body movements; chorea): *Carbam-syst.*

ballism (abnormal body movements; chorea): *Carbam-syst.*

Repertório - Capítulo GENERALIDADES

body: **Amio-syst.**, **Arip-syst.**, *BarbAn-syst.* [*Codeine*], *Benzod-syst.*, *Busp-syst.*, *Carbam-syst.*, *Doxap-syst.*, *Fluox-syst.*, *Mida-syst.*, *Ola-syst.*, *Sertr-syst.*

incomplete: *Fluox-syst.*, *Ola-syst.*

jerky: *Mida-syst.*

sudden: *Sertr-syst.*

tic-like movements (See Twitching or tics).

twisting: *Carbam-syst.*, *CarbidEL-syst.*, **Hal-syst.**, *Lox-syst.*, *Meto-syst.*, *Moc-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, *Pimo-syst.*, **Risp-syst.**, *Seleg-syst.*, *Sertr-syst.*, *Thie-syst.*, **Zip-syst.**

bradykinetic episodes (slow movement; slow reflexes): *CarbidEL-syst.*

chorea, choreiform movements (twitching, uncontrolled movements of arms, or legs; irregular, twisting movement especially of the face and extremities): *Estro-syst.*, *Mecam-syst.*, *Pip-syst.*

choreoathetosis, choreoathetoid movements (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): *Cital-syst.*, *Estro-syst.*

transient (restlessness or agitation; uncontrolled jerking or twisting movements of hands, arms, or legs; uncontrolled movements of lips, tongue, or cheeks): *AntconH-syst.*

disorder, movement (unusual or incomplete body or facial movements): *Ola-syst.*

dyskinesia (uncontrolled movements of the body, such as the face, tongue, arms, hands, head, and upper body): *Bromo-syst.*, *Cab-syst.*, *Cital-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Mem-syst.*, *Methylp-syst.*, *Paro-syst.*, *Pemo-syst.*, **Tiz-syst.**, *Ven-syst.*

increased; preexisting, exacerbated: *Ropin-syst.*

tardive dyskinesia (lip smacking or puckering; puffing of cheeks; rapid or worm-like movements of tongue; uncontrolled chewing movements; uncontrolled movements of arms and legs): *Levam-syst.*, **PerpA-syst.**, *Thie-syst.*, *Valp-syst.*, *Ven-syst.*

persistent: **Lox-syst.**

muscle control, problems with: *Bacl-syst.*, *Dom-syst.*

repeated uncontrolled body movements: *Methylp-syst.*

skeletal muscle, not related to onset of rigidity.

during surgery: *FentD-syst.*

slowed, bradykinesia: *AntdepT-syst.*, *Lamo-syst.*, **Lox-syst.**, *Paro-syst.*, **Pimo-syst.**, *Tacri-syst.*

increased: *Seleg-syst.*

sudden: *Cital-syst.*, *Sertr-syst.*

temporary: **Etom-syst.**

tonic and clonic (may resemble seizures): *Daps-top.*, **Keta-syst.**

trembling, with: *BarbAn-syst.* [*Codeine*]

tremor (See Trembling).

twisting movements of body: *Carbam-syst.*, *CarbidEL-syst.*, **Hal-syst.**, *Lox-syst.*, *Meto-syst.*, *Moc-syst.*, **Moli-syst.**, **PerpA-syst.**, **Phenot-syst.**, *Pimo-syst.*, **Risp-syst.**, *Seleg-syst.*, *Sertr-syst.*, *Thie-syst.*

MUCO (Ver Escarro; PEITO, Muco; EXPECTORAÇÃO).

secretions.

bronchial, increase in: EdrA-syst.

tracheobronchial, increased (increased salivation): Keta-syst.

thickening of: **Anthis-syst.** [*Azatadine*, *Cyproheptadine*, *Dexchlorpheniramine*, *Diphenhydramine*], **AnthisDAg-syst.**, **AnthisDAc-syst.**, **AnthisP-syst.**

MUCORMICOSE (Ver Infecção).

MUSCARÍNICOS, EFEITOS (diarréia; aumento da transpiração; aumento da salivação; náuseas ou vômitos; cólicas ou dor de estômago) (menos frequentes: aumento da micção; aumento das secreções brônquicas; pupilas incomumente pequenas; incomum lacrimejamento) (overdose: visão turva; diarréia severa; aumento excessivo de secreções brônquicas ou salivação; vômitos graves; falta de ar; respiração incômoda; chiado, ou aperto no peito; pulsação lenta; cólicas ou dor grave de estômago; cansaço incomum ou fraqueza): **Antm-syst.**, Pyridos-syst.

MUSCULARES, TRANSTORNOS ou **MIOPATIAS** (Ver EXTREMIDADES).

coordination, muscle, loss of: *Tem-syst.*

fasciculations, muscle: Gala-syst., *Ven-syst.*

flaccidity, skeletal muscle (no muscle tone): IbupO-syst. [*Oxycodone*], Tram-syst.

muscle mass, loss of: *Fludro-syst.*

musculoskeletal effects (involuntary movements; paralysis of legs): *Iopa-syst.*

myopathy (fever; muscular atrophy, cramps, pain, stiffness, tenderness or weakness; unusual tiredness; diffuse myalgias; marked elevations of creatine kinase (CK) in serum; malaise): *AbLamZid-syst.*, *Acit-syst.*, *Almot-syst.*, *AmincAc-syst.*, *Amio-syst.*, *Atorv-syst.*, *Efav-syst.*, *Ezet-syst.*, *Fenof-syst.*, *LamiZ-syst.*, *NiaL-syst.*, *Paro-syst.*, *Rosu-syst.*, *Zid-syst.*

neuromyopathy (increased muscle weakness): *Chloroq-syst.*, *Hydxye-syst.*

steroid: *Fludro-syst.*

toxic.

young women with anorexia nervosa, bulimia, and related eating disorders: *Ipe-orloc.*

myositis (See Inflammation).

relaxation, muscle (antimyotonic) (See Weakness, muscle).

sprain, muscle (See Sprains).

strain, muscle (See Strains).

wasting, muscle (See Wasting).

weakness, muscle (See Weakness).

NECROSE (Ver Gangrena): Colc-syst.

angiitis, necrotizing (chills; coughing; coughing up blood; headache; loss of appetite; pain in joints or muscles; shortness of breath; skin rash; unusual tiredness; unusual weight loss): *Cortic-rec.*

avascular: *CorticG-syst.*

bone (pain in bones): *Adal-syst.*, **Sir-syst.**

aseptic, of femoral and humeral heads (decreased range of motion; joint pain; walking with a limp): *Fludro-syst.*

radiation therapy, following: *MethotNC-syst.*

eruptions, life-threatening bullous drug (resembling toxic epidermal necrolysis): *Aldes-syst.*

hemorrhagic: *Antcoa-syst.*

skin and other tissues (sores on skin, especially on thighs, breasts, penis, or buttocks): *Antcoa-syst.*

gangrene, with: *Antcoa-syst.*

hepatic (See ABDOMEN, Liver).

pain, local, and inflammation, with: *Oxa-syst.*

tissue, soft.

radiation therapy, following: *MethotNC-syst.*

toxic epidermal necrolysis (blistering, peeling, loosening of skin; chills; cough; diarrhea; itching; joint or muscle pain; red, irritated eyes; red skin lesions, often with a purple center; sore throat; sores, ulcers, or white spots in mouth or on lips; unusual tiredness or weakness) (See SKIN): *Abac-syst., AbLam-syst., Acyc-syst., Allop-syst., Amif-syst., Amio-syst., AntinfN-syst., AntconH-syst., AntfunA-syst., Atorv-syst., BarbAn-syst. [Aspirin], BetBA-oph. [Betaxolol], Brin-oph., CandH-syst., Carbam-syst., Cefu-syst., Cele-syst., Ceph-syst., Chloramb-syst., Cital-syst., Clar-syst., Cys-syst., Daps-syst., Docet-syst., Dorz-oph., DorzT-oph., Eso-syst., Fluox-syst., Fluv-syst., Gadop-syst., Gef-syst., HistH2-syst., Ketor-syst., Lamo-syst., Lans-syst., Lat-oph., Lef-syst., Melo-syst., Mero-syst., MethotNC-syst., Nev-syst., Ofl-oph., Omep-syst., Ose-syst., Oxc-syst., Pantop-syst., Paro-syst., Penic-syst., PenicilB-syst., Pli-syst., Pyrim-syst., Rabe-syst., Ritu-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Terb-syst., Thali-syst., Tinz-syst., Topi-syst., Trimethop-syst., Vald-syst., Vor-syst., Zon-syst.*

Lyell's syndrome (redness, tenderness, itching, burning, or peeling of skin; sore throat; fever with or without chills): *Maf-top., Silv-top., SulfadP-syst., Sulfap-syst., Sulfo-syst., Trimethop-syst.*

NERVOS (Ver Neuropatias; Paralisia).

lesion, nerve root (numbness; tingling; or weakness): *Iba-syst.*

NEUROPATIAS (dormência, formigamento, dor ou fraqueza muscular nas mãos, braços, pés ou pernas; sensação de alfinetes e agulhas; dor em facadas) (Ver Paralisia; EXTREMIDADES): *Almot-syst., AntandN-syst., Basil-syst., Cele-syst., Colc-syst., Cortic-rec., DauL-syst., DiphtTT-syst., EmtT-syst., Erl-syst., HepatAVI-syst., HepatBVR-syst., Infl-i-syst., LamiZ-syst., Mont-syst., PacP-syst., Pre-syst., Ritu-syst., Sild-syst., Sir-syst., Trip-syst., Zaf-syst., Zid-syst.*

acute, reversible: **Oxa-syst.**

angioneuropathy: *Resp-syst.*

autonomic (difficult or painful urination; dizziness or lightheadedness, especially when getting up from a lying or sitting position; fast heartbeat): *Cisp-syst., Podop-top.*

motor: *Docet-syst.*

sensory, and (including paresthesia, tremor, and ataxia): *Mef-syst.*, *Zalc-syst.*
myelo-optic, subacute (clumsiness or unsteadiness, increased weakness, or muscle pain): *Iodoq-orloc.*

neuro-cerebellar: *Docet-syst.*

neuro-cortical: *Docet-syst.*

peripheral (burning, numbness, tingling, painful sensations; weakness in arms, hands, legs, or feet; mild numbness in fingers or toes; unsteadiness or awkwardness) (See EXTREMITIES, Neuropathy): **AbLam-syst.**, *Acit-syst.*, **Altr-syst.**, *AntinfN-syst.*, *AntandN-syst.*, *AntfunA-syst.* [*Itraconazole*], *Anthyr-syst.*, *Ataz-syst.*, *Atorv-syst.*, *BisSMT-syst.* [*Metronidazole*], **Bort-syst.**, **CarbidL-syst.**, *CarbidEL-syst.*, *Cele-syst.*, *Colc-syst.*, *Cyclos-syst.*, **DauL-syst.**, **Did-syst.**, *DiphTT-syst.*, *Docet-syst.*, *Efav-syst.*, *Emt-syst.*, **Enf-syst.**, **Erl-syst.**, *Ethc-syst.*, *Fluda-syst.*, *Fluorq-syst.* [*Ciprofloxacin*, *Lomefloxacin*, *Moxifloxacin*, *Norfloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hepar-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, *Ida-syst.*, *Infli-syst.*, *IntA-syst.*, *Iodoq-orloc.*, *LamiZ-syst.*, *Lef-syst.*, **Len-syst.**, *Levof-syst.*, *Line-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *Mech-syst.*, *Metro-syst.*, *Metro-vag.*, *Miglu-syst.*, *Nali-syst.*, *Nev-syst.*, *Nitro-syst.*, **Peme-syst.**, *Podop-top.*, **Pre-syst.**, **Procar-syst.**, *Ritu-syst.*, *RubeM-syst.*, *RubeV-syst.*, *Sild-syst.*, **Sir-syst.**, **Sta-syst.**, **Sur-syst.**, *Tacro-syst.*, *Testol-syst.*, *TetaT-syst.*, **Thali-syst.**, *Tic-syst.*, *Tini-syst.*, **Valg-syst.**, **Zalc-syst.**, *Zid-syst.*

paresthesias, and (tingling, burning, numbness, or pain in the hands, arms, feet, or legs; sensation of pins and needles, stabbing pain; unsteadiness, awkwardness; sensory neuropathy in a glove-and-stockings distribution; motor and autonomic dysfunction): **Lami-syst.**, *LamiZ-syst.*, **Pac-syst.**

children: **Lami-syst.**

persistent: **Oxa-syst.**

reversible: **Oxa-syst.**

worsened: *Sta-syst.*

persistent: **Oxa-syst.**

polyneuropathy (numbness, tingling, pain, or weakness in hands or feet): *AmphoB-syst.*, *DiphTT-syst.*, *Ifo-syst.*

sensory (burning, tingling, numbness or pain in the hands, arms, feet, or legs; sensation of pins and needles; stabbing pain): *Docet-syst.*, **Sor-syst.**

motor, and (starts with numbness and a burning sensation in the distal extremities, followed by sharp shooting pain or severe continuous burning pain; including paresthesia, tremor, and ataxia): *Mef-syst.*, *Zalc-syst.*

persistent: **Oxa-syst.**

reversible: **Oxa-syst.**

severe, progressing from unstable gait and numb feet to numbness and clumsiness of hands: *Pyridox-syst.*

NEUROTOXICIDADE, reações neurotóxicas (paraparesia/quadruparesia de extremidades superiores e/ou inferiores, consistentes com uma doença desmielinizante; contrações musculares; dormência; convulsões; formigamento; dificuldade na marcha; torpor ou formigamento nos dedos das mãos ou dos pés; tremor ou agitação de mãos; movimentos incomuns e descontrolados do corpo; fraqueza dos braços ou pernas): *Acyc-syst.*, **Altr-**

syst., Aminglyc-syst., Amio-syst., Antac-orloc. [*Aluminum-containing; Magaldrate*], *Clad-syst., Chloramb-syst., Chloramp-syst., Chloroq-syst., Cisp-syst., Clad-syst., Disu-syst., Etop-syst., Fosc-syst., Hydxyu-syst., IntA1-syst., IntG-syst., IntA-syst., Ison-syst., Lom-syst., Mech-syst., Nitro-syst., Oxa-syst., Pegas-syst., Pyrim-syst., RifamI-syst., RifamIP-syst., Ropiv-parloc., SodPhe-syst., Teni-syst., Vinb-syst., Vind-syst., Zid-syst.*

acute (tremors, hyperflexia, unsteady gait, dizziness): *Tamo-syst.*

injury, neurologic: *AnestInh-syst.* [*Nitrous Oxide*]

mild (tinnitus, miosis, hyperreflexia): *Nitrop-syst.*

neuropsychiatric toxicity: *Acyc-syst.*

progressive (blurred or double vision; difficulty in walking; drooping eyelids; headache; jaw pain; numbness or tingling in fingers and toes; pain in fingers and toes; pain in testicles; weakness): **Vinc-syst.**

NEUTROFILIA (calafrios, febre ou dor de garganta) (Ver TESTES DIAGNÓSTICOS, Hemograma): *Acyc-syst., ColSF-syst., Pegf-syst.*

NEUTROPENIA (fezes escuras ou tipo alcatrão; calafrios; tosse; febre; parte inferior ou lateral das costas; micção dolorosa ou difícil; pele pálida; falta de ar; dor de garganta; úlceras, feridas ou manchas brancas na boca; sangramento incomum ou equimoses; cansaço incomum ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma): **AbLamZid-syst., Acyc-syst., Albd-syst., Alemt-syst., Aman-syst., Amio-syst., Anak-syst., AngIn-syst., AngInH-syst., Anid-syst., AntinfN-syst.** [*Piroxicam*], *AntfunA-syst., Aprep-syst., ArsTr-syst., Azac-syst., Aztr-syst., Benzod-syst., Bevac-syst., Bort-syst. Cand-syst., Capec-syst., Carbopl-syst., Cefu-syst., Ceph-syst., Chloramb-syst., Chloroq-syst., Cid-syst., Clar-syst., Clind-syst., Clofar-syst., Clop-syst., CytL-int., DauL-syst., DecAn-syst.* [*Ibuprofen-containing combinations*], **Docet-syst., DoxorL-syst., Doxyc-syst., EnaF-syst., Enf-syst., Epir-syst., Etan-syst., Fluda-syst., Gemc-syst., Gold-syst., HistH2-syst., Hydxyc-syst., Hydxyu-syst., Ibr-syst., Ima-syst., Infl-i-syst., IntG-syst., Iri-syst., Isot-syst., Lami-syst., LamiZ-syst., Lamo-syst., Lans-syst., Lef-syst., Len-syst., Leve-syst., Linc-syst., Meb-syst., Melp-syst., Mero-syst., Mesa-reloc., Mica-syst., Miglu-syst., Mir-syst., Moe-syst., MoeH-syst., Mur-syst., Myc-syst., Ned-inhloc., Nev-syst., Omep-syst., Oxa-syst., Pac-syst., PacP-syst., Pam-syst., PegiA2a-syst., PegiA2b-syst., Peme-syst., Penicil-syst., PenicilB-syst., Penta-syst., Procai-syst., Rabe-syst., Ras-syst., Riba-syst., Rifab-syst., Rifap-syst., Ril-syst., Ritu-syst., Sir-syst., Sor-syst., Sulfas-syst., Tem-syst., Teni-syst., Terb-syst., Thali-syst., Tic-syst., Tini-syst., Toc-syst., Topo-syst., TosI-syst., Trand-syst., TrandV-syst., Tras-syst., Trimethop-syst., Trimetr-syst., Valg-syst., Vals-syst., ValsH-syst., Van-syst., Ven-syst., Zalc-syst., Zid-syst., ZinS-syst., Zole-syst.**

enterocolitis, neutropenic (abdominal pain, cramping, or tenderness; diarrhea; vomiting nausea; fever; chills; muscle pain): *Docet-syst.*

febrile: *ArsTr-syst., Azac-syst., Clofar-syst., Docet-syst., Gemc-syst., Gemt-syst., Ibr-syst., Iri-syst., Len-syst., Mica-syst., PacP-syst., Pegf-syst., Peme-syst., Ras-syst., Topo-syst., Tras-syst.*

infection, neutropenic: *Iri-syst., Melp-syst., Pac-syst., Topo-syst.*

grade 3 or 4: *Peme-syst.*

mild: *Succ-syst.*

moderate, to: *Succ-syst.*

moderate: *Succ-syst.*

renal function impairment, patients with: **EnaF-syst.**

severe: **Clad-syst.**, *Myc-syst.*

NICOTÍNICOS, EFEITOS (crescente fraqueza muscular ou paralisia, especialmente nos braços, pescoço, ombros e língua; câibras ou contrações musculares): *Antm-syst.*

NITRITÓIDES, REAÇÕES (reações severas de vasodilatação) (tonturas; sensação de fraqueza, rubor ou vermelhidão do rosto; transpiração aumentada; náusea com ou sem vômitos; fraqueza; dificuldade em respirar ou engolir; desmaios; pulsação lenta; grandes inchaços na face, pálpebras, boca, lábios ou língua; espessamento da língua): *Gold-syst.*

OBESIDADE (Ver Peso): *Proge-syst.*

central: *Del-syst.*, *Fosam-syst.*

OSMOLARIDADE, ALTERAÇÕES na (pressão osmótica) (Ver TESTES DIAGNÓSTICOS).

hyperosmolality: *SodBeSP-syst.*

infants: *Silv-top.*

hyposmolality: *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*]

OSSOS, TRANSTORNOS dos ou **OSTEOPATIAS** (deformidade óssea; diminuição da altura; dificuldade no movimento ou andando; dor de cabeça; perda de audição; dor nas costas, costelas, braços ou pernas; vermelhidão ou inchaço nos braços ou pernas) (Ver Exostose; EXTREMIDADES): *Adal-syst.*, *Cele-syst.*, *Isot-syst.*, *Teno-syst.*

adynamic bone disease (low bone turnover): *Cinac-syst.*

calcifications (See Calcifications).

density, decreased.

males who have had an orchiectomy or who have been treated with a gonadotropin-releasing hormone analog [GnRHa]: *Gos-syst.*

mineral density, loss of: *Proge-syst.*

female patients: **Nafa-syst.**

epiphyseal closure (See Epiphyseal Closure).

exostosis (See Exostosis).

fluorosis, skeletal: *SodF-syst.*

fractures (See Fractures).

musculoskeletal changes or effects (bone fractures; muscle wasting and weakness; involuntary movements; paralysis of legs): *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, *Iopa-syst.*

necrosis (See Necrosis).

osteoarthritis (pain, swelling, or redness in joints; muscle pain or stiffness; difficulty in moving): *Estro-syst.*

aggravated: *Tram-syst.*

localized (difficulty in moving; muscle pain or stiffness; pain, swelling, or redness in joints): *Iba-syst.*

osteomalacia (See Osteomalacia).

osteomyelitis (See Inflammation).

osteopenia (See Osteopenia).

osteoporosis (See Osteopenia).

osteosclerosis: SodF-syst.

slipped capital femoral epiphysis (limp; pain in hip or knee): *Mecas-syst.*

children: *GroH-syst.*

tenderness.

continuing.

patients with Paget's disease: **Etid-syst.**

increased.

patients with Paget's disease: **Etid-syst.**

recurrent.

patients with Paget's disease: **Etid-syst.**

OSTEOMALÁCIA (fraturas ósseas, especialmente do fêmur): *Etid-syst.*, SodF-syst.

osteoporosis, with, due to phosphate depletion (bone pain; swelling of wrists or ankles): *Antac-orloc.* [*Aluminum-containing*]

OSTEOPENIA, osteoporose.

density, bone, decreased: *Leup-syst.*, *Mom-inhloc.*

males who have had an orchiectomy or who have been treated with a gonadotropin-releasing hormone analog [GnRHa]: *Gos-syst*

mineral density, loss of.

female patients: **Nafa-syst.**

vertebral trabecular bone density, loss of: *Leup-syst.*

osteomalacia, with, due to phosphate depletion (bone pain; swelling of wrists or ankles): *Antac-orloc.* [*Aluminum-containing*]

osteopenia (bone pain, tenderness, or aching; loss of appetite; muscle weakness; unusual weight loss): *Barb-syst.*, *Carbam-syst.*, *Cortic-rec.*, *Isot-syst.*

osteopenic effect, weak.

dogs: *Dal-syst.*

osteoporosis (pain in back, ribs, arms, or legs; decrease in height; includes vertebral compression and long bone pathologic fractures): *Cholest-orloc.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Dal-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Hepar-syst.*, *Isot-syst.*, *Nad-syst.*, *Proge-syst.*, **Sir-syst.**, *Tacro-syst.*

fracture, osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*

risk of: *Nad-syst.*

vertebral compression and long bone pathologic fractures, with: *CorticG-syst.*

OSTEOPOROSE (Ver Osteopenia).

PANCITOPENIA (febre alta; calafrios; hemorragias nasais, sangramentos ou contusões incomuns; fezes sangrentas, pretas ou tipo alcatrão; pele pálida; cansaço ou fraqueza incomum; tosse; falta de ar; feridas, úlceras ou manchas brancas na boca ou nos lábios;

glândulas inchadas) (Ver Anemia; Hemorragia; Leucopenia; Neutropenia; Trombocitopenia; TESTES DIAGNÓSTICOS, Hemograma): *Adal-syst.*, *Alemt-syst.*, *Amio-syst.*, *Amsa-syst.*, *AngIn-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdiaS-syst.*, *Aztr-syst.*, *Bevac-syst.*, *Busu-syst.*, *Capec-syst.*, *Carbam-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Clad-syst.*, *Dacti-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Etan-syst.*, *Ethc-syst.*, *Fel-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Gold-syst.*, *HistH2-syst.*, *Ibr-syst.*, *Imm-syst.*, *Infli-syst.*, *IntB1a-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Leve-syst.*, *Line-syst.*, *Mesa-reloc.*, *Pantop-syst.*, *Paro-syst.*, *Pegf-syst.*, *PerpA-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ras-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Sir-syst.*, *Ske-syst.*, *Sulfi-syst.*, *Terb-syst.*, *Thie-syst.*, *Thiog-syst.*, *Tic-syst.*, *Tinz-syst.*, *Vac-syst.*, *Valg-syst.*, *Ven-syst.*, *Vor-syst.*, **Zole-syst.**

geriatric patients: **AntinfN-syst.**

reversible (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; unusual bleeding or bruising; black, tarry stools; blood in urine or stools; pinpoint red spots on skin): *Chloramb-syst.*

PANCREATITE (dor e distensão abdominal; febre; náuseas, vômitos; inchaço; calafrios; prisão de ventre; urina escura; pulsação rápida; indigestão; falta de apetite; dores no estômago ou no abdômen [lateral], possivelmente irradiando para trás; pele ou olhos amarelados): *Abac-syst.*, **AbLam-syst.**, *AbLamZid-syst.*, *Acit-syst.*, *Amio-syst.*, *AmlodBen-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.*, *Antcoa-syst.*, **Aspar-syst.**, *Atorv-syst.*, *Bex-syst.*, *BetBAT-syst.*, *Bex-syst.*, *Busu-syst.*, *Cele-syst.*, *Cholest-orloc.*, *Clofib-syst.*, *ClonC-syst.*, *ConjE-syst.*, *Cortic-rec.*, *CorticG-syst.*, *Cyclosp-syst.*, *Cyp-syst.*, *Daps-top.*, *Den-syst.*, *DicM-syst.*, *Did-syst.*, *DiphenA-syst.*, *DiuL-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Dol-syst.*, *Don-syst.*, *Efav-syst.*, *EmtT-syst.*, *Enf-syst.*, *Eryts-syst.*, *Eso-syst.*, *Estro-syst.*, *EstroP-syst.*, *Etan-syst.*, *Ezet-syst.*, *EzetS-syst.*, *Fenof-syst.*, *Fludro-syst.*, *Fluox-syst.*, *Gef-syst.*, *Glut-syst.*, *GroH-syst.*, *HistH2-syst.* [*Cimetidine*; *Ranitidine*], *Indin-syst.*, *Isot-syst.*, **Lami-syst.**, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Leve-syst.*, *LosH-syst.*, **Meg-syst.**, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *Methy-syst.*, *MethyTD-syst.*, *Metro-syst.*, *Moe-syst.*, *Mont-syst.*, *Myc-syst.*, *Nitro-syst.*, *Ola-syst.*, *Ols-orloc.*, *Oxa-syst.*, *Pantop-syst.*, **Pegas-syst.**, **PegiA2b-syst.**, *Penic-syst.*, *Penta-inh.*, *Penta-syst.*, *PrazoP-syst.*, *Propo-syst.*, *Rifap-syst.*, *Risp-syst.*, *Riton-syst.*, *Sertr-syst.*, *Sir-syst.*, *Sor-syst.*, *Sta-syst.*, *SulfadP-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Tamo-syst.*, *Teno-syst.*, *Tetr-syst.*, *Thr-syst.*, *Topi-syst.*, *Tram-syst.*, *Tret-syst.*, *Vald-syst.*, *Valp-syst.*, *ValsH-syst.*, *Ven-syst.*, *Vino-syst.*, *VitDA-syst.*, *Zalc-syst.*

acute (bloating; chills; constipation; darkened urine; fast heartbeat; fever; indigestion; loss of appetite; nausea; pains in stomach, side, or abdomen, possibly radiating to the back; vomiting; yellow eyes or skin): *Bort-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *HMG-syst.* [*Simvastatin*, *Lovastatin*], *Ketor-syst.*, *Mem-syst.*, *Oct-syst.*, *Paro-syst.*

necrotizing (bloating; chills; constipation; darkened urine; fast heartbeat; fever; indigestion; loss of appetite; nausea; pains in stomach, side, or abdomen, possibly radiating to the back; vomiting; yellow eyes or skin): *Gadob-syst.*

possibly fatal: *LopiR-syst.*, *Sta-syst.*

hypersensitivity pancreatitis (severe stomach pain with nausea and vomiting): *Azat-syst.*, *Danaz-syst.*

Repertório - Capítulo GENERALIDADES

PARALISIA (bloqueio neuromuscular; dificuldade em respirar; sonolência; cansaço ou fraqueza incomum): *Aminglyc-syst.*, **BotA-parloc.**, *Bret-syst.*, *Capr-syst.*, *Chloramb-syst.*, *Cisat-syst.*, *Doxac-syst.*, *Gadob-syst.*, *Miv-syst.*, *Neo-orloc.*, *Neu-syst.*, **Roc-syst.**

animal studies: *Sum-syst.*

ascending paralysis of the central nervous system: *Colc-syst.*

block, neuromuscular (See Paralysis).

cranial nerve (weakness of the muscles in your face): *Oxa-syst.*

diplegia: *Sum-syst.*

flaccid: *Dof-syst.*

fluctuations, motor: *CarbidEL-syst.*, *Levod-syst.*

hemiplegia, one-sided paralysis (inability to move legs or arms; paralysis of one side of the body): *BronA-syst.* [*Ephedrine*, *Epinephrine*], **Carm-imploc.**, *Cyp-syst.*, *Ergon-syst.*, *Gadob-syst.*, *Methyler-syst.*, *Tret-syst.*, *Vasc-syst.*

transient: *Sum-syst.*

long-term: *Eno-syst.*

medullary: *Cyclope-oph.*

monoplegia: *Carm-imploc.*, *Sum-syst.*

motor “freezing” or blocks.

sensory block, and: *Anest-parloc.*

transient episodes of: *CarbidL-syst.*

muscular: *Citra-syst.* [*Potassium Citrate-containing*], *MagSup-syst.*, *PyreP-top.*, *Pyridos-syst.*

flaccid: *Coc-mucloc.*

increasing (especially in the arms, neck, shoulders, and tongue): *Antm-syst.*

one-sided (See hemiplegia).

paraplegia: *Dal-syst.*, *Eno-syst.*

paresis (partial or slight paralysis): *Imiq-top.*, *Tem-syst.*, *Vino-syst.*

hemiparesis: *Tem-syst.*

permanent: *Eno-syst.*

quadriplegia, quadraparesis, tetraplegia: *Fluorq-syst.* [*Norfloxacin*]

upper and/or lower extremities consistent with a demyelinating disease:
Clad-syst.

radial nerve palsy (weakness of wrist and fingers): *AnestBar-syst.*

sixth nerve: *Enf-syst.*

sixth cranial nerve: *Nali-syst.*

spasticity: **Tram-syst.**

spinal cord: *Ethan-parloc.*

PARAPROTEINEMIA (dor ou fratura nos ossos; coma; confusão; diminuição ou aumento da micção; depressão; tonturas; dor de cabeça; náuseas ou vômitos; pele pálida; falta de ar; sangramento incomum ou contusões; cansaço ou fraqueza incomum; distúrbios visuais) (Ver TESTES DIAGNÓSTICOS, Proteínas): *Adal-syst.*

PARASSIMPÁTICO, BLOQUEIO (Ver Anticolinérgicos, Efeitos; Sistema Nervoso Autônomo).

PARASSIMPÁTICO, ESTIMULAÇÃO (Ver Colinérgicos, Efeitos; Sistema Nervoso Autônomo).

PARESTESIA (Ver Sensibilidade).

PÊLOS, cabelos (Ver Capítulos ou Regiões Afetadas).

abnormalities: *Isot-syst.*

alopecia (See falls out in general).

bleaching: *Chloroq-syst.*

erection, pilomotor (piloerection, goosebumps, gooseflesh, increased pilomotor activity): *Chym-parloc.*, **Mido-syst.**, *Nalo-syst.*, *Tola-parsyst.*, *Tram-syst.*, *TramA-syst.*

animal studies: AntandN-syst. [Flutamide]

rodents: Gemif-syst.

falls out in general, alopecia (hair loss; thinning of hair): *AbLam-syst.*, **Acit-syst.**, *Acyc-syst.*, *Albd-syst.*, *AmlodAt-syst.* [Amlodipine], *Amsa-syst.*, *Anag-syst.*, *Anast-syst.*, *Andro-syst.*, *AntconD-syst.*, *AntdepT-syst.*, *AntfunA-syst.*, *Atorv-syst.*, *BetBA-oph.*, [*Betaxolol*, *Levobetaxolol*, *Timolol*], **Bevac-syst.**, **Bex-syst.**, *Bleo-syst.*, *Brin-oph.*, *Carbam-syst.*, *CarbidEL-syst.*, *Carbopl-syst.*, *Carm-syst.*, *Cele-syst.*, **Cetux-syst.**, *Colc-syst.*, **Cycloph-syst.**, *Cyp-syst.*, *Cyt-syst.*, *Dac-syst.*, **Dacti-syst.**, **Dau-syst.**, *DauL-syst.*, *Dic-top.*, *DicM-syst.*, *DiphtTTH-syst.*, *Dipy-syst.*, **Docet-syst.**, *Doxaz-syst.*, **Doxor-syst.**, **DoxorL-syst.**, *DrosEE-syst.*, *Efav-syst.*, *Efl-syst.*, **Epir-syst.**, *Erl-syst.*, *EstroPO-syst.*, *Etan-syst.*, **Etop-syst.**, *Exem-syst.*, *Fluda-syst.*, **Fluoru-syst.**, *Fluox-syst.*, *FollitB-syst.*, **Gemc-syst.**, *Gold-syst.*, *Hepar-syst.*, *HistH2-syst.* [*Cimetidine*, *Famotidine*, *Ranitidine*], *Hydxyc-syst.*, *Hydxyu-syst.*, **Ida-syst.**, **Ifo-syst.**, *Indin-syst.*, *IntA1-syst.*, *IntB1a-syst.*, *IntB1b-syst.*, **Iri-syst.**, *Isot-syst.*, *Lami-syst.*, *LamiZ-syst.*, **Lef-syst.**, *Let-syst.*, *Levam-syst.*, *Leve-syst.*, *Lit-syst.*, *Lom-syst.*, *Meb-syst.*, *Mech-syst.*, **MedE-syst.**, *Mef-syst.*, *Melo-syst.*, *Mesa-orloc.*, *Mesa-reloc.*, *MethotC-syst.*, *MethotNC-syst.*, *Methys-syst.*, *Metyra-syst.*, *Mitom-syst.*, **Mitox-syst.**, *Niti-syst.*, *Oct-syst.*, *Oxa-syst.*, **Pac-syst.**, **PacP-syst.**, **Pegf-syst.**, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, *Pentosa-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Procar-syst.*, *Proge-syst.*, *Pyridos-syst.*, **Ralt-syst.**, **RibaI-syst.**, *Ril-syst.*, *SelenSup-syst.*, **Sor-syst.**, **Teni-syst.**, *Thiot-syst.*, *Tiz-syst.*, **Topo-syst.**, **Tret-syst.**, **Urs-syst.**, **Valp-syst.**, *Vals-syst.*, **Vinb-syst.**, **Vinc-syst.**, *Vind-syst.*, **Vino-syst.**, *VitA-syst.*, **Zole-syst.**

increased: *Chloroq-syst.*, *ClotB-top.*, *NysT-top.*, *SelenS-top.*

partial: **IntA-syst.**, *Tamo-syst.*

reversible: *AtovaPro-syst.* [Proguanil], *Progu-syst.*

transient, temporary: *Nitro-syst.*

hypertrichosis (unusual and excessive hair growth on body and face): *AntconH-syst.*, [*Phenytoin*], *Basil-syst.*, *Cortic-rec.*, *ClotB-top.*, *Cortic-rec.*, *Cortic-top.*, *Diaz-orsyst.*, *DrosEE-syst.*, *EstroPO-syst.*, **Minox-syst.**, *NysT-top.*, *Proge-syst.*

hirsutism (hair growth stimulant): *Anth-top.*, *Bim-oph.*, *Cortic-ot.*, *Cortic-rec.*, *Cortic-top.*, *CorticG-syst.*, **Corticot-syst.**, **Cyclosp-syst.**, *Cyp-syst.*, *Estro-syst.*, *Fin-syst.*, *Fludro-syst.*, *Isot-syst.*, *Methox-syst.*, *Methox-top.*, *Metyra-syst.*, *Minox-top.*, *Nafa-syst.*, **Sir-syst.**

thinning of: Flox-syst., Tamo-syst.

PESO, ALTERAÇÕES do: MedE-syst.

gain, increased: **Aldes-syst.**, Anast-syst., **AntdepT-syst.**, **AntdiaS-syst.**, **Anthis-syst.** [**Cyproheptadine**], AnthisDAg-syst., Antthyr-syst., **Arip-syst.**, ArsTr-syst., Atorv-syst., Azel-nas., **Basil-syst.**, CalcCBA-syst. [**Flunarizine**], Capec-syst., CarbidL-syst., CarbidEL-syst., **Carv-syst.**, Cele-syst., Cev-syst., **ChlordA-syst.**, Cital-syst., **Cloz-syst.**, ConjE-syst., Cortic-inhloc., Cortic-nas. [**Dexamethasone**], Cortic-rec., **CorticG-syst.**, Cyp-syst., Darif-syst., DecAn-syst., Docet-syst., DrosEE-syst., **Estro-syst.**, EstroPO-syst., Etan-syst., **Eton-vag.**, Fluox-syst., Flut-inhloc., Fluv-syst., Gab-syst., Gla-syst., Gos-syst., **Hal-syst.**, Histr-syst., **Ima-syst.**, **Ins-syst.**, InsD-syst., IntB1b-syst., Iri-syst., Ketor-syst., **Ketot-syst.**, Let-syst., Levod-syst., Lit-syst., Lox-syst., Melo-syst., MetfP-syst., Methys-syst., **Mir-syst.**, NoreE-syst., **Ola-syst.**, Opr-syst., Paro-syst., **PerpA-syst.**, Phenot-syst., Pio-syst., **Pre-syst.**, **Proge-syst.**, **Que-syst.**, Ralo-syst., Ras-syst., **Risp-syst.**, Ritu-syst., Rof-syst., Rosi-syst., **Sir-syst.**, SodPhe-syst., Tacro-syst., Tem-syst., **Thiox-syst.**, Tram-syst., **Tret-syst.**, Vald-syst., **Valp-syst.**, Vig-syst., Vind-syst., **Zip-syst.**

5 to 10 pounds or more: **Aldes-syst.**

adult females and males: Leup-syst.

appetite, increased, with: **Thiox-syst.**

patients treated for female infertility: **FollitA-syst.**, **FollitB-syst.**

patients pretreated with a gonadotropin-releasing hormone agonist(GnRHa) undergoing assisted reproductive technology (ART): **FollitB-syst.**

related to carbohydrate craving: **AntdepMAO-syst.**

excess weight (obesity): **Proge-syst.**

excessive: **Guanad-syst.**, RosiM-syst.

females: **Danaz-syst.**, **Tamo-syst.**

adult: Leup-syst.

rapid: Acamp-syst., Allop-syst., **AntinfN-syst.**, AntconD-syst., Cetr-syst., ChorioA-syst., ChorioG-syst., Cital-syst., Clod-syst., Crom-inhloc. [Cromolyn (inhalation)], Dapt-syst., Del-syst., EmtT-syst., Ganir-syst., Mem-syst., Meno-syst., Mica-syst., Paro-syst., **Proge-syst.**, Sertr-syst., Tacro-top., Thr-syst., Uro-syst., Ven-syst.

slight: Clofib-syst.

loss, decreased: Amph-syst., Antac-orloc. [Aluminum-containing; Magaldrate], AntconD-syst., ArsTr-syst., Atom-syst., **Azac-syst.**, **Bevac-syst.**, Bleo-syst., **Bupro-syst.**, CarbidL-syst., CarbidEL-syst., **CarbonAI-syst.**, Carv-syst., Cefd-syst., **Cetux-syst.**, Cev-syst., Cital-syst., **Clofar-syst.**, Cortic-ot., Cortic-rec. [Tixocortol], Cyp-syst., Don-syst., DrosEE-syst., Dul-syst., EmtT-syst., **Enf-syst.**, **Erl-syst.**, Estro-syst., EstroPO-syst., Eton-vag., Fel-syst., Fent-trsyst., Fluox-syst., Fluv-syst., Fomi-parloc., **Gala-syst.**, **Gef-syst.**, Histr-syst., HydroI-syst., Infli-syst., IntB1b-syst., IntG-syst., IntA-syst., **Iri-syst.**, Isot-syst., Lamo-syst., Levod-syst., Map-syst., Melo-syst., **Metf-syst.**, Methylp-syst., **Miglu-syst.**, Nev-syst., NoreE-syst., Ola-syst., Paro-syst., PegiA2a-syst., **PegiA2b-syst.**, **Pemo-syst.**, Pentost-syst., Pimo-syst., Prami-syst., Ralt-syst., Risp-syst., Riton-syst., Ritu-syst., **Riv-syst.**, Ropin-syst.

Seleg-syst., **Sertr-syst.**, **Sir-syst.**, ThyH-syst., *Tiz-syst.*, *Topi-syst.*, **TosI-syst.**,
Tram-syst., *TramA-syst.*, **Tret-syst.**, **Valp-syst.**, **Ven-syst.**, *Vinc-syst.*, VitDA-syst.,
Zic-syst., *Zon-syst.*, **Zop-syst.**

children: CorticA-ot.

excessive: **Guanad-syst.**

females: **Tamo-syst.**

unexplained: *AntinfN-syst.*, **AntinfN-syst.** [Tolmetin], *Ethc-syst.*, **Lef-syst.**

PIRIDOXINA, deficiência de: *Ison-syst.*, *RifamI-syst.*

PITUITÁRIA, GLÂNDULA.

apoplexy, pituitary (altered mental status; cardiovascular collapse; double vision; headache, sudden; visual changes; vomiting): *Leup-syst.*

function, suppression of: ClotB-top.

suppression, hypothalamic-pituitary: *Corticot-syst.*

hypothalamic-pituitary-adrenal (HPA) function, suppression of:
Cortic-inhloc., *Cortic-nas.*, *Cortic-top.*, *Flut-nas.*

unresponsiveness, adrenocortical and pituitary, secondary (particularly in times of stress): *Fludro-syst.*

PLEIOCITOSE, líquido cefalorraquidiano (LCF) ou líquido (visão borrada, febre) (Ver TESTES DIAGNÓSTICOS, Líquido Cefalorraquidiano): *Levam-syst.*, *Resp-syst.*

granulocytic: *Resp-syst.*

POLIARTERITE NODOSA (Periarterite Nodosa ou Doença de Kussmaul) (dor abdominal; dores musculares; cansaço ou fraqueza incomum; febre, com ou sem calafrios; cefaléia; perda de apetite e de peso): *AntconH-syst.*

rats: *Fenol-syst.*

POLICITEMIA (dor abdominal; sangramento da gengiva ou do nariz; tontura; dor nos olhos; desmaios; dor de cabeça; batimento cardíaco irregular; perda de apetite; zumbido nos ouvidos; falta de ar; cansaço ou fraqueza) (Ver TESTES DIAGNÓSTICOS, Hemograma): *Adal-syst.*, *Darb-syst.*, **Epoe-syst.**, **Sir-syst.**

males: *Meno-syst.*

secondary (dizziness; flushing or redness of skin; headache, frequent or continuing; unusual bleeding; unusual tiredness): *Andro-syst.*

PORFIRIA (escurecimento da urina; pele com bolhas cheias de líquido; irritação da pele; fezes claras; sensibilidade ao sol; emagrecimento; pele ou olhos amarelos): *Maf-top.*, *Niti-syst.*, *Paro-syst.*

aggravation of (darkening of urine; dark urine; fluid-filled skin blisters; itching of the skin; light-colored stools; sensitivity to the sun; skin thinness; yellow eyes or skin): *Estro-syst.*

attacks of acute intermittent (in susceptible patients): *ErgolM-syst.*

PRESSÃO ARTERIAL.

changes in: *Chloramp-ot.*

hypertension, increased blood pressure, hypertensive crisis (dizziness or fainting):

AcSodCit-syst., **Adal-syst.**, **Agal-syst.**, **Album-syst.**, *Alemt-syst.*, *Almot-syst.*, *Aman-syst.*, **AntinfN-syst.** [**Tolmetin**], *Aman-syst.*, *Amph-syst.*, *AmphoBCC-syst.*, *Anast-syst.*, *Andro-syst.*, *Anest-parloc.*, *Anid-syst.*, **AnthyGR-syst.**, *AntandN-syst.*, *Antcoa-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.* [*Amoxapine*], *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *Anththro-syst.*, *Arb-syst.*, *Arip-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *Barb-syst.*, **Basil-syst.**, *Ber-intloc.*, *BetBA-oph.* [*Levobetaxolol*, *Metipranolol*, *Timolol*], **BetBA-syst.**, **Bevac-syst.**, *BisSMT-syst.*, **Biv-syst.**, *Brim-oph.*, *BronA-inhloc.* [*Epinephrine*], *BronA-syst.* [**Epinephrine**], *Calcit-nassyst.*, *Capec-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Cele-syst.*, *Carbopl-syst.*, *Carm-imploc.*, *CetiP-syst.* [*Pseudoephedrine*], *Cev-syst.*, **Cinac-syst.**, *Cital-syst.*, *CitAGM-mucloc.*, **Clofar-syst.**, *Clon-parloc.*, *Clon-syst.*, *Clop-syst.*, *Cloz-syst.*, *Coc-mucloc.*, *ConjE-syst.*, *Cortic-nas.* [*Dexamethasone*], *Cortic-nas.*, *Cortic-ot.*, *Cortic-rec.*, *CorticG-syst.*, *Corticot-syst.*, **Cyclosp-syst.**, *Dacli-syst.*, *Dapt-syst.*, **Darb-syst.**, *Darif-syst.*, *DauL-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*, *Salicylate-containing combinations*], *Desf-inhsyst.*, *Dexmet-syst.*, *Dic-top.*, *DicM-syst.*, *Dihy-nassyst.*, **Dimer-syst.**, *Dinopst-parloc.*, *Dipi-oph.*, *Dipy-syst.*, *Docet-syst.*, *Dol-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxap-syst.*, *Doxep-top.*, *Doxyc-mucloc.*, *Drop-syst.*, *Epine-oph.*, **Epoe-syst.**, *Ert-syst.*, *Estro-syst.*, **EstroP-syst.**, *EstroPO-syst.*, *Etan-syst.*, *Etom-syst.*, *Eton-vag.*, **Exem-syst.**, **FacVIIa-syst.**, *FentD-syst.*, **Flavoc-syst.**, **Fludro-syst.**, *Flum-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Flut-inhloc.*, *FlutS-inhloc.*, *Fluv-syst.*, *For-inhloc.*, *Gadop-syst.*, *Gadov-syst.*, *Gals-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Gla-syst.*, *GlipM-syst.*, *Gluc-syst.*, *Gra-syst.*, **GroH-syst.**, *Hal-syst.*, **Hist-syst.**, *HydroxT-oph.*, **Iba-syst.**, *Ibut-syst.*, *Imiq-top.*, **IndiuC-syst.**, *IndiuS-syst.*, *Infli-syst.*, **IntB1b-syst.**, *Iopr-syst.*, *Iov-syst.*, *Ioxi-syst.*, *JapV-syst.*, **Keta-syst.**, *Ketor-syst.*, **Lef-syst.**, **Len-syst.**, *Let-syst.*, *Leval-inhloc.*, *Levod-syst.*, *Lym-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, **Methylp-syst.**, *Meto-syst.*, *Mica-syst.*, **Mido-syst.**, *Moc-syst.*, *Mod-syst.*, **Mur-syst.**, **Myc-syst.**, **Nalm-syst.**, *Nalo-syst.*, *Nalt-syst.*, *Nar-syst.*, *Nef-syst.*, *Nep-oph.*, *Nico-syst.*, *Ola-syst.*, *Opi-syst.*, *Opi-syst.*, *Oxym-nas.*, *Oxyt-syst.*, *PacP-syst.*, **Palif-syst.**, *Palo-syst.*, **Pam-syst.**, *Paro-syst.*, **Pegv-syst.**, *Pemo-syst.*, *Perg-syst.*, *Pheny-oph.*, *Pil-syst.*, **Por-syst.**, **Pral-syst.**, *Procar-syst.*, *Propo-syst.*, *Prota-syst.*, *Proti-syst.*, *Pse-syst.*, *Pyridos-syst.*, *Ras-syst.*, *Rem-syst.*, *Rep-syst.*, *Rifap-syst.*, *Rise-syst.*, *Ritu-syst.*, **Ritu-syst.**, *Riv-syst.*, *Riz-syst.*, *Roc-syst.*, *Ropin-syst.*, *Rosu-syst.*, *Seleg-syst.*, *Sertr-syst.*, *Sevo-inhsyst.*, *Sib-syst.*, *Sin-syst.*, **Sir-syst.**, *SodC-parloc.*, **SodO-syst.**, *Sol-syst.*, **Sor-syst.**, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *Tad-syst.*, *TecB-syst.*, *TecMer-syst.*, *TecTet-syst.*, *Telm-syst.*, **Teri-syst.**, *Testos-syst.*, *Thiox-syst.*, *Thr-syst.*, *Tinz-syst.*, *Tiop-syst.*, *Tolt-syst.*, *Tram-syst.*, *TramA-syst.*, *Trav-oph.*, **Tret-syst.**, *Trip-syst.*, *Tros-syst.*, *Vala-syst.*, *Vald-syst.*, *Valp-syst.*, *Vard-syst.*, **Vasc-syst.**, *Vaso-syst.*, **Ven-syst.**, *Ver-parloc.*, *VitDA-syst.*, *Vor-syst.*, *Yoh-syst.*, *Zic-syst.*, *Zolm-syst.*

aggravated: *Carbam-syst.*, *Dexmed-syst.*, *DrosEE-syst.*, *EstroPO-syst.*

arterial, extreme: *BronA-syst.* [*Epinephrine*]

dialysis patients with end-stage renal disease: **Levoca-syst.**

diastolic blood pressure.

systolic, and: **Dimer-syst.**

Repertório - Capítulo GENERALIDADES

exacerbation (See aggravated).
hypercalcemia, with: *CalcS-syst.*
increased (See aggravated).
increased risk of: *MedE-syst.*
intracranial (headache; nausea and vomiting; papilledema; decrease in vision; double vision; blurred vision; change in ability to see colors, especially blue or yellow): *Carm-imploc.*, *Mecas-syst.*, *Tret-syst.*
mild: *Imm-syst.*, *Ril-syst.*, *TecAp-syst.*
 moderate, to: *Ril-syst.*
 transient, and: *Iob-systthe.*
moderate: *Ril-syst.*
pediatric patients: *Clon-syst.*
portal: *VitA-syst.*
postpartum: *Bromo-syst.*
pulmonary, and: *Prota-syst.*
reflex: *Alpr-loc.*, *Minox-top.*
sitting: *Mido-syst.*
slight: *Desm-syst.*
 transient, and: *Iob-systthe.*
sudden and severe: *Ergon-syst.*, *Methyler-syst.*
supine: *Mido-syst.*
systolic blood pressure.
 200 mmHg, of about: *Mido-syst.*
 diastolic, and: **Dimer-syst.**
 heart rate, rapid increases in, and: *Arb-syst.*
transient, transitory: *Amif-syst.*, *Bret-syst.*, *TecE-syst.*, *Zip-syst.*
 slight, and: *Iob-systthe.*
unspecified essential: *Doxyc-mucloc.*
worsening (See aggravated).
hypotension (dizziness, lightheadedness, or fainting, low blood pressure; unusual tiredness or weakness; blurred vision; confusion; dizziness, faintness, or lightheadedness when getting up from a lying or sitting position suddenly; sweating): **Abac-syst.**, *AbLamZid-syst.*, **Abcix-syst.**, *Acetyl-syst.*, *Acyc-syst.*, **Agal-syst.**, **Aldes-syst.**, *Alemt-syst.*, *Alpha-syst.*, *Alpr-loc.*, *Alpr-syst.*, **Amif-syst.**, *AmincAc-syst.*, **Amio-syst.**, *Amlod-syst.*, *AmlodAt-syst.* [*Amlodipine*], **AmlodBen-syst.**, **AmphoB-syst.**, *AmphoBCC-syst.*, *AmphoBLC-syst.*, *Amsa-syst.*, *Anest-parloc.*, *AnestBar-syst.*, **AngIn-syst.**, **AngInH-syst.**, *Anid-syst.*, *AntinfN-syst.* [*Tolmetin*], *AntCoaC-syst.*, **Antcoa-syst.**, *AntconH-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.* [*Amoxapine*], *Anthis-syst.*, *AnthisP-syst.*, *Anththro-syst.*, *AntvCPOv-syst.*, **AppSupS-syst.**, *Aprot-syst.*, **Arb-syst.**, **Arg-syst.**, *Arip-syst.*, *ArsTr-syst.*, *Atrop-oph.*, **Azac-syst.**, *Azat-syst.*, *Aztr-syst.*, *BcgL-mucloc.*, *Bacl-intsyst.*, *Bacl-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*, *Codeine*], *Benzod-syst.*, *Ber-intloc.*, *BetBA-oph.* [*Levobetaxolol*], **BetBAT-syst.**, *Beth-syst.*, **Bevac-syst.**, **Biv-syst.**, *Bleo-syst.*, **Bort-syst.**, **Bos-syst.**, *Bret-syst.*, *Brim-oph.*, **Bromo-syst.**, *BronA-inhloc.*, *BronA-syst.* [*Albuterol*, *Ephedrine*, *Isoproterenol*, *Metaproterenol*, *Terbutaline*], *BronT-syst.*, *Bupre-syst.*, *Butor-nasyst.*, *Cab-syst.*, **CalcCBA-syst.**, **CalcS-syst.**, **Cand-syst.**

CandH-syst., *Capec-syst.*, *Carbac-oph.*, *Carbam-syst.*, **Carbet-syst.**, *CarbidL-syst.*, *CarbidEL-syst.*, *Carm-imploc.*, **Carv-syst.**, *Cev-syst.*, *CharA-orloc.*, *ChlordA-syst.*, *Chloroq-syst.*, *Chym-parloc.*, *Cil-syst.*, *Cisat-syst.*, *Cital-syst.*, **Clofar-syst.**, **Clon-parloc.**, **Clon-syst.**, **ClonC-syst.**, **Cloz-syst.**, *Colc-syst.*, *ColSF-syst.* [*Sargramostim*], *Cop-syst.*, *CortO-systdia.*, *Cortic-ot.*, *Dacli-syst.*, *Dapt-syst.*, **Darb-syst.**, **Def-syst.**, **Den-syst.**, **Dexmed-syst.**, *Diat-syst.*, **Diaz-parsyst.**, *DicM-syst.*, *Dihy-nassyst.*, *Dipheni-syst.*, *DiphT-syst.*, *Dipy-syst.*, *DipyA-syst.*, *Diso-syst.*, **DiuL-syst.**, **DiuP-syst.**, **DiuPH-syst.**, **DiuT-syst.**, *Docet-syst.*, *Dol-syst.*, *Dom-syst.*, *Don-syst.*, *DorzT-oph.*, *Doxac-syst.*, **Doxaz-syst.**, **Drop-syst.**, *Dyp-syst.*, **EdC-syst.**, **EnaF-syst.**, **Epl-syst.**, **Epop-syst.**, **Epr-syst.**, **Ept-syst.**, *Ert-syst.*, **Esm-syst.**, *Etan-syst.*, **Ethc-syst.**, *Etom-syst.*, *FacVIIa-syst.*, **Fenol-syst.**, *Fent-syst.*, *Fent-trsyst.*, **FentD-syst.**, *Feru-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fome-syst.*, *Fon-syst.*, *For-inhloc.*, *Gab-syst.*, *Gadob-syst.*, *Gadot-syst.*, *Gadov-syst.*, *Gala-syst.*, *Gals-syst.*, **Gemt-syst.**, *GlipM-syst.*, *Gra-syst.*, **Guanab-syst.**, **Guanad-syst.**, **Guane-syst.**, *Hal-syst.*, *HepatBVR-syst.*, *Hyalur-parloc.*, **Hydra-syst.**, **HydraH-syst.**, *HydroI-syst.*, *HydroxT-oph.*, *Hydxcyc-syst.*, **Ibr-syst.**, *IbupO-syst.*, *Ibut-syst.*, **Ilo-inh.**, *Imig-syst.*, *Ina-syst.*, **Inda-syst.**, **IndiuC-syst.**, *IndiuPt-syst.*, *IndiuS-syst.*, **Infli-syst.**, *InsA-syst.*, *InsGla-syst.*, *InsGlu-syst.*, *InsL-syst.*, *IntG-syst.*, *Iodix-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Iot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, **Irb-syst.**, **Iri-syst.**, **Iron-syst.**, *Isox-syst.*, *Keta-syst.*, *Ketor-syst.*, *Ketot-syst.*, **Lar-syst.**, *Leval-inhloc.*, *Levom-syst.*, *Lid-syst.*, *Lid-top.*, **Los-syst.**, **LosH-syst.**, *MagSup-syst.*, *Map-syst.*, **Mecam-syst.**, *Mecl-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Methox-exsyst.*, **Methy-syst.**, **MethyTD-syst.**, *Meto-syst.*, **Metyro-syst.**, **Mida-syst.**, *Mil-syst.*, **Minox-syst.**, *Minox-top.*, *Mir-syst.*, *Mis-syst.*, *Miv-syst.*, *Moc-syst.*, *Mod-syst.*, **Moe-syst.**, **MoeH-syst.**, *Mor-syst.*, **Mur-syst.**, *Nab-syst.*, *Nalo-syst.*, *Nar-syst.*, *Natal-syst.*, **Nef-syst.**, *Nes-syst.*, *Neu-syst.* [*Atracurium*, *Gallamine*, *Tubocurarine*], *NiaL-syst.* [*Niacin*], *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nis-syst.*, **Nitra-syst.** [*Nitroglycerin*], **Nitri-inhloc.**, **Nitrop-syst.**, *Ola-syst.*, **Olm-syst.**, **OlmH-syst.**, *Ond-syst.*, **Opi-syst.**, *Oxc-syst.*, *Oxyt-syst.*, *Pac-syst.*, *PacP-syst.*, *Palo-syst.*, *Pam-syst.*, *Pap-syst.*, **Pare-syst.**, *Paro-syst.*, *Pegas-syst.*, **Penta-syst.**, **Perg-syst.**, **PerpA-syst.**, **Phenot-syst.**, **Phenox-syst.**, **Phent-syst.**, *Pil-syst.*, *Pimo-syst.*, **Por-syst.**, **Prazo-syst.**, **PrazoP-syst.**, *Proge-syst.*, *Propa-syst.*, **Propo-syst.**, *Que-syst.*, *Quid-syst.*, **Rau-syst.**, **RauT-syst.**, **Rem-syst.**, **ReseHH-syst.**, *Ret-syst.*, *Rime-oph.*, *Risp-syst.*, **Ritu-syst.**, *Riv-syst.*, *Roc-syst.*, *Ropin-syst.*, **Ropiv-parloc.**, *Seleg-syst.*, *Sertr-syst.*, **Sevo-inhsyst.**, *Sin-syst.*, *Sir-syst.*, *SodBeSP-syst.*, *SodC-parloc.*, **SodN-syst.**, *Sum-syst.*, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *Tad-syst.*, *TecF-syst.*, *TecSul-syst.*, *TecTeb-syst.*, *TecTet-syst.*, *Teli-syst.*, **Telm-syst.**, **TelmH-syst.**, *Teni-syst.*, **Tera-syst.**, *Thali-syst.*, *Thall-syst.*, *Thie-syst.*, *Thiox-syst.*, **Thr-syst.**, *ThyrA-syst.*, *Tinz-syst.*, **Tiz-syst.**, **Tola-parsyst.**, *Tolc-syst.*, **Tors-syst.**, **TosI-syst.**, *TramA-syst.*, **Trand-syst.**, **TrandV-syst.**, *Trane-syst.*, *Tras-syst.*, *Trav-oph.*, *Traz-syst.*, *Trep-syst.*, **Tret-syst.**, **Trimetha-syst.**, *Vac-syst.*, *Valp-syst.*, **Vals-syst.**, **ValsH-syst.**, *Van-syst.*, *Vard-syst.*, *Vasc-syst.*, *Ven-syst.*, *Vig-syst.*, *Vor-syst.*, *Zale-syst.*, *ZinS-syst.*, *Zolp-syst.*, *Zic-syst.*, *ZinS-syst.*, **Zole-syst.**, *Zolp-syst.*, *Zon-syst.*

acute hypotensive crisis: *Phenot-syst.*

adults: *Sevo-inhsyst.*

asymptomatic: **Nes-syst.**

collapse, hypotensive: *Ioxa-syst.*
 congestive heart failure, with: *Diso-syst.*
 convulsion associated with hypotension: *Amif-syst.*
 diastolic blood pressure, maternal, reduction (lightheadedness or dizziness):
Ritod-syst.
 hypoxia associated with hypotension: *Amif-syst.*
 infertility, female, patients treated for: *FollitA-syst.*
 mild: *Imm-syst.*, *TecAp-syst.*
 moderate, to: *Imm-syst.*
 severe, to: *TecAp-syst.*
 moderate: **CalcS-syst.** [**Calcium Chloride**], *Imm-syst.*
 mother and baby during use for delay of premature labor: *Isox-syst.*
 orthostatic, postural and/or supine (chills; cold sweats; confusion; fainting;
 dizziness or lightheadedness, especially when getting up from a lying or
 sitting position): *Aman-syst.*, *Aminglut-syst.*, *Amlod-syst.*, **AmylN-syst.**,
Antchsp-syst., **AntdepMAO-syst.**, **AntdepT-syst.**, *Antdys-syst.*, *Atom-syst.*,
Atorv-syst., *Barb-syst.*, *BetBA-syst.*, *Beth-syst.*, *Bret-syst.*, **Bromo-syst.**, *Cab-*
syst., *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, **ChlordA-syst.**, *Cil-syst.*,
Cital-syst., *Clon-syst.*, *ClonC-syst.*, **Cloz-syst.**, *Diaz-parsyst.*, *Diett-top.*,
DiuPH-syst., *DiuT-syst.*, *Doxaz-syst.*, *Dron-syst.*, *Dul-syst.*, **EdD-syst.**, *Enta-*
syst., *ErgolM-syst.*, **Ethi-syst.**, *Fent-trsyst.*, **Guanad-syst.**, **Guane-syst.**,
Hal-syst., *Ibut-syst.*, *Ive-syst.*, *Levod-syst.*, *Levom-syst.*, **Lox-syst.**, **Mecam-**
syst., *Methy-syst.*, **MethyTD-syst.**, **Methys-syst.**, *Mir-syst.*, *Mitot-syst.*,
Moc-syst., **Moli-syst.**, *Nab-syst.*, **Nef-syst.**, **Nitra-syst.**, **Ola-syst.**, *OlmH-*
syst., **Opi-syst.**, **Pare-syst.**, *Paro-syst.*, *Perg-syst.*, **PerpA-syst.**, **Phenot-**
syst., **Phenox-syst.**, *Phent-syst.*, **Pimo-syst.**, **Prami-syst.**, **Prazo-syst.**,
PrazoP-syst., *Procar-syst.*, *Que-syst.*, *Risp-syst.*, *Riton-syst.*, **Ropin-syst.**,
Seleg-syst., *Sild-syst.*, **Sir-syst.**, *Ske-syst.* [*Carisoprodol*], *Tad-syst.*, *Tams-*
syst., *Teg-syst.*, *Tera-syst.*, *Thie-syst.*, **Thiox-syst.**, **Tolc-syst.**, *Tors-syst.*,
Tram-syst., *Trimetha-syst.*, *Valp-syst.*, *Vals-syst.*, *Vard-syst.*, *Ven-syst.*, *Zic-*
syst., *Zip-syst.*
 mild to severe: **AntdepMAO-syst.**
 morning: *Guanad-syst.*, **Guane-syst.**
 volume depletion or massive diuresis, with: **DiuL-syst.**, *Inda-syst.*
 pediatric patients: *Sevo-inhsyst.*
 persistent: *Aminglut-syst.*
 prolonged: *Aden-syst.*
 severe (fainting, syncope): *AnestBar-syst.*, *AnestInh-syst.*, *AntCoaC-syst.*,
AntglaC-oph., *AnthisD-syst.*, *CetiP-syst.* [*Cetirizine*], *Desf-inhsyst.*, *Gadop-*
syst., *JapV-syst.*, *Neu-syst.*, *Proti-syst.*, *Procai-syst.*, *Proti-syst.*, *TecAp-syst.*
 edema, pulmonary, with.
 cardiomyopathy, hypertrophic (HCM), patients: *TrandV-syst.*
 [*Verapamil*]
 hypovolemic patients: *AnestBar-syst.*
 sudden: *Busu-syst.*, *DecAn-syst.* [*Ibuprofen-containing*
 combinations], *Diett-top.*

shock, profound, including: **Mur-syst.**

sudden: **Prota-syst.**

severe: *Busu-syst., DecAn-syst.* [*Ibuprofen-containing combinations*],
Diett-top.

syncope, and: *Abar-syst.*

tachycardia, supraventricular, associated with hypotension: *Amif-syst.*

transient, temporary: *Desm-syst., Etop-syst., Iodip-syst., Procai-syst., VitK-syst.*

irregular, fluctuations: *AppSupS-syst., Cloz-syst., Dexmed-syst., Dipy-syst., Hal-syst., Lox-syst., Moli-syst., Ola-syst., Perg-syst., PerpA-syst., Phenot-syst., Pimo-syst., Que-syst., Risp-syst.*

unrecordable: *Epop-syst.*

PROLACTINEMIA (inchaço das mamas e/ou secreção de leite incomum) (Ver PEITO, Leite; GENITALIA FEMININA, Lactação, Prolactina; TESTES DIAGNÓSTICOS): *Cital-syst., Fluox-syst., Paro-syst., Risp-syst., Sertr-syst.*

PSICOSSOMÁTICA, REAÇÃO (alterações na visão; calafrios; efeitos sobre o SNC [dormência, formigamento ou fraqueza nas mãos ou pés]; confusão; tonturas ou vertigens; cefaléia; aumento da sudorese; aumento da salivação; náusea ou vômito; cansaço ou fraqueza; sede incomum) (Ver MENTAL): *Diat-syst., Iot-syst.*

PULMONARES, TRANSTORNOS (Ver PEITO, Afecções; TESTES DIAGNÓSTICOS, Peito, Testes).

lungs (See Inflammation, lungs; Infection; Fibrosis): *Adal-syst., AntandN-syst.,* [Nilutamide], *Bos-syst., Cetux-syst., Erl-syst., Etan-syst., Fluoru-syst., Gef-syst., IbupO-syst., Lef-syst., Leval-inhloc., Mann-syst., Mitom-syst., Mont-syst., Myc-syst., PacP-syst., Penta-inh., Ritod-syst., Sir-syst., Tret-syst., Vino-syst.*

air leak syndrome, pulmonary (See Air Leak Syndrome).

artery, pulmonary, damage to the (See Artery).

asthma (See Inflammation, lungs, asthma; RESPIRATION, Asthma)

Bacillus Calmette-Guérin (BCG) infection (See Infection).

bronchitis (See Inflammation, lungs, asthma; RESPIRATION, Asthma)

bronchospasm, bronchoconstriction (See Inflammation, lungs; RESPIRATION, Distress)

bronchospastic allergic reaction (See Inflammation, lungs, asthma; RESPIRATION, Asthma)

cardiopulmonary dynamic, alteration of, significant: *Mann-syst.*

disorders (chest pain; cough; shortness of breath or troubled breathing):
AntandN-syst., IbupO-syst., Leval-inhloc., Zic-syst.

lung function, decreased; diffusion capacity, decrease in (difficulty in breathing) (See RESPIRATION, Failure, respiratory).

prior, worsening of (difficulty in breathing worsening): *Etan-syst.*

embolism, pulmonary (See Embolism).

Repertório - Capítulo GENERALIDADES

eosinophilia, pulmonary (chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Pyrim-syst.*, *Ven-syst.*

fibrosis (See Fibrosis).

granulomatous inflammation and chronic alveolitis.

chronic toxicity studies in rats: *AntandN-syst.* [*Nilutamide*]

hypoplasia, pulmonary (See Hypoplasia).

infarction, pulmonary (See Infarction, pulmonary).

infections (See Infection).

inflammation (See Inflammation).

interstitial lung disease (cough; difficult breathing; fever; shortness of breath): *Adal-syst.*, *Cetux-syst.*, *Erl-syst.*, *Etan-syst.*, *Gef-syst.*, *Lef-syst.*, *Myc-syst.*, *Sir-syst.*

fatal: *Gef-syst.*

pneumothorax (sudden onset of severe breathing; difficulty severe pain in chest): *PacP-syst.*, *Penta-inh.*

pulmonary symptoms, worsening of: *Mont-syst.*

pulmonary disease, pneumopathy (cough; shortness of breath): *Etan-syst.*, *Fluoru-syst.*, *Mitom-syst.*, *Tret-syst.*

tuberculosis (See Infection).

veno-occlusive disease, pulmonary (PVOD) (shortness of breath, fatigue on exertion, fainting, coughing up blood): *Bos-syst.*

PULSAÇÃO (Ver Pulso; PEITO, Arritmias).

PULSO (Ver Arritmias; Cardiovasculares, Transtornos).

extrasystoles: *Amif-syst.*, *AmlodAt-syst.* [*Amlodipine*]

ventricular: *Anid-syst.*

fast (tachycardia) (fast, pounding, or irregular heartbeat or pulse): *Acetyl-syst.*, *Adal-syst.*, *Agal-syst.*, *Album-syst.*, *AlbMic-syst.*, *Alemt-syst.*, *Aminglut-syst.*, *Alfuz-syst.*, *Almot-syst.*, *Alpha-syst.*, *Alpr-loc.*, *Alpr-syst.*, *Aman-syst.*, *AmlodBen-syst.*, **Amph-syst.**, *AmphoBCC-syst.*, *Amsa-syst.*, **AmylN-syst.**, **Anag-syst.**, *Antchsp-syst.* [*Glycopyrrolate*], *Anest-parloc.*, *AnestBar-syst.*, *AntinfN-syst.*, *AntCoaC-syst.*, **AnthyGR-syst.**, *Antchsp-syst.* [*Glycopyrrolate*], *AntdepMAO-syst.*, *AntdepT-syst.*, *AntdepT-syst.* [*Amoxapine*], *AntfunA-syst.* [*Itraconazole*], *Anthis-syst.* [*Azatadine*, *Cetirizine*, *Clemastine*, *Cyproheptadine*, *Desloratadine*, *Dexchlorpheniramine*, *Diphenhydramine*, *Loratadine*], *AnthisD-syst.*, *AnthisDAc-syst.*, *AnthisP-syst.*, *AntvCPOv-syst.*, *AppSupS-syst.*, *Arb-syst.*, *Arip-syst.*, *ArsTr-syst.*, *Atom-syst.*, *Atorv-syst.*, *AtropB-syst.*, **Azac-syst.**, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*, *Caffeine*], *Bell-syst.*, *Benzod-syst.*, *BetBA-oph.* [*Levobetaxolol*], **Bos-syst.**, **BronA-syst.**, *Bupro-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Carv-syst.*, *Cele-syst.*, *CetiP-syst.* [*Pseudoephedrine*], *Cev-syst.*, **Cil-syst.**, *Clop-syst.*, *Cloz-syst.*, *Cortic-inhloc.*

malignant: *Aman-syst.*

rapid increase of hart rate: *Arb-syst.*

reflex: *Amlod-syst.*

sinus tachycardia: **Aden-syst.**, **Aldes-syst.**

Repertório - Capítulo GENERALIDADES

torsades de pointes (chest pain or discomfort; irregular or slow heart rate; fainting; shortness of breath; sudden death; prolonged QT interval): *AntfunA-syst.*, *CalcCBA-syst.* [*Bepriidil*], *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *Diso-syst.*, **Dof-syst.**, *Eryts-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Gala-syst.*, *Levof-syst.*, *Nel-syst.*, *Paro-syst.*, *Penta-syst.*, *Propa-syst.*, *Quid-syst.*, *Tacro-syst.*, *Ven-syst.*, *Vor-syst.*

potentially fatal: *Propa-syst.*

QT prolongation, with (irregular or slow heart rate; recurrent fainting; sudden death): *Phenot-syst.*

ventricular: *Almot-syst.*, *Amsa-syst.*

paxoxymal: *Amio-syst.*

supraventricular: *Alpr-syst.*, *Amif-syst.*

allergic reaction, associated with: *Amif-syst.*

hypotension, associated with: *Amif-syst.*

weak, and: *AmylN-syst.*

fibrillation (See Arrhythmias).

imperceptible: *Nitrop-syst.*

irregular: *Adal-syst.*, *Almot-syst.*, *AmincAc-syst.*, *AmlodAt-syst.* [*Amlodipine*], **Amph-syst.**, *AmphoB-syst.*, *Amsa-syst.*, *Anest-oph.*, *Anest-parloc.*, *AngInH-syst.*, *AntCoaC-syst.*, *AntdepT-syst.*, *AntdepT-syst.* [*Amoxapine*], *AnthisD-syst.*, *AnthisDAC-syst.* [*Pseudoephedrine*], *AppSupS-syst.*, **Arip-syst.**, *ArsTr-syst.*, *Atom-syst.*, *Atorv-syst.*, *BarbAn-syst.* [*Caffeine*], *BetBA-oph.*, *Bupro-syst.*, *CarbidEL-syst.*, *Cloz-syst.*, *Dexmet-syst.*, *Doxaz-syst.*, **Flum-syst.**, *Mem-syst.*, *Mont-syst.*, *Pyridos-syst.*, *SodBeSP-syst.*, *Valp-syst.*

palpitations (See fast).

pounding: *Adal-syst.*, *Almot-syst.*, *Amlod-syst.*, *AntinfN-syst.* [**Fenoprofen**, *Naproxen*], *AntdepMAO-syst.*, *AnthisD-syst.*, *AnthisDAg-syst.*, *AnthisDAC-syst.*, *ArsTr-syst.*, *Atorv-syst.*, *Bacl-syst.*, *BetBA-oph.*, *Brim-oph.*

racing (See fast).

skipped beats: **Aden-syst.**

slow (bradycardia) (chest pain or discomfort; lightheadedness; dizziness or fainting; shortness of breath; slow or irregular heartbeat; unusual tiredness): *Abcix-syst.*, *Agal-syst.*, *Alpr-syst.*, *Amif-syst.*, *AmincAc-syst.*, *Amlod-syst.*, *Anest-parloc.*, *AnestInh-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.*, *AntglaC-oph.*, *AnthisDAC-syst.* [*Pseudoephedrine*], *AnthisP-syst.*, *Antm-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*, *Codeine*], *Benzod-syst.*, *BetBA-oph.*

sinus bradycardia: **Aden-syst.**, *Amio-syst.*

weak: *AngInH-syst.*

fast, and: *AmylN-syst.*

PÚRPURA (Ver PELE).

anaphylactoid (cough; difficulty swallowing; dizziness; fast heartbeat; hives, itching, puffiness or swelling of the eyelids or around the eyes, face, lips or tongue; shortness of breath; skin rash; tightness in chest; unusual tiredness or weakness; wheezing): *Doxyc-syst.*

Henoch-Schönlein purpura (blood in urine; bloody or black, tarry stools; fever; large, flat, blue or purplish patches in the skin; painful knees and ankles; raised red swellings on the skin, the buttocks, legs or ankles; stomach pain): CarbidEL-syst. [Entacapone], Los-syst., LosH-syst., Paro-syst., Vari-syst.

thrombocytopenic purpura (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; unusual tiredness or weakness; fever; skin rash): AntinfN-syst., AnthisP-syst., Capec-syst., DecAn-syst. [Ibuprofen-containing combinations], Fluox-syst., Gold-syst., Infli-syst., Linc-syst., MeaRV-syst., MeaV-syst., MeaMRV-syst., Mum-syst., PerpA-syst., Risp-syst., RubeM-syst., RubeV-syst.

idiopathic thrombocytopenic purpura (ITP) (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; unusual tiredness or weakness; fever; skin rash): Capec-syst., DiphtTTH-syst., Infli-syst.

thrombotic thrombocytopenic purpura (TTP, Moschcowitz disease, or hemolytic-uremic syndrome) (change in mental status; dark or bloody urine; difficulty speaking; fever; pale color of skin; pinpoint red spots on skin; seizures; weakness; yellow eyes or skin): Lans-syst., **Sir-syst.**, Tic-syst.

RABDOMIÓLISE (urina escura; febre; câibras, espasmos, dor, rigidez ou fraqueza muscular; cansaço ou fraqueza incomum; mioglobulinemia e mioglobulinúria): **AbLam-syst.**, Amio-syst., Atorv-syst., BronT-syst. [Theophylline], CarbidEL-syst., Cital-syst., Clofib-syst., Colc-syst., Danaz-syst., Del-syst., Enta-syst., Ezet-syst., Fenof-syst., HMG-syst., Isot-syst., Lami-syst., LamiZ-syst., Lamo-syst., Levof-syst., Levof-syst., Los-syst., LosH-syst., Nef-syst. [Nefazodone and Lovastatin, Nefazodone and Simvastatin], Neu-syst., Nia-syst., NiaL-syst., Ola-syst., Olm-syst., Pantop-syst., Pimo-syst., Prami-syst., Que-syst., Rabe-syst., Rosu-syst., SulfoT-syst., Telm-syst., Thr-syst., Tolc-syst., Tros-syst., Ven-syst., Zic-syst.

acute renal failure, secondary to myoglobinuria, with: AmincAc-syst., NiaL-syst.
severe: AntconH-syst.

RAQUITISMO (dor ou sensibilidade; perda de apetite; fraqueza muscular; perda de peso incomum): Barb-syst.

renal: Ifo-syst.

RAYNAUD, DOENÇA DE (Ver Cianose): Sum-syst.

REAÇÃO, falta de.

unresponsiveness: Chloramp-syst., Paliv-syst., Zic-syst.

REFLEXOS.

areflexia: Barb-syst., BarbAn-syst. [Barbiturates], **Cisp-syst.**, Clon-parloc., Coc-mucloc., Gals-syst., Nitrop-syst., Phenot-syst., Podop-top., Zop-syst.

deep tendon: MagS-syst., Oxa-syst.

bradykinetic episodes (slow movement; slow reflexes): CarbidEL-syst.

decreased (See hyporeflexia).

dysreflexia (facial flushing; headache; increased sweating; slow heartbeat): *Bacl-intsyst.*

hyperreflexia; hyperactive reflexes (overactive reflexes; increased or excessive unconscious or jerking movements): *Almot-syst., AntconH-syst., AntdepMAO-syst., AppSupS-syst., Carbam-syst., Coc-mucloc., Dexmet-syst., Doxep-top., Ethc-syst., Ison-syst., Lar-syst., Line-syst., MethyIp-syst., Nitrop-syst., Paro-syst., Phenot-syst., RifamI-syst., RifamIP-syst., SodTh-syst., Tamo-syst., Valp-syst.*

deep tendon: *Doxap-syst.*

hyporeflexia, followed by: *Carbam-syst.*

neonates: *Nalo-syst.*

hyporeflexia; decrease in: *AntdepMAO-syst., Barb-syst., Benzod-syst., Carbam-syst., Clon-parloc., Moc-syst., Podop-top., Sild-syst., Vig-syst., Zic-syst., Zop-syst.*

deep tendon: *MagS-syst.*

hyporeflexia, followed by: *Carbam-syst.*

neonates: *Nalo-syst.*

increased (See hyperreflexia).

loss of (See areflexia).

overactive reflexes: *Alos-syst., Cital-syst., Fluox-syst., Fluv-syst., Ltry-syst., Sertr-syst., Ven-syst.*

reduced (See hyporeflexia).

slowed (See hyporeflexia).

tendon, deep.

hypoactive: *MagS-syst.*

loss of: *MagS-syst., Oxa-syst.*

RESPIRAÇÃO (Ver RESPIRAÇÃO).

breathing patterns, bizarre: *CarbidEL-syst.*

Cheyne-Stokes respiration (alternating periods of shallow and deep breathing): *Barb-syst., BarbAn-syst. [Barbiturates], SodO-syst.*

RETENÇÃO.

fluid (swelling of ankles, feet or lower legs; pleural effusion, ascites, pulmonary edema, and rapid weight gain (with or without superficial edema)) (See Swelling; KIDNEYS; EXTREMITIES): *Bacl-syst., Bos-syst., ColSF-syst. [Sargramostim], Cortic-rec., DecAn-syst. [Ibuprofen-containing combinations], DicM-syst., Docet-syst., Estro-syst., Histr-syst., Ima-syst., Opr-syst., Pho-syst., Rosi-syst.*

females: *Tamo-syst.*

local: *Ima-syst.*

overhydration: *CarboE-syst.*

sodium, and (See KIDNEYS; EXTREMITIES): *Album-syst., Clon-syst., ClonC-syst., CorticG-syst., DrosEE-syst., Estra-syst., EstroPO-syst., Fludro-syst., Hydra-syst., Minox-syst., Minox-top.*

salt and water balance, abnormal: *Etom-syst.*

sodium (decrease in amount of urine; noisy, rattling breathing; shortness of breath; swelling of ankles, fingers, hands, feet, or lower legs; troubled breathing at rest; weight gain): *Cortic-rec., Estro-syst., InsD-syst., SodPol-loc.*

Repertório - Capítulo GENERALIDADES

fluid, and (See KIDNEYS; EXTREMITIES): *Album-syst.*, *Clon-syst.*, *ClonC-syst.*, *CorticG-syst.*, **DrosEE-syst.**, **Estra-syst.**, **EstroPO-syst.**, *Fludro-syst.*, *Hydra-syst.*, **Minox-syst.**, *Minox-top.*
salt and water balance, abnormal: *Etom-syst.*

RETICULOCITOPENIA (Ver TESTES DIAGNÓSTICOS, Hemograma): *Dacti-syst.*

RETICULOCITOSE (Ver TESTES DIAGNÓSTICOS, Hemograma): *Tic-syst.*

RETINÓIDES, EFEITOS (ressecamento da pele, boca ou nariz; perda de cabelo; dor de cabeça; coceira na pele; náuseas e vômitos): **Tret-syst.**

retinoic acid-acute promyelocytic leukemia (RA-APL) syndrome (bone pain; discomfort or pain in chest; fever; shortness of breath, troubled breathing, tightness in chest, or wheezing; weight gain; radiographic pulmonary infiltrates and pleural and/or pericardial effusions): **Tret-syst.**

RIGIDEZ (Ver EXTREMIDADES): *Alos-syst.*, *Aman-syst.*, *Carbam-syst.*, *Cloz-syst.*, *HepatAVI-syst.*, *Tolc-syst.*, **Zip-syst.**

cogwheel (incremental or ratchet-like movement of muscle; rigid or stiff muscles; muscle discomfort): *Paro-syst.*

joints: **AbLam-syst.**, *Hepar-syst.*, *Prazi-syst.*, *Nar-syst.*, *Riz-syst.*, *Tram-syst.*

adhesions (joint stiffness): *Chond-imploc.*

continuing and severe: *Prota-syst.*

internal bleeding, due to: *Hepar-syst.*

pain, with: *Anast-syst.*

pannus formation (inability to move joint): *Chond-imploc.*

severe and continuing: *Prota-syst.*

muscles: *AntdepMAO-syst.*, *AnthisP-syst.*, **Arip-syst.**, *Bacl-intsyst.*, *Busp-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *ChlordA-syst.*, *Cloz-syst.*, **Dihynassyst.**, *Hal-syst.*, *HydroxT-oph.*, *Nar-syst.*, *Nef-syst.*, *Ola-syst.*, *Opi-syst.*, *Pam-syst.*, *Paro-syst.*, *Phenot-syst.*, **Pral-syst.**, **Rem-syst.**, *Resp-syst.*, *Ril-syst.*, *Riz-syst.*, *Sertr-syst.*, *Sum-syst.*, *Thiox-syst.*, **Zip-syst.**

aching, and weakness: *Ipe-orloc.*

hypertonia (excessive muscle tone; muscle tension or tightness; muscle stiffness): **Acit-syst.**, *Almot-syst.*, *Aman-syst.*, *AmlodAt-syst.* [*Amlodipine*], *Atorv-syst.*, *BetBA-oph.* [*Levobetaxolol*], *Brin-oph.*, *Cele-syst.*, *Cev-syst.*, *ConjE-syst.*, *Dipy-syst.*, *Fluorq-syst.*, *Gadob-syst.*, *Gadov-syst.*, **Gla-syst.**, *IbupO-syst.*, *IntB1b-syst.*, **Leval-inhloc.**, *Mod-syst.*, *Nef-syst.*, *Ola-syst.*, *Pantop-syst.*, *Paro-syst.*, *PegiA2b-syst.*, *Pyridos-syst.*, *Que-syst.*, *QuinuD-syst.*, *Ritu-syst.*, *Rosu-syst.*, *Sild-syst.*, **Sir-syst.**, *TramA-syst.*, *Valp-syst.*, *Vard-syst.*, *Ven-syst.*, *Zale-syst.*, **Zic-syst.**, *Zip-syst.*

severe: *AntdepT-syst.* [*Amoxapine*], *AnthisP-syst.*, *Arip-syst.*, *CarbidEL-syst.*, *Don-syst.*, *Fluox-syst.*, *Hal-syst.*, *Lox-syst.*, *Map-syst.*, *Mem-syst.*, *Moli-syst.*, *Paro-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, *Que-syst.*, *Sertr-syst.*, *Thiox-syst.*, *Ven-syst.*

Repertório - Capítulo GENERALIDADES

skeletal muscles: *Hal-syst., Moli-syst., PerpA-syst., Phenot-syst., Risp-syst., Thiox-syst.*

stiffness, and: **Neu-syst. [Succinylcholine]**

tenseness and weakness, muscular: *CetiP-syst. [Pseudoephedrine]*

unexplained: *Cyclob-syst.*

severe: *Enta-syst., Meto-syst.*

RUBOR, ondas de calor (Ver Calor).

SACUDIDA ou tremedeira (Ver Tremores; EXTREMIDADES, Sacudida): *AmlodAt-syst. [Amlod-syst.], AppSupS-syst., Arip-syst., CarbidEL-syst., Dexmet-syst., Doxaz-syst., Enta-syst., Flec-syst., Flum-syst., Fluox-syst., Fluv-syst., Ltry-syst., Mem-syst., Mont-syst., Paro-syst., Phenot-syst., Pyridos-syst., Propa-syst., Sertr-syst., SodBeSP-syst., Toc-syst., Valp-syst., Ven-syst.*

SALICILISMO, efeitos dos salicilatos (barulho ou zumbido contínuo nos ouvidos; perda de audição; confusão; diarreia, dor de estômago e/ou dor de cabeça contínua ou severa; sonolência grave; tonturas ou vertigens; respiração rápida ou profunda; náuseas e/ou vômitos permanentes; movimentos incontroláveis das mãos, especialmente em pacientes idosos; aumento da sede; problemas de visão): *AspirSC-syst., AtropB-syst., BisS-orloc., Sal-syst., Sala-top.*

mild: *AnthisDAg-syst. [Salicylate-containing combinations], DecAn-syst. [Salicylate-containing combinations]*

severe (bloody urine; convulsions; fever; hallucinations; shortness of breath or troubled breathing): *AnthisDAg-syst. [Salicylate-containing combinations], DecAn-syst. [Salicylate-containing combinations]*

SANGRAMENTO (Ver Hemorragia).

SANGUE.

coagulation disorders (See Bleeding; Coagulation).

hemoconcentration: *Hal-syst.*

intensification of pre-existing: *Mann-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

hemorrhage (See Bleeding).

viscosity increases even further.

high normal serum viscosity in conditions such as cryoglobulinemia, hypercholesterolemia, or hypergammaglobulinemia, patients with: *Imm-syst.*

SEBORRÉIA (caspa; oleosidade em pele, couro cabeludo ou cabelo) (Ver PELE): *Atorv-syst., Cicl-top., Fluda-syst., Isot-syst., Ketoc-top. [Shampoo], Pil-syst., Risp-syst., Isot-syst., Nafa-syst., Pil-syst., Risp-syst.*

dermatitis, seborrheic: **Corticot-syst.**

Repertório - Capítulo GENERALIDADES

SEDAÇÃO ou efeitos sedativos (moleza, relaxamento, calma e/ou sonolência) (Ver Anestesia; MENTAL; SONO): *Almot-syst.*, *Busp-syst.*, *Capec-syst.*, *Clon-parloc.*, *Ketot-syst.*, *Metyro-syst.*, *Mis-syst.*, ***Phenot-syst.***, *Tram-syst.*, *Zic-syst.*, *Zip-syst.*

excessive: **Drop-syst.**, *Methy-syst.*, *Opi-syst.*

resedation, severe: *Flum-syst.*

SENSAÇÕES, como se (Ver MENTAL).

being outside the body, feeling of: *Methys-syst.*

cold, feeling: *Anest-mucloc.*, *Fro-syst.*, *Gadob-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lit-syst.*, *Mido-syst.*, *Ond-syst.*, *Riz-syst.*, *Sum-syst.*, **Vac-syst.**

constant movement of self or surroundings, feeling of: **Nali-syst.**

depersonalization, feelings of: *AntinfN-syst.*, *Bupre-syst.*, *Opi-syst.*

feeling of unreality; sense of detachment from self or body: *Clar-syst.*, *Fluorq-syst.*, *Paro-syst.*

drugged feelings: *Paro-syst.*, *Zolp-syst.*

drunkenness, feeling of: *Fome-syst.*

dizzy, and: **Alos-syst.**

floating feeling: *Butor-nasyst.*

heartbeat sensations: *AmlodBen-syst.*

heat, feeling of; warmth, feeling of; hot, feeling (See GENERALITIES, Heat): *Anest-mucloc.*, **Butor-nasyst.**, *CalcCBA-syst.* [**Nicardipine**, **Niferdipine**], **CalcS-syst.**, *Casp-syst.*, *DipyA-syst.*, *Fro-syst.*, *Iov-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lod-oph.*, *Ned-inhloc.*, **Nef-syst.**, *Nia-syst.*, *Prota-syst.*, *Pyridos-syst.*, *Riz-syst.*, *SodC-parloc.*, *Sum-syst.*, *Tram-syst.*, **Vac-syst.**

itching and burning feeling: *Hepar-syst.*

jittery, feeling: **Exen-syst.**

numb, feeling: *Anest-mucloc.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Sum-syst.*

panic-like sensation: *Meto-syst.*

pins and needles: *Cele-syst.*, *EmtT-syst.*, **Erl-syst.**, *FlutS-inhloc.*, **Lami-syst.**, **Peme-syst.**, **Pre-syst.**, *Ritu-syst.*, **Sir-syst.**, **Sor-syst.**

children: **Lami-syst.**

shock-like electrical: *Paro-syst.*, *Sertr-syst.*, *Ven-syst.*

stimulation, sense of: *CarbidEL-syst.*

“strange” feeling: *Sum-syst.*

tightness sensation: *Sum-syst.*

tingling sensation: **CalcS-syst.**, *Sum-syst.*

unreality, feelings of: *Bupre-syst.*, *Dron-syst.*, *Opi-syst.*

well-being, sense of: *Bupro-syst.*, *Seleg-syst.*

false: **Amph-syst.**, *Antchsp-syst.*, *Antdys-syst.*, **AppSupS-syst.**, *Bupre-syst.*, *Butor-nasyst.*, *Levom-syst.*, *Mep-syst.*, *Moli-syst.*, *Opi-syst.* [**Pentazocine**]

“wired”, feeling: *Levom-syst.*

SENSIBILIDADE (Ver Neuropatias).

awareness, sensory, heightened (change in your sense of smell, taste, sight, sound, or touch): *Dron-syst.*

dysesthesia (burning, crawling, itching, numbness, prickling, “pins and needles”, or tingling feelings): Alemt-syst., **Bort-syst.**, **Docet-syst.**, Oxa-syst., **Palif-syst.**, **Zic-syst.**

heat sensitivity: Riz-syst.

hyperesthesia, **hypesthesia** (increased sensitivity to pain, increased sensitivity to touch, burning, crawling, itching, numbness, prickling, “pins and needles”, or tingling feelings): Abcix-syst., **Acit-syst.**, Atorv-syst., Carv-syst., Cortic-top., Cyclosp-syst., Epop-syst., Fluorq-syst., Gab-syst., Gadob-syst., HepatBVR-syst., Lid-top., **Lym-syst.**, Mir-syst., Mor-syst., **Palif-syst.**, Pyridos-syst., Ritu-syst., Sild-syst., **Sir-syst.**, **SodO-syst.**, Tacro-syst., Tacro-top., Tad-syst., Vard-syst., Ver-parloc., Vino-syst., Zale-syst., Zic-syst.

hypoesthesia (decreased sensitivity to touch; “stocking and gloves” sensation of the hands or feet): Almot-syst., Arb-syst., **Azac-syst.**, Basil-syst., Cele-syst., Cev-syst., Clop-syst., Dipy-syst., Doxaz-syst., Efav-syst., Epop-syst., Estro-syst., Exem-syst., Glut-syst., **GroH-syst.**, IntAl-syst., **Len-syst.**, Lid-top., Mont-syst., Oxc-syst., **Palif-syst.**, Penc-top., Pil-syst., Topi-syst., Tram-syst., **Zole-syst.**

pain, to.

decreased: Chym-parloc.

increased: BarbAn-syst. [Caffeine], Basil-syst., Benzod-syst., Caff-syst.

paresthesia (burning, crawling, itching, numbness, prickling, “pins and needles”, stinging, or tingling feelings): AbLam-syst., Acamp-syst., Acit-syst., Acyc-syst., Adal-syst., **Agal-syst.**, Almot-syst., Amsa-syst., Anag-syst., Anast-syst., Anest-parloc., AntconD-syst., AnthemF-syst., Anthis-syst. [Dyproheptadine], AntvCPOv-syst., Arb-syst., ArsTr-syst., Atom-syst., Atorv-syst., Aztr-syst., **Bacl-intsyst.**, Basil-syst., Benzod-syst., BetBA-oph. [Timolol], **Bex-top.**, BisSMT-syst., **Bort-syst.**, Bupre-syst., Cab-syst., Capec-syst., Carbam-syst., CarbidEL-syst., **Carv-syst.**, Cele-syst., Cital-syst., Clop-syst., ClotB-top., Cyclosp-syst., Den-syst., **Dic-top.**, DicM-syst., **Dihy-nassyst.**, Dinopst-parloc., **Docet-syst.**, Dof-syst., Don-syst., Dorz-oph., DorzT-oph., Doxaz-syst., **Doxep-top.**, **DoxorL-syst.**, Efav-syst., Ele-syst., Emt-syst., EmtT-syst., **Epoe-syst.**, Epop-syst., Etan-syst., Exem-syst., **Fluda-syst.**, Fluorq-syst., Fro-syst., **Ful-syst.**, Gadob-syst., Gadop-syst., Gadov-syst., Gemc-syst., **GroH-syst.**, HepatAVI-syst., HepatAVIHB-syst., HydroI-syst., IntAl-syst., Iodix-syst., Iopr-syst., Ioxi-syst., Isot-syst., Lans-syst., **Lar-syst.**, Lef-syst., Leval-inhloc., Levam-syst., Leve-syst., Lid-top., Lind-top., **Lym-syst.**, Mef-syst., Melo-syst., Methy-syst., MethyTD-syst., **Miglu-syst.**, Minox-syst., Moc-syst., Mod-syst., Mont-syst., Mor-syst., Nali-syst., **Nar-syst.**, **Nef-syst.**, Nes-syst., Nev-syst., Nico-inhsyst., Ola-syst., Ond-syst., Opr-syst., Oxa-syst., **Palif-syst.**, Palo-syst., Paro-syst., **Pegv-syst.**, Pil-syst., Pip-syst., Probu-syst., QuinuD-syst., Rabe-syst., Ras-syst., Rep-syst., Ritu-syst., **Riz-syst.**, Ropin-syst., Ropiv-parloc., Rosu-syst., Saq-syst., Sertr-syst., Sib-syst., Sild-syst., **Sir-syst.**, **Sur-syst.**, **Tacro-syst.**, Tad-syst., TecF-syst., Teli-syst., Tem-syst., ThyrA-syst., Tia-syst., Tini-syst., Tiot-inhloc., **Tiz-syst.**, Tolc-syst., **Topi-syst.**, **Topo-syst.**, Tram-syst., TramA-syst., Tras-syst., **Tret-syst.**, **Vac-syst.**, **Valg-syst.**, Valp-syst., Vard-syst., Vari-syst., Vasc-syst., **Ven-syst.**, **Vig-syst.**, Vino-syst., Zale-syst., **Zic-syst.**, **Zole-syst.**, **Zolm-syst.**, Zon-syst., Zop-syst.

adult females and males: Leup-syst.

dialysis patients with end-stage renal disease: Levoca-syst.

Repertório - Capítulo GENERALIDADES

females: *Nafa-syst.*

neuropathy, peripheral, and (tingling, burning, numbness, or pain in the hands, arms, feet, or legs; sensation of pins and needles, stabbing pain; unsteadiness, awkwardness): **Lami-syst.**, *LamiZ-syst.*

children: **Lami-syst.**

peripheral (See EXTREMITIES, Paresthesia).

pruritus, and (burning; tingling; pain; or itching; occurring most commonly in groin areas, but also in face, scalp, head, and neck areas, in lower back, buttocks, and abdominal areas): *AntconH-syst.* [*Fosphenytoin*]

responsiveness to stimuli.

decreased, hyporesponsiveness (reaction lack): *Coc-mucloc.*, *Levom-syst.*

child, one: *DiphTT-syst.*

hypotonic-hyporesponsive episodes (collapse or shock-like state):

DiphTTH-syst., *DiphTTPV-syst.*, *DiphTTPVH-syst.*, *PneC-syst.*

unresponsiveness (See Reaction, lack of).

touch, to, increased: *BarbAn-syst.* [*Caffeine*], *Benzod-syst.*, *Caff-syst.*

SEPSE, septicemia (dor abdominal; calafrios; confusão; diarréia; tonturas; vertigens; desmaios; taquicardia; febre; respiração rápida e superficial; fraqueza muscular; erupção cutânea; náuseas; manchas vermelhas ou roxas na pele, variando em tamanho e permanecendo após pressionar a superfície da pele) (Ver Bacteremia; Falência; Febril, Reação): **Adal-syst.**, *Alemt-syst.*, *AngIn-syst.*, **AnthyGR-syst.**, *ArsTr-syst.*, *Biv-syst.*, *Busu-syst.*, *Capec-syst.*, *Carm-imploc.*, *Cele-syst.*, *Cetux-syst.*, *CitAGM-mucloc.*, **Clofar-syst.**, *Colc-syst.*, *Corticot-syst.*, **Darb-syst.**, *Efal-syst.*, **Epop-syst.**, *Etan-syst.*, **FatE-syst.**, **Gemt-syst.**, *Glut-syst.*, *Lef-syst.*, *Lep-syst.*, *Mero-syst.*, **MethotC-syst.**, *MethotNC-syst.*, *Myc-syst.*, *Niti-syst.*, **Nitri-inhloc.**, *Pegas-syst.*, *PegiA2a-syst.*, *Ras-syst.*, *Riba-syst.*, *Ritu-syst.*, **Sir-syst.**, *SodC-parloc.*, *Stro-syst.*, *Tacro-top.*, *Tic-syst.*, *Tiz-syst.*, *Valg-syst.*, *Vino-syst.*

bacteremia (rapid breathing; chills; fever; abdominal pain; nausea; diarrhea):

Clofar-syst., **Darb-syst.**

failure, multiple organ (See Failure): *Colc-syst.*

females: *Tamo-syst.*

immunodeficiency, congenital, with: *DiphTTH-syst.*

myelosuppression-related: *Iri-syst.*

nosocomial: *Ber-intloc.*

septic shock.

fatal: *Mif-syst.*

streptococcal, group A (chills; confusion; dizziness; lightheadedness; fainting; fast heartbeat; fever; rapid, shallow breathing): *Etan-syst.*

serious: *Adal-syst.*

fatal: *Adal-syst.*

worsening: *TecF-syst.*

SIMPÁTICA, ESTIMULAÇÃO (Ver Anticolinérgicos, Efeitos; Sistema Nervoso Autônomo).

SINAL DE LHERMITTE (Ver Imune, Transtornos, esclerose múltipla).

SÍNCOPE (Ver Desmaio).

SÍNDROME ARA-C (CITOSINA ARABINOSÍDEO) (dor óssea ou muscular; dor no peito; febre; sensação geral de desconforto, fraqueza ou doença; olhos avermelhados; erupções cutâneas): *Cyt-syst.*

SÍNDROME BUCOGLOSSAL (Ver BOCA): *Ola-syst.*

SÍNDROME CEREBELAR aguda (transtornos do equilíbrio): *Fluoru-syst.*

SÍNDROME CLÍNICA (broncoespasmo, eritema e hipotensão; sequelas incluindo dano cerebral por anóxia e morte): *Propo-syst.*

SÍNDROME COMPARTIMENTAL: *Gadop-syst.*

SÍNDROME DA ANGÚSTIA RESPIRATÓRIA DO ADULTO (SARA) (cianose; respiração rápida e superficial; falta de ar; aperto no peito; problemas respiratórios; respiração difícil, ofegante) (Ver RESPIRAÇÃO): **Abac-syst.**, *Aman-syst.*, *Amio-syst.*, *Colc-syst.*, **Def-syst.**, *Infl-syst.*, **Mur-syst.**, *Pegf-syst.*, *Ritu-syst.*, *Tras-syst.*, *Vac-syst.*

acute (blue lips, fingernails, or skin; difficult, fast or troubled breathing; shortness of breath; tightness in chest; wheezing): *Docet-syst.*, *Imm-syst.*, *Meno-syst.*, *Tal-intloc.*, *Vac-syst.*

SÍNDROME DA CAUDA EQUINA: *Anest-parloc.*

SÍNDROME DA HIPERESTIMULAÇÃO OVARIANA (SHEO) (dor abdominal ou de estômago; náuseas, vômitos ou diarreia contínua ou severa; oligúria; sensação de indigestão; inchaço moderado a grave; ganho de peso rápido; dor pélvica; falta de ar; inchaço das pernas): *Cetr-syst.*, *ChorioA-syst.*, *Ganir-syst.*

ascites, with: ChorioG-syst.

fluid, accumulation of, rapid, in the pleural and pericardial cavities, with ovarian hyperstimulation syndrome: ChorioG-syst.

gonadotropin-releasing hormone agonist (GnRHa), patients pretreated with a, undergoing assisted reproductive technology (ART): FollitA-syst., FollitB-syst.

hydrothorax, with: ChorioG-syst.

infertility, female, patients treated for: FollitA-syst., FollitB-syst.

pleural effusion, with: ChorioG-syst.

respiratory distress, acute, with: ChorioG-syst.

severe (severe abdominal or stomach pain; feeling of indigestion; moderate to severe bloating; decreased amount of urine; continuing or severe nausea, vomiting, or diarrhea; severe pelvic pain; rapid weight gain; shortness of breath; swelling of lower legs; marked increase in vascular permeability): *ChorioG-syst.*, *Meno-syst.*, *Uro-syst.*

SÍNDROME DA HIPERSENSIBILIDADE multisistêmica (Ver Alérgicas, Reações, hipersensibilidade).

SÍNDROME DA HIPERVISCOSIDADE.

children with HIV infection who have high pretreatment levels of serum immunoglobulins: *Imm-syst.*

Waldenstrom's macroglobulinemia, hyperviscosity syndrome in (fatigue; rash; nosebleeds; weight loss; vision changes): *Ritu-syst.*

SÍNDROME DA INTOLERÂNCIA AGUDA (dor abdominal ou cólicas, graves; diarreia sanguinolenta; febre; dor de cabeça, grave; erupções cutâneas e prurido) (Ver Alérgica, Reação): *Mesa-orloc.*, *Mesa-reloc.*

SÍNDROME DA LIBERAÇÃO DE CITOCINAS.

mild to severe (chest pain; rapid or irregular heartbeat; shortness of breath or wheezing; trembling and shaking of hands; weakness; diarrhea; dizziness or faintness; fever and chills; headache; malaise [general feeling of discomfort or illness]; muscle or joint pain; nausea and vomiting; tachypnea; respiratory distress, failure, or arrest; cardiovascular collapse; cardiac arrest; myocardial infarction; tachycardia; hypertension; hemodynamic instability; hypotension including profound shock; heart failure; cardiogenic and noncardiogenic pulmonary edema; adult respiratory distress syndrome; hypoxemia; apnea; and arrhythmias): **Mur-syst.**

SÍNDROME DA MÁ ABSORÇÃO (diarreia; aumento da quantidade de gases; fezes de cor clara, espumosa, com gordura; perda súbita de peso): *Cholest-orloc.*, *Colest-orloc.*, *Efav-syst.*, *Kan-orloc.*, *Neo-orloc.*

SÍNDROME DA MORTE SÚBITA INFANTIL (SMSI): *DiphTTH-syst.*, *DiphTTPV-syst.*

SÍNDROME DA SECREÇÃO INAPROPRIADA DE HORMÔNIO ANTIDIURÉTICO (SSIHAD) (agitação; coma; confusão; diminuição da produção de urina; depressão; tonturas. dor de cabeça; hostilidade; irritabilidade; letargia; contrações musculares; náuseas; ganho de peso rápido; convulsões; estupor; inchaço do rosto, tornozelos ou mãos; cansaço ou fraqueza incomum): *Amio-syst.*, **AntdepMAO-syst.**, *AntdepT-syst.*, *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *ArsTr-syst.*, *Carbam-syst.*, *Ceph-syst.*, *Clod-syst.*, *Cisp-syst.*, *Cital-syst.*, *Esc-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Paro-syst.*, *PerpA-syst.*, *Sertr-syst.*, *Ven-syst.*, *Vinc-syst.*, *Vind-syst.*

condition resembling (dizziness, confusion, or agitation; unusual tiredness or weakness): **Cycloph-syst.**

severe: *AntdepT-syst.* [**Amoxapine**]

“SÍNDROME DA SULFONA” (febre; mal-estar; dermatite exfoliativa; icterícia; linfadenopatia; metahemoglobinemia; anemia): *Daps-syst.*

SÍNDROME DE BARTTER: *AntinfN-syst.*

SÍNDROME DE CHURG-STRAUSS (Ver Inflamação).

SÍNDROME DE FANCONI (múltiplas anormalidades na função do túbulo proximal): *Cid-syst.*, *EmtT-syst.*, *Teno-syst.*

SÍNDROME DE GOODPASTURE (dificuldade em respirar; escarrando sangue; cansaço ou fraqueza): *Penic-syst.*, *Tiop-syst.*

SÍNDROME DE GRAY (distensão abdominal; pele de cor azul-acinzentada; **baixa temperatura corporal; respiração irregular; apatia; colapso cardiovascular**): *Chloramp-ot.*, *Chloramp-syst.*

SÍNDROME DE GUILLAIN-BARRÉ (formigamento, dormência e fraqueza nos braços, rosto, tronco ou pernas; incapacidade de mover braços e pernas; problemas na coordenação muscular) (Ver Desmielinizantes, Transtornos): *DiphtTTH-syst.*, *Enf-syst.*, *Fluorq-syst.* [*Norfloxacin*], *Gold-syst.*, *HepatAVI-syst.*, *Infli-syst.*, *Influ-syst.*, *JapV-syst.*, *MeaRV-syst.*, *MeaMRV-syst.*, *MeniVDC-syst.*, *Paro-syst.*, *RubeM-syst.*, *Vari-syst.*

neurologic illness resembling Guillain-Barré syndrome: *RabiV-syst.*

SÍNDROME DE LOEFFLER (pneumonite eosinofílica) (dor no peito; febre com ou sem calafrios; falta de ar, prejudicando a respiração; aperto no peito e/ou respiração ofegante; fraqueza incomum): *AntinfN-syst.*

SÍNDROME DE HORNER (contração da pupila, queda da pálpebra [ptose] e ressecamento facial).

latent, activation of: *CarbidEL-syst.*

SÍNDROME DE LYELL (Ver Necrose, necrólise tóxica epidérmica; Síndrome de Stevens-Johnson).

SÍNDROME DE PARKINSON, sintomas parkinsonianos (dificuldade em falar ou engolir; fala enrolada; perda de controle do equilíbrio; face tipo máscara; embaralhamento dos pés; marcha cambaleante; movimentos retardados; rigidez de braços e pernas; tremores e agitação de dedos e mãos): *AntdepMAO-syst.*, *AntdepT-syst.*, *IntG-syst.*, *Trimethob-syst.*

aggravation of, exacerbation of (difficulty swallowing; loss of balance control; mask-like face; shuffling walk; slowed movements; slurred speech; stiffness of arms and legs; tic-like [jerky] movements of head, face, mouth, and neck; trembling and shaking of fingers and hands): *Lamo-syst.*, *Risp-syst.*

frank parkinsonism (restlessness; shuffling walk; tic-like [jerky] movements of head, face, mouth, and neck): *Metyro-syst.*

SÍNDROME DE REYE (convulsões; vômitos severos ou contínuos): *Trimethob-syst.*, *Valp-syst.*

adults, young, with acute febrile illnesses, especially influenza or varicella: *AntinfN-syst.* [*Diiflunisal*]

children with acute febrile illnesses, especially influenza or varicella: *AntinfN-syst.*
 [Di~~fl~~unisal]
 teenagers with acute febrile illnesses, especially influenza or varicella: *AntinfN-syst.*
 [Di~~fl~~unisal]

SÍNDROME DE STEVENS-JOHNSON (erupções cutâneas graves; bolhas, descolamento ou descamação da pele; febre, com ou sem calafrios; tosse; diarreia; prurido; dores articulares ou musculares; câibras musculares; olhos vermelhos e irritados; lesões vermelhas na pele, muitas vezes com um centro roxo; dor de garganta; feridas, úlceras ou manchas brancas na boca ou nos lábios; cansaço ou fraqueza; sangramento ou formação de feridas crostosas nos lábios; dor no peito): *Abac-syst.*, **AbLam-syst.**, *Acyc-syst.*, *Allop-syst.*, *Amif-syst.*, *Amio-syst.*, *AmlodBen-syst.*, *Ampr-syst.*, *Anast-syst.*, *AntinfN-syst.*, **AntconH-syst.**, **AntconS-syst.**, *AntfunA-syst.* [*Itraconazole*], *Aprep-syst.*, *Atorv-syst.*, *AtovaPro-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*], *Brin-oph.*, *CalcCBA-syst.* [*Diltiazem*, *Verapamil*], *CandH-syst.*, *Carbam-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramb-syst.*, *Cil-syst.*, *Clar-syst.*, *Danaz-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Del-syst.*, *DicM-syst.*, *Docet-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Dul-syst.*, *Efav-syst.*, *Eso-syst.*, *Fel-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Fosam-syst.*, *Gab-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *Imm-syst.*, *Indin-syst.*, *Ketor-syst.*, *LamiZ-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levof-syst.*, *LopiR-syst.*, *Maf-top.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mero-syst.*, *MethotNC-syst.*, *Minox-syst.*, *Nali-syst.*, *Nef-syst.*, **Nev-syst.**, *Nitro-syst.*, *Ofl-oph.*, *Omepr-syst.*, *Ose-syst.*, *Oxc-syst.*, *Pantop-syst.*, *PenicilB-syst.*, *Pre-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Riton-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Silv-top.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *Sulfo-vag.*, *SulfoT-syst.*, *Tacro-syst.*, *Tad-syst.*, *Tamo-syst.*, *Terb-syst.*, *Thali-syst.*, *Thiab-syst.*, *Tia-syst.*, *Tic-syst.*, *Tinz-syst.*, *Toc-syst.*, *Topi-syst.*, *Trimethop-syst.*, *Tros-syst.*, *Vac-syst.*, *Vald-syst.*, *Vari-syst.*, *Ven-syst.*, *Vor-syst.*, *Zon-syst.*

bullae formation involving the eyes or other organ systems, with Stevens-Johnson syndrome: *Tic-syst.*

children: *BronA-syst.* [*Albuterol*]

life-threatening: *Oxc-syst.*, *Sulfo-vag.*

Lyell's syndrome (redness, tenderness, itching, burning, or peeling of skin; sore throat; fever with or without chills): *Maf-top.*, *Silv-top.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfo-syst.*, *Trimethop-syst.*

SÍNDROME DE SWEET (febre; feridas na pele): *ColSF-syst.* [*Filgrastim*], *Tret-syst.*

SÍNDROME DE TOURETTE (movimentos incontrolados da cabeça, pescoço, braços e pernas; movimentos ou sons vocais que você não pode controlar) (Ver Contrações): *Amph-syst.*, *Methylp-syst.*, *Pemo-syst.*

SÍNDROME DO COÁGULO BRANCO (formação de trombos novos compostos principalmente de agregados de plaquetas de fibrina, que podem causar complicações trombóticas incluindo infarto do miocárdio, necrose da pele, gangrena de extremidades, embolia pulmonar e acidente vascular cerebral): *Danap-syst.*

SÍNDROME DO EXTRAVASAMENTO CAPILAR (Ver Síndrome do Extravasamento Vascular).

SÍNDROME DO EXTRAVASAMENTO VASCULAR (SEV) ou síndrome do extravasamento capilar (SEC) (urina turva; diminuição ou aumento da quantidade de urina; tonturas ou desmaios; rubor da pele; náuseas; dor de estômago; inchaço das mãos, tornozelos, pés ou pernas): *Aldes-syst.*, *Clofar-syst.*, *ColSF-syst.* [*Sargramostim*]; **Den-syst.**, *Imiq-top.*, *Opr-syst.*, *Sir-syst.*

SÍNDROME DO FÓSFORO 7 (sensação permanente de desconforto; perda contínua de apetite; fraqueza muscular; perda de peso incomum): *Antac-orloc.* [*Aluminum-containing; Magaldrate*]

SÍNDROME DO HOMEM VERMELHO pós-vancomicina (descoloração vermelho-alaranjada da pele, membranas mucosas e escleróticas; calafrios ou febre; desmaios; batimentos cardíacos acelerados; urticária; hipotensão; prurido de pele; náuseas ou vômitos; erupção cutânea ou vermelhidão da face, base do pescoço, tronco, costas, e braços): *Rifam-syst.*, *RifamI-syst.*, *Van-syst.*

SÍNDROME DO QT prolongado (batimentos cardíacos lentos ou irregulares; desmaio; morte súbita) (Ver TESTES DIAGNÓSTICOS, Eletrocardiograma): *Drop-syst.*

SÍNDROME DO TIPO MONONUCLEOSE INFECCIOSA (febre; dor de cabeça; erupções cutâneas; dor de garganta; cansaço incomum ou fraqueza): *Aminsod-syst.*

SÍNDROME ERITEMATOSA (Ver Lúpus Eritematoso Sistêmico): *IntA-syst.*

SÍNDROME HEMOLÍTICA-URÊMICA (consiste em anemia microangiopática hemolítica [hematócrito 25% ou menor], insuficiência renal irreversível, trombocitopenia [contagem de plaquetas inferior a 100.000] e, menos frequentemente, hipertensão pulmonar, anormalidades neurológicas e hipertensão arterial) (Ver Anemia, hemolítica): *Cyclosp-syst.*, *Gemc-syst.*, *Ketor-syst.*, *Mitom-syst.*, *Oxa-syst.*, *Quin-syst.*, **Sir-syst.**, *Tacro-syst.*

SÍNDROME HEPÁTICA FULMINANTE (Ver ABDOME, Fígado, necrose; Hepáticos, Transtornos): *AngIn-syst.*, *Brin-oph.*

SÍNDROME LEITE-ÁLCALI (ingestão massiva de substâncias alcalinas e/ou leite).
hypercalcemia associated with: *Antac-orloc.*, *AspirSC-syst.*, *SodBi-syst.*

SÍNDROME NEFRÓTICA (urina turva ou sangrenta; hipertensão arterial; inchaço da face, dedos, tornozelos, pernas e/ou pés): *Agal-syst.*, *AntinfN-syst.*, *Gold-syst.*, *Probe-syst.*, *RabiI-syst.*, *TetaIG-syst.*, *Tic-syst.*, *Tiop-syst.*

SÍNDROME NEUROLÉPTICA MALIGNA (SNM) (convulsões; respiração difícil ou rápida; batimentos cardíacos rápidos ou pulso irregular; febre; pressão arterial [irregular]

alta ou baixa; aumento da transpiração; perda de controle da bexiga; rigidez muscular severa; pele anormalmente pálida; cansaço incomum ou fraqueza) (Ver Complexo de Sintomas): *AntdepT-syst.* [*Amoxapine*], *AnthisP-syst.*, *Arip-syst.*, *CarbidEL-syst.*, *Cital-syst.*, *Cloz-syst.*, *Don-syst.*, *Fluox-syst.*, *Hal-syst.*, *Lox-syst.*, *Mem-syst.*, *Meto-syst.*, *Moli-syst.*, *Ola-syst.*, *Paro-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, *Que-syst.*, *Risp-syst.*, *Sertr-syst.*, *Thiox-syst.*, *Ven-syst.*

fatal: *Ola-syst.*, *Pimo-syst.*

resembling neuroleptic malignant syndrome: *Tolc-syst.*

SÍNDROME POTENCIALMENTE FATAL (dispnéia, febre e um padrão reticulonodular na radiografia de tórax): *Iri-syst.*

SÍNDROME SEROTONINÉRGICA (euforia; sonolência; movimentos oculares rápidos; reação exagerada dos reflexos; contração muscular rápida e relaxamento no tornozelo, causando movimentos anormais do pé; desequilíbrio; agitação; sensação de bêbado e tonto; contração muscular e relaxamento da mandíbula; sudorese; intoxicação; espasmos musculares; rigidez; temperatura corporal elevada; alterações do estado mental são frequentes [incluindo confusão e hipomania - um estado de "bêbado feliz"], tremores; diarréia; perda da consciência e morte): *Alos-syst.*, *AntdepMAO-syst.*, *Cital-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Ltry-syst.*, *Nef-syst.*, *Paro-syst.*, *Sertr-syst.*, *Ven-syst.*

serotonergic agents.

concomitant serotonergic agents, patients receiving (cognitive dysfunction, hyperpyrexia, hyperreflexia, incoordination): *Line-syst.*

MAO inhibitors, as a result of combining with (such as Amitriptyline, Clomipramine, Doxepin, or Imipramine; Fluoxetine, Paroxetine, Sertraline, or Trazodone): *AntdepMAO-syst.*

serotonin uptake into platelets, inhibition of: *Sib-syst.*

SINUSITE (dor ou sensibilidade em torno dos olhos e das bochechas; plenitude ou tensão na área do seio afetado; febre; nariz entupido ou coriza; cefaléia; tosse; falta de ar, opressão no peito respiração agitada ou sibilante) (Ver NARIZ, Rinite; FACE): **Adal-syst.**, **Agal-syst.**, **Alef-syst.**, **Alfuz-syst.**, **Almot-syst.**, **Anak-syst.**, **Anast-syst.**, **ArsTr-syst.**, **Atom-syst.**, **Atorv-syst.**, **Azac-syst.**, **BetBA-oph.** [*Carteolol*, *Levobetaxolol*, *Metipranolol*, and *Timolol*], **Brim-oph.**, **Butor-nasyst.**, **Cefd-syst.**, **Cele-syst.**, **Cil-syst.**, **Cital-syst.**, **ConjE-syst.**, **Cortic-inhloc.**, **Daps-top.**, **Darif-syst.**, **Del-syst.**, **Dic-top.**, **Dihy-nassyst.**, **DorzT-oph.**, **Doxyc-mucloc.**, **DrosE-syst.**, **Efal-syst.**, **Eme-oph.**, **Enf-syst.**, **Epina-oph.**, **Esc-syst.**, **Eso-syst.**, **Estro-syst.**, **Eton-vag.**, **Exem-syst.**, **Ezet-syst.**, **Fex-syst.**, **Fluda-syst.**, **Flut-inhloc.**, **FlutS-inhloc.**, **Fomi-parloc.**, **For-inhloc.**, **HistH2-syst.** [*Nizatidine*], **HydroI-syst.**, **Imiq-top.**, **Infli-syst.**, **Influ-syst.**, **IntB1a-syst.**, **IntB1b-syst.**, **Ipr-inhloc.**, **Lef-syst.**, **Len-syst.**, **Leval-inhloc.**, **Leve-syst.**, **Los-syst.**, **LosH-syst.**, **Lym-syst.**, **MetfP-syst.**, **Mif-syst.**, **Mom-inhloc.**, **Nalt-syst.**, **Nep-oph.**, **Nico-inhsyst.**, **Nis-syst.**, **Ofl-ot.**, **Olm-syst.**, **Olo-oph.**, **Oma-syst.**, **Oxc-syst.**, **Pam-syst.**, **Pantop-syst.**, **Paro-syst.**, **PegiA2b-syst.**, **Pegv-syst.**, **Pemi-oph.**, **Pentost-syst.**, **Pime-top.**, **Pio-syst.**, **Ralo-syst.**, **Rep.syst.**, **Riba-syst.**, **RibaI-syst.**, **Rise-syst.**, **Risp-syst.**, **Ritu-syst.**, **Rof-syst.**, **Rosi-syst.**, **RosiM-syst.**, **Rosu-syst.**, **Sild-syst.**, **Sir-syst.**, **SodO-syst.**, **Tacro-top.**, **Telm-syst.**, **TelmH-syst.**, **Tem-syst.**, **Tiot-inhloc.**, **Tram-syst.**, **Trav-oph.**, **Vald-syst.**, **Valp-syst.**, **Vard-syst.**, **Zan-inhsyst.**, **Zic-syst.**

chronic: *Coc-mucloc.*

discomfort: *Sum-syst.*

female infertility, patients treated for: **FollitA-syst.**

gonadotropin-releasing hormone agonist undergoing artificial reproductive technologies, patients pretreated with: **FollitA-syst.**

pediatric patients: *Sertr-syst.*

rhinosinusitis: *AntinfN-syst.*

severe: *Etan-syst.*

stuffy head, symptoms of head cold: *Doxyx-mucloc.*, **IodS-syst.**, **PotI-syst.**

SISTEMA NERVOSO AUTÔNOMO (Ver Anticolinérgicos, Efeitos; Colinérgicos, Efeitos; Parassimpática, Estimulação; Simpática, Estimulação).

activation, sympathetic, reflex (fast or irregular heartbeat; flushing or redness of skin): **Minox-syst.**

blockade, parasympathetic (blurred vision, less frequently or rarely; constipation; decreased sexual ability; dryness of mouth; enlarged pupils; weakness; difficult urination): **Mecam-syst.**, *Trimetha-syst.*

dysautonomia, autonomic dysfunction (blurred vision; confusion; difficult or painful urination; dizziness, faintness, or lightheadedness, especially when getting up from a lying or sitting position; fast heartbeat; irregular heartbeat; sweating; unusual tiredness or weakness): *Bort-syst.*, *CarbidL-syst.*, *Hal-syst.*, *Moli-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pyran-orloc.*, *Thiox-syst.*

stimulation, parasympathetic (headache; increased salivation or sweating; nausea or vomiting; redness or flushing of skin or feeling of warmth; stomach discomfort or pain): *Beth-syst.*

cholinergic effect, cholinergic crisis, cholinergic syndrome (excess of Acetylcholine) (abdominal cramping, rhinitis, increased salivation, miosis, lacrimation, flushing and diaphoresis): *Antm-syst.*, **BetBA-syst.** [*Acebutolol*, *Atenolol*, *Betaxolol*, *Carteolol*, *Labetalol*, *Metoprolol*, *Nadolol*, *Oxprenolol*, *Penbutolol*, *Pindolol*, *Propranolol*, *Sotalol*, *Timolol*], *Iri-syst.*, *Phent-syst.*, *Pyridos-syst.*, *Riv-syst.*, *Tacri-syst.*

sympatholytic (antiadrenergic): **Yoh-syst.**

TAQUIFILAXIA: *IntA-syst.*

TELANGIECTASIA, veias em forma de aranha (manchas na pele do tipo verrugas, levantadas, vermelho-escuras): *Cortic-top.*, **Lar-syst.**, *Methys-syst.*

TEMPERATURA, REGULAÇÃO da (Hipotálamo) (Ver Febre; Hipertermia; Térmica, Reação; FEBRE).

disturbances of: *Ola-syst.*, *Phenot-syst.*, *Que-syst.*

central and peripheral, suppression of: *Moli-syst.*, *PerpA-syst.*, *Phenot-syst.*

high body temperature: **Alos-syst.**

sensation of change in temperature: **Agal-syst.**, *Alemt-syst.*

TENDÕES ou **LIGAMENTOS, TRANSTORNOS** dos ou **TENDINOPATIAS** (Ver EXTREMIDADES).

contracture, tendinous (difficulty moving body parts): *Atorv-syst.*

disorder, tendon (pain; swelling): *Adal-syst.*

extension (See EXTREMITIES, Extension).

flexion (See EXTREMITIES, Flexed).

injury: *Infl-syst.*

rupture (bone pain; lower back or side pain; painful, swollen joints): *Cinox-syst., CorticG-syst., Fluorq-syst., Sild-syst., Spa-syst.*

tendinitis (See Inflammation).

tendon effects (bone pain; lower back or side pain; painful, swollen joints): *Nali-syst.*

TÉRMICA, REAÇÃO (sensação de calafrio; ligeira dificuldade em respirar; rápido aumento na temperatura corporal) (Ver Febre; Hipertermia; Temperatura, Regulação; FEBRE): **DiphtA-syst.**

TESTOSTERONA.

hypotestosteronism in males: *Leup-syst.*

TIOCIANATO, TOXICIDADE por (ataxia; visão borrada; delírio; tonturas; dor de cabeça; perda da consciência; náuseas e vômitos; falta de ar; zumbido): *Nitrop-syst.*

TIREÓIDE, TRANSTORNOS da (Ver GARGANTA EXTERNA, Tiróide, Glândula).

function abnormalities, thyroid (swelling of front part of neck): **RibaI-syst., SulfadP-syst., Sulfap-syst., Sulfo-syst., SulfoT-syst.**

asymptomatic: **RibaI-syst.**

hyperthyroidism (changes in appetite; changes in menstrual periods; chest pain; diarrhea; increased heart rate; fast or irregular heartbeat; fever; hand tremors; headache; insomnia; irritability; leg cramps; mood swings; muscle weakness; nervousness; restlessness; sensitivity to heat; sweating; shortness of breath; sweating; tremors; trouble in sleeping; vomiting; warm, smooth, moist skin; weight loss): *Amio-syst., Den-syst., IntB1a-syst., IntA-syst., Pam-syst., PegiA2b-syst., ThyH-syst.*

thyroid storm-like effects, thyrotoxic crisis (confusion; fever; jaundice, mild; mood swings; muscle wasting; psychosis; restlessness, extreme; weakness, marked): *ThyH-syst.*

hypothyroidism (changes in menstrual periods; clumsiness; coldness; constipation; decreased sexual ability in males; depressed mood; drowsiness; dry skin and hair; dry, puffy skin; hair loss; headache; hoarseness or husky voice; listlessness; loss of appetite; muscle aches; muscle aches, cramps and stiffness; sensitivity to cold; sleepiness; slowed heartbeat; tiredness; weakness; goiter [swelling in the front of the neck]; weight gain): **Aldes-syst., Aminglut-syst., Amio-syst., Anthyr-syst., Bex-syst., CholAO-syst.[Ipodate], Den-syst., Ethi-syst., GroH-syst., IntA1-syst., IntB1a-syst., IntA-syst., IodS-syst., Lit-syst., Nitrop-syst., Oct-syst., PegiA2a-syst.,**

PegiA2b-syst., *PotI-syst.*, *Que-syst.*, *Sertr-syst.*, *SodI-syst.*, *SodII31-systthe.*, *Sor-syst.*, *Tiz-syst.*, **TosI-syst.**

acquired (constipation; depressed mood; dry skin and hair; feeling cold; hair loss; hoarseness or husky voice; muscle cramps and stiffness; slowed heartbeat; weight gain; unusual tiredness or weakness): **Len-syst.**

goiter (changes in menstrual periods; decreased sexual ability in males; dry, puffy skin; feeling cold; swelling of front part of neck; weight gain): **Oct-syst.**, *Sulfap-syst.*, *Sulfo-syst.*, *SulfoT-syst.*

TOXICIDADE, intoxicação: *Dac-syst.*, *Podop-top.*, *Sulfo-vag.*, *Sum-syst.*, *Sur-syst.*

acute (symptoms ranging from vomiting to coma): *Coc-mucloc.*, *Iron-syst.*

cardiovascular (chest pain; conduction disorders; dizziness or lightheadedness when getting up from a lying or sitting position; fast or irregular heartbeat; hypotension; shortness of breath; sudden fainting; blurred vision; confusion; dizziness; fainting; lightheadedness; unusual tiredness or weakness): *Chloroq-syst.*, *Eno-syst.*, *IbupO-syst.* [Ibuprofen], *Quin-syst.*

children: *Clon-syst.*

fetotoxicity: *VitA-syst.*

hematological: *Stre-syst.*

hematopoietic stem cell: *Clad-syst.*

local: *Sulfo-vag.*

mucocutaneous (darkening or thickening of skin; itching of skin; skin rash or colored bumps on fingertips, elbows, or palms; skin redness or tenderness; dark stripes on skin; swelling of fingers; less frequently, changes in fingernails or toenails): **Bleo-syst.**

multiorgan: *Sulfo-syst.*, *SulfoT-syst.*

neurotoxicity (See Neurotoxicity).

potassium (confusion; irregular heartbeat; numbness, tingling, pain, or weakness in hands or feet; unusual tiredness; weakness or heaviness of legs): *IodS-syst.*, *PotI-syst.*

TRATO RESPIRATÓRIO SUPERIOR, DOENÇA DO (resfriado comum; congestão nasal; tosse; dor de garganta; dor de cabeça; coriza; febre; congestionamento do peito) (Ver Influenza): *HepatAVIHB-syst.*, *HepatBVR-syst.*, *Mup-nas.*, *TramA-syst.*, *Vari-syst.*

TRAUMA: *For-inhloc.*, **Paro-syst.**

TREMORES: *Acyc-syst.*, *Adal-syst.*, *Alemt-syst.*, *Almot-syst.*, *Alos-syst.*, *AmlodAt-syst.* [Amlod-syst.], *AmlodBen-syst.*, *Amph-syst.*, *Anest-mucloc.*, *Anest-oph.*, *AntinfN-syst.*, *AntconH-syst.*, **AntdepMAO-syst.**, *Anthis-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, **AppSupS-syst.**, **Arb-syst.**, **Arip-syst.**, *ArsTr-syst.*, *Bacl-intsyst.*, *Bacl-syst.*, *BarbAn-syst.* [Codeine, Caffeine], **Basil-syst.**, *Benzod-syst.*, *Benzon-syst.*, **BronA-inhloc.**, **BronA-syst.** [Albuterol, Isoproterenol, Metaproterenol, Terbutaline], *BronT-syst.*, *Bupre-syst.*, **Bupro-syst.**, *Butor-nasyst.*, **Caff-syst.**, *Capec-syst.*, *Carbam-syst.*, **Carbet-syst.**, *CarbidEL-syst.*, *Cev-syst.*, *Chloramb-syst.*, *ChlordA-syst.*, *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, **Clofar-syst.**, *Cloz-syst.*, *Cyclob-syst.*, **Cyclos-syst.**, *Cys-syst.*, *Dacli-syst.*, *DauL-syst.*, *Dexmet-syst.*, *DicM-syst.*

Diett-top., *Dihy-nassyst.*, *Dimer-syst.*, *Doxaz-syst.*, *Don-syst.*, *Doxap-syst.*, *Dul-syst.*, *Dyp-syst.*, *Efav-syst.*, *Enta-syst.*, *Epine-oph.*, *Ethc-syst.*, *Fel-syst.*, *Flec-syst.*, **Flum-syst.**, **Fluox-syst.**, *FlutS-inhloc.*, *Fluv-syst.*, *For-inhloc.*, **Fosc-syst.**, **Gab-syst.**, *Gadob-syst.*, *Gadop-syst.*, *Gadov-syst.*, *Gala-syst.*, *Ganc-syst.*, *Gemif-syst.*, **Gla-syst.**, *Guanad-syst.*, *Guane-syst.*, *Histr-syst.*, *HydroI-syst.*, *HydroxT-oph.*, **ImipC-syst.**, *Imm-syst.*, *Loxa-syst.*, *Ipr-inhloc.*, *IprA-inhloc.*, **Keta-syst.**, *Lamo-syst.*, **Leval-inhloc.**, *Levam-syst.*, *Levof-syst.*, *Lid-syst.*, *Lid-top.*, *LidP-top.*, *Lit-syst.*, *Mal-top.*, *Map-syst.*, *Mecam-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *MepA-syst.*, *MethylB-syst.*, *Methylp-syst.*, *Mida-syst.*, *Miglu-syst.*, *Mir-syst.*, *Mis-syst.*, **Moc-syst.**, *Mod-syst.*, *Mont-syst.*, *Nali-syst.*, *Nalo-syst.*, *Nar-syst.*, *Natal-syst.*, *Ned-inhloc.*, **Nef-syst.**, *Nes-syst.*, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nyl-syst.*, **Ola-syst.**, *Opi-syst.*, **Oxc-syst.**, *Oxym-nas.*, *Oxym-oph.*, *Para-syst.*, **Paro-syst.**, *Pemo-syst.*, *Perf-orloc.*, *PerpA-syst.*, *Phenot-syst.*, *Pheny-nas.*, *Pheny-oph.*, *Pil-oph.*, *Pil-syst.*, *Pimo-syst.*, *Pip-syst.*, **Pre-syst.**, *Propa-syst.*, *Pse-syst.*, *Pyridos-syst.*, **Ritod-syst.**, *Riv-syst.*, *Riz-syst.*, *Ropin-syst.*, *Ropiv-parloc.*, *Sertr-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodO-syst.*, *Sol-syst.*, *Spa-syst.*, *SulfadP-syst.*, **Tacro-syst.**, *Tamo-syst.*, *Teli-syst.*, *Thiox-syst.*, *ThyH-syst.*, **Tia-syst.**, *Tiz-syst.*, *Toc-syst.*, **Topi-syst.**, *Tram-syst.*, *TramA-syst.*, *Traz-syst.*, *Tret-syst.*, *Trov-syst.*, **Vac-syst.**, *Valp-syst.*, *Vaso-syst.*, **Ven-syst.**, **Vig-syst.**, *VitMF-syst.*, *Yoh-syst.*, *Zale-syst.*, *Zic-syst.*, **Zip-syst.**, *Zop-syst.*

animal studies: *QuinuD-syst.*, *Sum-syst.*

mice: *Azel-nas.*

female: *Alos-syst.*

body: *Doxap-syst.*

exacerbation of: *Miglu-syst.*

females: *Tiot-inhloc.*

generalized: *Valg-syst.*

muscle movements, uncontrollable, with: *BarbAn-syst.* [*Codeine*]

neonates: *Nalo-syst.*

whole body: *Caff-syst.*

severe: *CarbonAI-syst.*, *Lox-syst.*

strongyloidiasis (verminosis), patients with: *Ive-syst.*

TROMBOCITOPENIA (fezes negras, tipo alcatrão; calafrios; tosse; febre; micção dolorosa ou difícil; dor no peito; falta de ar; dor de garganta; feridas, úlceras ou manchas brancas na boca ou nos lábios; gânglios inchados; sangramento incomum ou equimoses; sangramento em gengivas; cansaço ou fraqueza incomum; sangue na urina ou fezes; manchas pontuais vermelhas na pele) (Ver Hemorragia; TESTES DIAGNÓSTICOS, Hemograma): *AbLamZid-syst.*, *Abcix-syst.*, *Acet-syst.*, *Acyc-syst.*, *Adal-syst.*, **Aldes-syst.**, **Alemt-syst.**, *Allop-syst.*, *Alpr-syst.*, **Altr-syst.**, *Aminglut-syst.*, *Amio-syst.*, *AmlodBen-syst.*, *AmphoB-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, **Amsa-syst.**, *AngInH-syst.*, *Anid-syst.*, *AntinfN-syst.*, **AnththyGR-syst.**, *AntandN-syst.*, *Antcoa-syst.* [*Phenindione*], *AntconD-syst.*, *AntconH-syst.*, *AntdiaS-syst.*, *AntfunA-syst.* [*Fluconazole*], *AnthemF-syst.* [*AHF (Porcine)*], *AnthisD-syst.*, *AnthisP-syst.*, *Anththy-syst.*, *Ard-syst.*, *ArsTr-syst.*, *Atorv-syst.*, **Azac-syst.**, *Azat-syst.*, *Aztr-syst.*, *Barb-syst.*, *BarbAn-syst.* [*Acetaminophen*, *Barbiturates*], *Bell-syst.*, *Benzod-syst.*, *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, **Bort-syst.**, **Busu-syst.**, *CalcCBA-syst.*, *Cand-syst.*, **Capec-syst.**, *Carbam-syst.*, *CarbidEL-syst.*, **Carbopl-syst.**, *Carm-imploc.*, **Carm-syst.**, *Carv-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *CetiP-syst.* [*Cetirizine*],

Chloramb-syst., *Chloramp-ot.*, *Chloroq-syst.*, *Cil-syst.*, *Cinox-syst.*, **Cisp-syst.**, *Cital-syst.*, **Clad-syst.**, *Clar-syst.*, *Clind-syst.*, **Clofar-syst.**, *ClonC-syst.*, *Clop-syst.*, *Cloz-syst.*, *Colc-syst.*, *Cycloph-syst.*, *Cyp-syst.*, **Cyt-syst.**, *CytL-int.*, **Dac-syst.**, **Dacti-syst.**, *Dal-syst.*, *Danaz-syst.*, *Dau-syst.*, *DauL-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Def-syst.*, *Den-syst.*, *Dexr-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *DicM-syst.*, *Did-syst.*, *DigitG-syst.*, *DiphTTH-syst.*, *Diso-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Docet-syst.*, *Doxap-syst.*, *Doxaz-syst.*, *Doxor-syst.*, **DoxorL-syst.**, *Doxyc-syst.*, *Efal-syst.*, **Efl-syst.**, *EnaF-syst.*, *Enf-syst.*, **Eno-syst.**, *Epir-syst.*, **Epop-syst.**, *Ept-syst.*, *Estra-syst.*, *Etan-syst.*, *Ethc-syst.*, **Etop-syst.**, *Ezet-syst.*, *FatE-syst.*, *Fel-syst.*, *Fenof-syst.*, *Flox-syst.*, **Fluc-syst.**, **Fluda-syst.**, *Fluoru-syst.*, *Fluox-syst.*, *Gadov-syst.*, **Ganc-syst.**, **Gemc-syst.**, *Gemif-syst.*, **Gemt-syst.**, *Genta-oph.*, *Gold-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *Hydxye-syst.*, *Hydxyu-syst.*, **Ibr-syst.**, **Ida-syst.**, **Ifo-syst.**, **Ima-syst.**, *Ina-syst.*, *Infli-syst.*, **IntA1-syst.**, *IntB1a-syst.*, *IntG-syst.*, **IntA-syst.**, *Iob-systthe.*, **Iri-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Ketor-syst.*, *Lamo-syst.*, *Lans-syst.*, **Lar-syst.**, *Lef-syst.*, **Len-syst.**, *Levam-syst.*, *Leve-syst.*, *Line-syst.*, **Lom-syst.**, *Los-syst.*, *LosH-syst.*, *MeaMRV-syst.*, **Mech-syst.**, *Melo-syst.*, **Melp-syst.**, *Mem-syst.*, *Mep-syst.*, **Merc-syst.**, *Mesa-reloc.*, **MethotC-syst.**, *MethotNC-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Methylp-syst.*, *Metyro-syst.*, *Mex-syst.*, *Mica-syst.*, **Miglu-syst.**, *Mil-syst.*, **Mitom-syst.**, *Mitox-syst.*, *Mur-syst.*, *Myc-syst.*, *Nad-syst.*, *Nali-syst.*, *Nef-syst.*, *Niti-syst.*, *Nitro-syst.*, **Oxa-syst.**, **Pac-syst.**, *PacP-syst.*, **Pam-syst.**, *Paro-syst.*, *Pegas-syst.*, *Pegf-syst.*, *PegiA2a-syst.*, **PegiA2b-syst.**, **Peme-syst.**, *Penic-syst.*, *Penicil-syst.*, **Penta-syst.**, *Pentosa-syst.*, **Pentost-syst.**, *Phenot-syst.*, *Pli-syst.*, *Podop-top.*, *PrazoP-syst.*, *Probu-syst.*, *Procai-syst.*, **Procar-syst.**, *Pyrim-syst.*, *Quid-syst.*, *Quin-syst.*, *Rabe-syst.*, *Ralt-syst.*, *Rau-syst.*, *Rep-syst.*, **Riba-syst.**, *Rifab-syst.*, *Rifap-syst.*, **Ritu-syst.**, **Sam-syst.**, *Sertr-syst.*, **Sir-syst.**, *Ske-syst.*, *SodPhe-syst.*, *SodPho-syst.*, *Sor-syst.*, *Spi-syst.*, *Sta-syst.*, *Stre-syst.*, *Stro-syst.*, *SulfadP-syst.*, *Sulfas-syst.*, *Sulfi-syst.*, *Sur-syst.*, *Tem-syst.*, **Teni-syst.**, *Thie-syst.*, **Thiog-syst.**, **Thiot-syst.**, *Tic-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tiop-syst.*, *Tir-syst.*, *Toc-syst.*, **Tola-parsyst.**, **Topo-syst.**, *Tore-syst.*, **TosI-syst.**, *Trimethop-syst.*, **Trimetr-syst.**, *Vala-syst.*, **Valg-syst.**, *Valp-syst.*, *Van-syst.*, *Vari-syst.*, *Vinc-syst.*, *Vind-syst.*, *Vind-syst.*, *Vino-syst.*, *Vor-syst.*, *Zid-syst.*, **Zole-syst.**

acute profound: *Ept-syst.*

anemia, hemolytic microangiopathic, with (sudden weakness in arms or legs; sudden, severe chest pain): *Erl-syst.*

females: *Tamo-syst.*

hemorrhage while thrombocytopenic (bleeding gums; coughing up blood; difficulty in breathing or swallowing; dizziness; headache; increased menstrual flow or vaginal bleeding; nosebleeds; paralysis; prolonged bleeding from cuts; red or dark brown urine; red or black, tarry stools; shortness of breath): **Ibr-syst.**

grade 3 thrombocytopenia, bleeding associated with: *Peme-syst.*

higher risk of: *RubeV-syst.*

idiopathic (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; black, tarry stools; unusual tiredness or weakness; fever; skin rash): *IntB1a-syst.*

immune: *Tic-syst.*

immuno-allergic: *Oxa-syst.*

moderate: *Fon-syst.*

severe, to: *Fon-syst.*

purpura, with (See Purpura, thrombocytopenic).

reversible: *Hepar-syst.*, *Metro-syst.*

severe: *Fon-syst.*

temporary: *HaeC-syst.*

thrombosis syndrome, with: *Dal-syst.*

thyroid carcinoma, following treatment of (cough or hoarseness, fever or chills, lower back or side pain, painful or difficult urination): *SodII31-systthe.*

type II: *Danap-syst.*

TROMBOCITOSE ou trombocitemia essencial ou idiopática (doença mieloproliferativa) (fezes negras, tipo alcatrão; sangue na urina ou nas fezes; manchas pontuais vermelhas na pele; sangramento incomum ou equimoses) (Ver TESTES DIAGNÓSTICOS, Hemograma): *Acyc-syst.*, *Aztr-syst.*, *Cefd-syst.*, *Cele-syst.*, *Fluorq-syst.*, *SodPhe-syst.*, *Tinz-syst.*

TROMBOEMBOLISMO (Ver Embolismo; Trombóticos, Eventos).

TROMBOSE (Ver Trombóticos, Eventos).

TROMBÓTICOS, EVENTOS, complicações trombóticas, trombose, tromboembolismo (fortes dores de cabeça de início súbito; perda súbita da coordenação; dores no peito, virilha ou pernas, especialmente nas panturrilhas das pernas; falta de ar de início súbito, sem motivo aparente; fala enrolada de início súbito; alterações súbitas na visão) (Ver Embolismo): *Imm-syst.*, *Vasc-syst.*

cardiovascular thrombotic events (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden vision changes; stroke; serious potential life-threatening gastrointestinal [GI] bleeding): *Melo-syst.*

thromboembolism (tingling or swelling in hands, lower legs, or feet; breathing difficulties; pain in chest, groin, or legs, especially the calves; fainting; sudden headache; slurred speech, sudden; unexplained shortness of breath, sudden; loss of coordination, sudden; severe weakness or numbness in arm or leg; vision changes) (See Embolism; Thrombosis): *Acit-syst.*, *AmincAc-syst.*, *Anast-syst.*, **AntCoaC-syst.**, *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, **Darb-syst.**, *DrosEE-syst.*, *Estro-syst.*, *EstroPO-syst.*, **FacIX-syst.**, *FollitA-syst.*, *FollitB-syst.*, *Ful-syst.*, *Let-syst.*, **Oxa-syst.**, *Proge-syst.*, *Ralo-syst.*, *Trane-syst.*, *Uro-syst.*, *Vac-syst.*

arterial (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden vision changes): *ChorioG-syst.*, *Eton-vag.*, *Meno-syst.*, *NoreE-syst.*

increased risk of: *MedE-syst.*

idiopathic: *DrosEE-syst.*

increased risk of, in susceptible patients: *VitE-syst.*

thromboembolic disorders (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden

Repertório - Capítulo GENERALIDADES

onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden vision changes): *Estro-syst.*

venous (VTE) (chest pain; coughing up blood; numbness or weakness in your arm or leg, or on one side of your body; pain or redness in your lower leg [calf]; sudden or severe headache; problems with vision, speech, or walking): *DrosE-syst.*, **Sir-syst.**

women having predisposing or pre-existing conditions, especially for those who smoke tobacco: *DrosEE-syst.*

thrombosis (swelling of feet or lower legs; sudden weakness or inability to move; pains in chest, groin, or legs, especially calves of legs; severe headaches of sudden onset; sudden loss of coordination; sudden onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden vision changes; weakness or numbness in arm or leg) (See Embolism; Thromboembolism): *Aldes-syst.*, **AntCoaC-syst.**, *AnthemF-syst.*, *Busu-syst.*, *Carm-syst.*, *Cital-syst.*, *Cyp-syst.*, *Danaz-syst.*, **Darb-syst.**, *Diaz-parsyst.*, *DrosEE-syst.*, *Estra-syst.*, *Estro-syst.*, *EstroP-syst.*, **FacIX-syst.**, **Iri-syst.**, **Mann-syst.**, *Mech-syst.*, *PacP-syst.*, *Pap-syst.*, **Peme-syst.**, *Proge-syst.*, *Ralo-syst.*, *Ras-syst.*, **Sir-syst.**, *Tore-syst.*

access, vascular: **Darb-syst.**

arterial (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden onset of shortness of breath for no apparent reason; sudden onset of slurred speech; sudden vision changes): **Iri-syst.**, *Tret-syst.*

chemical: *Ure-syst.*

clot fragmentation with migration of the fragments resulting in additional embolic complications: *Thr-syst.*

fibrinolytic activity, compensatory increase in: *Aspar-syst.*

hepatic vein: *Dac-syst.*

idiopathic: *DrosEE-syst.*

increased risk of: *MedE-syst.*

microangiopathy, thrombotic (sudden weakness in arms or legs; sudden, severe chest pain): *Bleo-syst.* *Cisp-syst.*

microvascular (tenderness, pain, swelling, warmth, skin discoloration, and portal vein): *Ethan-parloc.*

prominent superficial veins over affected area: *EpoE-syst.*

sagittal sinus (extreme exhaustion; headache): *Danaz-syst.*

thrombosis syndrome.

thrombocytopenia, with: *Dal-syst.*

venous: *Benzod-syst.*, *Dacti-syst.*, **Darb-syst.**, *NoreE-syst.*, *Tret-syst.*, *Vaso-syst.*

deep (pain, redness, or swelling in arm or leg): *Anid-syst.*, **Bevac-syst.**, *Capec-syst.*, *Cele-syst.*, **Darb-syst.**, *Den-syst.*, *Docet-syst.*, **EpoE-syst.**, *Estro-syst.*, *EstroPO-syst.*, *Etan-syst.*, *Fluda-syst.*, *Len-syst.*, *SodTe-syst.*

females: *Tamo-syst.*

embolism, with: *NoreE-syst.*

increased risk of: *ConjE-syst.*, *Estro-vag.*

Repertório - Capítulo GENERALIDADES

superficial: *Estro-syst.*
venules and capillaries within the subcutaneous fat: *Antcoa-syst.*
protein C deficiency patients: **Antcoa-syst.**
women having predisposing or pre-existing conditions, especially for those who smoke tobacco: *DrosEE-syst.*
thrombotic disease, vascular (severe headaches of sudden onset; sudden loss of coordination; pains in chest, groin, or legs, especially calves of legs; sudden onset of shortness of breath, for no apparent reason; sudden onset of slurred speech; sudden vision changes): *Isot-syst.*

TUMORES, neoplasias (Ver Câncer): *Pime-top.*, *Rise-syst.*

adenoma: *Adal-syst.*, *EstroPO-syst.*

hepatic: *Eton-vag.*, *NoreE-syst.*

hepatocellular: *Danaz-syst.*, *DrosEE-syst.*

angiogenesis: *Len-syst.*

brain (change in personality; changes in vision; confusion; headache; problems with walking or talking; seizures; vomiting; weakness) (See HEAD): *Niti-syst.*

breast (lumps in breast) (See CHEST): *ConjE-syst.*, *DrosEE-syst.*, *Estro-syst.*, *EstroP-syst.*, *EstroPO-syst.*

fibrocystic breast (benign lumps in breast): *IntB1b-syst.*

neoplasm, breast (abnormal growth in breast): *Cele-syst.*, *IntB1b-syst.*

women having a predisposing or pre-existing condition: *EstroPO-syst.*

cerebral metastatic disease (confusion; convulsions; dizziness; hallucinations; headache): *Hydxyu-syst.*

cutaneous (See SKIN): *Pime-top.*, *Tacro-top.*

cystic (abnormal growth filled with fluid or semisolid material) (See BLADDER): *Cele-syst.*, **Estro-syst.**, *IntB1b-syst.*, *Leval-inhloc.*, *Tacro-top.*

dysplasia, cellular, in many tissues (including lungs, lymph nodes, pancreas, thyroid, adrenal gland, liver, bone marrow, bladder, breast, and uterine cervix): *Busu-syst.*

flare, tumor (See Hypercalcemia).

granuloma (aggregation of inflammatory cells): **BcgL-syst.**, *Tub-parloc.*

pyogenic: *Acit-syst.*, *Isot-syst.*

hemorrhage, tumor (gist only): *Ima-syst.*

hepatic (See ABDOMEN).

benign (swelling, pain, or tenderness in upper abdominal area): *Eton-vag.*, *NoreE-syst.*

increased risk of: *MedE-syst.*

malignant.

increased incidence of.

rodents: *Clofib-syst.*

neoplasm, hepatic (bloated abdomen; dull, achy, upper abdominal pain; loss of appetite; unexplained weight loss): **Niti-syst.**

hepatocellular (pain or tenderness in upper abdomen; swelling of abdomen): *Andro-syst.*

hyperplasia.

hepatic focal nodular: *DrosEE-syst.*
lymphocele, lymphocyst: *Sir-syst.*
lymphnode: *Pime-top.*
malignant (See Cancer).
metastatic calcification: *Pho-syst.*
painful: *Tamo-syst.*, *Vinb-syst.*
pseudotumor cerebri (blurred or double vision; dizziness; eye pain; continuing severe headache, nausea, and vomiting): *Acit-syst.*, *Amio-syst.*, *Isot-syst.*, *Lit-syst.*, *Tret-syst.*
children: *ThyH-syst.*
sarcoma: *Did-syst.*
cutaneous: *Tacro-top.*
scar, keloid-like, formation of: *Chond-imploc.*
solid: *Etan-syst.*
tumor lysis syndrome (joint pain; lower back or side pain; stomach pain; swelling of feet or lower legs): **Gemt-syst.**, *Ritu-syst.*
acute renal failure, resulting in: *Ritu-syst.*
chronic lymphocytic leukemia patients with large tumor burdens: *Fluda-syst.*

ÚLCERAS (Ver PELE, Úlceras): *Iba-syst.*

UREMIA, azotemia (Ver TESTES DIAGNÓSTICOS): *Acet-syst.*, *AnthisDAg-syst.*, **Aspar-syst.**, *DecAn-syst.* [*Acetaminophen-containing combinations*], **MethotC-syst.**, *OlmH-syst.*, *Pam-syst.*
prerenal azotemia (increased serum creatinine and BUN): *Aldes-syst.*

VARICELA (Ver Infecção).

VARICOSAS, VEIAS: *Lar-syst.*, *Ver-parloc.*

discoloration of sclerosed vein segment, permanent: *SodTe-syst.*
exacerbation of (dull ache or feeling of pressure or heaviness in legs; itching skin near damaged veins; swollen feet and ankles): *Estro-syst.*, **Flavoc-syst.**
ulcerations, vasculitic (bleeding under skin; crater-like lesions; fever; weight loss; fatigue): *Hydxyu-syst.*

VESÍCULA BILIAR, TRANSTORNOS da (Ver Hepáticos, Transtornos; ABDOME).

colic (spasmogenic effect on the gallbladder muscle and bile ducts): **Cholec-syst.**, **Sin-syst.**
disease, gallbladder (abdominal fullness; gaseous abdominal pain; nausea and vomiting; recurrent fever; yellow eyes or skin): *DrosE-syst.*, *DrosEE-syst.*, *Eton-vag.*, *NoreE-syst.*
increased risk of: *MedE-syst.*
obstruction, gallbladder (yellow eyes or skin; pain or tenderness in stomach, side, or abdomen): *ConjE-syst.*, *Estro-syst.*, *EstroP-syst.*
pseudolithiasis (anorexia; epigastric pain; nausea and vomiting): *Ceph-syst.* [*Ceftriaxone*]

Repertório - Capítulo GENERALIDADES

spasm, biliary (abdominal pain): *FentD-syst.*, *Opi-syst.*
stones (cholelithiasis) (abdominal fullness; gaseous abdominal pain; recurrent fever;
yellow eyes or skin): **Adal-syst.**, *Cele-syst.*, *Cholest-orloc.*, *Colest-orloc.*, *Dipy-*
syst., *DipyA-syst.*, *Ezet-syst.*, *EzetS-syst.*, *Fenof-syst.*, *Fluda-syst.*, *Gemf-syst.*, *Natal-*
syst., *Oct-syst.*, *Sum-syst.*
choledocholithiasis (stone, bile duct) (severe stomach pain with nausea and
vomiting): *Teg-syst.*
increased incidence of: *Gemf-syst.*

VIRILISMO (Ver Masculinização).

CAPÍTULO TESTES DIAGNÓSTICOS

ADRENAL, GLÂNDULAS, TESTES.

cortisol, blood, decreased: *Ram-syst.*

AGLUTININAS, presença de leucócitos: *Antcoa-syst.* [*Phenindione*]

AGRANULOCITOSE (Ver Hemograma, células sanguíneas brancas).

AMINOÁCIDOS, nível sanguíneo de (Ver Proteínas, nível sérico).

phenylalanine.

hyperphenylalaninemia (phenylketonuria [PKU]): *Pyrim-syst.*

tyrosine levels, elevated.

individuals eating normal diets not restricted in tyrosine and phenylalanine:

Niti-syst.

ANEMIA (Ver Hemograma, células sanguíneas vermelhas).

ANIDRASE CARBÔNICA, ATIVIDADE DA.

both the cytoplasm and around the plasma membranes of the corneal endothelium:

Brin-oph.

inhibition, weak: *Topi-syst.*

ANTICORPOS (Ver Imunoglobulinas).

ARRITMIAS cardíacas (Ver Condução Cardíaca; Eletrocardiograma; GENERALIDADES).

abnormalities, bigeminy and other cardiographic.

adults: *Desf-inhsyst.*

pediatric patients: *Desf-inhsyst.*

activation of the right ventricle, delayed: *Sum-syst.*

acute (chest pain; swelling of feet or lower legs): *Pentost-syst.*

lifethreatening: *Doxor-syst., Epir-syst.*

adults: *Leup-syst.*

asystole (slow heartbeat): *CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Diso-syst., FentD-syst., MagSup-syst., Mex-syst.*

bowel movement, after a large: *PolyE-loc.*

tachycardia progressing to bradycardia or asystole: *Bupro-syst.*

atrial (dizziness, fainting, fast, slow, or irregular heartbeat): **Opr-syst.,** *Sertr-syst., Teli-syst.*

block, heart (disease in the electrical system of the heart): *BetBA-oph.* [*Betaxolol, Levobetaxolol, Timolol*], *Dexmed-syst., Dipy-syst., Dof-syst., Don-syst., DorzT-oph., Lid-syst., Lid-top., Que-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

atrioventricular (chest pain; dizziness; fainting; pounding, slow heartbeat; troubled breathing; unusual tiredness or weakness): *ArsTr-syst.*, *Bort-syst.*, *BronA-syst.* [Epinephrine], *Carbam-syst.*, *Carv-syst.*, *Cev-syst.*, *Clon-parloc.*, *Dexmed-syst.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *HistH2-syst.*, *Ibut-syst.*, *Iopr-syst.*, *Mef-syst.*, *Mem-syst.*, *Pac-syst.*, *Pil-oph.*, *Pil-syst.*, *Prazi-syst.*, *Sertr-syst.*, *Sild-syst.*, *TrandV-syst.* [Verapamil]

complete: *Bort-syst.*

first degree: *Dexmed-syst.*, *Propa-syst.*

second degree: *CalcCBA-syst.* [Diltiazem, Flunarizine, Amlodipine, Bepridil, Verapamil], *Flec-syst.*, *Mor-syst.*, *Propa-syst.*

third degree: *CalcCBA-syst.* [Diltiazem, Flunarizine, Amlodipine, Bepridil, Verapamil], *Flec-syst.*, *Ibut-syst.*, *Mor-syst.*

bifascicular: *Ataz-syst.*

bundle branch block: *Carv-syst.*, *Cyclob-syst.*, *Dof-syst.*, *Ibut-syst.*, *Nitro-syst.*, *Pac-syst.*, *Propa-syst.*, *Sertr-syst.*

cardiotoxicity, other arrhythmias, and congestive heart failure, including: *Cyclob-syst.*

right (shortness of breath, palpitations, fatigue, irregular fast heartbeat): *Anid-syst.*

complete: *Anag-syst.*

ectopy, ventricular (See Ectopy).

first degree: *Aden-syst.*

adults: *DigitG-syst.*

second degree: *Aden-syst.*, *Alpr-syst.*, *CalcCBA-syst.* [Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil], *Dexmed-syst.*, *Dinopst-parloc.*, *Ond-syst.*

adults: *DigitG-syst.*

sinoatrial: *Lit-syst.*

sinus node: *Lit-syst.*

tachycardia, atrial, with: *DigitG-syst.*

third-degree: *Aden-syst.*, *CalcCBA-syst.* [Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil], *Cisap-syst.*

adults: *DigitG-syst.*

Wenckebach block: *Bupre-syst.*

bradycardia, bradyarrhythmias (slow heartbeat, less than 60 beats per minute, especially less than 50 beats per minute; chest pain or discomfort; lightheadedness; dizziness or fainting; shortness of breath; irregular heartbeat; unusual tiredness; drowsiness): *Abcix-syst.*, *Agal-syst.*, *Alpr-syst.*, *Amif-syst.*, *AmincAc-syst.*, *Amlod-syst.*, *Anest-parloc.*, *AnestInh-syst.*, *AntdepMAO-syst.*, *AntdepT-syst.*, *AntglaC-oph.*, *AnthisDAC-syst.* [Pseudoephedrine], *AnthisP-syst.*, *Antm-syst.*, *Aprep-syst.*, *Barb-syst.*, *BarbAn-syst.* [Barbiturates, Codeine], *Benzod-syst.*, *BetBA-oph.*, *BetBA-syst.*, *BetBAT-syst.*, **Biv-syst.**, *Bret-syst.*, *Brim-oph.*, *Bupre-syst.*, *Butor-nasyst.*, *CalcCBA-syst.* [Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil], **Calf-intloc.**, *Cand-syst.*, *CandH-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carbopr-syst.*, **Carv-syst.**, *Cev-syst.*, *ChlH-syst.*, *Cisat-syst.*, *Cital-syst.*, **Clon-parloc.**, *Clon-syst.*, *ClonC-syst.*, *Coc-mucloc.*, *Colf-intloc.*, **Darb-syst.**, *DecAn-syst.*, *Desf-inhsyst.*, **Dexmed-syst.**, *Diat-*

Repertório - Capítulo TESTES DIAGNÓSTICOS

syst., DicM-*syst.*, *Diett-top.*, *Dinopst-parloc.*, *Dinopne-cervag.*, *Dipy-syst.*, Diso-*syst.*, *Dof-syst.*, *Dol-syst.*, Dom-*syst.*, Don-*syst.*, *DorzT-oph.*, *Doxac-syst.*, *Doxaz-syst.*, *Drop-syst.*, *Edr-syst.*, *EdrA-syst.*, Epir-*syst.*, *ErgolM-syst.*, *Ergon-syst.*, *Esm-syst.*, Ethc-*syst.*, *Etom-syst.*, *FacVIIa-syst.*, *Fent-trsyst.*, **FentD-syst.**, *Fluda-syst.*, *Flum-syst.*, Fluv-*syst.*, *Fome-syst.*, For-inhloc., *Gadob-syst.*, *Gadop-syst.*, *Gala-syst.*, *Gold-syst.*, Guanab-*syst.*, **Guane-syst.**, Guanf-*syst.*, *HistH2-syst.*, HydroI-*syst.* [Hydrocodone], HydroxT-*oph.*, IbutO-*syst.* [Ibuprofen], *Ibut-syst.*, *Imiq-top.*, *Indin-syst.*, *Indo-syst.*, *Iopa-syst.*, *Iopr-syst.*, *Lot-syst.*, *Iov-syst.*, *Ioxa-syst.*, *Ioxi-syst.*, Ipe-*orloc.*, *Ipr-nas.*, Irb-*syst.*, **Iri-syst.**, *Keta-syst.*, *Leval-inhloc.*, Levom-*syst.*, Lid-*syst.*, *Lid-top.*, *Lit-syst.*, *LopiR-syst.*, *MagS-syst.*, MagSup-*syst.*, *Mal-top.*, *Mef-syst.*, *Melo-syst.*, Mep-*syst.*, MepA-*syst.* [Meprobamate], Methy-*syst.*, *Methyler-syst.*, *Methys-syst.*, *Mido-syst.*, Mis-*syst.*, *Miv-syst.*, *Moc-syst.*, *Nalm-syst.*, Nap-*oph.*, *Nar-syst.*, Nef-*syst.*, *Nes-syst.*, *Neu-syst.*, *Nia-syst.*, NiaL-*syst.*, Nico-inhsyst., Nico-nas., **Oct-syst.**, Olm-*syst.*, *Ond-syst.*, *Opi-syst.*, *Ose-syst.*, Oxa-*syst.*, *Oxyb-syst.*, *Pac-syst.*, *PacP-syst.*, *Paliv-syst.*, *Palo-syst.*, Para-*syst.*, Pare-*syst.*, *PerpA-syst.*, *Phy-oph.*, *Phy-syst.*, Pil-*syst.*, *Prazi-syst.*, *Propa-syst.*, **Propo-syst.**, **Prota-syst.**, *Pse-syst.*, *Pyridos-syst.*, *Pyrim-syst.*, *Ralt-syst.*, *Ras-syst.*, *Rau-syst.*, *Rem-syst.*, *Reso-top.*, *Ritu-syst.*, Riv-*syst.*, *Riz-syst.*, *Ropiv-parloc.*, *Sertr-syst.*, **Sevo-inhsyst.**, *Ske-syst.* [*Methocarbamol*, *Orphenadrine*], *SodBeSP-syst.*, SodO-*syst.*, *SodPhe-syst.*, *Sum-syst.*, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *TecSul-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.* [Telmisartan], *Tir-syst.*, **Tiz-syst.**, Tram-*syst.*, *Trand-syst.*, *TrandV-syst.*, *Trav-oph.*, *Traz-syst.*, Valg-*syst.*, Vals-*syst.*, ValsH-*syst.*, *Vasc-syst.*, *Ven-syst.*, Vig-*syst.*, *Zan-inhsyst.*, *Zole-syst.*, Zolp-*syst.*, Zon-*syst.*

adults: *Desf-inhsyst.*, **Sevo-inhsyst.**

pediatric patients, and: *Desf-inhsyst.*, **Sevo-inhsyst.**

cardiovascular status, unstable, patients with: *Benzod-syst.*

geriatric patients: *Benzod-syst.*

hypercalcemia, with: *CalcS-syst.*

ill patients, severely: *Benzod-syst.*

parasympathetic (vagal) stimulation, as a result of: *Cand-syst.*, *CandH-syst.*

pediatric patients: *Desf-inhsyst.*, **Sevo-inhsyst.**

adults, and: *Desf-inhsyst.*, **Sevo-inhsyst.**

progressive: *DigitG-syst.*

pulmonary reserve, limited, patients with: *Benzod-syst.*

resistant: *GlipM-syst.*

resting heart rate, slight reduction in: *BetBA-oph.* [*Timolol Maleate*]

sinus bradycardia: **Aden-syst.**, *Flec-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Mor-syst.*, *Seleg-syst.*, *Tene-syst.*

cardiomyopathy, hypertrophic (HCM), patients: *TrandV-syst.*
[*Verapamil*]

children: *DigitG-syst.*

infants: *DigitG-syst.*

symptomatic (dizziness): *BetBA-syst.*

tachycardia progressing to bradycardia or asystole: *Bupro-syst.*

transient (< 60 beats per minute): **Ber-intloc.**, *BronA-syst.* [*Epinephrine*]

followed by tachycardia: *BronA-syst.* [*Epinephrine*]

Repertório - Capítulo TESTES DIAGNÓSTICOS

vagal stimulation, due to: Los-syst., LosH-syst., OlmH-syst.
cardiotoxicity, bundle branch block, and congestive heart failure, including: Cyclob-syst.

children: *DigitG-syst.*

congenital heart disease patients: *Paliv-syst.*

continuing: Pil-syst.

contractions.

atrial, premature: **Aden-syst.**

ventricular, premature (irregular heartbeat): **Aden-syst.**, *Coc-mucloc.*, *HistH2-syst.* [*Ranitidine*], *Mex-syst.*, *Ond-syst.*, *Oxyt-syst.*, *Sum-syst.*

increased frequency of: *Flec-syst.*

nonsustained: *Sum-syst.*

unifocal or multifocal, especially bigeminy or trigeminy.

adults: *DigitG-syst.*

dissociation, atrioventricular: *AnestInh-syst.* [*Halothane*]

adults: *DigitG-syst.*

ectopy, ventricular (See Ectopy).

extrasystoles (extra heartbeats): *AmlodAt-syst.* [*Amlodipine*], *Anid-syst.*, *Capec-syst.*, *Dexmed-syst.*, **Dipy-syst.**, *Leval-inhloc.*, *Mef-syst.*, *Palo-syst.*

atrial: *Flum-syst.*

frequent: *Quid-syst.*

hypotension, associated with: *Amif-syst.*

nodal: *Flum-syst.*

supraventricular (rapid or irregular heartbeat): *Gadob-syst.*, *Ibut-syst.*, *Palo-syst.*

ventricular (extra heart beat): *Capec-syst.*, *Flum-syst.*, *Gadob-syst.*, *Histr-syst.*, *Ibut-syst.*, *Nes-syst.*, *Ola-syst.*, *Ven-syst.*

fast, rapid heartbeat (See tachycardia).

females: *Tamo-syst.*

fibrillation.

atrial (dizziness; fainting; fast, slow, or irregular heartbeat): *Adal-syst.*, *Amif-syst.*, *Anid-syst.*, *Capec-syst.*, *Cil-syst.*, *Clop-syst.*, **Dexmed-syst.**, *Dipy-syst.*, *Docet-syst.*, *Don-syst.*, *Eno-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Gadob-syst.*, *Gra-syst.*, *Imiq-top.*, *Ioxi-syst.*, *Ipr-inhloc.*, *Leval-inhloc.*, *Ond-syst.*, **Pam-syst.**, **Por-syst.**, *Propa-syst.*, *Risp-syst.*, **Sir-syst.**, *Sum-syst.*, *Telm-syst.*, *Tiot-inhloc.*, *Ven-syst.*, *Ver-parloc.*, *Zic-syst.*

ventricular: *Alpr-syst.*, *Arb-syst.*, *Biv-syst.*, *Cele-syst.*, *Cisap-syst.*, *Diat-syst.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *Ele-syst.*, *Ergon-syst.*, *Fro-syst.*, *HydroxT-oph.*, *Ibut-syst.*, *Iopa-syst.*, *Iot-syst.*, *Ioxa-syst.*, *Methyler-syst.*, *Nes-syst.*, *Paro-syst.*, *Phenot-syst.*, *Prazi-syst.*, *Quid-syst.*, *Ritu-syst.*, *Sum-syst.*, *Ven-syst.*

adults: *DigitG-syst.*

arrest, cardiac, with: *Dof-syst.*

fatal: *BronA-syst.* [*Epinephrine*]

flutter, atrial (fast or irregular heartbeat; dizziness; fainting): *Amif-syst.*

gallop rhythm: *Epir-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

S₃ gallop (See DIAGNOSTIC TESTS, Electrocardiogram): *Tras-syst.*
hypercalcemia, with: *CalcS-syst.*
hypokalemia, accentuated by: *CandH-syst.*
idioventricular rhythm: *Ibut-syst.*
accelerated: *Tene-syst.*
infants: *DigitG-syst.*
irregular heartbeat: *AmincAc-syst., Amph-syst., Anest-oph., Anest-parloc., AngInH-syst., AntCoaC-syst., AntdepT-syst.* [*Amoxapine*], *Anthis-syst.* [*Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine*], *AnthisD-syst., AnthisDAc-syst.* [*Pseudoephedrine*], *Aprac-oph., BarbAn-syst.* [*Caffeine*], *BetBA-oph., BetBA-syst., BetBAT-syst., BronA-inhloc., Caff-syst., CalcS-syst., Carbac-oph., Carbam-syst., CarbidEL-syst., Cev-syst., ChlH-syst., ChlordA-syst., Cil-syst., Cital-syst., Clofib-syst., Cloz-syst., Cortic-ot., Cortic-top., CorticG-syst., Cyclope-oph., Darb-syst., DecAn-syst., DicM-syst., Dihy-nassyst., DipyA-syst., Dom-syst., Doxap-syst., Doxaz-syst., Doxep-top., Drop-syst., EdrA-syst., Epine-oph., Ergon-syst., Etom-syst., Fent-trsyst., Flec-syst., Fluda-syst., Fludro-syst., FlutS-inhloc., For-inhloc., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., Gemc-syst., Gluc-syst., Glyc-syst., Gos-syst., Gra-syst., Hydrol-syst., HydroxT-oph., Imiq-top., Ina-syst., IntAl-syst., Iodix-syst., Ioxa-syst., IprA-inhloc., Iri-syst., IsomDA-syst., Leval-inhloc., Levod-syst., Map-syst., Mef-syst., Melo-syst., Mep-syst., Methox-exsyst., Methylp-syst., Metyra-syst., Minox-syst., Minox-top., Mitox-syst., Mur-syst., Myc-syst., Nalm-syst., Nalo-syst., Nar-syst., Nef-syst., Nia-syst., NiaL-syst., Nico-inhsyst., Nico-nas., Nico-syst., Nyl-syst., Oct-syst., Ond-syst., Opr-syst., Ose-syst., Oxyb-syst., Oxym-nas., Oxym-oph., Oxyt-syst., Paliv-syst., PegiA2b-syst., Pentox-syst., PerpA-syst., Pheny-nas., Pheny-oph., Phy-oph., Phy-syst., Pimo-syst., Prazi-syst., Procai-syst., Pse-syst., Pyrim-syst., Quin-syst., Ralt-syst., Ras-syst., Rau-syst., Riz-syst., Ropin-syst., Sam-syst., Seleg-syst., SodBeSP-syst., SodPhe-syst., Tacro-syst., TecSul-syst., Thali-syst., ThyH-syst., Thyr-syst., ThyrA-syst., Tiz-syst., Ven-syst., VitDA-syst., Xyl-nas., Zan-inhsyst., Zip-syst., Zolm-syst.*

adults: *Leup-syst.*
hyperkalemia, with: *Cyclosp-syst.*
lifethreatening: *Metyro-syst.*
maternal and fetal (fast or irregular heartbeat): **Ritod-syst.**
nodal (junctional) rhythm: *AnestInh-syst.* [*Halothane*], *Cital-syst., Desf-inhsyst., Ibut-syst.*
accelerated.
adults: *DigitG-syst.*
adults: *Desf-inhsyst.*
pediatric patients, and: *Desf-inhsyst.*
pediatric patients: *Desf-inhsyst.*
adults, and: *Desf-inhsyst.*
palpitations (See Palpitation).
pounding heartbeat: *AntinfN-syst.* [**Fenoprofen, Naproxen**], *Anthis-syst.* [*Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine*], *AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst.,*

Repertório - Capítulo TESTES DIAGNÓSTICOS

Bacl-syst., BetBA-oph., Brim-oph., Busp-syst., Butor-nasyst., CarbidL-syst., CarbidEL-syst., Cyclob-syst., Epine-oph., Levod-syst., Mep-syst., Nalt-syst., Opi-syst., Oxym-nas., Oxym-oph., Pheny-nas., Pheny-oph., Pse-syst., Ropin-syst., Ske-syst., SodBeSP-syst., Xyl-nas., Zip-syst.

racing heartbeat (See tachycardia).

reversible: Clon-parloc.

severe: Pil-syst.

sinus arrhythmia (fainting, dizziness, chest pain, shortness of breath): Anid-syst., Palo-syst., Sum-syst.

sinus pause: Flec-syst., Mor-syst., Propa-syst.

skipped beats: **Aden-syst.**

slow heartbeat (See bradycardia).

supraventricular: AnestInh-syst., **Arb-syst.**, Flec-syst.

transient: ColSF-syst. [Filgrastim, Sargramostim]

ventricular, and: **Arb-syst.**

tachycardia, tachyarrhythmias (fast, pounding, or irregular heartbeat or pulse, more than 200 beats per minute; lightheadedness when getting up from a lying or sitting position): **AbLam-syst.**, Acetyl-syst., Adal-syst., Agal-syst., Album-syst., AlbMic-syst., Alemt-syst., Alfuz-syst., Almot-syst., Alpha-syst., Alpr-loc., Alpr-syst., Aman-syst., AmlodBen-syst., **Amph-syst.**, AmphoBCC-syst., Amsa-syst., **AmyIN-syst.**, Anest-parloc., AnestBar-syst., **AnthhyGR-syst.**, AntinfN-syst., AntCoaC-syst., Antchsp-syst. [Glycopyrrolate], AntdepMAO-syst., AntdepT-syst. [Amoxapine], Antdys-syst., Anthis-syst. [Azatadine, Cetirizine, Clemastine, Cyproheptadine, Desloratadine, Dexchlorpheniramine, Diphenhydramine, Loratadine], AnthisD-syst., AnthisDAc-syst., AnthisP-syst., AntvCPOv-syst., Aprot-syst., Arb-syst., Arip-syst., **Arstr-syst.**, Atom-syst., Atrop-oph., AtropB-syst., **Azac-syst.**, Azel-nas., Barb-syst., BarbAn-syst. [Barbiturates], BarbAn-syst. [Caffeine], Bell-syst., BetBA-oph., BisSMT-syst. [Bismuth Subsalicylate], Bort-syst., Bos-syst., Brim-oph., **BronA-inhloc.**, **BronA-syst.** [Ephedrine, Epinephrine], BronT-syst., Bupro-syst., Busp-syst., Busu-syst., **Caff-syst.**, CalcCBA-syst., Cand-syst., CandH-syst., Capec-syst., Carbam-syst., Carbet-syst., CarbidL-syst., CarbidEL-syst., Carbopr-syst., Cele-syst., CetiP-syst. [Pseudoephedrine], Cev-syst., ChlordA-syst., **Cil-syst.**, Cital-syst., Clad-syst., Clar-syst., **Clofar-syst.**, Clon-parloc., **Cloz-syst.**, Coc-mucloc., Colf-intloc., ColSF-syst., CortO-systdia., Cortic-inhloc., Cycla-syst., Cycli-syst., Cyclope-oph., Cyclosp-syst., Cyp-syst., Dacli-syst., **Darb-syst.**, DauL-syst., **Def-syst.**, **Den-syst.**, Desl-syst., DeslP-syst., Desm-syst., Dexmet-syst., Diaz-orsyst., Diaz-parsyst., DicM-syst., Dif-syst., **Dimer-syst.**, Dinopst-parloc., Dinopne-cervag., DiphenoA-syst., DiphTT-syst., Dipi-oph., Dipy-syst., DipyA-syst., Docet-syst., Dol-syst., Dom-syst., Don-syst., Doxap-syst., Doxaz-syst., Doxep-top., DoxorL-syst., Dron-syst., **Drop-syst.**, Dut-syst., Dyp-syst., EdrA-syst., Efav-syst., EmtT-syst., EnaF-syst., Epine-oph., Epir-syst., **Epoe-syst.**, **Epop-syst.**, Ert-syst., Eso-syst., Etan-syst., Etom-syst., **Fenol-syst.**, Fent-trsyst., FentD-syst., Flavox-syst., Fluda-syst., Flum-syst., Fluorq-syst., Fluox-syst., FlutS-inhloc., Fluv-syst., FollitB-syst., Fome-syst., For-inhloc., Gadob-syst., Gadop-syst., Gadot-syst., Gadov-syst., GalliC-syst., Gemc-syst., **Gemt-syst.**, Gla-syst., Gluc-syst., Glut-syst., Gos-syst., Hal-syst., HepatBVR-syst., **Hist-syst.**, HistH2-syst., Hom-oph., HyalSD-syst.

Repertório - Capítulo TESTES DIAGNÓSTICOS

Hyalur-parloc., **Hydra-syst.**, *HydroI-syst.*, *HydroxT-oph.*, *Iba-syst.*, *Ibr-syst.*, *IbupO-syst.*, *Imiq-top.*, **Imm-syst.**, *Indin-syst.*, *InsD-syst.*, *IntB1b-syst.*, *Ioxi-syst.*, *Ipe-orloc.*, *Ipr-nas.*, *IprA-inhloc.*, *Irb-syst.*, **Iri-syst.**, **Iron-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Isox-syst.*, **Keta-syst.**, *Ketot-syst.*, *Ltry-syst.*, *Lamo-syst.*, *Lef-syst.*, **Leval-inhloc.**, *Levod-syst.*, *Lind-top.*, *Lit-syst.*, *Los-syst.*, *LosH-syst.*, *Lox-syst.*, *Mann-syst.*, *Map-syst.*, *Mef-syst.*, *Melo-syst.*, *Mem-syst.*, *Mep-syst.*, *Methyler-syst.*, **Methylp-syst.**, *Methys-syst.*, *Meto-syst.*, **Minox-syst.**, *Minox-top.*, *Mir-syst.*, *Mitox-syst.*, *Miv-syst.*, *Moc-syst.*, *Mod-syst.*, *Moli-syst.*, **Mur-syst.**, *Nab-syst.*, **Nalm-syst.**, *Nalo-syst.*, *Nalt-syst.*, **Natal-syst.**, *Neu-syst.* [**Gallamine**], *Nia-syst.*, **NiaL-syst.**, *Nico-inhsyst.*, *Nico-nas.*, *Nico-syst.*, *Nis-syst.*, **Nitra-syst.**, *Nyl-syst.*, *Ofl-ot.*, *Ola-syst.*, *Olm-syst.*, *OlmH-syst.*, *Omep-syst.*, *Ond-syst.*, *Opi-syst.*, **Opr-syst.**, *Ose-syst.*, *Oxa-syst.*, *Oxyb-syst.*, *Oxym-nas.*, *Oxym-oph.*, *Oxyt-syst.*, *Paliv-syst.*, *Palo-syst.*, **Pam-syst.**, *Pap-syst.*, *Paro-syst.*, *Pegas-syst.*, *Pemo-syst.*, *PenteC-syst.*, *Perg-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pheny-nas.*, *Pheny-oph.*, *Pil-syst.*, **Pimo-syst.**, **Pral-syst.**, **Praml-syst.**, *Prazi-syst.*, *Pre-syst.*, *Procai-syst.*, *Pse-syst.*, *Pyrim-syst.*, *Que-syst.*, *Quin-syst.*, *Ralt-syst.*, *Ras-syst.*, *Resp-syst.*, *Ril-syst.*, *Risp-syst.*, *Riz-syst.*, *Roc-syst.*, *Ropin-syst.*, *Sco-oph.*, *Seleg-syst.*, *Sertr-syst.*, **Sevo-inhsyst.**, *Sib-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, *SodBeSP-syst.*, *SodN-syst.*, *SodPhe-syst.*, *Sol-syst.*, *Sta-syst.*, *Sym-parsyst.*, *Tacri-syst.*, *Tacro-syst.*, *Tad-syst.*, *TecMer-syst.*, *Teli-syst.*, *Telm-syst.*, *TelmH-syst.*, *Teno-syst.*, *Tera-syst.*, *Thie-syst.*, *Thiox-syst.*, *Thr-syst.*, *ThyH-syst.*, *Thyr-syst.*, *ThyrA-syst.*, *Tinz-syst.*, *Tiot-inhloc.*, *Tola-parsyst.*, **TosI-syst.**, *Tram-syst.*, *TramA-syst.*, *Traz-syst.*, **Tret-syst.**, *Trimetha-syst.*, *Trop-oph.*, *Tros-syst.*, *Ure-syst.*, *Vala-syst.*, *Valg-syst.*, *Valp-syst.*, *Vals-syst.*, *ValsH-syst.*, *Van-syst.*, *Vard-syst.*, *Vasc-syst.*, *Ven-syst.*, *Vor-syst.*, *Xyl-nas.*, *Yoh-syst.*, *Zan-inhsyst.*, *Zic-syst.*, *Zip-syst.*

adults: *Desf-inhsyst.*, *DigitG-syst.*, *Leup-syst.*, *Sevo-inhsyst.*

pediatric patients, and: *Desf-inhsyst.*, *Sevo-inhsyst.*

atrial: *DigitG-syst.*

block, with: *DigitG-syst.*

paroxymal: *Docet-syst.*

bradycardia, progressing to, or asystole: *Bupro-syst.*

transient bradycardia, followed by tachycardia: *BronA-syst.*
[Epinephrine]

dialysis patients with end-stage renal disease: *Levoca-syst.*

failure, heart, worsened leading to: **Fenol-syst.**

females: *Tamo-syst.*

heart rate.

increase in heart rate of 9.2 bpm, mean, relative to placebo: *Desl-syst.*
resting, of 100 beats per minute: *Fel-syst.*

hypercalcemia, with: *CalcS-syst.*

ischemic cardiac events, leading to: **Fenol-syst.**

junctional (nodal).

children: *DigitG-syst.*

infants: *DigitG-syst.*

malignant: *Aman-syst.*

maternal heart rate, small increase in: *Ritod-syst.*

mild: *Pantop-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

mother and baby (maternal and fetal): **Ritod-syst.**

during use for delay of premature labor: *Isox-syst.*

normal sinus rhythm and then bradycardia, followed by: *Dron-syst.*

onchocerciasis (verminosis), patients with: **Ive-syst.**

pediatric patients: *Desf-inhsyst.*, **Dexmet-syst.**, **Sevo-inhsyst.**

adults, and: *Desf-inhsyst.*, *Sevo-inhsyst.*

reflex: *Amlod-syst.*, *Nitrop-syst.*, *Oxyt-syst.*, **Phenox-syst.**, **Phent-syst.**, *Risp-syst.*

sinus tachycardia: **Aden-syst.**, **Aldes-syst.**, *Cital-syst.*, *Docet-syst.*, *Palo-syst.*, *Paro-syst.*, *Ven-syst.*

stimulation, cardiac: *BronA-syst.* [Ephedrine], *Hydra-syst.*

direct: *Tola-parsyst.*

supraventricular (fainting; fast, pounding, or irregular heartbeat or pulse; palpitations): *Alpr-syst.*, *Amif-syst.*, *Dexmed-syst.*, *Dipy-syst.*, *Fluda-syst.*, *Fluorq-syst.*, *Ilo-inh.*, *Ipr-inhloc.*, *Leval-inhloc.*, *Mem-syst.*, *Ond-syst.*, *PacP-syst.*, *Ritu-syst.*, *Tiot-inhloc.*, *Tros-syst.*, *Ven-syst.*

allergic reactions, associated with: *Amif-syst.*

hypotension, associated with: *Amif-syst.*

systolic blood pressure and heart rate, rapid increases in: *Arb-syst.*

transient: *Vasc-syst.*

ventricular (fainting; fast, pounding, or irregular heartbeat or pulse; palpitations): *Arg-syst.*, *Cicl-top.*, *Cisap-syst.*, *Clar-syst.*, *Dexmed-syst.*, *Dipy-syst.*, *Diso-syst.*, **Dof-syst.**, *Ele-syst.*, *Ergon-syst.*, *Flec-syst.*, *Fluox-syst.*, *Fro-syst.*, *Gala-syst.*, *Iopa-syst.*, *Ioxa-syst.*, *Methyler-syst.*, *Nes-syst.*, *Ond-syst.*, *Paro-syst.*, *Quid-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Sum-syst.*, *Tene-syst.*, *Ven-syst.*

monomorphic, regular nonsustained: *Ibut-syst.*

nonsustained: *Mil-syst.*

polymorphic, sustained and nonsustained: *Ibut-syst.*

transient: *Pac-syst.*

torsades de pointes (chest pain or discomfort; irregular or slow heart rate; fainting; shortness of breath; sudden death; prolonged QT interval): *AntfunA-syst.*, *CalcCBA-syst.* [*Bepriidil*], *Cisap-syst.*, *Cital-syst.*, *Clar-syst.*, *Diso-syst.*, **Dof-syst.**, *Eryts-syst.*, *Fluorq-syst.*, *Fluox-syst.*, *Gala-syst.*, *Levof-syst.*, *Nel-syst.*, *Paro-syst.*, *Penta-syst.*, *Propa-syst.*, *Quid-syst.*, *Tacro-syst.*, *Ven-syst.*, *Vor-syst.*

potentially fatal: *Propa-syst.*

QT prolongation, with (irregular or slow heart rate; recurrent fainting; sudden death) (See DIAGNOSTIC TESTS, Electrocardiogram): *Phenot-syst.*

worsened: *Flec-syst.*

weak heartbeat, and fast: **AmylN-syst.**, *Iron-syst.*, *Nitra-syst.*

thrombolysis, coronary, during or following (sinus bradycardia, accelerated idioventricular rhythm, ventricular premature depolarizations, supraventricular tachycardia, ventricular tachycardia, and ventricular fibrillation): *Ret-syst.*

transient: *Iov-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

trigeminy: *Ritu-syst.*

ventricular (fainting; fast, slow, pounding, or irregular heartbeat or pulse; palpitations; dizziness or fainting; seen on ECG as prolonged QT interval as well as lowered and inverted T-wave and S-T segment changes; increase in frequency of premature ventricular contractions, or a worsening or new appearance of ventricular tachycardia or ventricular fibrillation): *Aldes-syst., Almot-syst., Amsa-syst., AnestInh-syst.* [**Halothane**], **Arb-syst., Arg-syst., BronT-syst., Cital-syst., Clar-syst., Dexmed-syst., Dof-syst., Dyp-syst., Ergon-syst., Methyler-syst., Nalo-syst., Pimo-syst., Probu-syst., Sild-syst.**

extrasystoles: *Capec-syst.*

potentially fatal: *Aldes-syst.*

supraventricular, and: **Arb-syst.**

weak heartbeat and fast: **AmylN-syst.,** *Iron-syst., Nitra-syst.*

ASPARAGINASE, plasma.

sudden disappearance of or reduction of (preceding anaphylactic-type reactions; it can occur prior to, or in the absence of, an observable clinical hypersensitivity reaction): *Pegas-syst.*

AUMENTADOS, órgãos: *GroH-syst., Tret-syst.*

AZOTEMIA (Ver Uremia).

BASOFILIA (Ver Hemograma, células sanguíneas brancas).

BRADICININAS, aumento dos níveis séricos: *AmlodBen-syst.*

CALCIFICAÇÕES.

coronary, pulmonary, and mesenteric arteries, increased incidence of.
animals: *Isot-syst.*

CÁLCIO, DESEQUILÍBRIO do: *AntconH-syst.*

vitamin D, and: *AntconH-syst.*

CAPACIDADE VITAL FORÇADA (CVF), diminuição na: *Dorn-inhloc.*

CARDÍACOS, TESTES (Ver Arritmias; Condução Cardíaca; Eletrocardiograma).

ejection fraction, reduced: *Tras-syst.*

myoglobin, serum, increased: *CarbidL-syst.*

CARDIOMIOPATIAS.

voltage reduction in the QRS complex, persistent, systolic interval prolongation, and reduction of ejection fraction, associated with: *Epir-syst.*

CARDIOPULMONARES, TESTES (Ver Cardiovasculares; Pulmonares).

cardiopulmonary and renal dynamics, alteration of, significant: *Mann-syst.*

CARDIOVASCULARES, TRANSTORNOS (Ver Cardíacos; GENERALIDADES, Cardiovasculares, Transtornos).

atherosclerosis: *GroH-syst.*

disturbance, instability, reactions, hemodynamic: **Mur-syst.**, *TecALA-syst.*

cardiac hemodynamics, alterations in: *Iopa-syst.*, *Iov-syst.*

minimal: *Doxac-syst.*

CETOSE: *Adal-syst.*

hyperglycemia, ketotic (when given to an infant born to an insulin-dependent diabetic patient) (See Hyperglycemia): *Alpr-syst.*

CININASE II.

inhibition: *TrandV-syst.*

CITOPENIAS (Ver Hemograma).

anemia (See Hemogram, red blood cells).

granulocytopenia (See Hemogram, white blood cells).

leukopenia (See Hemogram, white blood cells).

lymphopenia (See Hemogram, white blood cells).

neutropenia (See Hemogram, white blood cells).

pancytopenia (See Hemogram, white blood cells).

polycythemia (See Hemogram, red blood cells).

reticulocytopenia (See Hemogram, red blood cells).

thrombocytopenia (See Hemogram, platelets).

COAGULAÇÃO, TESTES (Ver Discrasias Sanguíneas; Hemograma, plaquetas; GENERALIDADES, Coagulação).

afibrinogenemia: *Oxyt-syst.*

infant, after birth: *Valp-syst.*

anticoagulation, excessive, without bleeding: **Arg-syst.**

bleeding, with (bleeding from gums when brushing teeth; heavy bleeding or oozing from cuts or wounds; unexplained bruising or purplish areas on skin; unexplained nosebleeds; unusually heavy or unexpected menstrual bleeding): **Arg-syst.**

coagulation, hemostasis: **AmincAc-syst.**, **Aprot-syst.**, **Carbet-syst.**, **Carbopl-syst.**, **Desm-syst.**, **Imm-syst.**, **Oct-syst.**, **RhO-syst.**, **Trane-syst.**, **Valp-syst.**, **VitK-syst.** [*Phytonadione*]

coagulopathy (unusual bleeding or bruising): *Anid-syst.*

pediatric patients with juvenile rheumatoid arthritis: *Etan-syst.*

clotting factors.

decrease in (unusual bleeding or bruising): **Aspar-syst.**

factor VIII, inhibitor antibodies, which neutralize the procoagulant activity of: *AnthemF-syst.*

anamnesic responses with a rise in (more likely to occur in patients who have a low inhibitor titer and have a marked increase in inhibitor

Repertório - Capítulo TESTES DIAGNÓSTICOS

level following factor VIII exposure, and in those patients treated with AICC over several days): *AntCoaC-syst.*

prothrombin.
time.

decreased (See hypoprothrombinemia).

hypoprothrombinemia (See Coagulation Tests, prothrombin): *AntinfN-syst.*, *Anthyr-syst.* [*Propylthiouracil*], *AspirSC-syst.*, *Ceph-syst.*, *Quin-syst.*, *Sal-syst.*

hyperprothrombinemia.

international normalized ratio/prothrombin time
increased (increased bleeding time) (See time, bleeding, prolonged): *Fluorq-syst.* [*Levofloxacin*], *Levof-syst.*

suppression of clotting factors (unusual bleeding): *AnabS-syst.*

defects or disorders, coagulation (unexplained bleeding or bruising) (See Thromboembolism): *AntvCPOv-syst.*, *Capec-syst.*, *Colc-syst.*, *IsomDA-syst.*, *Ritu-syst.*, *TramA-syst.* [*Acetaminophen*], *Valp-syst.*

hemophilia (See Hemophilia).

platelet disorder or dysfunction (unusual bleeding or bruising): *Penicil-syst.*, *PenicilB-syst.*

aggregation inhibited: *Valp-syst.*

qualitative (unusual bruising or bleeding; black or tarry stools): *Fel-syst.*

disseminated intravascular coagulation (DIC) (cyanosis [bluish coloring], especially of the hands and feet; bruising at the injection site; persistent bleeding or oozing from puncture sites or mucous membranes [bowel, mouth, nose, or urinary bladder]): *Acyc-syst.*, *Alpr-syst.*, *AntinfN-syst.* [*Indomethacin*], *AntCoaC-syst.*, *AntconH-syst.*, *ArsTr-syst.*, *Bort-syst.*, *Cital-syst.*, *Colc-syst.*, *Ethan-parloc.*, *FacIX-syst.*, *FacVIIa-syst.*, *Fluox-syst.*, *Fluv-syst.*, *Fome-syst.*, *Gemt-syst.*, *Indo-syst.*, *IsomDA-syst.*, *Lamo-syst.*, *Paro-syst.*, *Quin-syst.*, *Sertr-syst.*, *SodBeSP-syst.*, *TramA-syst.* [*Acetaminophen*], *Tret-syst.*, *Ure-parloc.*

anemia, hemolytic, fatal, with: *Maf-top.*

dyscrasias, blood (fever and sore throat; unusual bruising or bleeding; unusual tiredness or weakness; pale skin): *Adal-syst.*, *AntinfN-syst.* [*Phenylbutazone*], *AntdepT-syst.*, *Anthis-syst.* [*Azatadine*, *Brompheniramine*, *Cyproheptadine*, *Dexchlorpheniramine*], *AnthisD-syst.*, *AnthisDAG-syst.*, *AnthisDAC-syst.*, *AnthisP-syst.*, *Brin-oph.*, *CandH-syst.*, *Carbam-syst.*, *CarbonAI-syst.*, *Chloramp-oph.*, *Chloramp-syst.*, *Daps-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*], *Dorz-oph.*, *DorzT-oph.*, *Ison-syst.*, *Levam-syst.*, *Maf-top.*, *MepA-syst.*, *Sulfap-syst.* [*Meprobamate*], *Pimo-syst.*, *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Silv-top.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Thiox-syst.*, *Toc-syst.*, *Trimethob-syst.*, *Zon-syst.*

fibrinolytic activity, compensatory increase in: *Aspar-syst.*

hypercoagulability: *FatE-syst.*

hypocoagulability (bleeding from cuts or scratches that lasts longer than usual): *AntinfN-syst.*

increase of: *Mann-syst.*

suppression of clotting factors (unusual bleeding): *AnabS-syst.*

thrombocytopenia (See Hemogram, platelets).

thrombocytosis (See Hemogram, platelets).

time, bleeding, prolonged: *Tic-syst.*

time, coagulation, increased: *Sertr-syst.*

COLESTEROL (Ver Lipídeos, níveis séricos de).

COLINESTERASE SÉRICA.

little inhibition of: *Mal-top.*

CONDUÇÃO CARDÍACA, distúrbios da (Ver Arritmias; Eletrocardiograma): *Carbam-syst.*, *Chloroq-syst.*, *Clon-parloc.*, *Diso-syst.*, *Hydxcyc-syst.*, *Lid-syst.*, *MagS-syst.*, *Mor-syst.*, *Quid-syst.*

block, heart (disease in the electrical system of the heart): *BetBA-oph.* [*Betaxolol*, *Levobetaxolol*, *Timolol*], *Dexmed-syst.*, *Dipy-syst.*, *Dof-syst.*, *Don-syst.*, *DorzT-oph.*, *Lid-syst.*, *Lid-top.*, *Que-syst.*

atrioventricular (chest pain; dizziness; fainting; pounding, slow heartbeat; troubled breathing; unusual tiredness or weakness): *ArsTr-syst.*, *Bort-syst.*, *BronA-syst.* [*Epinephrine*], *Carbam-syst.*, *Carv-syst.*, *Cev-syst.*, *Clon-parloc.*, *Dexmed-syst.*, *Dipy-syst.*, *Diso-syst.*, *Dof-syst.*, *HistH2-syst.*, *Ibut-syst.*, *Iopr-syst.*, *Mef-syst.*, *Mem-syst.*, *Pac-syst.*, *Pil-oph.*, *Pil-syst.*, *Prazi-syst.*, *Sertr-syst.*, *Sild-syst.*, *TrandV-syst.* [*Verapamil*]

complete: *Bort-syst.*

first degree: *Dexmed-syst.*, *Propa-syst.*

second degree: *CalcCBA-syst.* [*Diltiazem*, *Flunarizine*, *Amlodipine*, *Bepidil*, *Verapamil*], *Flec-syst.*, *Mor-syst.*, *Propa-syst.*

third degree: *CalcCBA-syst.* [*Diltiazem*, *Flunarizine*, *Amlodipine*, *Bepidil*, *Verapamil*], *Flec-syst.*, *Ibut-syst.*, *Mor-syst.*

bifascicular: *Ataz-syst.*

bundle branch block: *Carv-syst.*, *Cyclob-syst.*, *Dof-syst.*, *Ibut-syst.*, *Nitro-syst.*, *Pac-syst.*, *Propa-syst.*, *Sertr-syst.*

cardiotoxicity, other arrhythmias, and congestive heart failure, including: *Cyclob-syst.*

right (shortness of breath, palpitations, fatigue, irregular fast heartbeat): *Anid-syst.*

complete: *Anag-syst.*

ectopy, ventricular (See Ectopy).

first degree: *Aden-syst.*

adults: *DigitG-syst.*

second degree: *Aden-syst.*, *Alpr-syst.*, *CalcCBA-syst.* [*Amlodipine*, *Bepidil*, *Diltiazem*, *Flunarizine*, *Verapamil*], *Dexmed-syst.*, *Dinopst-parloc.*, *Ond-syst.*

adults: *DigitG-syst.*

sinoatrial: *Lit-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

sinus node: *Lit-syst.*

tachycardia, atrial, with: *DigitG-syst.*

third-degree: *Aden-syst., CalcCBA-syst.* [*Amlodipine, Bepridil, Diltiazem, Flunarizine, Verapamil*], *Cisap-syst.*

adults: *DigitG-syst.*

Wenckebach block: *Bupre-syst.*

children: *DigitG-syst.*

infants: *DigitG-syst.*

intra-atrial and intraventricular: *Propa-syst.*

delay, intraventricular: *Propa-syst.*

DEPLEÇÃO.

B cell: *Ritu-syst.*

protein (muscle weakness): *Cortic-top.*

DISCRASIAS SANGUÍNEAS (Ver Coagulação, Testes; Hemograma; GENERALIDADES, Coagulação): *Adal-syst., AntinfN-syst.* [*Phenylbutazone*], *AntdepT-syst., Anthis-syst.* [*Azatadine, Brompheniramine, Cyproheptadine, Dexchlorpheniramine*], *AnthisD-syst., AnthisDAg-syst., AnthisDAc-syst., AnthisP-syst., Brin-oph., CandH-syst., Carbam-syst., CarbonAI-syst., Chloramp-oph., Chloramp-ot., Chloramp-syst., Daps-syst., DecAn-syst.* [*Acetaminophen-containing combinations*], *Dorz-oph., DorzT-oph., Ison-syst., Levam-syst., Maf-top., MepA-syst., Sulfap-syst.* [*Meprobamate*], *Pimo-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Silv-top., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Tacro-syst., Thiox-syst., Toc-syst., Trimethob-syst., Zon-syst.*

DISSACARIDASES.

inhibition: *Miglu-syst.*

DOPAMINA, aumento dos níveis séricos (Ver MENTAL, Psicóticas, Reações; MENTAL, Esquizofrenia): *Bromo-oph., Cab-syst.*

ECODENSIDADE periventricular cerebral (detectada por ultrassonografia cranial).

apneic infants: *Colf-intloc.*

ELETROCARDIOGRAMA (ECG) (Ver Arritmias; Condução Cardíaca).

abnormalities or changes, electrocardiographic: *Anid-syst., AntinfN-syst.* [*Phenylbutazone*], *Antdys-syst.* [*Phenothiazine*], *Aztr-syst., Citra-syst.* [*Potassium citrate-containing*], *Cloz-syst., Dipy-syst., Docet-syst., Dol-syst., Fluorq-syst., Gadob-syst., Gadop-syst., Iopa-syst., Iov-syst., Lamo-syst., Leval-inhloc., Levom-syst., MethylB-syst., Minox-syst., Mitox-syst., Nitro-syst., Ond-syst., Pac-syst., PacP-syst., Penta-syst., Pil-syst., Pimo-syst., Quid-syst., Risp-syst., Sertr-syst., Zic-syst.*

transient: *Sum-syst.*

bigeminy and other cardiographic.

adults: *Desf-inhsyst.*

pediatric patients: *Desf-inhsyst.*

- depolarizations, ventricular, premature: *Tene-syst.*
junctional rhythm with atrioventricular dissociation: *TrandV-syst.*
J-T prolongation: *Dol-syst.*
P wave.
 disappearance: *Quid-syst.*
P-Q interval prolongation: *MagS-syst.*
P-R interval prolongation (dizziness or lightheadedness): *Ataz-syst., DigitG-syst., Dol-syst., Sum-syst., TrandV-syst.*
plateau in heart rate (HR) response: *Arb-syst.*
QRS complex/interval.
 changes: *Phenot-syst.*
 excessive: *Diso-syst.*
 prolonged: *Chloroq-syst., Lamo-syst.*
 widening: *Dol-syst., MagS-syst., Quid-syst.*
 > 25%: *Diso-syst.*
Q-T interval.
 inhibition: *Gef-syst.*
 mean increase of 8.1 msec, using the QT_c (Bazett) and mean increase of 0.4 msec, using QT_c (Fredericia), relative to placebo: *Desl-syst.*
 prolongation (irregular heartbeat; recurrent fainting): *AntfunA-syst., ArsTr-syst., Cisap-syst., Cital-syst., Clar-syst., Diso-syst., Eryts-syst., Fluox-syst., Gala-syst., Ibut-syst., Levom-syst., Mem-syst., Palo-syst., Pimo-syst., Probu-syst., Quid-syst., Risp-syst., Sertr-syst., Tacro-syst., Tamo-syst., Ven-syst., Vor-syst.*
 excessive: *Dof-syst.*
 infants: *Spi-syst.*
 QT_c interval: *Dol-syst., Fluorq-syst. [Sparfloxacin, Moxifloxacin, Iomefloxacin], Nel-syst., Spa-syst., Sum-syst., Zip-syst.*
 QT syndrome, prolonged (irregular or slow heart rate; fainting; sudden death): *Drop-syst.*
 torsades de pointes, with (irregular or slow heart rate; recurrent fainting; sudden death): *Phenot-syst.*
 widening: *Diso-syst.*
R-wave.
diminished amplitude: *MethylB-syst.*
repolarization, increased prolongation of: *Ibut-syst.*
S₃ gallop: *Tras-syst.*
S-T segment changes: **Pimo-syst., Sum-syst.**
 depression: *Arb-syst., DigitG-syst., Ond-syst.*
 elevation: *Colc-syst., Sum-syst.*
 ST-T segment changes or abnormalities: **Dipy-syst., Fenol-syst., Levom-syst., Nitro-syst.**
T wave changes: *Sum-syst.*
 diminished amplitude: *MethylB-syst.*
 inversion: *Dexmed-syst., Fenol-syst., MethylB-syst.*
 lowered, and: **Pimo-syst.**

Repertório - Capítulo TESTES DIAGNÓSTICOS

ST-T segment changes or abnormalities: **Dipy-syst.**, *Fenol-syst.*, *Levom-syst.*, *Nitro-syst.*

Wenckebach block: *Bupre-syst.*

ELETROENCEFALOGRAMA (EEG), encefalograma.

abnormalities, encephalographic: *AcetSal-syst.*, *AspirSC-syst.*, *BarbAn-syst.* [*Aspirin*], *Fluorq-syst.* [*Levofloxacin*], *Fluv-syst.*, *Gold-syst.*, *Ifo-syst.*, *Levof-syst.*, *MepA-syst.* [*Aspirin*], *Oxc-syst.*, *Sal-syst.*

dysrhythmias: *Carbam-syst.*

electrical activity in the brain, cease in: *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*]

flat: *Barb-syst.*, *BarbAn-syst.* [*Barbiturates*]

slowing, generalized, shows: *Podop-top.*

ELETROLÍTICOS, DISTÚRBIOS (Ver Osmolaridade, Alterações): *Antac-orloc.*, *CandH-syst.*, *CharA-orloc.*, *DorzT-oph.*, *Inda-syst.*, *Lax-loc.*, *LosH-syst.*, *MethyTD-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pyridos-syst.*, *Risp-syst.*, *SodC-parloc.*, *SodF-syst.*, *Ure-parloc.*, *Ure-syst.*, *VitMF-syst.*

depletion: *LosH-syst.*, *OlmH-syst.*

fluid imbalance: *Nar-syst.*, *Tret-syst.*

fluid and electrolyte: *Colc-syst.*, *Cortic-nas.*, *Cortic-ot.*, *Mann-syst.*, *ValsH-syst.*

ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

salt and water balance, abnormal: *Etom-syst.*

hypercalcemia: *AcSodCit-syst.*, *Andro-syst.*, *Anid-syst.*, *BronA-inhloc.*, *CalcS-syst.*, *Casp-syst.*, *DrosE-syst.*, *EdC-syst.*, *Estro-syst.*, *Fluda-syst.*, *Histr-syst.*, *Let-syst.*, *Levoc-oph.*, *Tamo-syst.*, ***Teri-syst.***, *Tore-syst.*, *VitDA-syst.*

females: *AnabS-syst.*

mild: *CalcA-syst.*

milk-alkali syndrome, associated with: *Antac-orloc.*, *AspirSC-syst.*, *SodBi-syst.*

severe: *Calcip-top.*, *CalcA-syst.*

hyperchloremia: *SodPhe-syst.*

hyperkalemia: *Alpr-syst.*, *AmlodBen-syst.*, *AntinfN-syst.*, ***AnthyGR-syst.***, *ArsTr-syst.*, *Cand-syst.*, *Carv-syst.*, *Citra-syst.* [*Potassium citrate-containing*], *Cyclosp-syst.*, *Dexmed-syst.*, ***DiuP-syst.***, ***DiuPH-syst.***, *EnaF-syst.*, ***EnterNF-syst.***, *Epl-syst.*, ***EpoE-syst.***, *Gadob-syst.*, *Irb-syst.*, *Los-syst.*, *LosH-syst.*, *Moe-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pho-syst.*, ***PotS-syst.***, ***Sir-syst.***, ***Tacro-syst.***, *Teli-syst.*, *Telm-syst.*, *Trand-syst.*, *TrandV-syst.*, *Vals-syst.*

occasional: *Mann-syst.*

severe: *Clofib-syst.*

hypermagnesemia: *Antac-orloc.*, *CitAGM-mucloc.*, *MagS-syst.*, ***MagSup-syst.***

hypernatremia: *Anid-syst.*, *CarboE-syst.*, *Citra-syst.* [*Sodium citrate-containing*], *Corticot-syst.*, *Omep-syst.*, *Pho-syst.*, *Sild-syst.*, *SodBeSP-syst.*, *SodC-parloc.*, *SodPhe-syst.*

hyperphosphatemia: *EnterNF-syst.*, *Fluda-syst.*, *Pho-syst.*, *SodPhe-syst.*

hypocalcemia: *Acamp-syst.*, ***Alpr-syst.***, *Amif-syst.*, *ArsTr-syst.*, *Carbam-syst.*, ***Chloroq-syst.***, *Cinac-syst.*, ***Clod-syst.***, *Colc-syst.*, *Corticot-syst.*, *Dacti-syst.*, ***Def-***

syst., **DiuL-syst.**, *EdD-syst.*, *Estro-syst.*, **Etid-syst.**, *Gadob-syst.*, *Gadov-syst.*, **GalliN-syst.**, *Hydxyc-syst.*, *Iba-syst.*, *Mica-syst.*, *Omep-syst.*, **Pam-syst.**, **Pli-syst.**, *Rise-syst.*, *SodBeSP-syst.*, *SodF-syst.*, *SodPol-loc.*, *Trimetr-syst.*, *VitMF-syst.*, **Zole-syst.**

hypochloremia: *CandH-syst.*, *MoeH-syst.*, *TelmH-syst.* [Hydrochlorothiazide]

hypokalemia: *AcetSal-syst.*, *Aldes-syst.*, *Alpr-syst.*, **AmphoB-syst.**, **AmphoBLsC-syst.**, *Anid-syst.*, *AntfunA-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations], *Antm-syst.*, **ArsTr-syst.**, *AspirSC-syst.*, *Azac-syst.*, *BarbAn-syst.* [Aspirin], **BetBAT-syst.**, **Bevac-syst.**, *BronA-inhloc.*, *BronA-syst.*, *BronT-syst.*, **CalcS-syst.**, *CandH-syst.*, *Capec-syst.*, *Capr-syst.*, *CarbonAI-syst.*, *Carm-imploc.*, *Casp-syst.*, *Cele-syst.*, *Colc-syst.*, *Cortic-rec.*, *Corticot-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Digo-syst.*, *DiuPH-syst.*, **DiuT-syst.**, *Dyp-syst.*, *EdD-syst.*, **EnterNF-syst.**, *Fludro-syst.*, *FlutS-inhloc.*, *Fluv-syst.*, *Fon-syst.*, *For-inhloc.*, *Gala-syst.*, **Gemt-syst.**, *IbupO-syst.*, *Ima-syst.*, *Inda-syst.*, *InsA-syst.*, *InsL-syst.*, **Len-syst.**, *Leval-inhloc.*, *LosH-syst.*, *MepA-syst.* [Aspirin], *MethyTD-syst.*, *Mica-syst.*, *MoeH-syst.*, *OlmH-syst.*, *Omep-syst.*, *Oxa-syst.*, **Pam-syst.**, **PrazoP-syst.**, *Que-syst.*, *Ril-syst.*, *Sal-syst.*, **Sir-syst.**, **SodBeSP-syst.**, *SodBi-syst.*, *SodPhe-syst.*, *SodPol-loc.*, *Sym-parsyst.* [*Dobutamine*, *Epinephrine*], *Teli-syst.*, *TelmH-syst.*, *Tors-syst.*, *Vor-syst.*, *Zic-syst.*, **Zole-syst.**

hypochloremic alkalosis, and: **ClonC-syst.**, *DiuL-syst.*

hypokalemic syndrome (irregular heartbeat; loss of appetite; muscle cramps or pain; nausea; severe weakness of extremities and trunk; vomiting; unusual tiredness or weakness): *Cortic-ot.*, *Cortic-top.*, *CorticG-syst.*, *Fludro-syst.*, *Gluc-syst.*

hypomagnesemia: *Anid-syst.*, *ArsTr-syst.*, **CalcS-syst.**, *Capec-syst.*, *CellSP-syst.*, *Cyclosp-syst.*, *EdD-syst.*, **Gemt-syst.**, **Len-syst.**, *Mica-syst.*, **Pam-syst.**, **Tacro-syst.**, *Vor-syst.*, **Zole-syst.**

hyponatremia, water intoxication: *AcetSal-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations], *AspirSC-syst.*, *BarbAn-syst.* [Aspirin], **BetBAT-syst.**, *Bevac-syst.*, *Cand-syst.*, *CandH-syst.*, *Carbam-syst.*, *Carm-imploc.*, *Carv-syst.*, *Cele-syst.*, *Cital-syst.*, **ClonC-syst.**, *Colc-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Desm-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, **DiuT-syst.**, *Don-syst.*, *Dul-syst.*, *Esc-syst.*, *Fluox-syst.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Glim-syst.*, *Inda-syst.*, *Los-syst.*, *LosH-syst.*, *MepA-syst.* [Aspirin], *MethyTD-syst.*, *MoeH-syst.*, *Nef-syst.*, *Ola-syst.*, *Oxc-syst.*, *Oxyt-syst.*, *Paro-syst.*, **PrazoP-syst.**, *Ril-syst.*, *Sal-syst.*, *Sertr-syst.*, *Sor-syst.*, *TelmH-syst.* [Hydrochlorothiazide], *Tic-syst.*, *Tors-syst.*, *Trimetr-syst.*, *Vaso-syst.*

dilutional: *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*], *Mann-syst.*

hypophosphatemia: *Anid-syst.*, *BronA-inhloc.*, *Cid-syst.*, *CitAGM-mucloc.*, *Colc-syst.*, *Corticot-syst.*, *EmtT-syst.*, **EnterNF-syst.**, **GalliN-syst.**, *Iba-syst.*, **Lant-orloc.**, *Mica-syst.*, **Pam-syst.**, **Seve-orloc.**, **Sir-syst.**, **SodPhe-syst.**, *Sor-syst.*, *Teno-syst.*, **Zole-syst.**

ELETROMIOGRAFIA.

electrophysiological abnormalities (decreased sensory nerve action potential (SNAP) amplitude; decreased sensory and motor conduction velocities and alterations in latencies): *Thali-syst.*

EOSINOFILIA (Ver Hemograma, células sanguíneas brancas).

EQUILÍBRIO ÁCIDO-BASE.

alterations in acid-base balance (especially respiratory alkalosis and metabolic acidosis): *AcetSal-syst.*, *MepA-syst.* [*Aspirin*], *Sal-syst.*

acidosis (shortness of breath, troubled breathing): *Aldes-syst.*, *ArsTr-syst.*, *CarbonAI-syst.*, *Dexmed-syst.*, *DorzT-oph.*, *Indo-syst.*, *Lid-top.*, *Mono-loc.*, *Sevo-inhsyst.*, **Sir-syst.**, *Thr-syst.*, *Tret-syst.*

lactic acidosis (abdominal discomfort; decreased appetite; diarrhea; fast, shallow breathing; general feeling of discomfort; muscle pain or cramping; nausea; shortness of breath; sleepiness; unusual tiredness or weakness; produces an anion-gap metabolic acidosis within a few hours): **AbLam-syst.**, *Adef-syst.*, *Ataz-syst.*, *BronA-inhloc.*, *Emt-syst.*, *EmtT-syst.*, *Entec-syst.*, *GlipM-syst.*, *GlybM-syst.*, *Ison-syst.*, *Lami-syst.*, *LamiZ-syst.*, *Line-syst.*, *Metf-syst.*, *MetfP-syst.*, *RosiM-syst.*, *Sta-syst.*, *Teno-syst.*, *Zalc-syst.*, *Zid-syst.*

dehydrogenase, lactic or lactate (LDH), increased: **Bex-syst.**, **Gemt-syst.**, *InsL-syst.*

fatal, potentially: *Ataz-syst.*, *GlipM-syst.*, *Metf-syst.*, *Teno-syst.*

women: *Did-syst.*

pregnant: *Did-syst.* [*Didanosine and Stavudine with other antiretroviral agents*]

hepatotoxicity, with (abdominal discomfort; nausea; decreased appetite; general feeling of discomfort; diarrhea; fast, shallow breathing; muscle pain or cramping; shortness of breath; sleepiness; unusual tiredness or weakness): *Abac-syst.*, *AbLamZid-syst.*, *EmtT-syst.*

women: **AbLamZid-syst.**

women: *Adef-syst.*

metabolic: *AcetSal-syst.*, *AntinfN-syst.* [*Phenylbutazone*], *AnthisDAg-syst.* [*Acetaminophen-containing combinations*], *AspirSC-syst.*, *BarbAn-syst.* [*Acetaminophen, Aspirin*], *BronA-syst.* [*Epinephrine*], *BronT-syst.*, *Coc-mucloc.*, *Colc-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations, Salicylate-containing combinations*], *Dyp-syst.*, *Etop-syst.*, *Fluda-syst.*, *For-inhloc.*, *Ifo-syst.*, *Iron-syst.*, *IsomDA-syst.*, *Ketor-syst.*, *Maf-top.*, *MepA-syst.* [*Aspirin*], *Nali-syst.*, *Nel-syst.*, *Nitrop-syst.*, *Oxa-syst.*, *Palo-syst.*, *Para-syst.*, *RifamI-syst.*, *RifamIP-syst.*, *Sal-syst.*, *SodBeSP-syst.*, **SodPhe-syst.**, *TramA-syst.* [*Acetaminophen*], *TrandV-syst.*

ketoacidosis (continuing loss of appetite; drowsiness; flushed, dry skin; fruit-like breath odor; increased urination; unusual

Repertório - Capítulo TESTES DIAGNÓSTICOS

thirst): *Diaz-orsyst.*, *Diaz-parsyst.*, *Indin-syst.*, *Nel-syst.*, *Risp-syst.*, *Riton-syst.*, *Saq-syst.*

maternal: *Ritod-syst.*

hyperchloremic: *Cyclosp-syst.*

alkalosis: *Indo-syst.*

hypochloremic (dryness of mouth; increased thirst; irregular heartbeat; mood or mental changes; muscle cramps or pain; nausea or vomiting; unusual tiredness or weakness; weak pulse): **BetBAT-syst.**, **DiuT-syst.**, *Inda-syst.*, *MethyTD-syst.*, **PrazoP-syst.**, **Tolaparsyst.**, *Tors-syst.*

hypokalemia, and: **ClonC-syst.**, *DiuL-syst.*

hypokalemic (irregular heartbeat; muscle cramps or pain; severe weakness of extremities and trunk): *Metyra-syst.*

metabolic (mood or mental changes; muscle pain or twitching; nervousness or restlessness; slow breathing; unpleasant taste; unusual tiredness or weakness): *AcSodCit-syst.*, *Antac-orloc.* [*Calcium-containing*; *Sodium Bicarbonate-containing*], *AspirSC-syst.*, *Citra-syst.* [*Potassium Citrate- and Sodium Citrate-containing*], *SodBi-syst.*, **SodPhe-syst.**

patients with renal function impairment: *AcSodCit-syst.*, *AspirSC-syst.*

respiratory: *AntinfN-syst.* [*Phenylbutazone*], *BarbAn-syst.* [*Aspirin*], **BronA-inhloc.**, *DecAn-syst.* [*Salicylate-containing combinations*], *MepA-syst.* [*Aspirin*], *Sal-syst.*

mild: *GalliN-syst.*, *SodBeSP-syst.*

bicarbonate level, low or decreased: *Cid-syst.*, *GalliN-syst.*, *Line-syst.*

ERITROCITOSE (Ver Hemograma, células sanguíneas vermelhas).

ESPERMOGRAMA, alterações no.

sperm count and motility abnormalities: *Danaz-syst.*

oligospermia: *Sulfap-syst.*, *Sulfas-syst.*

ESPLÊNICOS, TESTES.

lengths, renal and splenic, measured by ultrasound, increased: *Mecas-syst.*

ESTRÓGENO.

hypoestrogenemia, hypoestrogenism: **Clom-syst.**, *Danaz-syst.*

females: *Leup-syst.*

endometriosis, treated for: **Nafa-syst.**

FRATURAS ósseas (Ver Raios-X): *Cortic-nas.* [*Dexamethasone*], *Cortic-ot.*, *Cortic-rec.*, *Flut-inhloc.*, *Gab-syst.*, *Let-syst.*, *Mem-syst.*, **Sir-syst.**

adolescents: *Isot-syst.*

compression, vertebral, and long bone pathologic fractures, includes: *CorticG-syst.*

humerus: *Ose-syst.*

long bones, pathologic: *Fludro-syst.*
non spontaneous (pain or swelling in arms or legs without any injury): *Adal-syst.*
osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*
pathological (unexplained broken bone, pain or swelling in arms or legs without any injury): *Exem-syst., Niti-syst., Rosu-syst.*
spontaneous (fractures in arms or legs without any injury): *Fludro-syst.*

GASOMETRIA.

hypoxia, hypoxemia (See Oxygen Desaturation; RESPIRATION; GENERALITIES): *Amif-syst., Amio-syst., AmphoBCC-syst., AnestInh-syst., ArsTr-syst., BronT-syst. [Theophylline], Colc-syst., Colf-intloc., Desf-inhsyst., Dexmed-syst., Fluda-syst., Gemt-syst., IbupO-syst., Imm-syst., Lid-top., Miv-syst., Mur-syst., Pegf-syst., Rem-syst., Sevo-inhsyst., Sir-syst., Thr-syst., Vac-syst.*
adult and pediatric patients: *Desf-inhsyst.*
anoxia.
brain damage: *Propo-syst.*
hypotension, associated with: *Amif-syst.*
respiratory insufficiency, and, requiring supplemental oxygen or ventilatory support: *Tras-syst.*

GLICOSE, INTOLERÂNCIA a (Ver Hiperglicemia; GENERALIDADES, Diabetes, Hiperglicemia).

decreased: *Cortic-rec., Estro-syst.*
mild: *Stre-syst.*
moderate, to: *Stre-syst.*
moderate: *Stre-syst.*

GLICOSE-6-FOSFATO DESIDROGENASE (G6FD), deficiência de.
anemia, hemolytic, with: *AminsSod-syst.*

GRANULOCITOPENIA (Ver Hemograma, células sanguíneas brancas).

GRANULOPOIESE: *Lit-syst.*

HEMATOMA.

epidural or spinal: *Eno-syst.*

HEMOCONCENTRAÇÃO: *Hal-syst.*

intensification of pre-existing: *Mann-syst.*
ovarian hyperstimulation syndrome, with: *ChorioG-syst.*

HEMOGRAMA.

platelets (See Blood Dyscrasias; Coagulation Tests).
count, changes: *Vinc-syst., Zid-syst.*
thrombocythemia (See thrombocytosis).

thrombocytopenia (black, tarry stools; chest pain; chills; cough; fever; painful or difficult urination; shortness of breath; sore throat; sores, ulcers, or white spots on lips or in mouth; swollen glands; unusual bleeding or bruising; bleeding gums; unusual tiredness or weakness; blood in urine or stools; pinpoint red spots on skin): *AbLamZid-syst.*, *Abcix-syst.*, *Acet-syst.*, *Acyc-syst.*, *Adal-syst.*, **Aldes-syst.**, **Alemt-syst.**, *Allop-syst.*, *Alpr-syst.*, **Altr-syst.**, *Aminglut-syst.*, *Amio-syst.*, *AmlodBen-syst.*, *AmphoB-syst.*, *AmphoBCC-syst.*, *AmphoBLC-syst.*, **Amsa-syst.**, *AngInH-syst.*, *Anid-syst.*, *AntinfN-syst.*, **AnthyGR-syst.**, *AntandN-syst.*, *Antcoa-syst.* [Phenindione], *AntconD-syst.*, *AntconH-syst.*, *AntdiaS-syst.*, *AntfunA-syst.* [Fluconazole], *AnthemF-syst.* [AHF (Porcine)], *AnthisD-syst.*, *AnthisP-syst.*, *Anthyr-syst.*, *Ard-syst.*, *ArsTr-syst.*, *Atorv-syst.*, **Azac-syst.** *Azat-syst.*, *Aztr-syst.*, *Barb-syst.*, *BarbAn-syst.* [Acetaminophen, Barbiturates], *Bell-syst.*, *Benzod-syst.*, *BetBA-syst.*, *BetBAT-syst.*, **Bevac-syst.**, **Bort-syst.**, **Busu-syst.**, *CalcCBA-syst.*, *Cand-syst.*, **Capec-syst.**, *Carbam-syst.*, *CarbidEL-syst.*, **Carbopl-syst.**, *Carm-imploc.*, **Carm-syst.**, *Carv-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *CetiP-syst.* [Cetirizine], **Chloramb-syst.**, *Chloramp-ot.*, *Chloroq-syst.*, *Cil-syst.*, *Cinox-syst.*, **Cisp-syst.**, *Cital-syst.*, **Clad-syst.**, *Clar-syst.*, *Clind-syst.*, **Clofar-syst.**, *ClonC-syst.*, *Clop-syst.*, *Cloz-syst.*, *Colc-syst.*, *Cycloph-syst.*, *Cyp-syst.*, **Cyt-syst.**, *CytL-int.*, **Dac-syst.**, **Dacti-syst.**, *Dal-syst.*, *Danaz-syst.*, *Dau-syst.*, *DauL-syst.*, *DecAn-syst.* [Ibuprofen-containing combinations], *Def-syst.*, *Den-syst.*, *Dexr-syst.*, *Diaz-orsyst.*, *Diaz-parsyst.*, *DicM-syst.*, *Did-syst.*, *DigitG-syst.*, *DiphtTTH-syst.*, *Diso-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Docet-syst.*, *Doxap-syst.*, *Doxaz-syst.*, *Doxor-syst.*, **DoxorL-syst.**, *Doxyc-syst.*, *Efal-syst.*, **Efl-syst.**, *EnaF-syst.*, *Enf-syst.*, **Eno-syst.**, *Epir-syst.*, **Epop-syst.**, *Ept-syst.*, *Estra-syst.*, *Etan-syst.*, *Ethc-syst.*, **Etop-syst.**, *Ezet-syst.*, *FatE-syst.*, *Fel-syst.*, *Fenof-syst.*, *Flox-syst.*, **Fluc-syst.**, **Fluda-syst.**, *Fluoru-syst.*, *Fluox-syst.*, *Gadov-syst.*, **Ganc-syst.**, **Gemc-syst.**, *Gemif-syst.*, **Gemt-syst.**, *Genta-oph.*, *Gold-syst.*, *HepatAVI-syst.*, *HepatBVR-syst.*, *HistH2-syst.*, *Hydxyc-syst.*, *Hydxyu-syst.*, **Ibr-syst.**, **Ida-syst.**, **Ifo-syst.**, **Ima-syst.**, *Ina-syst.*, *Infli-syst.*, **IntA1-syst.**, *IntB1a-syst.*, *IntG-syst.*, **IntA-syst.**, *Iob-systthe.*, **Iri-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Ketor-syst.*, *Lamo-syst.*, *Lans-syst.*, **Lar-syst.**, *Lef-syst.*, **Len-syst.**, *Levam-syst.*, *Leve-syst.*, *Line-syst.*, **Lom-syst.**, *Los-syst.*, *LosH-syst.*, *MeaMRV-syst.*, **Mech-syst.**, *Melo-syst.*, **Melp-syst.**, *Mem-syst.*, *Mep-syst.*, **Merc-syst.**, *Mesa-reloc.*, **MethotC-syst.**, *MethotNC-syst.*, *Methy-syst.*, *MethyTD-syst.*, *Methylp-syst.*, *Metyro-syst.*, *Mex-syst.*, *Mica-syst.*, **Miglu-syst.**, *Mil-syst.*, **Mitom-syst.**, *Mitox-syst.*, *Mur-syst.*, *Myc-syst.*, *Nad-syst.*, *Nali-syst.*, *Nef-syst.*, *Niti-syst.*, *Nitro-syst.*, **Oxa-syst.**, **Pac-syst.**, *PacP-syst.*, **Pam-syst.**, *Paro-syst.*, *Pegas-syst.*, *Pegf-syst.*, *PegiA2a-syst.*, **PegiA2b-syst.**, **Peme-syst.**, *Penic-syst.*, *Penicil-syst.*, **Penta-syst.**, *Pentosa-syst.*, **Pentost-syst.**, *Phenot-syst.*, *Pli-syst.*, *Podop-top.*, *PrazoP-syst.*, *Probu-syst.*, *Procai-syst.*, **Procar-syst.**, *Pyrim-syst.*, *Quid-syst.*, *Quin-syst.*, *Rabe-syst.*, *Ralt-syst.*, *Rau-syst.*, *Rep-syst.*, **Riba-syst.**, *Rifab-syst.*, *Rifap-syst.*, **Ritu-syst.**, **Sam-syst.**, *Sertr-syst.*, **Sir-syst.**, *Ske-syst.*, *SodPhe-syst.*, *SodPho-syst.*, *Sor-syst.*, *Spisyst.*, *Sta-syst.*, *Stre-syst.*, *Stro-syst.*, *SulfadP-syst.*, *Sulfas-syst.*, *Sulfi-syst.*,

Repertório - Capítulo TESTES DIAGNÓSTICOS

Sur-syst., *Tem-syst.*, **Teni-syst.**, *Thie-syst.*, **Thiog-syst.**, **Thiot-syst.**, *Tic-syst.*, *Tini-syst.*, *Tinz-syst.*, *Tiop-syst.*, *Tir-syst.*, *Toc-syst.*, **Tola-parsyst.**, **Topo-syst.**, *Tore-syst.*, **TosI-syst.**, *Trimethop-syst.*, **Trimetr-syst.**, *Vala-syst.*, **Valg-syst.**, *Valp-syst.*, *Van-syst.*, *Vari-syst.*, *Vinc-syst.*, *Vind-syst.*, *Vind-syst.*, *Vino-syst.*, *Vor-syst.*, *Zid-syst.*, **Zole-syst.**

acute, profound: *Ept-syst.*

anemia, hemolytic microangiopathic, with (sudden weakness in arms or legs; sudden, severe chest pain): *Erl-syst.*

females: *Tamo-syst.*

hemorrhage while thrombocytopenic (bleeding gums; coughing up blood; difficulty in breathing or swallowing; dizziness; headache; increased menstrual flow or vaginal bleeding; nosebleeds; paralysis; prolonged bleeding from cuts; red or dark brown urine; red or black, tarry stools; shortness of breath): **Ibr-syst.**

grade 3 thrombocytopenia, bleeding associated with: *Peme-syst.*

higher risk of: *RubeV-syst.*

idiopathic (unusual bleeding or bruising; bloody nose; heavier menstrual periods; pinpoint red spots on skin; black, tarry stools; blood in urine; black, tarry stools; unusual tiredness or weakness; fever; skin rash): *IntB1a-syst.*

immune: *Tic-syst.*

immuno-allergic: *Oxa-syst.*

moderate: *Fon-syst.*

severe, to: *Fon-syst.*

purpura, with (usually asymptomatic; rarely, unusual bleeding or bruising; black, tarry stools; blood in urine or stools; pinpoint red spots on skin): *AntinfN-syst.*, *AnthisP-syst.*, *Capec-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Fluox-syst.*, *Gold-syst.*, *Infli-syst.*, *Linc-syst.*, *MeaRV-syst.*, *MeaV-syst.*, *MeaMRV-syst.*, *Mum-syst.*, *PerpA-syst.*, *Risp-syst.*, *RubeM-syst.*, *RubeV-syst.*

idiopathic thrombocytopenic purpura (ITP): *Capec-syst.*, *DiphTTH-syst.*, *Infli-syst.*

thrombotic thrombocytopenic purpura (TTP, *Moschcowitz disease*, or hemolytic-uremic syndrome) (change in mental status; dark or bloody urine; difficulty speaking; fever; pale color of skin; pinpoint red spots on skin; seizures; weakness; yellow eyes or skin): *Lans-syst.*, **Sir-syst.**, *Tic-syst.*

reversible: *Hepar-syst.*, *Metro-syst.*

severe: *Fon-syst.*

temporary: *HaeC-syst.*

thrombosis syndrome, with: *Dal-syst.*

thyroid carcinoma, following treatment of (cough or hoarseness, fever or chills, lower back or side pain, painful or difficult urination): *SodI131-systthe.*

type II: *Danap-syst.*

thrombocytosis (black, tarry stools; blood in urine or stools; pinpoint red spots on skin; unusual bleeding or bruising): *Acyc-syst.*, *Aztr-syst.*, *Cefd-syst.*, *Cele-syst.*, *Fluorq-syst.*, *Metyro-syst.*, *SodPhe-syst.*, *Teli-syst.*, *Tinz-syst.*

red blood cells (See Blood Dyscrasias; GENERALITIES, Anemia).

anemia (pale skin; troubled breathing with exertion; unusual bleeding or bruising; unusual tiredness or weakness): **AbLam-syst.**, *AbLamZid-syst.*, *Abcix-syst.*, *Acet-syst.*, *Acyc-syst.*, **Aldes-syst.**, **Alemt-syst.**, *Allop-syst.*, *Alpr-syst.*, **Altr-syst.**, *AmphoBLC-syst.*, **Amsa-syst.**, *Anast-syst.*, *Anest-parloc.*, *AntinfN-syst.*, *AntandN-syst.*, *AnthisDAg-syst.*, *Ard-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Atorv-syst.*, **Azac-syst.**, *Aztr-syst.*, *Benzod-syst.*, **Bort-syst.**, **Busu-syst.**, **Capec-syst.**, *Carbet-syst.*, *CarbidEL-syst.*, **Carbopl-syst.**, *Carm-syst.*, *Casp-syst.*, *Cele-syst.*, **Cetux-syst.**, *Cev-syst.*, **Cisp-syst.**, **Clofar-syst.**, *Clofib-syst.*, *Crom-inhloc.*, *Cycloph-syst.*, *Cyp-syst.*, *Cys-syst.*, *CytL-int.*, **Dac-syst.**, **Dacti-syst.**, *Daps-syst.*, *Dapt-syst.*, *DauL-syst.*, *DecAn-syst.*, **Den-syst.**, *Dexmed-syst.*, *Did-syst.*, *DipyA-syst.*, **Docet-syst.**, **DoxorL-syst.**, *EdD-syst.*, **Efl-syst.**, **Eno-syst.**, **Epir-syst.**, *Estra-syst.*, *Etan-syst.*, **Etop-syst.**, *FatE-syst.*, *Flox-syst.*, **Fluc-syst.**, **Fluda-syst.**, *Fome-syst.*, **Fon-syst.**, *Fosc-syst.*, *Ful-syst.*, *Gala-syst.*, *GalliN-syst.*, *Ganc-syst.*, **Gemt-syst.**, *Gemf-syst.*, *Gemif-syst.*, **Gemt-syst.**, *Gold-syst.*, *HistH2-syst.* [*Nizatidine*], *Histr-syst.*, **Hydxyu-syst.**, **Ibr-syst.**, *IbupO-syst.*, **Ima-syst.**, *Indin-syst.*, **IntB1a-syst.**, **IntA-syst.**, **Iri-syst.**, *IsomDA-syst.*, *Isot-syst.*, *Ketor-syst.*, *Lami-syst.*, **LamiZ-syst.**, *Lamo-syst.*, *Lef-syst.*, **Len-syst.**, **Lep-syst.**, *Leup-syst.*, *Line-syst.*, *Lom-syst.*, *Meg-syst.*, *Melo-syst.*, *Melp-syst.*, **Merc-syst.**, **Mero-syst.**, *MetfP-syst.*, *Methylp-syst.*, *Metyro-syst.*, *Mica-syst.*, *Mif-syst.*, *MoeH-syst.*, **Myc-syst.**, *Nar-syst.*, *Nef-syst.*, *Nes-syst.*, *Nev-syst.*, *Nyl-syst.*, *OmeP-syst.*, *Ose-syst.*, **Oxa-syst.**, **Pac-syst.**, **PacP-syst.**, **Pam-syst.**, *Pegf-syst.*, *PegiA2a-syst.*, **Peme-syst.**, *Penta-syst.*, *Pentosa-syst.*, **Pentost-syst.**, **Perg-syst.**, *Pio-syst.*, **Por-syst.**, *Probe-syst.*, *Probu-syst.*, **Procar-syst.**, *Rabe-syst.*, **Ralt-syst.**, *RhO-syst.*, **Riba-syst.**, *Rifap-syst.*, *Rise-syst.*, **Ritu-syst.**, *Rosi-syst.*, **RosiM-syst.**, *Rosu-syst.*, *Sal-syst.*, *Sild-syst.*, **Sir-syst.**, *Ske-syst.*, *SodBeSP-syst.*, **SodPhe-syst.**, *SodPho-syst.*, *Sor-syst.*, *Sta-syst.*, *SulfadP-syst.*, *Sulfi-syst.*, *Sur-syst.*, **Teni-syst.**, *Tinz-syst.*, *Tiop-syst.*, *Tiz-syst.*, *Topi-syst.*, **Topo-syst.**, **TosI-syst.**, *TramA-syst.*, *Tras-syst.*, **Trie-syst.**, **Trimetr-syst.**, *Trip-syst.*, *Vald-syst.*, **Valg-syst.**, *Ver-parloc.*, **Vino-syst.**, *VitA-syst.*, *Vor-syst.*, *Zic-syst.*, **Zid-syst.**, **Zole-syst.**

aplastic (chest pain; chills; cough; fever; headache; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen or painful glands; tightness in chest, unusual bleeding or bruising; unusual tiredness or weakness; wheezing): **AbLam-syst.**, *Allop-syst.*, *Amio-syst.*, *AntinfN-syst.*, *Antcoa-syst.* [*Phenindione*], *AntconD-syst.*, *AntconS-syst.*, *AntdiaS-syst.*, *Anthyr-syst.*, *Brin-oph.*, *Busu-syst.*, *Carbam-syst.*, *Carv-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chloramp-syst.*, *Chloroq-syst.*, *Colc-syst.*, **Dacti-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Etan-syst.*, *Fel-syst.*, *Fluox-syst.*, *Gold-syst.*,

HistH2-syst., Hydxyz-syst., Lamo-syst., Lans-syst., Mur-syst., Nitro-syst., Paro-syst., PegiA2b-syst., Pemo-syst., Penic-syst., Probe-syst., Sertr-syst., Ske-syst., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfi-syst., Sulfo-syst., SulfoT-syst., Tic-syst., Toc-syst., Vala-syst., Ven-syst., Zon-syst.

aplasia, red cell: Antcoa-syst. [Phenindione], *Gold-syst., Lamo-syst., Tacro-syst.*

pure (fever and sore throat; pale skin; unusual bleeding or bruising; unusual tiredness or weakness): *Darb-syst., Epoe-syst.*

geriatric patients: **AntinfN-syst.**

dilutional: *Alpha-syst.*

gastrointestinal bleeding, associated with: *AntinfN-syst.*

hemodilution caused by fluid retention, associated with: *AntinfN-syst.*

hemolytic (abdominal, back, leg, or stomach pains; bleeding gums; chills; dark urine; difficulty breathing; fatigue; fever; general body swelling; headache; loss of appetite; nausea or vomiting; nosebleeds; pale skin; sore throat; yellowing of the eyes or skin): *Amio-syst., AmlodBen-syst., AmylN-syst., AntinfN-syst., AntdiaS-syst., AnthemF-syst., AnthisD-syst., CarbidL-syst., CarbidEL-syst., CetiP-syst. [Cetirizine], Cisp-syst., Cital-syst., Daps-syst., DecAn-syst. [Ibuprofen-containing combinations], Del-syst., DicM-syst., Don-syst., Doxyc-syst., Fluda-syst., Fluorq-syst. [Levofloxacin], IntA-syst., Ketor-syst., Lamo-syst., Lans-syst., Levod-syst., Levof-syst., MepA-syst. [Aspirin], MethylB-syst., Mica-syst., Moe-syst., Nali-syst., Nitro-syst., Omep-syst., Paro-syst., Penic-syst., PerpA-syst., Phena-syst., Probe-syst., Procar-syst., Quid-syst., Quin-syst., Rabe-syst., RibaI-syst., Sal-syst., Ske-syst., Sulfas-syst.*

acute: *Ampr-syst., Fosam-syst., Indin-syst.*

children: *VitK-syst. [Menadiol, Phytonadione]*

Coombs' positive (unusual tiredness or weakness): *Cisp-syst., Procai-syst., Vac-syst.*

fatal.

disseminated intravascular coagulation, with: *Maf-top.*

glucose-6-phosphate dehydrogenase (G6PD) deficiency, with: *AminsSod-syst., MepA-syst. [Aspirin], Prima-syst.*

group A, B, or AB red blood cell antigens, patients with: *AnthemF-syst.*

Heinz body (back, leg, or stomach pains; loss of appetite; pale skin; unusual tiredness or weakness; fever): *Sulfas-syst.*

hemolysis (abdominal pain; back pain; dark urine; decreased urination; fever; tiredness; yellow eyes or skin): *Acyc-syst., Daps-syst., Gadob-syst., Imm-syst., Ras-syst., Ure-syst., Vac-syst., VitA-syst.*

acute, increased chance of: *Rifam-syst., RifamI-syst., RifamIP-syst.*

- intravascular:** *RhO-syst.*
- immune hemolytic anemia** (unusual tiredness or weakness; yellowing of the eyes or skin): *Ceph-syst.* [**Cefotetan**], *Fluox-syst.*, *HistH2-syst.*, *Methy-syst.*, *MethyTD-syst.*
- immune-allergic hemolytic anemia:** *Oxa-syst.*
- renal failure, with** (back, leg, or stomach pain; nausea, vomiting, or loss of appetite; unusual tiredness or weakness; fever; pale skin): *AnestBar-syst.*
- microangiopathic:** *Vala-syst.*
- thrombocytopenia, with** (sudden weakness in arms or legs; sudden, severe chest pain): *Erl-syst.*
- mild, reversible.**
- glucose-6-phosphate dehydrogenase (G6PD)-deficient patients:** *Fur-orloc.*
- neonates:** *VitK-syst.* [*Menadiol*, *Phytonadione*]
- pediatric patients:** *Cisap-syst.*
- renal function impairment, with:** **AmlodBen-syst.**
- reticulocytosis, with:** *Tic-syst.*
- hypochromic** (fatigue; headache; irritability; lightheadedness; unusual tiredness or weakness): **Bex-syst.**, *Danap-syst.*, *Eno-syst.*
- hypoplastic:** *AntconD-syst.*, *Gold-syst.*
- iron deficiency anemia** (loss of appetite; sore tongue): *AnabS-syst.*
- isolated drop in hemoglobin:** **Lep-syst.**
- megaloblastic** (unusual tiredness or weakness): **Azat-syst.**, *Barb-syst.*, *Cyt-syst.*, *DiuP-syst.*, *DiuPH-syst.* [*Triamterene and Hydrochlorothiazide combination*], *GlipM-syst.*, *Metf-syst.*, *Nitro-syst.*, *Primi-syst.*, *Pyrim-syst.*, *SulfadP-syst.*, *Trimethop-syst.*
- self-limiting megaloblastic erythropoiesis** (anemia, erythrocytic or platelet abnormalities): **Hydxyu-syst.**
- microbleeding, associated with:** *AntinfN-syst.*
- myelosuppression, secondary to:** **Cisp-syst.**
- normochromic** (See normocytic).
- normocytic, normochromic:** **AmphoB-syst.**
- pediatric patients:** *Cisap-syst.*
- severe:** **Clad-syst.**, *Darb-syst.*
- cytopenias, with:** *Darb-syst.*
- sideroblastic** (unusual tiredness or weakness): *ZinS-syst.*
- transient** (bleeding and bruising; sore throat and fever; unusual tiredness or weakness): *EdC-syst.*
- erythrocytosis** (See polycythemia).
- hemolysis** (abdominal pain; back pain; dark urine; decreased urination; fever; tiredness; yellow eyes or skin): *Acyc-syst.*, *Daps-syst.*, *Gadob-syst.*, *Imm-syst.*, *Ras-syst.*, *Ure-syst.*, *Vac-syst.*, *VitA-syst.*
- acute, increased chance of:** *Rifam-syst.*, *RifamI-syst.*, *RifamIP-syst.*
- intravascular:** *RhO-syst.*

polycythemia (abdominal pain; bleeding from gums or nose; dizziness; eye pain; headache; ringing in the ears; tiredness; weakness): *Adal-syst.*, *Darb-syst.*, **EpoE-syst.**, **Sir-syst.**

males: *Meno-syst*

secondary (dizziness; flushing or redness of skin; headache, frequent or continuing; unusual bleeding; unusual tiredness): *Andro-syst.*

reticulocytopenia: *Dacti-syst.*

reticulocytosis: *Tic-syst.*

sedimentation rate increase, erythrocyte: *HepatBVR-syst.*

white blood cells.

agranulocytosis, granulocytopenia (fever with or without chills; cough; sore throat; ulcers, sores, or white spots in mouth; shortness of breath; unusual tiredness or weakness): *Acet-syst.*, **Adal-syst.**, *Allop-syst.*, *Aminglut-syst.*, *AmlodBen-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.*, *Antcoa-syst.* [*Anisindione*], *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdepT-syst.*, *AntdiaS-syst.*, *AntfunA-syst.* [*Fluconazole*], *AnthisP-syst.*, *Anththr-syst.*, *AppSupS-syst.* [*Diethylpropion*], *Barb-syst.*, *BarbAn-syst.* [*Acetaminophen; Barbiturates*], *Bell-syst.*, *Benzod-syst.*, *BetBAT-syst.*, *Brin-oph.*, *CalcCBA-syst.*, *Cand-syst.*, *Carbam-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Chloramp-ot.*, *ChlordA-syst.*, *Chloroq-syst.*, *Cil-syst.*, *ClonC-syst.*, *Clop-syst.*, *Cloz-syst.*, *Colc-syst.*, *Dacti-syst.*, *Daps-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *DicM-syst.*, *Did-syst.*, *Diso-syst.*, *DiuL-syst.*, *DiuP-syst.*, *DiuPH-syst.*, *DiuT-syst.*, *Dorz-oph.*, *DorzT-oph.*, *EnaF-syst.*, *Fel-syst.*, *Fenof-syst.*, *Fluorq-syst.* [*Norfloxacin*], *Fosc-syst.*, **Ganc-syst.**, *Gemif-syst.*, *Gold-syst.*, *Gri-syst.*, *Hal-syst.*, *HistH2-syst.* [*Cimetidine; Famotidine; Ranitidine*], *Hydra-syst.*, *Hydxcyc-syst.*, *IsomDA-syst.*, *Isot-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Levam-syst.*, *Levod-syst.*, *LosH-syst.*, *Lox-syst.*, *Map-syst.*, *Melo-syst.*, *Mero-syst.*, *MethyTD-syst.*, *Meto-syst.*, *Mex-syst.*, *Miglu-syst.*, *Mir-syst.*, *Moe-syst.*, *MoeH-syst.*, **Nev-syst.**, *Nitro-syst.*, *Omep-syst.*, **Pam-syst.**, *Paro-syst.*, **Pegf-syst.**, *Penic-syst.*, *PerpA-syst.*, *Phenot-syst.*, *PrazoP-syst.*, *Procai-syst.*, *Propa-syst.*, *Pyrim-syst.*, *Quin-syst.*, *Rabe-syst.*, *Ritod-syst.*, *Sertr-syst.*, *Ske-syst.*, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfi-syst.*, *Sulfo-syst.*, *Sulfo-vag.*, *SulfoT-syst.*, *Sur-syst.*, *Thie-syst.*, *Thiox-syst.*, *Tic-syst.*, *Tinz-syst.*, *Toc-syst.*, *Trand-syst.*, *TrandV-syst.*, *Valg-syst.*, *Ven-syst.*, **Vino-syst.**, **Zid-syst.**, **Zole-syst.**, *Zon-syst.*

basophilia: *Gadob-syst.*

eosinophilia: **Aldes-syst.**, *Allop-syst.*, *Aminglut-syst.*, *AngIn-syst.*, *AngInH-syst.*, *AntinfN-syst.* [*Piroxicam*], *Antcoa-syst.* [*Phenindione*], *AntconD-syst.*, **AntconH-syst.**, *AntconS-syst.*, *AntdiaS-syst.*, *Carbam-syst.*, **Cefu-syst.**, **Ceph-syst.**, *Cloz-syst.*, *Cortic-inhloc.*, *Crom-inhloc.*, *Danaz-syst.*, *Doxyc-syst.*, *Fluorq-syst.* [*Levofloxacin*], *FlutS-inhloc.*, *Gemif-syst.*, *Gold-syst.*, *HistH2-syst.*, *IodS-syst.*, *Ketor-syst.*, *Lamo-syst.*, *Levof-syst.*, *Maf-top.*, *Metyro-syst.*, *Mod-syst.*, *Mont-syst.*, *Nitro-syst.*, *Nali-syst.*, *Nev-syst.*, *Nitro-syst.*, *PerpA-syst.*, *PotI-syst.*, **Probu-syst.**, *Pyrim-syst.*, *Ske-syst.*, *SodI-syst.*, *Teli-syst.*, *Tic-syst.*, *Tiop-syst.*, *Ven-syst.*, *Zaf-syst.*

effusion and infiltrates on the chest x-ray, and showed: *JapV-syst.*
pulmonary (chest pain; dry cough; fever; general feeling of tiredness or weakness; rapid breathing; shortness of breath; skin rash; wheezing): *Pyrim-syst., Ven-syst.*

renal failure, with: *Riton-syst.*

systemic eosinophilic conditions (e.g., **Churg-Strauss syndrome**) (cardiac complications; neuropathy [numbness and weakness of hands and feet]; vasculitic rash [skin rash]; worsening asthma [shortness of breath, troubled breathing, wheezing]): *Flut-inhloc., Zaf-syst.*

transient: *TecAr-syst.*

granulocytopenia (See agranulocytosis).

leukocytosis (chills; cough; eye pain; fever; general feeling of illness; headache; sore throat; unusual tiredness; 9500 to 26,000 cells per cubic millimeter): *Abcix-syst., Acyc-syst., Allop-syst., Alpha-syst., Antcoa-syst.* [Phenindione], *Aztr-syst., BronA-inhloc., Carbam-syst., CarbidL-syst., Carm-imploc., Dexmed-syst., Fluox-syst., Gadob-syst., Hal-syst., Iron-syst., Lit-syst., Lox-syst., Moli-syst., Omep-syst., PerpA-syst., Phenot-syst., Sir-syst., SodPhe-syst., Tiz-syst.*

acute: *Exem-syst.*

cerebrospinal fluid, in: *Mur-syst.*

excessive (See hyperleukocytosis).

hyperleukocytosis (chills; cough; eye pain; general feeling of illness; headache; sore throat; unusual tiredness): *ArsTr-syst., ColSF-syst.* [*Filgrastim, Sargramostim*]

neonates: *Caff-syst.*

leukopenia (chills, fever, or sore throat): *Acyc-syst., Adal-syst., Aldes-syst., Allop-syst., Altr-syst., Aman-syst., AminPot-syst., Aminglut-syst., AmphoB-syst., AmphoBLC-syst., Amsa-syst., Anast-syst., AnestInh-syst.* [*Nitrous Oxide*], *Anid-syst., AntinfN-syst.* [*Piroxicam*], *AnththyGR-syst., AntandN-syst., Antcoa-syst., AntconD-syst., AntconH-syst., AntconS-syst., AntdepMAO-syst., AntdiaS-syst., AnthisP-syst., Anththy-syst., AppSupS-syst.* [*Diethylpropion*], *Aspar-syst., Azac-syst., BcgL-mucloc., Benzod-syst., BetBA-syst., BetBAT-syst., Bevac-syst., Bex-syst., Bex-top., Busu-syst., Cand-syst., Capec-syst., Carbam-syst., CarbidEL-syst., Carbopl-syst., Carm-syst., Cefd-syst., Cefu-syst., Cele-syst., Ceph-syst., Cetux-syst., Chloramb-syst., Cil-syst., Cisp-syst., Clar-syst., Clofar-syst., Clofib-syst., Colc-syst., Cycloph-syst., Cyp-syst., Cys-syst., Cyt-syst., Dac-syst., Dacti-syst., Dau-syst., DecAn-syst.* [*Ibuprofen-containing combinations*], *Den-syst., Dexr-syst., DicM-syst., Did-syst., DiuL-syst., Docet-syst., Doxaz-syst., Doxor-syst., DoxorL-syst., Efl-syst., Epir-syst., Estra-syst., Etan-syst., Etop-syst., Fel-syst., Flavox-syst., Flox-syst., Fluc-syst., Fluda-syst., Fluorq-syst., Fluoru-syst., Fosc-syst., Ful-syst., Fur-orloc., Gab-syst., Gadob-syst., Gemc-syst., Gemf-syst., Gemif-syst., Gold-syst., Gri-syst., HistH2-syst., Hydra-syst., Hydxyu-syst., Ida-syst., Ifo-syst., Imm-syst., Infl-syst., IntA1-syst., IntB1a-syst., IntG-syst., IntA-syst., Iob-systthe., Iri-*

syst., *Ketor-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, **Len-syst.**, *Levam-syst.*, *Leve-syst.*, *Line-syst.*, **Lom-syst.**, **Mech-syst.**, *Meg-syst.*, *Melo-syst.*, *Mep-syst.*, **Merc-syst.**, *Mero-syst.*, *Mesa-reloc.*, **MethotC-syst.**, *MethotNC-syst.*, *Methylp-syst.*, *Methys-syst.*, *Metro-syst.*, *Mex-syst.*, *Mica-syst.*, *Miglu-syst.*, **Mitom-syst.**, **Mitox-syst.**, *Mono-loc.*, **Myc-syst.**, *Nali-syst.*, *Ned-inhloc.*, *Nef-syst.*, *Niti-syst.*, *Nitro-syst.*, **Oxa-syst.**, **Pac-syst.**, **Pam-syst.**, *Pegas-syst.*, *Pegf-syst.*, **Peme-syst.**, *Penic-syst.*, *Penicil-syst.*, *PenicilB-syst.*, **Penta-syst.**, *Pentosa-syst.*, **Pentost-syst.**, *PerpA-syst.*, *Phenot-syst.*, *Pil-syst.*, *Pli-syst.*, *Podop-top.*, *Prima-syst.*, *Probe-syst.*, *Procai-syst.*, **Procar-syst.**, *Pyrim-syst.*, *Que-syst.*, *Quin-syst.*, *Rabe-syst.*, **Ralt-syst.**, *Rep-syst.*, *Rifab-syst.*, *Rifap-syst.*, *Ritod-syst.*, **Ritu-syst.**, **Sam-syst.**, *Sertr-syst.*, *Sild-syst.*, *Silv-top.*, **Sir-syst.**, *Ske-syst.*, *SodI131-systthe.*, *SodPhe-syst.*, *SodPho-syst.*, *Sor-syst.*, *Sta-syst.*, *Stre-syst.*, *Stro-syst.*, *SulfadP-syst.*, *Sulfi-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tem-syst.*, **Teni-syst.**, *Thie-syst.*, **Thiog-syst.**, **Thiot-syst.**, *Tini-syst.*, *Tiop-syst.*, *Tiz-syst.*, *Toc-syst.*, *Topi-syst.*, **Topo-syst.**, *Tore-syst.*, *Tras-syst.*, *Trimethop-syst.*, *Urs-syst.*, *Vac-syst.*, *Valg-syst.*, *Valr-mucloc.*, **Vinb-syst.**, *Vinc-syst.*, **Vind-syst.**, **Vino-syst.**, *Vor-syst.*, *Zalc-syst.*, **Zid-syst.**, *ZinS-syst.*, *Zolm-syst.*

bone pain, following treatment of: **SodPho-syst.**

infection, with (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; sore throat): *Anast-syst.*, *Ifo-syst.*, **Pac-syst.**

reversible: *Methy-syst.*, *MethyTD-syst.*

lymphocytosis: **Aldes-syst.**

lymphopenia (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination): **Abac-syst.**, *AbLamZid-syst.*, **Alef-syst.**, **Capec-syst.**, **Chloramb-syst.**, **Exem-syst.**, *Mica-syst.*, **Pam-syst.**, *Pegf-syst.*, *PegiA2a-syst.*, **Riba-syst.**, **Ritu-syst.**, *Sor-syst.*

neutropenia (black, tarry, stools; chills; cough; fever; lower back or side pain; painful or difficult urination; pale skin; shortness of breath; sore throat; ulcers, sores, or white spots in mouth; unusual bleeding or bruising; unusual tiredness or weakness): **AbLamZid-syst.**, *Acyc-syst.*, *Albd-syst.*, **Alemt-syst.**, *Aman-syst.*, *Amio-syst.*, *Anak-syst.*, *AngIn-syst.*, *AngInH-syst.*, *Anid-syst.*, *AntinfN-syst.* [*Piroxicam*], *AntfunA-syst.*, *Aprep-syst.*, *ArsTr-syst.*, **Azac-syst.**, *Aztr-syst.*, *Benzod-syst.*, **Bevac-syst.**, **Bort-syst.** *Cand-syst.*, **Capec-syst.**, **Carbopl-syst.**, *Cefu-syst.*, *Ceph-syst.*, **Chloramb-syst.**, *Chloroq-syst.*, **Cid-syst.**, *Clar-syst.*, *Clind-syst.*, **Clofar-syst.**, *Clop-syst.*, *CytL-int.*, **DauL-syst.**, *DecAn-syst.* [*Ibuprofen-containing combinations*], **Docet-syst.**, **DoxorL-syst.**, *Doxyc-syst.*, *EnaF-syst.*, *Enf-syst.*, **Epir-syst.**, *Etan-syst.*, **Fluda-syst.**, **Geme-syst.**, *Gold-syst.*, *HistH2-syst.*, *Hydxcyc-syst.*, **Hydxyu-syst.**, **Ibr-syst.**, **Ima-syst.**, *Infli-syst.*, *IntG-syst.*, **Iri-syst.**, *Isot-syst.*, *Lami-syst.*, **LamiZ-syst.**, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, **Len-syst.**, *Leve-syst.*, *Linc-syst.*, *Meb-syst.*, **Melp-syst.**, *Mero-syst.*, *Mesa-reloc.*, *Mica-syst.*, *Miglu-syst.*, *Mir-syst.*, *Moe-syst.*, *MoeH-syst.*, *Mur-syst.*, **Myc-syst.**, *Ned-inhloc.*, *Nev-syst.*, *Omep-syst.*, **Oxa-syst.**, **Pac-syst.**, **PacP-syst.**, *Pam-syst.*, **PegiA2a-syst.**, **PegiA2b-syst.**, **Peme-syst.**, *Penicil-syst.*, *PenicilB-syst.*,

Penta-syst., *Procai-syst.*, *Rabe-syst.*, *Ras-syst.*, **Riba-syst.**, **Rifab-syst.**, *Rifap-syst.*, *Ril-syst.*, **Ritu-syst.**, *Sir-syst.*, *Sor-syst.*, *Sulfas-syst.*, *Tem-syst.*, **Teni-syst.**, *Terb-syst.*, *Thali-syst.*, *Tic-syst.*, *Tini-syst.*, *Toc-syst.*, **Topo-syst.**, **TosI-syst.**, *Trand-syst.*, *TrandV-syst.*, *Tras-syst.*, *Trimethop-syst.*, **Trimetr-syst.**, **Valg-syst.**, *Vals-syst.*, *ValsH-syst.*, *Van-syst.*, *Ven-syst.*, *Zalc-syst.*, **Zid-syst.**, *ZinS-syst.*, **Zole-syst.**

enterocolitis, neutropenic (abdominal pain, cramping, or tenderness; diarrhea; vomiting nausea; fever; chills; muscle pain): *Docet-syst.*

febrile: *ArsTr-syst.*, **Azac-syst.**, **Clofar-syst.**, *Docet-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Ibr-syst.*, *Iri-syst.*, **Len-syst.**, *Mica-syst.*, *PacP-syst.*, **Pegf-syst.**, *Peme-syst.*, *Ras-syst.*, **Topo-syst.**, *Tras-syst.*

higher frequency of: *DauL-syst.*

infection, neutropenic: **Iri-syst.**, **Melp-syst.**, **Pac-syst.**, **Topo-syst.**

grade 3 or 4: **Peme-syst.**

mild: *Succ-syst.*

moderate, to: *Succ-syst.*

moderate: *Succ-syst.*

renal function impairment, patients with: **EnaF-syst.**

severe: **Clad-syst.**, *Myc-syst.*

neutrophilia (chills, fever, or sore throat): *Acyc-syst.*, **ColSF-syst.**, **Pegf-syst.**

pancytopenia (high fever; chills; unexplained bleeding or bruising; bloody, black, or tarry stools; pale skin; unusual tiredness or weakness; cough; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen glands): *Adal-syst.*, *Alemt-syst.*, *Amio-syst.*, *Amsa-syst.*, *AngIn-syst.*, *AntinfN-syst.*, *AntconD-syst.*, *AntconH-syst.*, *AntconS-syst.*, *AntdiaS-syst.*, *Aztr-syst.*, *Bevac-syst.*, *Busu-syst.*, *Capec-syst.*, *Carbam-syst.*, *Cefu-syst.*, *Cele-syst.*, *Ceph-syst.*, *Clad-syst.*, *Dacti-syst.*, *DecAn-syst.* [*Ibuprofen-containing combinations*], *Etan-syst.*, *Ethc-syst.*, *Fel-syst.*, *Fluda-syst.*, *Fluox-syst.*, *Gold-syst.*, *HistH2-syst.*, *Ibr-syst.*, *Imm-syst.*, *Infli-syst.*, *IntB1a-syst.*, *Lamo-syst.*, *Lans-syst.*, *Lef-syst.*, *Leve-syst.*, *Line-syst.*, *Mesa-reloc.*, *Pantop-syst.*, *Paro-syst.*, *Pegf-syst.*, *PerpA-syst.*, *Pyrim-syst.*, *Rabe-syst.*, *Ras-syst.*, *Ritu-syst.*, *Sertr-syst.*, *Sir-syst.*, *Ske-syst.*, *Sulfi-syst.*, *Terb-syst.*, *Thie-syst.*, *Thiog-syst.*, *Tic-syst.*, *Tinz-syst.*, *Vac-syst.*, *Valg-syst.*, *Ven-syst.*, *Vor-syst.*, **Zole-syst.**

geriatric patients: **AntinfN-syst.**

reversible (fever or chills; cough or hoarseness; lower back or side pain; painful or difficult urination; unusual bleeding or bruising; black, tarry stools; blood in urine or stools; pinpoint red spots on skin): *Chloramb-syst.*

HEPÁTICOS, TESTES.

abnormal (See **ABDOMEN, Liver, function**): **Albd-syst.**, *Busu-syst.*, *Dacti-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*], *Doxaz-syst.*, *Imiq-top.*, *IsomDA-syst.*, *Levom-syst.*, *Mica-syst.*, **Natal-syst.**, *Ond-syst.*, *Oxc-syst.*, **Pegv-syst.**, *Pemo-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Sal-syst.*, **Sir-syst.**, *Tacri-syst.*, *Teli-syst.*, *Testos-syst.*, *TramA-syst.*, *Vor-syst.*, **Zalc-syst.**

hepatitis, with: *Vala-syst.*
albumin decreases in serum: *Pegas-syst.*
bilirubin.
concurrent elevations in transaminases and bilirubin: *Fus-syst.*, **Gemt-syst.**
decreased (See hypobilirubinemia).
hyperbilirubinemia (yellow eyes or skin): *Acyc-syst.*, *Ataz-syst.*, **Barb-syst.**
[Phenobarbital], **Bevac-syst.**, *Bex-syst.*, *Busu-syst.*, **Capec-syst.**, *Casp-syst.*,
DeslP-syst., *Gadob-syst.*, *Gemif-syst.*, **Gemt-syst.**, **Lar-syst.**, *Melo-syst.*,
Mica-syst., *Nel-syst.*, *Nev-syst.*, *Sor-syst.*, *Teli-syst.*, *Tore-syst.*, *Vor-syst.*,
Zaf-syst., *Zid-syst.*, *Zil-syst.*
children: *VitK-syst.* [*Menadiol*, *Phytonadione*]
neonates: *VitK-syst.* [*Menadiol*, *Phytonadione*]
slow development of: *Oct-syst.*
hypobilirubinemia: **Album-syst.**
increased (See hyperbilirubinemia).
biochemistry, liver, abnormal: *Fus-syst.*
dysfunction, hepatic: *Casp-syst.*
elevated liver function tests (See enzyme levels, elevation).
enzyme (transaminases) levels.
alanine transaminase (ALT [SGPT]), abnormal levels.
increases in: *InsL-syst.*, *Mont-syst.*, *Pemo-syst.*, *Tic-syst.*
greater than 3 times upper limit of normal: *RosiM-syst.*, *Zil-syst.*
transaminases and bilirubin, concurrent elevations in: **Gemt-syst.**
alkaline phosphatase (ALP) , increased: *Dexmed-syst.*, **Ilo-inh.**, *Teli-syst.*,
Vino-syst.
aspartate aminotransferase (AST [SGOT]) abnormal levels.
increased: *Aminglut-syst.*, *Dacti-syst.*, *InsL-syst.*, *Mont-syst.*
transaminases and bilirubin, concurrent elevations in: **Gemt-syst.**
elevation, enzyme, hepatic (liver): **Abac-syst.**, *AbLamZid-syst.*, *Acyc-syst.*,
Azat-syst., *Bals-syst.*, *Bex-syst.*, *DeslP-syst.*, *Efav-syst.*, *Erl-syst.*, *Fluox-syst.*,
HepatBVR-syst., *IntG-syst.*, *Lox-syst.*, **Meg-syst.**, *Moli-syst.*, *Nev-syst.*, *Pac-syst.*,
Paro-syst., *PegiA2a-syst.*, *PenicilB-syst.*, **Penta-syst.**, *Pentost-syst.*,
PerpA-syst., *Phenot-syst.*, *Pio-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Seleg-syst.*,
Tacri-syst., *Thiox-syst.*, *Tini-syst.*, *Tamo-syst.*, *Teno-syst.*, *Tini-syst.*, *Tinz-syst.*,
Tore-syst., *Zaf-syst.*, *Zid-syst.*, *Zil-syst.*
cholecystitis, with: *Teg-syst.*
asymptomatic: *Let-syst.*, *Mont-syst.*
persistent: *Atorv-syst.*
serum: *Clofib-syst.*, *Fus-syst.*, *Lami-syst.*
transient: *Pentost-syst.*
gamma glutamyl transferase (GGT) increased: *Epl-syst.*, **Ilo-inh.**, *Zalc-syst.*
hepatotoxicity (decreases in serum albumin and serum lipoprotein levels, and
increases in liver transaminase levels): *Pegas-syst.*
steatosis, hepatic (fatty infiltration of the liver) (bloating of abdomen; dark urine;
light-colored stools; nausea and vomiting; abdominal pain; upper right abdominal

Repertório - Capítulo TESTES DIAGNÓSTICOS

pain; yellow eyes and skin): *Abac-syst.*, *Alef-syst.*, *LamiZ-syst.*, *Sta-syst.*, *Tamo-syst.*, *Ven-syst.*

hepatomegaly, with: *Emt-syst.*, *Teno-syst.*

severe: *EmtT-syst.*, *Sta-syst.*, *Zalc-syst.*, *Zid-syst.*

fatal cases: *Adef-syst.*, *Emt-syst.*, *Lami-syst.*, *LamiZ-syst.*, *Sta-syst.*

children: **Lami-syst.**

women: *Adef-syst.*

HIPERAMONEMIA: *Aspar-syst.*, *Rabe-syst.*, *Valp-syst.*

HIPERCALCEMIA (Ver Eletrolíticos, Distúrbios).

HIPERCALEMIA (Ver Eletrolíticos, Distúrbios).

HIPERCAPNIA (Ver Hiperventilação): *Alpr-syst.*, *Ber-intloc.*, *Dexmed-syst.*, *SodBeSP-syst.*

HIPERCLOREMIA (Ver Eletrolíticos, Distúrbios).

HIPERCOLESTEROLEMIA (Ver Lipídeos, níveis séricos de, colesterol).

HIPEREMIA (Ver GENERALIDADES, Calor): *Alpr-syst.*, *Epina-oph.*

HIPERFENILALANINEMIA (Ver Aminoácidos, níveis séricos de).

HIPERFOSFATEMIA (Ver Eletrolíticos, Distúrbios).

HIPERGLICEMIA (Ver GENERALIDADES, Diabetes, Hiperglicemia): *AbLam-syst.*, *AcetSal-syst.*, **Ampr-syst.**, *Anid-syst.*, *AntinfN-syst.* [*Naproxen*], *AntfunA-syst.* [*Itraconazole*], *AnthisDAg-syst.* [Salicylate-containing combinations], *ArsTr-syst.*, *Aspar-syst.*, *AspirSC-syst.*, *Ataz-syst.*, *Atorv-syst.*, *BarbAn-syst.* [Aspirin], *BronA-inhloc.*, *BronA-syst.* [Albuterol, Isoproterenol, Metaproterenol, and Terbutaline], *BronT-syst.*, *Carm-imploc.*, *Carv-syst.*, *Cefd-syst.*, *Cele-syst.*, *Cloz-syst.*, *Cortic-inhloc.*, *Cortic-top.*, *Corticot-syst.*, *Cycloph-syst.*, *Dacli-syst.*, *DecAn-syst.* [Salicylate-containing combinations], **Diaz-orsyst.**, *Diaz-parsyst.*, *DoxorL-syst.*, *Dyp-syst.*, **EnterNF-syst.**, *Estro-syst.*, **Fluda-syst.**, *Fludro-syst.*, *Fluorq-syst.*, *Flut-inhloc.*, *FlutS-inhloc.*, *For-inhloc.*, *Gab-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Gemif-syst.*, **Gemt-syst.**, **Gluc-syst.**, *GroH-syst.*, *Indin-syst.*, *Ison-syst.*, *Lami-syst.*, *LamiZ-syst.*, *LopiR-syst.*, *MepA-syst.* [Aspirin], *Mod-syst.*, *Nel-syst.*, *Nia-syst.*, *NiaL-syst.*, **Nitri-inhloc.**, **Oct-syst.**, *Olm-syst.*, *OlmH-syst.*, *Palo-syst.*, *Pantop-syst.*, **Pegas-syst.**, **Penta-syst.**, **Proge-syst.**, *RifamI-syst.*, *RifamIP-syst.*, *Risp-syst.*, *Riton-syst.*, **Ritu-syst.**, *Rosi-syst.*, *Sal-syst.*, *Saq-syst.*, *Sertr-syst.*, *Sild-syst.*, **SodBeSP-syst.**, **Tacro-syst.**, *Tiot-inhloc.*, *TrandV-syst.*

adult patients, protease inhibitor-experienced: *Fosam-syst.*

children: *AnthisDAg-syst.* [Salicylate-containing combinations]; *AspirSC-syst.*, *BarbAn-syst.* [Aspirin], *Cisap-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

exacerbation of: *Ataz-syst.*

fatal: *Nia-syst.*

ketotic (when given to an infant born to an insulin-dependent diabetic patient): *Alpr-syst.*

maternal: **Ritod-syst.**

neonates: **Caff-syst.**

pediatric (See children).

HIPERLIPEMIA (Ver Hiperlipidemia).

HIPERLIPIDEMIA (Ver Lipídeos, níveis séricos de).

HIPERMAGNESEMIA (Ver Eletrolíticos, Distúrbios).

HIPERNATREMIA (Ver Eletrolíticos, Distúrbios).

HIPEROSMOLARIDADE (Ver Eletrolíticos, Distúrbios; Osmolaridade, Alterações).

HIPERTENSÃO (Ver GENERALIDADES, Pressão Arterial).

systolic blood pressures of about 200 mmHg: *Mido-syst.*

HIPERTRIGLICERIDEMIA (Ver Lipídeos, níveis séricos de).

HIPERURICEMIA (Ver EXTREMIDADES, Gota; GENERALIDADES, Gota): *AngInH-syst., Aspar-syst., BetBAT-syst., Busu-syst., Cand-syst., Carv-syst., Chloramb-syst., Cisp-syst., ClonC-syst., Cycloph-syst., Cyt-syst., Dacti-syst., Dau-syst., Did-syst., DiuPH-syst., DiuT-syst., Doxor-syst., Epir-syst., Fluda-syst., Fluorq-syst., HistH2-syst. [Nizatidine]; Hydxyu-syst., Ida-syst., Mech-syst., Melp-syst., Merc-syst., MethyTD-syst., Moly-syst., Nia-syst., Olm-syst., OlmH-syst., Panc-syst., PrazoP-syst., RifamIP-syst., Rifap-syst., Sild-syst., SodPhe-syst., Thiog-syst., Thiot-syst., Vinb-syst., Vinc-syst.*

HIPERVENTILAÇÃO (Ver Gasometria; Hipercapnia; Pulmonares, Testes; RESPIRAÇÃO, Acelerada).

HIPOALBUMINEMIA (Ver Proteínas, níveis séricos de).

HIPOAMONEMIA: *SodBeSP-syst., SodPhe-syst.*

HIPOCALCEMIA (Ver Eletrolíticos, Distúrbios).

HIPOCALEMIA (Ver Eletrolíticos, Distúrbios).

HIPOCAPNIA (Ver Hipoventilação).

HIPOCLOREMIA (Ver Eletrolíticos, Distúrbios).

HIPOFOSFATEMIA (Ver Eletrolíticos, Distúrbios).

HIPOGLICEMIA (Ver Insulina): *AcetSal-syst.*, *Alpr-syst.*, *AminPot-syst.*, *Aminglut-syst.*, *AntinfN-syst.* [*Naproxen*], *AntdiaS-syst.*, *AnthisDAg-syst.*, *ArsTr-syst.*, *AspirSC-syst.*, *Atorv-syst.*, *BarbAn-syst.* [*Acetaminophen*, *Aspirin*], *BetBAT-syst.*, *Carv-syst.*, *Cele-syst.*, *Cital-syst.*, *Clar-syst.*, *DecAn-syst.* [*Acetaminophen-containing combinations*, *Salicylate-containing combinations*], *Diso-syst.*, *Ethi-syst.*, *Exen-syst.*, *Fluox-syst.*, *Gadob-syst.*, *Gadov-syst.*, *Glim-syst.*, *GlipM-syst.*, *GlybM-syst.*, *GroH-syst.*, *Indo-syst.*, *InsA-syst.*, *InsD-syst.*, *InsGla-syst.*, *InsGlu-syst.*, *InsL-syst.*, *Iron-syst.*, *IsomDA-syst.*, *Mecas-syst.*, *Mem-syst.*, *MepA-syst.* [*Aspirin*], *Mero-syst.*, *Metf-syst.*, *MetfP-syst.*, *Migli-syst.*, *Nate-syst.*, *Niti-syst.*, *Oct-syst.*, *Pegas-syst.*, **Penta-syst.**, *Phent-syst.*, *Pio-syst.*, *Praml-syst.*, *Pre-syst.*, *Quin-syst.*, *Rep-syst.*, *Rosi-syst.*, *RosiM-syst.*, *Sal-syst.*, *Sild-syst.*, *Stre-syst.*, *TramA-syst.* [*Acetaminophen*]

children: *AspirSC-syst.*, *DecAn-syst.* [*Salicylate-containing combinations*], *Sal-syst.*

acidosis, with: *Cisap-syst.*

insulin, release of, sudden initial: *Stre-syst.*

insulin shock, with: *Stre-syst.*

mild: *Ins-syst.*, *Penta-inh.*

severe, to: *Ins-syst.*

neonates: **Caff-syst.**

nocturnal: *AntdiaS-syst.*, *Ins-syst.*, *InsL-syst.*

rapidly declining blood glucose concentrations (anxiety; blurred vision; chills; cold sweats; coma; confusion; cool pale skin; depression; dizziness; fast heartbeat; headache; increased hunger; nausea; nervousness; nightmares; seizures; shakiness; slurred speech; unusual tiredness or weakness): *Exen-syst.*

severe: *AntdiaS-syst.*, ***Ins-syst.***

HIPOLIPIDEMIA (Ver Lipídeos, níveis séricos de).

HIPOMAGNESEMIA (Ver Eletrolíticos, Distúrbios).

HIPONATREMIA (Ver Eletrolíticos, Distúrbios).

HIPOOSMOLARIDADE (Ver Osmolaridade, Alterações).

HIPOPROTEINEMIA (Ver Proteínas, níveis séricos de).

HIPOPROTROMBINEMIA (Ver Coagulação, Testes, fatores de coagulação, protrombina).

HIPOURICEMIA: *Cid-syst.*, ***Probe-syst.***, ***Sulfi-syst.***

HIPOVENTILAÇÃO (Ver Gasometria; Pulmonares, Testes; RESPIRAÇÃO, Lenta): ***Ber-intloc.***, ***Fent-trsyst.***

Repertório - Capítulo TESTES DIAGNÓSTICOS

HIPÓXIA, hipoxemia (Ver Gasometria; Hipoventilação; RESPIRAÇÃO; GENERALIDADES).

HISTAMINA sérica, aumento: *Doxac-syst*.

HISTOPATOLÓGICOS, TESTES.

dysplasia, cellular, in many tissues: *Busu-syst*.

IMUNOESTIMULAÇÃO (Ver GENERALIDADES, Imune, Transtornos, Imunidade).

leukocytosis (See Hemogram, white blood cells).

neutrophilia (See Hemogram, white blood cells).

IMUNOGLOBULINAS (Ver GENERALIDADES, Imune, Transtornos, Imunidade, Imunoglobulinas).

antihirudin antibodies, formation of: *Lep-syst*.

antinuclear antibody (ANA) titers, positive: *AngIn-syst.*, *AngInH-syst.*, *Cisap-syst.*, *Hydra-syst.*, *Quid-syst*.

elevated ANA titers: *CalcCBA-syst*.

decrease in serum immunoglobulins: *Ritu-syst*.

neutralizing antibodies, development of: *ColSF-syst*. [*Sargramostim*], *IntG-syst*. [*Interferon Gamma-4a*], *Mur-syst*.

low-titer: *PegiA2b-syst*.

positive binding antibodies, development of: *InsL-syst*.

IMUNOSSUPRESSÃO (Ver GENERALIDADES, Imune, Transtornos, Imunidade).

CD4 and CD8 lymphocyte subset counts, prolonged depression of: *Clad-syst*.

eosinophilia (See Hemogram, white blood cells).

granulocytopenia (See Hemogram, white blood cells).

leukopenia (See Hemogram, white blood cells).

lymphopenia (See Hemogram, white blood cells).

neutropenia (See Hemogram, white blood cells).

pancytopenia (See Hemogram, white blood cells).

INSULINA (Ver Hipoglicemia).

release of, sudden initial: *Stre-syst*.

shock, with hypoglycemia: *Stre-syst*.

LEUCOCITOSE (Ver Hemograma, células sanguíneas brancas).

LEUCOPENIA (Ver Hemograma, células sanguíneas brancas).

LINFOCITOSE (Ver Hemograma, células sanguíneas brancas).

LINFOPENIA (Ver Hemograma, células sanguíneas brancas).

LIPÍDEOS, níveis séricos de (Ver GENERALIDADES, Lipidêmicos, Transtornos).

cholesterol.

concentration, increase in total: *Efav-syst.*

excretion into the bile, increased: *Fenof-syst.*, *Gemf-syst.*

hypercholesterolemia: **Adal-syst.**, **Ampr-syst.**, *AntfunA-syst.*, *BetBA-oph.* [*Levobetaxolol*], **Bex-syst.**, *Brim-oph.*, *Carv-syst.*, *Cele-syst.*, *Epl-syst.*, *Histr-syst.*, *Iba-syst.*, *Imiq-top.*, *Let-syst.*, *Olm-syst.*, **Sir-syst.**, *Tiot-inhloc.*, *Trav-oph.*

hyperlipidemia: **Adal-syst.**, *BetBA-oph.* [*Levobetaxolol*], **Bex-syst.**, **Bex-top.**, *FatE-syst.*, *Mem-syst.*, *Olm-syst.*, **Sir-syst.**, *Tacro-syst.*

hypolipidemia: *Clofib-syst.*, *Colesev-orloc.*, *Colest-orloc.*, *Colf-intloc.*, *Gemf-syst.*, **Omeg-syst.**, *Probu-syst.*, *Rosu-syst.*

lipoprotein, decreased in serum: *Pegas-syst.*

triglycerides.

hypertriglyceridemia (large amount of triglyceride in the blood): **Ampr-syst.**, *AntfunA-syst.*, *Capec-syst.*, *Efav-syst.*, *Epl-syst.*, *Estro-syst.*, **Fosam-syst.**, *Isot-syst.*, *Olm-syst.*, *Riton-syst.*

LÍQUIDO CEFALORRAQUIDIANO (Ver CABEÇA, Inflamação; GENERALIDADES, Inflamação, meningite).

abnormal: *Zic-syst.*

glucose concentrations in cerebrospinal fluid, reduced: *Mur-syst.*

leukocytosis in cerebrospinal fluid: *Mur-syst.*

pleocytosis, cerebrospinal fluid (CSF) (blurred vision; fever): *Levam-syst.*, *Resp-syst.*

granulocytic: *Resp-syst.*

protein in cerebrospinal fluid, elevated: *Mur-syst.*

MACROCITOSE.

erythroid, prolonged (See Polycytemia): *Clad-syst.*

MACROGLOBULINEMIA (Ver Proteínas, níveis séricos de).

MAGNÉSIO, acúmulo de, na presença de deficiência da função renal (Ver Eletrolíticos, Distúrbios, Hipermagnesemia): *Lax-loc.*

MEDULA ÓSSEA (Ver Mielossupressão).

depression.

hypoplasia/aplasia (chest pain; chills; cough or hoarseness; fever; lower back or side pain; painful or difficult urination; shortness of breath; sores, ulcers, or white spots on lips or in mouth; swollen glands; unusual bleeding or bruising; unusual tiredness or weakness): *Busu-syst.*, *Paro-syst.*, *Ritu-syst.*, *Vino-syst.*

MEGALOBLASTOSE (Ver Hemograma, células sanguíneas vermelhas; Hemograma, anemia, megaloblástica).

METAHEMOGLOBINEMIA (Ver Proteínas, níveis séricos de).

MIELOSSUPRESSÃO, depressão da medula óssea (Ver Medula Óssea): *Allop-syst.*, *AntinfN-syst.*, *Busu-syst.*, *Capec-syst.*, *Carbam-syst.*, *Carm-syst.*, *Chloramp-oph.*, *Chloramp-ot.*, *Chloramp-syst.*, **Cisp-syst.**, *Colc-syst.*, *Cyt-syst.*, *Dac-syst.*, *Dacti-syst.*, *Docet-syst.*, *EdC-syst.*, *Epir-syst.*, *Fel-syst.*, *Fluda-syst.*, *Gemc-syst.*, **Gemt-syst.**, *Iri-syst.*, *Lom-syst.*, *Maf-top.*, *Mech-syst.*, *Melp-syst.*, *Merc-syst.*, *Metyra-syst.*, *Mitom-syst.*, *Moe-syst.*, *Oxa-syst.*, *PacP-syst.*, *Pegas-syst.*, *Peme-syst.*, *Podof-top.*, *Procai-syst.*, *Ralt-syst.*, *Ritu-syst.*, **Sam-syst.**, *Stro-syst.*, *Teni-syst.*, *Thiog-syst.*, *Thiot-syst.*, *Tic-syst.*, *Trimethop-syst.*, *Valg-syst.*, *Vino-syst.*, *Zid-syst.*

cumulative: *Lom-syst.*, *Mitom-syst.*

severe, and: *Fluda-syst.*

delayed: *Azat-syst.*

mild to moderate: *Altr-syst.*

prolonged hypocellularity: *Clad-syst.*

sepsis, myelosuppression-related: *Iri-syst.*

severe: *Epir-syst.*

cumulative, and: *Fluda-syst.*

thrombocytopenia, leading to: *Stro-syst.*

transient: *Aspar-syst.*

MIOGLOBULINEMIA (Ver Proteínas, níveis séricos de).

MONONUCLEAR, CÉLULAS, atípicas (Ver Hemograma, células sanguíneas brancas):
Antcoa-syst. [*Phenindione*]

NEUTROFILIA (Ver Hemograma, células sanguíneas brancas).

NEUTROPENIA (Ver Hemograma, células sanguíneas brancas).

NITROGÊNIO, balanço negativo.

due to protein catabolism: *Fludro-syst.*

OSMOLARIDADE, ALTERAÇÕES na (Ver Eletrolíticos, Distúrbios).

hyperosmolality: *SodBeSP-syst.*

infants: *Silv-top.*

hyposmolality: *AntdiaS-syst.* [*Chlorpropamide*, *Tolbutamide*]

OSSOS, TESTES.

radiographic bone changes: *Vino-syst.*

OSTEOPENIA, osteoporose.

density, bone, decreased: *Leup-syst.*, *Mom-inhloc.*

males who have had an orchiectomy or who have been treated with a gonadotropin-releasing hormone analog (GnRH_a): *Gos-syst*

mineral density, loss of.

female patients: *Nafa-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

osteopenia (bone pain, tenderness, or aching; loss of appetite; muscle weakness; unusual weight loss): *Barb-syst.*, *Carbam-syst.*, *Cortic-rec.*, *Isot-syst.*

osteopenic effect, weak.

dogs: *Dal-syst.*

osteoporosis (pain in back, ribs, arms, or legs; decrease in height; includes vertebral compression and long bone pathologic fractures): *Cholest-orloc.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Dal-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Hepar-syst.*, *Isot-syst.*, *Nad-syst.*, *Proge-syst.*, **Sir-syst.**, *Tacro-syst.*

risk of: *Nad-syst.*

vertebral compression and long bone pathologic fractures, with: *CorticG-syst.*

osteomalacia, with, due to phosphate depletion (bone pain; swelling of wrists or ankles): *Antac-orloc.* [*Aluminum-containing*]

osteoporosis (pain in back, ribs, arms, or legs; decrease in height; includes vertebral compression and long bone pathologic fractures): *Cholest-orloc.*, *Cortic-inhloc.*, *Cortic-rec.*, *CorticG-syst.*, *Dal-syst.*, *Fluda-syst.*, *Fludro-syst.*, *Flut-inhloc.*, *Hepar-syst.*, *Isot-syst.*, *Nad-syst.*, *Proge-syst.*, **Sir-syst.**, *Tacro-syst.*

fracture, osteoporotic (pain or swelling in arms or legs without any injury): *Proge-syst.*

vertebral compression and long bone pathologic fractures, with: *CorticG-syst.*

OXIGÊNIO, DESSATURAÇÃO de (Ver Gasometria): **Ber-intloc.**, *TecF-syst.*

OXIHEMOGLOBINA (Ver Proteínas, níveis séricos de).

PANCITOPENIA (Ver Hemograma, células sanguíneas brancas).

PANCREÁTICOS, TESTES.

amylase, serum, abnormalities: *LopiR-syst.*

increased: *Cev-syst.*, **Palif-syst.**

lipase values, abnormalities in serum: *LopiR-syst.*

elevated: **Palif-syst.**

PAPANICOLAU, TESTE de.

suspicious: *Gla-syst.*

PARAPROTEINEMIA (Ver Proteínas, níveis séricos de).

PELE, TESTES.

suppressed reaction to: *Sor-syst.*

PIRIDOXINA, vitamina B₆ (Ver Vitaminas).

POTÁSSIO.

loss: *Fludro-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

serum levels, elevated: *Trand-syst.*

toxicity (confusion; irregular heartbeat; numbness, tingling, pain, or weakness in hands or feet; unusual tiredness; weakness or heaviness of legs): *IodS-syst.*

PRESSÃO INTRACRANIAL, com papiledema (Ver CABEÇA, edema): *Fludro-syst.*

PROLACTINEMIA (Ver Proteínas, níveis séricos de).

PROTEÍNAS, níveis séricos de (Ver Aminoácidos, níveis séricos de).

albumin.

hypoalbuminemia: *Aldes-syst., Aspar-syst., Pegas-syst., SodPhe-syst.*

elevated (See hyperproteinemia).

hyperproteinemia: *Resp-syst.*

hypoproteinemia (abdominal pain; diarrhea; fat in the stool): *Gadob-syst., Pegas-syst.*

macroglobulinemia (fatigue; rash; nosebleeds; weight loss; vision changes): *Ritu-syst.*

Waldenstrom's macroglobulinemia (See GENERALITIES, Cancer).

methemoglobinemia (difficulty in breathing on exertion, dizziness, headache, tiredness, weakness): *Anest-mucloc., Anest-parloc., Anest-top., AntandN-syst., Daps-syst., IsomDA-syst., LidP-top., Nitra-syst., Nitri-inhloc., Nitro-syst., Phenast-syst., Prima-syst., Ras-syst., Reso-top., SulfoT-syst., Trimethop-syst.*

neonates, premature and full-term: *Meto-syst.*

pediatric patients: *Cisap-syst.*

myoglobinemia (See GENERALITIES, Rhabdomyolysis): *Neu-syst.*

oxyhemoglobin.

desaturation.

adults: **Desf-inhsyst.**

paraproteinemia (bone pain or fracture; coma; confusion; decreased or increased urination; depression; dizziness; headache; nausea; pale skin; shortness of breath; unusual bleeding or bruising; unusual tiredness or weakness; visual disturbances; vomiting): *Adal-syst.*

prolactin.

hyperprolactinemia (swelling of breasts or unusual milk production): *Cital-syst., Fluox-syst., Paro-syst., Risp-syst., Sertr-syst.*

PULMÕES, TESTES (Ver Pulmonares; GENERALIDADES, Pulmonares, Transtornos).

x-rays, chest, abnormal: **Ethan-parloc.**

infiltrates on chest x-ray.

acid-fast bacilli in sputum, and: *JapV-syst.*

effusion, and: *JapV-syst.*

PULMONARES, TESTES (Ver Gasometria; Pulmões; Raios-X).

tidal volume decreased: *Mida-syst.*

RAIOS-X (Ver Fraturas).

Repertório - Capítulo TESTES DIAGNÓSTICOS

bone changes, radiographic: *Vino-syst.*
chest, abnormal: **Ethan-parloc.**
infiltrates on chest x-ray.
acid-fast bacilli in sputum, and: *JapV-syst.*
effusion, and: *JapV-syst.*

RENAIS, TESTES.

abnormal: *Vor-syst.*
calculi, renal: *Adal-syst.*, *Antac-orloc.* [Calcium-containing]; *AntinfN-syst.*, *Atorv-syst.*, *CarbonAl-syst.*, *Dorz-oph.*, *DorzT-oph.*, *Efav-syst.*, *Etan-syst.*, *Glut-syst.*, *Histr-syst.*, **Indin-syst.**, *Metyro-syst.*, *Nef-syst.*, *Sum-syst.*, *Tiz-syst.*, *Topi-syst.*
calcific: *CalcS-syst.*
nephrocalcinosis or nephrolithiasis (severe lower back or side pain): *DiuP-syst.*
if hypercalciuria is present: *DiuL-syst.*
oxalate: *AscAc-syst.*
urate: *Probe-syst.*, **Sulfi-syst.**
xanthine: *Allop-syst.*
cardiopulmonary and renal dynamics, alteration of, significant: *Mann-syst.*
changes in renal function tests caused by nephrotoxicity: *Bleo-syst.*
creatinine phosphokinase (CPK) concentration, elevations: **Abac-syst.**, **AbLam-syst.**, *AbLamZid-syst.*, *CarbidL-syst.*, *Clofib-syst.*, *Hal-syst.*, *Lox-syst.*, *Moli-syst.*, *Nia-syst.*, *Ola-syst.*, *OlmH-syst.*, *Pentost-syst.*, *PerpA-syst.*, *Phenot-syst.*, *Pimo-syst.*, *Que-syst.*, *Thiox-syst.*, *Tolc-syst.*, *Zalc-syst.*, *Zic-syst.*
greater than 10 times the upper limit of normal: *Atorv-syst.*
creatinine.
clearance, decrease in: *Cid-syst.*
elevation of serum: **Abac-syst.**, *AbLamZid-syst.*, *Azac-syst.*, *Cid-syst.*, **Clofar-syst.**, *CitAGM-mucloc.*, *Moe-syst.*, *Mur-syst.*, *Pentost-syst.*, *Vala-syst.*, *Valg-syst.*
renal failure, with subsequent: *Vala-syst.*
transient: *Acyc-syst.*
lengths, renal and splenic, measured by ultrasound, increased: *Mecas-syst.*
synthesis of renal vasodilator prostaglandins and/or kinins, inhibited: *Sulfi-syst.*

RETICULOCITOPENIA (Ver Hemograma, células sanguíneas vermelhas).

RETICULOCITOSE (Ver Hemograma, células sanguíneas vermelhas).

REUMATOLÓGICOS, TESTES.

rheumatoid factor, positive: *Etan-syst.*

SANGRAMENTO, TESTES (Ver Coagulação, Testes; Discrasias Sanguíneas).

SEROTONINA, NÍVEIS de.

serotonin uptake into platelets, inhibition of: *Sib-syst.*

SÍNDROME HEMOLÍTICA-URÊMICA: *Mitom-syst.*

TESTOSTERONA, NÍVEIS de.

concentrations, serum, lowered: *AntfunA-syst.* [*Ketoconazole*]

hypotestosteronism in males: *Leup-syst.*

increases in, transient: *Trip-syst.*

TIMPANOMETRIA, anormal: **Mecas-syst.**

TIREÓIDE, TRANSTORNOS da (Ver GARGANTA EXTERNA, Tireóide, Glândula).

function abnormalities, thyroid (swelling of front part of neck): **RibaI-syst.**, *SulfapP-syst.*, *Sulfap-syst.*, *Sulfo-syst.*, *SulfoT-syst.*

asymptomatic: **RibaI-syst.**

metabolism of thyroid hormones, altered: *VitE-syst.*

hyperthyroidism (changes in appetite; changes in menstrual periods; chest pain; diarrhea; increased heart rate; fast or irregular heartbeat; fever; hand tremors; headache; insomnia; irritability; leg cramps; mood swings; muscle weakness; nervousness; restlessness; sensitivity to heat; sweating; shortness of breath; sweating; tremors; trouble in sleeping; vomiting; warm, smooth, moist skin; weight loss): *Amio-syst.*, *Den-syst.*, *IntB1a-syst.*, *IntA-syst.*, **Pam-syst.**, *PegiA2b-syst.*, *ThyH-syst.*

thyroid storm-like effects, thyrotoxic crisis (confusion; fever; jaundice, mild; mood swings; muscle wasting; psychosis; restlessness, extreme; weakness, marked): *ThyH-syst.*

hypothyroidism (changes in menstrual periods; clumsiness; coldness; constipation; decreased sexual ability in males; depressed mood; drowsiness; dry skin and hair; dry, puffy skin; hair loss; headache; hoarseness or husky voice; listlessness; loss of appetite; muscle aches; muscle aches, cramps and stiffness; sensitivity to cold; sleepiness; slowed heartbeat; tiredness; weakness; goiter [swelling in the front of the neck]; weight gain): **Aldes-syst.**, *Aminglut-syst.*, *Amio-syst.*, *Anthyr-syst.*, **Bex-syst.**, *CholAO-syst.* [*Ipodate*], *Den-syst.*, *Ethi-syst.*, **GroH-syst.**, *IntA1-syst.*, *IntB1a-syst.*, *IntA-syst.*, *IodS-syst.*, *Lit-syst.*, *Nitrop-syst.*, **Oct-syst.**, *PegiA2a-syst.*, *PegiA2b-syst.*, *PotI-syst.*, *Que-syst.*, *Sertr-syst.*, *SodI-syst.*, *SodI131-systhe.*, *Sor-syst.*, *Tiz-syst.*, **TosI-syst.**

acquired (constipation; depressed mood; dry skin and hair; feeling cold; hair loss; hoarseness or husky voice; muscle cramps and stiffness; slowed heartbeat; weight gain; unusual tiredness or weakness): **Len-syst.**

goiter (changes in menstrual periods; decreased sexual ability in males; dry, puffy skin; feeling cold; swelling of front part of neck; weight gain): **Oct-syst.**, *Sulfap-syst.*, *Sulfo-syst.*, *SulfoT-syst.*

TROMBOCITEMIA (Ver Hemograma, plaquetas).

TROMBOCITOPENIA (Ver Hemograma, plaquetas).

TROMBOCITOSE (Ver Hemograma, plaquetas).

UREMIA, azotemia: *Acet-syst.*, *AnthisDAg-syst.*, **Aspar-syst.**, *DecAn-syst.* [*Acetaminophen-containing combinations*], **MethotC-syst.**, *OlmH-syst.*, *Pam-syst.*
prerenal azotemia (increased serum creatinine and BUN): *Aldes-syst.*

URINA, TESTES de.

acetonuria, **ketonuria**: *AcetSal-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations]; *AspirSC-syst.*, *BarbAn-syst.* [Aspirin], *Carbam-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *Ison-syst.*, *MepA-syst.* [Aspirin], *RifamI-syst.*, *RifamIP-syst.*, *Sal-syst.*

acid, **acid**: *Pho-syst.* [*Monobasic Potassium Phosphate; Potassium and Sodium Phosphates*], *Rac-syst.*

albuminuria (cloudy urine): *Atorv-syst.*, *Carv-syst.*, *Cele-syst.*, *ChIH-syst.*, *Den-syst.*, *Epl-syst.*, *Gadob-syst.*, *Melo-syst.*, *TramA-syst.*, *Ver-parloc.*

nephrotoxicity, transient, with: **Sur-syst.**

alkaline: *CarbonAI-syst.*, *Citra-syst.*, *SodBi-syst.*

orange-red color, with: *Antcoa-syst.* [*Anisindione*]

calcium levels.

hypercalciuria: *Calcip-top.*

significant, from endogenous sources: *EdC-syst.*

hypocalciuria: *Pli-syst.*

cloudy: *AmmMer-top.*, *AntinfN-syst.*, *AntconD-syst.*, *AnthisDAg-syst.*, *ArsTr-syst.*, *Ceph-syst.*, *Clod-syst.*, *Clofar-syst.*, *ConjE-syst.*, *Crom-inhloc.* [*Cromolyn (inhalation)*]; *DecAn-syst.*, **Gold-syst.**, *Imiq-top.*, *Opr-syst.*, *Para-syst.*, *Probe-syst.*, *Tiop-syst.*, *VitDA-syst.*

albuminuria (See albuminuria).

proteinuria (See proteinuria).

pyuria (See pyuria).

color.

bluish: **AtropB-syst.**, **MethylB-syst.**

greenish: **AtropB-syst.**, **MethylB-syst.**, **Mitox-syst.**

to blue: **MethylB-syst.**

brown: **Fur-orloc.**, *Nitro-syst.*

acid urine, in: *Lax-loc.*

alkaline urine, in: *Lax-loc.*

dark: *AmphoBLsC-syst.*, *Bacl-syst.*, *CarbidL-syst.*, *CarbidEL-syst.*, *Dant-syst.*, *Histr-syst.*, *Lamo-syst.*, *Lans-syst.*, *Levod-syst.*, *Metro-syst.*, *Metro-vag.*, *Phenot-syst.*, **Sir-syst.**, *Tic-syst.*, *Tini-syst.*, *Tolc-syst.*

iron sulfide formation: *Iron-syst.*

discolored urine: **CarbidEL-syst.** [**Entacapone**], *Nita-syst.*, *Teli-syst.*

orange.

brownish: *Enta-syst.*

reddish.

alkaline urine, in: *Antcoa-syst.* [*Anisindione*]

rose (“vin-rosé”): *Def-syst.*

- yellow: **Sulfas-syst.**
 pale, diluted urine.
 increased volume: Mecas-syst.
 pink.
 alkaline urinem in: *Lax-loc.*
 to red, in alkaline urine: *Lax-loc.*
 red: **Dau-syst., Doxor-syst., Epir-syst., Ida-syst., Valr-mucloc.**
 alkaline urine, in: *Lax-loc.*
 brownish: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**
 orange: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**
 to reddish-brown: **Rifab-syst., Rifam-syst., RifamI-syst., RifamIP-syst., Rifap-syst.**
 to brown, in alkaline urine: *Lax-loc.*
 to violet, in alkaline urine: *Lax-loc.*
 violet.
 in alkaline urine: *Lax-loc.*
 yellow: *Ribo-syst.*
 acid urine, in: *Lax-loc.*
 amber: *AntandN-syst.*
 bright: **Tolc-syst.**
 dark: **Fur-orloc.**
 greenish: *AntandN-syst.*
 orange: **Sulfas-syst.**
 rusty-yellow: *Nitro-syst.*
 to brown: *Nitro-syst.*
 in acid urine: *Lax-loc.*
crystalluria (blood in urine; difficult urination; pain in lower back; pain or burning while urinating; sudden decrease in amount of urine): *AminsSod-syst., AntinfN-syst., AtropB-syst., CarbonAI-syst., Fluorq-syst.* [Ciprofloxacin, Norfloxacin], *Indin-syst., Iodip-syst., Maf-top., Methe-syst., Metyro-syst., Silv-top., SulfadP-syst., Sulfap-syst., Sulfas-syst., Sulfo-syst., SulfoT-syst., Thiab-syst.*
 alkaline urine, in: Fluorq-syst. [Ciprofloxacin, Norfloxacin]
 urate: *Fluda-syst.*
glycosuria: *Carbam-syst., Carv-syst., Cid-syst., Cortic-top., Fludro-syst., Gadob-syst., Ison-syst., Lit-syst., Palo-syst., RifamI-syst., RifamIP-syst., Tacro-syst.*
hematuria: *Acyc-syst., Adal-syst., Alpr-syst., Anag-syst., AntinfN-syst. [Floctafenine], Antcoa-syst., AnthisDAg-syst., AnthisP-syst., Ard-syst., Arg-syst., AspirSC-syst., Atorv-syst., AtropB-syst., Azel-nas., Bacl-syst., BarbAn-syst. [Aspirin], BcgL-mucloc., Capec-syst., CarbidEL-syst. [Entacapone], Carv-syst., Cele-syst., ConjE-syst., Clofar-syst., Cop-syst., Danap-syst., Dant-syst., DecAn-syst. [Salicylate-containing combinations], Den-syst., Dic-top., Dinopst-parloc., DipyA-syst., DiuL-syst., Dol-syst., Doxaz-syst., Efav-syst., Eno-syst., Ept-syst., Fluda-syst., Fluorq-syst., Gadob-syst., Gala-syst., Gef-syst., Gemc-syst., Gemt-syst., Gla-syst., Gold-syst., Hepar-syst., Iri-syst., Lans-syst., Lep-syst., Leval-*

inhloc., *Melo-syst.*, *MepA-syst.* [Aspirin], *Methe-syst.*, *Metyro-syst.*, *Mitom-syst.*, **Myc-syst.**, *Nad-syst.*, *Nef-syst.*, **Nitri-inhloc.**, *Olm-syst.*, *OlmH-syst.*, *Omep-syst.*, *Oxa-syst.*, *Paro-syst.*, **Podof-top.**, *Progu-syst.*, *Prota-syst.*, *Pyrim-syst.*, *QuinuD-syst.*, *Rabe-syst.*, *Ras-syst.*, **Rifap-syst.**, *Ritu-syst.*, *Ropin-syst.*, *Sal-syst.*, *Sild-syst.*, **Sir-syst.**, *SulfadP-syst.*, *Sulfap-syst.*, *Sulfas-syst.*, *Sulfo-syst.*, *SulfoT-syst.*, *Tacro-syst.*, *Tic-syst.*, *Tinz-syst.*, *Tiop-syst.*, *Tir-syst.*, *Tolc-syst.*, *Topi-syst.*, *Tram-syst.*, *Trip-syst.*, **Valr-mucloc.**, *Vari-syst.*

aggravated hematuria: *Histr-syst.*

azotemia, and: *Ketor-syst.*

bladder hemorrhage, with: **Arg-syst.**

flank pain, with: *Ketor-syst.*

microscopic hematuria: *EdC-syst.*, *Edd-syst.*, *Indo-syst.*

renal function impairment. patients with existing: *Valg-syst.*

renal damage and oliguric renal failure, with: *Colc-syst.*

transient: *CitAGM-mucloc.*

ketonuria (See acetonuria).

myoglobinuria: *AmincAc-syst.*, *CarbidL-syst.*, *Pimo-syst.*, *Que-syst.*

rhabdomyolysis.

caused by: *Neu-syst.*, *Ola-syst.*

and renal failure: *AmincAc-syst.*, *NiaL-syst.*

oxalate, increase in (See crystalluria): *AscAc-syst.*

phenylketonuria (See Aminoacids, serum levels of; Hyperphenylalaninemia).

proteinuria (cloudy urine): *AcetSal-syst.*, *Aldes-syst.*, *AngIn-syst.* [*Captopril*], *AngInH-syst.* [*Captopril*], *AntinfN-syst.*, *Antcoa-syst.*, *AnthisDAg-syst.* [Salicylate-containing combinations]; *AspirSC-syst.*, *BarbAn-syst.* [Aspirin], **Bevac-syst.**, *Cid-syst.*, *DecAn-syst.* [Salicylate-containing combinations], *EdC-syst.*, *Edd-syst.*, *Fluda-syst.*, *Fluox-syst.*, **Gemc-syst.**, **Gold-syst.**, *Imiq-top.*, *IntG-syst.*, *Lit-syst.*, *MepA-syst.* [Aspirin], *Omep-syst.*, *PenicilB-syst.*, **Rifap-syst.**, *Sal-syst.*, *Tiop-syst.*

pyuria (pus in the urine, cloudy urine): *Den-syst.*, *Levom-syst.*, *Mont-syst.*, *PenicilB-syst.*, **Rifap-syst.**, **Sir-syst.**

sterile: *Acet-syst.*, *DecAn-syst.* [Acetaminophen-containing combinations]

patients with severe renal function impairment: *AnthisDAg-syst.* [Acetaminophen-containing combinations]

uric acid.

hyperuricosuria (blood in urine; joint pain; swelling of feet or lower legs): *Panc-syst.*

VESÍCULA BILIAR, TESTES (Ver ABDOME).

stones (cholelithiasis) (abdominal fullness; gaseous abdominal pain; recurrent fever; yellow eyes or skin): **Adal-syst.**, *Cele-syst.*, *Cholest-orloc.*, *Colest-orloc.*, *Dipy-syst.*, *DipyA-syst.*, *Ezet-syst.*, *EzetS-syst.*, *Fenof-syst.*, *Fluda-syst.*, *Gemf-syst.*, *Natal-syst.*, *Oct-syst.*, *Sum-syst.*

choledocholithiasis (stone, bile duct) (severe stomach pain with nausea and vomiting): *Teg-syst.*

increased incidence of: *Gemf-syst.*

Repertório - Capítulo TESTES DIAGNÓSTICOS

pseudolithiasis (anorexia; epigastric pain; nausea and vomiting): *Ceph-syst.*
[*Ceftriaxone*]

VITAMINAS e minerais.

vitamin B₆.

deficiency, pyridoxine: *Ison-syst., RifamI-syst., RifamIP-syst.*

vitamin D.

imbalance (frequent bone fractures; bone malformations; slowed growth):
AntconH-syst.

calcium, and (frequent bone fractures; bone malformations; slowed growth): *AntconH-syst.*

Repertório Homeopático dos Fármacos Modernos

MEDICAMENTOS (Abreviaturas)



LETRA A

Abac-syst., Abacavir (Systemic).
AbLam-syst., Abacavir and Lamivudine (Systemic).
AbLamZid-syst., Abacavir, Lamivudine and Zidovudine (Systemic).
Abar-syst., Abarelix (Systemic).
Abcix-syst., Abciximab (Systemic).
Acamp-syst., Acamprosate (Systemic).
Acarb-syst., Acarbose (Systemic).
Acet-syst., Acetaminophen (Systemic).
AcetSal-syst., Acetaminophen and Salicylates (Systemic).
AcSodCit-syst., Acetaminophen, Sodium Bicarbonate, and Citric Acid (Systemic).
Acetyl-inh., Acetylcysteine (Inhalation).
Acetyl-syst., Acetylcysteine (Systemic).
Acit-syst., Acitretin (Systemic).
Acyc-syst., Acyclovir (Systemic).
Acyc-top., Acyclovir (Topical).
Adal-syst., Adalimumab (Systemic).
Adap-top., Adapalene (Topical).
Adef-syst., Adefovir (Systemic).
Aden-syst., Adenosine (Systemic).
Agal-syst., Agalsidase Beta (Systemic).
Albd-syst., Albendazole (Systemic).
Album-syst., Albumin Human (Systemic).
AlbMic-syst., Albumin Microspheres Sonicated (Systemic).
AlcAc-top., Alcohol and Acetone (Topical).
AlcSul-top., Alcohol and Sulphur (Topical).
Aldes-syst., Aldesleukin (Systemic).
Alef-syst., Alefacept (Systemic).
Alemt-syst., Alemtuzumab (Systemic).
Alend-syst., Alendronate (Systemic).
Alfuz-syst., Alfuzosin (Systemic).
Algl-syst., Alglucerase (Systemic).
Alit-top., Alitretinoin (Topical).
Allop-syst., Allopurinol (Systemic).
Almot-syst., Almotriptan (Systemic).
Alos-syst., Alosetron (Systemic).
Alpha-syst., Alpha 1-proteinase Inhibitor, Human (Systemic).
Alpr-loc., Alprostadil (Local).
Alpr-syst., Alprostadil (Systemic).
Altr-syst., Altretamine (Systemic).
Aman-syst., Amantadine (Systemic).
Amif-syst., Amifostine (Systemic).
AminPot-syst., Aminobenzoate Potassium (Systemic).

Medicamentos (Abreviaturas)

AmincAc-syst., Aminocaproic Acid (Systemic).
Aminglut-syst., Aminoglutethimide (Systemic).
Aminglyc-syst., Aminoglycosides (Systemic).
AminlAc-top., Aminolevulinic Acid (Topical).
AminsSod-syst., Aminosalicylate Sodium (Systemic).
Amio-syst., Amiodarone (Systemic).
Amlex-mucloc., Amlexanox (Mucosal-Local).
Amlod-syst., Amlodipine (Systemic).
AmlodAt-syst., Amlodipine and Atorvastatin (Systemic).
AmlodBen-syst., Amlodipine and Benazepril (Systemic).
AmmSAr-syst., Ammonia Spirit, Aromatic (Systemic).
AmmMer-top., Ammoniated Mercury (Topical).
Amph-syst., Amphetamines (Systemic).
AmphoB-syst., Amphotericin B (Systemic).
AmphoB-top., Amphotericin B (Topical).
AmphoBCC-syst., Amphotericin B Cholesteryl Complex (Systemic).
AmphoBLC-syst., Amphotericin B Lipid Complex (Systemic).
AmphoBLsC-syst., Amphotericin B Liposomal Complex (Systemic).
Ampr-syst., Amprenavir (Systemic).
Amsa-syst., Amsacrine (Systemic).
AmylN-syst., Amyl Nitrite (Systemic).
AnabS-syst., Anabolic Steroids (Systemic).
Anag-syst., Anagrelide (Systemic).
Anak-syst., Anakinra (Systemic).
Anast-syst., Anastrozole (Systemic).
Andro-syst., Androgens (Systemic).
Anest-mucloc., Anesthetics (Mucosal-Local).
Anest-oph., Anesthetics (Ophthalmic).
Anest-parloc., Anesthetics (Parenteral-Local).
Anest-top., Anesthetics (Topical).
AnestBar-syst., Anesthetics, Barbiturate (Systemic).
AnestInh-syst., Anesthetics, Inhalation (Systemic).
AngIn-syst., Angiotensin-converting Enzyme (ACE) Inhibitors (Systemic).
AngInH-syst., Angiotensin-converting Enzyme (ACE) Inhibitors and Hydrochlorothiazide (Systemic).
Anid-syst., Anidulafungin (Systemic).
Antac-orloc., Antacids (Oral-Local).
Anth-top., Anthralin (Topical).
AntinfN-oph., Anti-inflammatory Drugs, Nonsteroidal (Ophthalmic).
AntinfN-syst., Anti-inflammatory Drugs, Nonsteroidal (Systemic).
AntCoaC-syst., Anti-inhibitor Coagulant Complex (Systemic).
AnthyGR-syst., Anti-thymocyte Globulin (Rabbit) (Systemic).
AntandN-syst., Antiandrogens, Nonsteroidal (Systemic).
Antchsp-syst., Anticholinergics/ Antispasmodics (Systemic).
Antcoa-syst., Anticoagulants (Systemic).
AntconD-syst., Anticonvulsants, Dione (Systemic).

Medicamentos (Abreviaturas)

AntconH-syst., Anticonvulsants, Hydantoin (Systemic).
AntconS-syst., Anticonvulsants, Succinimide (Systemic).
AntdepMAO-syst., Antidepressants, Monoamine Oxidase (MAO) Inhibitor (Systemic).
AntdepT-syst., Antidepressants, Tricyclic (Systemic).
AntdiaS-syst., Antidiabetic Agents, Sulfonylurea (Systemic).
Antdys-syst., Antidyskinetics (Systemic).
AntfunA-syst., Antifungals, Azole (Systemic).
AntfunA-vag., Antifungals, Azole (Vaginal).
AntglaC-oph., Antiglaucoma Agents, Cholinergic, Long-acting (Ophthalmic).
AnthemF-syst., Antihemophilic Factor (Systemic).
Anthis-syst., Antihistamines (Systemic).
AnthisD-syst., Antihistamines and Decongestants (Systemic).
AnthisDAg-syst., Antihistamines, Decongestants, and Analgesics (Systemic).
AnthisDAc-syst., Antihistamines, Decongestants, and Anticholinergics (Systemic).
AnthisP-syst., Antihistamines, Phenothiazine-derivative (Systemic).
Antm-syst., Antimyasthenics (Systemic).
AntpBen-ot., Antipyrine and Benzocaine (Otic).
Antthro-syst., Antithrombin III (Systemic).
Antthyr-syst., Antithyroid Agents (Systemic).
AntvCPol-syst., Antivenin (Crotalidae) Polyvalent (Systemic).
AntvCPOv-syst., Antivenin (Crotalidae) Polyvalent Immune Fab (Ovine) (Systemic).
AntvL-syst., Antivenin (Latrodectus Mactans) (Systemic).
AntvM.-syst., Antivenin (Micrurus Fulvius) (Systemic).
AppSupS-syst., Appetite Suppressants, Sympathomimetic (Systemic).
Aprac-oph., Apraclonidine (Ophthalmic).
Aprep-syst., Aprepitant (Systemic).
Aprot-syst., Aprotinin (Systemic).
Arb-syst., Arbutamine (Systemic).
Ard-syst., Ardeparin (Systemic).
Arg-syst., Argatroban (Systemic).
Arip-syst., Aripiprazole (Systemic).
ArsTr-syst., Arsenic Trioxide (Systemic).
AscAc-syst., Ascorbic Acid (Systemic).
Aspar-syst., Asparaginase (Systemic).
AspirSC-syst., Aspirin, Sodium Bicarbonate, and Citric Acid (Systemic).
Ataz-syst., Atazanavir (Systemic).
Atom-syst., Atomoxetine (Systemic).
Atorv-syst., Atorvastatin (Systemic).
Atova-syst., Atovaquone (Systemic).
AtovaPro-syst., Atovaquone and Proguanil (Systemic).
Atrop-oph., Atropine (Ophthalmic).
AtropB-syst., Atropine, Hyoscyamine, Methenamine, Methylene Blue, Phenyl Salicylate, and Benzoic Acid (Systemic).
Atta-orloc., Attapulgate (Oral-Local).
Azac-syst., Azacitidine (Systemic).
Azat-syst., Azathioprine (Systemic).

Medicamentos (Abreviaturas)

AzeAc-top., Azelaic Acid (Topical).
Azal-nas., Azelastine (Nasal).
Azal-oph., Azelastine (Ophthalmic).
Azith-syst., Azithromycin (Systemic).
Aztr-syst., Aztreonam (Systemic).

LETRA B

BcgL-mucloc., Bacillus Calmette-Guérin (BCG) Live (Mucosal-Local).
BcgL-syst., Bacillus Calmette-Guérin (BCG) Live (Systemic).
Bacl-intsyst., Baclofen (Intrathecal-Systemic).
Bacl-syst., Baclofen (Systemic).
Bals-syst., Balsalazide (Systemic).
Barb-syst., Barbiturates (Systemic).
BarbAn-syst., Barbiturates and Analgesics (Systemic).
BarS-loc., Barium Sulfate (Local).
Basil-syst., Basiliximab (Systemic).
Becap-top., Becaplermin (Topical).
Bell-syst., Belladonna Alkaloids and Barbiturates (Systemic).
Bentir-syst., Bentiromide (Systemic).
Bentoq-top., Bentoquatam (Topical).
Benzod-syst., Benzodiazepines (Systemic).
Benzon-syst., Benzonatate (Systemic).
BenzP-top., Benzoyl Peroxide (Topical).
BenzyB-top., Benzyl Benzoate (Topical).
Ber-intloc., Beractant (Intratracheal-Local).
BetBA-oph., Beta-adrenergic Blocking Agents (Ophthalmic).
BetBA-syst., Beta-adrenergic Blocking Agents (Systemic).
BetBAT-syst., Beta-adrenergic Blocking Agents and Thiazide Diuretics (Systemic).
Betcarsyst., Beta-carotene (Systemic).
Bet-syst., Betaine (Systemic).
Beth-syst., Bethanechol (Systemic).
Bevac-syst., Bevacizumab (Systemic).
Bex-syst., Bexarotene (Systemic).
Bex-top., Bexarotene (Topical).
Bim-oph., Bimatoprost (Ophthalmic).
Biot-syst., Biotin (Systemic).
BisS-orloc., Bismuth Subsalicylate (Oral-Local).
BisSMT-syst., Bismuth Subsalicylate, Metronidazole, and Tetracycline — For H. pylori (Systemic).
Biv-syst., Bivalirudin (Systemic).
Bleo-syst., Bleomycin (Systemic).
Bort-syst., Bortezomib (Systemic).

Medicamentos (Abreviaturas)

Bos-syst., Bosentan (Systemic).
BotA-parloc., Botulinum Toxin Type A (Parenteral-Local).
BotB-parloc., Botulinum Toxin Type B (Parenteral-Local).
Bret-syst., Breylium (Systemic).
Brim-oph., Brimonidine (Ophthalmic).
Brin-oph., Brinzolamide (Ophthalmic).
Bromf-oph., Bromfenac (Ophthalmic).
Bromo-syst., Bromocriptine (Systemic).
BronA-inhloc., Bronchodilators, Adrenergic (Inhalation-Local).
BronA-syst., Bronchodilators, Adrenergic (Systemic).
BronT-syst., Bronchodilators, Theophylline (Systemic).
Buc-syst., Buclizine (Systemic).
Bupre-syst., Buprenorphine (Systemic).
Bupro-syst., Bupropion (Systemic).
Buse-syst., Buserelin (Systemic).
Busp-syst., Buspirone (Systemic).
Busu-syst., Busulfan (Systemic).
Buten-top., Butenafine (Topical).
Butor-nasyst., Butorphanol (Nasal-Systemic).

LETRA C

Cab-syst., Cabergoline (Systemic)
Caff-syst., Caffeine (Systemic)
Calam-top., Calamine (Topical)
Calcip-top., Calcipotriene (Topical)
Calcit-nassyst., Calcitonin (Nasal-Systemic)
Calcit-syst., Calcitonin (Systemic)
CalcA-syst., Calcium Acetate (Systemic)
CalcCBA-syst., Calcium Channel Blocking Agents (Systemic)
CalcS-syst., Calcium Supplements (Systemic)
Calf-intloc., Calfactant (Intratracheal-Local)
Cand-syst., Candesartan (Systemic)
CandH-syst., Candesartan and Hydrochlorothiazide (Systemic)
Capec-syst., Capecitabine (Systemic)
Capr-syst., Capreomycin (Systemic)
Caps-top., Capsaicin (Topical)
Carbac-oph., Carbachol (Ophthalmic)
Carbam-syst., Carbamazepine (Systemic)
Carbet-syst., Carbetocin (Systemic)
CarbidL-syst., Carbidopa and Levodopa (Systemic)
CarbidEL-syst., Carbidopa, Entacapone and Levodopa (Systemic)
CarboE-syst., Carbohydrates and Electrolytes (Systemic)

Medicamentos (Abreviaturas)

CarbolF-top., Carbol-Fuchsin (Topical)
CarbonAI-syst., Carbonic Anhydrase Inhibitors (Systemic)
Carbopl-syst., Carboplatin (Systemic)
Carbopr-syst., Carboprost (Systemic)
Carm-imploc., Carmustine (Implantation-Local)
Carm-syst., Carmustine (Systemic)
Carv-syst., Carvedilol (Systemic)
Casp-syst., Caspofungin (Systemic)
Cefd-syst., Cefditoren (Systemic)
Cefu-syst., Cefuroxime (Systemic)
Cele-syst., Celecoxib (Systemic)
CellSP-syst., Cellulose Sodium Phosphate (Systemic)
Ceph-syst., Cephalosporins (Systemic)
CetiP-syst., Cetirizine and Pseudoephedrine (Systemic)
Cetr-syst., Cetrorelix (Systemic)
Cetux-syst., Cetuximab (Systemic)
Cev-syst., Cevimeline (Systemic)
CharA-orloc., Charcoal, Activated (Oral-Local)
Chlop-syst., Chlophedianol (Systemic)
ChlH-syst., Chloral Hydrate (Systemic)
Chloramb-syst., Chlorambucil (Systemic)
Chloramp-oph., Chloramphenicol (Ophthalmic)
Chloramp-ot., Chloramphenicol (Otic)
Chloramp-syst., Chloramphenicol (Systemic)
ChlordA-syst., Chlordiazepoxide and Amitriptyline (Systemic)
Chlorh-imploc., Chlorhexidine (Implantation-Local)
Chlorh-mucloc., Chlorhexidine (Mucosal-Local)
Chloroq-syst., Chloroquine (Systemic)
Chlorox-top., Chloroxine (Topical)
CholAO-syst., Cholecystographic Agents, Oral (Systemic)
Cholec-syst., Cholecystokinin (Systemic)
CholVac-syst., Cholera Vaccine (Systemic)
Cholest-orloc., Cholestyramine (Oral-Local)
Chond-imploc., Chondrocytes, Autologous Cultured (Implantation-Local)
ChorioA-syst., Choriogonadotropin Alfa (Systemic)
ChorioG-syst., Chorionic Gonadotropin (Systemic)
Chr-syst., Chromium Supplements (Systemic)
Chym-parloc., Chymopapain (Parenteral-Local)
Cicl-top., Ciclopirox (Topical)
Cid-syst., Cidofovir (Systemic)
Cil-syst., Cilostazol (Systemic)
Cinac-syst., Cinacalcet (Systemic)
Cinox-syst., Cinoxacin (Systemic)
Cip-oph., Ciprofloxacin (Ophthalmic)
CipD-ot., Ciprofloxacin and Dexamethasone (Otic)
Cisap-syst., Cisapride (Systemic)

Medicamentos (Abreviaturas)

Cisat-syst., Cisatracurium (Systemic)
Cisp-syst., Cisplatin (Systemic)
Cital-syst., Citalopram (Systemic)
Citra-syst., Citrates (Systemic)
CitAGM-mucloc., Citric Acid, Glucono-delta-lactone, and Magnesium (Mucosal-Local)
Clad-syst., Cladribine (Systemic)
Clar-syst., Clarithromycin (Systemic)
Clind-syst., Clindamycin (Systemic)
Clind-top., Clindamycin (Topical)
Clind-vag., Clindamycin (Vaginal)
Clio-top., Clioquinol (Topical)
ClioH-top., Clioquinol and Hydrocortisone (Topical)
Clod-syst., Clodronate (Systemic)
Clofar-syst., Clofarabine (Systemic)
Clofaz-syst., Clofazimine (Systemic)
Clofib-syst., Clofibrate (Systemic)
Clom-syst., Clomiphene (Systemic)
Clon-parloc., Clonidine (Parenteral-Local)
Clon-syst., Clonidine (Systemic)
ClonC-syst., Clonidine and Chlorthalidone (Systemic)
Clop-syst., Clopidogrel (Systemic)
Clot-orloc., Clotrimazole (Oral-Local)
Clot-top., Clotrimazole (Topical)
ClotB-top., Clotrimazole and Betamethasone (Topical)
Cloz-syst., Clozapine (Systemic)
CoaT-top., Coal Tar (Topical)
Coc-mucloc., Cocaine (Mucosal-Local)
Colc-syst., Colchicine (Systemic)
Colesev-orloc., Colesevelam (Oral-Local)
Colest-orloc., Colestipol (Oral-Local)
Colf-intloc., Colfosceril, Cetyl Alcohol, and Tyloxapol (Intratracheal-Local)
Colis-ot., Colistin, Neomycin, and Hydrocortisone (Otic)
ColSF-syst., Colony Stimulating Factors (Systemic)
ConjE-syst., Conjugated Estrogens and Medroxyprogesterone For Ovarian Hormone Therapy (OHT) (Systemic)
Cop-syst., Copper Supplements (Systemic)
CortO-systdia., Corticorelin Ovine (Systemic-Diagnostic)
Cortic-inhloc., Corticosteroids (Inhalation-Local)
Cortic-nas., Corticosteroids (Nasal)
Cortic-oph., Corticosteroids (Ophthalmic)
Cortic-ot., Corticosteroids (Otic)
Cortic-rec., Corticosteroids (Rectal)
Cortic-top., Corticosteroids (Topical)
CorticA-ot., Corticosteroids and Acetic Acid (Otic)
CorticG-syst., Corticosteroids Glucocorticoid Effects (Systemic)
Corticot-syst., Corticotropin (Systemic)

Medicamentos (Abreviaturas)

Cos-syst., Cosyntropin (Systemic)
CouCol-syst., Cough/Cold Combinations (Systemic)
Crom-inhloc., Cromolyn (Inhalation-Local)
Crom-nas., Cromolyn (Nasal)
Crom-oph., Cromolyn (Ophthalmic)
Crom-systorloc., Cromolyn (Systemic/Oral-Local)
Crot-top., Crotamiton (Topical)
Cycla-syst., Cyclandelate (Systemic)
Cycli-syst., Cyclizine (Systemic)
Cyclob-syst., Cyclobenzaprine (Systemic)
Cyclope-oph., Cyclopentolate (Ophthalmic)
Cycloph-syst., Cyclophosphamide (Systemic)
Cyclos-syst., Cycloserine (Systemic)
Cyclosp-oph., Cyclosporine (Ophthalmic)
Cyclosp-syst., Cyclosporine (Systemic)
Cyp-syst., Cyproterone (Systemic)
Cys-syst., Cysteamine (Systemic)
Cyt-syst., Cytarabine (Systemic)
CytL-int., Cytarabine, Liposomal (Intrathecal)

LETRA D

Dac-syst., Dacarbazine (Systemic)
Dacli-syst., Daclizumab (Systemic)
Dacti-syst., Dactinomycin (Systemic)
Dal-syst., Dalteparin (Systemic)
Danap-syst., Danaparoid (Systemic)
Danaz-syst., Danazol (Systemic)
Dant-syst., Dantrolene (Systemic)
Dapi-oph., Dapiprazole (Ophthalmic)
Daps-syst., Dapsone (Systemic)
Daps-top., Dapsone (Topical)
Dapt-syst., Daptomycin (Systemic)
Darb-syst., Darbepoetin Alfa (Systemic)
Darif-syst., Darifenacin (Systemic)
Dau-syst., Daunorubicin (Systemic)
DauL-syst., Daunorubicin, Liposomal (Systemic)
DecAn-syst., Decongestants and Analgesics (Systemic)
Def-syst., Deferoxamine (Systemic)
Del-syst., Delavirdine (Systemic)
Den-syst., Denileukin Diftitox (Systemic)
Desf-inhsyst., Desflurane (Inhalation-Systemic)
Desl-syst., Desloratadine (Systemic)

Medicamentos (Abreviaturas)

DeslP-syst., Desloratadine and Pseudoephedrine (Systemic)
Desm-syst., Desmopressin (Systemic)
Dexmed-syst., Dexmedetomidine (Systemic)
Dexmet-syst., Dexmethylphenidate (Systemic)
Dexr-syst., Dexrazoxane (Systemic)
Dext-syst., Dextromethorphan (Systemic)
DiatI-loc., Diatrizoate and Iodipamide (Local)
Diat-loc., Diatrizoates (Local)
Diat-syst., Diatrizoates (Systemic)
Diaz-orsyst., Diazoxide (Oral-Systemic)
Diaz-parsyst., Diazoxide (Parenteral-Systemic)
Dic-top., Diclofenac (Topical)
DicM-syst., Diclofenac and Misoprostol (Systemic)
Did-syst., Didanosine (Systemic)
Dietc-syst., Diethylcarbamazine (Systemic)
Diett-top., Diethyltoluamide (Topical)
Dif-syst., Difenoxyin and Atropine (Systemic)
DigitG-syst., Digitalis Glycosides (Systemic)
Digo-syst., Digoxin Immune Fab (Ovine) (Systemic)
Dihy-nassyst., Dihydroergotamine (Nasal-Systemic)
Dimer-syst., Dimercaprol (Systemic)
Dimet-mucloc., Dimethyl Sulfoxide (Mucosal-Local)
Dinopst-parloc., Dinoprost (Parenteral-Local)
Dinopne-cervag., Dinoprostone (Cervical/Vaginal)
Dipheni-syst., Diphenidol (Systemic)
DiphenoA-syst., Diphenoxylate and Atropine (Systemic)
DiphtTT-syst., Diphtheria and Tetanus Toxoids (Systemic)
DiphtTTH-syst., Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed and Hepatitis B (Recombinant) and Inactivated Poliovirus Vaccine Combined (Systemic)
DiphtTTPV-syst., Diphtheria and Tetanus Toxoids and Pertussis Vaccine Adsorbed (Systemic)
DiphtTTPVH-syst., Diphtheria And Tetanus Toxoids And Pertussis Vaccine Adsorbed And Haemophilus B Conjugate Vaccine (Systemic)
DiphtA-syst., Diphtheria Antitoxin (Systemic)
Dipi-oph., Dipivefrin (Ophthalmic)
Dipy-syst., Dipyridamole (Systemic)
DipyA-syst., Dipyridamole and Aspirin (Systemic)
Dir-syst., Dirithromycin (Systemic)
Diso-syst., Disopyramide (Systemic)
Disu-syst., Disulfiram (Systemic)
DiuL-syst., Diuretics, Loop (Systemic)
DiuP-syst., Diuretics, Potassium-sparing (Systemic)
DiuPH-syst., Diuretics, Potassium-sparing, and Hydrochlorothiazide (Systemic)
DiuT-syst., Diuretics, Thiazide (Systemic)
Docet-syst., Docetaxel (Systemic)
Doco-top., Docosanol (Topical)

Medicamentos (Abreviaturas)

Dof-syst., Dofetilide (Systemic)
Dol-syst., Dolasetron (Systemic)
Dom-syst., Domperidone (Systemic)
Don-syst., Donepezil (Systemic)
Dorn-inhloc., Dornase Alfa (Inhalation-Local)
Dorz-oph., Dorzolamide (Ophthalmic)
DorzT-oph., Dorzolamide and Timolol (Ophthalmic)
Doxac-syst., Doxacurium (Systemic)
Doxap-syst., Doxapram (Systemic)
Doxaz-syst., Doxazosin (Systemic)
Doxep-top., Doxepin (Topical)
Doxor-syst., Doxorubicin (Systemic)
DoxorL-syst., Doxorubicin, Liposomal (Systemic)
Doxyc-mucloc., Doxycycline (Mucosal-Local)
Doxyc-syst., Doxycycline (Systemic)
DoxycD-syst., Doxycycline For Dental Use (Systemic)
Dron-syst., Dronabinol (Systemic)
Drop-syst., Droperidol (Systemic)
DrosE-syst., Drospirenone and Estradiol (Systemic)
DrosEE-syst., Drospirenone and Ethinyl Estradiol (Systemic)
Drot-syst., Drotrecogin Alfa (Systemic)
Dul-syst., Duloxetine (Systemic)
Dut-syst., Dutasteride (Systemic)
Dyp-syst., Dyphylline (Systemic)

LETRA E

Eco-top., Econazole (Topical)
EdC-syst., Edetate Calcium Disodium (Systemic)
EdD-oph., Edetate Disodium (Ophthalmic)
EdD-syst., Edetate Disodium (Systemic)
Edr-syst., Edrophonium (Systemic)
EdrA-syst., Edrophonium and Atropine (Systemic)
Efal-syst., Efalizumab (Systemic)
Efav-syst., Efavirenz (Systemic)
Efl-syst., Eflornithine (Systemic)
Efl-top., Eflornithine (Topical)
Ele-syst., Eletriptan (Systemic)
Eme-oph., Emedastine (Ophthalmic)
Emt-syst., Emtricitabine (Systemic)
EmtT-syst., Emtricitabine and Tenofovir (Systemic)
EnaF-syst., Enalapril and Felodipine (Systemic)
Enf-syst., Enfuvirtide (Systemic)

Medicamentos (Abreviaturas)

Eno-syst., Enoxaparin (Systemic)
Enta-syst., Entacapone (Systemic)
Entec-syst., Entecavir (Systemic)
EnterNF-syst., Enteral Nutrition Formulas (Systemic)
Epina-oph., Epinastine (Ophthalmic)
Epine-oph., Epinephrine (Ophthalmic)
Epir-syst., Epirubicin (Systemic)
Epl-syst., Eplerenone (Systemic)
Epo-e-syst., Epoetin (Systemic)
Epop-syst., Epoprostenol (Systemic)
Epr-syst., Eprosartan (Systemic)
Ept-syst., Eptifibatide (Systemic)
ErgolM-syst., Ergoloid Mesylates (Systemic)
Ergon-syst., Ergonovine (Systemic)
Erl-syst., Erlotinib (Systemic)
Ert-syst., Ertapenem (Systemic)
Eryth-oph., Erythromycin (Ophthalmic)
Eryth-top., Erythromycin (Topical)
ErythBP-top., Erythromycin and Benzoyl Peroxide (Topical)
ErythS-syst., Erythromycin and Sulfisoxazole (Systemic)
Eryts-syst., Erythromycins (Systemic)
Esc-syst., Escitalopram (Systemic)
Esm-syst., Esmolol (Systemic)
Eso-syst., Esomeprazole (Systemic)
Estra-syst., Estramustine (Systemic)
Estro-syst., Estrogens (Systemic)
Estro-vag., Estrogens (Vaginal)
EstroP-syst., Estrogens and Progestins (Ovarian Hormone Therapy) (Systemic)
EstroPO-syst., Estrogens and Progestins Oral Contraceptives (Systemic)
Esz-syst., Eszopiclone (Systemic)
Etan-syst., Etanercept (Systemic)
Etham-syst., Ethambutol (Systemic)
Ethan-parloc., Ethanolamine Oleate (Parenteral-Local)
Ethc-syst., Ethchlorvynol (Systemic)
Ethi-syst., Ethionamide (Systemic)
Etid-syst., Etidronate (Systemic)
Etom-syst., Etomidate (Systemic)
Eton-vag., Etonogestrel and Ethinyl Estradiol (Vaginal)
Etop-syst., Etoposide (Systemic)
Exem-syst., Exemestane (Systemic)
Exen-syst., Exenatide (Systemic)
Ezet-syst., Ezetimibe (Systemic)
EzetS-syst., Ezetimibe and Simvastatin (Systemic)

LETRA F

FacIX-syst., Factor IX (Systemic)
FacVIIa-syst., Factor VIIa (Systemic)
Fam-syst., Famciclovir (Systemic)
FatE-syst., Fat Emulsions (Systemic)
Fel-syst., Felbamate (Systemic)
Fenof-syst., Fenofibrate (Systemic)
Fenol-syst., Fenoldopam (Systemic)
Fent-syst., Fentanyl (Systemic)
Fent-trsyst., Fentanyl (Transdermal-Systemic)
FentD-syst., Fentanyl Derivatives (Systemic)
Ferr-syst., Ferrous Citrate Fe 59 (Systemic)
Feru-syst., Ferumoxides (Systemic)
Fex-syst., Fexofenadine (Systemic)
FexP-syst., Fexofenadine and Pseudoephedrine (Systemic)
Fin-syst., Finasteride (Systemic)
Flavoc-syst., Flavocoxid (Systemic)
Flavox-syst., Flavoxate (Systemic)
Flec-syst., Flecainide (Systemic)
Flox-syst., Floxuridine (Systemic)
Fluc-syst., Flucytosine (Systemic)
Fluda-syst., Fludarabine (Systemic)
Fludro-syst., Fludrocortisone (Systemic)
Flum-syst., Flumazenil (Systemic)
Fluorq-syst., Fluoroquinolones (Systemic)
Fluoru-syst., Fluorouracil (Systemic)
Fluoru-top., Fluorouracil (Topical)
Fluox-syst., Fluoxetine (Systemic)
Flut-inhloc., Fluticasone (Inhalation-Local)
Flut-nas., Fluticasone (Nasal)
FlutS-inhloc., Fluticasone and Salmeterol (Inhalation-Local)
Fluv-syst., Fluvoxamine (Systemic)
Fol-syst., Folic Acid (Systemic)
FollitA-syst., Follitropin Alfa (Systemic)
FollitB-syst., Follitropin Beta (Systemic)
Fome-syst., Fomepizole (Systemic)
Fomi-parloc., Fomivirsen (Parenteral-Local)
Fon-syst., Fondaparinux (Systemic)
For-inhloc., Formoterol (Inhalation-Local)
Fosam-syst., Fosamprenavir (Systemic)
Fosc-syst., Foscarnet (Systemic)
Fosf-syst., Fosfomicin (Systemic)
Fram-oph., Framycetin (Ophthalmic)

Medicamentos (Abreviaturas)

Fro-syst., Frovatriptan (Systemic)
FrucDP-orloc., Fructose, Dextrose, and Phosphoric Acid (Oral-Local)
Ful-syst., Fulvestrant (Systemic)
Fur-orloc., Furazolidone (Oral-Local)
Fus-syst., Fusidic acid (Systemic)

LETRA G

Gab-syst., Gabapentin (Systemic)
Gadob-syst., Gadobenate (Systemic)
Gadod-syst., Gadodiamide (Systemic)
Gadop-syst., Gadopentetate (Systemic)
Gadot-syst., Gadoteridol (Systemic)
Gadov-syst., Gadoversetamide (Systemic)
Gala-syst., Galantamine (Systemic)
GalliC-syst., Gallium Citrate Ga 67 (Systemic)
GalliN-syst., Gallium Nitrate (Systemic)
Gals-syst., Galsulfase (Systemic)
Ganc-impoph., Ganciclovir (Implantation-Ophthalmic)
Ganc-syst., Ganciclovir (Systemic)
Ganir-syst., Ganirelix (Systemic)
Gat-oph., Gatifloxacin (Ophthalmic)
Gef-syst., Gefitinib (Systemic)
Gemc-syst., Gemcitabine (Systemic)
Gemf-syst., Gemfibrozil (Systemic)
Gemif-syst., Gemifloxacin (Systemic)
Gemt-syst., Gemtuzumab Ozogamicin (Systemic)
Genta-oph., Gentamicin (Ophthalmic)
Genta-ot., Gentamicin (Otic)
Genta-top., Gentamicin (Topical)
GentiV-top., Gentian Violet (Topical)
GentiV-vag., Gentian Violet (Vaginal)
Gla-syst., Glatiramer Acetate (Systemic)
Glim-syst., Glimepiride (Systemic)
GlipM-syst., Glipizide and Metformin (Systemic)
Gluc-syst., Glucagon (Systemic)
Glut-syst., Glutamine (Systemic)
GlybM-syst., Glyburide and Metformin (Systemic)
Glyc-syst., Glycerin (Systemic)
Gold-syst., Gold Compounds (Systemic)
Gon-syst., Gonadorelin (Systemic)
Gos-syst., Goserelin (Systemic)
Gra-syst., Granisetron (Systemic)

Medicamentos (Abreviaturas)

Gri-syst., Griseofulvin (Systemic)
GroH-syst., Growth Hormone (Systemic)
Guai-syst., Guaifenesin (Systemic)
Guanab-syst., Guanabenz (Systemic)
Guanad-syst., Guanadrel (Systemic)
Guane-syst., Guanethidine (Systemic)
Guanf-syst., Guanfacine (Systemic)

LETRA H

HaeC-syst., Haemophilus b Conjugate Vaccine (Systemic)
HaeP-syst., Haemophilus b Polysaccharide Vaccine (Systemic)
Hal-syst., Haloperidol (Systemic)
Hepar-syst., Heparin (Systemic)
HepatAVI-syst., Hepatitis A Vaccine Inactivated (Systemic)
HepatAVIHB-syst., Hepatitis A Virus Vaccine Inactivated and Hepatitis B Virus Vaccine Recombinant (Systemic)
HepatBIG-syst., Hepatitis B Immune Globulin (Human) (Systemic)
HepatBVR-syst., Hepatitis B Vaccine Recombinant (Systemic)
Hist-syst., Histamine (Systemic)
HistH2-syst., Histamine H2-receptor Antagonists (Systemic)
Histr-syst., Histrelin (Systemic)
HMG-syst., HMG-CoA Reductase Inhibitors (Systemic)
Hom-oph., Homatropine (Ophthalmic)
HyalS-syst., Hyaluronate Sodium (Systemic)
HyalSD-syst., Hyaluronate Sodium Derivative (Systemic)
Hyalur-parloc., Hyaluronidase (Parenteral-Local)
Hydra-syst., Hydralazine (Systemic)
HydraH-syst., Hydralazine and Hydrochlorothiazide (Systemic)
HydroI-syst., Hydrocodone and Ibuprofen (Systemic)
HydroxT-oph., Hydroxyamphetamine and Tropicamide (Ophthalmic)
Hydxcy-syst., Hydroxychloroquine (Systemic)
HydxcypC-oph., Hydroxypropyl Cellulose (Ophthalmic)
HydxcypM-oph., Hydroxypropyl Methylcellulose (Ophthalmic)
HydxcypM-parloc., Hydroxypropyl Methylcellulose (Parenteral-Local)
Hydxyu-syst., Hydroxyurea (Systemic)

LETRA I

Iba-syst., Ibandronate (Systemic)
Ibr-syst., Ibritumomab Tiuxetan (Systemic)

Medicamentos (Abreviaturas)

IbupO-syst., Ibuprofen and Oxycodone (Systemic)
Ibut-syst., Ibutilide (Systemic)
Ida-syst., Idarubicin (Systemic)
Ido-oph., Idoxuridine (Ophthalmic)
Ifo-syst., Ifosfamide (Systemic)
Ilo-inh., Iloprost (Inhalation)
Ima-syst., Imatinib (Systemic)
Imig-syst., Imiglucerase (Systemic)
ImipC-syst., Imipenem and Cilastatin (Systemic)
Imiq-top., Imiquimod (Topical)
Imm-syst., Immune Globulin Intravenous (Human) (Systemic)
Ina-syst., Inamrinone (Systemic)
Inda-syst., Indapamide (Systemic)
Indin-syst., Indinavir (Systemic)
IndiuC-syst., Indium In 111 Capromab Pendetide (Systemic)
IndiuO-syst., Indium In 111 Oxyquinoline (Systemic)
IndiuP-syst., Indium In 111 Pentetate (Systemic)
IndiuPt-syst., Indium In 111 Pentetreotide (Systemic)
IndiuS-syst., Indium In 111 Satumomab Pendetide (Systemic)
Indo-syst., Indomethacin For Patent Ductus Arteriosus (Systemic)
Infa-syst., Infant Formulas (Systemic)
Infli-syst., Infliximab (Systemic)
Influ-syst., Influenza Virus Vaccine (Systemic)
Ins-syst., Insulin (Systemic)
InsA-syst., Insulin Aspart (Systemic)
InsD-syst., Insulin Detemir (Systemic)
InsGla-syst., Insulin Glargine (Systemic)
InsGlu-syst., Insulin Glulisine (Systemic)
InsL-syst., Insulin Lispro (Systemic)
IntA1-syst., Interferon Alfacon-1 (Systemic)
IntB1a-syst., Interferon, Beta-1a (Systemic)
IntB1b-syst., Interferon, Beta-1b (Systemic)
IntG-syst., Interferon, Gamma (Systemic)
IntA-syst., Interferons, Alpha (Systemic)
Inu-syst., Inulin (Systemic)
Iob-systdia., Iobenguane, Radioiodinated (Systemic—Diagnostic)
Iob-systthe., Iobenguane, Radioiodinated (Systemic—Therapeutic)
Iod-top., Iodine (Topical)
IodS-syst., Iodine, Strong (Systemic)
Iodip-syst., Iodipamide (Systemic)
Iodix-syst., Iodixanol (Systemic)
Iodoh123-syst., Iodohippurate Sodium I 123 (Systemic)
Iodoh131-syst., Iodohippurate Sodium I 131 (Systemic)
Iodoq-orloc., Iodoquinol (Oral-Local)
Iof-syst., Iofetamine I 123 (Systemic)
Ioh-loc., Iohexol (Local)

Medicamentos (Abreviaturas)

Ioh-syst., Iohexol (Systemic)
Iopa-syst., Iopamidol (Systemic)
Iopr-syst., Iopromide (Systemic)
Iot-loc., Iothalamate (Local)
Iot-syst., Iothalamate (Systemic)
Iov-syst., Ioversol (Systemic)
Ioxa-loc., Ioxaglate (Local)
Ioxa-syst., Ioxaglate (Systemic)
Ioxi-syst., Ioxilan (Systemic)
Ipe-orloc., Ipecac (Oral-Local)
Ipr-inhloc., Ipratropium (Inhalation-Local)
Ipr-nas., Ipratropium (Nasal)
IprA-inhloc., Ipratropium and Albuterol (Inhalation-Local)
Irb-syst., Irbesartan (Systemic)
Iri-syst., Irinotecan (Systemic)
Iron-syst., Iron Supplements (Systemic)
IsomDA-syst., Isometheptene, Dichloralphenazone, and Acetaminophen (Systemic)
Ison-syst., Isoniazid (Systemic)
Isot-syst., Isotretinoin (Systemic)
Isox-syst., Isoxsuprine (Systemic)
Ive-syst., Ivermectin (Systemic)

LETRA J

JapV-syst., Japanese Encephalitis Virus Vaccine (Systemic)

LETRA K

Kan-orloc., Kanamycin (Oral-Local)
KaoP-orloc., Kaolin and Pectin (Oral-Local)
Keta-syst., Ketamine (Systemic)
Ketoc-top., Ketoconazole (Topical)
Ketor-oph., Ketorolac (Ophthalmic)
Ketor-syst., Ketorolac (Systemic)
Ketot-oph., Ketotifen (Ophthalmic)
Ketot-syst., Ketotifen (Systemic)
Kry-syst., Krypton Kr 81m (Systemic)

LETRA L

Medicamentos (Abreviaturas)

Ltry-syst., L-Tryptophan (Systemic)
Lami-syst., Lamivudine (Systemic)
LamiZ-syst., Lamivudine and Zidovudine (Systemic)
Lamo-syst., Lamotrigine (Systemic)
Lans-syst., Lansoprazole (Systemic)
Lant-orloc., Lanthanum (Oral-Local)
Lar-syst., Laronidase (Systemic)
Lat-oph., Latanoprost (Ophthalmic)
Lax-loc., Laxatives (Local)
Lef-syst., Leflunomide (Systemic)
Len-syst., Lenalidomide (Systemic)
Lep-syst., Lepirudin (Systemic)
Let-syst., Letrozole (Systemic)
Leuc-syst., Leucovorin (Systemic)
Leup-syst., Leuprolide (Systemic)
Leval-inhloc., Levalbuterol (Inhalation-Local)
Levam-syst., Levamisole (Systemic)
Leve-syst., Levetiracetam (Systemic)
Levoc-oph., Levocabastine (Ophthalmic)
Levoca-syst., Levocarnitine (Systemic)
Levod-syst., Levodopa (Systemic)
Levof-oph., Levofloxacin (Ophthalmic)
Levof-syst., Levofloxacin (Systemic)
Levom-syst., Levomethadyl (Systemic)
Lid-syst., Lidocaine (Systemic)
Lid-top., Lidocaine (Topical)
LidP-top., Lidocaine and Prilocaine (Topical)
Linc-syst., Lincomycin (Systemic)
Lind-top., Lindane (Topical)
Line-syst., Linezolid (Systemic)
Lit-syst., Lithium (Systemic)
Lod-oph., Lodoxamide (Ophthalmic)
Lom-syst., Lomustine (Systemic)
Lope-orloc., Loperamide (Oral-Local)
LopiR-syst., Lopinavir and Ritonavir (Systemic)
Lor-syst., Loracarbef (Systemic)
Los-syst., Losartan (Systemic)
LosH-syst., Losartan and Hydrochlorothiazide (Systemic)
Lot-oph., Loteprednol (Ophthalmic)
LotT-oph., Loteprednol and Tobramycin (Ophthalmic)
Lox-syst., Loxapine (Systemic)
Lut-syst., Lutropin Alfa (Systemic)
Lym-syst., Lyme Disease Vaccine (Systemic)

LETRA M

Maf-top., Mafenide (Topical)
MagS-syst., Magnesium Sulfate (Systemic)
MagSup-syst., Magnesium Supplements (Systemic)
Mal-top., Malathion (Topical)
Man-syst., Mangafodipir (Systemic)
MangS-syst., Manganese Supplements (Systemic)
Mann-syst., Mannitol (Systemic)
Map-syst., Maprotiline (Systemic)
MeaRV-syst., Measles and Rubella Virus Vaccine Live (Systemic)
MeaV-syst., Measles Virus Vaccine Live (Systemic)
MeaMRV-syst., Measles, Mumps, and Rubella Virus Vaccine Live (Systemic)
Meb-syst., Mebendazole (Systemic)
Mecam-syst., Mecamylamine (Systemic)
Mecas-syst., Mecasermin (Systemic)
Mech-syst., Mechlorethamine (Systemic)
Mech-top., Mechlorethamine (Topical)
Mecl-syst., Meclizine (Systemic)
MedE-syst., Medroxyprogesterone and Estradiol (Systemic)
Mef-syst., Mefloquine (Systemic)
Meg-syst., Meglumine Antimoniate (Systemic)
Melo-syst., Meloxicam (Systemic)
Melp-syst., Melphalan (Systemic)
Mem-syst., Memantine (Systemic)
MeniPV-syst., Meningococcal Polysaccharide Vaccine (Systemic)
MeniVDC-syst., Meningococcal Vaccine, Diphtheria Conjugate (Systemic)
Meno-syst., Menotropins (Systemic)
Mep-syst., Meprobamate (Systemic)
MepA-syst., Meprobamate and Aspirin (Systemic)
MeqT-top., Mequinol and Tretinoin (Topical)
Merc-syst., Mercaptopurine (Systemic)
Mero-syst., Meropenem (Systemic)
Mesa-orloc., Mesalamine (Oral-Local)
Mesa-reloc., Mesalamine (Rectal-Local)
Mesn-syst., Mesna (Systemic)
Metf-syst., Metformin (Systemic)
MetfP-syst., Metformin and Pioglitazone (Systemic)
Methe-syst., Methenamine (Systemic)
MethotC-syst., Methotrexate For Cancer (Systemic)
MethotNC-syst., Methotrexate For Noncancerous Conditions (Systemic)
Methox-exsyst., Methoxsalen (Extracorporeal-Systemic)
Methox-syst., Methoxsalen (Systemic)
Methox-top., Methoxsalen (Topical)

Medicamentos (Abreviaturas)

Methy-syst., Methyldopa (Systemic)
MethyTD-syst., Methyldopa and Thiazide Diuretics (Systemic)
MethylB-syst., Methylene Blue (Systemic)
Methyler-syst., Methylergonovine (Systemic)
Methylp-syst., Methylphenidate (Systemic)
Methys-syst., Methysergide (Systemic)
Meto-syst., Metoclopramide (Systemic)
Metro-syst., Metronidazole (Systemic)
Metro-top., Metronidazole (Topical)
Metro-vag., Metronidazole (Vaginal)
Metyra-syst., Metyrapone (Systemic)
Metyro-syst., Metyrosine (Systemic)
Mex-syst., Mexiletine (Systemic)
Mica-syst., Micafungin (Systemic)
Mico-top., Miconazole (Topical)
Mida-syst., Midazolam (Systemic)
Mido-syst., Midodrine (Systemic)
Mif-syst., Mifepristone (Systemic)
Migli-syst., Miglitol (Systemic)
Miglu-syst., Miglustat (Systemic)
Mil-syst., Milrinone (Systemic)
Minoc-mucloc., Minocycline (Mucosal-Local)
Minox-syst., Minoxidil (Systemic)
Minox-top., Minoxidil (Topical)
Mir-syst., Mirtazapine (Systemic)
Mis-syst., Misoprostol (Systemic)
Mitom-syst., Mitomycin (Systemic)
Mitot-syst., Mitotane (Systemic)
Mitox-syst., Mitoxantrone (Systemic)
Miv-syst., Mivacurium (Systemic)
Moc-syst., Moclobemide (Systemic)
Mod-syst., Modafinil (Systemic)
Moe-syst., Moexipril (Systemic)
MoeH-syst., Moexipril and Hydrochlorothiazide (Systemic)
Moli-syst., Molindone (Systemic)
Moly-syst., Molybdenum Supplements (Systemic)
Mom-inhloc., Mometasone (Inhalation-Local)
Mom-nas., Mometasone (Nasal)
Mono-loc., Monoctanoïn (Local)
Mont-syst., Montelukast (Systemic)
Mor-syst., Moricizine (Systemic)
Mox-oph., Moxifloxacin (Ophthalmic)
Mum-syst., Mumps Virus Vaccine Live (Systemic)
Mup-nas., Mupirocin (Nasal)
Mup-top., Mupirocin (Topical)
Mur-syst., Muromonab-CD3 (Systemic)

Medicamentos (Abreviaturas)

Myc-syst., Mycophenolate (Systemic)

LETRA N

Nab-syst., Nabilone (Systemic)
Nad-syst., Nadroparin (Systemic)
Nafa-syst., Nafarelin (Systemic)
Naft-top., Naftifine (Topical)
Nali-syst., Nalidixic Acid (Systemic)
Nalm-syst., Nalmefene (Systemic)
Nalo-syst., Naloxone (Systemic)
Nalt-syst., Naltrexone (Systemic)
Nap-oph., Naphazoline (Ophthalmic)
Nar-syst., Naratriptan (Systemic)
Natal-syst., Natalizumab (Systemic)
Natam-oph., Natamycin (Ophthalmic)
Nate-syst., Nateglinide (Systemic)
Ned-inhloc., Nedocromil (Inhalation-Local)
Ned-oph., Nedocromil (Ophthalmic)
Nef-syst., Nefazodone (Systemic)
Nel-syst., Nelfinavir (Systemic)
Neo-oph., Neomycin (Ophthalmic)
Neo-orloc., Neomycin (Oral-Local)
Neo-top., Neomycin (Topical)
NeoP-top., Neomycin and Polymyxin B (Topical)
NeoPB-oph., Neomycin, Polymyxin B, and Bacitracin (Ophthalmic)
NeoPB-top., Neomycin, Polymyxin B, and Bacitracin (Topical)
NeoPG-oph., Neomycin, Polymyxin B, and Gramicidin (Ophthalmic)
NeoPH-oph., Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)
NeoPh-ot., Neomycin, Polymyxin B, and Hydrocortisone (Otic)
Nep-oph., Nepafenac (Ophthalmic)
Nes-syst., Nesiritide (Systemic)
Neu-syst., Neuromuscular Blocking Agents (Systemic)
Nev-syst., Nevirapine (Systemic)
Nia-syst., Niacin (Systemic)
NiaL-syst., Niacin and Lovastatin (Systemic)
Nicl-orloc., Niclosamide (Oral-Local)
Nico-inhsyst., Nicotine (Inhalation-Systemic)
Nico-nas., Nicotine (Nasal)
Nico-syst., Nicotine (Systemic)
Nis-syst., Nisoldipine (Systemic)
Nita-syst., Nitazoxanide (Systemic)
Niti-syst., Nitisinone (Systemic)

Medicamentos (Abreviaturas)

Nitra-syst., Nitrates (Systemic)
Nitri-inhloc., Nitric Oxide (Inhalation-Local)
Nitro-syst., Nitrofurantoin (Systemic)
Nitrofz-top., Nitrofurazone (Topical)
Nitrop-syst., Nitroprusside (Systemic)
NoreE-syst., Norelgestromin and Ethinyl Estradiol (Systemic)
Norf-oph., Norfloxacin (Ophthalmic)
Nyl-syst., Nyldrin (Systemic)
Nys-orloc., Nystatin (Oral-Local)
Nys-top., Nystatin (Topical)
Nys-vag., Nystatin (Vaginal)
NysT-top., Nystatin and Triamcinolone (Topical)

LETRA O

Oct-syst., Octreotide (Systemic)
Of1-oph., Ofloxacin (Ophthalmic)
Of1-ot., Ofloxacin (Otic)
Ola-syst., Olanzapine (Systemic)
Olm-syst., Olmesartan (Systemic)
OlmH-syst., Olmesartan and Hydrochlorothiazide (Systemic)
Olo-oph., Olopatadine (Ophthalmic)
Ols-orloc., Olsalazine (Oral-Local)
Oma-syst., Omalizumab (Systemic)
Omeg-syst., Omega-3-Acid Ethyl Esters (Systemic)
Omepr-syst., Omeprazole (Systemic)
Ond-syst., Ondansetron (Systemic)
Opi-syst., Opioid (Narcotic) Analgesics (Systemic)
OpiAc-syst., Opioid (Narcotic) Analgesics and Acetaminophen (Systemic)
OpiAs-syst., Opioid (Narcotic) Analgesics and Aspirin (Systemic)
Opr-syst., Oprelvekin (Systemic)
Orl-orloc., Orlistat (Oral-Local)
OrpA-syst., Orphenadrine and Aspirin (Systemic)
Ose-syst., Oseltamivir (Systemic)
Oxa-syst., Oxaliplatin (Systemic)
Oxc-syst., Oxcarbazepine (Systemic)
Oxi-top., Oxiconazole (Topical)
OxtG-syst., Oxtriphylline and Guaifenesin (Systemic)
Oxyb-syst., Oxybutynin (Systemic)
Oxym-nas., Oxymetazoline (Nasal)
Oxym-oph., Oxymetazoline (Ophthalmic)
Oxyt-syst., Oxytocin (Systemic)

LETRA P

Pac-syst., Paclitaxel (Systemic)
PacP-syst., Paclitaxel Protein-Bound (Systemic)
Palif-syst., Palifermin (Systemic)
Paliv-syst., Palivizumab (Systemic)
Palo-syst., Palonosetron (Systemic)
Pam-syst., Pamidronate (Systemic)
Panc-syst., Pancrelipase (Systemic)
Pantop-syst., Pantoprazole (Systemic)
Pantot-syst., Pantothenic Acid (Systemic)
Pap-int., Papaverine (Intracavernosal)
Pap-syst., Papaverine (Systemic)
Para-syst., Paraldehyde (Systemic)
Pare-syst., Paregoric (Systemic)
Paro-syst., Paroxetine (Systemic)
Pegad-syst., Pegademase (Systemic)
Pegas-syst., Pegaspargase (Systemic)
Pegf-syst., Pegfilgrastim (Systemic)
PegiA2a-syst., Peginterferon Alfa-2a (Systemic)
PegiA2b-syst., Peginterferon Alfa-2b (Systemic)
Pegv-syst., Pegvisomant (Systemic)
Peme-syst., Pemetrexed (Systemic)
Pemi-oph., Pemirolast (Ophthalmic)
Pemo-syst., Pemoline (Systemic)
Penc-top., Penciclovir (Topical)
Penic-syst., Penicillamine (Systemic)
Penicil-syst., Penicillins (Systemic)
PenicilB-syst., Penicillins and Beta-Lactamase Inhibitors (Systemic)
Penta-inh., Pentamidine (Inhalation)
Penta-syst., Pentamidine (Systemic)
PenteC-syst., Pentetate Calcium Trisodium (Systemic)
PenteZ-syst., Pentetate Zinc Trisodium (Systemic)
Pentosa-syst., Pentosan (Systemic)
Pentost-syst., Pentostatin (Systemic)
Pentox-syst., Pentoxifylline (Systemic)
Perf-orloc., Perflubron (Oral-Local)
Perg-syst., Pergolide (Systemic)
Perm-top., Permethrin (Topical)
PerpA-syst., Perphenazine and Amitriptyline (Systemic)
Phena-syst., Phenazopyridine (Systemic)
Phenol-syst., Phenolsulfonphthalein (Systemic)
Phenot-syst., Phenothiazines (Systemic)

Medicamentos (Abreviaturas)

Phenox-syst., Phenoxybenzamine (Systemic)
Phent-int., Phentolamine (Intracavernosal)
Phent-syst., Phentolamine (Systemic)
Pheny-nas., Phenylephrine (Nasal)
Pheny-oph., Phenylephrine (Ophthalmic)
Pho-syst., Phosphates (Systemic)
Phy-oph., Physostigmine (Ophthalmic)
Phy-syst., Physostigmine (Systemic)
Pil-oph., Pilocarpine (Ophthalmic)
Pil-syst., Pilocarpine (Systemic)
Pime-top., Pimecrolimus (Topical)
Pimo-syst., Pimozide (Systemic)
Pio-syst., Pioglitazone (Systemic)
Pip-syst., Piperazine (Systemic)
Pli-syst., Plicamycin (Systemic)
PneC-syst., Pneumococcal Conjugate Vaccine (Systemic)
PneV-syst., Pneumococcal Vaccine Polyvalent (Systemic)
Podof-top., Podofilox (Topical)
Podop-top., Podophyllum (Topical)
Poli-syst., Poliovirus Vaccine (Systemic)
PoliO-syst., Poliovirus Vaccine Live Oral (Systemic)
PolyE-loc., Polyethylene Glycol and Electrolytes (Local)
Por-syst., Porfimer (Systemic)
PotI-syst., Potassium Iodide (Systemic)
PotS-syst., Potassium Supplements (Systemic)
Pral-syst., Pralidoxime (Systemic)
Prami-syst., Pramipexole (Systemic)
Praml-syst., Pramlintide (Systemic)
Prazi-syst., Praziquantel (Systemic)
Prazo-syst., Prazosin (Systemic)
PrazoP-syst., Prazosin and Polythiazide (Systemic)
Pre-syst., Pregabalin (Systemic)
Prima-syst., Primaquine (Systemic)
Primi-syst., Primidone (Systemic)
Probe-syst., Probenecid (Systemic)
ProbeC-syst., Probenecid and Colchicine (Systemic)
Probu-syst., Probucol (Systemic)
Procai-syst., Procainamide (Systemic)
Procar-syst., Procarbazine (Systemic)
Proge-syst., Progestins (Systemic)
Progu-syst., Proguanil (Systemic)
Propa-syst., Propafenone (Systemic)
Propo-syst., Propofol (Systemic)
Prota-syst., Protamine (Systemic)
Proti-syst., Protirelin (Systemic)
Pru-orloc., Prussian Blue (Oral-Local)

Medicamentos (Abreviaturas)

Pse-syst., Pseudoephedrine (Systemic)
Pyran-orloc., Pyrantel (Oral-Local)
Pyraz-syst., Pyrazinamide (Systemic)
PyreP-top., Pyrethrins and Piperonyl Butoxide (Topical)
Pyridos-syst., Pyridostigmine For Military Combat Medical Use (Systemic)
Pyridox-syst., Pyridoxine (Systemic)
Pyrim-syst., Pyrimethamine (Systemic)
Pyrit-top., Pyrithione (Topical)
Pyrv-orloc., Pyrvinium (Oral-Local)

LETRA Q

Que-syst., Quetiapine (Systemic)
Quid-syst., Quinidine (Systemic)
Quin-syst., Quinine (Systemic)
QuinuD-syst., Quinupristin and Dalfopristin (Systemic)

LETRA R

Rabe-syst., Rabeprazole (Systemic)
RabiI-syst., Rabies Immune Globulin (Systemic)
RabiV-syst., Rabies Vaccine (Systemic)
Rac-syst., Racemethionine (Systemic)
Rad-syst., Radioiodinated Albumin (Systemic)
Ralo-syst., Raloxifene (Systemic)
Ralt-syst., Raltitrexed (Systemic)
Ram-syst., Ramelteon (Systemic)
Ras-syst., Rasburicase (Systemic)
Rau-syst., Rauwolfia Alkaloids (Systemic)
RauT-syst., Rauwolfia Alkaloids and Thiazide Diuretics (Systemic)
Rem-syst., Remifentanil (Systemic)
Rep-syst., Repaglinide (Systemic)
ReseHH-syst., Reserpine, Hydralazine, and Hydrochlorothiazide (Systemic)
Reso-top., Resorcinol (Topical)
ResoS-top., Resorcinol and Sulfur (Topical)
Resp-syst., Respiratory Syncytial Virus Immune Globulin Intravenous (Systemic)
Ret-syst., Reteplase, Recombinant (Systemic)
RhO-syst., Rh O(D) Immune Globulin (Systemic)
Riba-syst., Ribavirin (Systemic)
RibaI-syst., Ribavirin and Interferon Alfa-2b, Recombinant (Systemic)
Ribo-syst., Riboflavin (Systemic)

Medicamentos (Abreviaturas)

Rifab-syst., Rifabutin (Systemic)
Rifam-syst., Rifampin (Systemic)
RifamI-syst., Rifampin and Isoniazid (Systemic)
RifamIP-syst., Rifampin, Isoniazid, and Pyrazinamide (Systemic)
Rifap-syst., Rifapentine (Systemic)
Rifax-orloc., Rifaximin (Oral-Local)
Ril-syst., Riluzole (Systemic)
Rima-syst., Rimantadine (Systemic)
Rime-oph., Rimexolone (Ophthalmic)
Rise-syst., Risedronate (Systemic)
Risp-syst., Risperidone (Systemic)
Ritod-syst., Ritodrine (Systemic)
Riton-syst., Ritonavir (Systemic)
Ritu-syst., Rituximab (Systemic)
Riv-syst., Rivastigmine (Systemic)
Riz-syst., Rizatriptan (Systemic)
Roc-syst., Rocuronium (Systemic)
Rof-syst., Rofecoxib (Systemic)
Ropin-syst., Ropinirole (Systemic)
Ropiv-parloc., Ropivacaine (Parenteral-Local)
Rosi-syst., Rosiglitazone (Systemic)
RosiM-syst., Rosiglitazone and Metformin (Systemic)
Rosu-syst., Rosuvastatin (Systemic)
RubeM-syst., Rubella and Mumps Virus Vaccine Live (Systemic)
RubeV-syst., Rubella Virus Vaccine Live (Systemic)
Rubi-syst., Rubidium Rb 82 (Systemic)

LETRA S

Sac-syst., Sacrosidase (Systemic)
Sal-syst., Salicylates (Systemic)
SalA-top., Salicylic Acid (Topical)
SalAS-top., Salicylic Acid and Sulfur (Topical)
SalASC-top., Salicylic Acid, Sulfur, and Coal Tar (Topical)
Sam-syst., Samarium Sm 153 Lexidronam (Systemic)
Saq-syst., Saquinavir (Systemic)
Sco-oph., Scopolamine (Ophthalmic)
Seleg-syst., Selegiline (Systemic)
SelenS-top., Selenium Sulfide (Topical)
SelenSup-syst., Selenium Supplements (Systemic)
Serm-syst., Sermorelin (Systemic)
Serta-top., Sertaconazole (Topical)
Sertr-syst., Sertraline (Systemic)

Medicamentos (Abreviaturas)

Seve-orloc., Sevelamer (Oral-Local)
Sevo-inhsyst., Sevoflurane (Inhalation-Systemic)
Sib-syst., Sibutramine (Systemic)
Sild-syst., Sildenafil (Systemic)
Silv-top., Silver Sulfadiazine (Topical)
Sim-orloc., Simethicone (Oral-Local)
Sin-syst., Sincalide (Systemic)
Sir-syst., Sirolimus (Systemic)
Ske-syst., Skeletal Muscle Relaxants (Systemic)
SodBeSP-syst., Sodium Benzoate and Sodium Phenylacetate (Systemic)
SodBi-syst., Sodium Bicarbonate (Systemic)
SodC-oph., Sodium Chloride (Ophthalmic)
SodC-parloc., Sodium Chloride (Parenteral-Local)
SodCr51-syst., Sodium Chromate Cr 51 (Systemic)
SodF-syst., Sodium Fluoride (Systemic)
SodI-syst., Sodium Iodide (Systemic)
SodI123-syst., Sodium Iodide I 123 (Systemic)
SodI131-systdia., Sodium Iodide I 131 (Systemic—Diagnostic)
SodI131-systthe., Sodium Iodide I 131 (Systemic—Therapeutic)
SodN-syst., Sodium Nitrite (Systemic)
SodO-syst., Sodium Oxybate (Systemic)
SodPhe-syst., Sodium Phenylbutyrate (Systemic)
SodPho-syst., Sodium Phosphate P 32 (Systemic)
SodPol-loc., Sodium Polystyrene Sulfonate (Local)
SodTe-syst., Sodium Tetradecyl Sulfate (Systemic)
SodTh-syst., Sodium Thiosulfate (Systemic)
Sol-syst., Solifenacin (Systemic)
Sor-syst., Sorafenib (Systemic)
Spa-syst., Sparfloxacin (Systemic)
Spec-syst., Spectinomycin (Systemic)
Sper-vag., Spermicides (Vaginal)
Spi-syst., Spiramycin (Systemic)
Sta-syst., Stavudine (Systemic)
Stre-syst., Streptozocin (Systemic)
Stro-syst., Strontium Chloride SR 89 (Systemic)
Succ-syst., Succimer (Systemic)
Sucr-orloc., Sucralfate (Oral-Local)
Sulc-top., Sulconazole (Topical)
SulfadP-syst., Sulfadoxine and Pyrimethamine (Systemic)
Sulfap-syst., Sulfapyridine (Systemic)
Sulfas-syst., Sulfasalazine (Systemic)
Sulfi-syst., Sulfinpyrazone (Systemic)
Sulfo-oph., Sulfonamides (Ophthalmic)
Sulfo-syst., Sulfonamides (Systemic)
Sulfo-vag., Sulfonamides (Vaginal)
SulfoP-syst., Sulfonamides and Phenazopyridine (Systemic)

Medicamentos (Abreviaturas)

SulfoT-syst., Sulfonamides and Trimethoprim (Systemic)
Sulfu-top., Sulfur (Topical)
Sum-syst., Sumatriptan (Systemic)
Sun-top., Sunscreen Agents (Topical)
Sur-syst., Suramin (Systemic)
Sym-parsyst., Sympathomimetic Agents—Cardiovascular Use (Parenteral-Systemic)

LETRA T

Tacri-syst., Tacrine (Systemic)
Tacro-syst., Tacrolimus (Systemic)
Tacro-top., Tacrolimus (Topical)
Tad-syst., Tadalafil (Systemic)
Tal-intloc., Talc (Intrapleural-Local)
Tamo-syst., Tamoxifen (Systemic)
Tams-syst., Tamsulosin (Systemic)
Taz-top., Tazarotene (Topical)
TecF-syst., Technetium (99m Tc) Fanolesomab (Systemic)
TecPh-syst., Technetium Tc 99m (Pyro- and trimeta-) Phosphates (Systemic)
TecAl-syst., Technetium Tc 99m Albumin (Systemic)
TecAlA-syst., Technetium Tc 99m Albumin Aggregated (Systemic)
TecAp-syst., Technetium Tc 99m Apcitide (Systemic)
TecAr-syst., Technetium Tc 99m Arcitumomab (Systemic)
TecB-syst., Technetium Tc 99m Bicisate (Systemic)
TecD-syst., Technetium Tc 99m Disofenin (Systemic)
TecE-syst., Technetium Tc 99m Exametazime (Systemic)
TecMeb-syst., Technetium Tc 99m Mebrofenin (Systemic)
TecMed-syst., Technetium Tc 99m Medronate (Systemic)
TecMer-syst., Technetium Tc 99m Mertiatide (Systemic)
TecO-syst., Technetium Tc 99m Oxidronate (Systemic)
TecPe-syst., Technetium Tc 99m Pentetate (Systemic)
TecPy-syst., Technetium Tc 99m Pyrophosphate (Systemic)
TecSe-syst., Technetium Tc 99m Sestamibi (Systemic)
TecSuc-syst., Technetium Tc 99m Succimer (Systemic)
TecSul-syst., Technetium Tc 99m Sulfur Colloid (Systemic)
TecTeb-syst., Technetium Tc 99m Teboroxime (Systemic)
TecTet-syst., Technetium Tc 99m Tetrofosmin (Systemic)
Teg-syst., Tegaserod (Systemic)
Teli-syst., Telithromycin (Systemic)
Telm-syst., Telmisartan (Systemic)
TelmH-syst., Telmisartan and Hydrochlorothiazide (Systemic)
Tem-syst., Temozolomide (Systemic)
Tene-syst., Tenecteplase (Systemic)

Medicamentos (Abreviaturas)

Teni-syst., Teniposide (Systemic)
Teno-syst., Tenofovir (Systemic)
Tera-syst., Terazosin (Systemic)
Terb-syst., Terbinafine (Systemic)
Terb-top., Terbinafine (Topical)
Teri-syst., Teriparatide (Systemic)
Testol-syst., Testolactone (Systemic)
Testos-syst., Testosterone (Systemic)
TetaIG-syst., Tetanus Immune Globulin (Systemic)
TetaT-syst., Tetanus Toxoid (Systemic)
TetrPF-mucloc., Tetracycline Periodontal Fibers (Mucosal-Local)
Tetr-oph., Tetracyclines (Ophthalmic)
Tetr-syst., Tetracyclines (Systemic)
Tetr-top., Tetracyclines (Topical)
Thali-syst., Thalidomide (Systemic)
Thall-syst., Thallous Chloride Tl 201 (Systemic)
TheG-syst., Theophylline and Guaifenesin (Systemic)
TheEP-syst., Theophylline, Ephedrine, and Phenobarbital (Systemic)
Thiab-syst., Thiabendazole (Systemic)
Thiab-top., Thiabendazole (Topical)
Thiam-syst., Thiamine (Systemic)
Thie-syst., Thiethylperazine (Systemic)
Thiog-syst., Thioguanine (Systemic)
Thiot-syst., Thiotepa (Systemic)
Thiox-syst., Thioxanthenes (Systemic)
Thr-syst., Thrombolytic Agents (Systemic)
ThyH-syst., Thyroid Hormones (Systemic)
Thyr-syst., Thyrotropin (Systemic)
ThyrA-syst., Thyrotropin Alfa (Systemic)
Tia-syst., Tiagabine (Systemic)
Tic-syst., Ticlopidine (Systemic)
Til-syst., Tiludronate (Systemic)
Tini-syst., Tinidazole (Systemic)
Tinz-syst., Tinzaparin (Systemic)
Tioc-top., Tioconazole (Topical)
Tiop-syst., Tiopronin (Systemic)
Tiot-inhloc., Tiotropium (Inhalation-Local)
Tir-syst., Tirofiban (Systemic)
Tiz-syst., Tizanidine (Systemic)
Tob-oph., Tobramycin (Ophthalmic)
TobD-oph., Tobramycin and Dexamethasone (Ophthalmic)
Toc-syst., Tocainide (Systemic)
Tola-parsyst., Tolazoline (Parenteral-Systemic)
Tolc-syst., Tolcapone (Systemic)
Toln-top., Tolnaftate (Topical)
Tolt-syst., Tolterodine (Systemic)

Medicamentos (Abreviaturas)

Topi-syst., Topiramate (Systemic)
Topo-syst., Topotecan (Systemic)
Tore-syst., Toremifene (Systemic)
Tors-syst., Torsemide (Systemic)
TosI-syst., Tositumomab and Iodine I 131 Tositumomab (Systemic)
Tram-syst., Tramadol (Systemic)
TramA-syst., Tramadol and Acetaminophen (Systemic)
Trand-syst., Trandolapril (Systemic)
TrandV-syst., Trandolapril and Verapamil (Systemic)
Trane-syst., Tranexamic Acid (Systemic)
Tras-syst., Trastuzumab (Systemic)
Trav-oph., Travoprost (Ophthalmic)
Traz-syst., Trazodone (Systemic)
Trep-syst., Treprostinil (Systemic)
Tret-syst., Tretinoin (Systemic)
Tret-top., Tretinoin (Topical)
Trie-syst., Trientine (Systemic)
Trif-oph., Trifluridine (Ophthalmic)
Trimetha-syst., Trimethaphan (Systemic)
Trimethob-syst., Trimethobenzamide (Systemic)
Trimethop-syst., Trimethoprim (Systemic)
Trimetr-syst., Trimetrexate (Systemic)
Trio-syst., Trioxsalen (Systemic)
Trip-syst., Triptorelin (Systemic)
Trop-oph., Tropicamide (Ophthalmic)
Tros-syst., Trospium (Systemic)
Trov-syst., Trovafloxacin (Systemic)
Tub-parloc., Tuberculin, Purified Protein Derivative (Parenteral-Local)
TypVI-parsyst., Typhoid Vaccine Inactivated (Parenteral-Systemic)
TypVL-syst., Typhoid Vaccine Live Oral (Systemic)
TypP-syst., Typhoid Vi Polysaccharide Vaccine (Systemic)

LETRA U

UndA-top., Undecylenic Acid, Compound (Topical)
Uno-oph., Unoprostone (Ophthalmic)
Ure-parloc., Urea (Parenteral-Local)
Ure-syst., Urea (Systemic)
UreC-syst., Urea C 14 (Systemic)
Uro-syst., Urofollitropin (Systemic)
Urs-syst., Ursodiol (Systemic)

Medicamentos (Abreviaturas)

LETRA V

Vac-syst., Vaccinia Immune Globulin Intravenous (Human) (Systemic)
Vala-syst., Valacyclovir (Systemic)
Vald-syst., Valdecoxib (Systemic)
Valg-syst., Valganciclovir (Systemic)
Valp-syst., Valproic Acid (Systemic)
Valr-mucloc., Valrubicin (Mucosal-Local)
Vals-syst., Valsartan (Systemic)
ValsH-syst., Valsartan and Hydrochlorothiazide (Systemic)
Van-orloc., Vancomycin (Oral-Local)
Van-syst., Vancomycin (Systemic)
Vard-syst., Vardenafil (Systemic)
Vari-syst., Varicella Virus Vaccine Live (Systemic)
Vasc-syst., Vascular Headache Suppressants, Ergot Derivative–containing (Systemic)
Vaso-syst., Vasopressin (Systemic)
Ven-syst., Venlafaxine (Systemic)
Ver-parloc., Verteporfin (Parenteral-Local)
Vid-oph., Vidarabine (Ophthalmic)
Vig-syst., Vigabatrin (Systemic)
Vinb-syst., Vinblastine (Systemic)
Vinc-syst., Vincristine (Systemic)
Vind-syst., Vindesine (Systemic)
Vino-syst., Vinorelbine (Systemic)
VitA-syst., Vitamin A (Systemic)
VitB12-syst., Vitamin B12 (Systemic)
VitDA-syst., Vitamin D and Analogs (Systemic)
VitE-syst., Vitamin E (Systemic)
VitK-syst., Vitamin K (Systemic)
VitMF-syst., Vitamins, Multiple, and Fluoride (Systemic)
Vor-syst., Voriconazole (Systemic)

LETRA W

Warf-sod, Warfarin Sodium
Whocell-DPT, Whole-cell DTP

LETRA X

Xen127-syst., Xenon Xe 127 (Systemic)

Medicamentos (Abreviaturas)

Xen133-syst., Xenon Xe 133 (Systemic)
Xyl-nas., Xylometazoline (Nasal)

LETRA Y

Yel-syst., Yellow Fever Vaccine (Systemic)
Yoh-syst., Yohimbine (Systemic)

Letra Z

Zaf-syst., Zafirlukast (Systemic)
Zalc-syst., Zalcitabine (Systemic)
Zale-syst., Zaleplon (Systemic)
Zan-inhsyst., Zanamivir (Inhalation–Systemic)
Zic-syst., Ziconotide (Systemic)
Zid-syst., Zidovudine (Systemic)
Zil-syst., Zileuton (Systemic)
ZinS-syst., Zinc Supplements (Systemic)
Zip-syst., Ziprasidone (Systemic)
Zole-syst., Zoledronic Acid (Systemic)
Zolm-syst., Zolmitriptan (Systemic)
Zolp-syst., Zolpidem (Systemic)
Zon-syst., Zonisamide (Systemic)
Zop-syst., Zopiclone (Systemic)

Repertório Homeopático dos Fármacos Modernos

PUBLICAÇÕES CIENTÍFICAS

**Uso homeopático dos medicamentos modernos:
utilização do efeito rebote curativo**

**“Estratégia paradoxal para o tratamento de
doenças crônicas”: um modelo terapêutico usado
na homeopatia há mais de dois séculos**

**Novos medicamentos homeopáticos: uso dos
fármacos modernos segundo o princípio da
similitude**

Outras publicações científicas

Uso homeopático dos fármacos modernos: utilização do efeito rebote curativo^{1,2}

[Referências: Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283. Disponível em: [https://doi.org/10.1016/S0306-9877\(02\)00386-9](https://doi.org/10.1016/S0306-9877(02)00386-9) / Teixeira MZ. Matéria médica comum: utilização homeopática da patogenesia dos fármacos modernos. *Rev Homeopatia (AMHB)*. 2002; 4: 108-115. Disponível em: [ResearchGate](#).]

Resumo

A homeopatia é um método terapêutico baseado na aplicação do princípio da similitude, utilizando substâncias medicinais que promovem efeitos semelhantes aos sintomas que se deseja tratar. Neste processo, o organismo é estimulado a reagir contra os seus próprios distúrbios através de uma reação vital (secundária, homeostática, paradoxal), orientada pelo efeito primário da droga empregada, com propriedades semelhantes ao mal que se deseja combater. Esta reação secundária do organismo a um estímulo medicamentoso é observada em centenas de fármacos modernos, sendo chamada de efeito rebote. Neste estudo, propomos a utilização das drogas modernas segundo o princípio homeopático de cura, empregando o efeito rebote como reação curativa. Para isto, sugerimos compor uma *Matéria Médica Comum* que agrupe todos os sintomas primários despertados pelos medicamentos em indivíduos humanos (efeitos terapêuticos, colaterais e adversos), utilizando-os, *a posteriori*, segundo uma similitude parcial ou total, em doses mínimas ou ponderais. Desta forma, poderíamos aproveitar os inúmeros compêndios farmacológicos modernos, ampliando o espectro da terapêutica homeopática com uma infinidade de sintomas e medicamentos novos.

Introdução

O modelo homeopático de tratamento das enfermidades fundamenta-se em pressupostos distintos daqueles utilizados pela medicina convencional, a saber: princípio da similitude, experimentação no homem sadio e doses infinitesimais.

Esta mudança de paradigma terapêutico surgiu com Samuel Hahnemann que, apoiado nos relatos e na experiência dos médicos antigos, passou a observar, após um efeito primário despertado por qualquer medicamento na economia orgânica, uma resposta automática do organismo em sentido contrário (efeito secundário ou reação vital) à mudança inicial, no sentido de anular aquela perturbação farmacológica, buscando preservar o equilíbrio do meio interno.

¹ Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283. Disponível em: [https://doi.org/10.1016/S0306-9877\(02\)00386-9](https://doi.org/10.1016/S0306-9877(02)00386-9)

² Teixeira MZ. Matéria médica comum: utilização homeopática da patogenesia dos fármacos modernos. *Rev Homeopatia (AMHB)*. 2002; 4: 108-115. Disponível em: [ResearchGate](#)

Propondo um método terapêutico que estimulasse esta reação homeostática no sentido curativo, Hahnemann passou a empregar substâncias que tinham a capacidade de despertar sintomas semelhantes aos que se desejavam curar (*similia similibus curentur*), utilizando inicialmente doses ponderais e diminuindo-as posteriormente (doses infinitesimais).

Segundo este princípio de cura homeopático (princípio da similitude), um medicamento que apresente a capacidade de despertar determinados sintomas num grupo de experimentadores é capaz de estimular, em indivíduos enfermos, uma reação do organismo contra estes mesmos sintomas, produzindo uma “imunização sintomática”.

Compilando os sintomas (efeitos primários) que os medicamentos despertavam nos experimentadores sadios, juntamente com os relatos de intoxicações e efeitos adversos do emprego daquelas substâncias ao longo dos séculos, surgiram as *Matérias Médicas Homeopáticas* [1,2], guia de referência para se aplicar o princípio terapêutico pela similitude, escolhendo-se dentre as centenas de medicamentos estudados aquele que englobe a “totalidade de sintomas característicos” do enfermo.

Neste trabalho, iremos relacionar esses pressupostos homeopáticos perante a farmacologia clássica, propondo uma metodologia para empregarmos os fármacos modernos segundo o princípio de cura homeopático.

Método

Numa pesquisa de revisão bibliográfica que busque confirmar a validade do princípio da similitude (ação primária e reação secundária) para os fármacos modernos, devemos dispor de compêndios farmacológicos que descrevam, com fidelidade, as alterações orgânicas (sintomas) que estas substâncias medicinais despertam nos doentes (experimentadores). De forma análoga, ao elaborarmos uma *Matéria Médica Comum* para os fármacos convencionais, a fim de que possamos utilizá-los terapêuticamente segundo a lei da semelhança, todos os distúrbios provocados por estas drogas no equilíbrio interno devem constar deste levantamento.

Assim sendo, o estudo farmacológico das drogas modernas, poderá utilizar as monografias citadas nas diversas Farmacopéias, os relatos de efeitos adversos dos fármacos observados em outros compêndios farmacológicos, as descrições dos efeitos drogais observados em pacientes internados em hospitais e os experimentos e ensaios clínicos realizados e publicados em periódicos científicos. [3-9]

Na primeira parte deste estudo, fundamentaremos o princípio da similitude perante as evidências da farmacologia moderna, buscando validar cientificamente o modelo homeopático nas observações dos sintomas despertados no indivíduo humano pelas inúmeras classes de medicamentos convencionais (ação primária da droga e ação secundária ou reação do organismo).

Num segundo momento, iremos sugerir uma metodologia para o emprego dos fármacos modernos segundo o princípio de cura homeopático, tanto numa abordagem que utilize o princípio da similitude de forma parcial, através de sintomas isolados, quanto numa abordagem mais ampla, empregando uma somatória de sintomas que corresponda à individualidade enferma (totalidade sintomática).

Resultados

Fundamentação do princípio da similitude na farmacologia moderna

Apoiado na observação cuidadosa do efeito das drogas no organismo humano, Hahnemann discorre sobre o princípio da similitude nos parágrafos 63 a 65 do *Organon da arte de curar* [10], sistematizando o mecanismo de ação das drogas:

“Toda força que atua sobre a vida, todo medicamento afeta, em maior ou menor escala, a força vital, causando certa alteração no estado de saúde do Homem por um período de tempo maior ou menor. A isto se chama **ação primária**. [...] A esta ação, nossa força vital se esforça para opor sua própria energia. Tal ação oposta faz parte de nossa força de conservação, constituindo uma atividade automática da mesma, chamada **ação secundária** ou **reação**.” (*Organon*, § 63)

Observando que esta “ação secundária” poderia ser empregada como reação curativa, desde que direcionada no sentido correto, propôs no seu modelo terapêutico a utilização de medicamentos que produzissem, em sua ação primária no organismo, sintomas semelhantes à doença natural, no intuito de despertar uma reação orgânica para anular esta doença artificial e, conseqüentemente à semelhança de sintomas com a doença original, neutralizar também esta última. Daí surgiu o princípio da similitude: “todo medicamento capaz de despertar determinados sintomas no experimentador sadio, é capaz de curar estes mesmos sintomas no indivíduo doente”.

Assim fundamentado, Hahnemann passou a experimentar uma série de substâncias em indivíduos considerados “sadios”, anotando todos os sintomas novos (primários) que neles surgissem, confeccionando com isto a *Matéria Médica Homeopática* [12]. À medida que defrontava pacientes com sintomas semelhantes às drogas experimentadas, aplicava-as nestes enfermos, no sentido de despertar uma reação secundária e curativa do organismo, obtendo com isto a eliminação dos sintomas incomodativos.

Desse modo, a aplicação do princípio terapêutico homeopático implica no estimular uma reação homeostática e curativa, direcionada pela ação primária da droga que causou nos experimentadores sintomas muito semelhantes aos sintomas da doença natural que se deseja combater.

Realizando a ponte entre o princípio da similitude e a farmacologia moderna, encontramos uma infinidade de relatos, tanto em compêndios farmacológicos como em experimentações e ensaios clínicos publicados em periódicos científicos, que descrevem uma reação

secundária do organismo a um estímulo primário da droga, confirmando o citado anteriormente [12,13]. Esta ação secundária do organismo, no sentido de manter a homeostase orgânica, é denominada de “efeito rebote” ou “reação paradoxal”, segundo a episteme moderna.

Segundo os conceitos farmacológicos, o fenômeno ou sintoma rebote se manifesta em intensidade algumas vezes superior ao sintoma primariamente suprimido, ocorrendo num período variável (horas a semanas) após a suspensão ou descontinuação do tratamento, permanecendo por um período variável (horas a semanas) conforme as características individuais (idiossincrásicas).

Ilustrando o anteriormente exposto, medicamentos utilizados classicamente para o tratamento da angina pectoris (*beta-bloqueadores, bloqueadores dos canais de cálcio, nitratos*), que promovem melhora da angina como efeito primário, podem despertar exacerbações na frequência e na intensidade da dor torácica como efeito secundário do organismo após a suspensão ou a descontinuação das doses, em alguns casos não responsivos a qualquer terapêutica. Drogas utilizadas no controle da hipertensão arterial (*agonistas alfa-2 adrenérgicos, beta-bloqueadores, inibidores da ECA, inibidores da MAO, nitratos, nitroprussiato de sódio, hidralazina*) podem provocar uma hipertensão arterial rebote, como reação paradoxal do organismo ao estímulo primário. Medicamentos antiarrítmicos (*adenosina, amiodarona, beta-bloqueadores, bloqueadores dos canais de cálcio, disopiramida, flecainida, lidocaína, mexiletina, moricizina, procainamida, quinidina, digitálicos*) podem despertar, após a interrupção do tratamento, exacerbação rebote das arritmias ventriculares basais. Drogas anticoagulantes (*argatroban, bezafibrato, heparina, salicilatos, warfarin, clopidogel*), empregadas por seu efeito primário na profilaxia da trombose sanguínea, podem promover complicações trombóticas como efeito secundário ou rebote do organismo. No emprego de drogas psiquiátricas como os ansiolíticos (*barbitúricos, benzodiazepinas, carbamatos*), sedativos-hipnóticos (*barbitúricos, bendodiazepinas, morfina, prometazina, zopiclone*), estimulantes do SNC (*anfetaminas, cafeína, cocaína, mazindol, metilfenidato*), antidepressivos (*tricíclicos, inibidores da MAO*) ou antipsicóticos (*clozapina, fenotiazínicos, haloperidol, pimozida*) pode-se observar uma reação paradoxal do organismo no sentido de manter a homeostase orgânica, produzindo sintomas contrários aos esperados na sua utilização terapêutica primária, agravando ainda mais o quadro inicial. Drogas com ação primária antiinflamatória (*corticosteróides, ibuprofeno, indometacina, paracetamol, salicilatos*) podem desencadear respostas secundárias do organismo, aumentando a inflamação e a concentração plasmática dos seus mediadores. Fármacos com ação primária analgésica (*cafeína, bloqueadores dos canais de cálcio, clonidina, ergotamina, metisergida, opióides, salicilatos*) podem apresentar importante hiperalgesia rebote. Diuréticos (*furosemida, torasemida, trianterene*), utilizados enantiopaticamente para diminuir a volemia (edema, hipertensão arterial, ICC etc.), podem causar retenção rebote de sódio e potássio, aumentando secundariamente a volemia basal. Medicamentos utilizados primariamente como antidispepticos (*antiácidos, antagonistas do receptor H₂, misoprostol, sucralfato*) no tratamento das gastrites e das úlceras gastroduodenais, podem promover, após uma diminuição primária da acidez, aumento rebote na produção gástrica de ácido clorídrico, chegando a causar perfuração de úlceras gastroduodenais crônicas. Broncodilatores

(*broncodiladores adrenérgicos, cromoglicato dissódico, epinefrina, ipatropio, nedocromil*) utilizados no tratamento da asma brônquica, podem promover piora da broncoconstrição como resposta secundária do organismo à suspensão ou descontinuidade do tratamento. [12,13]

Sem nos alongarmos nos relatos, inúmeras outras classes de fármacos estimulam a reação homeostática do organismo (fenômeno rebote, efeito secundário ou reação vital): antihipotensores (*dextran, dopamina, metaraminol*), cardiotônicos (*nitratos-nitroglicerina*), anestésicos (*alfentanil, halotano*), antihistamínicos (*azatidina, bromazina, clorfenamina, hidroxizina, mepiramina, prometazina, tripolidina, etc.*), antieméticos (*benzoquinamida, buclizina, ciclizina, difenidol, fenotiazinas*), laxantes (*hiperosmóticos, óleo mineral, salinos, estimulantes*), constipantes (*opióides*), antiinflamatórios intestinais (*mezalazina, olsalazina*), descongestionantes nasais e oftálmicos (*corticosteróides, cromoglicato dissódico, efedrina, fenilefrina, nafazolina, oximetazolina, xilometazolina*), antiglaucomatosos (*anticolinerásicos, antimuscarínicos, inibidores da anidrase carbônica, mióticos*), antiseborreicos (*sulfato de selênio, irradiação UV*), antipsoriáticos (*calcipotrieno*), antivítigo (*methoxsalen*), antiespasmódicos (*ritodrina*), inibidores da lactação (*agonistas da dopamina*), antiosteoporóticos (*S-calcitonina*), antirreumáticos (*ACTH, α -interferon, alopurinol, compostos de ouro, probenecida, sulfimpirazona*). [12]

Estas são algumas das evidências farmacológicas que endossam o princípio de cura homeopático, que utiliza a reação automática do organismo para eliminar os sintomas patológicos e buscar os equilíbrios internos, tornando atuais as observações realizadas por Hahnemann há mais de duzentos anos.

Sugestões

Emprego dos fármacos modernos segundo uma similitude parcial

Em vista do citado anteriormente, poderíamos empregar os fármacos modernos segundo o princípio da similitude, utilizando o fenômeno rebote (reação paradoxal) de uma forma curativa, ou seja, estimulando o organismo (homeostase) a reagir contra os seus próprios distúrbios (*poder de preservação da vida*). Alguns ensaios clínicos demonstram a possibilidade de semelhante terapêutica.

Nesta primeira proposta terapêutica, direcionaríamos a resposta orgânica a um sintoma isolado que desejamos eliminar, empregando uma similitude parcial, sem promover uma reação homeostática globalizante.

Utilizando a reação secundária do organismo como forma de tratamento (princípio homeopático), tentou-se uma indução da ovulação com a administração temporária de um contraceptivo bifásico oral (*anteovin*), utilizando-se do efeito rebote consequente a descontinuação do tratamento, em 34 mulheres com ciclos anovulatórios, que padeciam de uma esterilidade funcional. A ovulação pôde ser induzida em nove casos (25%) e, entre as

mulheres cujos ciclos tornaram-se bifásicos, três engravidaram, com duas desenvolvendo bebês saudáveis antes do término do estudo. Os resultados provam que o efeito rebote pode ser esperado igualmente após o uso do *anteovin*, como um aspecto satisfatório para a fertilidade futura em mulheres que abandonarem a cartela de contracepção. [14-18]

No tratamento do carcinoma da próstata (testosterona dependente), a terapia de privação de androgênios, empregando-se orquiectomia, antiandrogênicos ou análogos do GnRH (LHRH), isoladamente ou em associações, promove a regressão das células cancerosas da próstata através da supressão dos níveis séricos de testosterona. No caso dos análogos do GnRH (*leuprorelin*), após um aumento inicial dos níveis de LH (hormônio luteinizante) e testosterona, observa-se como efeito secundário curativo (reação paradoxal) uma privação androgênica pela dessensibilização da hipófise e/ou down-regulation. [19-22]

Os *salicilatos*, experimentados por indivíduos saudáveis ou doentes em doses farmacológicas clássicas, apresentam como efeito primário a propriedade de atuar como “antiagregante plaquetário”, sendo utilizados na profilaxia da trombose e do tromboembolismo. Após a suspensão do medicamento, observa-se um efeito secundário (rebote) desta função plaquetária, com aumento rebote da agregação plaquetária, propiciando a formação de trombos e tromboembolismo rebote. Nos estudos em que se administrou dose infinitesimal de salicilatos a indivíduos sadios, estes dados foram confirmados, mostrando um efeito secundário (rebote) de aumento da agregação plaquetária, evidenciando semelhança entre a farmacologia das substâncias ponderais e infinitesimais, apesar da inexistência de moléculas no medicamento dinamizado. Em vista disto, poderíamos utilizar a aspirina dinamizada (doses infinitesimais) em casos de hemorragias e sangramentos, buscando um efeito rebote curativo. [23-28]

Agentes citostáticos (*plumbagina, azatioprina, colchicina, metotrexato, etc.*), que promovem imunossupressão como efeito primário, apresentam, quando utilizados em doses mínimas (picograma, fentograma), imunoestimulação como efeito secundário ou rebote [29-31]. Por que não utilizar essas substâncias, em doses infinitesimais, na tentativa de estimular o sistema imunológico de indivíduos imunodeficientes?

Poderíamos utilizar agentes hipertensores (*dextran, dopamina, metaraminol*), em doses infinitesimais, em pacientes hipertensos, esperando-se uma reação hipotensora rebote curativa. O oposto, ou seja, a utilização de doses mínimas de agentes hipotensores (*agonistas alfa-2 centrais, beta-bloqueadores, nitratos, nitroprussiato de sódio, etc.*) em pacientes apresentando choque hipovolêmico, no intuito de despertar uma hipervolemia rebote, também poderia ser testada. [32-36]

Medicamentos empregados na inibição da lactação fisiológica pós-parto (*agonistas dopaminérgicos*) apresentam como efeito secundário uma galactorréia rebote, podendo ser empregados homeopaticamente para estimular a lactação em puérperas com agalactorréia. [37-39]

Ilustrando a terapêutica pelo semelhante através de estímulos fisiológicos sem o uso de fármacos, onde se busca o equilíbrio das funções orgânicas através de uma reação

paradoxal, podemos citar a *reabilitação labiríntica*, empregada no tratamento das síndromes vestibulares periféricas. Utilizando exercícios específicos multissensoriais, desencadeantes do estado vertiginoso (habituação ou efeito primário), provocam-se reações fisiológicas que conseguem recuperar a orientação espacial e o equilíbrio estático e dinâmico (compensação ou efeito secundário). Este processo de adaptação, em que ocorre a substituição das informações geradas no labirinto lesado (*inputs* multissensoriais), traduz uma reaprendizagem sensório-motora, mobilizada por um conjunto de estruturas integradas do SNC (*outputs* do sistema). [40,41]

Embasados nestes exemplos, poderíamos empregar numerosos fármacos modernos na tentativa de despertar um efeito rebote curativo do organismo, desde que utilizemos uma substância que desperte no experimentador humano, como efeito primário, a mesma propriedade (sintoma) que se deseja combater.

A utilização dos fármacos em doses infinitesimais (ultradiluições) minimizaria o efeito primário prejudicial, evitando as agravações dos sintomas originais da doença, sem prejudicar a resposta secundária (curativa) do organismo, direcionada no sentido de anular os distúrbios iniciais. Empregando doses infinitesimais (medicamento dinamizado) de substâncias tóxicas como arsênico, chumbo, mercúrio, etc., a homeopatia consegue despertar uma reação vital contra os sintomas primários destas drogas (semelhantes aos sintomas do indivíduo enfermo), sem causar os fenômenos de intoxicação provenientes da utilização de doses ponderais das mesmas.

Emprego dos fármacos modernos segundo uma similitude globalizante (totalidade sintomática)

Se desejarmos estimular uma reação homeostática ampla, obtendo uma resposta totalizante que possa mobilizar curativamente os diversos sistemas fisiológicos do organismo (psico-neuro-imuno-endócrino-metabólico), devemos empregar uma similitude global, escolhendo uma somatória de sintomas individualizantes.

Para um determinado caso, dentre os diversos fármacos modernos, deveríamos escolher aquele que despertasse na experimentação humana o maior número de sintomas característicos ao indivíduo enfermo. Dessa forma, induziríamos uma resposta orgânica contra os diversos sintomas que englobam a enfermidade, mobilizando uma reação paradoxal dos vários sistemas fisiológicos envolvidos no processo de adoecimento.

De forma análoga à homeopatia clássica, que compilou na *Matéria Médica Homeopática* os diversos sintomas e fenômenos despertados pelos medicamentos homeopáticos nos experimentadores humanos, em doses ponderais (intoxicações) ou infinitesimais (experimentações patogenéticas), poderíamos compilar todos os efeitos primários (indicações de uso; efeitos adversos e colaterais) dos fármacos modernos numa *Matéria Médica Comum*, organizando-os segundo uma divisão anatômica ou conforme os diversos sistemas, órgãos e funções orgânicas (Mente, Cabeça, Olho, Ouvido, Nariz, Boca, Estômago, Abdome, Genitais, Peito, Costas, Extremidades, Pele, Sono, Febre,

Generalidades, etc.), obtendo um referencial das propriedades farmacológicas de cada substância estudada, que poderá ser utilizado segundo o princípio da similitude.

Como fontes de pesquisa, utilizaríamos as diversas Farmacopéias, além de outros compêndios farmacológicos que descrevam fidedignamente os efeitos dos medicamentos no organismo humano, sadio ou doente, pontuando estes sintomas segundo a frequência e a importância de aparecimento (incidência mais ou menos frequente; incidência rara; overdose), que poderá priorizar a escolha entre os diversos fármacos com o mesmo sintoma, como fazemos na escolha do medicamento homeopático clássico.

Para facilitar a comparação entre os sintomas do paciente e os sintomas dos diversos fármacos descritos na *Matéria Médica Comum*, buscando uma semelhança entre eles, poderíamos confeccionar um *Repertório de Sintomas Comuns*, que funcionaria como um dicionário ou índice de sintomas dos fármacos compilados, distribuídos ao longo das diversas regiões anatômicas ou sistemas orgânicos, semelhante ao *Repertório da Matéria Médica Homeopática*.

Com este instrumento de consulta, escolheríamos o medicamento que cobrisse o maior número de sintomas característicos do paciente, utilizando-o na forma de doses infinitesimais (medicamento dinamizado), no intuito de despertar um efeito rebote curativo do organismo.

Futuramente, poderíamos ampliar essa pesquisa realizando experimentações em indivíduos saudáveis, segundo os protocolos de experimentação patogênica homeopática, observando todas as classes de sintomas despertados, assim como suas modalidades (lateralidade, horários, regiões, sensações, tipos, irradiação, etc.), no intuito de trabalharmos com uma totalidade sintomática mais característica.

Para exemplificar, citemos o estudo dos efeitos primários despertados pelas penicilinas em indivíduos humanos, segundo a *The United States Pharmacopeia Dispensing Information - USP DI* [3], onde observamos uma gama de sintomas de classes variadas:

- (a) Incidência mais frequente: reações gastrointestinais; dor de cabeça; candidíase oral e vaginal;
- (b) Incidência menos frequente: reações alérgicas; anafilaxia; dermatite exfoliativa; doença do soro (rash cutâneo, dor articular, febre); rash cutâneo, urticária ou prurido;
- (c) Incidência rara: colite por *Clostridium difficile*; hepatotoxicidade; nefrite intersticial; leucopenia ou neutropenia; distúrbios mentais (ansiedade; confusão; agitação ou agressividade; depressão; convulsões; alucinações; medo de morte iminente); disfunção plaquetária ou trombocitopenia.

Caso nos deparemos com um paciente com reações alérgicas e outros sintomas concomitantes como dor de cabeça, dermatite exfoliativa, ansiedade, depressão, medo de morte iminente (sintoma característico e de alta hierarquia homeopática), etc., o emprego da penicilina dinamizada (doses infinitesimais) representaria uma alternativa terapêutica segundo o princípio da similitude globalizante, valorizando a totalidade sintomática.

Com este modelo de emprego homeopático dos fármacos modernos, utilizando o avanço da avaliação diagnóstica moderna (clínica, radiológica, laboratorial, anatomopatológica, etc.), teríamos ampliado a diversidade de sintomas e diagnósticos que poderíamos utilizar segundo o princípio da similitude, características que não foram observadas nas experimentações patogenéticas homeopáticas e são descritas nos estudos dos fármacos modernos, tais como: reação anafilática, anemia hemolítica, agranulocitose, leucopenia, neutropenia, diabetes mellitus, síndrome Parksoniana, etc.

Discussão

Com as referências citadas anteriormente, buscamos fundamentar o princípio da similitude terapêutica perante a farmacologia moderna, evidenciando que após a ação primária de um fármaco, modificando o equilíbrio do sistema através de seu princípio ativo, o organismo reage secundariamente, buscando anular o distúrbio inicial, no intuito de salvaguardar a homeostase interna.

Assim sendo, podemos direcionar esse fenômeno rebote no sentido curativo, administrando um medicamento que produza sintomas semelhantes aos sintomas da enfermidade natural que se deseja combater, estimulando o organismo a reagir contra os seus próprios distúrbios, através dos mecanismos internos de cura.

Nesse caso, o fármaco provocador dos fenômenos semelhantes aos do processo mórbido em questão serve, apenas, para orientar a maneira correta como esta reação homeostática deve ocorrer, impedindo que respostas automáticas e instintivas do organismo prejudiquem ainda mais o sistema orgânico afetado.

Apesar da maioria dos ensaios que demonstram a existência do fenômeno rebote no emprego dos fármacos modernos terem sido realizados com doses ponderais, entendemos que essa reação paradoxal poderá ocorrer com o uso de doses infinitesimais do medicamento, desde que a “informação” da substância seja incorporada ao metabolismo do indivíduo suscetível, despertando uma resposta vital contrária ao estímulo inicial. Como sabemos, no caso de doses fortes (intoxicação), a suscetibilidade individual é sobrepujada, fazendo com que a maioria dos experimentadores da mesma espécie perceba e reaja ao estímulo.

Em relação à validade homeopática do uso de doses ponderais e repetidas nos relatos experimentais citados neste trabalho, lembremos que Hahnemann fez uso das mesmas durante uma fase de sua prática homeopática, tanto nos tratamentos como nas experimentações patogenéticas, desde que o princípio da similitude fosse observado. A dinamização (diluição seguida de agitação vigorosa) surgiu no intuito de reduzir as agravações das doses fortes, para despertar os poderes das substâncias que permaneciam ocultos no estado natural e, também, para evitar que os efeitos secundários (efeito rebote) fossem misturados aos efeitos primários na experimentação patogenética.

Na utilização de doses ponderais nas experimentações das substâncias, perdemos “toda a riqueza de seus poderes”, que permanecem ocultos no estado bruto, sendo despertados através do processo de dinamização. Lembremos ainda que grande parte dos sintomas agregados à *Matéria Médica Homeopática* é fruto do relato de intoxicações medicamentosas e são utilizados constantemente na clínica homeopática, não sendo diferenciados dos demais por este fato.

Outra dúvida que poderia surgir ao leitor seria sobre a validade dos dados coletados na experimentação em indivíduos doentes, ao contrário da experimentação no homem são, propagada por Hahnemann como modelo ideal. Ressaltemos que para algumas drogas citadas no estudo inicial, foram realizadas experimentações em indivíduos sadios, observando-se o surgimento do efeito rebote semelhantemente à utilização do mesmo fármaco em indivíduos doentes.

Apesar da imperiosidade da experimentação em indivíduos sadios, para verificarmos os sintomas despertados pelas substâncias de uma forma precisa e clara, o próprio Hahnemann experimentou grande parte dos medicamentos contidos na obra *Doenças Crônicas* em pacientes crônicos sob tratamento, como nos relata Richard Hughes na tradução da referida obra [42]. O mesmo ocorre na infinidade de sintomas agregados à *Matéria Médica Homeopática*, oriundos do relato de intoxicações e curas no passado.

Assim como Hahnemann o fez, podemos utilizar os relatos do surgimento de sintomas em indivíduos doentes (efeitos adversos e colaterais) como evidências de sintomas primários (patogenéticos) das drogas, desde que eles sejam fenômenos novos, ou seja, separando os sintomas preexistentes no indivíduo dos distúrbios que venham a surgir após a ingestão do medicamento. O simples fato dos sintomas adversos (colaterais) de uma droga estarem descritos nas Farmacopéias, indica que eles surgiram numa quantidade apreciável de doentes, reiterando a propriedade patogenética dos fármacos em despertarem aqueles sintomas.

Conclusão

Inicialmente, buscamos elucidar o mecanismo de ação do tratamento homeopático perante a farmacologia moderna, evidenciando a analogia entre o *efeito secundário ou reação vital* curativa almejada no emprego do princípio da similitude e o *efeito rebote ou reação paradoxal* observado após a utilização de inúmeras drogas.

Aplicando uma similitude parcial, poderemos despertar uma resposta curativa do organismo com o emprego dos fármacos modernos, desde que utilizemos uma substância com evidente efeito primário semelhante ao distúrbio que queremos eliminar, seja com doses ponderais ou doses infinitesimais.

Almejando uma resposta homeostática mais ampla, sugerimos a utilização de uma similitude global, utilizando um medicamento que desperte através de suas propriedades farmacológicas uma gama de efeitos semelhantes à totalidade sintomática do indivíduo enfermo. Para empregarmos este método curativo, devemos repetir os passos de Hahnemann quando fundamentou a homeopatia, elaborando uma *Matéria Médica* e um *Repertório de Sintomas Comuns* com os efeitos primários (usos terapêuticos; efeitos adversos e colaterais) dos fármacos modernos, que servirão de instrumento para elegermos a substância mais apropriada a cada caso.

Com isto, ampliaremos as opções da terapêutica homeopática, utilizando observações de estudos farmacológicos realizados nas últimas décadas, que endossam o emprego homeopático dos medicamentos modernos. Por outro lado, esperamos despertar o interesse de centros de pesquisa para a realização de trabalhos experimentais segundo o esquema proposto, ampliando o conhecimento científico referente aos pressupostos homeopáticos.

Paralelamente, esperamos que a fundamentação dos conceitos homeopáticos perante os conceitos da medicina convencional possa propiciar uma maior aproximação entre estes dois modelos de tratamento, ampliando o espectro de atuação da medicina futura, propiciando aos enfermos novas estratégias terapêuticas.

Referências

1. Hahnemann S. *Materia Medica Pura: examination of the sources of the common materia medica*. New Delhi: B. Jain Publishers, 1994; Vol. II, p. 5-29.
2. Hahnemann S. *Organon da arte de curar*. Ribeirão Preto: Museu de Homeopatia Abrahão Brickmann, 1995; §110-112.
3. The United States Pharmacopoeia Dispensing Information. The United States Pharmacopoeial Convention Inc.: Mack Printing Co., Easton, Pa, 2000.
4. American Hospital Formulary Service. American Society of Hospital Pharmacists. Bethesda, Md., 2000.
5. Purfitt K, Martindale WH. *The complete drug reference*. 32nd Ed. London: The Pharmaceutical Press, 1999.
6. The British Pharmacopoeia. London: Stationery Office, 1999.
7. *Physicians' Desk Reference*. 52nd Ed. Montvale: Medical Economics Company, 1998.
8. *European pharmacopoeia*. 3rd Ed. Strasbourg: Council of Europe, 1997.
9. *Pharmacopoeia internationalis*. Stuttgart: Wissenschaftliche Verlagsgesellschaft, 1995.
10. Hahnemann S. *Organon da arte de curar*. Ribeirão Preto: Museu de Homeopatia Abrahão Brickmann, 1995.
11. Hahnemann S. *Materia Medica Pura*. New Delhi: B. Jain Publishers, 1994, 2 v.
12. Teixeira MZ. *Semelhante cura semelhante: o princípio de cura homeopático fundamentado pela racionalidade médica e científica*. São Paulo: Editorial Petrus, 1998.
13. Teixeira MZ. Similitude in modern pharmacology. *Br Homeopath J*. 1999; 88 (3): 112-120.

14. Kovacs I. Experimentation of the rebound effect of biphasic oral contraceptives. *Ther Hung.* 1990; 38: 110-113.
15. Tyler ET, Olson HJ. Clinical use of new progestational steroids in infertility. *Ann NY Acad Sci.* 1958; 71: 704.
16. Garcia CR, Pincus G. Effects on three 19-nor steroids on human ovulation and menstruation. *Amer J Obstet Gynec.* 1958; 75: 82.
17. Borglin N. Inhibitory effect of Lynestrenol and Lyndiol on human ovarian function. *Int J Fertil* 1964; 9: 17.
18. Szontágh F. Experiences with Infecundin tablets. *Ther Hung.* 1968; 16: 1.
19. Akasa H, Usami M, Koiso K et al. Long-term clinical study of luteinising hormone agonist depot formulation in the treatment of stage D prostatic cancer. *Jpn J Clin Oncol.* 1992; 22:177-184.
20. Plosker GL, Brogden RN. Leuprorelin: a review of its pharmacology and therapeutic use in prostatic cancer, endometriosis and other Sex hormone-related disorders. *Drugs.* 1994; 6: 930-967.
21. Breul J, Paul R. Das Antiandrogenentzugssyndrom. [Anti-androgen withdrawal syndrome]. *Urologe (A).* 1998; 37(2): 156-158.
22. Reid P, Kantoff P. Antiandrogens in prostate cancer. *Invest New Drugs.* 1999; 17(3): 271-284.
23. Mousa AS, Forsythe MS, Bozarth JM, Reilly TM. Effect of single oral dose of aspirin on human platelet functions and plasma plasminogen activator inhibitor-1. *Cardiology.* 1993; 83(5-6): 367-373.
24. Beving H, Eksborg S, Malmgren RS, Nordlander R, Ryden L, Olsson P. Inter-individual variations of the effect of low dose aspirin regime on platelet cyclooxygenase activity. *Thromb Res.* 1994; 74(1): 39-51.
25. Andrioli G, Lussignoli S, Ortolani R, Minuz P, Bellavite P. Dual effects of diclofenac on human platelet adhesion in vitro. *Blood Coag Fibrinol.* 1996; 7: 153-156.
26. Andrioli G, Lussignoli S, Gaino S, Benoni G, Bellavite P. Study on paradoxical effects of NSAIDs on platelet activation. *Inflammation.* 1997; 21: 519-530.
27. Doutremepuich C, Pailley D, Anne MC, Seize O, Paccalin J, Quilichini R. Template bleeding time after ingestion of ultra-low doses of acetylsalicylic acid in healthy subjects. *Thromb Res.* 1987; 48: 501-504.
28. Aguejouf O, Belougne-Malfati E, Doutremepuich F, Belon P, Doutremepuich C. Tromboembolic complications several days after a single-dose administration of aspirin. *Thromb Res.* 1998; 89: 123-127.
29. Wagner H, Kreher B, Jurcic K. *In vitro* stimulation of human granulocytes and lymphocytes by pico and fentograg quantities of cytostatic agents. *Arzneim Forsch/ Drug Res.* 1988; 38: 273-275.
30. Wagner H, Kreher B. Agents cytotoxiques comme immunostimulants. In: *Signaux et Images.* (M. Bastide Ed.). Paris: Alpha Bleue Ed., 1990, p 9-29.
31. Martin RA, Barsoum NJ, Sturgess JM, de la Iglesia FA. Leukocyte and bone marrow effects of a thiomorpholine quinazolinone antihypertensive agent. *Toxicol Appl Pharmacol.* 1985; 81(1): 166-173.
32. Grossman E, Messerli FH. High blood pressure. A side effect of drugs, poisons and food. *Arch Intern Med.* 1995; 155(5): 450-460.

33. Klein C, Morton N, Kelley S, Metz S. Transdermal clonidine therapy in elderly mild hypertensives: effects on blood pressure, plasma norepinephrine and fasting plasma glucose. *J Hypertens Suppl.* 1985; 3(4): 81-84.
34. Lan L, Di Nicolantonio R, Bramich C, Morgan TO. Brief treatment of SHR with na ACE inhibitor fails to cause long-term normotension but markedly increases mortality. *Clin Exp Pharmacol Physiol.* 1995; 22(1): 345-346.
35. Cloarec-Blanchard L, Funck-Brentano C, Carayon A, Jaillon P. Rapid development of nitrate tolerance in healthy volunteers: assessment using spectral analysis of short-term blood pressure and heart rate variability. *J Cardiovasc Pharmacol.* 1994; 24(2): 266-273.
36. Larsen R, Kleinschmidt S. Controlled hypotension. *Anaesthetist.* 1995; 44(4): 291-308.
37. Shapiro AG, Thomas L. Efficacy of bromocriptine versus breast binders as inhibitors of postpartum lactation. *South Med J.* 1984; 77(6): 719-721.
38. European Multicentre Study Group for Cabergoline in Lactation Inhibition. Single dose cabergoline versus bromocriptine in inhibition of puerperal lactation: randomised, double blind, multicentre study. *BMJ.* 1991; 302(6789): 1367-1371.
39. Webster J. A comparative review of the tolerability profiles of dopamine agonists in the treatment of hyperprolactinaemia and inhibition of lactation. *Drug Saf.* 1996; 14(4): 228-238.
40. Godoi N, Barbosa MSM, Campo MI, Suzuki FA, Ganança MM. The involving optokinetic stimulation as aid in labyrinthine compensation of peripheral vestibular syndromes. *Acta AWHO.* 1993; 12(2): 65-8.
41. Barbosa MSM, Ganança, FF, Caovilla HH, Ganança MM. Vestibular rehabilitations: its meaning and application. *Rev Bras Med Otorrinolaringol.* 1995; 2(1): 24-34.
42. Hahnemann S. *The Chronic Diseases.* Translated by RG Dudgeon. New Delhi: B. Jain Publishers, 1983.

“Estratégia paradoxal para o tratamento de doenças crônicas”: um modelo terapêutico usado na homeopatia há mais de dois séculos³

[Referência: Teixeira MZ. ‘Paradoxical strategy for treating chronic diseases’: a therapeutic model used in homeopathy for more than two centuries. *Homeopathy* 2005; 94(4): 265-266. Disponível em: <https://doi.org/10.1016/j.homp.2005.08.018>.]

No trabalho que inaugura a homeopatia (*“Ensaio sobre um novo princípio a respeito do poder curativo das drogas”*, 1796) [1], Samuel Hahnemann resume as propriedades farmacológicas de diversas substâncias medicinais de sua época, que apresentavam uma resposta secundária curativa em oposição ao seu efeito primário paliativo. Nesse trabalho, as drogas foram analisadas segundo a ação primária de provocar alterações orgânicas e a ação secundária do organismo em tentar anular estas perturbações iniciais, sendo esta última a responsável pela reação vital curativa do tratamento homeopático ou princípio terapêutico pela similitude.

No *Organon da arte de curar* (parágrafos 56-60) [2], Hahnemann critica o método enantiopático de tratamento (*contraria contrariis curentur*), mencionando um grande número de drogas que eram usadas em sua época com uma ação paliativa ao sintoma incomodativo, demonstrando que “após este ligeiro alívio antipático (de curta duração) seguir-se-á, **sempre e sem exceção**, uma agravação” (*Organon*, parágrafo 58).

Baseado nessas observações clínicas do procedimento terapêutico paliativo, que embasa o “mecanismo de ação das drogas” (*Organon*, parágrafos 61-65) através da ação primária das drogas e da ação secundária do organismo, Hahnemann propõe seu método terapêutico: toda droga que causa uma perturbação em um organismo saudável (doença artificial) é capaz de curar esta mesma perturbação em um organismo doente (*similia similibus curentur*), em vista de despertar uma reação orgânica contrária ao sintoma inicialmente provocado, anulando o sintoma semelhante da doença natural.

Em 1999, publicamos no *Homeopathy* o artigo “Similitude in modern pharmacology” [3], demonstrando a reação vital do organismo em inúmeros agentes farmacológicos modernos, após a descontinuação do tratamento paliativo. Seguindo o raciocínio do fundador da homeopatia, verifiquei que após a suspensão de inúmeras classes de drogas enantiopáticas modernas, utilizadas para eliminar sintomas segundo o princípio dos contrários, os mesmos sintomas que foram suprimidos inicialmente retornam com intensidade maior do que a original (efeito rebote ou reação paradoxal, segundo a terminologia científica moderna). Neste trabalho, fundamentei as observações experimentais homeopáticas através do modelo farmacológico moderno.

³ Teixeira MZ. ‘Paradoxical strategy for treating chronic diseases’: a therapeutic model used in homeopathy for more than two centuries. *Homeopathy* 2005; 94(4): 265-266. Disponível em: <https://doi.org/10.1016/j.homp.2005.08.018>

Em 2003, seguindo este mesmo raciocínio, publicamos no *Medical Hypotheses* o artigo “Homeopathic use of modern medicines: utilisation of the curative rebound effect” [4], propondo uma sistemática para se utilizar as drogas modernas em conformidade com o princípio de cura homeopático, utilizado para reverter condições crônicas do organismo, através da reação homeostática ou paradoxal (ação secundária ou reação vital do paradigma homeopático).

Descrevendo as evidências encontradas na fisiologia e na farmacologia modernas (“paradigmas das ciências biológicas”), sugeri o uso de drogas modernas, em doses infinitesimais (medicamentos dinamizados), em conformidade com uma aplicação parcial (sintomas isolados) ou global (totalidade de sintomas característicos) do princípio da similitude terapêutica. Exemplificando a aplicação da “similitude parcial” com doses infinitesimais de fármacos modernos, sugeri o uso dos salicilatos em casos de hemorragias e sangramentos, agentes imunossupressores para estimularem o sistema imunológico, agentes hipertensores para tratar pacientes hipertensos, agentes hipotensores para tratar o choque hipovolêmico, agonistas da dopamina para estimular a lactação em mulheres, etc.

Em recente edição do *Medical Hypotheses*, Anthony J. Yun *et al.* publicaram o artigo intitulado “Paradoxical strategy for treating chronic diseases where the therapeutic effect is derived from compensatory response rather than drug effect” [5], como uma “proposta inédita” (“nosso paradigma contra-intuitivo”, “nosso modelo de tratamento paradoxal”, etc.) de tratamento das doenças crônicas por mecanismos compensatórios do organismo. Os autores não citaram, em qualquer parte do artigo, as iniciativas previamente citadas, omitindo qualquer menção à homeopatia.

Utilizando os pressupostos homeopáticos sem citá-los, os quais foram fundamentados na racionalidade científica moderna através dos artigos acima referendados, Yun *et al.* se apoderaram da autoria intelectual de idéias e conceitos empregados há mais de dois séculos pela homeopatia: “Nossa hipótese prediz uma tendência diferente em farmacologia: o desenvolvimento de medicamentos que requerem doses mais inovadoras, aumentar a sensibilização ao longo do tempo permitindo a redução da dose, e pode curar a doença crônica subjacente” [5].

Respondendo aos questionamentos dos autores sobre a necessidade do desenvolvimento de “novas metodologias de disponibilização de medicamentos” ou “medicamentos que requeiram doses mais inovadoras” para se evitar a agravação primária dos sintomas quando se aplica o princípio da similitude terapêutica, Hahnemann propôs a utilização do medicamento dinamizado (diluições seguidas de vigorosas agitações), que apresenta a propriedade de despertar a reação paradoxal do organismo sem os efeitos primários indesejáveis das doses fortes das mesmas substâncias.

Em vista do ocorrido, enviei uma carta ao Editor do *Medical Hypotheses* pontuando os fatos citados anteriormente, o qual se recusou a publicá-la por razões citadas em recente editorial [6] (desde que ele se tornou Editor do periódico *Medical Hypotheses*, após a morte de David Horrobin, proibiu a publicação de artigos na área da Medicina Alternativa) e pela

interpretação de que “Yun *et al.* escreveram um artigo dentro dos paradigmas das ciências biológicas, que não inclui a homeopatia”.

Fechando sua mente às evidências científicas previamente mencionadas (reforçadas no artigo de Yun *et al.*), o Editor-Chefe do *Medical Hypotheses*, Bruce G. Charlton, afirma no editorial anteriormente citado [6] que “a lei homeopática dos semelhantes (ou ‘semelhante cura o semelhante’) não é uma parte da farmacologia”, classificando todas as práticas da medicina alternativa e complementar (CAM) como métodos terapêuticos espiritualistas sem embasamento científico: “Em termos concretos, parece óbvio para mim que cura alternativa não é baseada em teorias científicas pela simples razão de que ela é essencialmente um ramo da espiritualidade da Nova Era”.

Infelizmente, com a morte do Dr. David F. Horrobin em 2003, Editor-Chefe do *Medical Hypotheses*, a Medicina foi duplamente afetada: perdeu uma mente brilhante, aberta aos vários conhecimentos das ciências médicas, e um periódico que costumava publicar, sem parcialidade ou preconceitos, hipóteses médicas que transcendiam o limitado modelo científico Cartesiano.

Referências

1. Hahnemann S. Ensaio sobre um novo princípio para se averiguar os poderes curativos das drogas. *Rev Homeopatia (São Paulo)*. 1994; 59 (3-4): 32-65.
2. Hahnemann S. Organon da arte de curar. Ribeirão Preto: Museu de Homeopatia Abrahão Brickmann, 1995.
3. Teixeira MZ. Similitude in modern pharmacology. *Br Homeopath J*. 1999; 88 (3): 112-120.
4. Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283.
5. Yun AJ, Lee PY, Bazar KA. Paradoxical strategy for treating chronic diseases where the therapeutic effect is derived from compensatory response rather than drug effect. *Med Hypotheses*. 2005; 64(5): 1050-1059.
6. Charlton BG. Why Medical Hypotheses does not publish papers from the field of Alternative healing. *Med Hypotheses*. 2004; 63(4): 557-559.

Novos medicamentos homeopáticos: uso dos fármacos modernos segundo o princípio da similitude⁴

[Referência: Teixeira MZ. New homeopathic medicines: use of modern drugs according to the principle of similitude. *Homeopathy*. 2011; 100 (4): 244-252. Disponível em: <https://doi.org/10.1016/j.homp.2011.01.002>.]

Resumo

O método de tratamento homeopático se baseia na aplicação do princípio da similitude (*similia similibus curentur*), utilizando medicamentos que causam efeitos semelhantes aos sintomas da doença, com o objetivo de estimular uma reação do organismo contra seus próprios distúrbios. Essa reação vital, homeostática ou paradoxal do organismo está cientificamente embasada no estudo do efeito rebote das drogas modernas. Nesse trabalho, estamos concluindo uma proposta antiga, na qual sugerimos um método para a utilização homeopática das drogas modernas. Apoiados na justificativa epistemológica de que determinada classe de eventos adversos descritos na farmacologia experimental são sintomas patogênicos das substâncias, foi elaborada uma Matéria Médica e um Repertório Homeopático com 1.251 drogas modernas, sugerindo sua utilização segundo o princípio da similitude terapêutica. Além de embasar a racionalidade homeopática perante a farmacologia científica, estamos disponibilizando uma metodologia que poderá ampliar o espectro de ação da homeopatia nas doenças atuais.

Introdução

Questionando a eficácia do método de tratamento paliativo ou enantiopático (*Organon da arte de curar*, parágrafos 23, 52-62, 69) [1], Samuel Hahnemann elege o método de tratamento homeopático como a maneira mais efetiva de se empregar os medicamentos na cura das doenças crônicas, administrando aos indivíduos doentes um medicamento capaz de produzir um estado mórbido artificial semelhante à totalidade de sintomas do caso individual da doença a ser curada (*Organon*, parágrafos 24-27).

Com base no estudo dos efeitos das substâncias medicinais de sua época (*Ensaio sobre um novo princípio*) [2], nas quais observou uma *ação secundária (efeito indireto ou reação)* do organismo após a *ação primária (efeito direto)* das drogas, Hahnemann enunciou um princípio para explicar os efeitos de qualquer medicamento no estado de saúde humano:

“Toda força que atua sobre a vida, todo medicamento afeta em maior ou menor escala a força vital causando certa alteração no estado de saúde do Homem por um período de tempo maior ou menor. A isto se chama **ação primária**. [...] A esta ação, nossa força vital se esforça para opor sua própria energia. Tal ação oposta faz parte de nossa força de

⁴ Teixeira MZ. New homeopathic medicines: use of modern drugs according to the principle of similitude. *Homeopathy*. 2011; 100 (4): 244-252. Disponível em: <https://doi.org/10.1016/j.homp.2011.01.002>

conservação, constituindo uma atividade automática da mesma, chamada **ação secundária** ou **reação**". (*Organon*, § 63)

Ilustra esse fenômeno na descrição das ações primárias de diversos medicamentos que, ao causarem alterações na fisiologia orgânica, despertam automaticamente uma ação secundária do organismo (reação vital ou força de conservação), que se manifesta produzindo efeitos opostos aos iniciais, no sentido de neutralizar as alterações primárias promovidas pelas drogas, retornando ao estado de equilíbrio anterior à intervenção farmacológica (*Organon* parágrafos 59, 65).

Reiterando que essa ação secundária do organismo (de caráter oposto à ação primária do medicamento) é observada "em todos os casos sem exceção", com "doses excessivamente grandes" ou infinitesimais, em indivíduos sadios ou doentes, Hahnemann eleva esse princípio da similitude ao status de "lei natural" (*Organon*, parágrafos 58, 61, 110-112).

Administrando aos indivíduos enfermos aquelas substâncias que causam sintomas semelhantes no estado de saúde do ser humano (*similia similibus curentur*), o princípio da similitude terapêutica tem como objetivo estimular uma *reação homeostática curativa*, induzindo o organismo a reagir contra os seus próprios distúrbios. Apesar das diferenças semânticas, os termos *ação secundária*, *reação vital* ou *reação homeostática* representam o mesmo fenômeno, ou seja, a tendência ou a habilidade dos organismos vivos em manter a constância do meio interno, através de auto-ajustes automáticos nos processos fisiológicos.

Perante a racionalidade científica e a farmacologia moderna, a *ação primária* citada por Hahnemann representa os *efeitos terapêuticos, adversos e colaterais* das drogas convencionais, enquanto que a *ação secundária* ou *reação vital* representa o *efeito rebote* das drogas modernas (*reação paradoxal do organismo*), sendo descrita após a suspensão ou a alteração das doses (*withdrawal syndrome*) de todas as classes de drogas que atuam de forma contrária aos sintomas das doenças. [3-9]

Evidenciadas na farmacologia clínica e experimental, as propriedades dessa reação paradoxal do organismo são as mesmas da reação vital descrita por Hahnemann (*Organon*, parágrafos 59, 64, 69): (i) ocorre apenas em indivíduos suscetíveis (em torno de 5% da população), que apresentam em suas constituições sintomas semelhantes aos efeitos patogênicos da droga; (ii) independe da droga, do tempo de tratamento ou da gravidade da doença; (iii) surge após ter cessado o efeito primário da droga (descontinuação), como uma manifestação automática do organismo; (iv) produz um estado (sintomas) oposto e superior em intensidade e/ou duração ao efeito primário da substância; (v) a magnitude é proporcional ao efeito primário da droga, apresentando respostas mais evidentes em drogas (ou doses) mais eficazes na supressão dos sintomas iniciais da doença. [8,9]

De forma análoga aos medicamentos homeopáticos clássicos, o efeito rebote das drogas modernas pode ser empregado de forma terapêutica [10,11], estimulando reações homeostáticas curativas desde que empregado segundo o princípio da similitude sintomática, conforme iremos descrever em detalhes a seguir.

Método

Dando continuidade à proposta anterior [10,11], apresentamos nesse estudo a conclusão de uma metodologia para utilizar os fármacos modernos segundo o princípio da similitude terapêutica. Na primeira parte, discutimos perante o modelo homeopático e a farmacologia experimental a possibilidade do uso dos eventos adversos das drogas alopáticas como efeitos patogénéticos ou sintomas novos dessas mesmas substâncias, apesar de serem resultantes da experimentação de doses ponderais em indivíduos doentes. Na segunda parte, seguindo o padrão da homeopatia clássica, descrevemos a construção da Matéria Médica e do Repertório Homeopático com os eventos adversos (efeitos primários) dessas drogas modernas, exemplificando e sistematizando sua aplicação terapêutica nas doenças atuais.

Experimentação patogénética homeopática

Para adquirir o conhecimento das propriedades curativas das substâncias que permitam a aplicação do princípio da similitude terapêutica, a homeopatia utiliza a experimentação patogénética homeopática como modelo de pesquisa clínica farmacológica (semelhante aos modernos “estudos fase I” da pesquisa clínica moderna), valorizando todas as classes de *ações primárias* ou *manifestações patogénéticas (sintomas mentais, gerais e locais)* despertadas pelas substâncias medicinais no estado de saúde humano, denominados pela farmacologia moderna como *efeitos terapêuticos, adversos* ou *colaterais* das drogas.

Apesar das premissas estipuladas por Hahnemann para a experimentação patogénética (*Organon*, parágrafos 105-145), a Matéria Médica Homeopática é composta pela coletânea de sinais e sintomas descritos nas experimentações de milhares de substâncias em indivíduos doentes e sadios, em doses ponderais (substâncias em estado bruto) e diluídas (medicamentos dinamizados), descrevendo os estados mórbidos artificiais que permitem a aplicação do método de tratamento homeopático.

Como proposta ideal, Hahnemann sugere a experimentação patogénética dos medicamentos em “doses moderadas” e em “indivíduos sadios”, *para evitar que os verdadeiros efeitos sejam confundidos com os sintomas da doença* (*Organon*, parágrafos 106-109). No entanto, os medicamentos também foram experimentados em doses ponderais e/ou em indivíduos doentes nas patogenesias descritas nas obras *Fragmenta de viribus medicamentorum positivis*, *Materia Medica Pura* e *Chronic Diseases*, como veremos adiante.

Em relação à experimentação em indivíduos doentes, Hahnemann justifica a utilização das manifestações patogénéticas que resultem “do medicamento simples empregado com fim curativo”, desde que seja possível selecionar “os sintomas que porventura tenham sido observados muito tempo antes em todo o curso da doença ou nunca anteriormente e que, por conseguinte, são sintomas novos que pertencem ao medicamento” (*Organon*, parágrafo 142).

Apesar de Hahnemann alertar nesse parágrafo sobre as dificuldades em se diferenciar os sintomas do medicamento dos sintomas da doença (“é um assunto que diz respeito a mais elevada arte de julgar e deve ser reservado somente aos mestres da observação”), nos rígidos protocolos da pesquisa clínica moderna com novas drogas (estudos fases I a IV) e na consequente classificação dos eventos ou reações adversas observados, a *previsibilidade*, a *frequência* e a *causalidade* desses eventos justificam a sua utilização como “sintomas novos” das substâncias experimentadas, como veremos a seguir.

Exemplificando a validade da experimentação patogenética com doses ponderais e/ou em indivíduos doentes, Hahnemann relata que os efeitos das experimentações registradas por autores anteriores a ele com “grande quantidade de substâncias medicamentosas” em pessoas sadias (como resultado de envenenamentos) ou em indivíduos doentes (como resultado da prescrição de medicamentos em “doses excessivas”), aproximavam-se muito das suas próprias observações ao experimentar as mesmas substâncias em si mesmo ou em pessoas sadias (*Organon*, parágrafos 110-112).

De forma análoga à classificação de “frequência” dos eventos adversos das drogas modernas, Hahnemann relata que “alguns sintomas são produzidas pelos medicamentos com maior frequência, isto é, em muitos organismos; alguns mais raramente ou em poucas pessoas e outros em pouquíssimos organismos sadios” (*Organon*, parágrafo 116). Assim sendo, “nem todos os sintomas peculiares de um medicamento se manifestam em uma única pessoa e nem todos ao mesmo tempo ou no mesmo experimento”, sendo necessárias “numerosas observações em vários organismos” para que se conheça o quadro completo da doença medicamentosa (*Organon*, parágrafos 134-136).

Segundo o poder de causar alterações no estado de saúde dos indivíduos (*patogenicidade*), Hahnemann classifica as substâncias em “fortes” (heróicas), “moderadas” e “fracas”, sugerindo que sejam administradas em doses inversamente proporcionais ao seu poder patogenético (*Organon*, parágrafo 121).

Em relação à preparação farmacotécnica das substâncias experimentadas, Hahnemann refere que as substâncias em estado bruto (doses ponderais) “não manifestam tanto toda a riqueza de seus poderes que estão nelas ocultos como quando são ingeridas com o mesmo objetivo em altas diluições, potencializadas por trituração e succussão adequadas”, sugerindo que a experimentação seja feita com doses diárias de 4-6 glóbulos na 30ª potência, aumentando progressivamente o número dos glóbulos em conformidade à suscetibilidade individual (*Organon*, parágrafos 128, 129).

Com a administração inicial de uma “dose suficientemente forte” (grande quantidade de glóbulos potencializados), o experimentador percebe a “ordem de sucessão dos sintomas” e “a duração de ação da droga” (*Organon*, parágrafo 130), enquanto que com doses crescentes e sucessivas por vários dias o experimentador toma conhecimento “dos diversos estados mórbidos que este medicamento pode produzir de modo geral, mas não na sua ordem de sucessão” (*Organon*, parágrafos 131, 132).

Ensaio patogenéticos com doses ponderais e/ou em indivíduos doentes

Conforme descrito anteriormente, apesar da experimentação patogenética homeopática ideal estar baseada na administração de medicamentos dinamizados a indivíduos sadios, a Matéria Médica Homeopática está repleta de sinais e sintomas provenientes da experimentação de medicamentos em doses ponderais e/ou em indivíduos doentes. De forma análoga, a terapêutica homeopática também foi praticada com medicamentos em doses ponderais, tendo como referência as manifestações patogenéticas descritas na ingestão de doses ponderais por indivíduos sadios (envenenamentos) e doentes (tratamentos com doses excessivas).

Para situar o leitor nesses aspectos singulares da prática homeopática, faremos, a seguir, um breve resumo das revisões históricas sobre o tema realizadas por Robert Ellis Dudgeon [12] e Richard Hughes [13].

Durante os anos iniciais da homeopatia, Hahnemann aplicou o princípio da similitude terapêutica com doses ponderais de substâncias medicinais, utilizando os sintomas patogenéticos despertados pelas mesmas substâncias em pessoas sadias e doentes, curando uma série de doenças crônicas, agudas e epidêmicas (*Ensaio sobre um novo princípio*, 1796) [2]: cólicas uterinas com *Matricaria chamomilla*; disenteria outonal com *Arnica montana*; endurecimentos dolorosos dos gânglios com *Conium maculatum*; afecções paralíticas e espasmódicas com *Solanum dulcamara*; hemorragias crônicas, manias e convulsões com *Hyoscyamus niger*; tremores, fasciculações, câimbras e febres intermitentes com *Ignatia amara*; amaurose, catarata e opacidade da córnea com *Anemona pratensis*; etc. Seguindo essa mesma proposta, curou um grande número de pacientes acometidos por febres contínuas e remitentes com *Ignatia amara*, *Opium*, *Camphora*, *Ledum palustre* e *Aconitum napellus*. [14]

Em 1799, durante uma epidemia de febre escarlate [15] Hahnemann utilizou pela primeira vez doses diluídas e agitadas de *Belladonna*, *Opium* e *Ipeca*, com o intuito de diminuir o poder patogenético das doses e evitar as agravações [16]. Em 1814, no tratamento do tifo ou febre hospitalar [17], Hahnemann esboça o método farmacotécnico da dinamização (diluições seriadas com agitações vigorosas) no preparo dos medicamentos *Bryonia alba*, *Hyoscyamus niger* e *Rhus toxicodendron*, administrando apenas uma única gota da 12ª atenuação a cada paciente, por considerá-la uma “dose muito forte”. A *teoria da dinamização* propriamente dita surgiu apenas em 1827 [18], incorporando o processo de trituração e sucussão no preparo das “atenuações medicamentosas homeopáticas” com o intuito de desenvolver e exaltar “os poderes medicinais dinâmicos das substâncias naturais”.

Em 1805, Hahnemann estipulou as premissas para conduzir a experimentação patogenética com doses mínimas e em indivíduos sadios (*A medicina da experiência*) [19], fruto da experimentação prévia de substâncias medicinais em si mesmo, familiares e amigos.

No mesmo ano, publica a patogenesia de vinte e sete medicamentos (*Fragmenta de viribus medicamentorum positivis, sive in sano corpore humano observatis*, 1805) [20], considerada a primeira Matéria Médica Homeopática utilizada por Hahnemann na sua prática clínica. Os sintomas patogénéticos descritos foram provenientes da sua própria observação (efeitos de envenenamentos, doses terapêuticas excessivas, experimentações em si próprio e em pessoas sadias) e da “observação de outros”, citados na literatura. Apesar de não dar informações sobre as doses ou o modo de administração, acredita-se que ele iniciava com uma dose única forte (em solução), repetindo-a, caso julgasse necessário, após o término da ação, conforme as premissas anteriores [19].

Após seis anos (1811), Hahnemann publica o primeiro volume da obra *Reine Arzneimittellehre* [21], futura *Matéria Médica Pura* [22], composta por seis novas patogenesias e seis patogenesias antigas (*Fragmenta de viribus medicamentorum positivis*) com consideráveis adições de sintomas. Em 1816 publica o segundo volume, contendo os efeitos patogénéticos de oito medicamentos e três experimentações com ímã; em 1817 o terceiro, com oito medicamentos; em 1818 o quarto, com doze; em 1819 o quinto, com onze; e em 1821 o sexto, com dez. No total, a obra continha sessenta e um medicamentos (além do ímã), trinta e nove novos e vinte e dois transferidos do *Fragmenta de viribus medicamentorum positivis*, com suas patogenesias ampliadas. Nesse trabalho, Hahnemann contou com a ajuda de trinta e sete experimentadores-discípulos (três dos quais manifestando sintomas da própria doença em todos os medicamentos experimentados), com poucas informações sobre as doses e as formas de administração das substâncias. [13]

De 1822 a 1827, Hahnemann publica a segunda e ampliada edição do *Reine Arzneimittellehre* (seis volumes, com as mesmas patogenesias da primeira edição), acrescentando apenas três novos medicamentos ao sexto volume. Segundo levantamento de Hughes [13], observa-se um grande aumento no número de sintomas nos medicamentos do primeiro volume, fruto da experimentação em indivíduos sadios (na primeira edição, existiam apenas “observações de outros”). Além disso, as re-experimentações foram mais frequentes nas substâncias dos quatro primeiros volumes da série, pois a partir de 1821, com a mudança para Köthen e na oitava década de vida, Hahnemann se afastou dos experimentadores-discípulos e estava demasiado idoso para continuar com as experimentações em si mesmo.

Vale ressaltar que as “observações de outros” (citações de envenenamento em pessoas sadias e *overdose* em doentes) ocupam um grande espaço na maioria das patogenesias do *Reine Arzneimittellehre*, existindo apenas treze medicamentos sem esses relatos na descrição dos sintomas patogénéticos. [13]

De 1828 a 1830, residindo em Köthen, Hahnemann publica os quatro volumes da primeira edição das *Doenças Crônicas* [23], apresentando dezessete novas patogenesias nos três últimos volumes (acrescidas da ampliação de cinco patogenesias do *Reine Arzneimittellehre*). Com exceção de duas novas substâncias (*Kali carbonicum* e *Natrum muriaticum*), que foram experimentadas em doses dinamizadas (30cH) e em apenas duas e três pessoas sadias respectivamente, os demais medicamentos foram experimentados em

doses variadas (“pequenas porções de um grão”; 2ª e 3ª triturações; 6ª a 30ª potência) e em diversos pacientes portadores de doenças crônicas.

Os volumes da segunda edição das *Doenças Crônicas* foram publicados entre 1830 e 1835, acrescentando vinte e cinco patogenesias (treze novas e doze ampliadas do *Reine Arzneimittellehre*) às vinte e duas patogenesias da primeira edição. De forma análoga à primeira edição, as manifestações patogenéticas citadas nessa edição são efeitos adverso-colaterais das drogas administradas a pacientes com doenças crônicas:

“[...] Adições de Hahnemann para a segunda edição de seu trabalho devem ser do mesmo caráter das suas contribuições para o primeiro, ou seja, eles devem ser efeitos colaterais das drogas observadas em pacientes a quem ele lhes deu”. [13]

Assim como constatamos uma infinidade de manifestações patogenéticas oriundas da experimentação das drogas em doses ponderais e/ou em indivíduos doentes nas matérias médicas homeopáticas de Hahnemann, outros homeopatas publicaram novas patogenesias ou adições a patogenesias antigas obtidas de forma similar, as quais são utilizadas na prática clínica homeopática atual: C. G. C. Hartlaub and C. F. Trinks (*Reine Arzneimittellehre*, 1828-1831, Germany), George H. G. Jahr (*Manual of Homeopathic Medicines*, 1835, Germany), Edwin M. Hale (*New Remedies*, 1867-1873, USA), Timothy F. Allen (*The Encyclopedia of Pure Materia Medica*, 1874-1879, USA) etc. [12,13]

Eventos adversos como manifestações patogenéticas (sintomas novos) dos fármacos modernos

Evento adverso (EA) ou reação adversa (RA) aos medicamentos é definido pela *Organização Mundial de Saúde (OMS)* [24] como: “qualquer resposta a um medicamento que seja prejudicial, não intencional, e que ocorra nas doses normalmente utilizadas em seres humanos para profilaxia, diagnóstico e tratamento de doenças, ou para a modificação de uma função fisiológica”.

Segundo o *Protocolo de Boas Práticas Clínicas da Agência de Medicina Européia* [25], toda pesquisa que envolva seres humanos segue diretrizes científicas e éticas internacionais [26], para assegurar segurança, proteção e bem-estar aos participantes. Como em toda pesquisa clínica, o monitoramento, a classificação e a notificação dos eventos adversos é premissa obrigatória nos protocolos de pesquisa com novas drogas [27].

Nas fases de estudo de uma nova droga (estudos fases I a IV) [28], além do efeito terapêutico desejado, as drogas causam uma série de eventos adversos (efeitos adverso-colaterais), que podem ser classificados segundo algumas características: previsibilidade, frequência, gravidade, causalidade e seriedade [29]. No contexto atual, em que propomos empregar os efeitos adverso-colaterais dos fármacos modernos como efeitos patogenéticos (sintomas novos) dessas mesmas substâncias no estado de saúde humano, as características de *previsibilidade*, *frequência* e *causalidade* desses eventos evidenciam essa relação (Tabela 1).

Tabela 1. Classificação dos eventos adversos

Eventos adversos		
Previsibilidade	Frequência	Causalidade
Previsível Já descrito em outros estudos	Muito raro (< 0,01%)	Definida
	Raro ($\geq 0,01\%$ e < 0,1%)	Provável
Imprevisível Desconhecido (incerto)	Incomum ($\geq 0,1\%$ e < 1%)	Possível
	Comum ($\geq 1\%$ e < 10%)	Improvável ou não relacionada
	Muito comum ($\geq 10\%$)	
	Não quantificável (chance)	

Em relação à *previsibilidade*, os efeitos adversos “previsíveis” são aqueles que já estão descritos na literatura (monografia da droga), enquanto que os “unpredictable” ainda não foram descritos. Como utilizamos nessa proposta os efeitos adverso-colaterais descritos nas monografias das drogas (*The United States Pharmacopeia Dispensing Information - USP DI, 2004*) [30], todos estão previstos e podem ocorrer em novas experimentações.

Os eventos adversos “previsíveis” podem ser classificados de acordo a *frequência* ou *incidência de expressão* (*Council for International Organizations of Medical Sciences - CIOMS*) [31]: “muito comum”, quando a frequência é maior ou igual a 10,00%; “comum” ou “frequente”, maior ou igual a 1,00% e menor que 10,00%; “incomum” ou “infrequente”, maior ou igual a 0,10% e menor que 1,00%; “raro”, maior ou igual a 0,01% e menor que 0,10%; e “muito raro”, menor que 0,01%.

Nas monografias das drogas utilizadas nesse estudo (*USP DI*) [30], os efeitos adverso-colaterais são classificados em três tipos de *frequência*, com valores que se aproximam à classificação anterior (descritos em algumas drogas): “mais frequente” (maior ou igual a 4,00%), “menos frequente” (maior ou igual a 1,00% e menor que 4%) e “raro” (menor que 1,00%). Ambas as classificações (*CIOMS* e *USP DI*) são relacionáveis (Tabela 2).

Tabela 2. Frequência dos eventos adversos - Comparação entre classificações (*USP DI - CIOMS*)

Frequência dos eventos adversos	
Classificação no <i>USP DI</i>	Classificação no <i>CIOMS</i>
Incidência mais frequente ($\geq 4\%$)	Muito comum ($\geq 10\%$)
	Comum ($\geq 1\%$ e < 10%)
Incidência menos frequente ($\geq 1\%$ e < 4%)	Comum ($\geq 1\%$ e < 10%)
Incidência rara (< 1%)	Incomum ($\geq 0,1\%$ e < 1%)
	Rara ($\geq 0,01\%$ e < 0,1%)
	Muito rara (< 0,01%)

Importa salientar que toda nova droga, para ser aprovada e comercializada, deve ser submetida aos estudos fases I a III, em que os eventos adversos são observados em milhares

de pacientes. Os estudos fase IV são pesquisas que visam o monitoramento e a vigilância da droga pós-comercialização, ampliando a observação dos efeitos adverso-colaterais em dezenas de milhares de pacientes e no longo prazo, incorporando os resultados às monografias publicadas periodicamente (*USP DI*) [30]. Assim sendo, podemos deduzir que os eventos adversos utilizados em nosso estudo como manifestações patogenéticas das substâncias (sintomas novos) foram observados, nas menores frequências (em torno de 1%), em algumas centenas de indivíduos, reforçando a validade da proposta.

Por outro lado, em vista das posologias modernas, que empregam doses sucessivas das drogas por vários dias, os eventos adversos descritos representam ao “diversos estados mórbidos que este medicamento pode produzir de modo geral, mas não na ordem de sucessão dos sintomas ou na duração do efeito” (*Organon*, parágrafos 131, 132).

Em relação à *causalidade*, um evento adverso está relacionado à droga segundo a seguinte classificação (*OMS*) [32,29]: “definido”, “provável”, “possível”, “improvável”, “condicional” e “não classificável”, variando com o grau de certeza da interação. Por definição, eventos adversos com causalidades “definidas” ou “prováveis” apresentam sequência temporal (espaço de tempo relacionado com a administração da droga), reação típica, desaparecem com a suspensão da ingestão e *não podem ser explicados pela doença de base ou outra terapêutica*.

A associação causal entre a droga e o evento adverso (*avaliação de risco*) é baseada na relação retrospectiva causa-efeito, sendo que eventos “previsíveis” e “quantificados” (frequência determinada) apresentam “provável” causalidade [29]. Em vista disso, os efeitos adverso-colaterais utilizados nessa proposta (*USP DI*) [30] apresentam evidente relação causal com as referidas drogas (*risco previsto*), ou seja, “são sintomas novos que pertencem ao medicamento” (*Organon*, parágrafo 142).

Uso das drogas modernas segundo a similitude terapêutica

Seguindo a mesma dinâmica da homeopatia clássica, estamos propondo empregar as drogas modernas segundo o princípio da similitude terapêutica, estimulando o efeito rebote (reação vital) curativo do organismo através da administração de substâncias (em doses ponderais ou dinamizadas) que causaram sintomas semelhantes no estado de saúde humano (indivíduos sadios ou doentes).

Para viabilizar essa proposta, foi necessário elaborar uma *Matéria Médica Homeopática dos Fármacos Modernos (MMHFM)*, agrupando os efeitos terapêuticos, adversos e colaterais das drogas (*USP DI*) [30] conforme a disposição anátomo-funcional dos capítulos das matérias médicas homeopáticas tradicionais, valorizando a frequência de manifestação dos sintomas observadas nas fases de estudo da droga.

Como segundo passo, para facilitar a seleção do medicamento individualizado (semelhança com a totalidade de sintomas do paciente) e a aplicação clínica da proposta, foi elaborado

um *Repertório Homeopático dos Fármacos Modernos (RHFM)*, dispendo os sintomas e seus respectivos medicamentos de forma análoga aos repertórios homeopáticos tradicionais.

Matéria Médica Homeopática dos Fármacos Modernos (MMHFM)

Na confecção da *MMHFM*, todos os compêndios farmacológicos que contenham os resultados dos estudos clínicos das drogas convencionais (monografias) podem ser utilizados, desde que sejam fontes de informações fidedignas e não apresentem conflitos de interesse com a indústria farmacêutica. Seguindo essas premissas, foi escolhido o *The United States Pharmacopeia Dispensing Information (USP DI, 2004)* [30] para iniciar esse estudo, com a possibilidade de ampliá-lo, futuramente, com outras obras de referência [33-36].

Num primeiro momento, analisando cada fármaco moderno e sua monografia, foram destacados os seguintes tópicos: “nome da droga”, “nome comercial”, “categoria”, “indicações convencionais” e “efeitos adverso-colaterais” (“mais frequentes”, “menos frequentes” e “raros”; “overdose”).

A seguir, esse compêndio de informações foi sistematizado segundo a dinâmica das matérias médicas homeopáticas tradicionais, agrupando os sintomas patogenéticos ou efeitos primários (efeitos terapêuticos, adversos e colaterais) de cada fármaco segundo sua distribuição anátomo-funcional, nos respectivos capítulos: *Mente; Vertigem; Cabeça; Olho; Visão; Ouvido; Audição; Nariz; Face; Boca; Dentes; Garganta; Garganta Externa; Estômago; Abdome; Reto; Fezes; Bexiga; Rins; Uretra; Urina; Próstata; Genitais Masculinos; Genitais Femininos; Laringe e Traquéia; Linguagem, Conversação e Voz; Respiração; Tosse; Expectoração; Peito; Costas; Extremidades; Unhas; Sono; Sonhos; Calafrio; Febre; Transpiração; Pele e Generalidades.*

Um novo capítulo foi adicionado aos tradicionais, composto pelas alterações causadas pelas drogas modernas em testes diagnósticos (“Testes Diagnósticos”).

Seguindo a tradição homeopática e em conformidade à classificação dos eventos adversos mencionada anteriormente, foram associadas pontuações às frequências de incidência dos sintomas patogenéticos (eventos adversos), sendo descritos no texto da *MMHFM* com letras minúsculas distintas (diferentes estilos da fonte). Vale ressaltar que os efeitos terapêuticos dos fármacos (“indicações convencionais”) assumiram a maior pontuação, em vista de serem observados na grande maioria dos pacientes. (Tabela 3)

Tabela 3. Descrição dos sintomas (eventos adversos) no texto

Descrição dos sintomas no texto		
Frequência de incidência	Escore	Estilo da Fonte
Muito comum (efeitos terapêuticos)	5 pontos	<i>Negrito itálico</i>
Mais frequente (≥ 4%)	4 pontos	Negrito
Menos frequente	3 pontos	<i>Itálico sublinhado</i>

(≥ 1% e < 4%)		
Raro (< 1%)	2 pontos	<i>Itálico</i>
Overdose	1 ponto	Normal

Na organização dos efeitos patogenéticos na *MMHFM*, as síndromes sintomáticas (diagnósticos clínicos modernos) foram mantidas e os seus sintomas foram desmembrados nos respectivos capítulos do *RHFM*. Nessa primeira edição, os sintomas patogenéticos de 1251 medicamentos modernos foram sistematizados segundo a proposta homeopática, permitindo sua aplicação terapêutica conforme o princípio da similitude. O modelo adotado está exemplificado no medicamento “*Dihydroergotamina*” (Tabela 4).

Tabela 4. Exemplo de sistematização dos sintomas (eventos adversos) na *MMHFM*

Dihydroergotamina (agente anti-enzima)	
Capítulos	Ação Primária ou Sintoma Patogenético
Mental	<i>Ansiedade; confusão; depressão; euforia</i> (incomum sensação de bem-estar); <i>nervosismo</i> ; delírio
Vertigem	Tonturas
Olho	<i>Conjuntive</i> (olhos vermelhos ou irritados); <i>dor; lacrimejamento, aumento</i>
Visão	<i>Visão turva</i>
Ouvido	<i>Zumbido</i> (zunido ou zumbido nos ouvidos)
Nariz	Irritação no nariz (sensação de queimação ou formigamento; <i>secura; dor; nariz escorrendo e/ou entupido; hemorragias nasais inexplicáveis; sinusite</i> (nariz escorrendo ou entupido; dor de cabeça)
Face	<i>Edema</i> (inchaço da face)
Boca	Secura; perversão do paladar; salivação, aumento
Garganta	Faringite (dor de garganta); <i>disfagia</i> (dificuldade para engolir)
Estômago	Nausea; vômito; anorexia (diminuição do apetite); <i>dispepsia</i> (azia); <i>dor</i>
Reto	Diarréia
Respiração	<i>Bronquite</i> (congestão no peito; tosse; respiração difícil e/ou dolorosa); <i>dispnéia</i> (falta de ar); <i>infecção, trato respiratório superior</i> (febre; tosse; espirros ou dor de garganta); <i>depressão, respiratória</i> (falta de ar)
Peito	<i>Angina pectoris; arritmias</i> (batimentos cardíacos irregulares); <i>bronquite</i> (congestão no peito; tosse; respiração difícil e/ou dolorosa); <i>infarto ou isquemia, miocárdio</i> (sensação de peso no peito; dor nas costas, peito ou braço esquerdo; falta de ar ou problemas respiratórios); <i>palpitações</i> (batimentos cardíacos fortes); <i>vasoespasm, coronário, indução</i> (dor no peito)
Extremidades	Rigidez muscular; <i>edema</i> (inchaço dos dedos, pés ou pernas); <i>isquemia periférica</i> (coceira na pele; dormência e formigamento no rosto, dedos, mãos ou pés; dor nas pernas, braços, ou parte inferior das costas, principalmente durante o esforço; mãos ou pés pálidos, frios, de cor azulada; pulso fraco ou ausente nas pernas); <i>tremores</i> (tremores ou agitação das mãos ou dos pés); <i>fraqueza</i> muscular; dormência nas pernas ou braços; dores nas pernas ou braços; formigamento nas pernas ou braços.
Sono	Sonolência; bocejos, aumento
Febre	<i>Febre</i>
Transpiração	Sudorese aumentada
Pele	Pele fria e viscosa; petéquias (manchas vermelhas na pele), prurido (coceira na pele), erupção cutânea
Generalidades	Astenia (cansaço ou fraqueza); fadiga (incomum sensação de cansaço), fogachos (suores súbitos e sensação de calor); parestesia (sensação de queimação, calor,

<p>aperto ou formigamento); sinusite (coriza ou nariz entupido; dor de cabeça); rigidez muscular; arritmias (batimento cardíaco irregular); infecção do trato respiratório superior (tosse, febre, espirros ou dor de garganta); hipotensão (vertigem ou tontura ao levantar-se de uma posição deitada ou sentada; desmaio súbito); palpitações (batimentos cardíacos fortes); tremores (tremores ou agitação das mãos ou dos pés); fraqueza muscular; convulsões; hipertensão (tonturas; dores de cabeça, severa ou contínua; aumento da pressão arterial)</p>
--

Repertório Homeopático dos Fármacos Modernos (RHFM)

Seguindo o modelo dos repertórios homeopáticos tradicionais, sistematizamos os sintomas patogenéticos descritos na *MMHFM* segundo a mesma distribuição anátomo-funcional (mesmos capítulos), agrupando todos os medicamentos que despertaram o mesmo sintoma nos experimentadores através de suas “abreviaturas”.

Em cada sintoma descrito nos diversos capítulos do *RHFM*, as abreviaturas dos medicamentos que despertaram esse efeito patogenético nos experimentadores foram citadas com o “estilo da fonte” de sua respectiva frequência de manifestação (Tabela 3).

Como citado anteriormente, além da transcrição das diversas síndromes sintomáticas (diagnósticos clínicos) descritas na *MMHFM*, seus respectivos sintomas também foram desmembrados e citados separadamente nos diversos capítulos do *RHFM*, permitindo uma melhor individualização de cada caso.

Mantendo o mesmo modelo hierárquico da descrição clássica dos sintomas homeopáticos e suas modalidades, as manifestações patogenéticas foram expressas no *RHFM* através de “rubricas”, “sub-rubricas”, etc. Para facilitar a busca do sintoma mais apropriado, em todos os capítulos foram criadas “referências cruzadas” entre manifestações patogenéticas semelhantes. O modelo adotado está exemplificado na descrição do sintoma “*Esquizofrenia*” no capítulo “Mental” do *RHFM* (Tabela 5).

Tabela 5. Exemplo de descrição dos sintomas no *RHFM* (Capítulo Mental)

<p>Esquizofrenia (Ver Reações psicóticas; Confusão da mente, identidade)</p> <ul style="list-style-type: none"> ▪ estado ou reação catônica, catatonía (diminuição da consciência ou capacidade de resposta; mimetismo da fala ou dos movimentos; mutismo; negativismo; posturas ou movimentos peculiares; maneirismos; sonolência severa): <i>AnthisP-syst.</i>, <i>BetBA-syst.</i>, <i>BetBAT-syst.</i>, <i>Valp-syst.</i>, <i>Ven-syst.</i> ▪ despersonalização: <i>Aman-syst.</i>, <i>Amph-syst.</i>, <i>Andro-syst.</i>, <i>Atorv-syst.</i>, <i>Carbam-syst.</i>, <i>Cital-syst.</i>, <i>ConjE-syst.</i>, <i>Dipy-syst.</i>, <i>Efav-syst.</i>, <i>Eton-vag.</i>, <i>Fent-trsyst.</i>, <i>Fent-trsyst.</i>, <i>Flum-syst.</i>, <i>Fluorq-syst.</i>, <i>Leve-syst.</i>, <i>MedE-syst.</i>, <i>Mir-syst.</i>, <i>Nef-syst.</i>, <i>Riba-syst.</i>, <i>Sir-syst.</i>, <i>Testos-syst.</i>, <i>Tiz-syst.</i>, <i>TramA-syst.</i>, <i>Valp-syst.</i>, <i>Ven-syst.</i>, <i>Zale-syst.</i>, <i>Zic-syst.</i>, <i>Zop-syst.</i> <ul style="list-style-type: none"> ▫ sensação de irrealidade; sensação de desprendimento de si mesmo ou do corpo: <i>Clar-syst.</i>, <i>Fluorq-syst.</i>, <i>Paro-syst.</i> ▫ sensação de: <i>AntinfN-syst.</i>, <i>Bupre-syst.</i>, <i>Opi-syst.</i> ▫ perda do senso da realidade: <i>Benzod-syst.</i>, <i>Efav-syst.</i>, <i>Gadov-syst.</i> ▪ desrealização (alteração da percepção do mundo exterior) (Ver Confusão da mente, despersonalização; Desrealização): <i>Nef-syst.</i>
--

- **distúrbios da personalidade:** *AppSupS-syst.*, *BronA-syst.* [Ephedrine]
 - **em pacientes pediátricos:**
 - 3 a 12 anos de idade: **Gab-syst.**
 - com artrite reumatóide juvenil: *Etan-syst.*
- **distúrbios do pensamento tipo-esquizofrênico:** *BronA-syst.* [Epinephrine]
- **comportamento esquizofreniforme** (agitação; delírios. alucinações): *Zon-syst.*

Aman-syst.: Amantadine (Systemic); Amph-syst.: Amphetamines (Systemic); Andro-syst.: Androgens (Systemic); AnthisP-syst.: Antihistamines, Phenothiazine-derivative (Systemic); AntinfN-syst.: Anti-inflammatory Drugs, Nonsteroidal (Systemic); AppSupS-syst.: Appetite Suppressants, Sympathomimetic (Systemic); Atorv-syst.: Atorvastatin (Systemic); Benzod-syst.: Benzodiazepines (Systemic); BetBA-syst.: Beta-adrenergic Blocking Agents (Systemic); BronA-syst. [Ephedrine]: Bronchodilators, Adrenergic (Systemic) [Ephedrine]; Bupre-syst.: Buprenorphine (Systemic); Carbam-syst.: Carbamazepine (Systemic); Cital-syst.: Citalopram (Systemic); Clar-syst.: Clarithromycin (Systemic); ConjE-syst.: Conjugated Estrogens and Medroxyprogesterone For Ovarian Hormone Therapy (OHT) (Systemic); Dipy-syst.: Dipyridamole (Systemic); Efav-syst.: Efavirenz (Systemic); Etan-syst.: Etanercept (Systemic); Eton-vag.: Etonogestrel and Ethinyl Estradiol (Vaginal); Fent-trsyst.: Fentanyl (Transdermal-Systemic); Flum-syst.: Flumazenil (Systemic); Fluorq-syst.: Fluoroquinolones (Systemic); Gab-syst.: Gabapentin (Systemic); Gadov-syst.: Gadoversetamide (Systemic); Leve-syst.: Levetiracetam (Systemic); MedE-syst.: Medroxyprogesterone and Estradiol (Systemic); Mir-syst.: Mirtazapine (Systemic); Nef-syst.: Nefazodone (Systemic); Opi-syst.: Opioid (Narcotic) Analgesics (Systemic); Paro-syst.: Paroxetine (Systemic); Riba-syst.: Ribavirin (Systemic); Sir-syst.: Sirolimus (Systemic); Testos-syst.: Testosterone (Systemic); Tiz-syst.: Tizanidine (Systemic); TramA-syst.: Tramadol and Acetaminophen (Systemic); Valp-syst.: Valproic Acid (Systemic); Ven-syst.: Venlafaxine (Systemic); Zale-syst.: Zaleplon (Systemic); Zic-syst.: Ziconotide (Systemic); Zop-syst.: Zopiclone (Systemic).

Discussão

Seguindo os passos da lógica aristotélica dedutiva empregada por Hahnemann na justificativa do tratamento homeopático, nos últimos treze anos vimos fundamentando o princípio da similitude no efeito rebote das drogas modernas, através de estudos da farmacologia clínica e experimental. Apresentando propriedades semelhantes à reação vital do modelo homeopático, essa reação paradoxal (efeito rebote) do organismo pode ser empregada de forma curativa, desde que sejam administradas, às pessoas doentes, drogas que causam sintomas semelhantes no estado de saúde humano.

Apesar da experimentação patogenética ideal se basear na administração de medicamentos dinamizados a indivíduos sadios, para evitar a confusão entre os verdadeiros efeitos patogenéticos das substâncias e os sintomas da doença, a matéria médica homeopática clássica é composta pelo conjunto de sinais e sintomas descritos nas experimentações das substâncias em indivíduos doentes e sadios, em doses ponderais e infinitesimais, contendo todos os estados mórbidos artificiais que permitam a aplicação da similitude terapêutica.

Nas pesquisas clínicas com novas drogas (estudos fases I a IV), as características de *previsibilidade*, *frequência* e *causalidade* dos eventos adversos descritos nas monografias indicam que eles são manifestações patogenéticas (sintomas novos) das substâncias, endossando a sua utilização segundo o princípio da similitude.

Com o intuito de ampliar a aplicação da similitude terapêutica para milhares de novas substâncias, cada qual tendo sido experimentada em milhares de indivíduos segundo protocolos rigidamente estabelecidos, elaborou-se uma *MMHFM* e um *RHFM* que seguiram o modelo tradicional. Na *MMHFM*, os sintomas de cada medicamento foram distribuídos em capítulos segundo uma dinâmica anátomo-funcional, recebendo pontuações conforme a frequência de manifestação nos experimentadores. No *RHFM*, esses capítulos agruparam todos os medicamentos que despertaram o mesmo sintoma nos experimentadores, com as respectivas pontuações.

Em vista dos eventos adversos das drogas modernas serem notificados de forma pouco modalizada, ou seja, através de formulários padrões dos serviços de farmacovigilância [37], estão ausentes nessas descrições as peculiaridades sintomáticas das tradicionais experimentações patogenéticas (*Organon*, parágrafos 133, 139, 140), aspectos singulares para a individualização do medicamento homeopático. O fato de terem sido experimentadas em seu “estado bruto” (doses não-dinamizadas) também limita a manifestação de “toda a riqueza de seus poderes ocultos”.

No entanto, essas substâncias demonstram elevado poder patogenético quando administradas em doses terapêuticas, despertando seus efeitos em centenas ou milhares de indivíduos, condição que assegura a validade de seu emprego homeopático em doses infinitesimais, desde que sejam individualizadas segundo uma totalidade sintomática.

Com essa proposta, surge a possibilidade de se utilizarem outras substâncias medicinais para aliviar os distúrbios clínicos comumente tratados pela homeopatia, além de novas aplicações para a similitude terapêutica em sinais, sintomas e síndromes complexas modernas. (Tabela 6)

Tabela 6. Exemplos de aplicações da similitude terapêutica com novos medicamentos

Capítulos	Aplicação da similitude terapêutica (rubricas principais)
Mental	Agitação, amnésia, ansiedade, coma, delírio, demência, depressão, desorientação, esquecimento, esquizofrenia, hiperatividade, ilusões, irritabilidade, letargia, mania, nervosismo, pânico, disposição suicida, etc.
Vertigem	Tontura, desmaio, distúrbios da marcha, tontura, hipotensão ortostática, síncope, instabilidade, vertigem, etc.
Cabeça	Aneurisma cerebral (arterite; edema; hemorragia), encefalite, dor de cabeça, hipertensão intracraniana, meningite, enxaqueca, seborréia, acidente vascular cerebral, etc.
Olho	Astigmatismo, atrofia, sangramento, catarata, quimose, distúrbios da córnea, secura, glaucoma, inflamações, queratopatias, necrose, neurite, nistagmo, papiledema, paralisia, distúrbios das pupilas, distúrbios da retina, etc.
Visão	Ambliopia, cegueira, embaçamento e diminuição da visão, diplopia, hipermetropia, miopia, presbiopia, escotoma, etc.
Audição	Zumbido, surdez, hiperacusia, hipoacusia, zumbido, etc.
Nariz	Congestionamento, coriza, espirros, secura, epistaxe, rinite, sinusite, etc.
Face	Gestos, ondas de calor, hirsutismo, neurite, paralisia, inchaço, trismo, etc.
Boca	Hemorragia, descoloração, secura, gengivite, glossite, mucosite, sialorréia, distúrbios da fala, estomatite, transtornos do paladar, úlceras, etc.

Publicações Científicas

Garganta	Angioedema, secura, disfagia, esofagite, faringite, úlceras, etc.
Garganta externa	Bócio, ondas de calor, hipertireoidismo, hipotireoidismo, linfadenopatia, paratireoidite, parotidite, torcicolo, etc.
Estômago	Anorexia, cólicas, dispepsia, eructações, gastrite, gastroenterite, hemorragia, soluços, náuseas, polidipsia, refluxo, úlceras, vômitos, etc.
Abdome	Ascite, apendicite, colecistite, colestase, cirrose, colite, gastroenterite, hemorragia, hepática (insuficiência; necrose; esteatose), hepatite, hepatomegalia, íleo paralítico, doença inflamatória intestinal, intestinal (obstrução; perfuração), síndrome de má absorção, pancreatite, peritonite, esplenomegalia, tumores, etc.
Reto	Constipação, diarreia, hemorragia, hemorróidas, mucosites, tenesmo, etc.
Bexiga	Hemorragia, infecção do trato urinário, distúrbios urinários, etc.
Rins	Cálculos, edema, inflamação (intersticial; glomerulonefrite; pielonefrite), insuficiência renal, distúrbios tubulares, distúrbios urinários, etc.
Urina	Acetonúria, albuminúria, cor da urina, glicosúria, hematúria, oligúria, poliúria, proteinúria, piúria, sedimentos, etc.
Genitália Masculina	Atrofia dos testículos, distúrbios do desejo e da função sexual (ejaculação, ereção, fertilidade, orgasmo, etc.), edema, inflamação, etc.
Genitália Feminina	Aborto, câncer, contracepção, distúrbios do desejo sexual, distúrbios da função sexual, hemorragia, disfunções hormonais, inflamação, distúrbios da lactação, distúrbios da menstruação, distúrbios dos ovários, distúrbios do útero, tumores, etc.
Laringe e Traquéia	Inflamação, laringismo, edema (glotis, larynx).
Respiração	Acelerada, presa, asma, interrompida, bronquite, difícil, dispnéia, insuficiência, impedida, infecção, irregular, lenta, ofegante, tipos de sons, etc.
Peito	Infarto agudo do miocárdio, angina pectoris, arritmias (fibrilação atrial, bloqueio cardíaco, taquicardia ventricular), falência cardíaca, derrame (pericárdico, pleural), inflamação (alveolite, endocardite, pneumonite, pericardite, pleurite), pulmonar (edema, embolia, fibrose), etc.
Extremidades	Artrose, ataxia, edema, exostoses, fraturas, gota, descoordenação, inflamação (artrite, miosite, neurite, flebite, tendinite), miopatia, neuropatia, osteoporose, paralisia, rigidez, fraqueza, etc.
Generalidades	Síndrome da angústia respiratória do adulto, anafilaxia, anemia, anestesia, convulsões, doenças desmielinizantes, diabetes, edema, encefalopatia, fadiga, hipertensão, hipertermia, hipotermia, gripe, linfadenopatia, neuropatia, síndrome de Stevens-Johnson, tromboembolismo, peso (ganho, perda), etc.

Conclusão

O principal objetivo desse estudo foi apresentar uma metodologia para a utilização das drogas modernas segundo a similitude terapêutica, acrescentando 1.251 novos medicamentos à Matéria Médica Homeopática. No entanto, evidenciando o princípio da similitude na farmacologia experimental, também ampliamos a evidência de aspectos da episteme homeopática na pesquisa científica moderna.

Em vista da ausência de aspectos idiossincrásicos (sintomas característicos) na maioria das manifestações patogenéticas das drogas modernas, impedindo a sua utilização na seleção do medicamento individualizado, sugerimos uma *abordagem clínica inicial* (seleção de sinais e sintomas patognomônicos, diagnóstico patológico ou sindrômico etc.), empregando o

conjunto de manifestações da individualidade enferma (totalidade sintomática), mesmo que pouco modalizadas, na escolha do meio de cura específico.

Pelo elevado poder patogênico dessas drogas, doses infinitesimais serão suficientes para despertar a reação vital curativa, e sugerimos iniciar os tratamentos com a dinamização 6cH (10^{-12} M), ajustando a repetição das doses à suscetibilidade individual. Dessa forma, será possível avaliar os resultados terapêuticos das substâncias em concentrações intermediárias, permitindo relacioná-los aos efeitos patogênicos das doses ponderais, sem os inconvenientes das agravações ou eventos adversos intensos.

No entanto, para que esse método seja validado, será necessária a união da classe homeopática em torno dessa proposta, com a participação dos clínicos na aplicação terapêutica e na descrição dos resultados (casos clínicos), dos farmacêuticos na produção dos medicamentos dinamizados e dos pesquisadores na elaboração de protocolos de pesquisa. Caso encontre esse respaldo, o projeto inicial deverá ser revisado, ampliado e traduzido para outros idiomas, sendo imprescindível a participação de todos nesse processo.

Intitulado “*Novos Medicamentos Homeopáticos: uso dos fármacos modernos segundo o princípio da similitude*”, esse projeto inicial está dividido em três volumes: (1) *Fundamentação Científica do Princípio da Similitude na Farmacologia Moderna*; (2) *Matéria Médica Homeopática dos Fármacos Modernos*; e (3) *Repertório Homeopático dos Fármacos Modernos*.

Com o intuito de permitir ao movimento homeopático conhecer e aplicar esse método, contribuindo ao aperfeiçoamento do mesmo com críticas, sugestões e ampliações, todo o conteúdo está disponibilizado on-line nos idiomas Inglês e Português (www.novosmedicamentoshomeopáticos.com). [38]

Concluindo um trabalho iniciado em 1998 [3], estamos agregando todos os estudos sobre o tema desenvolvidos nesse período, com a esperança de ampliar o embasamento científico da homeopatia e o tratamento homeopático das doenças modernas.

Referências

1. Hahnemann S. Organon da arte de curar. Ribeirão Preto: Museu de Homeopatia Abrahão Brickmann, 1995.
2. Hahnemann S. Ensaio sobre um novo princípio para se averiguar os poderes curativos das drogas. *Rev Homeopatia (São Paulo)*. 1994; 59 (3-4): 32-65.
3. Teixeira MZ. Semelhante cura semelhante: o princípio de cura homeopático fundamentado pela racionalidade médica e científica. São Paulo: Editorial Petrus, 1998.
4. Teixeira MZ. Similitude in modern pharmacology. *Br Homeopath J*. 1999; 88(3): 112-120.
5. Teixeira MZ. Evidence of the principle of similitude in modern fatal iatrogenic events. *Homeopathy*. 2006; 95(4): 229-236.

6. Teixeira MZ. NSAIDs, Myocardial infarction, rebound effect and similitude. *Homeopathy*. 2007; 96(1): 67-68.
7. Teixeira MZ. Bronchodilators, fatal asthma, rebound effect and similitude. *Homeopathy*. 2007; 96(2): 135-137.
8. Teixeira MZ. Antidepressants, suicidality and rebound effect: evidence of similitude? *Homeopathy*. 2009; 98(1): 114-121.
9. Teixeira MZ. Statins withdrawal, vascular complications, rebound effect and similitude. *Homeopathy*. 2010; 99(4): 255-262.
10. Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283.
11. Teixeira MZ. 'Paradoxical strategy for treating chronic diseases': a therapeutic model used in homeopathy for more than two centuries. *Homeopathy*. 2005; 94(4): 265-266.
12. Dudgeon RE. Lectures on the theory and practice of homoeopathy. New Delhi: B Jain Publishers; 1982 (Reprint edition). Lectures VII e XII.
13. Hughes R. A manual of pharmacodynamics. 6th Edn. New Delhi: B Jain Publishers; 1980 (Second reprint edition). Lecture II.
14. Hahnemann S. Hahnemann S. Alguns tipos de febres contínuas e remitentes. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
15. Hahnemann S. Cura e prevenção da febre escarlate. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
16. Hahnemann S. Sobre o poder de doses pequenas de medicamento em geral, e da *Belladonna* em particular. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
17. Hahnemann S. Tratamento do tifo ou febre hospitalar que predomina no momento. In: Dudgeon RE. Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
18. Hahnemann S. Como pequenas doses de um medicamento tão atenuado como a homeopatia emprega ainda podem possuir grande poder? In: Dudgeon RE. Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
19. Hahnemann S. A medicina da experiência. In: Dudgeon RE, Escritos menores de Samuel Hahnemann. São Paulo: Editora Organon; 2006.
20. Wettemann M. Hahnemann's use of 'Fragmenta de viribus medicamentorum' in his early medical practice: analysis based on a patient file. *Med Ges Ghesch*. 2001; 20:221-30.
21. Hahnemann S. Reine Arzneimittellehre (German Edn.). Scholarly Publishing Office, University of Michigan Library, 1830. 472p.
22. Hahnemann S. Materia Medica Pura. New Delhi: B Jain Publishers; 1994 (Reprint edition). 2v.
23. Hahnemann S. Chronic Diseases. (Translated by Robert E. Dudgeon). New Delhi: B Jain Publishers; 1983. 2v.
24. World Health Organization (WHO). The Uppsala Monitoring Centre. The importance of pharmacovigilance. Safety monitoring of medicinal products. 2002. Disponível em: <http://apps.who.int/medicinedocs/pdf/s4893e/s4893e.pdf>
25. European Medicines Agency. Guideline for good clinical practice. London; 2002. Disponível em: <http://www.ema.europa.eu/pdfs/human/ich/013595en.pdf>
26. World Health Organization (WHO). Council for International Organizations of Medical Sciences. International ethical guidelines for biomedical research involving human

- subjects. Geneva; 2002. Disponível em: http://www.cioms.ch/publications/guidelines/guidelines_nov_2002_blurb.htm
27. World Health Organization (WHO). Guidelines for good clinical practice (GCP) for trials on pharmaceutical products. WHO Technical Report Series, No. 850, 1995; Annex 3. Disponível em: <http://apps.who.int/medicinedocs/pdf/whozip13e/whozip13e.pdf>
28. United States. Code of Federal Regulations. 21 CFR. Food and drugs. 312 Investigational new drug application. Washington; 2003. Disponível em: <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?cfrpart=312>
29. Marodin G, Goldim JR. Confusions and ambiguities in the classification of adverse events in the clinical research. *Rev Esc Enferm USP*. 2009; 43(3): 690-696. Disponível em: http://www.scielo.br/pdf/reeusp/v43n3/en_a27v43n3.pdf
30. The United States Pharmacopoeial Convention. The United States Pharmacopeia Dispensing Information. Easton: Mack Printing Co. 2004.
31. World Health Organization (WHO). Council for International Organizations of Medical Sciences. Guidelines for preparing core clinical safety information on drug from CIOMS Working Group III. Geneva; 1995. Disponível em: <http://www.who-umc.org/DynPage.aspx?id=22684>
32. World Health Organization (WHO). The Uppsala Monitoring Centre. Safety monitoring of medicinal products. Guidelines for setting up and running a Pharmacovigilance Centre. 2000. Disponível em: <http://www.who-umc.org/graphics/4807.pdf>
33. American Hospital Formulary Service Drug Information. Bethesda: American Society of Hospital Pharmacists. 2010.
34. British Pharmacopoeia Commission. The British Pharmacopoeia. Belfast: The Stationery Office. 2010.
35. European Pharmacopoeia Commission. European Pharmacopoeia. 6th Edn. Belfast: The Stationery Office. 2009.
36. Sweetman SC. Martindale: The Complete Drug Reference. 36th Edn. London: The Pharmaceutical Press. 2009.
37. United States. Food and Drug Administration. MedWatch: The FDA safety information and adverse event reporting program. Form FDA 3500A – Mandatory reporting. Washington; 2009. Disponível em: <http://www.fda.gov/downloads/Safety/MedWatch/HowToReport/DownloadForms/UCM082728.pdf>
38. Teixeira MZ. Novos Medicamentos Homeopáticos: uso dos fármacos modernos segundo o princípio da similitude. São Paulo: Marcus Zulian Teixeira. 3v. 2010. Disponível em: www.novosmedicamentoshomeopáticos.com.

Outras publicações científicas

Título: Estrogênio potencializado no tratamento homeopático da dor pélvica crônica associada à endometriose: Um estudo de 24 semanas, randomizado, duplo-cego e placebo-controlado.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat.

Fonte: *Revista de Homeopatia (São Paulo)* 2017; 80(Supl 1/2): 88-97.

Resumo: *Objetivo:* Avaliar a eficácia e a segurança do estrogênio potencializado em comparação com o placebo no tratamento homeopático da dor pélvica associada à endometriose (DPAE). *Desenho do estudo:* Ensaio randomizado, duplo-cego e placebo-controlado de 24 semanas de duração, que incluiu 50 mulheres com idade entre 18-45 anos de idade, diagnóstico de endometriose infiltrativa profunda com base em ressonância magnética nuclear ou ultrassonografia transvaginal após preparo intestinal e escore ≥ 5 na escala analógica visual (EAV: intervalo de 0 a 10 pontos) para DPAE. Estrogênio potencializado (12cH, 18cH e 24cH) ou placebo foi administrado 2 vezes ao dia por via oral. A medida de desfecho primário foi a mudança na severidade da DPAE com base no escore global e parcial (EAV) entre as semanas 0-24, determinado pela diferença entre a pontuação média de 5 modalidades de dor pélvica crônica (dismenorreia, dispareunia de profundidade, dor pélvica acíclica, dor intestinal cíclica e/ou dor urinária cíclica). Os desfechos secundários foram: diferença nos escores médios para qualidade de vida (SF-36), sintomas de depressão (Inventário de Depressão de Beck, IDB) e sintomas de ansiedade (Inventário de Ansiedade de Beck, IAB). *Resultados:* O escore global da DPAE (EAV: intervalo de 0 a 50 pontos) diminuiu 12,82 pontos ($p < 0,001$) no grupo tratado com o estrogênio potencializado (dinamizado) entre as semanas 0-24. O grupo que usou o estrogênio potencializado também exibiu redução nos escores parciais (EAV: intervalo de 0 a 10 pontos) de 3 modalidades de DPAE: dismenorreia (3,28; $p < 0,001$), dor pélvica acíclica (2,71; $p = 0,009$) e dor intestinal cíclica (3,40; $p < 0,001$). O grupo placebo não apresentou quaisquer alterações significativas nos escores global ou parciais da DPAE. Além disso, o grupo com estrogênio potencializado mostrou melhora significativa em 3 dos 8 domínios do SF-36 (dor corporal, vitalidade e saúde mental) e nos sintomas de depressão (IDB). O grupo placebo não mostrou qualquer melhora significativa nesses desfechos secundários. Esses resultados demonstraram a superioridade do estrogênio potencializado em comparação ao placebo. Alguns efeitos adversos foram associados com o estrogênio dinamizado. *Conclusões:* Estrogênio potencializado (12cH, 18cH e 24cH) na dose de 3 gotas 2 vezes ao dia durante 24 semanas foi significativamente mais eficaz que o placebo na redução da dor pélvica associada à endometriose. *ClinicalTrials.gov Identificador:* [NCT02427386](https://clinicaltrials.gov/ct2/show/study/NCT02427386).

Disponível em: [ResearchGate](https://www.researchgate.net/publication/317111111)

Título: Potentized estrogen in homeopathic treatment of endometriosis-associated pelvic pain: A 24-week, randomized, double-blind, placebo-controlled study.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat.

Fonte: *Revista de Homeopatia (São Paulo. Online)* 2017; 80(3/4): 134-135.

Resumo: *Objective:* To evaluate the efficacy and safety of potentized estrogen compared to placebo in homeopathic treatment of endometriosis-associated pelvic pain (EAPP). *Study design:* The present was a 24-week, randomized, double-blind, placebo-controlled trial that included 50 women aged 18-45 years old with diagnosis of deeply infiltrating endometriosis based on magnetic resonance imaging or transvaginal ultrasound after bowel preparation, and score ≥ 5 on a visual analogue scale (VAS: range 0 to 10) for endometriosis-associated pelvic pain. Potentized estrogen (12cH, 18cH and 24cH) or placebo was administered twice daily per oral route. The primary outcome measure was change in the severity of EAPP global and partial scores (VAS) from baseline to week 24, determined as the difference in the mean score of five modalities of chronic pelvic pain (dysmenorrhea, deep dyspareunia, non-cyclic pelvic pain, cyclic bowel pain and/or cyclic urinary pain). The secondary outcome measures were mean score difference for quality of life assessed with SF-36 Health Survey Questionnaire, depression symptoms on Beck Depression Inventory (BDI), and anxiety symptoms on Beck Anxiety Inventory (BAI). *Results:* The EAPP global score (VAS: range 0 to 50) decreased by 12.82 ($P < 0.001$) in the group treated with potentized estrogen from baseline to week 24. Group that used potentized estrogen also exhibited partial score (VAS: range 0 to 10) reduction in three EAPP modalities: dysmenorrhea (3.28; $P < 0.001$), non-cyclic pelvic pain (2.71; $P = 0.009$), and cyclic bowel pain (3.40; $P < 0.001$). Placebo group did not show any significant changes in EAPP global or partial scores. In addition, the potentized estrogen group showed significant improvement in three of eight SF-36 domains (bodily pain, vitality and mental health) and depression symptoms (BDI). Placebo group showed no significant improvement in this regard. These results demonstrate superiority of potentized estrogen over placebo. Few adverse events were associated with potentized estrogen. *Conclusions:* Potentized estrogen (12cH, 18cH and 24cH) at a dose of 3 drops twice daily for 24 weeks was significantly more effective than placebo for reducing endometriosis-associated pelvic pain. *ClinicalTrials.gov Identifier:* [NCT02427386](https://clinicaltrials.gov/ct2/show/study/NCT02427386).

Disponível em: <http://revista.apf.org.br/index.php/apf/article/view/414/488>

Título: News - Potentised Oestrogen in Homeopathic Treatment of Endometriosis-Associated Pelvic Pain: A 24-week, Randomised, Double-Blind, Placebo-Controlled Study.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat.

Fonte: *Homoeopathic Links* 2017; 30(3): 154.

Resumo: *Objective:* To evaluate the efficacy and safety of potentized estrogen compared to placebo in homeopathic treatment of endometriosis-associated pelvic pain (EAPP). *Study design:* The present was a 24-week, randomized, double-blind, placebo-controlled trial that included 50 women aged 18-45 years old with diagnosis of deeply infiltrating endometriosis based on magnetic resonance imaging or transvaginal ultrasound after bowel preparation, and score ≥ 5 on a visual analogue scale (VAS: range 0 to 10) for endometriosis-associated pelvic pain. Potentized estrogen (12cH, 18cH and 24cH) or placebo was administered twice daily per oral route. The primary outcome measure was change in the severity of EAPP global and partial scores (VAS) from baseline to week 24, determined as the difference in the mean score of five modalities of chronic pelvic pain (dysmenorrhea, deep dyspareunia, non-cyclic pelvic pain, cyclic bowel pain and/or cyclic

urinary pain). The secondary outcome measures were mean score difference for quality of life assessed with SF-36 Health Survey Questionnaire, depression symptoms on Beck Depression Inventory (BDI), and anxiety symptoms on Beck Anxiety Inventory (BAI). *Results:* The EAPP global score (VAS: range 0 to 50) decreased by 12.82 ($P < 0.001$) in the group treated with potentized estrogen from baseline to week 24. Group that used potentized estrogen also exhibited partial score (VAS: range 0 to 10) reduction in three EAPP modalities: dysmenorrhea (3.28; $P < 0.001$), non-cyclic pelvic pain (2.71; $P = 0.009$), and cyclic bowel pain (3.40; $P < 0.001$). Placebo group did not show any significant changes in EAPP global or partial scores. In addition, the potentized estrogen group showed significant improvement in three of eight SF-36 domains (bodily pain, vitality and mental health) and depression symptoms (BDI). Placebo group showed no significant improvement in this regard. These results demonstrate superiority of potentized estrogen over placebo. Few adverse events were associated with potentized estrogen. *Conclusions:* Potentized estrogen (12cH, 18cH and 24cH) at a dose of 3 drops twice daily for 24 weeks was significantly more effective than placebo for reducing endometriosis-associated pelvic pain.

Disponível em: <https://www.thieme-connect.de/products/ejournals/abstract/10.1055/s-0037-1605358>

Título: Estrogênio potencializado no tratamento homeopático da dor pélvica crônica associada à endometriose: Um estudo de 24 semanas, randomizado, duplo-cego e placebo-controlado.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat.

Fonte: *Revista de Homeopatia (São Paulo. Online)* 2017; 80(1/2): 148–163.

Resumo: *Objetivo:* Avaliar a eficácia e a segurança do estrogênio potencializado em comparação com o placebo no tratamento homeopático da dor pélvica associada à endometriose (DPAE). *Desenho do estudo:* Ensaio randomizado, duplo-cego e placebo-controlado de 24 semanas de duração, que incluiu 50 mulheres com idade entre 18-45 anos de idade, diagnóstico de endometriose infiltrativa profunda com base em ressonância magnética nuclear ou ultrassonografia transvaginal após preparo intestinal e escore ≥ 5 na escala analógica visual (EAV: intervalo de 0 a 10 pontos) para DPAE. Estrogênio potencializado (12cH, 18cH e 24cH) ou placebo foi administrado 2 vezes ao dia por via oral. A medida de desfecho primário foi a mudança na severidade da DPAE com base no escore global e parcial (EAV) entre as semanas 0-24, determinado pela diferença entre a pontuação média de 5 modalidades de dor pélvica crônica (dismenorreia, dispareunia de profundidade, dor pélvica acíclica, dor intestinal cíclica e/ou dor urinária cíclica). Os desfechos secundários foram: diferença nos escores médios para qualidade de vida (SF-36), sintomas de depressão (Inventário de Depressão de Beck, IDB) e sintomas de ansiedade (Inventário de Ansiedade de Beck, IAB). *Resultados:* O escore global da DPAE (EAV: intervalo de 0 a 50 pontos) diminuiu 12,82 pontos ($p < 0,001$) no grupo tratado com o estrogênio potencializado (dinamizado) entre as semanas 0-24. O grupo que usou o estrogênio potencializado também exibiu redução nos escores parciais (EAV: intervalo de 0 a 10 pontos) de 3 modalidades de DPAE: dismenorreia (3,28; $p < 0,001$), dor pélvica acíclica (2,71; $p = 0,009$) e dor intestinal cíclica (3,40; $p < 0,001$). O grupo placebo não apresentou quaisquer alterações significativas nos escores global ou parciais da DPAE.

Além disso, o grupo com estrogênio potencializado mostrou melhora significativa em 3 dos 8 domínios do SF-36 (dor corporal, vitalidade e saúde mental) e nos sintomas de depressão (IDB). O grupo placebo não mostrou qualquer melhora significativa nesses desfechos secundários. Esses resultados demonstraram a superioridade do estrogênio potencializado em comparação ao placebo. Alguns efeitos adversos foram associados com o estrogênio dinamizado. *Conclusões:* Estrogênio potencializado (12cH, 18cH e 24cH) na dose de 3 gotas 2 vezes ao dia durante 24 semanas foi significativamente mais eficaz que o placebo na redução da dor pélvica associada à endometriose. *ClinicalTrials.gov Identificador:* [NCT02427386](http://www.clinicaltrials.gov/ct2/show/study?term=NCT02427386).

Disponível em: <http://revista.aph.org.br/index.php/aph/article/view/390>

Título: Therapeutic use of the rebound effect of modern drugs: “New homeopathic medicines”.

Autor: Marcus Zulian Teixeira

Fonte: *Revista da Associação Médica Brasileira* 2017; 63(2): 100-108.

Resumo: O tratamento homeopático está fundamentado no princípio da similitude terapêutica, empregando medicamentos que causam determinados distúrbios para tratar manifestações semelhantes, estimulando uma reação do organismo contra seus próprios transtornos. A ocorrência desta reação secundária do organismo, de natureza oposta à ação primária dos medicamentos, está evidenciada no estudo do efeito rebote (paradoxal) de inúmeras classes de fármacos modernos. Neste trabalho, além de fundamentar o princípio da similitude perante a farmacologia clínica e experimental, sugerimos uma proposta para empregar centenas de drogas convencionais segundo a dinâmica homeopática, aplicando a similitude terapêutica entre os eventos adversos dos medicamentos e as manifestações clínicas dos pacientes. Descrevendo linhas de pesquisa existentes e uma metodologia específica para o uso terapêutico do efeito rebote dos fármacos modernos (<http://www.novosmedicamentoshomeopaticos.com>), esperamos minimizar preconceitos relativos à homeopatia e contribuir para uma ampliação da arte de curar.

Disponível em: <https://doi.org/10.1590/1806-9282.63.02.100>

Título: Reply to “Letter to the Editor” by Moran et al. “Comment on ‘Potentized estrogen in homeopathic treatment of endometriosis associated pelvic pain: A 24-week, randomized, double-blind, placebo-controlled study’”.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat

Fonte: *European Journal of Obstetrics & Gynecology and Reproductive Biology* 2017; 214: 195-7.

Disponível em: <https://doi.org/10.1016/j.ejogrb.2017.04.047>

Título: Potentized estrogen in homeopathic treatment of endometriosis-associated pelvic pain: a 24-week, randomized, double-blind, placebo-controlled study.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat

Fonte: *European Journal of Obstetrics & Gynecology and Reproductive Biology* 2017; 211: 48-55.

Resumo: *Objetivo:* Avaliar a eficácia e a segurança do estrogênio dinamizado em comparação com placebo no tratamento homeopático da dor pélvica associada a endometriose (DPAE). *Desenho do estudo:* O presente estudo é ensaio randomizado, duplo-cego e placebo-controlado de 24 semanas que incluiu 50 mulheres com idades entre 18-45 anos de idade, diagnóstico de endometriose infiltrativa profunda baseado em imagens de ressonância magnética ou ultra-som transvaginal com preparo intestinal e escore ≥ 5 na escala analógica visual (VAS: faixa de 0 a 10) para dor pélvica associada à endometriose. Estrogênio dinamizado (12cH, 18cH e 24cH) ou placebo foi administrado duas vezes ao dia por via oral. A medida de desfecho primário foi a mudança na gravidade da DPAE, com escore global e parcial (VAS) entre as semanas 0-24, determinado pela diferença entre a pontuação média de cinco modalidades de dor pélvica crônica (dismenorreia, dispareunia profunda, dor pélvica não-cíclica, dor intestinal cíclica e/ou dor urinária cíclica). Os desfechos secundários foram a diferença no escore médio para qualidade de vida (SF-36), sintomas de ansiedade (Inventário de Ansiedade de Beck, IAB) e sintomas de depressão (Inventário de Depressão de Beck, IDB). *Resultados:* O escore global da DPAE (VAS: faixa de 0 a 50) diminuiu 12.82 ($P < 0,001$) no grupo tratado com o estrogênio dinamizado entre as semanas 0-24. O grupo que usou estrogênio dinamizado também exibiu redução no escore parcial (VAS: faixa de 0 a 10) em três modalidades DPAE: dismenorreia (3,28; $P < 0,001$), dor pélvica não-cíclica (2.71; $P = 0,009$) e dor intestinal cíclica (3,40; $P < 0,001$). O grupo placebo não apresentou quaisquer alterações significativas nos escores globais ou parciais da DPAE. Além disso, o grupo do estrogênio dinamizado mostrou melhora significativa em três dos oito domínios do SF-36 (dor corporal, vitalidade e saúde mental) e nos sintomas de depressão (BDI). O grupo placebo não mostrou qualquer melhora significativa nestes desfechos. Estes resultados demonstraram a superioridade do estrogênio dinamizado perante o placebo. Alguns efeitos adversos foram associados com o estrogênio dinamizado. *Conclusões:* O estrogênio dinamizado (12cH, 18cH e 24cH) na dose de 3 gotas duas vezes ao dia durante 24 semanas foi significativamente mais eficaz que o placebo na redução da dor pélvica associada à endometriose. *ClinicalTrials.gov Identifier:* [NCT02427386](https://clinicaltrials.gov/ct2/show/study/NCT02427386).

Disponível em: <https://doi.org/10.1016/j.ejogrb.2017.01.052>

Título: Protocol of randomized controlled trial of potentized estrogen in homeopathic treatment of chronic pelvic pain associated with endometriosis.

Autores: Marcus Zulian Teixeira, Sérgio Podgaec, Edmund Chada Baracat

Fonte: *Homeopathy* 2016; 105(3): 240-249.

Resumo: Endometriose é uma doença inflamatória crônica que causa dor pélvica de difícil tratamento. Em vista disto, muitas pacientes buscam auxílio na medicina alternativa e complementar, incluindo o tratamento homeopático. A ausência de evidências na literatura gera controvérsias sobre a efetividade do tratamento homeopático na endometriose. O objetivo deste ensaio clínico randomizado é avaliar a eficácia do estrogênio dinamizado em comparação com o placebo no tratamento da dor pélvica crônica da endometriose. Este é um ensaio randomizado, duplo cego e placebo controlado utilizando medicamento homeopático individualizado em conformidade com a proposta ‘Novos Medicamentos Homeopáticos: uso dos fármacos modernos segundo o princípio da similitude’ (<http://www.novosmedicamentoshomeopaticos.com>). Pacientes com endometriose, dor

pélvica crônica e um conjunto de sinais e sintomas semelhantes aos eventos adversos do estrogênio foram recrutadas no Setor de Endometriose da Divisão de Clínica Ginecológica do Hospital das Clínicas da Faculdade de Medicina da Universidade de São Paulo (HCFMUSP). O processo de seleção foi realizado através da análise de prontuários e pelo autopreenchimento de questionários estruturados. Satisfeitos os critérios de inclusão (elegibilidade), cinquenta pacientes foram distribuídas aleatoriamente para receber estrogênio dinamizado ou placebo. O desfecho clínico primário é a severidade da dor pélvica crônica. A análise estatística será por intenção de tratar e por protocolo comparando o medicamento homeopático com o placebo após 24 semanas de intervenção. O presente estudo foi aprovado pelo Comitê de Ética em Pesquisa do HCFMUSP e os resultados são esperados para 2016. *Trial registration:* <https://clinicaltrials.gov/ct2/show/NCT02427386>.

Disponível em: <https://doi.org/10.1016/j.homp.2016.03.002>

Título: ‘Paradoxical pharmacology’: therapeutic strategy used by the ‘homeopathic pharmacology’ for more than two centuries.

Autor: Marcus Zulian Teixeira.

Fonte: *International Journal of High Dilution Research* 2014; 13(48): 207-226.

Resumo: Utilizando o método de pesquisa empírico ou fenomenológico para observar os efeitos dos fármacos na fisiologia humana, Samuel Hahnemann propôs o tratamento homeopático. Ele sintetizou a farmacodinâmica moderna na ‘ação primária’ dos fármacos e na conseqüente e oposta ‘ação secundária’ do organismo. Observando que fármacos com ação primária ‘contrária’ aos sintomas das doenças causavam agravamento dos sintomas iniciais após a suspensão, como resultado da ação secundária do organismo, Hahnemann propôs usar esta reação vital (ação secundária) no sentido curativo, administrando aos indivíduos doentes os fármacos que causavam sintomas ‘similares’ em indivíduos doentes (utilização terapêutica do princípio da similitude). Segundo a farmacologia clínica e experimental, essa ação secundária (reação vital) do organismo é observada no ‘efeito rebote’ ou ‘reação paradoxal’ de inúmeras classes de fármacos, que é o embasamento científico da ‘farmacologia homeopática’. Na última década, expoentes da moderna farmacologia têm sugerido o uso terapêutico da reação paradoxal (‘farmacologia paradoxal’), propondo o uso de fármacos que causam uma exacerbação das doenças no curto prazo para tratar essas mesmas doenças no longo prazo. Nesta revisão, nós comparamos os vários aspectos entre a ‘farmacologia homeopática’ e a ‘farmacologia paradoxal’, reforçando a validade dos pressupostos homeopáticos e ampliando o conhecimento para aperfeiçoar ambas as propostas.

Disponível em: <http://highdilution.org/index.php/ijhdr/article/view/714>

Título: Similitude and rebound effect of drugs: scientific evidence and therapeutic application.

Autor: Marcus Zulian Teixeira.

Fonte: *Homoeopathic Links* 2014; 27(2): 105-107.

Resumo: Samuel Hahnemann sistematizou o modelo homeopático e os efeitos dos fármacos sobre o estado da saúde humana, descrevendo uma ação primária das drogas, seguida por uma ação secundária e oposta do organismo. Na farmacologia moderna, esta

ação secundária é conhecida como efeito rebote ou reação paradoxal do organismo, sendo descrita após a descontinuação de diversas classes de fármacos paliativos (enantiopáticos), ou seja, aqueles que agem de acordo com o princípio dos contrários (*contrarius contrariis curentur*). Além de ser capaz de causar eventos iatrogênicos graves e fatais quando surge após o uso paliativo dos fármacos modernos, o efeito de rebote também pode despertar uma reação curativa, se as mesmas drogas envolvidas forem empregadas de acordo com o princípio da semelhança (*similia similibus curentur*).

Disponível em: <https://www.thieme-connect.de/products/ejournals/abstract/10.1055/s-0034-1368339>

Título: ‘New homeopathic medicines’ database: A project to employ conventional drugs according to the homeopathic method of treatment.

Autor: Marcus Zulian Teixeira.

Fonte: *European Journal of Integrative Medicine* 2013; 5(3): 270-278..

Resumo: Samuel Hahnemann sistematizou a homeopatia e os efeitos das drogas sobre o estado da saúde humana, descrevendo uma ação principal do medicamento seguido por uma ação secundária e oposta do organismo. Buscando empregar tal ação secundária ou reação vital do organismo como um método terapêutico, ele formulou o princípio da semelhança, ou seja, a administração a indivíduos doentes das drogas que causam sintomas semelhantes em indivíduos saudáveis. Na farmacologia moderna, esta ação secundária é conhecida como efeito rebote ou reação paradoxal do organismo. Além de causar eventos iatrogênicos graves e fatais quando aparece após a descontinuação de drogas modernas paliativas, o efeito rebote pode despertar uma reação de cura se as drogas são empregadas de acordo com o princípio da semelhança. Usando como banco de dados The United States Pharmacopeia Dispensing Information (USP DI) uma matéria médica e repertório homeopático com 1251 drogas modernas foi compilado. Um terceiro volume apresenta as bases científicas do princípio da semelhança, de acordo com o estudo do efeito rebote. O banco de dados completo, composto por três livros eletrônicos, pode ser livremente acessado em <http://www.newhomeopathicmedicines.com>, permitindo que qualquer pessoa possa colocar essa proposta em prática imediatamente. Desta forma, o âmbito terapêutico da homeopatia poderia ser ampliado por meio da adição de centenas de novos medicamentos que poderiam ser empregados para várias doenças e várias síndromes clínicas modernas. Validação adicional pode ser alcançada pela colaboração multidisciplinar.

Disponível em: <https://doi.org/10.1016/j.eujim.2013.01.001>

Título: Novos medicamentos homeopáticos: uso dos fármacos modernos segundo o princípio da similitude.

Autor: Marcus Zulian Teixeira.

Fonte: *Revista de Homeopatia (APH)* 2012; 75(1-2): 36-53.

Resumo: O método de tratamento homeopático se baseia na aplicação do princípio da similitude (*similia similibus curentur*), utilizando medicamentos que causam efeitos semelhantes aos sintomas da doença, com o objetivo de estimular uma reação do organismo contra seus próprios distúrbios. Essa reação vital, homeostática ou paradoxal do organismo

está cientificamente embasada no estudo do efeito rebote das drogas modernas. Nesse trabalho, estamos concluindo uma proposta antiga, na qual sugerimos um método para a utilização homeopática das drogas modernas. Apoiados na justificativa epistemológica de que determinada classe de eventos adversos descritos na farmacologia experimental são sintomas patogenéticos das substâncias, foi elaborada uma Matéria Médica e um Repertório Homeopático com 1.251 drogas modernas, sugerindo sua utilização segundo o princípio da similitude terapêutica. Além de embasar a racionalidade homeopática perante a farmacologia científica, estamos disponibilizando uma metodologia que poderá ampliar o espectro de ação da homeopatia nas doenças atuais.

Disponível em: <http://revista.aph.org.br/index.php/aph/article/view/241>

Título: Homeopathic use of modern drugs: therapeutic application of the paradoxical reaction of the organism or rebound effect.

Autor: Marcus Zulian Teixeira.

Fonte: *Asian Journal of Homoeopathy* 2012; 6(1): 20-31.

Resumo: Quando Samuel Hahnemann sistematizou a homeopatia e o efeito das drogas no estado de saúde humano, descreveu uma ação primária das drogas seguida pela ação secundária e oposta do organismo. Visando utilizar essa ação secundária ou reação vital do organismo como método terapêutico, ele postulou o princípio da similitude, ou seja, a administração ao doente de drogas que causam sintomas similares no indivíduo sadio (*similia similibus curentur*). Na farmacologia moderna, a ação secundária (reação vital) das drogas é conhecida como efeito rebote ou reação paradoxal do organismo. Este fenômeno tem sido observado após a interrupção de vários tipos de drogas paliativas (enantiopáticas), ou seja, aquelas que agem de acordo com o princípio dos contrários (*contraria contrariis curentur*). Podendo provocar eventos iatrogênicos severos e fatais, o efeito rebote também pode desencadear uma reação curativa quando a mesma droga é utilizada de acordo com o princípio da similitude. A validade do princípio da similitude é assim comprovada pela evidência científica do efeito rebote, e os efeitos primários (terapêuticos, adversos e colaterais) das drogas convencionais podem ser comparados a manifestações patogenéticas e, portanto, serem utilizados homeopaticamente. Para tanto, foi elaborada uma matéria médica e um repertório incluindo 1.251 drogas modernas com base nas monografias descritas em *The United States Pharmacopeia Dispensing Information* (www.newhomeopathicmedicines.com). Assim, o escopo terapêutico da homeopatia é alargado através da adição de centenas de novos medicamentos que podem ser utilizados em todos os tipos de doenças, incluindo as síndromes clínicas modernas.

Disponível em: ResearchGate

Título: Homeopathic use of modern drugs: therapeutic application of the organism paradoxical reaction or rebound effect.

Autor: Marcus Zulian Teixeira.

Fonte: *International Journal of High Dilution Research* 2011; 10(37): 338-352.

Resumo: Quando Samuel Hahnemann sistematizou a homeopatia e o efeito das drogas no estado de saúde humano, descreveu uma ação primária das drogas seguida pela ação secundária e oposta do organismo. Visando utilizar essa ação secundária ou reação vital do

organismo como método terapêutico, ele postulou o princípio da similitude, ou seja, a administração ao doente de drogas que causam sintomas similares no indivíduo sadio (*similia similibus curentur*). Na farmacologia moderna, a ação secundária (reação vital) das drogas é conhecida como efeito rebote ou reação paradoxal do organismo. Este fenômeno tem sido observado após a interrupção de vários tipos de drogas paliativas (enantiopáticas), ou seja, aquelas que agem de acordo com o princípio dos contrários (*contraria contrariis curentur*). Podendo provocar eventos iatrogênicos severos e fatais, o efeito rebote também pode desencadear uma reação curativa quando a mesma droga é utilizada de acordo com o princípio da similitude. A validade do princípio da similitude é assim comprovada pela evidência científica do efeito rebote, e os efeitos primários (terapêuticos, adversos e colaterais) das drogas convencionais podem ser comparados a manifestações patogênicas e, portanto, serem utilizados homeopaticamente. Para tanto, foi elaborada uma matéria médica e um repertório incluindo 1.251 drogas modernas com base nas monografias descritas em *The United States Pharmacopeia Dispensing Information* (www.newhomeopathicmedicines.com). Assim, o escopo terapêutico da homeopatia é alargado através da adição de centenas de novos medicamentos que podem ser utilizados em todos os tipos de doenças, incluindo as síndromes clínicas modernas.

Disponível em: <https://highdilution.org/index.php/ijhdr/article/view/456>

Repertório Homeopático dos Fármacos Modernos

BIBLIOGRAFIA



Referências Bibliográficas

1. Aguejoug O, Belougne-Malfati E, Doutremepuich F, Belon P, Doutremepuich C. Tromboembolic complications several days after a single-dose administration of aspirin. *Thromb Res.* 1998; 89: 123-127.
2. Akasa H, Usami M, Koiso K et al. Long-term clinical study of luteinising hormone agonist depot formulation in the treatment of stage D prostatic cancer. *Jpn J Clin Oncol.* 1992; 22:177-184.
3. American Hospital Formulary Service Drug Information. Bethesda: American Society of Hospital Pharmacists. 2000.
4. Andrioli G, Lussignoli S, Gaino S, Benoni G, Bellavite P. Study on paradoxical effects of NSAIDs on platelet activation. *Inflammation.* 1997; 21: 519-530.
5. Andrioli G, Lussignoli S, Ortolani R, Minuz P, Bellavite P. Dual effects of diclofenac on human platelet adhesion in vitro. *Blood Coag Fibrinol.* 1996; 7: 153-156.
6. Barbosa MSM, Ganança, FF, Caovilla HH, Ganança MM. Vestibular rehabilitations: its meaning and application. *Rev Bras Med Otorrinolaringol.* 1995; 2(1): 24-34.
7. Beving H, Eksborg S, Malmgren RS, Nordlander R, Ryden L, Olsson P. Inter-individual variations of the effect of low dose aspirin regime on platelet cyclooxygenase activity. *Thromb Res.* 1994; 74(1): 39-51.
8. Borglin N. Inhibitory effect of Lynestrenol and Lyndiol on human ovarian function. *Int J Fertil* 1964; 9: 17.
9. Breul J, Paul R. Das Antiandrogenentzugssyndrom. [Anti-androgen withdrawal syndrome]. *Urologe (A).* 1998; 37(2): 156-158.
10. British Pharmacopoeia Commission. The British Pharmacopoeia. Belfast: The Stationery Office. 2010.
11. Charlton BG. Why Medical Hypotheses does not publish papers from the field of Alternative healing. *Med Hypotheses.* 2004; 63(4): 557-559.
12. Cloarec-Blanchard L, Funck-Brentano C, Carayon A, Jaillon P. Rapid development of nitrate tolerance in healthy volunteers: assessment using spectral analysis of short-term blood pressure and heart rate variability. *J Cardiovasc Pharmacol.* 1994; 24(2): 266-273.
13. Doutremepuich C, Pailley D, Anne MC, Seize O, Paccalin J, Quilichini R. Template bleeding time after ingestion of ultra-low doses of acetylsalicylic acid in healthy subjects. *Thromb Res.* 1987; 48: 501-504.
14. Dudgeon RE. Lectures on the theory and practice of homoeopathy. New Delhi: B Jain Publishers; 1982 (Reprint edition).
15. European Medicines Agency. Guideline for good clinical practice. London; 2002.
16. European Multicentre Study Group for Cabergoline in Lactation Inhibition. Single dose cabergoline versus bromocriptine in inhibition of puerperal lactation: randomised, double blind, multicentre study. *BMJ.* 1991; 302(6789): 1367-1371.
17. European Pharmacopoeia Commission. European Pharmacopoeia. 6th Edn. Belfast: The Stationery Office. 2009.
18. European pharmacopoeia. 3rd Ed. Strasbourg: Council of Europe, 1997.
19. Garcia CR, Pincus G. Effects on three 19-nor steroids on human ovulation and menstruation. *Amer J Obstet Gynec.* 1958; 75: 82.

Bibliografia

20. Godoi N, Barbosa MSM, Campo MI, Suzuki FA, Ganança MM. The involving optokinetic stimulation as aid in labyrinthine compensation of peripheral vestibular syndromes. *Acta AWHO*. 1993; 12(2): 65-8.
21. Grossman E, Messerli FH. High blood pressure. A side effect of drugs, poisons and food. *Arch Intern Med*. 1995; 155(5): 450-460.
22. Hahnemann S. Cure and prevention of scarlet-fever. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
23. Hahnemann S. Essay on a new principle for ascertaining the curative power of drugs, and some examinations of the previous principles. *Journal der praktischen Arzneykunde*. 1796; 2: 391.
24. Hahnemann S. Essay on a new principle for ascertaining the curative power of drugs, with a few glances at those hitherto employed. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
25. Hahnemann S. How can small doses of such very attenuated medicines as homoeopathy employs have any action on the sick? In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
26. Hahnemann S. *Materia Medica Pura*. New Delhi: B Jain Publishers; 1994 (Reprint edition). 2v.
27. Hahnemann S. *Materia Medica Pura: examination of the sources of the common materia medica*. New Delhi: B. Jain Publishers, 1994, vol. II, p 5-29.
28. Hahnemann S. On the power of small doses of medicine in general, and of *Belladonna* in particular. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
29. Hahnemann S. *Organon of homeopathic medicine*. Third American edition. English version of the fifth German edition. New York: William Radde, 1849.
30. Hahnemann S. *Organon of medicine*. 6th Edn. (Translated by William Boericke). New Delhi: B Jain Publishers, 1991.
31. Hahnemann S. *Reine Arzneimittellehre* (German Edn.). Scholarly Publishing Office, University of Michigan Library, 1830. 472p.
32. Hahnemann S. Some kinds of continued and remittent fevers. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
33. Hahnemann S. The chronic diseases: their peculiar nature and their homoeopathic cure (Translated by Robert E. Dudgeon). New Delhi: B Jain Publishers; 1983. 2v.
34. Hahnemann S. The medicine of experience. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
35. Hahnemann S. Treatment of the typhus or hospital fever at present prevailing. In: Dudgeon RE. The lesser writings of Samuel Hahnemann. New Delhi: B. Jain Publishers; 1995 (Reprint edition).
36. Hughes R. *A manual of pharmacodynamics*. 6th Edn. New Delhi: B Jain Publishers; 1980 (Second reprint edition).
37. Klein C, Morton N, Kelley S, Metz S. Transdermal clonidine therapy in elderly mild hypertensives: effects on blood pressure, plasma norepinephrine and fasting plasma glucose. *J Hypertens Suppl*. 1985; 3(4): 81-84.
38. Kovacs I. Experimentation of the rebound effect of biphasic oral contraceptives. *Ther Hung*. 1990; 38: 110-113.

Bibliografia

39. Lan L, Di Nicolantonio R, Bramich C, Morgan TO. Brief treatment of SHR with na ACE inhibitor fails to cause long-term normotension but markedly increases mortality. *Clin Exp Pharmacol Physiol*. 1995; 22(1): 345-346.
40. Larsen R, Kleinschmidt S. Controlled hypotension. *Anaesthetist*. 1995; 44(4): 291-308.
41. Marodin G, Goldim JR. Confusions and ambiguities in the classification of adverse events in the clinical research. *Rev Esc Enferm USP*. 2009; 43(3): 690-696.
42. Martin RA, Barsoum NJ, Sturgess JM, de la Iglesia FA. Leukocyte and bone marrow effects of a thiomorpholine quinazolin antihypertensive agent. *Toxicol Appl Pharmacol*. 1985; 81(1): 166-173.
43. Mousa AS, Forsythe MS, Bozarth JM, Reilly TM. Effect of single oral dose of aspirin on human platelet functions and plasma plasminogen activator inhibitor-1. *Cardiology*. 1993; 83(5-6): 367-373.
44. Pharmacopoeia internationalis. Stuttgart: Wissenschaftliche Verlagsgesellschaft, 1995.
45. Physicians' Desk Reference. 52nd Ed. Montvale: Medical Economics Company, 1998.
46. Plosker GL, Brogden RN. Leuprorelin: a review of its pharmacology and therapeutic use in prostatic cancer, endometriosis and other Sex hormone-related disorders. *Drugs*. 1994; 6: 930-967.
47. Purfitt K, Martindale WH. The complete drug reference. 32nd Ed. London: The Pharmaceutical Press, 1999.
48. Reid P, Kantoff P. Antiandrogens in prostate cancer. *Invest New Drugs*. 1999; 17(3): 271-284.
49. Shapiro AG, Thomas L. Efficacy of bromocriptine versus breast binders as inhibitors of postpartum lactation. *South Med J*. 1984; 77(6): 719-721.
50. Sweetman SC. Martindale: The Complete Drug Reference. 36th Edn. London: The Pharmaceutical Press. 2009.
51. Szontágh F. Experiences with Infecundin tablets. *Ther Hung*. 1968; 16: 1.
52. Teixeira MZ. 'New Homeopathic Medicines' database: A project to employ conventional drugs according to the homeopathic method of treatment. *Eur J Integr Med*. 2013; 5(3): 270-278.
53. Teixeira MZ. 'Paradoxical strategy for treating chronic diseases': a therapeutic model used in homeopathy for more than two centuries. *Homeopathy*. 2005; 94(4): 265-266.
54. Teixeira MZ. A concepção vitalista de Samuel Hahnemann [The vitalist conception of Samuel Hahnemann]. *Rev Homeopatia (São Paulo)*. 1996; 61(3-4): 39-44.
55. Teixeira MZ. A natureza imaterial do homem: estudo comparativo do vitalismo homeopático com as principais concepções médicas e filosóficas [The intangible nature of the man: comparative study of vitalism homeopathic with mainly medical and philosophical concepts]. São Paulo: Editorial Petrus, 2000.
56. Teixeira MZ. Antidepressants, suicidality and rebound effect: evidence of similitude? *Homeopathy* 2009; 98(1): 114-121.
57. Teixeira MZ. Antiresorptive drugs (bisphosphonates), atypical fractures and rebound effect: new evidence of similitude. *Homeopathy* 2012; 101(3): 231-242.
58. Teixeira MZ. Bronchodilators, fatal asthma, rebound effect and similitude. *Homeopathy* 2007; 96(2): 135-137.
59. Teixeira MZ. Concepção vitalista de Samuel Hahnemann. São Paulo: Robe Editorial, 1996. Edição esgotada.

Bibliografia

60. Teixeira MZ. Evidence of the principle of similitude in modern fatal iatrogenic events. *Homeopathy* 2006; 95(4): 229-236.
61. Teixeira MZ. Homeopathic use of modern medicines: utilisation of the curative rebound effect. *Med Hypotheses*. 2003; 60(2): 276-283.
62. Teixeira MZ. Immunomodulatory drugs (natalizumab), worsening of multiple sclerosis, rebound effect and similitude. *Homeopathy*. 2013; 102(3): 215-224.
63. Teixeira MZ. New homeopathic medicines: use of modern drugs according to the principle of similitude. *Homeopathy* 2011; 100(4): 244-252.
64. Teixeira MZ. New homeopathic medicines: use of modern drugs according to the principle of similitude. São Paulo: Marcus Zulian Teixeira. 3v. 2010. Available at: www.newhomeopathicmedicines.com.
65. Teixeira MZ. NSAIDs, Myocardial infarction, rebound effect and similitude. *Homeopathy* 2007; 96(1): 67-68.
66. Teixeira MZ. O princípio da similitude na moderna farmacologia [The principle of similarity in modern pharmacology]. *Rev Homeopatia (São Paulo)*. 1999; 64(1-4): 45-58.
67. Teixeira MZ. O princípio homeopático de cura ao longo da história da medicina [The homeopathic principle of cure along the history of medicine]. *Rev Homeopatia (São Paulo)*. 2007; 70 (1-4): 55-78.
68. Teixeira MZ. 'Paradoxical pharmacology': therapeutic strategy used by the 'homeopathic pharmacology' for more than two centuries. *Int J High Dilution Res*. 2014; 13(48): 207-226.
69. Teixeira MZ. Rebound acid hypersecretion after withdrawal of gastric acid suppressing drugs: new evidence of similitude. *Homeopathy* 2011; 100(3): 148-156.
70. Teixeira MZ. Rebound effect of drugs: fatal risk of conventional treatment and pharmacological basis of homeopathic treatment. *Int J High Dilution Res* 2012; 11(39): 69-106.
71. Teixeira MZ. Rebound effects of modern drugs: serious adverse event unknown by health professionals. *Rev Assoc Med Bras*. 2013; 59(6): 629-638.
72. Teixeira MZ. *Semelhante cura semelhante: o princípio de cura homeopático fundamentado pela racionalidade médica e científica [Similar cures similar: the homeopathic cure principle based by the medical and scientific rationality]*. São Paulo: Editorial Petrus, 1998.
73. Teixeira MZ. *Similia similibus curentur: the homeopathic healing principle based on modern pharmacology*. *Rev Medicina (São Paulo)*. 2013; 92(3): 183-203.
74. Teixeira MZ. Similitude and rebound effect of drugs: scientific evidence and therapeutic application. *Homoeopathic Links*. 2014; 27(2): 105-107.
75. Teixeira MZ. Similitude in modern pharmacology. *Homeopathy* 1999; 88(3): 112-120.
76. Teixeira MZ. Statins withdrawal, vascular complications, rebound effect and similitude. *Homeopathy* 2010; 99(4): 255-262.
77. The British Pharmacopoeia. London: Stationery Office, 1999.
78. The United States Pharmacopoeial Convention. The United States Pharmacopoeia Dispensing Information. Easton: Mack Printing Co. 2004.
79. The United States Pharmacopoeia Dispensing Information. The United States Pharmacopoeial Convention Inc.: Mack Printing Co., Easton, Pa, 2000.
80. Tyler ET, Olson HJ. Clinical use of new progestational steroids in infertility. *Ann NY Acad Sci*. 1958; 71: 704.

Bibliografia

81. United States. Code of Federal Regulations. 21 CFR. Food and drugs. 312 Investigational new drug application. Washington; 2003.
82. United States. Food and Drug Administration. MedWatch: The FDA safety information and adverse event reporting program. Form FDA 3500A – Mandatory reporting. Washington; 2009.
83. Vogelmeier C, Hederer B, Glaab T, Schmidt H, Rutten-van Mólken MP, Beeh KM, et al. Tiotropium versus salmeterol for the prevention of exacerbations of COPD. *N Engl J Med.* 2011; 364(12): 1093-1103.
84. Wagner H, Kreher B, Jurcic K. *In vitro* stimulation of human granulocytes and limphocytes by pico and fentograg quantities of cytostatic agents. *Arzneim Forsch/ Drug Res.* 1988; 38: 273-275.
85. Wagner H, Kreher B. Agents cytotoxiques comme immunostimulants. In: *Signaux et Images.* (M. Bastide ed.). Paris: Alpha Bleue Ed., 1990, p 9-29.
86. Webster J. A comparative review of the tolerability profiles of dopamine agonists in the treatment of hyperprolactinaemia and inhibition of lactation. *Drug Saf.* 1996; 14(4): 228-238.
87. Wettemann M. Hahnemann's use of 'Fragmenta de viribus medicamentorum' in his early medical practice: analysis based on a patient file. *Med Ges Ghesch.* 2001; 20:221-30.
88. World Health Organization (WHO). Council for International Organizations of Medical Sciences. International ethical guidelines for biomedical research involving human subjects. Geneva; 2002.
89. World Health Organization (WHO). Council for International Organizations of Medical Sciences. Guidelines for preparing core clinical safety information on drug from CIOMS Working Group III. Geneva; 1995.
90. World Health Organization (WHO). Council for International Organizations of Medical Sciences. International ethical guidelines for biomedical research involving human subjects. Geneva; 2002. World Health Organization (WHO). Council for International Organizations of Medical Sciences. Guidelines for preparing core clinical safety information on drug from CIOMS Working Group III. Geneva; 1995.
91. World Health Organization (WHO). Guidelines for good clinical practice (GCP) for trials on pharmaceutical products. WHO Technical Report Series, No. 850, 1995; Annex 3.
92. World Health Organization (WHO). The Uppsala Monitoring Centre. The importance of pharmacovigilance. Safety monitoring of medicinal products. 2002.
93. Yun AJ, Lee PY, Bazar KA. Paradoxical strategy for treating chronic diseases where the therapeutic effect is derived from compensatory response rather than drug effect. *Med Hypotheses.* 2005; 64(5): 1050-1059.